

# TABLE OF CONTENTS

<b>1 INTRODUCTION .....</b>	<b>1</b>
1.1 Types of lung cancer.....	1
1.1.1 Small cell lung cancer (SCLC) .....	1
1.1.2 Non-small cell lung cancer (NSCLC) .....	1
1.2 Key statistics .....	2
1.3 Lung cancer staging.....	3
1.4 Drug Resistance in Cancer.....	3
1.5 Docetaxel .....	4
1.6 RNAi MECHANISM .....	5
1.7 Combinatorial approach.....	7
1.8 Targeted therapy.....	7
1.9 Role of nanocarriers and gene delivery .....	7
1.9.1 PLHNCs (Polymeric Lipid Hybrid Nanocarriers) .....	9
1.10 DRY POWDER INHALER TECHNOLOGY .....	9
1.11 Objective of work.....	9
1.12 rationale.....	10
1.13 hypothesis.....	10
1.14 expected outcomes.....	11
1.15 work plan.....	11
1.16 References .....	13
<b>2 LITERATURE REVIEW .....</b>	<b>16</b>
2.1 Lung Cancer .....	16
2.1.1 Risk factors for lung cancer.....	16
2.1.2 Symptoms of lung cancer .....	17

2.1.3 Pathogenesis of lung cancer .....	17
2.1.4 Prevention and treatment.....	18
2.2 Drug profile.....	21
2.2.1 Mechanism of action .....	22
2.2.2 Problems associated with marketed formulation.....	22
2.2.3 Resistance to Docetaxel.....	23
2.3 Gene delivery .....	25
2.3.1 RNAi mechanism.....	26
2.3.2 shRNA .....	27
2.3.3 In Vivo Delivery Vectors .....	28
2.4 POLYMER LIPID HYBRID NANOCARRIERS (PLHNC) .....	30
2.4.1 Types of lipid polymeric hybrid vesicles .....	31
2.4.2 Advantage of PLHNCs.....	32
2.4.3 Methods for preparation of PLHNCs.....	32
2.4.4 Recent literature on the Hybrid nanocarriers.....	34
2.5 Formulation Optimization.....	38
2.5.1 Experimental Designs .....	39
2.5.2 Design Augmentation.....	40
2.5.3 Response surface.....	40
2.5.4 Mathematical Models .....	42
2.6 Pulmonary delivery of PLHNCs .....	42
2.6.1 Dry Powder Inhalers: .....	42
2.6.2 Formulation of Dry Powder Inhalers: .....	43
2.6.3 Cascade Impactor-Inhaler Testing Equipment: .....	46
2.6.4 Parameters used to define lung deposition: .....	47
2.7 References .....	49

<b>3 ANALYTICAL METHODS .....</b>	<b>54</b>
3.1 INTRODUCTION.....	54
3.2 Analytical Method Validation.....	54
3.2.1 Linearity .....	54
3.2.2 Accuracy.....	54
3.2.3 Precision .....	54
3.2.4 Limit of Detection and Limit of Quantification: .....	55
3.3 Experimental work .....	55
3.3.1 Materials.....	55
3.3.2 Equipment.....	56
3.4 Estimation of Docetaxel by UV spectrophotometry.....	56
3.4.1 $\lambda_{\text{max}}$ determination.....	56
3.4.2 Preparation of stock solution for calibration .....	56
3.4.3 Preparation of the Docetaxel calibration curve in acetonitrile .....	56
3.4.4 Docetaxel calibration plot in phosphate buffer pH 7.4 .....	57
3.4.5 Docetaxel calibration plot in Phosphate buffer pH 6.6 .....	57
3.5 Estimation of docetaxel by High performance liquid chromatography.....	59
3.5.1 Estimation of Docetaxel by RP-HPLC method .....	59
3.5.2 Calibration curve of Docetaxel by HPLC method.....	59
3.5.3 Calibration curve of Docetaxel in rat plasma by HPLC method .....	60
3.5.4 Calibration curve of Docetaxel in lung homogenate by HPLC method.....	61
3.5.5 Method validation .....	62
3.5.6 Estimation of total phospholipid content by Stewart method.....	62
3.5.7 Analytical Interference study.....	63
3.6 Analytical methods used for quantification of pDNA.....	63

3.6.1	UV Spectrophotometric Analysis of pDNA.....	63
3.6.2	Method for UV analysis of shRNA pDNA .....	64
3.7	Gel Electrophoresis of pDNA .....	64
3.7.1	Preparation of TAE buffer (Tris/Acetate/EDTA buffer, pH 8.4) ....	65
3.7.2	1.2% Agarose gel.....	65
3.7.3	EtBr stock solution (10 mg/mL) .....	65
3.7.4	Tank buffer: .....	66
3.7.5	Loading buffer: .....	66
3.7.6	Method of analysis.....	66
3.8	Results and discussion .....	66
3.8.1	Estimation of Docetaxel by UV-VIS spectrophotometry .....	66
3.8.2	Estimation of Docetaxel using High Performance Liquid Chromatography (HPLC).....	77
3.8.3	Estimation of total phospholipid content by Stewart method.....	86
3.8.4	Analytical Interference study.....	88
3.8.5	Estimation of shRNA pDNA using UV spectrophotometry .....	89
3.8.6	Determination of detectable range of pDNA for Gel Retardation Assay	92
3.8.7	Relative Quantification .....	92
3.9	References .....	95
<b>4</b>	<b>PREFORMULATION STUDIES .....</b>	<b>96</b>
4.1	Introduction .....	96
4.2	List of Materials and Equipments.....	96
4.2.1	Materials.....	96
4.3	Characterization of Docetaxel .....	97
4.3.1	Organoleptic characterization .....	97

4.3.2 Melting Point Determination.....	97
4.3.3 Infrared Spectroscopy .....	97
4.4 DOCETAXEL-EXCIPIENTS COMPATIBILITY STUDIES .....	98
4.4.1 DSC .....	98
4.4.2 IR.....	98
4.5 shRNA pdna Working condition optimization.....	98
4.6 Results and Discussion .....	98
4.6.1 Organoleptic characterization of Docetaxel .....	98
4.6.2 Melting point determination .....	99
4.6.3 Authentication of drug by FTIR .....	99
4.6.4 Drug-excipients Compatibility Study .....	100
4.6.5 Optimization of working conditions for shRNA .....	102
4.7 References .....	105
<b>5 FORMULATION &amp; DEVELOPMENT OF DRUG AND GENE DUAL LOADED PLHNCS.....</b>	<b>106</b>
5.1 introduction .....	106
5.2 Materials and intruments.....	106
5.2.1 Materials.....	106
5.2.2 Equipments .....	107
5.3 Formulation and development.....	108
5.3.1 Method of preparation.....	108
5.3.2 Preliminary screening study for formulation and process parameters	108
5.3.3 Selection of polymer .....	109
5.3.4 Effect of polymer concentration on encapsulation efficiency and particle size:.....	110

5.3.5 Effect of lipid to polymer ratio on drug encapsulation and particle size	110
5.3.6 Effect of drug input on encapsulation efficiency and particle size	113
5.3.7 Effect of lipid composition ratio on docetaxel encapsulation, particle size of PLHNCs and complexation efficiency of shRNA.....	113
5.3.8 Effect of process on encapsulation efficiency and particle size .....	114
5.4 Risk assessment.....	115
5.5 Quality by design.....	115
5.5.1 Plackett-Burman design for screening study (Primary design): .....	116
5.5.2 Box-behnken design for point prediction (Secondary design) .....	121
5.5.3 Desirability plot and overlay plot for optimization.....	141
5.5.4 Point prediction and confirmation .....	142
5.6 Characterization.....	142
5.6.1 Particle size and zeta potential determination .....	142
5.6.2 Determination of encapsulation efficiency of Docetaxel and complexation efficiency of shRNA .....	143
5.6.3 Phospholipid content by Stewart method.....	144
5.6.4 Scanning Electron Microscopy (SEM) Analysis .....	144
5.6.5 Transmission Electron Microscopy (TEM).....	144
5.6.6 In-vitro drug release study and drug release kinetics.....	144
5.6.7 Estimation of residual solvent by Head space gas chromatography	147
5.6.8 Atomic force microscopy (AFM) analysis .....	148
5.7 ResultS and discussion.....	148
5.7.1 Particle size analysis of PLHNCs by dynamic light scattering (DLS)	148
5.7.2 Zeta potential of developed PLHNCs .....	149
5.7.3 Estimation of total phospholipid content.....	149

5.7.4 Scanning Electron Microscopy (SEM) Analysis.....	150
5.7.5 Transmission Electron Microscopy (TEM).....	150
5.7.6 In-vitro drug and pDNA release study and release kinetic .....	151
5.7.7 Estimation of residual solvent by HS-Gas Chromatography .....	154
5.7.8 Atomic Force Microscopy .....	155
5.8 References .....	156
<b>6 DEVELOPMENT OF LYOPHILIZED DRY POWDER FORMULATION</b>	<b>157</b>
6.1 Introduction.....	157
6.2 mATERIALS AND EQUIPMENTS .....	158
6.2.1 Materials.....	158
6.3 Preparation and characterization of lyophilized PLHNCs .....	159
6.3.1 Lyophilization procedure .....	159
6.3.2 Sf/Si ratio.....	159
6.3.3 Percentage drug retention .....	160
6.3.4 Moisture content analysis .....	160
6.3.5 Cryogenic and Freeze fracture transmission electron microscopy (cryo-TEM & FF-TEM).....	160
6.4 Preparation and characterization of dry powder formulation for inhalation	160
6.4.1 Development of dry powder formulation.....	160
6.4.2 In-vitro deposition studies .....	161
6.4.3 Compendial and non-compendial tests of developed PLHNCs dry powder.....	161
6.4.4 Scanning electron microscopy .....	162
6.4.5 Powder X-ray diffraction (PXRD).....	163
6.4.6 DSC .....	163
6.4.7 FT-IR.....	163

6.5 Integrity of shRNA pDNA AFTER DRY POWDER FORMULATION ..	163
6.6 Results and discussion .....	163
6.6.1 Optimization of lyophilization.....	163
6.6.2 Water content analysis .....	165
6.6.3 Cryo TEM and freeze-fracture TEM studies.....	165
6.6.4 Optimization of Dry powder formulation .....	166
6.6.5 Evaluation of dry powder for inhalation .....	167
6.6.6 Scanning electron microscopy .....	169
6.6.7 Powder X-ray diffraction (pXRD) .....	169
6.6.8 DSC .....	170
6.6.9 FT-IR.....	171
6.6.10 Integrity of shRNA pDNA after development of DPI .....	172
6.7 References .....	173
<b>7 IN-VITRO CELL LINE STUDIES .....</b>	<b>174</b>
7.1 Introduction .....	174
7.2 Materials and equipements.....	174
7.2.1 Materials .....	174
7.3 General methods and preparations .....	175
7.3.1 Preparation of complete media .....	175
7.3.2 Preparation of PBS (Phosphate Buffer Saline) pH 7.4 .....	176
7.3.3 Preparation of FACS buffer.....	176
7.3.4 Sub-culturing of cells .....	176
7.4 In-vitro cell line studies .....	177
7.4.1 Development of Docetaxel resistant A-549 cell lines.....	177
7.4.2 In-vitro cytotoxicity .....	178
7.4.3 Cell migration assay .....	179

7.4.4 Cellular uptake studies .....	179
7.4.5 P-gp inhibition assay .....	180
7.4.6 Endocytic routes of sh-PLHNCs and FA-sh-PLHNCs .....	180
7.4.7 Apoptosis detection and cell cycle analysis .....	181
7.4.8 Quantitative RT-PCR .....	182
7.5 Results and Discussion .....	189
7.5.1 Functional characterization of developed Docetaxel resistant A549 cell line .....	189
7.5.2 Cytotoxicity assay of various PLHNCs formulations .....	190
7.5.3 Characterization of cell migration (Scratch assay) .....	191
7.5.4 Qualitative uptake studies using confocal microscopy .....	193
7.5.5 Quantitative uptake studies using FACS.....	194
7.5.6 Effect of ABCB1 shRNA plasmid on P-gp activity .....	196
7.5.7 Determination of endocytic route .....	197
7.5.8 Cell apoptosis determination and cell cycle analysis.....	199
7.5.9 Inhibition of MDR1 mRNA levels by ABCB1 shRNA plasmid....	202
7.6 References: .....	204
<b>8 IN-VIVO STUDIES.....</b>	<b>206</b>
8.1 Introduction.....	206
8.2 Methods.....	206
8.2.1 Selection of animals .....	206
8.2.2 Housing and feeding conditions .....	206
8.2.3 Preparation of animals.....	206
8.3 Intratracheal Instillation .....	206
8.4 Acute toxicity study and maximum tolerated dose estimation .....	207
8.5 Pulmonary pharmacokinetics .....	208

8.6 Enzymatic activity estimation .....	209
8.7 In-vitro metabolism assay .....	209
8.8 Hemolytic study .....	210
8.8.1 Hemolytic study by UV method .....	210
8.8.2 Hemolytic study by Optical method .....	211
8.9 ResultS and discussion.....	211
8.9.1 Estimation of the maximum tolerated dose and LD <sub>50</sub> .....	211
8.9.2 Estimation of Docetaxel in lung homogenate (LH) and broncho-alveolar lavage (BAL fluid) after intra-tracheal and intravenous administration .....	213
8.9.3 Enzymatic activity estimation.....	215
8.9.4 Metabolism of Docetaxel by rat liver and lung microsomes.....	216
8.9.5 Hemolytic study by UV spectroscopy.....	216
8.9.6 Hemolytic study by optical method .....	217
8.10 References .....	218
<b>9 STABILITY STUDIES .....</b>	<b>219</b>
9.1 Introduction.....	219
9.2 Method for stability study .....	220
9.3 Serum stability study of shrna pDNA iN D-sh-PLHNCs .....	220
9.4 ResultS and discussion.....	221
9.4.1 Stability of PLHNC formulation as per ICH guidelines .....	221
9.4.2 Stability of shRNA pDNA in serum and simulated lung fluid.....	224
9.5 References .....	225
<b>10 SUMMARY AND CONCLUSION.....</b>	<b>227</b>
10.1 Summary .....	227
10.2 Conclusion .....	233