

7. BIBLIOGRAPHY

- Adhikary, S.P. and Kovacik, L. (2010). Comparative analysis of cyanobacteria and micro-algae in the biofilms on the exterior of stone monuments in Bratislava, Slovakia and in Bhubaneswar, India. *The Journal of Indian Botanical Society*, 89(1 and 2), 19-23.
- Adhikary, S.P., Keshari, N., Urzì, C. and De Philippis, R. (2015). Cyanobacteria biofilms on stone temples of Bhubaneswar, Eastern India. *Algological Studies*, 147, 67–93.
- Agrawal, O.P., Mishra, A.K. and Jain, K.K. (1994) Removal of plants and trees from historic buildings. INTACH Indian Conservation Institute Publisher.
- Allsopp, D., Seal, K.J. and Gaylarde, C.C. (2004). *Introduction to biodeterioration*. Cambridge University Press. p.237.
- Altieri, A. and Ricci, S. (1997). Calcium uptake in mosses and its role in stone biodeterioration. *International biodeterioration and biodegradation*, 40(2-4), 201-204
- Anagnostidis K. and Komárek, J. (1990). *Modern approach to the classification system of Cyanophytes 5-Stigonematales*. Archiv für Hydrobiologie Supplementband Monographische Beiträge 86,1–73
- Anon, (2004). *ASI and Heritage Trust, 2004. Champaner – Pavagadh World Heritage Site Nomination for inclusion on the UNESCO World Heritage List, India*. ASI and Heritage Trust, p.80
- Anon, (2010). Ancient monuments and archaeological sites remains act 1958.
- Anon, (2021). The Maharaja Sayajirao University of Baroda. History of Vadodara.
- Aptroot A. and James, P.W. (2002) Monitoring Lichens on Monuments. In: Nimis P.L., Scheidegger C., Wolseley P.A. (eds) *Monitoring with Lichens — Monitoring Lichens*. NATO Science Series (Series IV: Earth and Environmental Sciences), vol 7. Springer, Dordrecht. https://doi.org/10.1007/978-94-010-0423-7_16
- Aptroot, A., van Herk, K. and Sparrius, L. (2017). Twenty-two years of monitoring the lichen flora of megalithic monuments in the Netherlands. *Herzogia*, 30(2), 483-495.

- ASI, (2020). Protected monuments of Gujarat. Archaeological Survey of India. <https://asi.nic.in/alphabetical-list-of-state-protected-monuments/> Accessed 20 November 2020
- Awasthi, D. D. (1991). *A Key to the Microlichens of India, Nepal and Shri Lanka*. J. Cramer, Berlin. Stuttgart. p.337
- Awasthi D. D. (2007). *A Compendium of the Macrolichens from India, Nepal and Shri Lanka*. Bishen Singh Mahendra Pal Singh, Dehradun. India. p. 580
- Ayub, A. (2005). Lichen flora of some major historical monuments and buildings of Uttar Pradesh. Ph.D. Thesis. Lichenology Laboratory, NBRI, Lucknow.
- Aziz, M. N. and Vohra, J. N. (2008). *Pottiaceae (Musci) of India*. Bishen Singh Mahendra Pal Singh.p.366
- Bajpai, R. and Upreti, D. K. (2014). *Lichens on Indian Monuments Biodeterioration and Biomonitoring*. Bishen Singh Mahendra Pal Singh, Dehradun. India. p. 222.
- Baldev, E., Mubarakali, D., Shriraman, R., Pandiaraj, D., Alharbi, N. S., Thajuddin, N. (2015) Extraction and partial characterization of exopolysaccharides from marine cyanobacteria and their flocculation property. *Research Journal of Environmental Science*, 9, 28–38
- Banerjee, D. and Sarkar, S. (2019). Chemical and Biochemical Onslaught of Anthropogenic Airborne Species on the Heritage Monument of the Taj Mahal. *Heritage*, 2(3), 2137-2159.
- Bapna, K. R. and Kachroo, P. (2000). *Hepaticology in India – I*. Himanshu Publications, Udaipur, India.p.466
- Barberousse, H., Tell, H.G., Yéprémian, C. and Couté, A. (2006). Diversity of algae and cyanobacteria growing on building facades in France. *Algological Studies*, 120,81-105.
- Bartoli, F., Municchia, A. C., Futagami, Y., Kashiwadani, H., Moon, K.H. and Caneva, G. (2014). Biological colonization patterns on the ruins of Angkor temples (Cambodia) in the biodeterioration vs bioprotection debate. *International Biodeterioration and Biodegradation*, 96,157-165.
- Barukial, J., (2011). A bryofloristic ecological assessment of Assam, India. *Indian Journal of Fundamental and Applied Life Sciences*, 1(3), 98-106.

- Bates, J.W. (1982). The role of exchangeable calcium in saxicolous calcicole and calcifuge mosses. *New Phytologist*, 90(2), 239-252.
- Bates, J.W. (1992). Mineral nutrient acquisition and retention by bryophytes. *Journal of Bryology*, 17(2), 223-240.
- Behera, P.K., Nayaka, S. and Upreti, D.K. (2020). Lichens on monuments of Odisha – Are they causing biodeterioration? *NeBIO* 11(2): 71-78.
- Bhatnagar, P., Khan, A.A., Jain, S.K. and Rai, M.K. (2016). Biodeterioration of archaeological monuments and approach for restoration. In *Geomicrobiology*. CRC press.
- Bhavani, B., Manoharan, C. and Vijayakumar, S. (2013). Studies on diversity of cyanobacteria from temples and monuments in India. *International Journal of Environment, Ecology, Family and Urban Studies*, 3(1), 21-32.
- Borderie, F., Alaoui-Sossé, B. and Aleya, L. (2015). Heritage materials and biofouling mitigation through UV-C irradiation in show caves: state-of-the-art practices and future challenges. *Environmental Science and Pollution Research*, 22(6), 4144-4172.
- Bradley, N. (2007). The response surface methodology. Master of Science thesis. Department of Mathematical Sciences. Indiana University of South Bend
- Bruns, R. E., Scarminio, I. S., and de Barros Neto, B. (2006). *Statistical design-chemometrics*. Elsevier Publisher. p.422.
- Buck, W. R. and Goffinet, B. (2000). *Morphology and classification of mosses*. Bryophyte Biology (Eds.) A. J. Shaw and B. Goffinet. Cambridge University Press, University of Cambridge, UK. p.71-123.
- Bültmann, H., Roux, C., Egea, J.M., Julve, P., Bricaud, O., Giaccone, G., Täuscher, L., Creveld, M., Di Martino, V., Golubic, S. and Takeuchi, N. (2015). Validations and descriptions of European syntaxa of vegetation dominated by lichens, bryophytes and algae. *Mediterranean Botany*, 36,107-129.
- Campbell, J. M. (1879). Gazetteer of the Bombay Presidency: Kaira and Panch Maháls, Bombay (India: state). Printed at Government Central press. pp 304-309
Accessed on 19 May, 2021
- Castenholz, R.W. (1988). Culturing methods for cyanobacteria. *Methods in enzymology*, 167,68-93.

- Chang, S.J., Kim, S.J. and Kwon, K. (2004). Effects of some water repellents on the structure and water sorption of smectite. *Clays and clay minerals*, 52(1), 25-30.
- Chang, S.J., Kwon, K. and Kim, S.J. (2001). The Effect of Water Repellents on Swelling Mineral (Smectite). *The Korean Society of conservation science for cultural heritage*, 59-67.
- Chaudhary, B. L. and Deora, G. S. (1993). *Moss flora of Rajasthan*. Himanshu publications, Udaipur, India. p.127.
- Chaudhary, B. L., Sharma, T. P., Bhagora, F. S. (2008). *Bryophyte flora of North Konkan, Maharashtra (India)*. Himanshu Publications, Udaipur and New Delhi, p.342.
- Chaudhary, B. L., Sharma, T. P. and Sanadhya, C. (2006). *Bryophyte Flora of Gujarat*. Himanshu Publications Udaipur and New Delhi, p.198.
- Chen, J., Blume, H. P. and Beyer, L. (2000). Weathering of rocks induced by lichen colonization—a review. *Catena*, 39(2), 121-146.
- Chen, R., Zhang, Y., Li, Y., Wei, W., Zhang, J. and Wu, N. (2009). The variation of morphological features and mineralogical components of biological soil crusts in the Gurbantunggut Desert of Northwestern China. *Environmental Geology*, 57(5), 1135-1143.
- Choudhury, M. P., Sarma, M. and Nayaka, S. (2016). A preliminary study on lichens of ancient historical ruins of Bamuni Hills, Tezpur, Assam, North-East India. *The Bioscan*, 11(3), 1493-1496.
- Chug, R. and Mathur, S. (2013). Extracellular polymeric substances from cyanobacteria: characteristics, isolation and biotechnological applications-a review. *International Journal of Advance Engineering Science and Technology*, 3, 49-53.
- Clair L.L., Seaward M.R.D. (2004) Biodeterioration of Rock Substrata by Lichens: Progress and Problems. In: St.Clair L.L., Seaward M.R.D. (eds) Biodeterioration of Stone Surfaces. Springer, Dordrecht. https://doi.org/10.1007/978-1-4020-2845-8_1.

- Crandall-Stotler, B., Stotler, R. E. and Long, D. A. (2008). Morphology and Classification of the Marchantiophyta, In: *Bryophyte bryology*. 2nd Ed., Goffinet B. and Shaw A. J (Eds), University Press, Cambridge, p.1-54.
- Crispim, C. A. and Gaylarde, C. C. (2005). Cyanobacteria and biodeterioration of cultural heritage: a review. *Microbial Ecology* 49:1–9
- Culberson, C. F. (1969). Chemical and botanical guide to lichen products. University of North Carolina Press, Chapel Hill.p.85-93.
- Dakal, T. C. and Cameotra, S. S. (2012). Microbially induced deterioration of architectural heritages: routes and mechanisms involved. *Environmental Sciences Europe*, 24(1),1-13.
- Das, S. K. and Adhikary, S. P. (2014). *Freshwater algae of eastern India*. Daya Publishing House.p.453.
- De Philippis, R., Margheri, M. C., Materassi, R., Vincenzini, M. (1998) Potential of unicellular cyanobacteria from saline environments as exopolysaccharide producers. *Appl Environ Microbiol* 64(3), 1130–1132.
- Delattre, C., Pierre, G., Laroche, C., Michaud, P. (2016) Production, extraction and characterization of microalgal and cyanobacterial exopolysaccharides. *Biotechnology Advances* 34,1159–1179.
- Desikachary, T.V. (1959). Cyanophyta, vol 2. Indian Council of Agricultural Research, New Delhi p.686
- Dewey, C. C. (1999). An investigation into the effects of an herbicide on historic masonry materials. Catherine Camille Dewey University of Pennsylvania. Graduate program thesis.
- Duraisamy, R. (2012). Biodeteriorative flora of Cultural Heritages in Thiruvavur district, Tamil Nadu. Ph.D. Thesis. Tamil University, Thanjavur.
- Elharech, M., Benharbit, M., Magri, N., Benharbit, O., Zidane, L., Douira, A., Belahbib, N. and Dahmani, J. (2017). Study of the bryological flora at the archaeological site of Chellah, Morocco. *International Journal of Environment, Agriculture and Biotechnology*, 2(4), 238834.
- Ezer, T., Kara, R., Cakan, H. and Duzenli, A. (2008). Bryophytes on the Archaeological Site of Tilmen Hoyiik, Gaziantep (Turkey). *International Journal of Botany*, 4(3), 297-302.

- Faldu, N., Patel, S., Vishwakarma, N.P., Singh, A.K., Patel, K. and Pandhi, N. (2014). Genetic diversity of marine and fresh water cyanobacteria from the Gujarat state of India. *Advances in Bioscience and Biotechnology*, 5(14),1061.
- Flechtner, V. R., Johansen, J. R. and Belnap, J. (2008). The biological soil crusts of the San Nicolas Island: enigmatic algae from a geographically isolated ecosystem. *Western North American Naturalist*, 68(4), 405-436.
- Gangulee, H. C. (1969-72). *Mosses of Eastern India and Adjacent Regions. Vol. I.* Books and Allied (P) Ltd., Kolkata, India. p.830.
- Gangulee, H. C. (1974-78). *Mosses of Eastern India and Adjacent Regions. Vol. II.* Books and Allied (P) Ltd., Kolkata, India. p.1546.
- Garcia-Pichel, F. (2009). Cyanobacteria. In *Encyclopedia of microbiology*,107-124. Elsevier Inc.
- García-Rowe, J. and Sáiz-Jiménez, C. (1991). Lichens and bryophytes as agents of deterioration of building materials in Spanish cathedrals. *International biodeterioration*, 28(1-4),151-163.
- Gehrmann, C., Krumbein, W.E. and Petersen, K. (1988). Lichen weathering activities on mineral and rock surfaces.
- Gil, J.A. and Sáiz-Jiménez, C. (1992). Biodeterioration of Roman mosaics by bryophytes.
- Gilmour, S. G. (2006). Response surface designs for experiments in bioprocessing. *Biometrics*, 62(2), 323-331
- Glime, J. M. (2013). Bryophyte ecology. Vol. 1. Physiological ecology. E-book sponsored by Michigan Technological University and the International Association of Bryologists. Available at <http://digitalcommons.mtu.edu/bryophyte-ecology> (Accessed date: 08/4/2020)
- Gloaguen, V., Morvan, H. and Hoffmann, L. (1995). Released and capsular polysaccharides of Oscillatoriaceae (Cyanophyceae, Cyanobacteria). *Algological Studies/Archiv für Hydrobiologie, Supplement Volumes*, p.53-69.
- Google Earth, 2021. Elevation Information. https://www.google.com/intl/en_in/earth/versions/. Accessed on 14 April 2021.

- Gugger, M.F. and Hoffmann, L. (2004). Polyphyly of true branching cyanobacteria (Stigonematales). *International Journal of Systematic and Evolutionary Microbiology*, 54(2), 349-357.
- Guillitte, O. (1995). Bioreceptivity: a new concept for building ecology studies. *Science of the total environment*, 167(1-3), 215-220.
- Gupta, S.P. and Sharma, K. (2011). Biological Deterioration and their Chemical Conservation with Reference to Chandraditya Temple, Barsoor. *Journal of Ecobiotechnology*, 3(5), 12-15.
- Guruvaiah, M., Narra, M., Dixit, G., Karawadia, P. and Shah, D. (2015). Isolation, screening and optimization of estuary region (Khambhat, Gujarat) microalgae for lipid/oil production. *International Journal of Applied Sciences and Biotechnology*, 3(2), 197-201.
- Herz, N. (1982). Geological sources of building stone. In *Conservation of historic stone buildings and monuments. Proceedings of the conference held in washington, dc*, 49-61.
- Hong, J.W., Kim, S., Chang, J.W., Yi, J., Jeong, J.E., Kim, S.H., Kim, S.H. and Yoon, H.S. (2012). Isolation and description of a Korean microalga, *Asterarcys quadricellulare* KNUA020, and analysis of its biotechnological potential. *Algae*, 27(3), 197-203.
- Hristova, J. and Todorov, V. (1996). Consolidation effect of Wacker-silicones on the properties of sandy limestone. In *8th= eighth international congress on deterioration and conservation of stone, Berlin, proceedings*, p.1195-1201.
- Hu, C., Liu, Y., Paulsen, B. S., Petersen, D., Klaveness, D. (2003) Extracellular carbohydrate polymers from five desert soil algae with different cohesion in the stabilization of fine sand grain. *Carbohydrate Polymer* 54(1), 33–42.
- IMD, (2021). Customized Rainfall Information System, Hydromet Division. India Meteorological Department. [http://hydro.imd.gov.in/hydrometweb/\(S\(ah3z5k55icx21j45v0pygfuo\)\)/DistrictRaifall.aspx](http://hydro.imd.gov.in/hydrometweb/(S(ah3z5k55icx21j45v0pygfuo))/DistrictRaifall.aspx) Accessed on 22 July, 2021
- Inoue, S., Ishida, A. and Kodama, M. (1981). Cellulose and uronic acid contents of cell-wall isolated from gametophytes of some mosses and liverworts. *Journal of Hattori botanical Laboratory*, 49, 141-149.

- Jackson, T. A. (2015). Weathering, secondary mineral genesis, and soil formation caused by lichens and mosses growing on granitic gneiss in a boreal forest environment. *Geoderma*, 251, 78-91.
- Jayanthi, D. (2007). Conservation of sandstone monuments at Kanchipuram, Tamilnnadu, India. Ph.D. Thesis, Anna university, Chennai.
- Joshi, Y., Nayal, S., Tripathi, M., Bisht, K. and Upreti, D. K. (2015). Distribution and diversity of lichenized fungi colonizing Jageshwar group of temples, Almora, Uttarakhand. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, 85(2),545-554.
- Kakakhel, M. A., Wu, F., Gu, J. D., Feng, H., Shah, K. and Wang, W. (2019). Controlling biodeterioration of cultural heritage objects with biocides: A review. *International Biodeterioration and Biodegradation*, 143,104721.
- Keller, W.D. and Frederickson, A.F. (1952). Role of plants and colloidal acids in the mechanism of weathering. *American Journal of Science*, 250, 594-608.
- Keshari, N and Adhikary, S. P. (2013). Characterization of cyanobacteria isolated from biofilms on stone monuments at Santiniketan, India. *Biofouling* (29)525–536.
- Keshari, N. and Adhikary, S. P. (2014). Diversity of cyanobacteria on stone monuments and building facades of India and their phylogenetic analysis. *International Biodeterioration and Biodegradation*, 90,45–51.
- Khattar, J. I. S., Singh, D. P., Jindal, N., Kaur, N., Singh, Y., Rahi, P., Gulati, A. (2010). Isolation and characterization of exopolysaccharides produced by the cyanobacterium *Limnothrix redekei* PUPCCC 116. *Application Biochem Biotechnology* 162,1327–1338.
- Kielme, S. N., Domozych, D. S., Gretz, M. R. (2007). The extracellular polymeric substances of desmids (Conjugatophyceae, Streptophyta): chemistry, structural analyses and implications in wetland biofilms. *Phycologia* 46(6),617–627.
- Komárek, J. and Anagnostidis, K. (1989) Modern approach to the classification system of cyanophytes. 4. Nostocales Arch Hydrobiol Suppl. *Algological Studies*, 56, 247–345.
- Komárek, J. and Anagnostidis, K. (1999) *Cyanoprokaryota, volume 19/ 1, I. Series: Chroococcales* [Cyanoprokaryota, volume 19/1, I. Series: Chroococcales]. In: Ettl H,

Gärtner G, Heynig H, Mollenhauer D (eds) Süßwasserflora von Mitteleuropa [Freshwater flora of Central Europe]. Gustav Fisher Verlag, Jena.

- Komarek, J. and Fott, B. (1983). *Chlorophyceae (Grünalgen), Ordnung Chlorococcales. Das Phytoplankton des Subwassers*. Vol. 16. Part 7 Half 1. Stuttgart p.1044.
- Komárek, J. (2016). A polyphasic approach for the taxonomy of cyanobacteria: principles and applications. *European Journal of Phycology*, 51(3), p.346-353.
- Komárek, J., Sant'Anna, C. L., Bohunicka, M., Mareš, J., Hentschke, G. S., Rigonato, J. and Fiore, M.F. (2013). Phenotype diversity and phylogeny of selected Scytonema-species (Cyanoprokaryota) from SE Brazil. *Fottea*, 13(2), 173-200.
- Kumar, S. V., Waghmare, S.A., Mahajan, N.E. and Sabale, P.D. (2016). Eradication of vegetal growth and systematic scientific conservation approach of Ballaleshwar Temple, Trimbakeshwar (India). *International Journal of Conservation Science*, 7(3), 615-626.
- La Cono, V. and Urzì, C. (2003) Fluorescent in situ hybridization applied on samples taken with adhesive tape strips. *Journal of Microbiological methods* 55,65–71.
- Lakshmi, P.T.V. and Annamalai, A. (2008). The Effects of Cyanobacterial (Blue Green Algae) Culture Filtrates on the Biomass and Biochemicals of *Withania somnifera* Dunal. *Asian Journal of Plant Sciences*.
- Macedo, M.F., Miller, A.Z., Dionísio, A. and Saiz-Jimenez, C. (2009). Biodiversity of cyanobacteria and green algae on monuments in the Mediterranean Basin: an overview. *Microbiology*, 155(11), 3476-3490.
- Makowicz, E., Jasicka-Misiak, I., Teper, D. and Kafarski, P. (2018). HPTLC Fingerprinting—Rapid Method for the Differentiation of Honeys of Different Botanical Origin Based on the Composition of the Lipophilic Fractions. *Molecules*, 23(7), p.1811.
- Matteini, M. and Moles, A. (1986). Le patine di ossalato sui manufatti in marmot. In: *Restauro del Marmo: Opere e Problemi. Quadri dell' Opificio delle Pietre Dure e Laboratori di Restauro di Firenze*, Opus Libri, Firenze: pp65-73.
- Mehta, D. and Shah, D. (2021). Cyanobacteria and microalgae growing on monuments of UNESCO World Heritage site Champaner Pavagadh, India: biofilms and their exopolysaccharide composition. *Archives of Microbiology*. P.1-9.

- Mehta, D., Sivan, P., Shah, D. (2020). Statistical in vitro model for upscaling biofilm of *Chroococcidiopsis cubana* by media optimization and its protocol for DNA extraction. *Bioscience and Biotechnology Research Communication* 13(4), 1962–1966
- Merh, S. S. (1995). A note on the Geology of Pavagadh Hill, Panchmahal District, Bombay state. *Journal of the M. S. University of Baroda*, vol4, no.2, p 1-47.
- Miller, A.Z., Sanmartín, P., Pereira-Pardo, L., Dionísio, A., Sáiz-Jiménez, C., Macedo, M.F. and Prieto, B. (2012). Bioreceptivity of building stones: a review. *Science of the total environment*, 426, 1-12.
- Mishra, A. and Jha, B., (2009). Isolation and characterization of extracellular polymeric substances from micro-algae *Dunaliella salina* under salt stress. *Bioresource technology*, 100(13), 3382-3386.
- Modi, S. M. (2008). Champaner Pavagadh Managing conflicts A conservation challenge. Structural analysis of historic construction: preserving safety and significance: proceedings of the VI international conference on structural analysis of historic construction, SAHC08, 2-4 July 2008, vol 1. CRC Press, Bath, UK, p 175.
- Mugnai, G., Rossi, F., Chamizo, S., Adessi, A. and De Philippis, R. (2020). The role of grain size and inoculum amount on biocrust formation by *Leptolyngbya ohadii*. *Catena*, 184, p.104248.
- Nayaka, S.K., Behera, P.K., Bajpai, R., Upreti, D.K. and Satapathy, K.B. (2017). Lichens growth on Sun Temple of Konark in Odisha, India-A curse or blessing. *Cryptogam Biodiversity and Assessment*, 2,48-52.
- Nishanth, S., Bharti, A., Gupta, H., Gupta, K., Gulia, U. and Prasanna, R. (2020). Cyanobacterial extracellular polymeric substances (EPS): biosynthesis and their potential applications. *Microbial and natural macromolecules*. Academic Press, pp 349–369.
- Nübel, U., Garcia-Pichel, F. and Muyzer, G. (1997). PCR primers to amplify 16S rRNA genes from cyanobacteria. *Applied and Environmental Microbiology*, 63,3327–3332

- Nwodo, U. U., Green, E. and Okoh, A.I. (2012). Bacterial exopolysaccharides: functionality and prospects. *International Journal of Molecular Sciences*, 13,14002–14015
- Orange, A., James, P.W. and White, F.J. (2001). *Microchemical methods for identification of lichens*. British Lichen Society.p.101.
- Ortega-Calvo, J.J., Hernandez-Marine, M. and Sáiz-Jiménez, C. (1991). Biodeterioration of building materials by cyanobacteria and algae. *International Biodeterioration*, 28(1-4), 165-185.
- Ortega-Morales, B.O., Nakamura, S., Montejano-Zurita, G., Camacho-Chab, J.C., Quintana, P. and De la Rosa, S.D.C. (2013). Implications of colonizing biofilms and microclimate on west stucco masks at North Acropolis, Tikal, Guatemala. *Heritage Science*, 1(1), 1-8.
- Ortega-Morales, B.O., Novelo, E., Ramírez, M. and Gaylarde, C.C. (2006). Cyanobacterial diversity and ecology on historic monuments in Latin America. *Revista Latinoamericana de Microbiologia*, 48(2), 188-195.
- Ozturk, B. Y., Asikkutlu, B., Akkoz, C., and Atici, T. (2019). Molecular and Morphological Characterization of Several Cyanobacteria and Chlorophyta Species Isolated from Lakes in Turkey. *Turkish Journal of Fisheries and Aquatic Sciences*, 19(8), 635-643.
- Palani, R., Sathish, S.S., Thamizharasi, T. and Vijayakanth, P. (2017). Checklist of Mosses (Bryophyta) of Bodamalai Hills in Eastern Ghats, Tamil Nadu. *Plant Science Today*, 4(1), 49-54.
- Pandey, V.D. (2013). Rock-dwelling cyanobacteria: survival strategies and biodeterioration of monuments. *International Journal of Current Microbiology and Applied Science*, 2,519-524.
- Parikh, A. and Madamwar, D. (2006). Partial characterization of extracellular polysaccharides from cyanobacteria. *Bioresource Technology*, 97(15), 1822-1827.
- Patel, H.M., Rastogi, R.P., Trivedi, U. and Madamwar, D. (2019). Cyanobacterial diversity in mat sample obtained from hypersaline desert, Rann of Kachchh. *Biotech*, 9(8), 1-13.

- Pereira, S., Zille, A., Micheletti, E., Moradas-Ferreira, P., De Philippis, R. and Tamagnini, P. (2009). Complexity of cyanobacterial exopolysaccharides: composition, structures, inducing factors and putative genes involved in their biosynthesis and assembly. *FEMS Microbiology Review*, 33(5),917–941.
- Pignolet, O., Jubeau, S., Vaca-Garcia, C., Michaud, P. (2013) Highly valuable microalgae: biochemical and topological aspects. *Journal of Industrial Microbiology and Biotechnology*, 40(8),781–796.
- Pinna, D. (1993). Fungal physiology and the formation of calcium oxalate film on stone monuments. *Areobologia* 9,157-167.
- Pinna, D., Salvadori, B. and Galeotti, M. (2012). Monitoring the performance of innovative and traditional biocides mixed with consolidants and water-repellents for the prevention of biological growth on stone. *Science of the Total Environment*, 423, 132-141.
- Pradhan, P. (2018). Epilithic and Cryptoendolithic cyanobacteria of historic monuments and caves of western Odisha. Ph.D. Thesis. School of Life Science, Sambalpur University, Odisha.
- Ramírez, M., Hernandez-Marine, M., Novelo, E. and Roldán, M. (2010). Cyanobacteria-containing biofilms from a Mayan monument in Palenque, Mexico. *Biofouling*, 26(4), 399-409.
- Raposo, M. F., De Moraes, A.M.B., De Moraes, R.M.S.C. (2015) Marine polysaccharides from algae with potential biomedical applications. *Marine Drugs* 13(5),2967–3028.
- Rashid, A. (2007). *An Introduction to Bryophyta (Diversity, Development and Differentiation)* 1st edition, Vikas Publishing House Pvt Ltd, New Delhi, p.225.
- Ravdandekar, A. (2014). Ecologically sustainable development plan for Pavagadh forest area using satellite data. India. Ph.D. Thesis, The Maharaja Sayajirao University of Baroda, Vadodara.
- Renzaglia, K. S., Duff, R. J., Nickrent, D. L. and Garbary, D. J. (2000). Vegetative and reproductive innovations of early land plants: implications for a unified phylogeny. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 355, 769–793. Report of Kevo Subartic Research. Station. 10, 43-54.

- Rippka, R., Deruelles, J., Waterbury, J.B., Herdman, M. and Stanier, R. Y. (1979) Generic assignments, strain histories and properties of pure cultures of cyanobacteria. *Microbiology* 111,1–61
- Rippka, R. (1988). Isolation and purification of cyanobacteria. *Methods in enzymology*, 167, 3-27.
- Robertson, E.C. (1982). Physical properties of building stone. *Conservation of historic stone buildings and monuments*, p.62-86.
- Rossi, F., Micheletti, E., Bruno, L., Adhikary, S.P., Albertano, P., De Philippis, R. (2012). Characteristics and role of the exocellular polysaccharides produced by five cyanobacteria isolated from phototrophic biofilms growing on stone monuments. *Biofouling* 28,215–224.
- Rossi, F. and De Philippis, R. (2015). Role of cyanobacterial exopolysaccharides in phototrophic biofilms and in complex microbial mats. *Life*, 5(2),1218-1238.
- Rothmaler, W. (1951). Die Abteilungen und Klassen der Pflanzen- *Field Report*. Repertorium specierum novarum regni vegetabilis. 54, 256-266.
- Rouzere, C., Koedam, N. and Buscher, P. (1986). Titration of cell wall fractions. *5th Congress of the Federation of European Societies of Plant Physiology*, '31, Hamburg, p.11-77.
- Ruggles, D.F. and Sinha, A. (2009). Preserving the cultural landscape heritage of Champaner-Pavagadh, Gujarat, India. *In Intangible heritage embodied*. Springer, New York, p. 79-99.
- Sadat-Shojai, M. and Ershad-Langroudi, A. (2009). Polymeric coatings for protection of historic monuments: Opportunities and challenges. *Journal of Applied Polymer Science*, 112(4), p.2535-2551.
- Sahu, J.K., Nayak, B., Pradhan, P. and Bhattacharyya, S. (2011). Epilithic cyanobacteria on temples of Western Odisha. *Biohelica*: 2,47-50.
- Saiz-Jimenez, C. (1994). Biodeterioration of stone in historic buildings and monuments. *In Mycotoxins, wood decay, plant stress, biocorrosion, and general biodeterioration*, Springer, Boston, MA,587-604.
- Sáiz-Jiménez, C., Garcia-Rowe, J. and Rodriguez-Hidalgo, J.M. (1991). Biodeterioration of polychrome Roman mosaics. *International biodeterioration*, 28(1-4), 65-79.

- Salvadori, O. and Municchia, A.C. (2016). The role of fungi and lichens in the biodeterioration of stone monuments. In *The Open Conference Proceedings Journal* (Vol. 7, No. 1).
- Samad, L.K. and Adhikary, S.P. (2008). Diversity of micro-algae and cyanobacteria on building facades and monuments in India. *Algae*, 23(2), 91-114.
- Saxena, A.B. (2002). The Making of Pavagadh-Champaner City Complex: A Gaze into the Historical Geography from the Earliest Times to the Nineteenth Century. In *Proceedings of the Indian History Congress*, 63,336-352.
- Schirmer, B.E., Antonelli, A. and Bagheri, H.C. (2011). The origin of multicellularity in cyanobacteria. *BMC evolutionary biology*, 11(1),1-21.
- Schuster, R. M. (1958). Boreal Hepaticae, a manual of the liverworts of Minnesota and adjacent regions III. Phytogeography. *The American Midland Naturalist*, 59(2), 257-332.
- Seaward, M. R. D. (1988). Lichens damage to ancient monuments: a case study. *The Lichenologist*, 20(3): 291-295.
- Seaward, M.R.D. and Richardson D.H.S. (1989). Atmospheric sources of metal pollution and effect on vegetation. In: Shaw A. J. (eds.). *Heavy metal tolerance in plants: Evolution Aspects*. CRC Press, Boca Raton, FL., p.75-92.
- Seward, M. R. D. (2001). Lichens and coordination of the symbionts. *Microbiology Today* 30,124-127.
- Shah, D. and Gujar, R. (2015). A pilot study on bryophytes diversity and distribution in Gujarat. The Maharaja Sayajirao University of Baroda, Vadodara.
- Shah, V., Ray, A., Garg, N. and Madamwar, D. (2000). Characterization of the extracellular polysaccharide produced by a marine cyanobacterium, *Cyanothece* sp. ATCC 51142, and its exploitation toward metal removal from solutions. *Current microbiology*, 40(4),274-278.
- Sharma, N. K., Rai, A. K. and Stal, L. J. (2014). *Cyanobacteria an economic perspective*. Published by John Wiley and Sons, Ltd. p.345.
- Sharma, O. P. (2014). *Diversity of microbes and cryptogams: Bryophyta*. McGraw Hill Education, India. p. 416.

- Shih, P.M., Wu, D., Latifi, A., Axen, S.D., Fewer, D.P., Talla, E., Calteau, A., Cai, F., De Marsac, N.T., Rippka, R. and Herdman, M. (2013). Improving the coverage of the cyanobacterial phylum using diversity-driven genome sequencing. *Proceedings of the National Academy of Sciences*, 110(3),1053-1058.
- Shrishail, H. C. and Prashantkumar, P. (2019). Fort epilithophytes of Gulbarga, Karnataka, India. *International Journal of Home Science*, 5(3),191-193.
- Shukla, V., Upreti D. K. and Bajpai, R. (2014). Lichens to Biomonitor the Environment. Springer.India.p.185.
- Singh, S.P., Rastogi, R.P., Häder, D.P. and Sinha, R.P. (2011). An improved method for genomic DNA extraction from cyanobacteria. *World Journal of Microbiology and Biotechnology*, 27(5), 1225-1230.
- Sinha, A., Kesler, G., Ruggles, D.F., Wescoat, J. Jr. (2004). Champaner Pavagadh, Gujarat, India: challenges and responses in cultural heritage planning and design. *Tourism Recreation Research* 29,75–78.
- Sinha, A. and Kesler, G. (2001). Champaner-Pavagadh Archaeological Park. *Gujarat, India (Champaign, IL: Department of Landscape Architecture, University of Illinois at Urbana-Champaign and Heritage Trust, Baroda)*.
- Soulios, V., de Place Hansen, E.J. and Janssen, H. (2019). Hygric properties of hydrophobized building materials. In *MATEC Web of Conferences* vol.282, p.02048. EDP Sciences.
- Sureshkumar, A., Mody, K. and Jha, B. (2007) Bacterial exopolysaccharides—a perception. *Journal of Basic Microbiology* 47,103–117
- Sutherland, I. W. (1999). Polysaccharides for microbial exopolysaccharides. *Carbohydrate Polymer*, 38,319–328.
- Swenson, V.A., Stacy, A.D., Gaylor, M.O., Ushijima, B., Philmus, B., Cozy, L.M. (2018) Assessment and verification of commercially available pressure cookers for laboratory sterilization. *PLoS ONE* 13(12), e0208769.
- Taiz, L. and Zeiger, E. (2002) (3rd edition). *Plant Physiology*. Publisher Sinauer Associate. p.690.
- Takhtajan, A. L. (1953). Phylogenetic principles of the system of higher plants. *The Botanical Review*, 19(1), 1-45.

- Tamaru, Y., Takani, Y., Yoshida, T., Sakamoto, T. (2005) Crucial role of extracellular polysaccharides in desiccation and freezing tolerance in the terrestrial cyanobacterium *Nostoc commune*. *Application of Environmental Microbiology* 71,7327–7333.
- Teófilo, R. F. and Ferreira, M. (2006). Quimiometria II: planilhas eletrônicas para cálculos de planejamentos experimentais, um tutorial. *Química nova*, 29(2), 338-350.
- Tewari, R. (Dimri D. N. and Chakraborty S. editors) Indian Archaeology 2011-12 – A review. (2016). Published by the director, Archaeology Survey of India, Janpath, New Delhi, India.
- Thakur, N. (1987) Champaner: Draft Action Plan for Integrated Conservation. Heritage Trust, Baroda.
- Tiano, P. (2002) Biodegradation of cultural heritage: decay mechanisms and control methods. In *Seminar article, New University of Lisbon, Department of Conservation and Restoration*, p. 7-12.
- Tillett, D. and Neilan, B. A. (2000) Xanthogenate nucleic acid isolation from cultured and environmental cyanobacteria. *Journal of Phycology* 36,251–258.
- Trivedi, A. K. (Ed.) (1993). The Baroda College Golden Jubilee, Commemoration Volume, The Times of India Press, Bombay
- Tsakalof, A., Manoudis, P., Karapanagiotis, I., Chrysoulakis, I. and Panayiotou, C. (2007). Assessment of synthetic polymeric coatings for the protection and preservation of stone monuments. *Journal of Cultural Heritage*, 8(1),69-72.
- Udar, R. and Srivastava, S. C. (1975). Notes on South Indian HepatocaeI. *Journal of Bomabay Natural History Society*, 12, 401-406.
- Uher, B., Aboal, M. and Kovacik, L. (2005). Epilithic and chasmoendolithic phycoflora of monuments and buildings in South-Eastern Spain. *Cryptogamie-Algologie*, 26(3), 275-308.
- Uppadhyay, V., Ingle, K.K., Trivedi, S. and Upreti, D.K. (2016). Diversity and distribution of lichens from the monuments of Gwalior division, Madhya Pradesh with special reference to rock porosity and lichen growth. *Tropical Plant Research*, 3(2), 384-389.

- Upreti, D. K., Bajpai, R. and Nayaka, S. (2009). Indian Monuments Need Lichen Biodeterioration Study. *New horizon*, VII,64-69.
- Vaidya, M. (2015). Sayajirao Gaikwad: Creation of Culture Heritage of Baroda. Editors K. Krishna Naik and E. Siva Nagi Reddy, Cultural Contoursof History and Archaeology (In honour of Snehasiri Prof. P. Chenna Reddy) Vol.8, ISBN No. 9789350500897
- Verma, P. K., Kumar, V., Kaushik, P.K., Yadav, A. (2014). Bryophyte invasion on famous archaeological site of Ahom Dynasty ‘Talatal Ghar’of Sibsagar, Assam (India). *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, 84(1), 71-74.
- Wang. J. P., Chen, Y. Z., Ge, X. W., Yu, H.Q. (2007) Optimization of coagulation–flocculation process for a paper-recycling wastewater treatment using response surface methodology. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 302,204–210.
- Waterbury, J.B. (2006). The cyanobacteria—isolation, purification and identification. *The prokaryotes*, 4,1053-1073.
- Wells, J.M. and Brown, D.H. (1987). Factors affecting the kinetics of intracellular and extracellular cadmium uptake by the moss *Rhytidiadelphus squarrosus*. *New Phytol.* 105, 123-137.
- Wingender, J., Neu, T.R. and Flemming, H.C. (1999). What are bacterial extracellular polymeric substances? In *Microbial extracellular polymeric substances*. Springer, Berlin, Heidelberg, p. 1-19.
- Zheng, Z. M., Hu, Q. L., Hao, J., Xu, F., Guo, N. N., Sun, Y. and Liu, D. H. (2008) Statistical optimization of culture conditions for 1, 3-propanediol by *Klebsiella pneumoniae* AC15 via central composite design, *Bioresource Technology*, 99,1052-1056.