

REFERENCES



REFERENCES

- Agrawal,D P , Datta,P S , Hussain,Z , Krishnamoorthy,R.V., Misra,V.N., Rajaguru,S N. and Thomas,K (1980) Palaeoclimate, stratigraphy and prehistory in north and west Rajasthan *Proc. Ind. Acad. Sci.* . v 89 (1) pp 51-56.
- (1992) Man and environment in India through ages, Books and Books, New Delhi . pp. 218 - 230
- Ahmad,F and Ahmad, Z S (1980) The fan faults of peninsular India and the origin of Himalaya. *Tectonophysics*, v 64, . pp 97 - 110
- Akoto,B.K.A. and Singh,G (1981) Some geotechnical properties of a lime stabilised saterite containing a high proportion of aluminium oxide. *Engg. Geol.* v 34 . pp. 185-199.
- Akpokodje,E.G (1985) The engineering classification of some Australian arid zone soils *Bull Intl. Asso. Engg. Geol.*, v.31 : pp.5-33.
- and Hude,P.P (1992) Quality control tests and acceptance specifications for concretionary laterite gravel aggregates. *Engg. Geol.*, v 32 .255-267
- Alao,D A (1983) Geology and engineering properties of laterites from Ilorin, Nigeria. *Engg. Geology*, v.19 111-118.
- Allchin,B., Goudie,A S. and Hegde,K T.M. (1978) *The Pre-history and palaeogeography of the great Indian desert*, Academic press, New York . pp 370
- Al-Sulami,J S., Mollah,M A and Matti,M A (1990) Geotechnical properties of calcrete soil (gatch) in Kuwait. *Engg. Geol.*, v 28 . 191 -204
- Arulanandan,K (1969) Classification, engineering properties and behaviour of laterites *Proc. 7th Int. Con. Soil Mechanics and Foundation Engineering* v.2 . 163-179
- Aristarain,L.F (1970) Chemical analyses of caliche profiles from the high plains, New Mexico. *Jour. Geol.*, v.78 : pp 201 - 212
- Auden,J B (1952) Some geological and chemical aspects of the Rajasthan salt problem. *Bull. Nat. Sci. Ind.*, v.1 . pp 53 - 67.
- Bakliwal,P.C and Ramasamy,S.M. (1983a) Basement structures in parts of Thar desert, western India - A study aided by remote sensing. *In : Joint INDO - US workshop on arid zone research*. CAZRI, Jodhpur.

- Bakliwal, P.C. and Ramasamy, S.M. (1987) Lineament fabric of Rajasthan and Gujarat, India *Rec. Geol. Surv. Ind.* No.113 (7) : pp 54 - 64
- Balashov, Yu A., Ronov, A.B., Migdisov, A.A. and Turanskaya, N.V. (1964) The effect of climate and facies environment in the fractionation of rare earths during sedimentation. *Geochim. Int.*, v.5 pp 951-969
- Balasubramaniam, K.S., Surendra, M. and Ravikumar, I.V. (1987) Genesis of certain bauxite profiles from India. *Chemical Geology*, v 60 pp. 227 - 235.
- Bardossy, (1979a) Growing significance of bauxites, *Episodes*, v.2 .pp. 22 -25
- Beier, J.A. (1987) Petrographic and geochemical analysis of caliche profiles in a Bahamian Pleistocene dune. *Sedimentology*, v.34 .pp.991 -998
- Benjamin, S.P. and Sktaley, H.W. (1970) Laterite genesis, location and use, Plenum press, New York. pp. 42- 65
- Birkeland, P.W. (1974) Pedology, weathering and geomorphological research. Oxford University Press, New York. : pp.81- 177
- Blokhuis, W.A., Pape, Th. and Slager, S. (1969) Morphology and distribution of pedogenic carbonates in some vertisols of the Sudan. *Geoderma*, v.2 pp 173 -197.
- Blanford, W.T. (1877) Geological notes on the great Indian desert between Sind and Rajputana *Rec. Geol. Surv. India*, No.10 : pp.10 - 21.
- Bolt, G.H., Bruggenwert, M.G. and Kamphorst, A. (1967) Absorption of cations by soil *In : Soil Chemistry, A. Basic Elements* (eds Bolt, G.H & Bruggenwert, M.G.M) pp 54-90.
- Bouch J.E., Hole M.J., Trewin, N.H. and Morton, A.C. (1995) Low temperature aqueous mobility of the rare earth elements during sandstone diagenesis *Jour. Geol. Soc., London*, v.152 : pp.895-898.
- Braithwaite, C.J.R. (1983) Calcrete and other soils in Quaternary limestones . structures, processes and applications. *Jour. Geol. Soc., London*, v. 140 : pp 351-363.
- Brantley, S.L., Crane, S.R., Crerar, D.A., Hellmann, R. and Stallard, R. (1986) Dissolution at dislocation etch pits in quartz. *Geochim. Cosmochim. Acta*, v.50, pp 2349-2361
- Brewer, R.A. (1976) Fabric and mineral analysis of soils, Kneiger publ. New York. : p135.

- Bronger,A (1979) The Value of mineralogical and clay mineralogical analyses of loess soils for the investigations of Pleistocene stratigraphy and palaeoclimate *Acta. Geologica Academiae Scientiarum Hungaricae*, v.22 (1-4) pp.141 - 152.
- and Pant,R.K.(1980) Micromorphology and genesis of some selected loess profiles in the Kashmir valley and their relevance to stratigraphy and palaeoclimate *Current Trends in Geology*, v.1 . pp.131 - 140.
- Bryson,R.A and Swain,A.M. (1981) Holocene variations of monsoon rainfall in Rajasthan *Quaternary Research*, v.16 : pp 135 - 145.
- Buchanan,F (1807) A journey from Madras through the countries of Mysore, Canara and Malabar, 2 East India company, London . p.436
- Bullock,P., Fedoroff,N., Jongerius,A., Stoops,G., and Tursina,T. (1985) Handbook for soil thin section description, Wine research Publ , England : pp 39 - 133.
- Butler,B.E (1959) Periodic phenomena in landscapes as a basis for soil structure.CSIRO, Canberra, A.C.T., Soil Publ. No. 14, pp.167.
- Catt,J A (1985) Soils and Quaternary stratigraphy in the United Kingdom. *In : Soils and Quaternary landscape evolution* (Boardman,J Ed.), John Wiley, New York.: pp 161 -178.
- Chandrakaran,S and Nambiar,M R.M (1993) Role of iron oxide on the shear strength behaviour of laterite soil. *Indian Geotech. Jour.* v.24 (1) : pp.195-206.
- Chatterji,P C, Singh,S. and Qureshi,Z.H. (1978) Hydrogeomorphology of the central Luni basin, western Rajasthan, India. *Geoforum*, v.9 : pp. 211 -224.
- Chaudhry,R.S. and Khan,H.M.M. (1981) Textural parameters of desert sediments - Thar desert (India). *Sediment. Geol.*, v. 28 . pp 43-62.
- Chawade,M.P. and Chandrasekaran,V. (1996) Petrology and geochemistry of anorthosites, Jiwan singh ki beri, Barmer district,Rajasthan. *Jour. Geol. Soc. India*, v 47 (6) . pp. 747 - 750.
- Chawla,S , Dhir,R.P. and Singhvi,A.K. (1992) Thermoluminescence chronology of sand profiles in the Thar desert and their implications. *Quaternary Science Reviews*, v.11 : pp 25-32.
- Choudhari,J.S and Dhir,R.P (1982) Clay mineralogy of arid zone soils developed from Quaternary deposits of western Rajasthan. *Proc. Indian Acad. Sci. (Earth Planet. Sci.)*, v.91(2) : pp 119 - 126

- Courty, M.A and Fedoroff, N. (1985) Micromorphology of Recent and buried soils in a semi arid region of northwest India, *Geoderma*, v 35 . pp 287 - 332
- , Dhir, R.P and Raghavan, H. (1987) Microfabrics of calcium carbonate accumulations in arid soils of western Rajasthan (India) *Soil Micromorphology* (Fedoroff, N , Bresson, L M and Courty, M A eds) A.F.E.S., Plaisir
- (1990) Pedogenesis on Holocene calcareous parent materials under semi - arid conditions (Ghaggar Plain, India). *In : Soil Micromorphology-a Basic and Applied Science* (Douglas, L.A. ed.) Elsevier, New York . pp. 361 - 367.
- (1992) Soil forming processes and aeolian activity in the northeastern margin of the Thar desert during the later Quaternary period (Abs.). *Proc. Intl. Symp. Evolution of Deserts* (Kumar, V S.K., Ramesh. R eds.), Ahmedabad. : pp. 39.
- Crawford, A R (1970) The pre-Cambrian geochronology of Rajasthan and Bundelkhand, India. *Can Jour. Earth. Sci.*, v. 7 : pp 91 - 110
- Dasgupta, S.K. (1975) A revision of the Mesozoic -Tertiary stratigraphy of the Jaisalmer basin, Rajasthan. *Ind. Jour. Earth Sci.*, v.2(1) :pp. 356-373.
- Dasgupta, A K , Dassarma, D C , Sural B., Bhatnagar, P.C., Madhav, C , Siddiqui, M A., Mahawal, M.S. and Sinha, S. (1983) A report on the environmental geoscientific appraisal of the Jaipur urban zone and its hinterland. *Unpub. Report, Geol. Surv. Ind.*, Jaipur
- Dassarma, D C (1983) Climatostratigraphic elucidation and preparation of Quaternary morphostratigraphic map of Rajasthan *Unpublished Progress Report. Geol. Surv. India.*
- Dave, A and Chatterjee, T.K. (1996) Integrated foraminiferal and ammonoid biostratigraphy of Jurassic sediments in Jaisalmer basin, Rajasthan. *Jour. Geol. Soc. India*, v. 47 (4) . pp. 477-490
- Desai, A G and Warriar, S. (1987) Mineralogy and geochemistry of the calcretes in alluvial sediments from Pune, India *Jour. Geol. Soc. India*, v 24 (6) pp 584 - 593
- Dhir, R P. (1977) Palaeoclimatic inferences from Quaternary pedogenic processes in arid zone *In : Ecology and Archaeology of W. India* (Agrawal, D P and Pande, B.M eds), Concept Publ., New Delhi. : pp.127 - 134
- (1989) Palaeopedology and geochronology. *Jour. Indian Soc. Soil Sci.*, v 37 . pp. 612 - 619

- Dhir, R.P., Singhvi, A.K. and Rajaguru, S.N. (1992a) Evolutionary record of Thar desert (Abs.) *Proc. Intl. Symp. Evolution of Deserts*, (Kumar, V.S.K., Ramesh, R., Singhvi, A.K. eds.) Ahmedabad pp 49 - 52
- , Kar, A., Wadhawan, S.K., Rajaguru, S.N., Misra, V.N., Singhvi, A.K. and Sharma, S.B. (1992b) Thar desert in Rajasthan : land, man and environment (Singhvi, A.K. and Kar, A. eds.), *Geol. Soc. India* 191 p
- , Rajaguru, S.N. and Singhvi, A.K. (1994) Desert Quaternary formations and their morphostratigraphy implications for the evolutionary history of the Thar. *Jour. Geol. Soc. Ind.*, v 43 (4) : pp 435 - 448
- Dickson, J.A.D. (1966) Carbonate identification and genesis as revealed by staining *Jour. Sed. Petr.*, v 36 (2) : pp 491-505.
- Didier, P., Nahon, D., Fritz, B. and Tardy, Y. (1983) Activity of water as a chemical controlling factor in ferricretes. A thermodynamic model system. kaolin - Fe - Al oxyhydrates. *Proc. Intl. Colloq. Petrol. Weather. Soils* : pp.35 - 44
- Doshi, S.N. and Guirguis, H.R. (1982) Correlation of CBR with density and moisture content. *Indian Geotech. Jour.* : pp.281-287
- Duddy, I.R. (1980) Distribution and fractionation of REE and other elements in a weathering Profile. *Chemical Geology*, v.30 pp.363 - 381
- Earth Manual (1965) A guide to the use of soils as foundations and construction materials for hydraulic structures. Oxford - IBH Publ., New Delhi, pp 339
- Esson, J. (1983) Geochemistry of nickeliferous laterite profile, Liberdade, Brazil. In : *Residual Deposits - Surface Related Weathering Processes and Materials* (Wilson, R.C.L. Ed.), Blackwell Scientific Publ., London :pp.
- Fedoroff, N. (1969) The clay Illuviation - A micromorphological study. *Proc. 3rd Intl. Work Meeting on Soil Micromorphology*, Wroclaw : pp. 195 - 206.
- , Courty, M.A. and Thompson, M.L. (1990) Micromorphological evidence of palaeoenvironmental change in Pleistocene and Holocene palaeosols. In : *Soil Micromorphology - a Basic and Applied Science* (Douglas, L.A. Ed.). Elsevier, New York. pp. 361 - 367.
- Finkl, J.C.W. (1980) Stratigraphic principles and practices related to soil mantles. *Catena*, v 7 pp. 169 - 194
- (1984) Chronology of weathered materials and soil age determination in pedostratigraphic sequences *Chemical Geol.*, v 44 pp 311 - 335

- Fitzpatrick, R.W and Schwertmann, U (1982) Al - substituted goethite -an indicator of pedogenic and other weathering environments in South Africa : *Geoderma*, v 27 pp 335 - 347
- Gangadhar, K and Tiwari, K C. (1995) The Jayal gravels - Their genesis, stratigraphic and tectonic significance *Proc. Nat. Sem. Recent Res. Geol. W. India*, Baroda (Desai, N D and Ganapathy, S. eds) : pp. 143 - 151
- (1996) Morphotectonic and hydrogeological studies of the upper Luni and Kantli river basins, western Rajasthan (*Unpublished Ph.D. thesis*), M S. University, Baroda.
- Ghose, B (1965) The genesis of desert plains in the central Luni basin of western Rajasthan. *Jour. Ind. Soc. Soil Sci.*, 13 (2) pp 123 - 126
- and Singh, S (1965) Geomorphological studies in Rajasthan analysis of landforms of Salia block from aerial photographs *Ann. Arid Zone*, v. 4 (2) . pp 207 - 216
- and Singh, S. (1972) Reconstruction of the stream channels and drainage network in Pali district, *Annual report, CAZRI, Jodhpur* : pp. 54 - 55.
- , Pandey, S., Singh, S and Gheesalal. (1966) Geomorphology of the central Luni basin, western Rajasthan. *Ann. Arid zone*, v 1 : pp. 10 -25
- , Singh, S and Kar, A. (1977a) Geomorphology of Rajasthan desert. *In : desertification and its control* (Jaiswal, P.L. Ed.), ICAR, New Delhi : pp. 69 -76
- , Singh, S and Kar, A (1977b) Desertification around Thar - a geomorphological interpretation *Ann. Arid Zone*, v. 16 (3) : pp. 290 - 301.
- , Singh, S and Kar, A (1982) Some geomorphic aspects of salinity hazards in Rajasthan desert, India. *Proc. workshop on problems of desert in India. Geol. surv. India, Misc. publ. no. 49* : pp. 15 - 28.
- Ghose, S. (1992) Geomorphic significance of prior drainage systems in the Indian desert through remote sensing. *Proc. intl. symp. evolution of deserts* (Kumar, V S.K , Ramesh, R and Singhvi, A.K. eds), Ahmedabad : pp. 198 - 199.
- Ghosh, P K (1952) Western Rajputana -its tectonics and minerals, including evaporites *Bull. nat. inst. sci. Ind.*, v. 1 .pp. 101-130

- Ghosh, R.N (1982) The Luni - a case history of application of photo geomorphological technique *Proc. workshop on the problems of the deserts in India. GSI Misc. publ.*, no. 49 . pp 15 -28.
- Gidigasu, M.D (1980) Geotechnical evaluation of residual gravels in pavement construction. *Engg. Geol.*, v.15 pp.173-194
- (1983) Development of specifications for tropical gravel paving materials *Engg. Geol.*, v.19 : 213 - 240.
- , Asante, S.P K and Dougan, E. (1987) Identification of suitable non-traditional tropical and residual paving materials in relation to the environment. *Can. Geotech. Jour.*, v.24 . 58 -71.
- Gile, L H (1965) The K horizon a master soil horizon of carbonate accumulation . *soil sci.*, v.106 :pp 6 - 15.
- Goldstein, S.J. and Jacobson, S.B. (1988) Rare earth element in river waters. *Earth Planet. Sci. Lett.*, v 89 :pp 35 - 47.
- Goudie, A.S (1973) Duricrust in tropical and sub-tropical landscapes. Clarendon press, Oxford, England :174 p
- (1975) The geomorphic and resource significance of calcretes, *Prog. Geog.*, v 5 .pp.79 -118.
- (1983) Calcrete *In :Chemical sediments and geomorphology* (Goudie, A S and Pye, K eds). Academic Press, London . pp.93 -131.
- Grim, R.E (1968) Clay mineralogy. McGraw Hill, New York. .pp 503-528.
- Gupta, S.N., Mathur, R.K. and Arora, Y.K (1992) Litho-stratigraphy of proterozoic rocks of Rajasthan and Gujarat - A review *Rec.Geol. Surv. Ind.*, No 115 (7&8) . pp. 63-85.
- Hashimi, N.H. and Nair, R.R. (1986) Climatic aridity over India 11,000 years ago . evidence from feldspar distribution in shelf sediments. *Palaeogeo. Palaeoclim. Palaeoecol.*, v 53 : pp.309 - 319
- Haskin, L A , Haskin, M.A , Frey, F A. and Wildeman, T R (1968) Relative and absolute terrestrial abundances of rare earths. *In : origin and distribution of elements* (Ed Abrens, L H), Pergamon, Oxford . pp. 880-912.
- Heron, A M (1917) Geology of the north-eastern Rajputana and adjacent districts *Mem. Geol. Surv. India*, no.45, pt I 128 p

- Heron, A M (1953) The Geology of central Rajputana *Mem. Geol. Surv. India*, No 79 389 p.
- Holland, T.H. and Christie, W.A.K. (1909) The origin of the salt deposits of Rajputana. *Rec. Geol. Surv. India*, No 38(2) : pp.154 - 186
- Horta, J C De. O S (1980) Calcrete, gypcrete and soil classification in Algeria *Engg. Geol.*, v.15 15-52
- Hung, W.H. and Keller, W.D. (1972) Organic acids as agents of chemical weathering of silicate minerals. *Nature* (London) Phys. Sci. v.293(96) : pp.149 -151
- Indian Road Congress (1978) Specification for road and bridge works IRC publishers, New Delhi, India. : pp 20 - 80
- Johnson D.G., Bhatia, H.S. and Yeboa, S.L. (1972) Influence of geology and physical properties on strength characteristics of laterite gravels for road pavements. *Highway Research Board Rec.*, v 405 : pp.87-104
- Joshi, D C , Choudhari, J.S and Sharma, V.C. (1982) Infiltration characteristics of the arid zone soils *Indian Jour. of Soil Conservation*, v.10 (1) : pp.25-28.
- Kar, A (1983a) Evidence of neotectonism from the Indian desert *In : Geomorphology and Environment* (Singh, S & Tewari, R.C. eds) Allahabad geographical soc publ , Allahabad pp.299 - 310
- (1983b) Morphology and evolution of shapes in the upper Luni basin, Rajasthan. *Ann. Arid Zone*, v. 22 :pp 367-375.
- (1986) Physical environment, human influences and desertification in Pushkar - Budhapushkar lake region of Rajasthan, India. *The Environmentalist*, v 6(3) : pp. 643 - 654
- (1987) Origin and transformation of longitudinal sand dunes in the Indian desert, *Z. Geomorph.*, v.31 (3) pp.311-337
- (1988a) Evaluation of present day geomorphic processes in the Indian desert for assessing land degradation and natural hazards. *In : Geomorphology and environment* (Singh, S. and Tewari, R.C eds.) Allahabad Geog. Soc., Allahabad : pp 643-654.
- (1988b) Evidence for neotectonism from the Indian desert, *Ibid* : pp.300 - 310

- Kar,A (1990a) Megabarchanoids of the Thar - their environment, morphology and relationship with longitudinal dunes. *Geogr. Jour.*, v 156 pp.51-61.
- (1991) Relevance of present day geomorphic processes in the reconstruction of Quaternary land for evolution within the Indian desert *Proc. Workshop on Quaternary geology*, . pp 91-100.
- Khan,E A and Sogani,P C. (1973) Stratigraphy and sedimentation of trans-Aravalli Vindhya of western Rajasthan. *Seminar on recent advances in geology of Rajasthan and Gujarat*, (Abs) . 103 p
- Khana,S.K and Justo,C.E.G (1991) Highway engineering. Nem Chand, Roorkee . pp. 390- 481.
- Klappa,C F (1983) A process response model for the formation of pedogenic calcretes *In : Residual deposits : surface related weathering processes and materials* (Wilson,R C.L Ed.), Blackwell Scientific publ , Edinburgh. . pp.211 - 219
- Knox,G J (1977) Caliche profile formation, Saldanaha bay (south Africa). *Sedimentology*, v 24 . pp. 657 - 674.
- Koln,H B (1992) Palaeotropical weathering on different rocks in southern Germany, *Z. Geomorph.*, v 91 : pp 95 -108
- Krishnan,M.S. (1952) Geological history of Rajasthan and its relation to present day conditions *Bull. Nat. Inst. Sci. Ind.*, v.1 . pp. 19 - 31
- Lamplugh,G W. (1907) The geology of the Zambezi basin around the Bakota gorge (Rhodesia). *Quat. Jour. Geol. Soc.*, London , v 63 .pp. 162 - 216.
- La Touche,T D. (1902) Geology of western Rajputana. *Mem. Geol. Surv. India*, No 81: pp 2-12
- Leprun,L (1981) Some principle features of iron crusts in dry western Africa. *Proc. Intl. Sem. Lateritisation Processes*, Oxford and IBH Publ., New Delhi. : pp. 144-153
- Little,I P. and Gilkes,R J.(1982) Aluminium substitution in goethites in soils from alluvium, Gippsland, Victoria *Aust. Jour. Soil Res.*, v.20 . pp.351 - 355
- Loachin,A W.R. and Kandiah,S. (1941) The composition of some local soil concretions and clays *Trop. Agri.*, v.96 . 67 p
- Madhu,R M (1977) An investigation into the geotechnical and engineering properties of some laterites of eastern Nigeria *Engg. Geol.*, v 11 . pp 101 - 125.

- Mahalik, N K and Das, P K (1982) Engineering geology of laterites around Bhubaneswar, India *Proc. IV cong. Intl. Ass. Eng. Geol.*, v II, Theme I pp 209-216
- Malomo, S, Obademi, M O. and Adebo, O A (1983) An investigation of the peculiar characteristics of laterite soils from southern Nigeria *Bull. Intl. Asso. Engg. Geol.*, v 28 pp 197 - 206.
- Martin, and Doyne (1927) Laterites and lateritic soils in Sierra Leone *Jour. Agri. Sci.*, v 17 pp 530 - 547
- McFarlane, M J (1971) Lateritization and landscape development in Kyagwe, Uganda, *Quat. Jour. Geol. Soc., London*, v 126 pp 501 - 539.
- (1976) Laterite and landscape (McFarlane Ed) Academic press, New York pp 12 - 120
- (1983a) A low level laterite profile from Uganda and its relevance to the question of parent material influence on the chemical composition of laterites. *In : Residual deposits - surface related weathering processes and materials* (Wilson, R C.L Ed), Blackwell Scientific Publ, London pp 69 - 76.
- (1983b) Laterites. *In : Chemical sediments and geomorphology* (Goudie, A S. and Pye, K eds), Academic Press, London pp 7 - 58
- McKenzie, R C (1963) Retention of exchangeable ions by montmorillonite *Proc. Int. Clay conference-I* (Rosenquist, I. Th & Graff-Peterson, P eds) pp 183 - 193
- Meyer, R and Guillet, B (1980) Facies, differences d'origine pedologique dans la molasse Oligo - miocene d'aquitaine centrale. *Sci. Geol. Bull.* v 33 (2) pp. 67 -80.
- Meyer, R (1997) Palaeoalterites and palaeosols - imprints of terrestrial processes in sedimentary rocks (Majithia, M. ed.) Oxford & IBH, New Delhi pp. 9 - 77.
- Misra, J S, Srivastava, B P. and Jain, S K (1962) Discovery of marine Permo-carboniferous in western Rajasthan *Curr. Sci.*, v 30 pp 261-262.
- Misra, V N (1961) Palaeolithic cultures of western Rajputana *Bull. Deccan college*, v 21 pp 85 - 156
- (1968) Middle stone age in Rajputana, problems et tendances *La Prehistoire* 295 - 302
- and Rajaguru, S N (1982) The environment of palaeolithic man in the Thar desert, India *Proc. First Intl. Cong. Human Palaeontology*, Nice pp 33

- Misra, V N and Rajaguru, S.N (1986) Environment et culture de l'homme prehistorique dans le desert du Thar, Rajasthan, Inde *L'Anthropologic*, v 90(3) pp.407-437.
- , Rajaguru, S N and Raghavan, H (1988) Late middle Pleistocene environment and acheulian culture around Didwana, Rajasthan palaeoclimate and palaeo-environmental changes in Asia during last 4 Ma *Proc. Intl. Symp., Ind, Nat. Sci. Acad.*, New Delhi pp 93-106.
- Mohan C S and Paul, K.V. (1975) Mechanical stabilisation of lateritic soil for improving subgrade *Indian Geotech. Jour.*, v 5(1) . pp.57-65
- Morris, R C and Fletcher, A B (1987) Increased solubility of quartz following ferrous - ferric iron reactions, *Nature*, v 330 .pp 558 -561
- Morrison, R B (1978) Quaternary soil stratigraphy - concepts, methods and problems *In : Quaternary Soils (Mahaney, W.C. Ed.)*, *Geo Abstracts*, Norwich. pp. 77-108
- Mukthinath, R (1969) Phosphate deposits in Rajasthan *Indian Minerals*, v.23 (7) pp 29-42
- Naha, K , Mitra, S.K and Biswal, T K. (1987) Structural history of the Delhi group around Todgarh, central Rajasthan *Indian Jour. Geol.*, v 59 pp 126-156.
- Nahon, D B (1977) Time factor and geochemistry of iron crust genesis *Catena*, v.4 pp 249-254.
- (1986) Evolution of iron crusts. *In : Rates of Chemical Weathering of Rocks and Minerals* (Colman, S.M. and Dethier, D.P eds.), Academic press, New York pp 169 -192
- Nair, N G K , Santosh, M. and Mahadevan, R. (1987) Lateritization as a possible contribution to gold placers in Nilambur valley, southwest India *Chemical Geology*, v 60 : pp 309 - 315
- Nambiar, M.R M. and Chandrakaran, S. (1991) Engineering behaviour of compacted lateritic Soil *Ind. Geotech. Con.*, Bangalore, v I 4 p
- Narayanan, K (1964) Stratigraphy of the Rajasthan shelf *Proc. Symp. Problems of the Indian Arid zones* Govt. of India and UNESCO, CAZRI, Jodhpur pp.92-100
- Natterberg, F (1971). Calcrete in road construction Pretoria, C S I R Res Rep 286 *Bull. Natl. Inst. Road Res.*, v 10 1 - 73

- Natterberg, F (1980) Geology of the southern African calcretes 1 terminology, description, macrofeatures and classification. *Trans. Geol. Soc. South Africa*, v.83 (2) pp 255 - 283.
- and Caiger, J H (1983) A geotechnical classification of calcretes and other pedocretes. In : *Residual Deposits : Surface Related Weathering processes and materials* (Wilson, R.C L Ed.) Blackwell Scientific Publ , Edinburgh pp 235 - 243
- Nesbitt, H W (1979) Mobility and fractionation of rare earth elements during weathering of granodiorite. *Nature*, v.279 . pp 206-210
- Ola, S A (1978) The potentials of lime stabilisation of laterite soils. *Engg. Geol.*, v 11 305-317
- Ollier, C (1984) *Weathering* Longman Publ London . 270 p
- Omotosho, P O and Akinmusuru, J.O (1992) Behaviour of soils (lateritic) subjected to multi-cyclic compaction *Engg. Geol.*, v 32 . pp 53-58
- Pal, G N and Pal, N K (1990) Quaternaries of Rajasthan *Rec. Geol. Surv. India.*, No 123 (7) 39 p
- (1991) Quaternary landscape and morphostratigraphy in the lower reaches of the Luni basin. *Proc. Sem. Quaternary landscape of Indian sub-continent* (Desai, N.D , Ganapathi, S. and Patel, P K. eds), Baroda pp. 79 - 90
- Pandey, A.N. (1992) Geological investigation of Jurassic sediments in Jaisalmer basin with special reference to their sedimentation. *Ph.D thesis (unpublished)*, Department of Geology, M S University, Baroda, India
- Pareek, H S (1979) The Permian -Mesozoic -Palaeogene palaeogeography of Rajasthan and Gujarat shelf and correlation with that of Indus basin *Proc.IV Intl. Gondwana. Symp.*, Calcutta, Section I pp 23-36
- (1981) Basin configuration and sedimentary stratigraphy of western Rajasthan. *Jour. Geol. Soc. India*, v.22 (11) pp. 517-527
- Patil, D N and Surana, A P (1992) Origin of the calcrete deposits of Saswad - Nira area, western Maharashtra, India. *Jour. Geol. Soc. India*, v.39 pp 105-117.
- Punmia, B C (1993) *Soil mechanics and foundations* Lakshmi publ , Madras . pp 853-867

- Raghavan,H , Raju,D R., Rajaguru,S N , Misra,V N and Parashar,V.G (1986) A note on the mineralogical study of some sand dunes from the Thar desert. *Bull. Deccan College*, v 45 pp.37-46
- (1987a) Quaternary geology of Nagaur district, Rajasthan *Ph.D thesis (unpublished)*, Dept of geology, Pune university, Pune, India
- and Courty,M A (1987b) Holocene and Pleistocene pedo-sedimentary environments in the Thar desert (Didwana, India) *Micromorphologie des sols* (Fedoroff,N , Bresson,L M and Courty, M A eds.), A F.E S , Plaisir pp. 639 - 646
- Raghav,K.S. and Grover,A.K. (1991) Major sub-Recent changes in the upper reaches of Kantli river course and related environmental implications, Rajasthan *Proc. Nat. Sem. Quat. Landscape of Indian Sub-continent*, (Desai,N.D. and Patel,P.K eds.) Baroda pp.147 - 152
- (1992) Dune dynamics studies around northeastern fringe of Thar desert, Rajasthan, India (Abs.) *Proc. Intl. Symp. Evolution of deserts* (Kumar,V.S.K, Ramesh,R and Singhvi,A K eds.) PRL, Ahmedabad pp 140.
- Rai,V (1989) Radio carbon data about late Pleistocene / Holocene lacustrine sequences of Rajasthan - An ideal case for review. *Proc. Nat. Workshop on Arid Zone Res.*, Aligarh. pp. 171 -173.
- and Sinha,A.K. (1990) Geological evolution of Kuchaman lake, district Nagaur, Rajasthan *Jour. Palaeo. Soc. India*, v 35 pp.137 - 142
- (1992) Saline lakes and ranns in western Rajasthan, India *Proc. Intl. Symp. Evolution of deserts* (Kumar,,V.S.K, Ramesh,R and Singhvi,A K. eds.) PRL, Ahmedabad pp. 146
- Raja Rao,C.S., Poddar,B C , Basu,K K and Dutta,A K (1971) Precambrian stratigraphy of Rajasthan - A review *Rec. Geol. Surv. Ind.*, No.101 pp 60-79.
- Rakshit,P. and Sundaram,R.M (1990) Quaternaries of Rajasthan *Rec. Geol. Surv. India*, No 123 (7) : 38 p.
- Ramakrishnan,D and Tiwari,K C. (1996a) Impregnation of friable sediments using solvent cement - a new standard method *Jour. Geol. Soc. India*, v 48 pp. 589-590
- and Tiwari,K C (1996b) Role of pedogenesis and neoformations in dune stabilization - a case study around Barmer area of Thar desert *Bull. Orien. Geol. Min. Resources* (In Press).

- Ramakrishnan,D. and Tiwari,K.C. (1996c) Calcretes geotechnical appraisal and efficacy as low cost pavement material for the desertic roads of western Rajasthan *Jour. Geol. Soc. India* (In Press)
- and Tiwari,K.C (1996d) REE fractionation and mobilization in calcrete profiles - a case study from the Thar desert *Jour. Geol. Soc. India* (Communicated)
- Rao,V P and Thamban,M. (1997) Dune associated calcretes, rhizoliths and palaeosols from the western continental shelf of India *Jour. Geol. Soc. India*, v.49 (3) . pp 297-306
- Rao,S and Raymahashay,B C (1981) Influence of clay minerals and iron oxides on selected properties of two laterite soils *Indian Geotech. Jour.*, v.2 : pp 255-266
- Rao,J J and Krishnamoorthy,C V (1981) Some observations on the mineralogy and geochemistry of Hazaridadar and Raktidadar palteaus, Amarkantak area, M.P , India *Proc. Intl. Sem. Lateritisation processes*, Oxford and IBH Publ , New Delhi pp 89 - 108
- Retallack,G J (1990) Soils of the Past - An introduction to palaeo-pedology, Unwin Hyman Inc ,USA..pp 20 - 275
- Riedel,G and Simon,A B. (1973) Geotechnical properties of Kuwait gatch and their improvement *Engg. Geol.*, v.7 155-165
- Rollinson,H (1993) Using geochemical data . evaluation, presentation and interpretations John Willey & Sons, New York . pp 352.
- Ronov,A B , Balashov,Yu A and Migdisov,A A (1967) Geochemistry of rare earths in the sedimentary cycle *Geochem. Int.*, v 4, pp 1-17
- Rossi,P L , Ildefonse,P , Nobrega,D.M.T and Chauvel,A. (1983) Study of structural and mineralogical transformations caused by compaction with or without lime addition to lateritic clays from Brazil. *Bull. Intl. Asso. Engg. Geol.*, v.28 pp. 153 - 158
- Roy,B B , Chatterji,P C and Pandey,S (1969) Genesis of carbonate pan in arid region of Rajasthan. *Ann. Arid Zone*, v.8 (22) pp 181-187.
- Roy,A B (1988) Stratigraphic and tectonic framework of the Aravalli Mountain Range. *In : Precambrian of the Aravalli Mountain, Rajasthan, India* (Roy,A B ed), G S I , Mem 7 pp.3-31
- Saha,S and Chattopadhyayay,B C (1988) Prediction of compaction characteristics of soils from index properties *Indian Geotech. Jour.*,v. 18(4) pp. 385-394.

- Sahai,B , Rajawat,A S., Bhauguna,I M., Arya,A.S , Sharma,A.K , Sharma,D.C , Porwal, C P ,Chakravarthy,S.K and Rathore,D S. (1992) Hydrogeomorphological mapping of Jaisalmer and Bikaer districts (Rajasthan) at 1:50000 scale using satellite data *Proc Intl. Symp. Evolution of Deserts* (Kumar,,V S.K, Ramesh,R and Singhvi,A K eds) PRL, Ahmedabad : pp 171
- Sahasrabudhe,Y S and Deshmukh,S S. (1981) The laterites of the Maharashtra state *Proc. Intl Sem. Lateritisation Processes*, Oxford and IBH Publ , New Delhi pp 209 - 220
- Sant,V and Sharma,S B (1973) Precambrian metasediments of Alwar and Jaipur districts, Rajasthan and their stratigraphic sequences *Proc. Symp. Recent Advances in Geology of Rajasthan and Gujarat. Geol. Surv. India*, Jaipur, Abstract p.4
- Schellmann,W (1981) Consideration on the definition and classification of laterites *Proc. Intl. Sem. Lateritisation Processes*, Oxford and IBH Publ , New Delhi. pp. 1-10
- Schwertmann,U and Taylor,R M (1977) Iron oxides *In : Minerals in Soil Environment* (Dinauer,R C ed) *Soil Sci. Soc. Am. Publ.*, Madison, Wisconsin pp 145 - 180
- Sehgal,J and Stoops,G. (1972) Pedogenic calcite accumulation in arid and semi-arid regions of the Indo - Gangetic alluvial plain of erstwhile Punjab (India) - their morphology and origin. *Geoderma*, v 8 pp.59 -72.
- Setty,K R N S and Rao S V G (1987) Characterisation of fibre reinforced laterite soil. *Indian Geotech. Conf.*, Bangalore, v I 329p
- Sharma,R and Tandon,S.K. (1983) Comparative petrology of pedogenic carbonates from Quaternary deposits of Kashmir and Rajasthan *Jour. Geol. Soc. India*, v 24 (8) pp 399 - 403
- Sharma,V K (1991) Geology and geomorphology of Quaternary deposits in parts of Jaisalmer district, Rajasthan *Proc. Sem. Quaternary Landscape of Indian Sub-continent* (Desai,N.D , Ganapathi,S. and Patel,P.K eds), Baroda . pp.165 -171.
- Singh,G , Joshi,R D , Chopra,S K. and Singh,A.B. (1974) Late Quaternary history of vegetation and climate of the Rajasthan desert. *Ind. Phil. Trans. Roy. Soc.*, London 267 B :467 p
- Singh,N P (1984) Addition to the Tertiary biostratigraphy of the Jaisalmer basin *Petroleum Asia Journal* pp. 106-128
- Singh,S (ed) (1977) Geomorphological investigations of the Rajasthan desert *CAZRI Monograph*, 7 : 44 p

- Singh,S (1982) Types and formation of sand dunes in Rajasthan desert *In : Perspectives in Geomorphology* (Sharma,H.S. ed) Concept Publ , New Delhi pp 165 - 183
- (1983) Application of remote sensing techniques in geomorphological investigation-a case study of Jodhpur district western Rajasthan, India *Ann. Arid Zone*, v 22(4) pp.283 - 294
- (1992a) Aeolian geomorphology of the Indian desert through remote sensing *In . Intl. Symp. Evolution of deserts* (Kumar, V S K, Ramesh,R and Singhvi,A.K eds) PRL, Ahmedabad pp.196-197
- (1992b) Geomorphology and remote sensing in environmental management, *Scientific Publishers, Jodhpur* . 281 p
- (1992c) Geomorphic significance of prior drainage systems in Indian desert through remote sensing (Abs.) *Proc. Intl. Symp. Evolution of deserts* (Kumar,,V.S K, Ramesh,R and Singhvi,A.K. eds) PRL, Ahmedabad pp. 198
- and Ghose,B (1977) Geomorphology of the Luni basin and its palaeoclimatic inferences *In Ecology and Archaeology of Western India* (Agrawal,D P. and Pandey,B M.eds.) Concept Pub House, Delhi .pp 135-147
- and Ghose,B (1982) Role of photogeomorphology in reclamation and development of Rajasthan desert *Proc. Workshop on the Problems of the Deserts in India, Geol. Surv. India, Misc. Publ.,No 49* pp.1 - 10
- , Vats,P C and Kaith,D A (1982) Some aspects of desert geomorphology of Bikaner district, western Rajasthan *Proc. Workshop on Problems of Deserts in India Geol Surv.India. Misc. Publ. No 49* pp 29 - 36
- , Kar,A and Vats,P C (1990) Geomorphology of Rajasthan through remote sensing for environmental management *In Indian Geomorphology* (Sharma,H S Ed.) Concept Publ , New Delhi : pp. 269 - 293.
- Singh,S P (1988) Stratigraphy and sedimentation pattern in the proterozoic, Delhi Supergroup, NW India. *In : Precambrian of the Aravalli Mountain, Rajasthan, India* (Roy,A B. ed), *GSI Mem. 7* : pp 193-205
- Singhvi,A K , Sharma,Y P and Agrawal,D P (1982) Thermoluminescence dating of sand dunes in Rajasthan, India *Nature*, v 295 pp. 313-315
- , Banerjee,D , Rajaguru,S N and Kishan Kumar,V S . (1994) Luminescence chronology of a fossil dune at Budhapushkar, Thar desert : palaeoenvironmental and archaeological implications *Current Science*, v 66 (10) pp 770-773

- Sklyarenko, Yu S (1953) Analytical chemistry of rare earths, Nauka, Moscow p 72.
- Smedley, P L (1991) Geochemistry of rare earth elements in groundwater from Carnmellis area, southwest England. *Geochim. Cosmochim. Acta*, v.55 pp 2769 - 2779.
- Srivastava, R K (1988) Magmatism in the Aravalli Mountain Range and its environs *In : Precambrian of the Aravalli Mountain, Rajasthan, India* (Roy, A.B ed), *GSI Mem.*, 7 pp. 77 - 93
- Sundaram, R M , Rakshit, P and Pareek, S. (1996) Regional stratigraphy of Quaternary deposits in parts of Thar desert, Rajasthan. *Jour. Geol. Soc. India*, v 48 (2) pp 203-210
- Swain, A M , Kutzbach, J.E and Hastenrath, S. (1983) Estimates of Holocene precipitations for Rajasthan, India based on pollen and lake - level data. *Quaternary Research*, v.19 .pp.1 - 17
- Tandon, S K and Narayan, D (1981) Calcrete conglomerate - case hardened conglomerate and concretion - a comparative account of pedogenic and non pedogenic Carbonates from Siwalik group, Punjab, India *Sedimentology*, v 28 pp 353 -367
- Terzaghi, K. and Peck, R B (1967) Soil mechanics in engineering practice, John Wiley & Sons publ , New York
- Tiwari, K C and Ramakrishnan, D (1995) Occurrences of early Pleistocene continental Quaternary sediments in lower Luni valley, western Rajasthan *Proc. Nat. Sem. Recent. Res. Geol. Western India*. Vadodara. (Desai, N.D. and Ganapathi, S eds.) pp 125-132
- Valeton, I (1983) Palaeoenvironment of lateritic bauxites with vertical and lateral differentiation *In : Residual Deposits-Surface Related Weathering Processes and Materials* (Wilson, R.C.L. Ed.), Blackwell Scientific Publ., London pp 69 - 76.
- Varshal, G M , Senyavin, M M and Yartseva, R D (1975) Forms of occurrence of calcium and REE's in river water. *In : Recent Contributions to Geochemistry and Analytical Chemistry* (Tugarinov, A I ed.) : pp 597-603.
- Verhey, W. (1976) Nature and impact of temperature and moisture in arid weathering and soilforming processes -a review. *Pedologie* v.XXVI (3) pp 205 - 224.
- Verstappen, H Th. (1970) Aeolian geomorphology of the Thar desert and palaeoclimates *Z. Geomorph.*, v 10 pp. 104 -120

- Wadhwa, N P , Tamotia, S K. and Agrawal, S M (1966b) Geotechnical properties of the red soils of Madhyapradesh *Jour. Engg. Geol.*, v . pp 77-93.
- Wadhawan, S K. (1988) Evolution of Quaternary aeolian deposits in parts of Jodhpur and Barmer districts, Rajasthan, India *Proc. Sem. Recent Quaternary Studies in India* (Patel, M P & Desai, N D eds), Baroda pp 64 -78
- (1990) Quaternary geology, morphostratigraphy and neotectonism in parts of Nagaur district, Rajasthan *Rec. Geol. Surv. India*, v 123 (7) pp 53-54
- (1991) Continental stratigraphy in arid - semiarid parts of Rajasthan, India *Proc. Workshop on Quaternary Geology*, (Wadhawan, S.K ed) pp. 101-106
- (1992) Morphology and textural attributes of modern aeolian deposits in the Thar desert, India *In : Intl. Symp. Evol. of deserts* Abs (Krishnakumar, V S., Ramesh, R and Singhvi, A K. eds), Ahmedabad . pp 224-225
- and Sural, B (1991) Final report of the Quaternary aeolian stratigraphy and neotectonics in Rajasthan and Gujarat *Unpublished Mimeographed Report Env. Geol. Div., Geol. Surv. India* 145 p
- Wasson, R J , Rajaguru, S N , Misra, V.N., Agrawal, D P , Dhir, R.P., Singhvi, A.K and Rao, K K (1983) Geomorphology, late Quaternary stratigraphy and palaeo-climatology of the Thar dune field. *Z. Geomorphology*, v.45 pp.117-151
- Warren, J K (1983) Pedogenic carbonate as it occurs in Quaternary calcareous dunes in coastal south Australia. *Jour. Sed. Petrol.*, v 53 (4) pp 787-797
- Watts, N L. (1980) Quaternary pedogenic calcretes from the Kalahari (southern Africa) mineralogy, genesis and diagenesis *Sedimentology*, v 27 pp 661-686
- (1978) Displacive calcite evidence from Recent and ancient calcites *Geology*, v.6 . pp 699 -703
- Wider, M and Yaalon, D H. (1974) Effect of matrix composition on carbonate nodule crystallization *Geoderma*, v.11 . pp 95 - 121
- and Yaalon, D.H. (1982) Micromorphological fabrics and developmental stages of carbonate nodular forms related to soil characteristics *Geoderma*, v 28 pp 203 - 220
- Wood, S A (1990) The aqueous geochemistry of the rare earth elements and yttrium 1 review of available low temperature data for inorganic complexes and the inorganic REE speciation of natural waters *Chem. Geol.* v. 82 pp 159-186.

Woolnough, W G (1927) Duricrust of Australia *Jour. Proc. Roy. Soc. New South Wales*
v 61 pp. 24 - 53

----- (1930) Influence of climate and topography in the formation and
distribution of products of weathering *Geol. Mag.*, v.67 pp 123 - 132.

Yaalon, D H (1971) Criteria for the recognition and classification of palaeosols *In* :
Palaeopedology - Origin, Nature and Dating of Palaeosols (Ed. Yaalon D H)
Intl Soc Soil sci and Israel univ press, Jerusalem pp 153 - 158

----- and Wider, M (1976) Pedogenic polygorskite in some arid brown
(calciorthid) soils of Israel *Clay minerals*, v 11 pp 73 - 80