

LIST OF FIGURES

FIG NO.

- 1.1 Location map
- 1.2 Generalised morphological map of Kutch
- 1.3 Detailed geological map of the area indicating field traverse alignments
- 1.4 Tertiary chrono - stratigraphy of Kutch
- 1.5 History of Oligocene time scale
- 1.6 Revised Oligocene time scale
- 1.7 Network diagram indicating investigations and inferences
- 1.8 Tectonic map of Kutch showing major elements
- 1.9 Geological map of Kutch basin
- 1.10 Geological map of the south-western Kutch
- 1.11 Geological map of the western Kutch basin
- 2.1 Stratigraphic section along Ratipal traverse
- 2.2 Lithosection of Ratipal traverse
- 2.3 Stratigraphic section along Bermoti traverse
- 2.4 Lithosection of Bermoti traverse
- 2.5 Stratigraphic section along Bernani traverse
- 2.6 Lithosection of Bernani traverse
- 2.7 Stratigraphic section along Waior traverse
- 2.8 Lithosection of Waior traverse

FIG NO.

PAGE NO.

- 2.9 Stratigraphic section and field correlation
- 2.10 Correlation of lithosections
- 2.11 Lithostratigraphy legend
- 3.1 Quantitative petrographic plot, Ratipal traverse
- 3.2 Quantitative petrographic plot,
Bermoti traverse
- 3.3 Quantitative petrographic plot, Bernani traverse
- 3.4 Quantitative petrographic plot,
Waior traverse
- 3.5 Microfacies correlation
- 3.6 Correlation of sedimentary cycles
based on microfacies parameter
- 3.7 Regional microfacies distribution,
lower Ramania stage
- 3.8 Regional microfacies distribution,
upper Ramania stage
- 3.9 Regional microfacies distribution,
Waior stage
- 3.10 Vertical variation of insoluble
residue, Ratipal section
- 3.11 Vertical variation of insoluble
residue, Bermoti section
- 3.12 Vertical variation of insoluble
residue, Bernani section
- 3.13 Vertical variation of insoluble
residue, Waior section
- 3.14 Regional insoluble residue variation within
Maniyara Fort Formation
- 3.15 Grain size ratio variation within
Maniyara Fort Formation

FIG NO.

- 4.1 Biostratigraphy of Ratipal section
- 4.2 Vertical distribution of fauna, Ratipal section
- 4.3 Paleobathymetry and transgressive regressive cycles, based on faunal parameters, Ratipal section
- 4.4 Biostratigraphy of Bermoti section
- 4.5 Vertical distribution of fauna, Bermoti section
- 4.6 Paleobathymetry and transgressive-regressive cycles, based on faunal parameters, Bermoti section
- 4.7 Biostratigraphy of Bernani section
- 4.8 Vertical distribution of fauna, Bernani section
- 4.9 Paleobathymetry and transgressive-regressive cycles, based on faunal parameters, Bernani section
- 4.10 Biostratigraphy of Waior section
- 4.11 Vertical distribution of fauna, Waior section
- 4.12 Paleobathymetry and transgressive regressive cycles, based on faunal parameters, Waior section
- 4.13 Correlation of foraminiferal zones
- 4.14 Biostratigraphic legend
- 5.1 Characteristic faunal distribution of biofacies I
- 5.2 Characteristic faunal distribution of biofacies II
- 5.3 Characteristic faunal distribution of biofacies III
- 5.4 Characteristic faunal distribution of biofacies IV

FIG NO.

- 5.5 Characteristic faunal distribution of biofacies V
- 5.6 Regional correlation of biofacies, Bermoti series
- 5.7 Environmental distribution of
larger foraminifera
- 5.8 Environmental distribution of smaller benthonics
- 5.9 Environmental distribution of ostracoda
- 5.10 Environmental distribution of megafossils
- 5.11 Cross-section showing distribution of biofacies
vis-a-vis environments, Bermoti series
- 5.12 Vertical distribution of nannoplanktons in
Bermoti series
- 6.1 Integrated data, Ratipal section
- 6.2 Integrated data, Bermoti section
- 6.3 Integrated data, Bernani section
- 6.4 Integrated data, Waior section
- 6.5 Microenvironmental log along Ratipal section
- 6.6 Microenvironmental log along Bermoti section
- 6.7 Microenvironmental log along Bernani section
- 6.8 Microenvironmental log along Waior section
- 6.9 Vertical variation of paleoenvironments,
Ratipal section
- 6.10. Vertical variation of paleoenvironments,
Bermoti section
- 6.11 Vertical variation of paleoenvironments,
Bernani section
- 6.12 Vertical variation of paleoenvironments,
Waior section

FIG NO.

PAGE NO.

- 6.13 Paleoecology, lower part of lower Ramanía stage
- 6.14 Paleoecology, lower part of upper Ramanía stage
- 6.15 Paleoecology, lower part of Waior stage
- 6.16 Paleoenvironments, lower Ramanía stage
- 6.17 Paleoenvironments, upper Ramanía stage
- 6.18 Paleoenvironments, Waior stage
- 7.1 Sedimentary cycles, Ratipal section
- 7.2 Sedimentary cycles, Bermoti section
- 7.3 Sedimentary cycles, Bernani section
- 7.4 Sedimentary cycles, Waior section
- 7.5 Sedimentary cycles, correlation and lateral changes of unconformities
- 7.6 Stratigraphic position of diastems relative to global coastal onlap record and larger foraminifera letter stage
- 7.7 Bathymetric curves during Oligocene of south-west Kutch basin, compared with world wide eustatic curves
- 8.1 Sedimentary evolution, Ratipal section
- 8.2 Sedimentary evolution, Bermoti section
- 8.3 Sedimentary evolution, Bernani section
- 8.4 Sedimentary evolution, Waior section
- 8.5 Generalised stratigraphic cross section ; datum - top of lower Ramanía stage

FIG NO.

- 8.6 Generalised stratigraphic cross section ;
datum - top of upper Ramania stage
- 8.7 Generalised stratigraphic cross section ;
datum - top of Waioar stage
- 8.8 Three dimensional presentation of microfacies
relationship during Maniyara Fort Formation
- 8.9 Three dimensional sedimentation model,
lower Ramania stage
- 8.10 Three dimensional, sedimentation model,
upper Ramania stage
- 8.11 Three dimensional, sedimentation model,
Waioar stage
- 9.1 Generalised three dimensional paleogeographic and
environmental setting, Maniyara Fort Formation