List of Tables

Table		Page
1.1	Common species of marine nitrogen	2
1.2	Global distribution of nitrogen (Tg N yr ⁻¹)	10
1.3	New or export production in different regions	17
2.1	Details of the cruises undertaken for the present study	25
2.2	Sampling locations along with dates of sampling during both pre and postmonsoon in the Bay of Bengal	28
2.3	Details of the sample depths during premonsoon season in the Bay of Bengal	31
2.4	List of stations with locations and dates of sampling during January 2003	33
2.5	Sampling depths during January 2003 in the Arabian Sea	33
2.6	List of stations along with locations and sampling dates during late February-early March	34
2.7	Sampling depths during Feb-March 2003 in the Arabian Sea	34
2.8	The calculated urea and ammonium concentrations using mesozooplankton displacement volume	35
2.9	Values and precision obtained during present study for standard materials used	43
2.10	The average value of ¹⁵ N atom% in the blank samples during the present study	44
2.11	The percentage error in ¹⁵ N atom% estimation during present study	44
2.12	A typical example for the method used for the calibration for the estimation of total nitrogen	46
2.13	Calibration equations used for the estimation of total nitrogen content during the present study	48

•

Table

Page

2.14	Percentage error in particulate nitrogen content in the Arabian Sea and the Bay of Bengal	49
3.1	¹⁴ C based average total productivity values reported for different seasons and locations in the Arabian Sea	61
3.2	¹⁵ N based productivity and f-ratio estimates during January 2003 in the Arabian Sea	79
3.3	¹⁵ N based productivity and f-ratio estimates during late February - early March 2003 in the Arabian Sea	94
3.4	PON content and nitrogen isotopic composition in surface suspended matter during January and late February-early March	99
4.1	Physical parameters at the experimental stations	114
4.2	Comparison of specific uptake and uptake rates at two different stations for 4 h incubation at $0.01 \mu M$ concentration	120
4.3	Time-averaged fluxes of organic carbon (gC.m ⁻² yr ⁻¹) in sediment traps, 1000 m above sea floor	144
4.4	The nitrate, ammonium and urea uptake rates in the Bay of Bengal during pre and postmonsoon	148
4.5	PON content and δ^{15} N of surface suspended matter observed during pre and post monsoon in the Bay of Bengal	155
4.6	δ^{15} N of particulate organic nitrogen in surface suspended matter from different oceanic regions of the world	160
4.7	The technical specifications of IRS P4 OCM	164