

References

- Aki, K P, Richards G (2002) Quantitative seismology, 2nd edn. University Science Book, Sausalito, pp 1–687.
- Arslan, A, Passchier, C W, Koehn, D (2008) Foliation boudinage. *J Struct Geol.* v. 30, pp. 291–309.
- Baily, J E, Hirsch, P B (1962) The recrystallization process in some polycrystalline metals. *Proceedings of the Royal Society of London A* v. 267, pp.11–30.
- Barker, A J (1998) Introduction to metamorphic textures and microstructures. Second edition. Blackie, Glasgow.
- Batchelor, R A and Bowden, P (1985) Petrogenetic interpretation of granitoid rocks using multicationic parameters; *Chem. Geol.* v. 48, pp. 43–55.
- Bell, T H (1981) Foliation development – the contribution, geometry and significance of progressive bulk inhomogeneous shortening. *Tectonophysics.* v. 75, pp. 273–296.
- Bell, T H, Rubenach, M J (1980) Crenulation cleavage development evidence for progressive bulk inhomogeneous shortening from “millipede” microstructures in the Robertson River Metamorphics. *Tectonophysics.* v. 68, pp. T9–T15.
- Benn, K, Odonne, F, de Saint Blanquat, M (1998) Pluton emplacement during transpression in brittle crust: new views from analogue experiments. *Geology.* v. 26, pp.1079–1082
- Berthé, D, Choukroune, P, Gapais, D (1979b) Orientations préférentielles du quartz et orthogneissification progressive en régime cisailant: l'exemple du cisaillement sud-armoricain. *Bull Minéral.* v. 102, pp. 265–272.
- Berthé, D, Choukroune, P, Jegouzo, P (1979a) Orthogneiss, mylonite and non-coaxial deformation of granites: the example of the South Armorica shear zone. *J Struct Geol.* v. 1, pp. 31–42.

Bestmann, M, Kunze, K, Matthews, A (2000) Evolution of a calcite marble shear zone complex on Thassos Island, Greece: microstructural and textural fabrics and their kinematic significance. *J Struct Geol* v. 22, pp. 1789–1807.

Bestmann, M, Prior, D J, Veltkamp, K T A (2004) Development of single crystal sigma-shaped quartz porphyroclasts by dissolution-precipitation creep in a calcite marble shear zone. *J Struct Geol*. v. 26, pp. 869–883.

Bhaskar Rao B and Emile D (1968) Skarn of Jothwad, Pachmahal District, Gujarat State- A Chemical Study. *Bull. Geochem. Soc. Ind.* v. 3(4), pp. 19-24.

Blanford, W T (1869) On the geology of the Taptee and lower Nerbudda Valley and some adjoining districts. *Mem Geol. Surv. India*. v. 6(3), pp. 163-207.

Blenkinsop, T G (2000) Deformation microstructures and mechanisms in minerals and rocks. Kluwer Academic Publishers, Dordrecht, 150 pp.

Blenkinsop, T G, Treloar, P J (1995) Geometry, classification and kinematics of S-C fabrics. *J Struct Geol* v. 17, pp. 397–408.

Borradaile, G J (1987) Anisotropy of magnetic susceptibility: rock composition versus strain. *Tectonophysics*, v. 138, pp. 327-329.

Borradaile, G J (1991) Correlation of strain with anisotropy of magnetic susceptibility (AMS). *Pure and Appl. Geophys.* v. 135, pp. 15-29.

Borradaile, G J, Alford, C (1987) Relationship between magnetic susceptibility and strain in laboratory experiments. *Tectonophysics*. v.133, pp. 121-135.

Borradaile, G J, Henry, B (1997) Tectonic applications of magnetic susceptibility and its anisotropy. *Earth Sd. Rev.*, v. 42, pp. 49-93.

Borradaile, G J, Mothersill, J S (1984) Coaxial deformed and magnetic fabrics without simply correlated magnitudes of principal values. *Phys. Earth. Pl. Sci. Int.* v. 35, pp. 294-300.

Borradaile, G J, Tarling, D H (1981). The influence of deformation mechanisms on magnetic fabrics in weakly deformed rocks. *Tectonophysics*. v. 77, pp. 151-168.

Borradaile, G J, Tarling, D H (1984) Strain partitioning and magnetic fabrics in particulate flow. *Can. J. Earth. Sci.* v. 21, pp. 694-697.

Bott, M H P (1955) A Geophysical study of the Granite problem. *Q. J. G. S.* v. 112, pp. 45-67.

Boynnton, W V (1984) Cosmochemistry of the rare earth elements; meteorite studies. In: Rare earth element geochemistry. Elsevier Sci. Publ. Co., Amsterdam. pp.63-114.

Celebi, M, Dietel, C, Prince, J, Onate, M, Chavez, G (1987) Site amplification in Mexico City (determined from 19 September 1985 strong-motion records and from recording of weak motions). In: Cakmak AS (ed) Ground motion and engineering seismology. Elsevier, Amsterdam, pp 141–152.

Chauhan, H, Saikai, A, Ahmad, T (2018) Episodic crustal growth in the Bundelkhand craton of central India shield: Constraints from petrogenesis of the tonalite-trochilamite-granodiorite gneisses and K-rich granites of Bundelkhand tectonic zone. *J. Earth. Syst. Sci.* v. 127:44. doi: <https://doi.org/10.1007/s12040-018-0945-0>.

Choudhary, A K, Gopalan, K, Gupta, S N, Prasad, B and Sastry, C A (1981) Rb-Sr chronology of Untala and other granites from the banded gneissic complex, Rajasthan. Symp. Three decades of developments in Petrology, Mineralogy and Petro-chemistry in India. Jaipur, Abst.

Crawford, A R (1970) The Precambrian geochronology of Rajasthan and Bundelkhand, Northern India. *Can. J. Earth Sci.* v. 110, pp. 91-110.

Crawford, A R (1975) Rb–Sr age determination for the Mount Abu granite and related rocks of Gujarat. *J Geol Soc India.* v. 16, pp. 20–28.

Cruden, A R (2008) Emplacement mechanisms and structural influences of a younger granite intrusion into older wall rocks – a principal study with application to the Götemar and Uthammar granites. Site-descriptive modeling SDM-Site Laxemar. SKB Report R-08-138, pp.1-45

Das, S (2003) Deformation and Metamorphic history of the Precambrian rocks in north-eastern part of Vadodara district, Gujarat with a reference to the stratigraphy and tectonics; Unpubl. Ph.D. thesis, The M.S. University of Baroda, Vadodara: pp. 1-110.

Das, S, Singh, P K, and Sikarni, C (2009) A preliminary study of thermal metamorphism in the Champaner Group of rocks in Panchmahals and Vadodara districts of Gujarat; Indian J Geosci. v. 63, pp. 373–382.

Davis, G H and Reynolds, S J (1996) Structural Geology of rocks and regions, 2nd edn. John Wiley and Sons, Inc, New York, pp. 1–792.

Deans, T and Powell, J L (1968) Trace elements and strontium isotopes in carbonatite, fluorite and limestone from India and Rajasthan. Nature. v. 218, pp. 750-752.

Delgado, J, Lopez Casado, C, Estevez, A, Giner, J, Cuenca, A, Molina, S, (2000a) Microtremors as a geophysical exploration tool: Applications and limitations. Pure Appl. Geophys. v. 157, pp. 1445–1462 .

Delgado, J, Lopez Casado, C, Estevez, A, Giner, J, Cuenca, A, Molina, S, (2000b) Mapping soft soils in the Segura River Valley (SE Spain): a case study of microtremors as an exploration tool. J. Appl. Geophys. v. 45, pp. 19–32.

Denele, Y, Laumonier, B, Paquette, J L, Oliver, P, Gleizes, G, Barbey, P (2014) Timing of granite emplacement, crustal flow and gneiss dome formation in the Variscan segment of the Pyrenees. Geological Society, London, Special Publications. v. 405, pp. 265-287.

Dennis, A J, Secor, D T (1987) A model for the development of crenulations in shear zones with applications from the Southern Appalachian Piedmont. J Struct Geol. v. 9, pp. 809–817.

Dieter, G E (1988) Mechanical Metallurgy. McGraw-Hill, London. 751 p.

Dinesh, B V, Nair, G J, Prasad, A G V, Nakkeeran, P V, Radhakrishna, M C (2010) estimation of sedimentary layer shear wave velocity using micro-tremor h/v ratio measurements for Bangalore city. Soil Dynamics And Earthquake Engineering. v. 30, pp. 1377–1382.

Dixit, M M, Tewari, H C, Rao, C V (2010) Two-dimensional velocity model of the crust beneath the South Cambay Basin, India from refraction and wide-angle reflection data. Geophys. J. Int. v. 181, pp. 635–652.

Drummond, M S and Defant, M J (1990) A Model for trondhjemite-tonalite-dacite genesis and crystal growth via slab melting: Archean to modern comparisons. *Journal of Geophysical Research* 95: doi: 10.1029/90JB01649.

Drury, M R, Humphreys, F J, White, S H (1985) Large strain deformation studies using polycrystalline magnesium as a rock analogue. Part II : dynamic recrystallization mechanisms at high temperatures. *Phys Earth Planet In.* v. 40, pp. 208–222.

Ehlers, C, Lindross, A, Selonen, O (1993) The late Svecofennian granite-migmatite zone of southern Finland- a belt of transpressive deformation and granite emplacement. *Precambrian Research.* v. 64, pp.295-309.

Fermor, L L (1909) The manganese ore deposits of India. *Mem. Geol. Surv. India.* v. 37.

Field, E H, Hough, S E, Jacob, K H (1990) Using microtremors to assess potential earthquake site response: a case study in Flushing Meadows, New York City. *Bull Seismol Soc Am.* v. 80, pp.1456–1480

Foote, R B (1898) The geology of Baroda State. Baroda State Press. pp.1- 122.

Fossen, H (2010) *Structural Geology.* Cambridge University Press. U.K. pp.1-463.

Gapais, D, White, S H (1982) Ductile shear bands in a naturally deformed quartzite. *Text Microstruct.* v. 5, pp. 1–17.

Garcia-Jerez, A, Luzon, F, Navarro, M, Perez-Ruiz, J A (2006) Characterization of the sedimentary cover of the Zafarraya basin, southern Spain, by means of ambient noise. *Bull. Seismol. Soc. Am.* v. 96, pp. 957–967.

Gardner, R L, Piazzolo S, Daczko N R (2015) Pinch and swell structures: evidence for strain localisation by brittle-viscous behavior in the middle crust. *Solid Earth.* v. 6, pp. 1045-1061.

Ghosh, P K (1934) The talc-serpentinite chlorite rocks of southern Mewar and Dungarpur. *Rec. Geol. Surv. India,* v. 65(4).

Ghosh, S K (1985) Ductile shear zones - a review. *Quart. Jr. Geol. Min. Metal. Soc. India.* v. 57, pp. 183-202.

Ghosh, S K, Ramberg, H (1976) Reorientation of inclusions by combination of pure shear and simple shear. *Tectonophysics*. v. 34, pp. 1–70.

Goldstein, A G (1988) Factors affecting the kinematic interpretation of asymmetric boudinage in shear zones. *J Struct Geol*. v. 10, pp. 707–715.

Gopalan, K, Trivedi, J R, Merh, S S, Patel, P P and Patel, S G (1979) Rb-Sr age of Godhra and related granites, Gujarat (india). *Proc. Ind. Acad. Sci.(Earth Planet. Sci.)*. v. 88A, pp. 7-17.

Gopinath, K (1972) Geological mapping in parts of Baroda and Panchmahals districts, Gujarat. Rep. Unpublished. *Geol. Surv. Ind. (F. S. 1969-70)*

Gopinath, K, Prasad Rao, A D, Murty, Y G K and Krishnaunni, K K (1977). Precambrian of Baroda and Panchmahals, Gujarat. Elucidation of stratigraphy and structure. *Rec. Geol. Surv. India*. v. 108, Pt. 2, pp. 60-68.

Goscombe D B, Passchier, C W, Hand, M (2004) Boudinage classification: end-member boudin types and modified boudin structures. *J Struct Geol*. v. 26 (4), pp. 739–763.

Goyal, N, Pant, P C, Hansda, P K, Pandey, B K (2001) Geochemistry and Rb-Sr Age of the Late Proterozoic Godhra Granite of Central Gujarat, India; *J Geol Soc India*. v. 58, pp. 391-398.

Goyal, N, Varughese, S K, Hansda, P K, Ramachandran, S and Singh, R (1997) Geochemistry of granites of Jambughoda, Panchmahals district, Gujarat and uranium mineralization in Champaner Group; *J Geol Soc India*. v. 50, pp. 769-778.

Gray, N H, Busa, M D (1994) The three-dimensional geometry of simulated porphyroblast inclusion trails: inert-marker, viscous-flow models. *J Metam Geol*. v. 12, pp. 575–587.

Gromet, P L and Leon, S T (1983) Rare earth element distributions among minerals in a granodiorite and their petrogenetic implications. *Geochimica et Cosmochimica Acta*. v. 47, pp. 925-939.

Guéguen, P, Cornou, C, Garambois, S, Banton, J (2006) On the Limitation of the H/V Spectral Ratio Using Seismic Noise as an Exploration Tool: Application to the Grenoble Valley (France), a Small Apex Ratio Basin *Pure Appl. Geophys*. v. 164, pp. 1-20.

Gupta S N, Arora Y K, Mathur R K, Iqbaluddin, Prasad B, Sahai T N, and Sharma S B (1980) Lithostratigraphic Map of Aravalli Region, Southern Rajasthan and North Eastern Gujarat; Geol Surv. India Publ, Hyderabad.

Gupta, B C and Mukherjee, P N (1938) The geology of Gujarat and South Rajputana. Rec. Geol. Surv. India. v. 73(2), pp. 163-208.

Gupta, S N, Arora, Y K, Mathur, R K, Iqbaluddin, Prasad, B, Sahai, T N, Sharma, S B (1995) Geological Map of the Precambrians of the Aravalli Region, Southern Rajasthan and Northeastern Gujarat, India; Geol Surv India Publ, Hyderabad.

Gupta, S N, Arora, Y K, Mathur, R K, Iqbaluddin, Prasad, B, Sahai, T N and Sharma, S B (1997) The Precambrian Geology of the Aravalli region, Southern Rajasthan and NE Gujarat; Mem Geol Surv India. v.123, pp.1–262.

Gupta, S N, Mathur, R K, and Arora, Y K (1992) Lithostratigraphy of Proterozoic rocks of Rajasthan and Gujarat - A review. Rec. Geol. Surv. India. v. 115, pp. 63-85.

Hackett, C A (1877) Aravalli Series in North-eastern Rajputana. Rec. Geol.Surv. India. v. 10 (2).

Hanmer, S (1984b) The potential use of planar and elliptical structures as indicators of strain regime and kinematics of tectonic flow. Geol Surv Can Pap. v. 84, pp. 133–142.

Hanmer, S, Passchier, C W (1991) Shear sense indicators: a review. Geol Surv Can Pap. v. 90, pp. 1–71.

Harris, N B W, Pearce, J A, Tindle, A G (1986) Geochemical characteristics of collision-zone magmatism. Geol. Soc. London. v. 19, pp.67-81.

He, B, Xu, Y G, Paterson, S (2009) Magmatic diapirism of the Fangshan pluton, southwest of Beijing, China, J Struct Geol. v. 31, pp.615-626.

Heron, A M (1917). The geology of Northeastern Rajputana and adjacent districts. Mem. Geol. Sur. India. v. 45, 128 pp.

Heron, A M (1953) The Geology of central Rajputana. Mem. Geol. Sur. India. v.79 (1), 389 p.

Hirth, G and Tullis, J (1992) Dislocation creep regimes in quartz aggregates. *J Struct Geol.* v. 14, pp. 145–159.

Hobbs, B E, Means, W D, Williams, P F (1976) *An outline of structural geology.* Wiley, New York.

Hobbs, B E, Ord, A, Spalla, M I, Gosso, G, Zucali, M (2010) The interaction of deformation and metamorphic reactions, Geological Society, London, Special Publications. v.332, pp.189–223, doi:10.1144/sp332.12, 2010.

Hobson, G V (1926) The metamorphic rocks and intrusive granite of Chhota Udepur State. *Rec. Geol. Surv. India.* v. LIX, pp. 304-357.

Hooper, R J, Hatcher, R D (1988) Mylonites from the Towaliga fault zone, central Georgia: products of heterogeneous non-coaxial deformation. *Tectonophysics.* v. 152, pp. 1–17.

Hough, S E, Field, E H, Jacob, K H (1991) Using microtremors to assess site-specific earthquake hazard. In: *Proceedings of the international conference on seismic zonation.* v. 4, pp. 385–392

Hrouda, F (1982) Magnetic anisotropy of rocks and its application in geology and geophysics. *Geophys. Surv.* v. 5, pp. 37-82.

Hrouda, F, Janak, F (1976) The changes in shape of the magnetic susceptibility ellipsoid during progressive metamorphism and deformation. *Tectonophysics.* v. 34, pp. 135-148.

Ibs-vonSeht, M, Wohlenberg, J (1999) Microtremor measurements used to map thickness of soft sediments. *Bull. Seismol. Soc. Am.* v. 89, pp.250–259.

Iqbaluddin (1989) *Geology of Kadana Reservoir area, Panchmahals district, Gujarat and Banswara and Dungarpur districts, Rajasthan.* Mem. Geol. Surv. India. v.121, 84 p.

Jambusaria, B B (1970) *Geology of the area around Shivrajpur (dist. Panchmahals, Gujarat) with special reference to the stratigraphy, structure and metamorphism.* Unpublished Ph.D, M.S. University of Baroda. 282 p.

Jambusaria, B B and Merh, S S (1967) Deformed greywacke conglomerates of Jaban near Sivrajpur, Panchmahals district, Gujarat. *Ind. Min.* v. 8 (1&2), pp. 6-10.

Johnson, S E, Moore, R R (1996) De-bugging the ‘millipede’ porphyroblast microstructure: a serial thin-section study and 3-D computer animation. *J Metam Geol.* v. 14, pp. 3–14.

Joshi, A U and Limaye, M A (2018) Rootless calc-silicate folds in granite: An implication towards syn- to-post plutonic emplacement. *J. Earth Syst. Sci.* v. 127:67. doi:<https://doi.org/10.1007/s12040-108-0968-6>.

Joshi, A U, Limaye, M A (2014) Evidence of syn-deformational granitoid emplacement within Champaner Group, Gujarat; J Maharaja Sayajirao University of Baroda. v. 49, pp.45-54.

Kaila, K L, Krishna, V G, Mall, D M (1981) Crustal structure along Mehamdabad – Billimora profile in the Cambay Basin, India from deep Seismic soundings. *Tectonophysics.* v. 76, pp.99-130.

Kanai, K (1957) The requisite conditions for the predominant vibration of ground. *Bull. Earthquake Res. Inst.* v. 35, pp. 457–471.

Karanth, R V and Das S (2000) Deformational history of the Pre-Champaner gneissic complex in Chhota Udepur area, Vadodara district, Gujarat; *Indian. Jour. Geol.* v. 72 pp. 43–54.

Kenis I, Urai, J L, van der Zee, W, Sintubin, M (2004) Mullions in the High-Ardenne Slate Belt (Belgium): numerical model and parameter sensitivity analysis. *J. Struct. Geol.* v.26, pp. 1677–1692, doi:10.1016/j.jsg.2004.02.001, 2004.

King, E M, Barrie, C T, Valley, J W (1997) Hydrothermal alteration of oxygen isotope ratios in quartz phenocrysts, Kidd Creek Mine, Ontario: magmatic values are preserved in zircon. *Geology.* v. 25, pp.1079–1082.

Klepeis, K A, Daczko, N R, Clarke, G L (1999) Kinematic vorticity and tectonic significance of superposed mylonites in a major lower crustal shear zone, northern Fiordland, New Zealand, *J. Struct. Geol.* v. 21, pp. 1385–1405, doi:10.1016/S0191- 8141(99)00091-7, 1999.

Konno, K, Ohmachi, T (1998) Ground-motion characteristics estimated from spectral ratio between Horizontal and Vertical components of microtremor. *Bull. Seismol. Soc. Am.* v. 88, pp. 228-241.

Kula J, Tulloch A, Spell TL et al (2007) Two-stage rifting of Zealandia-Australia-Antarctica: Evidence from $^{40}\text{Ar}/^{39}\text{Ar}$ thermochronometry of the Sisters shear zone, Stewart Island, New Zealand. *Geology*. v. 35: pp. 411–414.

Lapworth, C (1885) The highland controversy in British geology: its causes, course and consequences. *Nature*. v. 32, pp. 558–559.

Lermo, J, Rodriguez, M, Singh, S K (1988) The Mexico earthquake of September 19, 1985. Natural period of sites in the valley of Mexico from microtremor measurements and strong motion data. *Earthquake Spectra*. v. 4, pp. 805–814.

Lister, G S, Snoke, A W (1984) S-C Mylonites. *J Struct Geol*. v. 6, pp. 617–638.

Lohest, M, Stainier, X, and Fourmarier, P (1908) Compte rendu de la session extraordinaire de la Société géologique de Belgique, tenue à Eupen et Bastogne les 29, 30 et 31 août et le 1, 2 et 3 Septembre, *Annales de la Société géologique de Belgique*. v. 36, 275–282.

Maithani, P B, Rathaiah, Y V, Varughese, S K, Singh, R (1998) Granites of Zoz area, Baroda District, Gujarat and its economic significance; *J Geol Soc India*. v. 51, pp. 201–206.

Mamtani, M A (1998) Deformational mechanisms of the Lunavada Pre-Cambrian rocks, Panchmahal district, Gujarat; Unpublished Ph.D. thesis, M.S. University of Baroda. pp. 1–268.

Mamtani, M A (2014) Magnetic fabric as a vorticity gauge in syntectonically deformed granitic rocks; *Tectonophysics*. v. 629, pp. 189–196.

Mamtani, M A and Greiling, R O (2005) Granite emplacement and its relation with regional deformation in the Aravalli Mountain Belt (India)—inferences from magnetic fabric; *J Struct Geol*. v. 27, pp. 2008–2029.

Mamtani, M A and Karanth, R V (1996a) Microstructural evidence for the formation of crenulation cleavage in rocks. *Curr. Sci*. v. 71, pp. 237–240.

Mamtani, M A and Karanth, R V (1996b) Effect of heat on crystal size distributions of quartz. *Curr. Sci*. v. 70, pp. 396–399.

Mamtani, M A and Karanth, R V (1996c) Distinguishing syndeformational and post deformational porphyroblasts - an alternative criterion. *Ind. J. of Geo.* v. 68, pp. 172-177.

Mamtani, M A, Karanth, R V, Merh, S S, Greiling, R O (2000) Tectonic evolution of the Southern part of Aravalli Mountain Belt and its environs - possible causes and time constraints; *Gond Res.* v. 3, pp. 175-187.

Mamtani, M A, Karmakar, B, Merh, S S (2002) Evidence of polyphase deformation in gneissic rocks around Devgadhi Bariya: implications for evolution of Godhra Granite in the southern Aravalli region (India); *Gond Res.* v. 5, pp.401–408.

Mamtani, M A, Merh, S S, Karanth, R V, Merh, S S, Greiling, R O (2001) Time relationship between metamorphism and deformation in Proterozoic rocks of the Lunavada region, southern Aravalli Mountain Belt (India)—a microstructural study. *J Asian Earth Sci.* v. 19, pp. 195–205.

Mancktelow, N S, Arbaret, L, Pennacchioni, G (2002) Experimental observations on the effect of interface slip on rotation and stabilisation of rigid particles in simple shear and a comparison with natural mylonites. *J Struct Geol.* v. 24, pp. 567–585.

Maniar, P D and Piccoli, P M (1989) Tectonic discrimination of granitoids; *Geol. Soc. Am. Bull.* v. 101, pp. 635–643.

Martin, H, Smithies, R H, Rapp, R, Moyen, J F, Champion, D (2005) An overview of adakite, tonalite-trondhjemite-granodiorite (TTG), and sanukitoid: relationship and some implication for crustal evolution. *Lithos.* v. 79, pp.1-24.

Masuda, T, Ando, S (1988) Viscous flow around a rigid spherical body: a hydrodynamical approach. *Tectonophysics.* v. 148, pp. 337–346.

Mathur, R K, Iqbaluddin, Bhattacharjee, N B and Jayaram, B N (1973) Stratigraphy and classification of Aravalli supergroup in parts of Udaipur districts Rajasthan. (Abst), *Sem. Recent Advances in Geol. of Rajasthan*, p. 2.

McSween, H Y, Harvey, R P Jr (1997) Concord plutonic suite: Pre-Acadian gabbro-syenite intrusions in the southern Appalachians. In: Sinha AK, Whalen JB, Hogan JB (eds) *Geol Soc Am.* v. 191, pp. 221–234.

Merh, S S (1995) Geology of Gujarat. Geol. Soc. India Publ., Bangalore, 224p.

Middlemiss, C S (1921) Geology of Idar State. Mem. Geol. Surv. India. v. 44, pp. 1-66.

Miller, C F, McDowell, S M, Mapes, R W (2003) Hot and cold granites? Implications of zircon saturation temperatures and preservation of inheritance. *Geology*. v. 31; no. 6; pp.529–532.

Mukherjee, S (2011a) Mineral fish: their morphological classification, usefulness as shear sense indicators and genesis. *Int J Earth Sci*. v. 100, pp. 1303–1314.

Mukherjee, S (2011b) Estimating the Viscosity of Rock Bodies- a comparison between the Hormuz- and the Namakdan salt domes in the Persian Gulf, and the Tso Morari Gneiss Dome in the Himalaya. *Indian J Geophys Union*. v. 15, pp. 161–170

Mukherjee, S and Pal, P (2000) Tectonic structures of the Karakoram metamorphic belt, its significance in the geodynamic evolution. Unpublished Report. Summer Undergraduate Research Award. University of Roorkee.

Mukherjee, S, Koyi, H A (2010a) Higher Himalayan Shear Zone, Sutlej section: structural geology and extrusion mechanism by various combinations of simple shear, pure shear and channel flow in shifting modes. *Int J Earth Sci*. v. 99, pp. 1267–1303.

Nakamura, Y (1989) A method for dynamic characteristics estimation of subsurface using microtremor on the ground surface. *Q Railw Tech Res Inst (Japan)*. v. 30, pp. 25–30.

Naqvi, S M, Divakar Rao V, Narian, H (1974) The Protocontinental growth of the Indian shield and the antiquity of its rift valleys. *Precamb. Res*. v.1, pp.345-398.

Naqvi, S M, Rogers, J J W (1987) Precambrian geology of India. Oxford University Press, Inc. 223 p.

Narayana, B L (1969). The Pre-Cambrian formations around Godhra, Gujarat State. *Jr. of Inst, of Geology, Vikram Univ*. v. 2, pp. 85-98.

Narayana, B L (1970 & 71) Mylonites of Devgadhi Baria, Panchmahals district, Gujarat. *Jr. of Inst. of Geol., Vikram Univ*. v. 3 & 4, pp. 25-30.

Narayana, B L (1974) The mode of occurrence, petrography, metamorphism and origin of amphibolites of Devgadhi Baria, Panchmahals district, Gujarat state. *J. Geol. Soc. India*. v. 15, pp. 246-255.

Nicolas, A, Poirier, J P (1976) Crystalline plasticity and solid state flow in metamorphic rocks. Wiley, New York.

Njiekak, G, Dorr, W, Tchouankoue, J P, Zulauf, G (2008) U-Pb zircon and microfabric data (meta) granitoids of western Cameroun: Constraints on the timing of pluton emplacement and deformation in the Pan-African belt of central Africa. *Lithos*. v. 102, pp.460-477.

Nogoshi, M, Igarashi, T (1971) On the amplitude characteristics of microtremor (part 2) (in Japanese with English abstract). *J Seismol Soc Japan*. v. 24, pp. 26–40.

Ohta, Y, Kagami, H, Goto, N, Kudo, K A (1978) Observation of 1-to 5-second microtremors and their application to earthquake engineering. Part I: Comparison with long-period accelerations at the Tokachi-Oki earthquake of 1968. *Bull Seismol Soc Am*. v. 68, pp. 767-779.

Oliver, D H, Goodge, J W (1996) Leucoxene fish as a micro-kinematic indicator. *J Struct Geol*. v. 18, pp. 1493–1495.

Parolai, S, Bormann, P, Milkereit, C (2002) New relationships between V_s , thickness of sediments, and resonance frequency calculated by the H/V ratio of seismic noise for the Cologne Area (Germany). *Bull Seismol Soc Am*. v. 92, pp. 2521- 2527.

Passchier, C W (1991b) Geometric constraints on the development of shear bands in rocks. *Geol Mijnb*. v. 70, pp. 203–211.

Passchier, C W and Speck, P J H R (1994) The Kinematic interpretation of obliquely transected porphyroblasts: and example from the Trois Seigneurs Massif, France. *J Struct Geol*. v. 16, pp. 971–984.

Passchier, C W and Trouw, R (2005) *Microtectonics*, 2nd edn. Springer, New York, pp. 1–366.

Passchier, C W, Simpson, C (1986) Porphyroblast systems as kinematic indicators. *J Struct Geol*. v. 8, pp. 831–844.

Patel, M P and Merh, S S (1967) Tectonic setting of the ultramafic rocks of Sabarkantha and Dungarpur areas. Proc. Symp. On Upper Mantle Project, NGRI, Hyderabad (Abst.), pp. 433-484.

Paudyal, Y R, Yatabe, R, Bhandary, N P, Dahal, R K (2013) Basement topography of the Kathmandu basin using microtremor observation. J. Asian Earth Sci. v. 62, pp. 627–637.

Pearce, J A, Harris, N B W and Tindle, A G (1984) Trace element discrimination diagrams for the tectonic interpretation of granitic rocks; J. Petrol. v. 25, pp. 956–983.

Pennacchioni, G, Di Toro, G, Mancktelow, N S (2001) Strain-insensitive preferred orientation of porphyroclasts in Mont Mary mylonites. J Struct Geol. v. 23, pp. 1281–1298.

Platt, J P, Vissers, R L M (1980) Extensional structures in anisotropic rocks. J Struct Geol. v. 2, pp. 397–410.

Radhakrishna, B P and Naqvi, S M (1986) Precambrian continental crust of India and its evolution. J. Geol. v. 94, pp.145-166.

Rahman, A and Zainuddin, S M (1993) Bundelkhand Granites: An Example of Collison-Related Precambrian Magmatism and Its Relevance to the Evolution of the Central Indian Shield. J Struct Geol. v. 101(3), pp.413-419.

Rama Rao, B (1931). Geology of Baria State.

Ramsay, J G and Huber, M I (1987) The techniques of modern structural geology, v. 2: Folds and Fractures. Academic Press, London, 391p.

Rao, V V, Sain, K, Reddy, P R, Mooney, W D (2006) Crustal structure and tectonics of the northern part of the Southern Granulite Terrene, India. Earth and Plan. Sci. Lett. v. 251, pp. 90–103.

Rasul, S H (1963) The chemical composition and original nature of the Dharwar phyllites of the Shivrajpur-Bamankua area, District Panch-Mahals, Gujarat State: Proc. Nat. Acad. Sc. v. LVIII, pp. 343-352.

Rasul, S H (1964) The manganese ore of Shivrajpur: Mineral Market. v. iii (3).

- Rasul, S H (1965) The manganese ore of Shivrajpur: *Econ. Geol.* v. 60, pp. 149-162.
- Rathore, J S (1979). Magnetic susceptibility anisotropy in the Cambrian Slate Belt of North Wales and correlation with strain. *Tectonophysics.* v. 53, pp. 83-97.
- Rogers, J J W (1986) The Dharwar craton and the assembly of Peninsular India. *J. Geol.*, v. 94: pp.129-143.
- Rollinson, H R (1993) Using geochemical data: Evaluation, presentation, interpretation. Longman Scientific and Technical, Wiley, New York, 352.
- Roper, P J (1972) Structural significance of “button” or “fish scale” texture in the phyllonitic schist of the Brevard zone. *Geol Soc Am Bull.* v. 83, pp. 853–860.
- Rošer, J, Gosar, A (2010) Determination of Vs30 for seismic ground classification in the Ljubljana Area, Slovenia. *Acta Geotechnica Slovenica.* v. 1, pp. 63-76.
- Roy, A B (1985) Tectonic and Stratigraphic framework of the early Precambrian rocks of Rajasthan and Northern Gujarat; *Bull Geol Min Met Soc India.* v. 55, pp. 100-114.
- Roy, A B (1988) Stratigraphic and tectonic framework of the Aravalli mountain range. In: Roy, A B (Ed.), *Precambrian of the Aravalli mountain, Rajasthan, India*; *Geol Soc India Mem.* v. 7, pp. 3-31.
- Sadashivaiah, M S (1963) Cal-silicate skarns in the granites and gneisses at Jothwad: *Proc. Ind. Acad. Sc.*, v. LVIII, pp. 303-313.
- Sadashivaiah, M S and Naganna, C (1964) Winchite from Jothwad: *Proc. Ind. Acad. Sc.* v. LIX, pp. 355-361.
- Sadashivaiah, M S and Tenginakai, S G (1966) Piemontite bearing calc-silicate rocks from Jothwad: *Jour. Karnatak Univ. Sc.* v. XI, pp. 64-72.
- Sahu, B K (2012) Aeromagnetic data analysis of the southern Aravalli Fold Belt: its implications in understanding the inter-relationship among the migmatites and gneissic rocks, Aravalli Supracrustals and Godhra Granite. *J Geol Soc India.* v. 80, pp. 255–261.

Sastry, A S (1992) Geochronology of the Precambrian rocks from Rajasthan and Northeastern Gujarat. Geol. Sur. India Sp. Publ. 25, 96 p.

Sastry, R S, Nagarajan, N, Sarma, S V S (2008) Electrical imaging of deep crustal features of Kutch, India Geophys. J. Int. v. 172, pp. 934–944.

Saxena, V P, Krishnamurthy, P, Murugan, C and Sabot, H K (1992). Geochemistry of the granitoids from the Central Sarguja Shear Zone, India: geological evolution and implications on uranium mineralization and exploration. Explor. Res. At. Minerals. v.5. pp.27-40.

Schmid, S M, Handy, M R (1991) Towards a genetic classification of fault rocks : geological usage and tectonophysical implications. In: Müller, D W, McKenzie, J A, Weissert, H (eds) Controversies in modern geology, evolution of geological theories in sedimentology, earth history and tectonics. Academic Press, London. pp. 339–361.

Scholz, C H (1988) The brittle-plastic transition and the depth of seismic faulting. Geol. Rdsch. v. 77, pp. 319-328.

Sen, K and Mamtani, M A (2006) Magnetic fabric, shape preferred orientation and regional strain in granitic rocks. J Struct Geol. v. 28, pp. 1870–1882.

Shah, A N, Karanth, R V, Barot, S A (1984) Geology of the area around Khandia with special reference to the Lead mineralisation, dist. Baroda, Gujarat, Proc 5th session Ind Geol Cong: pp. 127-133.

Sharma, B B and Golani P R (2013) Magnesite in the Palaeoproterozoic metasedimentary carbonate sequence of Aravalli Supergroup in Gujarat, western India. Current Science. v. 104 (8), pp. 1013-1015.

Shigematsu, N (1999) Dynamic recrystallization in deformed plagioclase during progressive shear deformation. Tectonophysics. v. 305, pp. 437–452.

Shivkumar, K, Maithani, P B and Parthasarathy, R N (1993) Proterozoic rift in lower Champaners and its bearing in uranium mineralization in Panchmahals district, Gujarat. Abstract in annual convention of Geological Society of India, Organised by Department of Geology. M. S. University of Baroda, Vadodara.

- Sibson, R H (1977b) Fault rocks and fault mechanisms. *J Geol Soc Lond.* v. 133, pp. 191–213.
- Singh, A P, Kumar, V V, Mishra, D C (2004) Subsurface geometry of Hyderabad granite pluton from gravity and magnetic anomalies and its role in the seismicity around Hyderabad. *Curr. Sci.* v. 86, pp. 580-586.
- Singh, B, Rao, P M R K, Prajapati, S K, Swarnapriya, Ch(2014) Combined gravity and magnetic modeling over Pavagadh and Phenaimata igneous complexes, Gujarat, India: Inference on emplacement history of Deccan volcanism. *J Asian Earth Sci.* v. 80, pp. 119–133
- Singh, S B, G. Ashok Babu, A, Veeraiah, B V, Chakravarthi, V (2008) Detection of sub-trappean sediments by Deep Resistivity Sounding studies in India. In: 7th International Conference & Exposition on Petroleum Geophysics, Hyderabad. pp.106-110
- Sinha-Roy, S (2000) Precambrian terrane evolution in Rajasthan. In: M. S. Krishnan Centenary Seminar, *Geol. Surv. India. Spl. Publ.* v. 55, pp. 275-286.
- Spry, A (1969) *Metamorphic textures*. Pergamon Press, Oxford.
- Srikarni, C and Das S (1996) Stratigraphy and sedimentation history of Champaner Group, Gujarat; *Jour. Indian. Assoc. Sedim.* v. 15, pp. 93–108.
- Srimal, N and Das, S (1998) On the tectonic affinity of the Champaner Group of rocks, eastern Gujarat. Abstract. International seminar on the precambrian crustal evolution of central and eastern India. UNESCO-Lugs—IGCP-368, Bhubaneswar. pp 226–227.
- Stipp, M, Stünitz, H, Heilbronner, R, Schmid, S M (2002) The eastern Tonale fault zone: a “natural laboratory” for crystal plastic deformation of quartz over a temperature range from 250 to 700°C. *J Struct Geol.* v. 24, pp. 1861–1884.
- St-Onge, M R, Van Gool, J A M, Garde, A A, Scott, D J (2009) Correlation of Archean and Paleoproterozoic units between northeastern Canada and Western Greenland: constraining the pre-collisional upper plate accretionary history of the Trans-Hudson Orogen. In: Cawood, P. A. and Kroner, A (Eds) *Earth Accretionary Systems in Space and Time*. Geological Society London. Special Publication. v. 318, pp. 193-235.

Streckeisen, A (1974) Classification and nomenclature of plutonic rocks recommendations of the IUGS subcommission on the systematics of Igneous Rocks *Geol Rundsch.* v. 63, pp.773-786.

Sukumaran, P, Parvez, I A, Sant, D A, Rangarajan, G, Krishnan, K (2011) Profiling of late Tertiary-early Quaternary surface in the lower reaches of Narmada valley using microtremors. *J. Asian Earth Sci.* v. 41, pp. 325–334.

Sychanthavong S P H (1990) Destructive plate margin tectonics in the evolution of the Delhi Precambrian fold belt and base metal deposits, western India. In: Sychanthavong, S.P.H. (Ed.), *Crustal evolution and orogeny*, Oxford and IBH Publ. Co. Pvt. Ltd., New Delhi, pp.101-158.

Sychanthavong, S P H and Merh, S S (1985) Role of protoplate movement in the geological evolution of the Precambrian terrain of northwest peninsular India. *Proc. Symposium on mega structures and plate tectonics and their role as a guide to ore mineralization*, *Geol. Min. Met. Soc. India.* v. 53, pp. 124-146.

Sychanthavong, S P H, Desai, S D (1977) Proto-plate tectonics controlling the Precambrian deformations and metallogenetic epochs in northwestern Peninsular India. *Miner. Sci. Eng.* v. 9. pp.218-236.

Sychanthavong, S P H, Merh, S S (1981) Protoplate tectonics: The energetic model for the structural, metamorphic and igneous evolution of the Precambrian rocks, northwestern peninsular India, *Proc. SYMPET*, Sp. Publ. *Geol. Surv. India.* pp.419-457.

Tang, L and Santosh, M (2018) Neoarchean-Paleoproterozoic terrane assembly and Wilson cycle in the North China Craton: an overview from the central segment of the Trans-North China Orogen. *Earth-Science Reviews.* v. 182, pp.1-27.

Tarling, D H, Hrouda, F (1993) *The magnetic anisotropy of rocks.* Chapman and Hall, London. 217 p.

ten Grotenhuis, S M, Passchier, C W, Bons, P D (2002) The influence of strain localisation on the rotation behaviour of rigid objects in experimental shear zones. *J Struct Geol.* v. 24, pp. 485–501.

ten Grotenhuis, S M, Trouw, RAJ, Passchier, C W (2003) Evolution of mica fish in mylonitic rocks. *Tectonophysics*. v. 372, pp. 1–21.

Thompson R N (1982) Magmatism of the British Territory volcanic province: *Scot. Geol.* v.18, pp.49-107.

Tyler, I M and Thorne, A M (1990) The northern margin of the Capricorn Orogen, Western Australia-an example of an Early Proterozoic collision zone. *Jour. Struct. Geol.* v. 12 (5/6), pp.685-701.

van der Molen (1985) I.:Interlayer material transport during layer-normal shortening. Part II. Boudinage, pinch-and-swell and migmatite at Sondre Stromfjord Airport, West Greenland. *Tectonophysics*. v. 115, pp. 297-313.

Vernon, R H (1976) *Metamorphic processes*. Allen and Unwin, London.

Vignerese, J L (1990) Use and misuse of geophysical data to determine the shape at depth of granitic intrusions. *Geol. J.* v. 25, pp. 249-260.

Vignerese, J L, Tikoff, B, Ameglio, A (1999) Modification of the regional stress field by magma intrusion and formation of tabular granitic plutons. *Tectonophysics*. v. 302, pp.203–224.

Watson, E B and Harrison, T M, (1983) Zircon saturation revisited: temperature and composition effects in a variety of crustal magma types. *Earth Planet. Sci. Lett.* v. 64, pp.295-304.

White, S H (1979b) Large strain deformation: report on a tectonic studies group discussion meeting held at Imperial College, London; introduction. *J Struct Geol.* v. 4, pp. 333–339.

Winter, J D (2012) *Principles of Igneous and Metamorphic Petrology*. Second Edition, Pearson Prentice Hall, U.S.A. 1-702.

Wu, S and Groshong, Jr R H (1991a) Low temperature deformation of sandstone, southern Appalachian fold-thrust belt. *Geol Soc Am Bull.* v. 103, pp. 861–875.

Yamanaka, H, Takemura, M, Ishida, H, Niwa, M (1994) Characteristics of long- period microtremors and their applicability in exploration of deep sedimentary layers. *Bull.Seismol. Soc. Am.* v. 84, pp. 1831-1841.

Yellur, D D (1969) Lead-Zinc mineralisation in the Champaner rocks of Khandia, Baroda dist., Gujarat, India, *Eco Geol.* v. 69, pp. 677-682.

Yellur, D D and Gopinath, K (1966) Report on the geological mapping of parts of Toposheet 46 F/16, Baroda district, Gujarat. Rep. Unpublished. *Geol. Surv. Ind. (F. S. 1965-66)*.

Zhao, B, Xie, X, Chai, C, Ma, H, Xu, X, Peng, D, Yin, W, Tao, J (2007) Imaging the graben structure in the deep basin with a microtremor profile crossing the Yinchuan city. *J Geophy Engineering.* v. 4, pp. 293–300.

Zhu, G, Liu, S G, Niu, M L, Xie, C L, Wang, Y S, Xiang, B (2007) Syn-collisional transform faulting of the Tan-Lu fault zone, East China. *Int J Earth Sci.* v. 98, pp. 135–155.

Zwart, H J (1960) The chronological succession of folding and metamorphism in the central Pyrenees. *Geol Rdsch.* v. 50, pp. 203–218.

Zwart, H J (1962) On the determination of polymetamorphic mineral associations, and its application to the Bosost area (central Pyrenees). *Geol Rdsch.* v. 52, pp. 38–65.

-----END-----