

References

- Acharya, B., Bhatt, N. 2018. Sedimentological analysis of a Late Quaternary coastal dune system: An example from Gopnath, south-east Saurashtra, Western India. *Sedimentology*.1-25. doi:10.1111/sed.12481
- Agrawal, D. P., Roy, B. 1977. Miliolite problems SEM and other analytical data. *Ecology and Archaeology of Western India*.Concept, Delhi.217-223.
- Agrawal, D. P. 1971. Tata Institute Radiocarbon Date List.. *Radiocarbon*. 13/1.
- Aitken, M. J. 1985. Thermoluminescence Dating. Academic Press. London. pp. 259.
- Aitken, M. J. 1998. Introduction to Optical Dating. Oxford Univ. Press, Oxford, pp.267.
- Allahabadi, B. B. 1986. Miliolite rocks of kutch, their geology and depositional significance. Ph. D. Thesis. The M. S. University of Baroda.295.(Unpublished)
- Bandyopadhyay, A. 2004. Sedimentation, Tectonics and Palaeoenvironment in Eastern Kachchh, Gujarat. *Jour. Geol. Soc. India*.63/2, 171-182.
- Basavaiah, N., Khadkikar, A.S. 2004a. Environmental Magnetism and its application towards Palaeomonsoon Reconstruction. *J. Ind. geophys. Union*. 8/1,1-14.
- Basavaiah, N., Khadkikar, A. S. 2004b. Morphology, mineralogy and magnetic susceptibility of epikarst-Terra Rossa developed in late Quaternary aeolianite deposits of southeastern Saurashtra, India. *Geomorphology*.58, 339-355.
- Baskaran, M. 1985. Radiometric, mineralogical and trade elemental studies on the Saurashtra Quaternary carbonate deposits Implications to their age and Origin. Ph.D. Thesis. Gujarat University, Ahaedabad.173. (Unpublished)
- Baskaran, M. 1986. ^{230}Th / ^{234}U ages of Kutch miliolite. *Nat. Workshop on Quat. carbonates and miliolite problems of Gujarat*. P.R.L. Ahmedabad, 31.

- Baskaran, M., Deshpande, S. V., Rajaguru, S. N., Somayajulu, B. L. K. 1989a. Geochronology of miliolite rocks of Kutch, Western India. Journal of Geological Society of India. 33, 588-593.
- Baskaran, M., Rajagopalan, G., Somayajulu, B. L. K. 1989b. ^{230}Th / ^{234}U and ^{14}C dating of Quaternary Carbonate deposits of Saurashtra, India. Chemical Geology (Isotope Geoscience Section) 79, 65-82.
- Bhatt, N., 2000. Lithostratigraphy of Neogene-Quaternary sediments of Dwarka area, Saurashtra, western India. Journal of Geological Society of India 55, 139–148.
- Bhatt, N. 2003. The Late Quaternary bioclastic carbonate deposits of Saurashtra and Kachchh, Gujarat, Western India: A Review, Proc. Indian Nat. Sci. Acad. 69/2, 137-150.
- Bhatt, N. and Patel, M. P. 1995. Evidence of Palaeoclimatic fluctuations in miliolite rocks of Saurashtra, Western India. Journal of the Geological Society of India 45/2, 191-200.
- Bhatt, N., Patel, M. P. 1996. Petrographic criteria for freshwater diagenesis of Saurashtra miliolites. Journal of Geological Society of India. 48, 415-419.
- Bhatt, N. and Patel, M. P. 1998a. Bioclastic shore deposit indicator of late quaternary high sea in Saurashtra, western India, journal of geological society of india. 52, 537-542.
- Bhatt, N. and Patel M. P. 1998b. Diagenesis in the Quaternary carbonate sediments of Saurashtra, Western India. In: A. S. Alsharhan, K. W. Glennie, G. L. Whittle and C. G. Kendall (Eds.), Quaternary Deserts and Climate change. Balkema, Asmstedam. 7-16.
- Bhatt, N. 1992. Quaternary carbonate deposits of Saurashtra with special reference to their mode of occurrence and depositional environment. Ph.D. Thesis. The M. S. University of Baroda. 292. (Unpublished)
- Bhattacharya, F., Rastogi, B. K., Thakkar, M. G., Patel, R. C., Juyal, N. 2014. Fluvial forms and their implication towards understanding the past climate and seismicity in the northern Katrol Hill Range, western India. Quaternary International. 30, 1-13
<http://dx.doi.org/10.1016/j.quaint.2014.03.002>

- Bhattacharya, F., Rastogi, B. K., Ngangomb, M., Thakkar, M. G., Patel, R. C. 2013. Late Quaternary climate and seismicity in the Katrol hill range, Kachchh, western India: Journal of Asian Earth Sciences.73, 114-120.
- Bhattacharya, S. K. 1986. Stable isotope studies on miliolites of Gujarat and their indications on age determinations. Nat. Workshop on Quat. carbonates and miliolite problems of Gujarat. P.R.L. Ahmedabad.24-16.
- Biswas, S. K. 1971. The miliolite rocks of Kutch and Kathiawar. Sedimentary Geology. 5, 147-164.
- Biswas, S. K. 1980. Structure of Kutch-Kathiawar region, Western India Proceeding of the 3rd Indian Geological Congress, Pune. 255-272.
- Biswas, S. K. 1987. Regional tectonic framework, structure and evolution of the western marginal basins of India. Tectonophysics.135, 307-327.
- Biswas, S. K. 1993a. Geology of Kutch, Publd. KDM Inst. of Petroleum Exploration, ONGC, Dehradun.450.
- Biswas, S. K. 1993b. Tectonic framework and evolution of graben basins of India, In: S.M. Casshyap (Ed.), Rifted basins and aulacogens. Gyanodaya Prakashan, Nainital.18-32.
- Biswas, S. K., and Deshpande, S. V. 1970. Geological and tectonic maps of Kachchh. Bull. Oil Natural Gas Commission.7/ 2,115-123.
- Biswas, S. K., Deshpande, S.V. 1968. The basement of Mesozoic sediments of Kutch, Western India, Bull. Geol. Min. Metal. Soc. India.40, 1-7.
- Biswas, S. K., Deshpande, S.V. 1973. A note on the mode of eruption of Deccan Trap lavas with special reference to Kutch. Jour. Geol. Soc. India.14/2,134-141.
- Biswas, S. K., Khatri, K.N. 2002. A geological study of earthquakes in Kachchh, Gujarat, India. Jour. Geol. Soc. India.60, 131-142.
- Biswas, S. K. 1974. Landscape of Kutch-A Morphotectonic Analysis. Indian Journal of Earth Sciences.1/2, 177-190.

- Biswas, S. K. 1977. Mesozoic Rock Stratigraphy of Kutch. Quarterly Journal of the Geological, Mining and Metallurgical Society of India, 49/3-4, 1-52.
- Biswas, S. K. 1981. Basin framework, paleoenvironment and depositional history of the Mesozoic sediments of Kutch basin. Western India, Quart. Jour. Geol., Min. Met. Soc. India, 53/1, 56-85.
- Biswas, S. K. 1982. Rift basins in Western margin of India with special reference to hydrocarbon prospects. Bull. Amer. Assoc. Petro. Geol. 66/10, 1497-1513.
- Biswas, S. K. 1991. Stratigraphy and sedimentary evolution of the Mesozoic Basin of Kutch, Western India. In: S.K. Tandon, Charu C. Pant and S.M. Casshyap (Eds.), Sedimentary Basins of India, Tectonic Context. Gyanodaya Prakashan, Nainital, 74-103.
- Biswas, S. K. 1999. A review on the evolution of rift basins in India during Gondwana with special reference to Western Indian basins and their hydrocarbon prospects. In Gondwana Assembly: New issues and Perspectives (eds A. Sahni & R. S. Loyal):53-76. New Delhi: Indian National Science Academy.
- Biswas, S. K. 2005a. A review of structure and tectonics of Kutch basin, western India, with special reference to earthquakes. Current Science. 88/10, 1592-1600.
- Biswas, S. K. 2005b. Tectonic style and sediment dynamics of rifted basins, their bearing on petroleum habitat-examples from Satpura and Kutch basins, India. Indian Jour. Petrol. Geol. 14/1, 1-29.
- Biswas, S. K. 2016a. Mesozoic and Tertiary Stratigraphy of Kutch (Kachchh), A Review Special Publication of the Geol. Society of India, 6, 1-24.
- Biswas, S. K. 2016b. Tectonic Framework, Structure and Tectonic Evolution of Kutch Basin, Western India, Special Publication of the Geological Society of India. 6, 129-150.
- Blake, J. F. 1987. On some superficial deposits in Cutch. Quart, Jour. Geol. soc. London.53/223-243.
- Bose, P. K., Shome, S., Bardhan, S. and Ghosh, G. 1986. Facies mosaic in the Ghuneri Member (Jurassic) of the Bhuj Formation, Western Kutch, India. Sediment. Geol. 46, 293-309.

- Brückner, H., Mangini, A., Montagioni, L., Rescher, K. 1987. Miliolite occurrences on Kathiawar Peninsula (Gujarat): new results from chronostratigraphical, petrological and palaeozoological analysis. *Berliner Geographische Studien* 25, 343-361.
- Carter, H. J. 1849. On foraminifera, their organisation and their existence in fossilised state in Arabia, Sindh, Kutch and Kathiawar state. *Jour Royal Asia Soc. Bombay*. 3,158-173.
- Chakrabarti, A., Somayajulu, B.L.K., Baskaran, M., Kumar, B.1993. Quaternary miliolites of Kutch ans Saurashtra, western India: Depositional environments in the light of physical sedimentary structures, biogenic structures and geochronological setting of the rocks. *Senckenbergina Maritima*. 23,7-28.
- Chamyal , L. S., Juyal, N. 2005. Climatic events in Southern Thar Desert and Higher Central Himalaya during the Last Glacial Stage (LGS): Possible linkages. *Jour. Him. Geol.* 26, 241- 252.
- Chamyal , L. S., Maurya, D. M., Rachna R. 2003. Fluvial systems of the dry lands of western India: A synthesis of Late Quaternary environmental and tectonic change, *quat.int.* 104,69-86.
- Chandel, H. N., Patel, A. D., Vaghela, H. R., Ubale, G. P. 2006. An effective and reusable sampling pipe for Luminescence dating. *Ancient TL* 24, 21-22.
- Chandrasekhar, D.V. and Misra, D. C. 2002. Some geodynamic aspects of Kutch basin and seismicity: An insight from gravity studies, *Curr. Sci.*83/4,492-498.
- Chapman, F. 1900. Notes on the consolidated aeolian sands of Kathiawar. *Quart. Jour. Geol. Soc, London*.56, 584-589.
- Chauhan G., Thakkar M. G. 2014. Scope for paleoclimate study in Kachchh. Quaternary geology and climate change news letter.I, 1-9. Department of Geology, University of Pune, India.
- Chauhan, G., Thakkar,M. G., Kothyari, G. C, Prizomwala, S., Bhandari, S., Biswas, S.K. 2016. Neotectonics activity in Kachchh rift basin, Western India, Evidence by geomorphic marker and paleoseismic featurrs, *IESCJ*. 2/5,114-115.

- Chung, W. P. and Gao, H. 1995. Source parameters of the Anjar earthquake of July 21, 1956, India, and its seismotectonic implications for the Kutch rift basin. *Tectonophysics*, 242, 281-292, doi: 10.1016/0040-1951-(94)00203-L
- Das , A., Bhattacharya, F., Rastogi, B. K., Chauhan, G., Ngangom M., Thakkar, M.G. 2016a. Response of dry land fluvial system to climate tectonic perturbation during the Late Quaternary: Evidence from Rukmavati River basin, Kachchh, western India, *Journal of Earth system Science. J. Earth Syst. Sci.* 125/6, 1119-1138.
- Das, A., Prizomwala. S.P., Makawana, N., Thakkar, M. G. 2017. Late Pleistocene-Holocene climate and sea level changes inferred based on the tidal terrace sequence, Kachchh, Western India, *Palaeogeography, Palaeoclimatology, Palaeoecology*.47,82–93.
- Das, A., Chauhan, G., Prizomwala, S.P., Thakkar, M.G., Rastogi, B.K. 2016b. Geomorphic evidence and tectonic variability along the South Katrol Hill Fault, Kachchh, Western India: insights from geomorphic indices. *Z. Geomorphol.*60, 209-218.
- Dawson, A. G.1992. *Ice age Earth: Late Quaternary Geology and Climate*, Routledge, London.280.
- Desai, B. G. 2012. Trace fossils from Kaladongar Formation exposed in Kuar Bet, Patcham Island, Kachchh Basin, India. *Jour. Palaeont. Soc. India.*57,53-59.
- Desai, B. G. 2013. Ichnological analysis of transgressive marine tongue in the prograding delta system: evidences from Ukra Hill Member, Western Kachchh, India. *Jour. Geol. Soc. India.*82, 143-152.
- Desai, B. G., Patel, S.J. 2009. Upper Callovian-Middle Oxfordian belemnite assemblage from Jara dome, Western Kachchh. *Jour.Geol. Soc. India.*74, 343-356.
- Desai, B. G., Patel, S.J., Shukla, R., Surve, D. 2008. Analysis of Ichnoguild and their significance in interpreting Ichnological events: A study from Jhuran Formation (Upper Jurassic), Western Kachchh. *Jour. Geol. Soc. India.*72, 458-466.
- Desai,B. G., Saklani, R.D. 2012. Significance of the trace fossil Balanoglossites magdefrau (1932) from the Lower Cretaceous Ghuneri member (Bhuj Formation) of the Ghuneri dome, Kachchh, India. *Swiss Jour. Palaeont.*131, 255-263.

- Desai, G. K., Hardas, M. G. Patel., M. P., Merh, S. S. 1982. Origin of miliolite rocks of Kutch microfaunal evidences, Jour. Geol. .Sop.India.23/5, 240-252.
- Deshpande, S. V., Biswas, S. K. 1986. Sedimentary Processes during Quaternary limestone deposition along the coastal and inland regions of Saurashtra and Kutch, Western India. Nat. Workshop on Quat.Carb. & Hilio. Prob. of Guj.P.R.L.Ahmedabad.60-62.
- Deshpande, S. V., Sharma, S. K. 1984. Sedimentary processes during Quaternary limestone deposition along coastal regions of Saurashtra Peninsula. Proc. Symp. Quat. Episodes. Deptt. Geol. M.S.U., Baroda.211- 228.
- Deshpande, S.V., Merh, S. S. 1980. Mesozoic sedimentary model of Wagad hills, Kutch, Western India. Jour. Geol. Soc. India.21, 75-83.
- Duller, G. A. T. 2008. Single-grain optical dating of Quaternary sediments: why aliquot size matters in luminescence dating Boreas., 37 , 589-612.
- Dunhalm R. J. 1961. Classification of carbonate rocks accordingly to deposition texture, In: Ham, W.E.(ed.)
- Dunham, R. J. 1962. Classification of carbonate rocks according to depositional texture. In: Ham, W. E. (ed.), Classification of carbonate rocks: American Association of Petroleum Geologists Memoir.108-121.
- Evans, J. W. 1900. Mechanically formed limestones from Junagarh and other localities. Quart. Jour. Geol. Soc. London.56, 559-583.
- Fadden, F. 1884. Geology of Kathiyawar peninsula in Gujarat. Mem.Gaol. Sur. India. 21/2, 76-125.
- Fairbridge, R. W. 1961. Eustatic changes In sea level. Physics and chemistry of the Earth.4, 99-185.
- Fairbridge, R. W. 1960. The changing level of the sea. Scientific American. 202 / 70-79.
- Folk, R. L., Ward, W. C. 1957. Brazos River bar: a study in the significance of grain size parameters. Journal of Sedimentary Petrology.27, 3-26.
- Folk, R. L. 1959. Practical petrographic classification of limestones: American Association of Petroleum Geologists Bulletin.43,1-38.

- Folk, R. L. 1962. Spectral subdivision of limestone types, in Ham, W.E., ed., Classification of carbonate Rocks-A Symposium: American Association of Petroleum Geologists Memoir 1, 62-84.
- Foote, R. B. 1898. Geology of Baroda state. Baroda. 194.
- Fursich, F. T., Alberti, S., Pandey, D.K. 2014. Stratigraphy and paleoenvironments of Jurassic rocks of Kachchh, Field Guide, Beringeria, Erlangen, 2013, Spec.7, 19-174.
- Fursich, F. T., Pandey, D.K., Callomon, J.H., Jaitly, A.K., Singh, I.B. 2001. Marker Beds in the Jurassic of the Kachchh Basin, Western India: Their depositional environment and sequence stratigraphic significance. Jour. Pal. Soc. India. 46, 173-198.
- Fursich, F. T., Pandey, D.K. 2003. Sequence Stratigraphic significance of sedimentary cycles and shell concentrations in the Upper Jurassic-Lower Cretaceous of Kachchh, Western India. Paleogeo. Paleoclimat. Paleoeco. 193, 285-309.
- Ganapathi, S., Desai, S. J., Merh, S. S. 1984. Significance of Narmada geofracture in Quaternary history of Gujarat coast. Proc. Symp. Quat. Episodes Deptt. Geol. M. S. University. Baroda. 97-108.
- Ganapathi, S. 1981. Geological and geomorphological evolution of the coastline between Bhavnagar and Mahuva of southern Saurashtra. Ph.D. Thesis. M.S. University of Baroda. (Unpublished)
- Ganpathi, S., Merh, S. S. 1986. Depositional model of Gopnath-Mahuva coast miliolites. Nat. Workshop on Quat. Carb. and aeolianite problem of Gujarat P.R.L. Ahmedabad (Abs.) 49- 51.
- Gazda, L., Kozak, K., Polednik, B. 2012. Morphogenesis of lublinite in indoor environment. 10th International conference "Healthy Buildings 2012.
- Glennie, K. W. 1970. Desert Sedimentary Environments. Amsterdam, Elsevier. 222.
- Goudie, A. S., Sperling, C. H. B. 1977. Long distance transport of foraminiferal tests by wind in the Thar Desert, Northwest India. Jour. Sed. Petrol. 47/2, 630- 633.
- Goudie, A. S., Allchin, B., Hegde, K. T. M. 1973. The former extension of the Great Indian Thar Desert. Geog. Jour. 139, 234-257.

- Govindan, P. R., Lele, V.S., Rajaguru, S.N.1975. Quaternary formation of the lower Hiran Valley, Saurashtra, Western India, Bull. Deccan College. Poona.35/1& 2,123-137.
- Gupta, S. K. 1972. Chronology of the raised beaches and inland coral reefs of the Saurashtra coast. Jour. Geol.80,357-361.
- Gupta, S. K. 1977. Quaternary sea-level changes on the Saurashtra coast, Ecology and Archaeology of Western India. Concept, Delhi.181-193.
- Gupta, S. K. 1991. $^{230}\text{Th}/^{234}\text{U}$ and 14C dating of Quaternary carbonate deposits of Saurashtra, India - Comments. Chemical Geology: Isotope Geoscience section. 86/2,179-183.
- Hashimi, N. H., Nigam, R., Nair, R. R. and Rajagopalan, G. 1995. Holocene sea level fluctuations on western India continental margin: An update. J. Geol. Soc. India, 46, 157-162.
- Hardas, M. B., Merh, S. S. 1968. On the nature and origin of miliolite like arenaceous limestone of Kutch. Jour. 2nd. Geo sci. Assoc. Hyderabad.8, 51-56.
- Hays, J. D., Imbrie, J., Shackleton, N.J. 1976. Variations in the Earth's orbit: Pace-maker of the ice ages. Science.194, 1121-1132.
- Juyal, N., Chamyal, L. S., Bhandari, S., Bhushan, R., Singhvi, A. K. 2006 . Continental record of the southwest monsoon during the last 130 ka: Evidence from the southern margin of the Thar Desert, India; Quat. Sci. Rev. 25, 2632–2650.
- Kar, A. 1993. Neotectonic influences on the morphological variations along coastline of Kachchh, India. Geomorphology. 8,199-219.
- Khonde, N. N., Maurya, D. M., Chamyal, L. S. 2017. Late Pleistocene-Holocene clay mineral record from the Great Rann of Kachchh basin, Western India: Implications for palaeoenvironments and sediment sources. Quaternary International 443, 86-98.
- Kothiyari, G. C., Dumka, R. K., Singh, A. P., Chauhan, G., Thakkar, M. G., Biswas, S. K. 2016c. Tectonic evolution and stress pattern of South Wagad Fault at the Kachchh Rift Basin in western India: Geol. Mag @ Cambridge University Press. doi:10.1017/S0016756816000509. 1-13.

- Krishna, J., Pandey, B., Ojha, J. R., Pathak, D. B. 2009. Reappraisal of the age framework, correlation, environment and nomenclature of Kachchh Mesozoic lithostratigraphic units in Wagad, Jour. Sci. Res., Banaras Hindu University, Varanasi..53, 1-20.
- Krishna, J., Pathak, D. B., Pandey, B., Ojha, J.R. 2000. Transgressive sediment intervals in the Late Jurassic of Kachchh, India. Geo research Forum.6, 321-332.
- Krumbein, W.C., Pettijohn, F. J. 1938. Manual of Sedimentary Petrography. Appleton-Century-Crofts, New York.
- Kulkarni, K. G., Borkar, V. D. 2000. Palaeoenvironmental nitches towards the close of deposition of Dhosa Oolite (Early Oxfordian), Kutch, India. Indian Jour. Petrol. Geol.9, 49-58.
- Kulkarni, K. G., Borkar, V. D. 2016. Status of Palaeoichnology in Mesozoic of Kachchh: Insight into an opportunistic ichnotaxon from the Lower Cretaceous. GSI.DOI: 10.17491/cgsi/2016/105415
- Kulkarni, K. G., Ghare, M. A. 1989. Stratigraphic distribution of ichno-taxa from Wagad region. Jour. Geol. Soc. India.33, 259-167.
- Kundu, H. K., Thakkar, M. G., Biswas, R. H. and Singhvi, A. K. 2010. Optical dating of sediments in Khari river basin and slip rate along Katrol Hill Fault (KHF), Kachchh, India: Geochronometria.37, 21-28.
- Lele, V. S. 1973. The miliolite limestone of Saurashtra, Western India Sed. Geol. 10, 301-310.
- Mahender, K., Rajeevan, M. and Sharma, N. L. 2008. Textural and petrographic characterization and implication of diagenesis in the interpretation of provenance and depositional environment of sandstones of the Middle Jurassic Jumara Formation, Kachchh Mainland, Gujarat. Int. Nat. Jour. Earth Sci. Engg.(ISSN 0974-5904) 2,31-43.
- Mahender, K., Rajeevan, M. and Sharma, N. L. 2010. Litho facies association and depositional environment of Late Jurassic-Early Cretaceous sequence (Jhuran & Bhuj Formations) of Central part of Kachchh Mainland. Gondwana Geol. Mag., Spec. 12,177-188.
- Malik, J. N., Parag, S., Sohoni, R., Karanth ,V., Merh , S. S. 1999. Modern and Historic Seismicity of Kachchh Peninsula,Western India.Jour. Geol. Soc. India. 54,545-550.

- Marathe, A. R., Rajaguru, S. N., Lele, V. S. 1977. On the problem of the origin and age of the miliolite rocks of the Hiran Valley, Saurashtra, W. India Sedimentary Geology.1/19,197-215.
- Mathew, G., Singhvi, A.K., Karanth, R.V. 2006. Luminescence chronometry and geomorphic evidence of active fold growth along the Kachchh Mainland Fault (KMF), Kachchh, India: seismotectonic implications. Tectonophysics, 422, 71–87.
- Mathur, U. B. 1978. Studies on the Quaternary carbonates of southern Saurashtra with special reference to the miliolite problem. Ph.D. thesis, M. S. Uni. Baroda. (Unpublished)
- Mathur, U. B., Verma, K. K., Mehra,S. 1986. Quaternary Stratigraphy of Southern Saurashtra, Gujarat. Nat. workshop on Quat. Carb. & Miliolite Problem of Gujarat. P.R.L.,Ahmedabad (Abst)1- 4.
- Maurya, D. M., Bhandari, S., Thakkar, M. G., Chamyal, L. S. 2003b. Late Quaternary fluvial sequences of southern Mainland Kachchh, western India: Current Science, 84/ 8, 1056-1064.
- Maurya, D. M., Thakkar M. G., Chamyal, L. S. 2003a. Implications of transverse fault system on tectonic evolution of Mainland Kachchh, western India. Current Science, 85,661-667.
- Maurya, D. M., Thakkar, M. G., Patidar, A. K., Bhandari, S., Goyal, B., Chamyal, L. S. 2008. Late quaternary geomorphic evolution of coastal zone of Kachchh, Western India. Jour. of Coast. Res. 24,746-758.
- Maurya, D. M., Chowksey, V., Patidar A. K., Chamyal, L. S. 2017. A review and new data on neotectonic evolution of active faults in the Kachchh Basin, Western India: legacy of post-Deccan Trap tectonic inversion: Tectonics of the Deccan Large Igneous Province. Geological Society, London, Special Publications.445, 237-268.
- Maurya, D. M., Thakkar, M. G., Chamyal, L. S. 2003c. Quaternary geology of the arid zone of Kachchh: Terra incognita: Proceedings of Indian National Science Academy. 69, 125-135.
- Merh, S. S., Patel, P. P. 1988. Quaternary Geology and Geomorphology of the Ranns of Kutch. Proc. Nat. Sem., Recent Quaternary studies in India, M. S. Uni. Baroda. 371-191.

- Merh, S. S. 1980. The Miliolite Problem. Presidential address 67th session of the Indian science cong., Indian Sci. Cong. Ass., section of Geol. and Geog., Calcutta.42.
- Merh, S. S. 1995. Geology of Gujarat. Geological Society of India, Bangalore.222.
- Merh, S. S., Chamyal, L.S.1993. The Quaternary sediments in Gujarat. Current Science.64 / 11 & 12, 10 & 25.823-827.
- Misra, D. 2008. Litho facies analysis and depositional model of Washtawa Formation (Callovian), Wagad, Kachchh basin, India, Jour. Assoc. Petrol. Geol., ONGC, Dehradun, India. ISBN 81-901729-8-0.
- Misra, D. 2009. High energy transgressive deposits from the Late Jurassic of Wagad, Eastern Kachchh, India. Jour. Asian Earth Sci.34/3,310-316.
- Misra, D., Tiwari, R. N. 2005. Provenance study of siliciclastic sediments of Jhura dome, Kachchh, Gujarat, India Jour. Geol. Soc. India.65, 703-714.
- Misra, D., Tiwari, R. N. 2006. Litho facies and depositional dynamics of Golden Oolite (Bathonian), Kachchh Mainland, Gujarat, India. Jour. Asian Earth Sci. 26/5, 449-460.
- Misra, D., Chandrasekhar, D.V., Singh, B. 2005. Tectonics and crustal structures related to Bhuj earthquake of January 26, 2001: based on gravity and magnetic surveys constrained from seismic and seismological studies. Tectonophysics.396, 195-207.
- Misra, D., Biswas, S.K. 2009. Sedimentology, sequence stratigraphy and syn-rift model of younger part of Washtawa Formation and early part of the Kanthkot Formation, Wagad, Kachchh basin, Gujarat. Jour. Geol. Soc. India.73/4,519-527.
- Morino, M., Malik, J. N., Mishra, P., Bhuiyan, C., Kaneko, F. 2008. Active fault traces along Bhuj Fault and Katrol Hill Fault, and trenching survey at Wandhay, Kachchh, Gujarat, India J. Earth Syst. Sci.117/3,181-188.
- Muhs, D. R. 2013. Review Article: The geologic records of dust in Quaternary; aeolian research Elsevier.9, 3-48.

- Murari, M. K, Achyuthan, H. and Singhvi A. K. 2007. Luminescence studies on the sediments laid down by the December 2004 tsunami event: Prospects for the dating of palaeo tsunamis and for the estimation of sediment fluxes. *Current Science* 92, 367–371.
- Murray, A. S., Olley, J. M. 2002. Precision and accuracy in the optically stimulated luminescence dating of sedimentary quartz. *Geochronometria* 21, 1–16.
- Murray, A. S., Wintle, A.G. 2003. The single aliquot regenerative dose protocol: potential for improvements in reliability. *Radiation Measurements* 37, 377–381.
- Murray, A. S., Wintle, A.G. 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. *Radiation Measurements* 32, 57–73.
- Osman, A. H., Mahender, K. 1997. Stratigraphy and sedimentation of the Middle Jurassic (Callovian-Oxfordian) sequence of Habo Hill, Kutch District, Gujarat, *Jour. Indian Assoc. Sediment.* 16, 103-117.
- Pandey, J., Dave A. 1993. Studies in Mesozoic foraminifera and chronostratigraphy of eastern Kutch, Gujarat. *Paleontographica indica*, No.1, KDMIPE, ONGC, Dehradun.221.
- Patel, S. J., Desai, B.G., Shukla, R. 2009. Palaeontological significance of the trace fossils of Dhosa Oolite Member (Jumara Formation), Jhura dome, Mainland Kachchh, Western India. *Jour. Geol. Soc. India.* 74, 601-614.
- Patel, S. J., Desai, B. G., Vaidya, A. D., Shukla, R. 2008. Middle Jurassic trace fossils from Habo dome , Mainland Kachchh, Western India. *Jour. Geol. Soc. India.* 71, 345-362.
- Patidar, A. K. Maurya, D. M., Thakkar. M. G., Chamyal, L. S. 2007. Fluvial geomorphology and neotectonic activity based on field and GPR data, Katrol hill range: *Quaternary Internationa.* 159, 74-92.
- Patidar, A. K., Maurya, F. M., Thakkar, M. G., Chamyal, L. S. 2008. Evidence of neotectonic reactivation of the Katrol hill Fault during late Quaternary and its GPR characterization. *Current Science.* 94/3,338-346.
- Pettijohn, F. J. 1957. *Sedimentary Rocks* 2nd edition. Harper and Ron, Hew York.718.

- Pilgrim, G. E. 1908. Geology of the Persian Gulf and the Adjoining Portions of Persia and Arabia. Memoirs of the Geological Survey of India 34(4). Office of the Geological Survey, Calcutta.
- Prescott, J. R. and Hutton, J. T. 1994. Cosmic ray contributions to dose rates for luminescence and ESR dating: Large depths and long term variations; Radiat. Meas. 23,497-500.
- Prizomwala, S. P., Bhatt, N., Basavaiah, N. 2014. Provenance discrimination and Source-to-Sink studies from a dry land fluvial regime An example from Kachchh, western India: International Journal of Sediment Research.29, 99-109.
- Prizomwala, S. P., Das, A, Chauhan, G., Solanki, T., Basavaiah, N., Bhatt, N. P., Thakkar, M. G., Rastogi, B. K. 2016. Late Pleistocene-Holocene uplift driven terrace formation and climate-tectonic interplay from a seismically active intraplate setting: An example from Kachchh, western India; J. Asian Earth Sci. 124, 55-67.
- Rajaguru, S. N., Marathe, A. R. 1977. Miliolite Formation in the Hiran valley. Ecology and Archaeology of H.India, concept, Delhi.209- 216.
- Ramakrishnan M., Vaidyanathan, R. 2008. Geology of India. Geological Society of India. 1 & 2, 994.
- Rastogi, B. K., Kumar, S., Aggrawal, S. K. 2012. Seismicity of Gujarat; Nat. Hazards. 65/2, 1027-1044.
- Rink, W. J., 1999. Quartz Luminescence as a Light-Sensitive Indicator of Sediment Transport in Coastal Processes. Journal of Coastal Research 15/1, 148-154.
- Sastri, V. V., Pant, S.C. 1959. Survey of coastal areas for collecting specimens of beach rocks, Miliolite etc. for the study of change of sea level. Prog. Rep. Geol. soc. India. Field season 1957-58.(Unpublished)
- Shackleton, N. 1967. Oxygen isotope analyses and Pleistocene temperatures reassessed. Nature , 215 ,15–17.
- Shajan, K. P. 1998. Studies on late quaternary sediments and sea level changes of the central kerala coast, India. Ph.D. Thesis, Cochin University of Science and Technology.155.(Unpublished)

- Sharma, K., Bhatt, N., Shukla, A. D., Cheong, D. K., Singhvi, A. K. 2017. Optical dating of late quaternary carbonate sequences of Saurashtra, western India. Quaternary Research.87, 133-150.
- Shrivastava, P. K. 1968. Petrography and Origin of Miliolite limestone of W. Saurashtra Coast. Jour. Geol. Soc. India.1/9, 88-96.
- Singhvi, A. K., Kar, A. 2004. The aeolian sedimentation record of the Thar desert. Journal of Earth System Science 113,371-401.
- Sohoni P. S., Malik. J.N., Merh. S. S., Karanth. R. V. 1999. Active Tectonics astride Katrol Hill Zone Kachchh, Western India, JGSI.53, 579-586.
- Sohoni. P. S., Karanth. R.V. 2003. Joining and Fracturing Characteristic of Central Kachchh Mainland, Kachchh, Western India. JGSI.61, 673-684.
- Sperling, C. H. B., Goudie, A. S.1975. The miliolite of Western India s A discussion of the aeolian and marine hypotheses. Sedimentary Geology.13, 71-75.
- Stoops, G. J. 1976. On the nature of “lublinit” from Hollanta (Turkey). American Mineralogist. 61, 172.
- Talati, R. N., Bhatt, N. 2018. Quaternary carbonate deposits from Katrol Hill Range (KHR), Kachchh, western India: Mode of occurrences and its significance in landscape evolution. The Journal of Indian Geophysical Union, NGRI, Hyderabad. (In Press)
- Thakkar, M. G., Goyal, B. 2004. On Relation between Magnitude and Liquefaction Dimension at the Epicentral zone of 2001 Bhuj Earthquake, Curr. Sci.87/6,811-817
- Thakkar, M. G., Goyal, B., Patidar, A. K., Maurya, D. M., Chamyal, L. S. 2006. Bedrock gorges in the central Mainland Kachchh: implications for landscape evolution. Journal of Earth System Science. 115/2, 240-256.
- Thakkar, M. G., Maurya, D. M., Rachna Raj., Chamyal, L. S. 1999. Quaternary tectonic history and terrain evolution of the area around Bhuj, Mainland Kachchh, Western India. Journal Geological Society of India. 53, 601-610.

- Thakkar, M. G., Maurya, D. M., Rachna Raj., Chamyal, L. S. 2001. Morphotectonic analysis of Khari drainage basin in Mainland Kachchh: Evidence for neotectonic activity along transverse faults. Bull. India Geol. Assoc.34, 205-220.
- Thakkar, M. G. 2017. Geomorphologicl field Book on Kachchh Peninsula: On the occasions of 9th International Conference on Geomorphology of the International Association of Geomorphologists (IAG), New Delhi.1-54.
- Verma K. K. 1979. Contribution to the study of the Quaternary sediments of Southern Saurashtra coast, Sujarat with sp. ref. to the microfauna and sea level change. Ph.D. Thesis, M. S. Uni. Baroda.p.429.(Unpublished)
- Waagen, W. 1875. Jurassic fauna of Kachchh. Palaeontologica Indica. GSI Ser.9,1-247.
- Waith, H. 2015. Radon earthquake precursor: A short review. The European Physical Journal sp. top. V.224/4,611-627.
- Watson. John. 1811. British and foreign building stones. Cambridge University Press, 483.
- Wynne, A. B. 1872. Geology of Kutch, Geol. Surv. India, Mem .9, 1-294.
- Zaigham, N. A., Mallick, K. A. 2000. Prospect of hydrocarbon associated with fossil-rift structures of the southern Indus basin, Pakistan. Bull. Am. Assoc. Petrol. Geol.84, 1833-1848.