

References

- Aitken, M.J., 1998. An Introduction to Optical Dating. Oxford University Press: Oxford.
- Alizai, A., Carter, A., Clift, P.D., VanLaningham, S., Williams, J.C., Kumar, R., 2011a. Sediment provenance, reworking and transport processes in the Indus River by U–Pb dating of detrital zircon grains. *Glob. Planet. Change* 76, 33–55.
- Alizai, A., Clift, P.D., Giosan, L., VanLaningham, S., Hinton, R., Tabrez, A.R., Danish, M., 2011b. Pb isotopic variability in the modern-Pleistocene Indus River system measured by ion microprobe in detrital K-feldspar grains. *Geochim. Cosmochim. Acta* 75, 4771–4795. doi:10.1016/j.gca.2011.05.039
- Alizai, A., Clift, P.D., Still, J., 2016. Indus Basin Sediment Provenance Constrained Using Garnet Geochemistry. *J. Asian Earth Sci.* 126, 29–57.
- Alizai, A., Hillier, S., Clift, P.D., Giosan, L., Hurst, A., VanLaningham, S., Macklin, M., 2012. Clay mineral variations in Holocene terrestrial sediments from the Indus Basin. *Quat. Res.* 77, 368–381. doi:10.1016/j.yqres.2012.01.008
- Allègre, C.J., Othman, D. Ben, 1980. Nd–Sr isotopic relationship in granitoid rocks and continental crust development: a chemical approach to orogenesis. *Nature* 286, 335–342.
- Awasthi, N., Ray, J.S., Pande, K., 2015. Origin of the Mile Tilek Tuff , South Andaman : evidence from 40 Ar – 39 Ar chronology and geochemistry. *Curr. Sci.* 108, 1–6.
- Awasthi, N., Ray, J.S., Singh, A.K., Band, S.T., Rai, V.K., 2014. Provenance o the Late Quaternary sediments in the Andaman Sea: Implications for monsoon variability and ocean circulation. *Geochemistry, Geophys. Geosystems* 15, 3890–3906. doi:10.1002/2014GC005462
- Band, S., Yadava, M.G., Ramesh, R., Gupta, S., Polyak, V.J., Asmerom, Y., 2016. Holocene Monsoon variability using stalagmite record from Dandak cave , India, in: Goldschmidt Conference Abstracts, 2016. p. 152.
- Banerji, U.S., Bhushan, R., Jull, A.J.T., 2016. Mid–late Holocene monsoonal records from the partially active mudflat of Diu Island, southern Saurashtra, Gujarat, western India. *Quat. Int.* doi:http://dx.doi.org/10.1016/j.quaint.2016.09.060
- Basu, A.R., Sharma, M., DeCelles, P.G., 1990. Nd, Sr-isotopic provenance and trace element geochemistry of Amazonian Foreland Basin Fluvial Sands, Bolivia and Peru: implications for Ensialic Andean Orogeny. *Earth Planet. Sci. Lett.* 105, 149–169.
- Bhatia, M.R., 1983. Plate Tectonics and geochemical composition of sandstone. *J. Geol.* 91, 611–627.
- Bhatia, M.R., Crook, K.A.W., 1986. Trace element characteristics of greywackes and tectonic discrimination of sedimentary basins. *Contrib. to Mineral. Petrol.* 92, 181–193.
- Biswas, S.K., 1987. Regional tectonics framework, structue and evolution of the western marginal basins of India. *Tectonophysics* 135, 307–327.
- Bollinger, L., Avouac, J.P., Beyssac, O., Catlos, E.J., Harrison, T.M., Grove, M., Goffe, B.,

- Sapkota, S., 2004. Thermal structure and exhumation history of the Lesser Himalaya in central Nepal. *Tectonics* 23.
- Bookhagen, B., Rasmus, C.T., Strecker, M.R., 2005. Late Quaternary intensified monsoon phases control landscape evolution in the northwest Himalaya. *Geology* 33, 149–152. doi:10.1130/G20982.1
- Catlos, E.J., Harrison, T.M., Kohn, M.J., Grove, M., Ryerson, F.J., Manning, C.E., Upreti, B.N., 2001. Geochronologic and thermobarometric constraints on the evolution of the Main Central Thrust, central Nepal Himalaya. *J. Geophys. Res.* 106, 16 177–16 204.
- Chandel, H.N., Patel, A.D., Vaghela, H.R., Ubale, G.P., 2006. An effective and reusable sampling pipe for luminescence dating. *Anc. TL* 26, 21–23.
- Chatterjee, A., Ray, J.S., 2017a. Geochemistry of Harappan potteries from Kalibangan and sediments in the Ghaggar River: Clues for a dying river. *Geosci. Front.* doi:https://doi.org/10.1016/j.gsf.2017.07.006
- Chatterjee, A., Ray, J.S., 2017b. Sources and depositional pathways of mid-Holocene sediments in the Great Rann of Kachchh, India: Implications for fluvial scenario during the Harappan Culture. *Quat. Int.* 443, 177–187. doi:10.1016/j.quaint.2017.06.008
- Clark, P.U., Dyke, A.S., Shakun, J.D., Karlson, A.E., Clark, J., Wohlfarth, B., Mitrovica, J.X., Hostetler, S.W., McCabe, A.M., 2009. The Last Glacial Maximum. *Science* (80-.). 325, 710–714. doi:10.1126/science.1172873
- Clift, P.D., Carter, a., Giosan, L., Durcan, J., Duller, G. a. T., Macklin, M.G., Alizai, a., Tabrez, a. R., Danish, M., VanLaningham, S., Fuller, D.Q., 2012. U-Pb zircon dating evidence for a Pleistocene Sarasvati River and capture of the Yamuna River. *Geology* 40, 211–214. doi:10.1130/G32840.1
- Clift, P.D., Giosan, L., Blusztajn, J., Campbell, I.H., Allen, C., Pringle, M., Tabrez, A.R., Danish, M., Rabbani, M.M., Alizai, A., Carter, A., Lückge, A., 2008. Holocene erosion of the Lesser Himalaya triggered by intensified summer monsoon. *Geology* 36, 79–82. doi:10.1130/G24315A.1
- Clift, P.D., Giosan, L., Carter, A., Garzanti, E., Galy, V., Tabrez, A.R., Pringle, M., Campbell, I.H., France-Lanord, C., Blusztajn, J., Allen, C., Alizai, A., Luckge, A., Danish, M., Rabbani, M.M., 2010. Monsoon control over erosion patterns in the Western Himalaya: possible feed-back into the tectonic evolution, in: Clift, P.D., Tada, R., Zheng, H. (Eds.), *Monsoon Evolution and Tectonics - Climate Linkage in Asia*. The Geological Society of London, pp. 185–218. doi:10.1144/SP342.12
- Clift, P.D., Lee, J.I., Hildebrand, P., Shimizu, N., Layne, G.D., Blusztajn, J., Blum, J.D., Garzanti, E., Ali, A., 2002. Nd and Pb isotope variability in the Indus River System : implications for sediment provenance and crustal heterogeneity in the Western Himalaya. *Earth Planet. Sci. Lett.* 200, 91–106.
- Condie, K.C., 1991. Another look at the rare earth elements in shales. *Geochim. Cosmochim. Acta* 55, 2527–2531.
- Danino, M., 2010. *The Lost River - On the trail of the SARASVATI*. Penguin Books.
- DePaolo, D.J., 1988. Age dependence of the composition of continental crust as determined

- from Nd isotopic variations in igneous rocks. *Earth Planet. Sci. Lett.* 59, 263–271.
- Dhir, R.P., Kar, A., Wadhawan, S.K., Rajaguru, S.N., Misra, V.N., Singhvi, A.K., Sharma, S.B., 1992. Thar Desert in Rajasthan: Land, Man and Environment. Geological Society of India, Bangalore.
- Dhir, R.P., Singhvi, A.K., 2012. The Thar Desert and its antiquity. *Curr. Sci.* 102, 1001–1008.
- Dickin, A.P., 2000. Radiogenic Isotope Geology. Cambridge University Press, United Kingdom.
- Dikshit, K.N., 2013. Origin of Early Harappan cultures in the Sarasvati Valley: Recent Archaeological Evidence and Radiometric dates. *J. Indian Ocean Archeol.* 9, 87–141.
- Dixit, Y., Hodell, D.A., Sinha, R., Petrie, C.A., 2014. Abrupt weakening of the Indian summer monsoon at 8.2 kyrB.P. *Earth Planet. Sci. Lett.* 391, 16–23. doi:10.1016/j.epsl.2014.01.026
- Duddy, I.R., 1980. Redistribution and fractionation of REE and other elements in a weathering profile. *Chem. Geol.* 30, 363–380.
- East, A.E., Clift, P.D., Carter, A., Alizai, A., VanLaningham, S., 2015. Fluvial – Eolian interactions in Sediment routing and sedimentary signal buffering : An example from the Indus basin and Thar Desert. *J. Sediment. Res.* 85, 715–728. doi:http://dx.doi.org/10.2110/jsr.2015.42
- Enzel, Y., Ely, L.L., Mishra, S., Ramesh, R., Amit, R., Lazar, B., Rajaguru, S.N., Baker, V.R., Sandler, A., 1999. High-Resolution Holocene Environmental Changes in the Thar Desert , Northwestern India. *Science* (80-.). 284, 125–128.
- Gangal, K., Vahia, M.N., Adhikari, R., 2010. Spatio-temporal analysis of the Indus urbanisation. *Curr. Sci.* 98, 846–852.
- Garçon, M., Chauvel, C., France-lanord, C., Limonta, M., Garzanti, E., 2014. Which minerals control the Nd – Hf – Sr – Pb isotopic compositions of river sediments ? *Chem. Geol.* 364, 42–55. doi:http://dx.doi.org/10.1016/j.chemgeo.2013.11.018
- Garzanti, E., Vezzoli, G., Andò, S., Paparella, P., Clift, P.D., 2005. Petrology of Indus River sands: a key to interpret erosion history of the Western Himalayan Syntaxis. *Earth Planet. Sci. Lett.* 229, 287–302. doi:10.1016/j.epsl.2004.11.008
- Gaur, A.S., Vora, K.H., Murali, R.M., Jayakumar, S., 2013. Was the Rann of Kachchh navigable during the Harappan times (Mid-Holocene)? An archaeological perspective. *Curr. Sci.* 105, 1485–1491.
- George, B.G., Ray, J.S., 2017. Provenance of sediments in the Marwar Supergroup, Rajasthan, India: Implications for basin evolution and Neoproterozoic global events. *J. Asian Earth Sci.* 147, 254–270.
- Ghose, B., Kar, A., Husain, Z., 1979. The lost courses of the Saraswati River in the Great Indian Desert: new evidence from Landsat imagery. *Geogr. J.* 145, 446–451.
- Giosan, L., Clift, P.D., Macklin, M.G., Fuller, D.Q., Constantinescu, S., Durcan, J. a,

- Stevens, T., Duller, G. a T., Tabrez, A.R., Gangal, K., Adhikari, R., Alizai, A., Filip, F., VanLaningham, S., Syvitski, J.P.M., 2012. Fluvial landscapes of the Harappan civilization. *Proc. Natl. Acad. Sci. U. S. A.* 109, E1688-94. doi:10.1073/pnas.1112743109
- Gleason, J.D., Patchett, P.J., Ruiz, W.R.D., 1994. Nd isotopes link Ouachita turbidites to Appalachian sources. *Geology* 22, 347–350.
- Glennie, K.W., Evans, G., 1976. A reconnaissance of the Recent sediments of the Ranns of Kutch , India. *Sedimentology* 23, 625–647.
- Goldstein, S.J., Jacobsen, S.B., 1988. Nd and Sr isotopic systematics of river water suspended material: implications for crustal evolution. *Earth Planet. Sci. Lett.* 87, 249–265.
- Gu, X.X., Liu, J.M., Zheng, M.H., Tang, J.X., Qi, L., 2002. Provenance and Tectonic Setting of the Proterozoic Turbidites in Hunan , South China : Geochemical Evidence. *J. Sediment. Res.* 72, 393–407.
- Gupta, A.K., Sharma, J.R., Sreenivasan, G., 2011. Using satellite imagery to reveal the course of an extinct river below the Thar Desert in the Indo-Pak region. *Int. J. Remote Sens.* 32, 5197–5216.
- Hodges, K. V., 2003. Geochronology and Thermochronology in Orogenic Systems, in: *The Crust*, 3. Elsevier Science, Amsterdam, pp. 263–292.
- Inger, S., 1998. Timing of an extensional detachment during convergent orogeny; new Rb-Sr geochronological data from the Zaskar shear zone, northwestern Himalaya. *Geology* 26.
- Jain, M., Tandon, S.K., Singhvi, A.K., Mishra, S., Bhatt, S.C., 2005. Quaternary Alluvial Stratigraphical Development in a Desert Setting : A Case Study from the Luni River Basin , Thar Desert of western India. *IMemoires - Geol. Soc. India* 35, 349–371. doi:10.1002/9781444304350.ch19
- Jochum, K.P., Nohl, U., Herwig, K., Lammel, E., Stoll, B., Hofmann, A.W., 2005. GeoReM: a new geochemical database for reference materials and isotopic standards. *Geostand. Geoanalytical Res.* 29, 333–338. doi:10.1111/j.1751-908X.2005.tb00904.x
- Judd, J.W., 1886. Report on a series of specimens of the deposits of the Nile delta. *Proc. R. Soc.* 39, 213–227.
- Juyal, N., Chamyal, L.S., Bhandari, S., Bhushan, R., Singhvi, A.K., 2006. Continental record of the southwest monsoon during the last 130 ka: evidence from the southern margin of the Thar desert, India. *Quat. Sci. Rev.* 25, 2632–2650.
- Kale, V.S., Singhvi, A.K., Mishra, P.K., Banerjee, D., 2000. Sedimentary records and luminescence chronology of Late Holocene palaeofloods in the Luni River , Thar Desert , northwest India. *Catena* 40, 337–358.
- Kar, A., 1996. Morphology And Evolution Of Sand Dunes In The Thar Desert As Ket To Sand Control Measures. *Indian J. Geomorphol.* 1, 177–206.
- Kar, A., Singhvi, A.K., Rajaguru, S.N., Juyal, N., Thomas, J. V., Banerjee, D., Dhir, R.P., 2001. Reconstruction of the late Quaternary environment of the lower Luni plains , Thar

- Desert , India. *J. Quat. Sci.* 16, 61–68.
- Karim, A., Veizer, J., 2000. Weathering processes in the Indus River Basin : Implications from riverine carbon , sulfur , oxygen , and strontium isotopes. *Chem. Geol.* 170, 153–177. doi:10.1016/S0009-2541(99)00246-6
- Kenoyer, J.M., 2008. Indus Civilization, in: *Encyclopedia of Archaeology*. Elsevier, New York, pp. 715–733.
- Kenoyer, J.M., 1998. *Ancient Cities of the Indus Valley Civilization*. Oxford University Press: Oxford.
- Khonde, N., Maurya, D.M., Singh, A.D., Chowksey, V., Chamyal, L.S., 2011. Environmental significance of raised fan sediments along the margins of Khadir , Bhanjara and Kaur wet islands in Great Rann of Kachchh , Western India. *Curr. Sci.* 101, 1429–1434.
- Kochar, R., 2000. *Vedic People: Their History and Geography*. Orient Longman, Hyderabad.
- Krishnan, K., 2002. Survey of Ceramic Analysis with Specific Reference to Pottery, *Indian Archaeology in Retrospect, Prehistory-Archaeology of South Asia*. Manohar, New Delhi.
- Krishnan, K., Rao, L.S., Vinod, V., Kumar, S.S., Sukumaran, P., Kushwaha, D.K., 2012. Petrography of Ceramics from Bhirrana : A Preliminary Study. *Man Environ.* 37, 18–27.
- Krishnan, K., Rao, V., 1994. A Study of Clay Paste Preparation by Potters Through Grain Size Analysis. *South Asian Stud.* 10, 113–117.
- Lancaster, N., 2009. Dune Morphology and Dynamics, in: Parsons, A.J., Abrahams, A.D. (Eds.), *Geomorphology of Desert Environments*. Springer, pp. 557–596.
- Limmer, D.R., Böning, P., Giosan, L., Ponton, C., Köhler, C.M., Cooper, M.J., Tabrez, A.R., Clift, P.D., 2012. Geochemical record of Holocene to Recent sedimentation on the Western Indus continental shelf, Arabian Sea. *Geochemistry, Geophys. Geosystems* 13. doi:10.1029/2011GC003845
- Lindstrom, K.E., 2013. *Pottery Preferences and Community Dynamics in the Indus Civilization*. University of Wisconsin- Madison.
- Ludwig, K.R., 2000. User's Manual for Isoplot/Ex version 2.2 A Geochronological Toolkit for Microsoft Excel. Berkeley Geochronology Center Special Publication No. 1a.
- Mackie, W., 1899a. The sands and sandstones of eastern Moray. *Trans. Edinburgh Geol. Soc.* 7, 148–172.
- Mackie, W., 1899b. The feldspars present in sedimentary rocks as indicators of the conditions of contemporaneous climates. *Trans. Edinburgh Geol. Soc.* 7, 443–468.
- Malik, J.N., Merh, S.S., Sridhar, V., 1999. Palaeo-delta complex of Vedic Saraswati and other ancient rivers of north-western India. *Mem. Geol. Soc. India* 42, 163–174.
- Mani, B.R., 2008. Kashmir Neolithic and Early Harappan: A Linkage. *Pragdhara* 18, 229–247.
- Martin, J.-M., Whitfield, M., 1983. The Significance of the River Input of Chemical

- Elements to the Ocean, in: Wong, C.S. (Ed.), *Trace Metals in Sea Water*. Springer, New York, pp. 265–296.
- Mathew, G., Singhvi, A.K., Karanth, V., 2006. Luminescence chronometry and geomorphic evidence of active fold growth along the Kachchh Mainland Fault (KMF), Kachchh, India: Seismotectonic implications. *Tectonophysics* 422, 71–87.
- Maurya, D.M., Khonde, N., Das, A., Chowksey, V., Chamyal, L.S., 2013. Subsurface sediment characteristics of the Great Rann of Kachchh, western India based on preliminary evaluation of textural analysis of two continuous sediment cores. *Curr. Sci.* 104, 859–862.
- Maurya, D.M., Thakkar, M.G., Chamyal, L.S., 2003. Quaternary Geology of the Arid Zone of Kachchh: Terra Incognita. *Proc. Indian Natl. Sci. Acad.* 69A, 123–135.
- Maurya, D.M., Thakkar, M.G., Patidar, A.K., Bhandari, S., Goyal, B., Chamyal, L.S., 2008. Late Quaternary geomorphic evolution of the coastal zone of Kachchh, Western India. *J. Coast. Res.* 24, 746–758.
- Mehdi, M., Pant, N.C., Saini, H.S., Mujtaba, S.A.I., 2016. Identification of palaeochannel configuration in the Saraswati River basin in parts of Haryana and Rajasthan, India, through digital remote sensing and GIS. *Episodes* 39, 1–10. doi:10.18814/epiugs/2016/v39i1/89234
- Merh, S.S., 2005. The Great Rann of Kachchh: Perceptions of a Field Geologist. *J. Geol. Soc. India* 65, 9–25.
- Metcalf, R.P., 1993. Pressure, temperature and time constraints on metamorphism across the Main Central Thrust zone and high Himalayan slab in the Garhwal Himalaya. *Himal. Tectonics. Geol. Soc. London, Spec. Publ.* 74.
- Meyer, I., Davies, G.R., Stuut, J.-B.W., 2011. Grain size control on Sr-Nd isotope provenance studies and impact on paleoclimate reconstructions: An example from deep-sea sediments offshore NW Africa. *Geochemistry, Geophys. Geosystems* 12. doi:10.1029/2010GC003355
- Miller, R.J., O’Nions, R.K., 1984. The provenance and crustal residence ages of British sediments in relation to palaeogeographic reconstructions. *Earth Planet. Sci. Lett.* 68, 459–470.
- Misra, V.N., 2001. Prehistoric human colonization of India. *J. Biosci.* 26, 491–531.
- Misra, V.N., 1984. Climate: A factor in the rise and fall of Indus Civilization, in: *Frontiers of the Indus Civilization*. Books and Books, New Delhi, pp. 469–489.
- Mughal, M.R., 1997. *Ancient Cholistan: Archaeology and architecture*. Ferozsons, Lahore, Pakistan.
- Murray, A.S., Wintle, A.G., 2000. Luminescence dating of quartz using an improved single-aliquot regenerative-dose protocol. *Radiat. Meas.* 32, 57–73.
- Najman, Y., 2006. The detrital record of orogenesis: A review of approaches and techniques used in the Himalayan sedimentary basins. *Earth-Science Rev.* 74, 1–72. doi:10.1016/j.earscirev.2005.04.004

- Najman, Bickle, Chapman, Yang, H., 2000. Early Himalayan exhumation: Isotopic constraints from the Indian foreland basin. *Terra Nov.* 12, 28–34. doi:10.1046/j.1365-3121.2000.00268.x
- Nelson, B.K., DePaolo, D.J., 1988. Application of Sm-Nd and Rb-Sr isotope systematics to studies of provenance and basin analysis. *J. Sediment. Petrol.* 58, 348–357.
- Nesbitt, H.W., 1979. Mobility and Fractionation of REE during weathering of granodiorite. *Nature* 279, 206–210.
- Ngangom, M., Bhandari, S., Thakkar, M.G., Shukla, A.D., Juyal, N., 2016. Mid-Holocene extreme hydrological events in the eastern Great Rann of Kachchh, western India. *Quat. Int.* doi:10.1016/j.quaint.2016.10.017
- Ngangom, M., Thakkar, M.G., Bhushan, R., Juyal, N., 2012. Continental – marine interaction in the vicinity of the Nara River during the last 1400 years , Great Rann of. *Curr. Sci.* 103, 1339–1342.
- Oldham, C.F., 1893. The Saraswati and the lost river of the Indian desert. *J. R. Asiat. Soc.* 34, 49–76.
- Oldham, R.D., 1926. The Cutch (Kachh) earthquake of 16th June 1819 with a rivisution of the great earthquake of 12th June 1897. *Mem. Geol. Surv. India* 46, 71–147.
- Pal, Y., Sahai, B., Sood, R.K., Agarwal, D.P., 1980. Remote sensing of the “Lost” Saraswati river. *Proceeding Indian Natl. Sci. Acad. (Earth Planetry Sci.* 89, 317–331.
- Pande, K., Sarin, M.M., Trivedi, J.R., Krishnaswami, S., Sharma, K.K., 1994. The Indus river system (India- Pakistan): Major-ion chemistry , uranium and strontium isotopes. *Chem. Geol.* 116, 245–259. doi:10.1016/0009-2541(94)90017-5
- Pande, K., Yatheesh, V., Sheth, H., 2017. $^{40}\text{Ar}/^{39}\text{Ar}$ dating of the Mumbai tholeiites and Panvel flexure: intense 62.5Ma onshore–offshore Deccan magmatism during India-Laxmi Ridge–Seychelles breakup. *Geophys. J. Int.* 210, 1160–1170. doi:10.1093/gji/ggx205
- Petit, J.R., Jouzel, J., Raynaud, D., Barkov, N.I., Barnola, J.M., Basile, I., Bender, M., Chappellaz, J., Davis, M., Delaigue, G., Delmotte, M., Kotlyakov, V.M., Legrand, M., Lipenkov, V.Y., Lorius, C., Pepin, L., Ritz, C., Saltzman, E., Steivenard, M., 1999. Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica. *Nature* 399, 429–436.
- Pettijohn, F.J., Potter, P. E., Siever, R., 1972. *Sand and Sandstone*. Springer.
- Possehl, G.L., 2002. *The Indus Civilization: A contemporary perspective*. AltaMira Press, Lanham, Maryland.
- Raczek, I., Jochum, K.P., Hofmann, A.W., 2001. Neodymium and Strontium Isotope Data for USGS Reference GSP-1 , GSP-2 and Eight MPI-DING Reference Glasses. *Geostand. Newsl.* 27, 173–179.
- Radhakrishnan, B.P., Merh, S.S., 1999. Vedic Sarasvati: Evolutionary History of a Lost River of Northwestern india. *Mem. Geol. Soc. India* 42, 5–13.

- Raikes, R., 1968. Kalibangan: Death from Natural Causes. *Antiquity* XLII, 286–291.
- Rajendran, C.P., Rajendran, K., 2003. The surface deformation and earthquake history associated with the 1819 Kachchh earthquake. *Mem. Geol. Soc. India* 54, 87–142.
- Rajendran, C.P., Rajendran, K., Thakkar, M.G., Goyal, B., 2008. Assessing the previous activity at the source zone of the 2001 Bhuj earthquake based on the nearsource and distant paleoseismological indicators. *J. Geophys. Res.* 113, B05311.
- Rajendran, C.P., Rajendran, K., 2001. Characteristics of Deformation and Past Seismicity Associated with the 1819 Kutch Earthquake, Northwestern India. *Bull. Seismol. Soc. Am.* 91, 407–426.
- Rajesh, S. V., 2011. A Comprehensive Study of the Regional Chalcolithic Cultures of Gujarat [Unpublished Ph.D. thesis]. The Maharaja Sayajirao University of Baroda, Vadodara, India.
- Rao, K.K., Wasson, R.J., Kutty, M.K., 1989. Foraminifera from Late Quaternary Dune Sands of the Thar Desert, India. *Palaios* 4, 168–180.
- Rao, L.S., Sahu, N.B., Sahu, P., Shastry, U.A., Diwan, S., 2005. New light on the excavation of Harappan settlement at Bhirrana. *Puratattva* 35, 67–75.
- Ray, J.S., Pande, K., Bhutani, R., 2015. $^{40}\text{Ar} / ^{39}\text{Ar}$ geochronology of subaerial lava flows of Barren Island volcano and the deep crust beneath the Andaman Island Arc, Burma Microplate. *Bull. Volcanol.* 77: 57. doi:10.1007/s00445-015-0944-9
- Ray, J.S., Pattanayak, S.K., Pande, K., 2005. Rapid emplacement of the Kerguelen plume–related Sylhet Traps, eastern India: Evidence from ^{40}Ar – ^{39}Ar geochronology. *Geophys. Res. Lett.* 32, L10303.
- Ray, R., Shukla, A.D., Sheth, H.C., Ray, J.S., Duraiswami, R.A., Vanderkluysen, L., Rautela, C.S., Mallik, J., 2008. Highly heterogeneous Precambrian basement under the central Deccan Traps, India: Direct evidence from xenoliths in dykes. *Gondwana Res.* 13, 375–385.
- Reimer, P.J., Bard, E., Bayliss, A., Beck, J.W., Blackwell, P.G., Bronk Ramsey, C., Buck, C.E., Cheng, H., Edwards, R.L., Friedrich, M., Grootes, P.M., Guilderson, T.P., Hafflidason, H., Hajdas, I., Hatté, C., Heaton, T.J., Hoffmann, D.L., Hogg, A.G., Hughen, K.A., Kaiser, K.F., Kromer, B., Manning, S.W., Niu, M., Reimer, R.W., Richards, D.A., Scott, E.M., Southon, J.R., Staff, R.A., Turney, C.S.M., van der Plicht, J., 2013. IntCal13 and Marine13 Radiocarbon Age Calibration Curves 0–50,000 Years cal BP. *Radiocarbon* 55, 1869–1887. doi:10.2458/azu_js_rc.55.16947
- Renne, P.R., Swisher, C.C., Deino, A.L., Karner, D.B., Owens, T.L., Depaolo, D.J., 1998. Intercalibration of standards , absolute ages and uncertainties in $^{40}\text{Ar} / ^{39}\text{Ar}$ dating. *Chem. Geol.* 145, 117–152.
- Richards, D.A., Andersen, M.B., 2013. Time Constraints and Tie-Points in the Quaternary Period. *Elements* 9, 45–51. doi:10.2113/gselements.9.1.45
- Roser, B.P., Korsch, R.J., 1986. Determination of tectonic settings of sandstone-mudstone suits using SiO_2 content and $\text{K}_2\text{O}/\text{Na}_2\text{O}$ ratio. *J. Geol.* 94, 635–650.

- Sachan, H.K., Kohn, M.J., Saxena, A., Corrie, S.L., 2010. The Malari leucogranite , Garhwal Himalaya , northern India : Chemistry , age , and tectonic implications. *GSA Bull.* 122, 1865–1876. doi:10.1130/B30153.1
- Saini, H.S., Mujtaba, S.A.I., 2012. Depositional history and palaeoclimatic variations at the northeastern fringe of Thar Desert, Haryana plains, India. *Quat. Int.* 250, 37–48. doi:10.1016/j.quaint.2011.06.002
- Saini, H.S., Mujtaba, S. a. I., 2010. Luminescence Dating of the Sediments from a Buried Channel Loop in Fatehabad Area, Haryana: Insight into Vedic Saraswati River and its Environment. *Geochronometria* 37, 29–35. doi:10.2478/v10003-010-0021-5
- Saini, H.S., Tandon, S.K., Mujtaba, S.A.I., Pant, N.C., Khorana, R.K., 2009. Reconstruction of buried channel-floodplain system of the northwestern Haryana Plains and their relation to the " Vedic " Saraswati. *Curr. Sci.* 97, 1634–1643.
- Sarkar, A., Mukherjee, A.D., Bera, M.K., Das, B., Juyal, N., Morthekai, P., Deshpande, R.D., Shinde, V.S., Rao, L.S., 2016. Oxygen isotope in archaeological bioapatites from India: Implications to climate change and decline of Bronze Age Harappan civilization. *Sci. Rep.* 6, 26555. doi:10.1038/srep26555
- Sarkar, A., Ramesh, R., Somayajulu, B.L.K., Agnihotri, R., Jull, A.J.T., Burr, O.S., 2000. High resolution Holocene monsoon record from the eastern Arabian Sea. *Earth Planet. Sci. Lett.* 177, 209–218. doi:10.1016/S0012-821X(00)00053-4
- Scharer, U., Copeland, P., Harrison, T.M., Searle, M.P., 1990. Age, cooling history and origin of post-collisional leucogranite in the Karakoram batholith: a multi-system isotope study. *J. Geol.* 98, 233–251.
- Searle, M.P., Waters, D.J., Rex, D.C., Wilson, R.N., 1992. Pressure, temperature, and time constraints on Himalayan metamorphism from eastern Kashmir and western Zaskar. *J. Geol. Soc. London* 149, 753–773.
- Sharma, A., Rajamani, V., 2000. Weathering of gneissic rocks in the upper reaches of the Cauvery River, south India: implications to neotectonic of the region. *Chem. Geol.* 166, 203–233.
- Sharma, K.D., Vangani, N.S., Choudhary, J.S., 1984. Sediment transport characteristics of the desert streams in India. *J. Hydrol.* 67, 261–272.
- Singh, A., Paul, D., Sinha, R., Thomsen, K.J., Gupta, S., 2016a. Geochemistry of buried river sediments from Ghaggar Plains , NW India : Multi-proxy records of variations in provenance , paleoclimate , and paleovegetation patterns in the Late Quaternary. *Paleogeography, Paleoclimatology, Paleoecol.* 449, 85–100. doi:http://dx.doi.org/10.1016/j.palaeo.2016.02.012
- Singh, A., Paul, D., Sinha, R., Thomsen, K.J., Gupta, S., 2016b. Reply to the comment on “Geochemistry of buried river sediments from Ghaggar Plains, NW India: Multi-proxy records of variations in provenance, paleoclimate, and paleovegetation patterns in the late quaternary” by Singh et al. (2016), *Palaeogeography, Palaeogeogr. Palaeoclimatol. Palaeoecol.* 455, 68–70. doi:10.1016/j.palaeo.2016.05.001
- Singh, M., Sharma, M., Tobschall, H.J., 2005. Weathering of the Ganga alluvial plain,

- northern India: Implications from fluvial geochemistry of the Gomati River. *Appl. Geochemistry* 20, 1–21. doi:10.1016/j.apgeochem.2004.07.005
- Singh, P., Rajamani, V., 2001. REE geochemistry of recent clastic sediments from the Kaveri floodplains, Southern India: Implication to source area weathering and sedimentary processes. *Geochim. Cosmochim. Acta* 65, 3093–3108. doi:10.1016/S0016-7037(01)00636-6
- Singh, S.K., Rai, S.K., Krishnaswami, S., 2008. Sr and Nd isotopes in river sediments from the Ganga Basin: Sediment provenance and spatial variability in physical erosion. *J. Geophys. Res.* 113. doi:10.1029/2007JF000909
- Singhvi, A.K., Bluszcz, A., Bateman, M.D., Someshwar Rao, M., 2001. Luminescence dating of loess-palaeosol sequences and coversands: methodological aspects and palaeoclimatic implications. *Earth-Science Rev.* 54, 193–211.
- Singhvi, A.K., Kar, A., 2004. The aeolian sedimentation record of the Thar desert. *Proc. Indian Acad. Sci. (Earth Planetary Sci.)* 113, 371–401.
- Sinha, R., Friend, P.F., 1994. River systems and their sediment flux, Indo Gangetic plains, Northern Bihar, India. *Sedimentology* 41, 825–845.
- Sinha, R., Yadav, G.S., Gupta, S., Singh, A., Lahiri, S.K., 2013. Geo-electric resistivity evidence for subsurface palaeochannel systems adjacent to Harappan sites in northwest India. *Quat. Int.* 308–309, 66–75. doi:10.1016/j.quaint.2012.08.002
- Staubwasser, M., Sirocko, F., Grootes, P.M., Segl, M., 2003. Climate change at the 4.2 ka BP termination of the Indus valley civilization and Holocene south Asian monsoon variability. *Geophys. Res. Lett.* 30, 1425. doi:10.1029/2002GL016822
- Stein, A., 1942. A survey of ancient sites along the lost Saraswati river. *Geogr. J.* 99, 173–182.
- Stephenson, B.J., Searle, M.P., Waters, D.J., Rex, D.C., 2001. Structure of the Main Central Thrust zone and extrusion of the High Himalayan deep crustal wedge, Kishtwar-Zaskar Himalaya. *J. Geol. Soc. London* 158, 637–652.
- Syvitski, J.P.M., Kettner, A.J., Overeem, I., Giosan, L., Brakenridge, G.R., Hannon, M., Bilham, R., 2013. Anthropocene metamorphosis of the Indus Delta and lower floodplain. *Anthropocene* 3, 24–35. doi:10.1016/j.ancene.2014.02.003
- Szulc, A.G., Najman, Y., Sinclair, H.D., Pringle, M., Bickle, M., Chapman, H., Garzanti, E., Ando, S., Huyghe, P., Mugnier, J.-L., Ojha, T., DeCelles, P., 2006. Tectonic evolution of the Himalaya constrained by detrital $^{40}\text{Ar}/^{39}\text{Ar}$, Sm/Nd and petrographic data from the Siwalik foreland basin succession, SW Nepal. *Basin Res.* 18, 375–391.
- Tanaka, T., Togashi, S., Kamioka, H., Amakawa, H., 2000. JNdi-1: a neodymium isotopic reference in consistency with LaJolla neodymium. *Chem. Geol.* 168, 279–281.
- Taylor, S.R., McLennan, S.M., 1985. *The continental crust: Its Composition and evolution.* Blackwell, London.
- Thapar, B.K., 1975. Kalibangan: A Harappan Metropolis Beyond The Indus Valley, in: *Expedition.* pp. 19–32.

- Thurach, H., 1884. U ber das Vorkommen mikroskopischer Zirkoneund Titanmineralien in den. Gesteinen. Verh. Phys. Med. Ges. Wurzburg. 18, 203–284.
- Totten, M.W., Hanan, M.A., Weaver, B.L., 2000. Beyond whole-rock geochemistry of shales. The importance of assessing mineralogic controls for revealing tectonic discriminants of multiple sediment sources for the Ouachita Mountain flysch deposits. *Geol. Soc. Am. Bull.* 112, 1012–1022.
- Tripathi, J.K., Bock, B., Rajamani, V., 2013. Nd and Sr isotope characteristics of Quaternary Indo-Gangetic plain sediments: Source distinctiveness in different geographic regions and its geological significance. *Chem. Geol.* 344, 12–22. doi:10.1016/j.chemgeo.2013.02.016
- Tripathi, J.K., Bock, B., Rajamani, V., 2013. Nd and Sr isotope characteristics of Quaternary Indo-Gangetic plain sediments : Source distinctiveness in different geographic regions and its geological signi fi cance 344, 12–22.
- Tripathi, J.K., Bock, B., Rajamani, V., Eisenhauer, A., 2004. Is River Ghaggar, Saraswati? Geochemical constraints. *Curr. Sci.* 87, 1141–1145.
- Tyagi, A.K., Shukla, A.D., Bhushan, R., Thakker, P.S., Thakkar, M.G., Juyal, N., 2012. Mid-Holocene sedimentation and landscape evolution in the western Great Rann of Kachchh, India. *Geomorphology* 151, 89–98. doi:10.1016/j.geomorph.2012.01.018
- Valášková, M., 2015. Clays, clay minerals and cordierite ceramics - A review. *Ceram. - Silikaty* 59, 331–340.
- Valdiya, K.S., 2017. Prehistoric River Saraswati , Western India Geological Appraisal and Social Aspects, Society of. ed. Springer.
- Valdiya, K.S., 2013. The River Saraswati was a Himalayan-born river. *Curr. Sci.* 104, 42–54.
- Valdiya, K.S., 2010. The Making of India Geodynamic Evolution, First. ed. Macmillan Publishers India LTD, New Delhi.
- Vannay, J.-C., Grasemann, B., Rahn, M., Frank, W., Carter, A., Baudraz, V., Cosca, M., 2004. Miocene to Holocene exhumation of metamorphic crustal wedges in the NW Himalaya; evidence for tectonic extrusion coupled to fluvial erosion. *Tectonics* 23, 24.
- Viers, J., Dupré, B., Gaillardet, J., 2009. Chemical composition of suspended sediments in World Rivers : New insights from a new database. *Sci. Total Environ.* 407, 853–868. doi:10.1016/j.scitotenv.2008.09.053
- Volpe, A.M., Macdougall, J.D., 1990. Geochemistry and isotopic characteristics of mafic (Phulad Ophiolite) and related rocks in the Delhi Supergroup, Rajasthan, India: implications for rifting in the Proterozoic. *Precambrian Res.* 40, 167–191.
- Wadia, D.N., 1960. The post-glacial desiccation of Central India, in: Monograph of National Institute of Sciences of India. p. 1.
- Walker, J., Martin, M.W., Bowring, S.A., Searle, M., Waters, D.J., Hodges, K., 1999. Metamorphism, melting, and extension: age constraints from the High Himalayan Slab of southeast Zaskar and northwest Lahaul. *J. Geol.* 107, 473–495.

- Walker, J.D., Geissman, J.W., Bowring, S.A., Babcock, L.E., 2013. The Geological Society of America Geologic Time Scale. *GSA Bull.* 125, 259–272. doi:10.1130/B30712.1
- Wasson, R.J., Rajaguru, S.N., Misra, V.N., Agrawal, D.P., Dhir, R.P., Singhvi, A.K., Rao, K.K., 1983. Geomorphology, late Quaternary stratigraphy and palaeoclimatology of the Thar dunefield. *Zeitschrift für Geomorphol. Suppl.-Bd.*, 117–151.
- White, N.M., Pringle, M., Garzanti, E., Bickle, M., Najman, Y., Chapman, H., Friend, P., 2002. Constraints on the exhumation and erosion of the High Himalayan Slab, NW India, from foreland basin deposits. *Earth Planet. Sci. Lett.* 195, 29–44.
- Wright, R.P., Bryson, R.A., Schuldenrein, J., 2008. Water supply and history : Harappa and the Beas regional survey. *Antiquity* 82, 37–48.
- Wünnemann, B., Demske, D., Tarasov, P., Kotlia, B.S., Reinhardt, C., Bloemendal, J., Diekmann, B., Hartmann, K., Krois, J., Riedel, F., Arya, N., 2010. Hydrological evolution during the last 15 kyr in the Tso Kar lake basin (Ladakh, India), derived from geomorphological, sedimentological and palynological records. *Quat. Sci. Rev.* 29, 1138–1155. doi:10.1016/j.quascirev.2010.02.017
- Yadava, M.G., Ramesh, R., 2005. Monsoon reconstruction from radiocarbon dated tropical Indian speleothems. *Holocene* 15, 48–59. doi:10.1191/0959683605h1783rp
- Yadava, M.G., Ramesh, R., 1999. Speleothems - Usefull Proxies for Past Monsoon Rainfall. *J. Sci. Ind. Res.* 58, 339–348.
- Yang, Y.-H., Chu, Z.-Y., Wu, F.-Y., Xie, L.-W., Yang, J.-H., 2011. Precise and accurate determination of Sm, Nd concentrations and Nd isotopic compositions in geological samples by MC-ICP-MS. *J. Anal. At. Spectrom.* 26, 1237. doi:10.1039/c1ja00001b