

Bibliography

- [1] C. R. Adams and J. A. Clarkson, Properties of functions $f(x, y)$ of bounded variation, *Trans. Amer. Math. Soc.*, **36**, (1934), 711–730.
- [2] T. Akhobadze, Functions of generalized Wiener classes $BV(p(n) \uparrow \infty, \varphi)$ and their Fourier coefficients, *Georgian Math. J.*, **7**, (3) (2000), 401–416.
- [3] T. Akhobadze, On Fourier coefficients of functions of generalized Wiener class, *Georgian Math. J.*, **7**, (1) (2000), 1–10.
- [4] C. Arzelà, Suite funzioni di due variabili a variazione limitata, *Rend. Accad. Sci. Bologna*, **9**, (2) (1905), 100–107.
- [5] B. Ashton and I. Doust, Functions of bounded variation on compact subsets of the plane, *Studia Math.*, **169**, (2) (2005), 163–188.
- [6] M. Avdispahić, Concepts of generalized bounded variation and the theory of Fourier series, *Inter. J. Math. and Math. Sci.*, **9**, (2) (1986), 223–244.
- [7] A. N. Bakhvalov, Fourier coefficients of functions from many-dimensional classes of bounded Λ –variation, *Moscow Univ. Math. Bull.*, **66**, (1) (2011), 8–16.
- [8] N. K. Bary, *A Treatise on Trigonometric Series*, Vols. I and II, Pergamon Press, New York, 1964.
- [9] E. Berkson and T. Gillespie, Absolutely continuous functions of two variables and well-bounded operators, *J. London Math. Soc.*, **30**, (2) (1984), 305–321.
- [10] R. Bojanić and D. Waterman, On the rate of convergence of Fourier series of functions of generalized bounded variation, *Akad. Nauka Umjet. Bosne Hercegov. Rad. Odjelj. Prirod. Mat. Nauka*, **22**, (1983), 5–11.

- [11] R. E. Castillo, Bounded p -variation in the mean, *East-West J. Math.*, **7**, (1) (2005), 61–67.
- [12] R. E. Castillo, The Nemytskii operator on bounded p -variation in the mean spaces, *Mat. Enseñ. Univ.*, **19**, (1) (2011), 31–41.
- [13] Z. A. Chanturia, The modulus of variation of a function and its application in the theory of Fourier series, *Dokl. Akad. Nauk SSR*, **214**, (1) (1974), 63–66; English transl., *Soviet Math. Dokl.*, **15**, (1) (1974), 67–71.
- [14] J. A. Clarkson and C. R. Adams, On definitions of bounded variation for functions of two variables, *Trans. Amer. Math. Soc.*, **35**, (4) (1933), 824–854.
- [15] K. N. Darji and R. G. Vyas, A note on Walsh–Fourier coefficients, *Bull. Math. Anal. Appl.*, **4**, (2) (2012), 116–119. MR2955925 (2013:42C10)
- [16] K. N. Darji and R. G. Vyas, On two variables functions of bounded p -variation in the mean, *J. Indian Math. Soc.*, **81**, (1–2) (2014), 61–66.
- [17] M. I. Dyachenko, Waterman classes and spherical partial sums of double Fourier series, *Anal. Math.*, **21**, (1) (1995), 3–21.
- [18] M. I. Dyachenko and D. Waterman, Convergence of double Fourier series and W-classes, *Trans. Amer. Math. Soc.*, **357**, (1) (2004), 397–407.
- [19] R. E. Edwards, *Fourier Series*, A Mordan Introduction, Vol. I, Second Edition, Springer-Verlag, New York, Heidelberg, Berlin, 1979.
- [20] N. J. Fine, On the Walsh functions, *Trans. Amer. Math. Soc.*, **65**, (1949), 372–414.
- [21] V. Fülöp and F. Móricz, Order of magnitude of multiple Fourier coefficients of functions of bounded variation, *Acta Math. Hungar.*, **104**, (1–2) (2004), 95–104.
- [22] B. L. Ghodadra and J. R. Patadia, A note on the magnitude of Walsh Fourier coefficients, *JIPAM. J. Inequal. Pure Appl. Math.*, **9**, (2) (2008), Art. 44, 7pp.
- [23] S. R. Ghorpade and B. V. Limaye, *A Course in Multivariable Calculus and Analysis*, Springer, 2010.

- [24] U. Goginava, On the uniform convergence of Walsh–Fourier series, *Acta Math. Hungar.*, **93**, (1–2) (2001), 59–70.
- [25] U. Goginava, Uniform convergence of N –dimensional trigonometric Fourier series, *Georgian Math. J.*, **7**, (4) (2000), 665–676.
- [26] B. I. Golubov, On functions of bounded p –variation, *Izv. Akad. Nauk SSSR Ser. Mat.*, **32**, (4) (1968), 837–858; English transl., *Math. USSR Izvestiya*, **2**, (4) (1968), 799–819.
- [27] B. I. Golubov, The p –variation of a function, *Mat. Zametki*, **5**, (2) (1969), 195–204; English transl., *Math. Notes*, **5**, (2) (1969), 119–124.
- [28] G. H. Hardy, On double Fourier series and especially those which represent the double Zeta function with real and incommensurable parameters, *Quart. J. Math.*, **37**, (1906), 53–79.
- [29] G. H. Hardy, Weierstrass’s non-differentiable function, *Trans. Amer. Math. Soc.*, **17**, (3) (1916), 301–325.
- [30] C. Jordan, Sur la série de Fourier, *C. R. Acad. Sci. Paris*, **92**, (1881), 228–230.
- [31] R. Kantrowitz, Submultiplicativity of norms for spaces of generalized BV –functions, *Real Anal. Exch.*, **36**, (1) (2010), 169–176.
- [32] H. Kita, Convergence of Fourier series of a function of a generalized Wiener’s class $BV(p(n) \uparrow \infty)$, *Acta Math. Hungar.*, **57**, (3–4) (1991), 233–243.
- [33] H. Kita and K. Yoneda, A generalization of bounded variation, *Acta Math. Hungar.*, **56**, (3–4) (1990), 229–238.
- [34] B. V. Limaye, *Functional Analysis*, New Age International Ltd., 1996.
- [35] S. Minakshisundaram and O. Szász, On absolute convergence of multiple Fourier series, *Trans. Amer. Math. Soc.*, **61**, (1947), 36–53.
- [36] F. Móricz, Absolute convergence of Walsh–Fourier series and related results, *Anal. Math.*, **36**, (4) (2010), 275–286.

- [37] F. Móricz, Order of magnitude of double Fourier coefficients of functions of bounded variation, *Analysis (Munich)*, **22**, (4) (2002), 335–345.
- [38] F. Móricz and A. H. Siddiqi, A quantified version of the Dirichlet-Jordan test in L^1 -norm, *Rend. Circ. Mat. Palermo*, **45**, (1) (1996), 19–24.
- [39] F. Móricz and A. Veres, Absolute convergence of multiple Fourier series revisited, *Anal. Math.*, **34**, (2) (2008), 145–162.
- [40] F. Móricz and A. Veres, On the absolute convergence of multiple Fourier series, *Acta Math. Hungar.*, **117**, (3) (2007), 275–292.
- [41] J. Musielak, On absolute convergence of multiple Fourier series, *Ann. Polon. Math.*, **5**, (1958), 107–120.
- [42] J. Musielak and W. Orlicz, On generalized variations (I), *Studia Math.*, **18**, (1959), 11–41.
- [43] J. R. Patadia and R. G. Vyas, Fourier series with small gaps and functions of generalized variations, *J. Math. Anal. Appl.*, **182**, (1) (1994), 113–126.
- [44] S. Perlman and D. Waterman, Some remarks on functions of Λ -bounded variation, *Proc. Amer. Math. Soc.*, **74**, (1) (1979), 113–118.
- [45] P. B. Pierce and D. Waterman, Bounded variation in the mean, *Proc. Amer. Math. Soc.*, **128**, (9) (2000), 2593–2596.
- [46] H. A. Rademacher, Einige Sätze über Reihen von allgemeinen orthogonalen-funktionen, *Math. Ann.*, **87**, (1922), 112–138.
- [47] F. Riesz, Untersuchungen über system integrierbarer function, *Math. Ann.*, **69**, (1910), 1449–1497.
- [48] W. Rudin, *Functional Analysis*, International Series in Pure and Applied Mathematics, Second Edition, McGraw-Hill, New York, 1991.
- [49] A. A. Saakyan, On the convergence of double Fourier series of functions of bounded harmonic variation, *Izv. Akad. Nauk Armyan. SSR Ser. Mat.*, **21**, (6) (1986), 517–529; English transl., *Soviet J. Contemporary Math. Anal.*, **21**, (6) (1986), 1–13.

- [50] A. I. Sablin, Λ -variation and Fourier series, *Izv. Vyssh. Uchebn. Zaved. Mat.*, (10) (1987), 66–68; English transl., *Soviet Math. (Iz. VUZ)*, **31**, (10) (1987), 87–90.
- [51] F. Schipp, W. R. Wade, P. Simon and J. Pál, *Walsh Series: An Introduction to Dyadic Harmonic Analysis*, Adam Hilger (Bristol-New York), 1990.
- [52] M. Schramm and D. Waterman, Absolute convergence of Fourier series of functions of $\Lambda BV^{(p)}$ and $\varphi\Lambda BV$, *Acta Math. Acad. Sci. Hungar.*, **40**, (3–4) (1982), 273–276.
- [53] M. Schramm and D. Waterman, On the magnitude of Fourier coefficients, *Proc. Amer. Math. Soc.*, **85**, (3) (1982), 407–410.
- [54] M. Shiba, On absolute convergence of Fourier series of functions of class $\Lambda BV^{(p)}$, *Sci. Rep. Fukushima Univ.*, **30**, (1980), 7–10.
- [55] R. N. Siddiqi, The order of Fourier coefficients of function of higher variation, *Proc. Japan Acad.*, **48**, (1972), 569–572.
- [56] G. Vitali, Sui gruppi di punti e sulle funzioni di variabili reali, *Atti Accad. Sci. Torino*, **43**, (1908), 75–92.
- [57] R. G. Vyas, A note on Fourier coefficients of functions of generalized Wiener class, *Georgian Math. J.*, **12**, (3) (2005), 535–538.
- [58] R. G. Vyas, A note on functions of $p(n) - \Lambda$ -bounded variation, *J. Indian Math. Soc.*, **78**, (1–4) (2011), 215–220.
- [59] R. G. Vyas, On the absolute convergence of Fourier series of functions of $\Lambda BV^{(p)}$ and $\varphi\Lambda BV$, *Georgian Math. J.*, **14**, (4) (2007), 769–774.
- [60] R. G. Vyas, On variation topology, *Mat. Vesnik*, **62**, (1) (2010), 47–50.
- [61] R. G. Vyas, Properties of functions of generalized bounded variation, *Mat. Vesnik*, **58**, (3–4) (2006), 91–96.
- [62] R. G. Vyas, Small gaps Fourier series and generalized variations, *Adv. Pure Appl. Math.*, **3**, (2) (2012), 223–230.

- [63] R. G. Vyas and K. N. Darji, On absolute convergence of multiple Fourier series, *Math. Notes*, **94**, (1) (2013), 71–81; Russian transl., *Mat. Zametki*, **94**, (1) (2013), 81–93. Zbl 1278.42009
- [64] R. G. Vyas and K. N. Darji, On Banach algebra valued functions of bounded generalized variation of one and several variables, *Bull. Math. Anal. Appl.*, **4**, (1) (2012), 181–189. MR2955887 (2013:47B40)
- [65] R. G. Vyas and K. N. Darji, On multiple Fourier coefficients of functions of $\phi - \Lambda$ -bounded variation, *Math. Inequal. Appl.*, accepted for publication.
- [66] R. G. Vyas and K. N. Darji, On multiple Walsh Fourier coefficients, *J. Indian Math. Soc.*, **79**, (1–4) (2012), 219–228. MR2976017 (2013:42C10). Zbl 1267.42033
- [67] R. G. Vyas and K. N. Darji, Order of magnitude of multiple Fourier coefficients, *Anal. Theory Appl.*, **29**, (1) (2013), 27–36. MR3109878 (2013:42B05)
- [68] R. G. Vyas and J. R. Patadia, On the absolute convergence of Fourier series of functions of generalized bounded variations, *J. Indian Math. Soc.*, **62**, (1–4) (1996), 129–136.
- [69] J. L. Walsh, A closed set of normal orthogonal functions, *Amer. J. Math.*, **55**, (1923), 5–24.
- [70] D. Waterman, Fourier series of functions of Λ -bounded variation, *Proc. Amer. Math. Soc.*, **74**, (1) (1979), 119–123.
- [71] D. Waterman, On Λ -bounded variation, *Studia Math.*, **57**, (1) (1976), 33–45.
- [72] D. Waterman, On convergence of Fourier series of functions of generalized bounded variation, *Studia Math.*, **44**, (1972), 107–117.
- [73] N. Wiener, The quadratic variation of a function and its Fourier coefficients, *J. Math. and Phys. MIT*, **3**, (1924), 72–94.
- [74] L. C. Young, Sur une generalization de la notion de variation de puissance p-ieme boranee au sense de M. Wiener, et sur la convergence de series de Fourier, *C. R. Acad. Sci. Paris*, **204**, (1937), 470–472.

- [75] A. Zygmund, Smooth functions, *Duke Math. J.*, **12**, (1945), 47–76.
- [76] A. Zygmund, *Trigonometric Series*, Vols. I and II, Cambridge University Press, Cambridge, 1977.