
Bibliography

- Adams, B. L., Bates, T. C., & Oliver, J. D. (2003). Survival of *Helicobacter pylori* in a natural freshwater environment. *Applied and Environmental Microbiology*, 69(12), 7462-7466.
- Adhikari, T. B., Cruz, C., Zhang, Q., Nelson, R. J., Skinner, D. Z., Mew, T. W., & Leach, J. E. (1995). Genetic Diversity of *Xanthomonas oryzae* pv. *oryzae* in Asia. *Applied and Environmental Microbiology*, 61(3), 966-971.
- Adhikari, T. B., Mew, T. W., & Teng, P. S. (1994). Progress of bacterial blight on rice cultivars carrying different Xa genes for resistance in the field. *Plant Disease*, 78(1), 73-77.
- Alekshun, M. N., & Levy, S. B. (1997). Regulation of chromosomally mediated multiple antibiotic resistance: the mar regulon. *Antimicrobial Agents and Chemotherapy*, 41(10), 2067-2075.
- Aleti, G., Sessitsch, A., & Brader, G. (2015). Genome mining: prediction of lipopeptides and polyketides from *Bacillus* and related Firmicutes. *Computational and Structural Biotechnology Journal*, 13, 192-203.
- Alfano, J. R., & Collmer, A. (1997). The type III (Hrp) secretion pathway of plant pathogenic bacteria: trafficking harpins, Avr proteins, and death. *Journal of Bacteriology*, 179(18), 5655-5662.
- Arguelles-Arias, A., Ongena, M., Halimi, B., Lara, Y., Brans, A., Joris, B., & Fickers, P. (2009). *Bacillus amyloliquefaciens* GA1 as a source of potent antibiotics and other secondary metabolites for biocontrol of plant pathogens. *Microbial cell factories*, 8(1), 63-75.
- Austin, M. B., & Noel, J. P. (2003). The chalcone synthase superfamily of type III polyketide synthases. *Natural Product Reports*, 20(1), 79-110.
- Bag, M.K., Saha, S., & Mishra, P.K. (2010). Field assessment of Kocide 2000 54 Df (35% metallic copper) against bacterial leaf blight of rice. *Pestology*, xxxiv, 10, 17-19.
- Baranova, N., & Nikaido, H. (2002). The baeSR two-component regulatory system activates transcription of the yegMNOB (mdtABCD) transporter gene cluster in *Escherichia coli* and increases its resistance to novobiocin and deoxycholate. *Journal of Bacteriology*, 184(15), 4168-4176.
- Barboza-Corona, J. E., Vázquez-Acosta, H., Bideshi, D. K., & Salcedo-Hernández, R. (2007). Bacteriocin-like inhibitor substances produced by Mexican strains of *Bacillus thuringiensis*. *Archives of Microbiology*, 187(2), 117-126.
- Beattie, G. A., & Lindow, S. E. (1995). The secret life of foliar bacterial pathogens on leaves. *Annual review of phytopathology*, 33(1), 145-172.
- Begley, M., Cotter, P. D., Hill, C., & Ross, R. P. (2009). Identification of a novel two-peptide lantibiotic, lichenicidin, following rational genome mining for LanM proteins. *Applied and Environmental Microbiology*, 75(17), 5451-5460.
- Belofsky, G., Percivill, D., Lewis, K., Tegos, G. P., & Ekart, J. (2004). Phenolic Metabolites of *Dalea versicolor* that Enhance Antibiotic Activity against Model Pathogenic Bacteria. *Journal of Natural Products*, 67(3), 481-484.

- Benz, R., Jung, G., & Sahl, H. G. (1991). Mechanism of channel formation by lantibiotics in black lipid membranes. *Nisin and novel lantibiotics*. Escom Publishers, Leiden, The Netherlands, 359-372.
- Berenbaum, M. C. (1989). What is synergy? *Pharmacological reviews*, 41(2), 93-141.
- Berić, T., Kojić, M., Stanković, S., Topisirović, L., Degrassi, G., Myers, M., Venturi, V. & Fira, D. (2012). Antimicrobial activity of *Bacillus* sp. natural isolates and their potential use in the biocontrol of phytopathogenic bacteria. *Food Technology and Biotechnology*, 50(1), 25-31.
- Bhardwaj, K. A., & Mohanty, P. (2012). Bacterial efflux pumps involved in multidrug resistance and their inhibitors: rejuvenating the antimicrobial chemotherapy. *Recent Patents on Anti-infective Drug Discovery*, 7(1), 73-89.
- Blake, R. A. (2001). Cellular screening assays using fluorescence microscopy. *Current opinion in pharmacology*, 1(5), 533-539.
- Blanco, P., Hernando-Amado, S., Reales-Calderon, J., Corona, F., Lira, F., Alcalde-Rico, M., Bernardini, A., Sanchez, M. & Martinez, J. (2016). Bacterial multidrug efflux pumps: much more than antibiotic resistance determinants. *Microorganisms*, 4(1), 14-33.
- Bohnert, J. A., & Kern, W. V. (2005). Selected arylpiperazines are capable of reversing multidrug resistance in *Escherichia coli* overexpressing RND efflux pumps. *Antimicrobial agents and chemotherapy*, 49(2), 849-852.
- Bostock, J. M., Huang, G., Hashimi, S. M., Zhang, L., & Birch, R. G. (2006). A DHA14 drug efflux gene from *Xanthomonas albilineans* confers high-level albicidin antibiotic resistance in *Escherichia coli*. *Journal of Applied Microbiology*, 101(1), 151-160.
- Boudet, A. M. (2007). Evolution and current status of research in phenolic compounds. *Phytochemistry*, 68(22-24), 2722-2735.
- Boudker, O., & Verdon, G. (2010). Structural perspectives on secondary active transporters. *Trends in Pharmacological Sciences*, 31(9), 418-426.
- Bradbury, J. F. (1984). Genus II. *Xanthomonas*, Dowson 1939, *Bergey's Manual of Systematic Bacteriology*, 1, 199-210.
- Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical biochemistry*, 72(1-2), 248-254.
- Brehm-Stecher, B. F., & Johnson, E. A. (2003). Sensitization of *Staphylococcus aureus* and *Escherichia coli* to antibiotics by the sesquiterpenoids nerolidol, farnesol, bisabolol, and apritone. *Antimicrobial agents and chemotherapy*, 47(10), 3357-3360.
- Budiharjo, A., Jeong, H., Wulandari, D., Lee, S., & Ryu, C. M. (2017). Complete genome sequence of *Bacillus altitudinis* P-10, a potential bioprotectant against *Xanthomonas oryzae* pv. *oryzae*, isolated from rice rhizosphere in Java, Indonesia. *Genome Announcements*, 5(48), e01388-17.

- Burdman, S., Shen, Y., Lee, S. W., Xue, Q., & Ronald, P. (2004). RaxH/RaxR: a two-component regulatory system in *Xanthomonas oryzae* pv. *oryzae* required for AvrXa21 activity. *Molecular plant-microbe interactions*, 17(6), 602-612.
- Burse, A., Weingart, H., & Ullrich, M. S. (2004). NorM, an *Erwinia amylovora* multidrug efflux pump involved in in vitro competition with other epiphytic bacteria. *Applied and Environmental Microbiology*, 70(2), 693-703.
- Busungu, C., Taura, S., Sakagami, J. I., & Ishitani, K. (2016). Identification and linkage analysis of a new rice bacterial blight resistance gene from XM14, a mutant line from IR24. *Breeding Science*, 66(4), 636-645.
- Büttner, D., & Bonas, U. (2010). Regulation and secretion of *Xanthomonas* virulence factors. *FEMS Microbiology Reviews*, 34(2), 107-133.
- Cane, D. E., & Walsh, C. T. (1999). The parallel and convergent universes of polyketide synthases and nonribosomal peptide synthetases. *Chemistry & Biology*, 6(12), R319-R325.
- Canu, A., Malbruny, B., Coquemont, M., Davies, T. A., Appelbaum, P. C., & Leclercq, R. (2002). Diversity of ribosomal mutations conferring resistance to macrolides, clindamycin, streptogramin, and telithromycin in *Streptococcus pneumoniae*. *Antimicrobial Agents and Chemotherapy*, 46(1), 125-131.
- Capuano, V., Galleron, N., Pujic, P., Sorokin, A., & Ehrlich, S. D. (1996). Organization of the *Bacillus subtilis* 168 chromosome between *kdg* and the attachment site of the SP β prophage: use of Long Accurate PCR and yeast artificial chromosomes for sequencing. *Microbiology*, 142(11), 3005-3015.
- Castillo-Juarez, I., Lopez-Jacome, L. E., Soberón-Chávez, G., Tomás, M., Lee, J., Castañeda-Tamez, P., Hernández-Bárragan, I.Á., Cruz-Muñoz, M.Y., Maeda, T., Wood, T.K. & García-Contreras, R. (2017). Exploiting quorum sensing inhibition for the control of *Pseudomonas aeruginosa* and *Acinetobacter baumannii* biofilms. *Current Topics in Medicinal Chemistry*, 17(17), 1915-1927.
- Caulier, S., Nannan, C., Gillis, A., Licciardi, F., Bragard, C., & Mahillon, J. (2019). Overview of the antimicrobial compounds produced by members of the *Bacillus subtilis* group. *Frontiers in Microbiology*, 10, 302-321.
- Cegelski, L., Marshall, G. R., Eldridge, G. R., & Hultgren, S. J. (2008). The biology and future prospects of antivirulence therapies. *Nature Reviews Microbiology*, 6(1), 17-27.
- Chakraborty, K., Thilakan, B., & Raola, V. K. (2014). Polyketide Family of Novel Antibacterial 7-O-Methyl-5'-hydroxy-3'-heptenoate-Macrolactin from Seaweed-Associated *Bacillus subtilis* MTCC 10403. *Journal of Agricultural and Food Chemistry*, 62(50), 12194-12208.
- Chakraborty, K., Thilakan, B., & Raola, V. K. (2017a). Antimicrobial polyketide furanoterpenoids from seaweed-associated heterotrophic bacterium *Bacillus subtilis* MTCC 10403. *Phytochemistry*, 142, 112-125.
- Chakraborty, K., Thilakan, B., Raola, V. K., & Joy, M. (2017b). Antibacterial polyketides from *Bacillus amyloliquefaciens* associated with edible red seaweed *Laurenciae papillosa*. *Food chemistry*, 218, 427-434.

- Chan, J. W., & Goodwin, P. H. (1999). The molecular genetics of virulence of *Xanthomonas campestris*. *Biotechnology Advances*, 17(6), 489-508.
- Chand, T., Sing, N., Sing, H., & Thind, B. S. (1979). Field efficacy of stable bleaching powder to control bacterial blight of rice in rice. *International Rice Research Newsletter*, 4, 12-13.
- Chandra, H., Bishnoi, P., Yadav, A., Patni, B., Mishra, A., & Nautiyal, A. (2017). Antimicrobial resistance and the alternative resources with special emphasis on plant-based antimicrobials-a review. *Plants*, 6(2), 16-27.
- Chatterjee, A., Cui, Y., Liu, Y., Dumenyo, C. K., & Chatterjee, A. K. (1995). Inactivation of *rsmA* leads to overproduction of extracellular pectinases, cellulases, and proteases in *Erwinia carotovora* subsp. *carotovora* in the absence of the starvation/cell density-sensing signal, N-(3-oxohexanoyl)-L-homoserine lactone. *Applied and Environmental Microbiology*, 61(5), 1959-1967.
- Chen, X. H., Koumoutsis, A., Scholz, R., & Borriss, R. (2009a). More than anticipated—production of antibiotics and other secondary metabolites by *Bacillus amyloliquefaciens* FZB42. *Journal of Molecular Microbiology and Biotechnology*, 16(1-2), 14-24.
- Chen, X. H., Koumoutsis, A., Scholz, R., Schneider, K., Vater, J., Süßmuth, R., Piel, J. & Borriss, R. (2009b). Genome analysis of *Bacillus amyloliquefaciens* FZB42 reveals its potential for biocontrol of plant pathogens. *Journal of Biotechnology*, 140(1-2), 27-37.
- Chen, X. H., Vater, J., Piel, J., Franke, P., Scholz, R., Schneider, K., Koumoutsis, A., Hitzeroth, G., Grammel, N., Strittmatter, A.W. & Gottschalk, G. (2006). Structural and functional characterization of three polyketide synthase gene clusters in *Bacillus amyloliquefaciens* FZB 42. *Journal of Bacteriology*, 188(11), 4024-4036.
- Cho, H. J., Park, Y. J., Noh, T. H., Kim, Y. T., Kim, J. G., Song, E. S., Lee, D.H. & Lee, B. M. (2008). Molecular analysis of the *hrp* gene cluster in *Xanthomonas oryzae* pathovar *oryzae* KACC10859. *Microbial Pathogenesis*, 44(6), 473-483.
- Choma, I. M., & Grzelak, E. M. (2011). Bioautography detection in thin-layer chromatography. *Journal of Chromatography A*, 1218(19), 2684-2691.
- Choudhury, D., Ghosh, A., Chanda, D. D., Talukdar, A. D., Choudhury, M. D., Paul, D., Maurya, A.P., Chakravorty, A. & Bhattacharjee, A. (2016). Premature termination of MexR leads to overexpression of MexAB-OprM efflux pump in *Pseudomonas aeruginosa* in a tertiary referral hospital in India. *PLOS ONE*, 11(2), e0149156.
- Chung, E. J., Hossain, M. T., Khan, A., Kim, K. H., Jeon, C. O., & Chung, Y. R. (2015). *Bacillus oryzicola* sp. nov., an endophytic bacterium isolated from the roots of rice with antimicrobial, plant growth promoting, and systemic resistance inducing activities in rice. *The Plant Pathology Journal*, 31(2), 152-164.
- Clatworthy, A. E., Pierson, E., & Hung, D. T. (2007). Targeting virulence: a new paradigm for antimicrobial therapy. *Nature Chemical Biology*, 3(9), 541-548.
- Compant, S., Saikkonen, K., Mitter, B., Campisano, A., & Mercado-Blanco, J. (2016). Editorial special issue: soil, plants and endophytes. *Plant and Soil*, 405(1-2), 1-11.

- Costerton J.W., Lewandowski, Z., Caldwell, D. E., Korber, D. R., & Lappin-Scott, H. M. (1995). Microbial biofilms. *Annu Rev Microbiol*, 49, 711-745.
- Cottyn, B., & Mew, T. (2004). Bacterial blight of rice. In: *Encyclopedia of Plant and Crop Science*. Marcel Dekker, Inc. (New York) 109-111.
- Das, A., Rangaraj, N., & Sonti, R. V. (2009). Multiple adhesin-like functions of *Xanthomonas oryzae* pv. *oryzae* are involved in promoting leaf attachment, entry, and virulence on rice. *Molecular Plant-Microbe Interactions*, 22(1), 73-85.
- Davidson, A. L., & Maloney, P. C. (2007). ABC transporters: how small machines do a big job. *Trends in Microbiology*, 15(10), 448-455.
- Dell'Aica, I., Dona, M., Tonello, F., Piris, A., Mock, M., Montecucco, C., & Garbisa, S. (2004). Potent inhibitors of anthrax lethal factor from green tea. *EMBO Reports*, 5(4), 418-422.
- Devadath, S. (1992). Bacterial blight of paddy. *Plant Diseases of International Importance: Diseases of Cereals and Pulses*, 158-185.
- Dey, D., Ghosh, S., Ray, R., & Hazra, B. (2016). Polyphenolic Secondary Metabolites Synergize the Activity of Commercial Antibiotics against Clinical Isolates of β -Lactamase-producing *Klebsiella pneumoniae*. *Phytotherapy Research*, 30(2), 272-282.
- Dharmapuri, S., & Sonti, R. V. (1999). A transposon insertion in the gumG homologue of *Xanthomonas oryzae* pv. *oryzae* causes loss of extracellular polysaccharide production and virulence. *FEMS Microbiology Letters*, 179(1), 53-59.
- Dibyendu, D. M. (2015). A brief Review on Plant Type III Polyketide Synthases, an Important Group of Enzyme of Secondary Metabolism. *Research Journal of Recent Science*, 4, 138-147.
- dos Santos, J. F., Tintino, S. R., de Freitas, T. S., Campina, F. F., Irwin, R. D. A., Siqueira-Júnior, J. P., Coutinho, H.D. & Cunha, F. A. (2018). In vitro e in silico evaluation of the inhibition of *Staphylococcus aureus* efflux pumps by caffeic and gallic acid. *Comparative Immunology, Microbiology and Infectious Diseases*, 57, 22-28.
- Dridi, L., Tankovic, J., & Petit, J. C. (2004). CdeA of *Clostridium difficile*, a new multidrug efflux transporter of the MATE family. *Microbial Drug Resistance*, 10(3), 191-196.
- Du, D., Wang-Kan, X., Neuberger, A., van Veen, H. W., Pos, K. M., Piddock, L. J., & Luisi, B. F. (2018). Multidrug efflux pumps: structure, function and regulation. *Nature Reviews Microbiology*, 1, 523-539.
- Dubois, M. (1956). Colorimetric method for determination of sugars and related substances. *Analytical Chemistry*, 28(3), 350-356.
- Duncan, M. C., Linington, R. G., & Auerbuch, V. (2012). Chemical inhibitors of the type three secretion system: disarming bacterial pathogens. *Antimicrobial Agents and Chemotherapy*, 56(11), 5433-5441.
- Dung, N. T., Kim, J. M., & Kang, S. C. (2008). Chemical composition, antimicrobial and antioxidant activities of the essential oil and the ethanol extract

- of *Cleistocalyx operculatus* (Roxb.) Merr and Perry buds. *Food and Chemical Toxicology*, 46(12), 3632-3639.
- Dwivedi, G. R., Singh, D. P., Sharma, S. A., & Darokar, M. P. (2017). Efflux Pumps: Warheads of Gram-Negative Bacteria and Efflux Pump Inhibitors. *New Approaches in Biological Research*, eds RP Sinha and Richa (New York, NY: Nova Science Publishers), 35-72.
- Evidente, A., Venturi, V., Masi, M., Degrassi, G., Cimmino, A., Maddau, L., & Andolfi, A. (2011). In vitro antibacterial activity of sphaeropsidins and chemical derivatives toward *Xanthomonas oryzae* pv. *oryzae*, the causal agent of rice bacterial blight. *Journal of Natural Products*, 74(12), 2520-2525.
- Fan, S., Tian, F., Li, J., Hutchins, W., Chen, H., Yang, F., Yuan, X., Cui, Z., Yang, C.H. & He, C. (2017). Identification of phenolic compounds that suppress the virulence of *Xanthomonas oryzae* on rice via the type III secretion system. *Molecular Plant Pathology*, 18(4), 555-568.
- Felise, H. B., Nguyen, H. V., Pfuetzner, R. A., Barry, K. C., Jackson, S. R., Blanc, M. P., Bronstein, P.A., Kline, T. & Miller, S. I. (2008). An inhibitor of gram-negative bacterial virulence protein secretion. *Cell Host & Microbe*, 4(4), 325-336.
- Fenselau, S., & Bonas, U. (1994). Sequence and expression analysis of the hrpB pathogenicity operon of *Xanthomonas campestris* pv. *vesicatoria* which encodes eight proteins with similarity to components of the Hrp, Ysc, Spa, and Fli secretion systems. *Molecular Plant-Microbe Interactions: MPMI*, 8(6), 845-854.
- Ferluga, S., & Venturi, V. (2009). OryR is a LuxR-family protein involved in interkingdom signaling between pathogenic *Xanthomonas oryzae* pv. *oryzae* and rice. *Journal of Bacteriology*, 191(3), 890-897.
- Fickers, P. (2012). Antibiotic compounds from *Bacillus*: why are they so amazing. *American Journal of Biochemistry and Biotechnology*, (8), 38-43.
- Fravel, D. R. (2005). Commercialization and implementation of biocontrol. *Annual Review of Phytopathology*, 43, 337-359.
- Friedman, M. (1997). Chemistry, biochemistry, and dietary role of potato polyphenols. A review. *Journal of Agricultural and Food Chemistry*, 45(5), 1523-1540.
- Funa, N., Ozawa, H., Hirata, A., & Horinouchi, S. (2006). Phenolic lipid synthesis by type III polyketide synthases is essential for cyst formation in *Azotobacter vinelandii*. *Proceedings of the National Academy of Sciences*, 103(16), 6356-6361.
- Furutani, A., Nakayama, T., Ochiai, H., Kaku, H., Kubo, Y., & Tsuge, S. (2006). 277 Identification of novel HrpXo regulons preceded by two cis-acting elements, a plant-inducible promoter box and a -10 box-like sequence, from the genome database of *Xanthomonas oryzae* pv. *oryzae*. *FEMS Microbiology Letters*, 259(1), 133-141.
- Furutani, A., Tsuge, S., Ohnishi, K., Hikichi, Y., Oku, T., Tsuno, K., Inoue, Y., Ochiai, H., Kaku, H. & Kubo, Y., (2004). Evidence for HrpXo-dependent expression of type II secretory proteins in *Xanthomonas oryzae* pv. *oryzae*. *Journal of Bacteriology*, 186(5), 1374-1380.

- Gangwar, G. P., & Sinha, A. P. (2010). Comparative antagonistic potential of *Trichoderma* spp. against *Xanthomonas oryzae* pv. *oryzae*. *Annals of Plant Protection Sciences*, 18(2), 458-463.
- Gibbons, S. (2004). Anti-staphylococcal plant natural products. In: *Natural Product Reports*, 21(2), 263-277.
- Gibbons, S., Oluwatuyi, M., & Kaatz, G. W. (2003). A novel inhibitor of multidrug efflux pumps in *Staphylococcus aureus*. *Journal of Antimicrobial Chemotherapy*, 51(1), 13-17.
- Giddens, S. R., Houlston, G. J., & Mahanty, H. K. (2003). The influence of antibiotic production and pre-emptive colonization on the population dynamics of *Pantoea agglomerans* (*Erwinia herbicola*) Eh1087 and *Erwinia amylovora* in planta. *Environmental Microbiology*, 5(10), 1016-1021.
- Gnanamanickam, S. S., & Mew, T. W. (1992). Biological control of blast disease of rice (*Oryza sativa* L.) with antagonistic bacteria and its mediation by a *Pseudomonas* antibiotic. *Japanese Journal of Phytopathology*, 58(3), 380-385.
- Gnanamanickam, S. S., Priyadarisini, V. B., Narayanan, N. N., Vasudevan, P., & Kavitha, S. (1999). An overview of bacterial blight disease of rice and strategies for its management. *Current Science*, 1435-1444.
- Goel, A. K., Rajagopal, L., Nagesh, N., & Sonti, R. V. (2002). Genetic locus encoding functions involved in biosynthesis and outer membrane localization of xanthomonadin in *Xanthomonas oryzae* pv. *oryzae*. *Journal of Bacteriology*, 184(13), 3539-3548.
- González-Lamothe, R., Mitchell, G., Gattuso, M., Diarra, M., Malouin, F., & Bouarab, K. (2009). Plant antimicrobial agents and their effects on plant and human pathogens. *International Journal of Molecular Sciences*, 10(8), 3400-3419.
- Goodman, R. N. (1959). The influence of antibiotics on plants and plant disease control. *Antibiotics: Their Chemistry and Non-medical Uses*, 322-448.
- Gotoh, Y., Eguchi, Y., Watanabe, T., Okamoto, S., Doi, A., & Utsumi, R. (2010). Two-component signal transduction as potential drug targets in pathogenic bacteria. *Current Opinion in Microbiology*, 13(2), 232-239.
- Grainge, M. D., & Alvarez, A. M. (1987). Antibacterial and antifungal activity of *Artabotrys hexapetalus* leaf extracts. *International Journal of Tropical Plant Diseases*, 5(2), 173-179.
- Gu, L., Zhou, S., Zhu, L., Liang, C., & Chen, X. (2015). Small-molecule inhibitors of the type III secretion system. *Molecules*, 20(9), 17659-17674.
- Gu, T. (2000). Liquid-liquid partitioning methods for bioseparations. In *Separation science and technology*, 2, 329-364.
- Guder, A., Wiedemann, I., & Sahl, H. G. (2000). Posttranslationally modified bacteriocins-the lantibiotics. *Peptide Science*, 55(1), 62-73.
- Hammerschmidt, R. (1999). Phytoalexins: what have we learned after 60 years?. *Annual Review of Phytopathology*, 37(1), 285-306.
- Hashimoto, M., Nonaka, T., & Fujii, I. (2014). Fungal type III polyketide synthases. *Natural Product Reports*, 31(10), 1306-1317.

- He, Y. W., Wu, J. E., Cha, J. S., & Zhang, L. H. (2010). Rice bacterial blight pathogen *Xanthomonas oryzae* pv. *oryzae* produces multiple DSF-family signals in regulation of virulence factor production. *BMC Microbiology*, 10(1), 187-196.
- Hemaiswarya, S., Kruthiventi, A. K., & Doble, M. (2008). Synergism between natural products and antibiotics against infectious diseases. *Phytomedicine*, 15(8), 639-652.
- Henrichsen, J. (1972). Gliding and twitching motility of bacteria unaffected by cytochalasin B. *Acta Pathologica, Microbiologica, et Immunologica Scandinavica*, 80(4), 623 -624.
- Hertweck, C. (2009). The biosynthetic logic of polyketide diversity. *Angewandte Chemie International Edition*, 48(26), 4688-4716.
- Hirakata, Y., Srikumar, R., Poole, K., Gotoh, N., Suematsu, T., Kohno, S., Kamihira, S., Hancock, R.E. & Speert, D. P. (2002). Multidrug efflux systems play an important role in the invasiveness of *Pseudomonas aeruginosa*. *Journal of Experimental Medicine*, 196(1), 109-118.
- Hoefel, D., Monis, P. T., Grooby, W. L., Andrews, S., & Saint, C. P. (2005). Culture-independent techniques for rapid detection of bacteria associated with loss of chloramine residual in a drinking water system. *Applied Environmental Microbiology*, 71(11), 6479-6488.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T., & Williams, S. T. (1994). Anaerobic Gram-negative cocci. *Bergey's Manual of Determinative Bacteriology*, 347-350.
- Huang, D., Shao, Z. Z., Yu, Y., Cai, M. M., Zheng, L. Y., Li, G. Y., Yu, Z.N., Yi, X.F., Zhang, J.B. & Hao, F. H. (2018). Identification, Characteristics and Mechanism of 1-Deoxy-N-acetylglucosamine from Deep-Sea *Virgibacillus dokdonensis* MCCC 1A00493. *Marine Drugs*, 16(2), 52-70.
- Hueck, C. J. (1998). Type III protein secretion systems in bacterial pathogens of animals and plants. *Microbiology Molecular Biology Reviews*, 62(2), 379-433.
- Hunjan, M.S., Thakur, A. & Singh, P.P. (2017). Identification and characterization of *Pseudomonas fluorescens* strains effective against *Xanthomonas oryzae* pv. *oryzae* causing bacterial blight of rice in Punjab, India. *Journal of Applied & Natural Science*, 9 (1): 253 – 261
- Islam, M. T., Lee, B. R., Das, P. R., Jung, H. I., & Kim, T. H. (2018). Characterization of p-Coumaric acid-induced soluble and cell wall-bound phenolic metabolites in relation to disease resistance to *Xanthomonas campestris* pv. *campestris* in Chinese cabbage. *Plant Physiology and Biochemistry*, 125, 172-177.
- Iwai, Y., Awaya, J., Kesado, T., Yamada, H., Omura, S., & Hata, T. (1973). Selective fermentation of cerulenin by *Cephalosporin caeruleus*. *Journal Fermentation Technology*, 51, 575-581.
- Jennings, B. R., & Ridler, P. J. (1983). Interaction of chromosomal stains with DNA. *Biophysics of Structure and Mechanism*, 10(1-2), 71-79.
- Jeong, K. S., Lee, S. E., Han, J. W., Yang, S. U., Lee, B. M., Noh, T. H., & Cha, J. S. (2008). Virulence reduction and differing regulation of virulence genes in *rpf*

- mutants of *Xanthomonas oryzae* pv. *oryzae*. *The Plant Pathology Journal*, 24(2), 143-151.
- Jeung, J. U., Heu, S. G., Shin, M. S., Vera Cruz, C. M., & Jena, K. K. (2006). Dynamics of *Xanthomonas oryzae* pv. *oryzae* populations in Korea and their relationship to known bacterial blight resistance genes. *Phytopathology*, 96(8), 867-875.
- Jeyalakshmi, C., Madhiazhagan, K., & Rettinassababady, C. (2010). Effect of different methods of application of *Pseudomonas fluorescens* against bacterial leaf blight under direct sown rice. *Journal of Biopesticides*, 3(2), 487-488.
- Jha, G., Rajeshwari, R., & Sonti, R. V. (2007). Functional interplay between two *Xanthomonas oryzae* pv. *oryzae* secretion systems in modulating virulence on rice. *Molecular Plant-Microbe Interactions*, 20(1), 31-40.
- Ji, G. H., Wei, L. F., He, Y. Q., Wu, Y. P., & Bai, X. H. (2008). Biological control of rice bacterial blight by *Lysobacter antibioticus* strain 13-1. *Biological Control*, 45(3), 288-296.
- Jin, X. B., Sun, R. J., Zhu, J. Q., Xu, Z. J., Liu, Z., Wang, Q., & Ye, X. Y. (2012). Isolation and identification of *Bacillus altitudinis* ZJ 186 from marine soil samples and its antifungal activity against *Magnaporthe oryzae*. *Current Research in Bacteriology*, 5(1), 13-23.
- Kaatz, G. W. (2005). Bacterial efflux pump inhibition. *Current Opinion in Investigational Drugs*, London, England, 6(2), 191-198.
- Kaatz, G. W., Seo, S. M., O'Brien, L., Wahiduzzaman, M., & Foster, T. J. (2000). Evidence for the existence of a multidrug efflux transporter distinct from NorA in *Staphylococcus aureus*. *Antimicrobial Agents and Chemotherapy*, 44(5), 1404-1406.
- Kagale, S., Marimuthu, T., Thayumanavan, B., Nandakumar, R., & Samiyappan, R. (2004). Antimicrobial activity and induction of systemic resistance in rice by leaf extract of *Datura metel* against *Rhizoctonia solani* and *Xanthomonas oryzae* pv. *oryzae*. *Physiological and Molecular Plant Pathology*, 65(2), 91-100.
- Kalan, L., & Wright, G. D. (2011). Antibiotic adjuvants: multicomponent anti-infective strategies. *Expert Reviews in Molecular Medicine*, 13, 5-22.
- Kamdar, H. V., Kamoun, S. O. P. H. I. E. N., & Kado, C. I. (1993). Restoration of pathogenicity of avirulent *Xanthomonas oryzae* pv. *oryzae* and *X. campestris* pathovars by reciprocal complementation with the *hrpXo* and *hrpXc* genes and identification of *HrpX* function by sequence analyses. *Journal of Bacteriology*, 175(7), 2017-2025.
- Kariv, I., Rourick, R. A., Kassel, D. B., & Chung, T. D. (2002). Improvement of "hit-to-lead" optimization by integration of in vitro HTS experimental models for early determination of pharmacokinetic properties. *Combinatorial Chemistry & High Throughput Screening*, 5(6), 459-472.
- Katsuyama, Y., & Ohnishi, Y. (2012). Type III polyketide synthases in microorganisms. In *Methods in Enzymology*. 515, 359-377.
- Katz, E., & Demain, A. L. (1977). The peptide antibiotics of *Bacillus*: chemistry, biogenesis, and possible functions. *Bacteriological Reviews*, 41(2), 449-474.

- Kauppi, A. M., Nordfelth, R., Uvell, H., Wolf-Watz, H., & Elofsson, M. (2003). Targeting bacterial virulence: inhibitors of type III secretion in *Yersinia*. *Chemistry & Biology*, 10(3), 241-249.
- Ke, Y., Deng, H., & Wang, S. (2017). Advances in understanding broad-spectrum resistance to pathogens in rice. *The Plant Journal*, 90(4), 738-748.
- Kępa, M., Mikłasińska-Majdanik, M., Wojtyczka, R. D., Idzik, D., Korzeniowski, K., Smoleń-Dzirba, J., & Wąsik, T. J. (2018). Antimicrobial potential of caffeic acid against *Staphylococcus aureus* clinical strains. *BioMed Research International*, 2018, 413504.
- Khan, I. A., Mirza, Z. M., Kumar, A., Verma, V., & Qazi, G. N. (2006). Piperine, a phytochemical potentiator of ciprofloxacin against *Staphylococcus aureus*. *Antimicrobial Agents and Chemotherapy*, 50(2), 810-812.
- Khan, J. A., Siddiq, R., Arshad, H. M. I., Anwar, H. S., Saleem, K., & Jamil, F. F. (2012). Chemical control of bacterial leaf blight of rice caused by *Xanthomonas oryzae* pv. *oryzae*. *Pakistan Journal of Phytopathology*, 24(2), 97-100.
- Khokhani, D., Zhang, C., Li, Y., Wang, Q., Zeng, Q., Yamazaki, A., Hutchins, W., Zhou, S.S., Chen, X. & Yang, C. H. (2013). Discovery of plant phenolic compounds that act as type III secretion system inhibitors or inducers of the fire blight pathogen, *Erwinia amylovora*. *Applied and Environmental Microbiology*, 79(18), 5424-5436.
- Khoshkdam, M., Ebadi, A. A., Majidi-Shilsar, F., & Dariush, S. (2014). Preliminary evaluation of resistance genes in rice against bacterial leaf blight in Guilan Province-Iran. *Agricultural Sciences*, 5(02), 94-98.
- Kim, S. M., & Reinke, R. F. (2019). A novel resistance gene for bacterial blight in rice, Xa43 (t) identified by GWAS, confirmed by QTL mapping using a bi-parental population. *PLOS ONE*, 14(2), e0211775.
- Kim, S.-M., Suh, J.-P., Qin, Y., Noh, T.-H., Reinke, R. F., and Jena, K. K. (2015). Identification and fine-mapping of a new resistance gene, Xa40, conferring resistance to bacterial blight races in rice (*Oryza sativa* L.). *Theoretical and Applied Genetics* 128, 1933–1943.
- Koskinen, A. M., & Karisalmi, K. (2005). Polyketide stereotetrads in natural products. *Chemical Society Reviews*, 34(8), 677-690.
- Koumoutsis, A., Chen, X. H., Henne, A., Liesegang, H., Hitzeroth, G., Franke, P., Vater, J. & Borriss, R. (2004). Structural and functional characterization of gene clusters directing nonribosomal synthesis of bioactive cyclic lipopeptides in *Bacillus amyloliquefaciens* strain FZB42. *Journal of Bacteriology*, 186(4), 1084-1096.
- Kourtesi, C., Ball, A. R., Huang, Y. Y., Jachak, S. M., Vera, D. M. A., Khondkar, P., Gibbons, S., Hamblin, M.R. & Tegos, G. P. (2013). Suppl 1: Microbial efflux systems and inhibitors: approaches to drug discovery and the challenge of clinical implementation. *The Open Microbiology Journal*, 7, 34-52.
- Kouzai, Y., Noutoshi, Y., Inoue, K., Shimizu, M., Onda, Y., & Mochida, K. (2018). Benzothiadiazole, a plant defense inducer, negatively regulates sheath blight resistance in *Brachypodium distachyon*. *Scientific Reports*, 8(1), 17358.

- Krokidis, M. G., Márquez, V., Wilson, D. N., Kalpaxis, D. L., & Dinou, G. P. (2014). Insights into the mode of action of novel fluoroketolides, potent inhibitors of bacterial protein synthesis. *Antimicrobial Agents and Chemotherapy*, 58(1), 472-480.
- Kumar, A., Khan, I. A., Koul, S., Koul, J. L., Taneja, S. C., Ali, I., Ali, F., Sharma, S., Mirza, Z.M., Kumar, M. & Sangwan, P. L. (2008). Novel structural analogues of piperine as inhibitors of the NorA efflux pump of *Staphylococcus aureus*. *Journal of Antimicrobial Chemotherapy*, 61(6), 1270-1276.
- Kumaravel, S., Thankappan, S., Raghupathi, S., & Uthandi, S. (2018). Draft genome sequence of plant growth-promoting and drought-tolerant *Bacillus altitudinis* FD48, isolated from rice phylloplane. *Genome Announcements*, 6(9), e00019-18.
- Kumari, V., & Srivastava, J. S. (1999). Molecular and biochemical aspects of rhizobacterial ecology with emphasis on biological control. *World Journal of Microbiology and Biotechnology*, 15(5), 535-543.
- Kunst, F., Ogasawara, N., Moszer, I., Albertini, A. M., Alloni, G. O., Azevedo, V., Bertero, M.G., Bessieres, P., Bolotin, A., Borchert, S. & Borriss, R. (1997). The complete genome sequence of the gram-positive bacterium *Bacillus subtilis*. *Nature*, 390(6657), 249-256.
- Kuroda, M., Nagasaki, S., & Ohta, T. (2007). Sesquiterpene farnesol inhibits recycling of the C55 lipid carrier of the murein monomer precursor contributing to increased susceptibility to β -lactams in methicillin-resistant *Staphylococcus aureus*. *Journal of Antimicrobial Chemotherapy*, 59(3), 425-432.
- Laha, G. S., Singh, R., Ladhalakshmi, D., Sunder, S., Prasad, M. S., Dagar, C. S., & Babu, V. R. (2017). Importance and management of rice diseases: a global perspective. In *Rice Production Worldwide* Springer, Cham.
- Lattanzio, V., DE CICC01, V., Di Venere, D., Lima, G., & Salerno, M. (1994). Antifungal activity of phenolics against fungi commonly encountered during storage. *Italian Journal Food Science*, 1, 23-30.
- Leach, J. E., Rhoads, M. L., Cruz, C. V., White, F. F., Mew, T. W., & Leung, H. (1992). Assessment of genetic diversity and population structure of *Xanthomonas oryzae* pv. *oryzae* with a repetitive DNA element. *Applied and Environmental Microbiology*, 58(7), 2188-2195.
- Lechner, D., Gibbons, S., & Bucar, F. (2008). Plant phenolic compounds as ethidium bromide efflux inhibitors in *Mycobacterium smegmatis*. *Journal of Antimicrobial Chemotherapy*, 62(2), 345-348.
- Lee, J. H., Cho, H. S., Kim, Y., Kim, J. A., Banskota, S., Cho, M. H., & Lee, J. (2013). Indole and 7-benzoyloxyindole attenuate the virulence of *Staphylococcus aureus*. *Applied Microbiology and Biotechnology*, 97(10), 4543-4552.
- Levy, S. B., & Marshall, B. (2004). Antibacterial resistance worldwide: causes, challenges and responses. *Nature Medicine*, 10(12s), S122.
- Li, M. H., Sanchez, T., Pappalardo, A., Lynch, K. R., Hla, T., & Ferrer, F. (2008). Induction of antiproliferative connective tissue growth factor expression in Wilms' tumor cells by sphingosine-1-phosphate receptor 2. *Molecular Cancer Research*, 6(10), 1649-1656.v

- Li, Y., Mima, T., Komori, Y., Morita, Y., Kuroda, T., Mizushima, T., & Tsuchiya, T. (2003). A new member of the tripartite multidrug efflux pumps, MexVW–OprM, in *Pseudomonas aeruginosa*. *Journal of Antimicrobial Chemotherapy*, 52(4), 572-575.
- Lim, C., Kim, J., Choi, J. N., Ponnusamy, K., Jeon, Y., Kim, S. U., Kim, J.G & Lee, C. (2010). Identification, fermentation, and bioactivity against *Xanthomonas oryzae* of antimicrobial metabolites isolated from *Phomopsis longicolla* S1B4. *Journal of Microbiology and Biotechnology*, 20(3), 494-500.
- Lim, Y., Go, M., & Yew, W. (2016). Exploiting the biosynthetic potential of type III polyketide synthases. *Molecules*, 21(6), 806-843.
- Lima, V. N., Oliveira-Tintino, C. D., Santos, E. S., Morais, L. P., Tintino, S. R., Freitas, T. S., Geraldo, Y.S., Pereira, R.L., Cruz, R.P., Menezes, I.R. & Coutinho, H. D. (2016). Antimicrobial and enhancement of the antibiotic activity by phenolic compounds: Gallic acid, caffeic acid and pyrogallol. *Microbial Pathogenesis*, 99, 56-61.
- Lindow, S. E., & Brandl, M. T. (2003). Microbiology of the phyllosphere. *Applied and Environmental Microbiology*, 69(4), 1875-1883.
- Lister, P. D., Wolter, D. J., & Hanson, N. D. (2009). Antibacterial-resistant *Pseudomonas aeruginosa*: clinical impact and complex regulation of chromosomally encoded resistance mechanisms. *Clinical Microbiology Reviews*, 22(4), 582-610.
- Liu, R. H. (2004). Potential synergy of phytochemicals in cancer prevention: mechanism of action. *The Journal of Nutrition*, 134(12), 3479S-3485S.
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2⁻ΔΔCT method. *Methods*, 25(4), 402-408.
- Lomovskaya, O., & Watkins, W. (2001). Inhibition of efflux pumps as a novel approach to combat drug resistance in bacteria. *Journal of Molecular Microbiology and Biotechnology*, 3(2), 225-236.
- Lomovskaya, O., Warren, M. S., Lee, A., Galazzo, J., Fronko, R., Lee, M. A. Y., Blais, J., Cho, D., Chamberland, S., Renau, T. & Leger, R. (2001). Identification and characterization of inhibitors of multidrug resistance efflux pumps in *Pseudomonas aeruginosa*: novel agents for combination therapy. *Antimicrobial Agents and Chemotherapy*, 45(1), 105-116.
- Lore, J. S., Vikal, Y., Hunjan, M. S., Goel, R. K., Bharaj, T. S., & Raina, G. L. (2011). Genotypic and pathotypic diversity of *Xanthomonas oryzae* pv. *oryzae*, the cause of bacterial blight of rice in Punjab State of India. *Journal of Phytopathology*, 159(7-8), 479-487.
- Lu, J. J. (1980). Rice in its temporal and spatial perspectives. *Rice: Production and Utilization*, 1-74.
- Lu, X., Zhou, D., Chen, X., Zhang, J., Huang, H., & Wei, L. (2017). Isolation and characterization of *Bacillus altitudinis* JSCX-1 as a new potential biocontrol agent against *Phytophthora sojae* in soybean [*Glycine max* (L.) Merr.]. *Plant and Soil*, 416(1-2), 53-66.

- Mahamoud, A., Chevalier, J., Alibert-Franco, S., Kern, W. V., & Pages, J. M. (2007). Antibiotic efflux pumps in Gram-negative bacteria: the inhibitor response strategy. *Journal of Antimicrobial Chemotherapy*, 59(6), 1223-1229.
- Mahmood, Y. H., Jamshidi, S., Mark Sutton, J., & M Rahman, K. (2016). Current advances in developing inhibitors of bacterial multidrug efflux pumps. *Current Medicinal Chemistry*, 23(10), 1062-1081.
- Maisuria, V. B., Hosseinidoust, Z., & Tufenkji, N. (2015). Polyphenolic extract from maple syrup potentiates antibiotic susceptibility and reduces biofilm formation of pathogenic bacteria. *Applied and Environmental Microbiology*, 81(11), 3782-3792.
- Manmeet, M., & Thind, B. N. (2002). In vitro effect of bioagent against *Xanthomonas oryzae* pv. *oryzae*. *Plant Disease Research*, 17(1), 21-28.
- Marimuthu, T. (1995). Management of rice diseases. *Rice Management Biotechnology*, 57-69.
- Markham, P. N., Westhaus, E., Klyachko, K., Johnson, M. E., & Neyfakh, A. A. (1999). Multiple novel inhibitors of the NorA multidrug transporter of *Staphylococcus aureus*. *Antimicrobial Agents and Chemotherapy*, 43(10), 2404-2408.
- Marquez, B. (2005). Bacterial efflux systems and efflux pumps inhibitors. *Biochimie*, 87(12), 1137-1147.
- Marshall, N. C., & Finlay, B. B. (2014). Targeting the type III secretion system to treat bacterial infections. *Expert Opinion on Therapeutic Targets*, 18(2), 137-152.
- Mayr-Harting, A., Hedges, A. J., & Berkeley, R. C. W. (1972). Chapter VII methods for studying bacteriocins. In *Methods in Microbiology*, Academic Press 7, 315-422.
- McCann, H. C., & Guttman, D. S. (2008). Evolution of the type III secretion system and its effectors in plant-microbe interactions. *New Phytologist*, 177(1), 33-47.
- McManus, P. S., Stockwell, V. O., Sundin, G. W., & Jones, A. L. (2002). Antibiotic use in plant agriculture. *Annual Review of Phytopathology*, 40(1), 443-465.
- Mew, T. W. (1987). Current status and future prospects of research on bacterial blight of rice. *Annual Review of Phytopathology*, 25(1), 359-382.
- Mew, T. W., & Vera Cruz, C. M. (1979). Variability of *Xanthomonas oryzae*: specificity in infection of rice differentials. *Phytopathology*, 69, 152-155.
- Mew, T. W., Alvarez, A. M., Leach, J. E., & Swings, J. (1993). Focus on bacterial blight of rice. *Plant Disease*, 77(1), 5-12.
- Mew, T. W., Cottyn, B., Pamplona, R., Barrios, H., Xiangmin, L., Zhiyi, C., Fan, L., Nil-panit, N., Arunyanart, P., Van Kim, P. & Van Du, P. (2004). Applying rice seed-associated antagonistic bacteria to manage rice sheath blight in developing countries. *Plant Disease*, 88(5), 557-564.
- Mew, T.W., Vera Cruz, C.M., Medalla, E.S. (1992). Changes in race frequency of *Xanthomonas oryzae* pv. *oryzae* in response to rice cultivars planted in the Philippines. *Plant Disease*, 76, 1029-1032.

- Mishra, D., Vishnupriya, M. R., Anil, M. G., Konda, K., Raj, Y., & Sonti, R. V. (2013). Pathotype and genetic diversity amongst Indian isolates of *Xanthomonas oryzae* pv. *oryzae*. *PLOS ONE*, 8(11), e81996.
- Mitchell, B. A., Paulsen, I. T., Brown, M. H., and Skurray, R. A. (1999). Bioenergetics of the staphylococcal multidrug export protein QacA: Identification of distinct binding sites for monovalent and divalent cations *Journal of Biological Chemistry*, 274, 3541–3548.
- Mitchison, T. J. (1994). Towards a pharmacological genetics. *Chemistry & Biology*, 1(1), 3-6.
- Mizukami, T., & Wakimoto, S. (1969). Epidemiology and control of bacterial leaf blight of rice. *Annual Review of Phytopathology*, 7(1), 51-72.
- Molnár, J., Engi, H., Hohmann, J., Molnár, P., Deli, J., Wesolowska, O., Michalak, K. & Wang, Q. (2010). Reversal of multidrug resistance by natural substances from plants. *Current Topics in Medicinal Chemistry*, 10(17), 1757-1768.
- Moritz, F., Janicka, M., Zyglar, A., Forcisi, S., Kot-Wasik, A., Kot, J., Gebefügi, I., Namiesnik, J. & Schmitt-Kopplin, P. (2015). The compositional space of exhaled breath condensate and its link to the human breath volatilome. *Journal of Breath Research*, 9(2), 027105.
- Murakami, S., & Yamaguchi, A. (2003). Multidrug-exporting secondary transporters. *Current Opinion in Structural Biology*, 13(4), 443-452.
- Myszka, K., Schmidt, M. T., Olejnik-Schmidt, A. K., Leja, K., & Czaczyk, K. (2014). Influence of phenolic acids on indole acetic acid production and on the type III secretion system gene transcription in food-associated *Pseudomonas fluorescens* KM05. *Journal of Bioscience and Bioengineering*, 118(6), 651-656.
- Nagendran, K., Karthikeyan, G., Peeran, M. F., Raveendran, M., Prabakar, K., & Raguchander, T. (2013). Management of bacterial leaf blight disease in rice with endophytic bacteria. *World Applied Science Journal*, 28(12), 2229-2241.
- Nakano, C., Ozawa, H., Akanuma, G., Funa, N., & Horinouchi, S. (2009). Biosynthesis of aliphatic polyketides by type III polyketide synthase and methyltransferase in *Bacillus subtilis*. *Journal of Bacteriology*, 191(15), 4916-4923.
- Nayem, S. A., Ali, M. S., Hossain, M. B., Solaiman, A. H., & Chowdhury, M. S. M. (2018). Role of benzothiadiazole and peak performance nutrient on inducing resistance in *Citrus aurantifolia* against *Xanthomonas axonopodis* pv. 'citri'. *Australian Journal of Crop Science*, 12(3), 335-342.
- Negrea, A., Bjur, E., Ygberg, S. E., Elofsson, M., Wolf-Watz, H., & Rhen, M. (2007). Salicylidene acylhydrazides that affect type III protein secretion in *Salmonella enterica* serovar typhimurium. *Antimicrobial Agents and Chemotherapy*, 51(8), 2867-2876.
- Newman, K. L., Chatterjee, S., Ho, K. A., & Lindow, S. E. (2008). Virulence of plant pathogenic bacteria attenuated by degradation of fatty acid cell-to-cell signaling factors. *Molecular Plant-Microbe Interactions*, 21(3), 326-334.
- Nikaido, H. (1994). Prevention of drug access to bacterial targets: permeability barriers and active efflux. *Science*, 264(5157), 382-388.

- Niño-Liu, D. O., Ronald, P. C., & Bogdanove, A. J. (2006). *Xanthomonas oryzae* pathovars: model pathogens of a model crop. *Molecular Plant Pathology*, 7(5), 303-324.
- Noda, T., Horino, O., & Ohuchi, A. (1990). Variability of pathogenicity in races of *Xanthomonas campestris* pv. *oryzae* in Japan. *JARQ, Japan Agricultural Research Quarterly*, 23(3), 182-189.
- Noda, T., Li, C., Li, J., Ochiai, H., Ise, K., & Kaku, H. (2001). Pathogenic diversity of *Xanthomonas oryzae* pv. *oryzae* strains from Yunnan province, China. *Japan Agricultural Research Quarterly*, 35(2), 97-103.
- Noda, T., Yamamoto, T., Kaku, H., & Horino, O. (1996). Geographical distribution of pathogenic races of *Xanthomonas oryzae* pv. *oryzae* in Japan in 1991 and 1993. *Japanese Journal of Phytopathology*, 62(6), 549-553.
- Noh, T. H., Lee, D. K., Park, J. C., Shim, H. K., Choi, M. Y., Kang, M. H., & Kim, J. D. (2007). Effects of bacterial leaf blight occurrence on rice yield and grain quality in different rice growth stage. *Research in Plant Disease*, 13(1), 20-23.
- Nordfelth, R., Kauppi, A. M., Norberg, H. A., Wolf-Watz, H., & Elofsson, M. (2005). Small-molecule inhibitors specifically targeting type III secretion. *Infection and Immunity*, 73(5), 3104-3114.
- Ochiai, H., Horino, O., Miyajima, K., & Kaku, H. (2000). Genetic diversity of *Xanthomonas oryzae* pv. *oryzae* strains from Sri Lanka. *Phytopathology*, 90(4), 415-421.
- Odds, F. C. (2003). Synergy, antagonism, and what the checkerboard puts between them. *Journal of Antimicrobial Chemotherapy*, 52(1), 1-1.
- Oerke, E. C., & Dehne, H. W. (2004). Safeguarding production—losses in major crops and the role of crop protection. *Crop protection*, 23(4), 275-285.
- Old, K. M., & Nicolson, T. H. (1978). The root cortex as part of a microbial continuum. *In: Microbial Ecology*, 291-294.
- Omura, S. A. T. O. S. H. I., Ikeda, H., Malpartida, F., Kieser, H. M., & Hopwood, D. A. (1986). Production of new hybrid antibiotics, mederrhodins A and B, by a genetically engineered strain. *Antimicrobial Agents and Chemotherapy*, 29(1), 13-19.
- Ou, S. H. (1985). Bacterial diseases. *Rice Diseases*. Commonwealth Mycological Institute (Great Britain) 61-96.
- Palumbo, J. D., Kado, C. I., & Phillips, D. A. (1998). An isoflavonoid-inducible efflux pump in *Agrobacterium tumefaciens* is involved in competitive colonization of roots. *Journal of Bacteriology*, 180(12), 3107-3113.
- Pant, R., & Mukhopadhyay, A. N. (2012). Integrated management of seed and seedling rot complex of soybean. *Indian Phytopathology*, 54(3), 346-350.
- Park, S. B., Lee, I. A., Suh, J. W., Kim, J. G., & Lee, C. H. (2011). Screening and identification of antimicrobial compounds from *Streptomyces bottropensis* suppressing rice bacterial blight. *Journal of Microbiology and Biotechnology* 21(12), 1236-1242

- Patel, P. S., Huang, S., Fisher, S., Pirnik, D., Aklonis, C., Dean, L., Meyers, E., Fernandes, P. & Mayerl, F. (1995). Bacillaene, a novel inhibitor of procaryotic protein synthesis produced by *Bacillus subtilis*. *The Journal of Antibiotics*, 48(9), 997-1003.
- Patkar, R. N., & Chattoo, B. B. (2006). Transgenic indica rice expressing ns-LTP-like protein shows enhanced resistance to both fungal and bacterial pathogens. *Molecular Breeding*, 17(2), 159-171.
- Paulsen, I. T. (2003). Multidrug efflux pumps and resistance: regulation and evolution. *Current Opinion in Microbiology*, 6(5), 446-451.
- Paulsen, I. T., Brown, M. H. & Skurray, R. A. (1996). Proton dependent multidrug efflux systems. *Microbiological Reviews* 60, 575–608.
- Peterson, C. A., Emanuel, M. E., & Humphreys, G. B. (1981). Pathway of movement of apoplastic fluorescent dye tracers through the endodermis at the site of secondary root formation in corn (*Zea mays*) and broad bean (*Vicia faba*). *Canadian Journal of Botany*, 59(5), 618-625.
- Poole, K. (2000). Efflux-mediated resistance to fluoroquinolones in gram-negative bacteria. *Antimicrobial Agents and Chemotherapy*, 44(9), 2233-2241.
- Poole, K. (2002). Mechanisms of bacterial biocide and antibiotic resistance. *Journal of Applied Microbiology*, 92, 55S-64S.
- Poole, K. (2004). Efflux pumps. In *Pseudomonas*, Springer, Boston, MA.
- Potshangbam, M., Sahoo, D., Verma, P., Verma, S., Kalita, M. C., & Devi, S. I. (2018). Draft Genome Sequence of *Bacillus altitudinis* Lc5, a Biocontrol and Plant Growth-Promoting Endophyte Strain Isolated from Indigenous Black Rice of Manipur. *Genome Announcements*, 6(26), e00601-18.
- Price, N. P., Rooney, A. P., Swezey, J. L., Perry, E., & Cohan, F. M. (2007). Mass spectrometric analysis of lipopeptides from *Bacillus* strains isolated from diverse geographical locations. *FEMS Microbiology Letters*, 271(1), 83-89.
- Prithiviraj, B., Bais, H. P., Weir, T., Suresh, B., Najarro, E. H., Dayakar, B. V., Schweizer, H.P. & Vivanco, J. M. (2005). Down regulation of virulence factors of *Pseudomonas aeruginosa* by salicylic acid attenuates its virulence on *Arabidopsis thaliana* and *Caenorhabditis elegans*. *Infection and Immunity*, 73(9), 5319-5328.
- Pumbwe, L., Randall, L. P., Woodward, M. J., & Piddock, L. J. (2004). Expression of the efflux pump genes *cmeB*, *cmeF* and the porin gene *porA* in multiple-antibiotic-resistant *Campylobacter jejuni*. *Journal of Antimicrobial Chemotherapy*, 54(2), 341-347.
- Putman, M., van Veen, H. W., & Konings, W. N. (2000). Molecular properties of bacterial multidrug transporters. *Microbiology Molecular Biology Reviews*, 64(4), 672-693.
- Raghavendra, M. P., Satish, S., & Raveesha, K. A. (2008). In vitro antibacterial potential of alkaloids of *Samanea saman* (Jacq.) Merr. against *Xanthomonas* and human pathogenic bacteria. *World Journal of Agricultural Sciences*, 4(1), 100-105.
- Raghavendra, M. P., Satish, S., & Raveesha, K. A. (2009). Alkaloids isolated from leaves of *Prosopis juliflora* against *Xanthomonas* pathovars. *Archives of Phytopathology and Plant protection*, 42(11), 1033-1041.

- Rai, R., Ranjan, M., Pradhan, B. B., & Chatterjee, S. (2012). Atypical regulation of virulence-associated functions by a diffusible signal factor in *Xanthomonas oryzae* pv. *oryzae*. *Molecular Plant-Microbe Interactions*, 25(6), 789-801.
- Rajeshwari, R., Jha, G., & Sonti, R. V. (2005). Role of an in planta-expressed xylanase of *Xanthomonas oryzae* pv. *oryzae* in promoting virulence on rice. *Molecular Plant-Microbe Interactions*, 18(8), 830-837.
- Rand, K. H., Houck, H. J., Brown, P., & Bennett, D. (1993). Reproducibility of the microdilution checkerboard method for antibiotic synergy. *Antimicrobial Agents and Chemotherapy*, 37(3), 613-615.
- Rao, M., Padyana, S., Dipin, K. M., Kumar, S., & Nayak, B. B. (2018). Antimicrobial Compounds of Plant Origin as Efflux Pump Inhibitors: New Avenues for Controlling Multidrug Resistant Pathogens. *Journal of Antimicrobial Agents*, 4(1000159), 2472-1212.
- Rasko, D. A., & Sperandio, V. (2010). Anti-virulence strategies to combat bacteria-mediated disease. *Nature Reviews Drug Discovery*, 9(2), 117-128.
- Ray, S. K., Rajeshwari, R., & Sonti, R. V. (2000). Mutants of *Xanthomonas oryzae* pv. *oryzae* deficient in general secretory pathway are virulence deficient and unable to secrete xylanase. *Molecular Plant-Microbe Interactions*, 13(4), 394-401.
- Raynie, D. E. (2006). Modern extraction techniques. *Analytical Chemistry*, 78(12), 3997-4004.
- Reddy, A. P. K., Mackenzie, D. R., Rouse, D. I., & Rao, A. V. (1979). Relationship of bacterial leaf blight severity to grain yield of rice. *Phytopathology*, 69(9), 967-969.
- Reitsma, J., & Schure, P. S. J. (1950). 'Kresiek', a bacterial disease of Rice. *Contributions from the General Agricultural Research Station, Bogor*, 117, 17
- Ren, X. G., Huang, J. R., Xiang, J. G., Chen, Z., Wu, W. J., Li, B. W., & Pen, F. (1993). Research on the control technique of rice bacterial leaf streak. *Journal of Hunan Agricultural College*, 19(6), 591-599.
- Repellin, A., Båga, M., Jauhar, P. P., & Chibbar, R. N. (2001). Genetic enrichment of cereal crops via alien gene transfer: new challenges. *Plant Cell, Tissue and Organ Culture*, 64(2-3), 159-183.
- Robledo, E. A., López-Hernández, I., Silby, M. W., & Levy, S. B. (2003). Genetic analysis of the AdnA regulon in *Pseudomonas fluorescens*: nonessential role of flagella in adhesion to sand and biofilm formation. *Journal of Bacteriology*, 185(2), 453-460.
- Ryan, R. P., Vorhölter, F. J., Potnis, N., Jones, J. B., Van Sluys, M. A., Bogdanove, A. J., & Dow, J. M. (2011). Pathogenomics of *Xanthomonas*: understanding bacterium-plant interactions. *Nature Reviews Microbiology*, 9(5), 344-355.
- Saha, S., Garg, R., Biswas, A., & Rai, A. (2015). Bacterial diseases of rice: An overview. *Journal of Pure and Applied Microbiology*, 9(1), 725-736.
- Salzberg, S. L., Sommer, D. D., Schatz, M. C., Phillippy, A. M., Rabinowicz, P. D., Tsuge, S., Furutani, A., Ochiai, H., Delcher, A.L., Kelley, D. & Madupu, R. (2008). Genome sequence and rapid evolution of the rice pathogen *Xanthomonas oryzae* pv. *oryzae* PXO99 A. *BMC Genomics*, 9(1), 204-220.

- Sambrook, J., & Russel, D. W. In: *Molecular cloning: A laboratory Manual*. 3rd edn, 2001. Cold Spring Harbor Laboratory Press (Cold Spring Harbor, NY), 1546.
- Sankaranarayanan, R., Saxena, P., Marathe, U. B., Gokhale, R. S., Shanmugam, V. M., & Rukmini, R. (2004). A novel tunnel in mycobacterial type III polyketide synthase reveals the structural basis for generating diverse metabolites. *Nature Structural and Molecular Biology*, 11(9), 894-900.
- Schägger, H. (2006). Tricine–sds-page. *Nature Protocols*, 1(1), 16-22.
- Schneider, K., Chen, X. H., Vater, J., Franke, P., Nicholson, G., Borriss, R., & Süssmuth, R. D. (2007). Macrolactin is the polyketide biosynthesis product of the pks2 cluster of *Bacillus amyloliquefaciens* FZB42. *Journal of Natural Products*, 70(9), 1417-1423.
- Schreiber, S. L. (1998). Chemical genetics resulting from a passion for synthetic organic chemistry. *Bioorganic and Medicinal Chem.*, 6, 1127-1152.
- Schymanski, E. L., Jeon, J., Gulde, R., Fenner, K., Ruff, M., Singer, H. P., & Hollender, J. (2014). Identifying small molecules via high resolution mass spectrometry: communicating confidence. *Environmental Science and Technology*, 48(4), 2097-2098.
- Schymanski, E. L., Singer, H. P., Slobodnik, J., Ipolyi, I. M., Oswald, P., Krauss, M., Schulze, T., Haglund, P., Letzel, T., Grosse, S. & Thomaidis, N. S. (2015). Non-target screening with high-resolution mass spectrometry: critical review using a collaborative trial on water analysis. *Analytical and Bioanalytical Chemistry*, 407(21), 6237-6255.
- Seki, M., & Mizukami, T. (1956). Application of antibiotics against bacterial leaf blight of rice plant. *Kyushu Agricultural. Research*, 17, 98.
- Selzer, P. M., Brutsche, S., Wiesner, P., Schmid, P., & Müllner, H. (2000). Target-based drug discovery for the development of novel anti-infectives. *International Journal of Medical Microbiology*, 290(2), 191-201.
- Sharma, A., Sharma, R., Imamura, M., Yamakawa, M., & Machii, H. (2000). Transgenic expression of cecropin B, an antibacterial peptide from *Bombyx mori*, confers enhanced resistance to bacterial leaf blight in rice. *FEBS Letters*, 484(1), 7-11.
- Sharma, P., Bora, L. C., & Puzari, K. C. (2017). Review on bacterial blight of rice caused by *Xanthomonas oryzae* pv. *oryzae*: different management approaches and role of *Pseudomonas fluorescens* as a potential biocontrol agent. *International Journal of Current Microbiology and Applied Science*, 6, 982-1005.
- Sharma, T. R., Rai, A. K., Gupta, S. K., Vijayan, J., Devanna, B. N., & Ray, S. (2012). Rice blast management through host-plant resistance: retrospect and prospects. *Agricultural Research*, 1(1), 37-52.
- Sheldon Jr, A. T. (2005). Antibiotic resistance: a survival strategy. *Clinical Laboratory Science*, 18(3), 170-180.
- Shen, B. (2003). Polyketide biosynthesis beyond the type I, II and III polyketide synthase paradigms. *Current Opinion in Chemical Biology*, 7(2), 285-295.

- Shi, W., Li, C., Li, M., Zong, X., Han, D., & Chen, Y. (2016). Antimicrobial peptide melittin against *Xanthomonas oryzae* pv. *oryzae*, the bacterial leaf blight pathogen in rice. *Applied Microbiology and Biotechnology*, 100(11), 5059-5067.
- Shimizu, Y., Ogata, H., & Goto, S. (2017). Type III polyketide synthases: functional classification and phylogenomics. *ChemBioChem*, 18(1), 50-65.
- Shin, M. S., Shin, H. T., Jun, B. T., & Choi, B. S. (1992). Effects of inoculation of compatible and incompatible bacterial blight races on grain yield and quality of two rice cultivars. *Korean Journal of Breeding*, 24 (3), 264-267
- Shivaji, S., Chaturvedi, P., & Suresh, K. (2006). *Bacillus aerius* sp. nov., *Bacillus aerophilus* sp. nov., *Bacillus stratosphericus* sp. nov. and *Bacillus altitudinis* sp. nov., isolated from cryogenic tubes used for collecting air samples from high altitudes. *International Journal of Systematic and Evolutionary Microbiology*, 56, ije64029
- Shogren-Knaak, M. A., Alaimo, P. J., & Shokat, K. M. (2001). Recent advances in chemical approaches to the study of biological systems. *Annual Review of Cell and Developmental Biology*, 17(1), 405-433.
- Shriram, V., Khare, T., Bhagwat, R., Shukla, R., & Kumar, V. (2018). Inhibiting bacterial drug efflux pumps via phyto-therapeutics to combat threatening antimicrobial resistance. *Frontiers in Microbiology*, 9, 1-18
- Silva, L. N., Zimmer, K. R., Macedo, A. J., & Trentin, D. S. (2016). Plant natural products targeting bacterial virulence factors. *Chemical Reviews*, 116(16), 9162-9236.
- Singh, R. A., Das, B., Ahmed, K. M., & Pal, V. (1980). Chemical control of bacterial leaf blight of rice. *International Journal of Pest Management*, 26(1), 21-25.
- Singh, R., Yadav, R. S., & Javeria, S. (2015). Management of bacterial leaf blight of Basmati rice caused by *Xanthomonas oryzae* pv. *oryzae* with some available antibiotics and plant products. *International Journal of Innovative and Applied Research*, 3(11), 1-6.
- Skamnioti, P., & Gurr, S. J. (2009). Against the grain: safeguarding rice from rice blast disease. *Trends in Biotechnology*, 27(3), 141-150.
- Slininger, P. J., & Shea-Wilbur, M. A. (1995). Liquid-culture pH, temperature, and carbon (not nitrogen) source regulate phenazine productivity of the take-all biocontrol agent *Pseudomonas fluorescens* 2-79. *Applied Microbiology and Biotechnology*, 43(5), 794-800.
- Smith, B., & Oliver, J. D. (2006). In situ and in vitro gene expression by *Vibrio vulnificus* during entry into, persistence within, and resuscitation from the viable but nonculturable state. *Applied Environmental Microbiology*, 72(2), 1445-1451.
- Smith, E. C., Kaatz, G. W., Seo, S. M., Wareham, N., Williamson, E. M., & Gibbons, S. (2007). The phenolic diterpene totarol inhibits multidrug efflux pump activity in *Staphylococcus aureus*. *Antimicrobial Agents and Chemotherapy*, 51(12), 4480-4483.
- Spellberg, B. (2008). Antibiotic resistance and antibiotic development. *The Lancet Infectious Diseases*, 8(4), 211-212.

- Stavri, M., Piddock, L. J., & Gibbons, S. (2006). Bacterial efflux pump inhibitors from natural sources. *Journal of Antimicrobial Chemotherapy*, 59(6), 1247-1260.
- Stein, T. (2005). *Bacillus subtilis* antibiotics: structures, syntheses and specific functions. *Molecular Microbiology*, 56(4), 845-857.
- Stermitz, F. R., Lorenz, P., Tawara, J. N., Zenewicz, L. A., & Lewis, K. (2000). Synergy in a medicinal plant: antimicrobial action of berberine potentiated by 5'-methoxyhydrnocarpin, a multidrug pump inhibitor. *Proceedings of the National Academy of Sciences*, 97(4), 1433-1437.
- Sturz, A. V., & Nowak, J. (2000). Endophytic communities of rhizobacteria and the strategies required to create yield enhancing associations with crops. *Applied Soil Ecology*, 15(2), 183-190.
- Sugio, A., Yang, B., & White, F. F. (2005). Characterization of the hrpF pathogenicity peninsula of *Xanthomonas oryzae* pv. *oryzae*. *Molecular Plant-Microbe Interactions*, 18(6), 546-554.
- Sulaiman, M., & Ahmed, L. (1965). Controlling bacterial blight in paddy in Maharashtra. *Indian Farming*, 15(8), 27-29.
- Sun, Q. H., Hu, J., Huang, G. X., Ge, C., Fang, R. X., & He, C. Z. (2005). Type-II secretion pathway structural gene xpsE, xylanase-and cellulase secretion and virulence in *Xanthomonas oryzae* pv. *oryzae*. *Plant Pathology*, 54(1), 15-21.
- Sunar, K., Dey, P., Chakraborty, U., & Chakraborty, B. (2015). Biocontrol efficacy and plant growth promoting activity of *Bacillus altitudinis* isolated from Darjeeling hills, India. *Journal of Basic Microbiology*, 55(1), 91-104.
- Sundaram, R. M., Vishnupriya, M. R., Biradar, S. K., Laha, G. S., Reddy, G. A., Rani, N. S., Sarma, N.P. & Sonti, R. V. (2008). Marker assisted introgression of bacterial blight resistance in Samba Mahsuri, an elite indica rice variety. *Euphytica*, 160(3), 411-422.
- Sundaram, R. M., Vishnupriya, M. R., Laha, G. S., Rani, N. S., Rao, P. S., Balachandran, S. M., Reddy, G.A., Sarma, N.P. & Sonti, R. V. (2009). Introduction of bacterial blight resistance into Triguna, a high yielding, mid-early duration rice variety. *Biotechnology Journal: Healthcare Nutrition Technology*, 4(3), 400-407.
- Sundaramoorthy, N. S., Mitra, K., Ganesh, J. S., Makala, H., Lotha, R., Bhanuvalli, S. R., Ulaganathan, V., Tiru, V., Sivasubramanian, A. & Nagarajan, S. (2018). Ferulic acid derivative inhibits NorA efflux and in combination with ciprofloxacin curtails growth of MRSA in vitro and in vivo. *Microbial Pathogenesis*, 124, 54-62.
- Sundin, G. W., & Wang, N. (2018). Antibiotic resistance in plant-pathogenic bacteria. *Annual Review of Phytopathology*, 56, 161-180.
- Tagami, Y. (1962). Historical review of the researchers on bacterial leaf blight of rice caused by *Xanthomonas oryzae* (Uyeda et Ishiyama) Dowson; Special report. *Plant Disease and Insect Pests Forecasting Service*, 10, 112.
- Tayi, L., Maku, R. V., Patel, H. K., & Sonti, R. V. (2016). Identification of Pectin Degrading Enzymes Secreted by *Xanthomonas oryzae* pv. *oryzae* and Determination of Their Role in Virulence on Rice. *PLOS ONE*, 11(12), e0166396.

- Tegos, P. G., Stermitz, F. R., Lomovskaya, O., & Lewis, K. (2002). Multidrug pump inhibitors uncover remarkable activity of plant antimicrobials. *Antimicrobial Agents and Chemotherapy*, 46(10), 3133-3141.
- Tegos, P. G., Haynes, M., Jacob Strouse, J., Md T Khan, M., G Bologna, C., I Oprea, T., & A Sklar, L. (2011). Microbial efflux pump inhibition: tactics and strategies. *Current Pharmaceutical Design*, 17(13), 1291-1302.
- Thomashow, L. S., & Weller, D. M. (1996). Current concepts in the use of introduced bacteria for biological disease control: mechanisms and antifungal metabolites. In: *Plant-Microbe Interactions*, Springer, Boston, MA. 187-235.
- Tremaroli, V., VacchiSuzzi, C., Fedi, S., Ceri, H., Zannoni, D., & Turner, R. J. (2010). Tolerance of *Pseudomonas pseudoalcaligenes* KF707 to metals, polychlorobiphenyls and chlorobenzoates: effects on chemotaxis-, biofilm-and planktonic-grown cells. *FEMS Microbiology Ecology*, 74(2), 291-301.
- Tripathi, J. K., Pal, S., Awasthi, B., Kumar, A., Tandon, A., Mitra, K., Chattopadhyay, N. & Ghosh, J. K. (2015). Variants of self-assembling peptide, KLD-12 that show both rapid fracture healing and antimicrobial properties. *Biomaterials*, 56, 92-103.
- Truchado, P., Tomás-Barberán, F. A., Larrosa, M., & Allende, A. (2012). Food phytochemicals act as quorum sensing inhibitors reducing production and/or degrading autoinducers of *Yersinia enterocolitica* and *Erwinia carotovora*. *Food Control*, 24(1-2), 78-85.
- Tsuchiya, K., Mew, T. W., & Wakimoto, S. (1982). Bacteriological and pathological characteristics of wild types and induced mutants of *Xanthomonas campestris* pv. *oryzae*. *Phytopathology*, 72(1), 43-46.
- Tsuge, S., Furutani, A., Fukunaka, R., Oku, T., Tsuno, K., Ochiai, H., Inoue, Y., Kaku, H. & Kubo, Y. (2002). Expression of *Xanthomonas oryzae* pv. *oryzae* hrp genes in XOM2, a novel synthetic medium. *Journal of General Plant Pathology*, 68(4), 363-371.
- Tyihák, E., Ott, P., Móricz, Á., Kátay, G., & Király-Véghely, Z. (2004). Antibiosis, antibiotics, and the formaldehyde cycle: the unique importance of planar chromatographic techniques to progress in these fields. *Journal of Planar Chromatography-Modern TLC*, 17(2), 84-88.
- Udayashankar, A. C., Nayaka, S. C., Reddy, M. S., & Srinivas, C. (2011). Plant growth-promoting rhizobacteria mediate induced systemic resistance in rice against bacterial leaf blight caused by *Xanthomonas oryzae* pv. *oryzae*. *Biological Control*, 59(2), 114-122.
- Valecillos, A. M., Palenzuela, P. R., & López-Solanilla, E. (2006). The role of several multidrug resistance systems in *Erwinia chrysanthemi* pathogenesis. *Molecular Plant-Microbe Interactions*, 19(6), 607-613.
- Van Bambeke, F., Glupczynski, Y., Plesiat, P., Pechere, J. C., & Tulkens, P. M. (2003). Antibiotic efflux pumps in prokaryotic cells: occurrence, impact on resistance and strategies for the future of antimicrobial therapy. *Journal of Antimicrobial Chemotherapy*, 51(5), 1055-1065.
- Van Hop, D., Hoa, P. T. P., Quang, N. D., Ton, P. H., Ha, T. H., Van Hung, N., Van, N.T., Van Hai, T., Quy, N.T.K., Dao, N.T.A. & Thom, V. T. (2014). Biological

- control of *Xanthomonas oryzae* pv. *oryzae* causing rice bacterial blight disease by *Streptomyces toxytricini* VN08-A-12, isolated from soil and leaf-litter samples in Vietnam. *Biocontrol Science*, 19(3), 103-111.
- Vandeputte, O. M., Kiendrebeogo, M., Rajaonson, S., Diallo, B., Mol, A., El Jaziri, M., & Baucher, M. (2010). Identification of catechin as one of the flavonoids from *Combretum albiflorum* bark extract that reduces the production of quorum-sensing-controlled virulence factors in *Pseudomonas aeruginosa* PAO1. *Applied and Environmental Microbiology*, 76(1), 243-253.
- Vasudevan, P., Kavitha, S., Priyadarisini, V. B., Babujee, L., & Gnanamanickam, S. S. (2002). Biological control of rice diseases. *Biological Control of Crop Diseases*. Gnanamanickam ed. Marcel Dekker Inc, New York, 11-32.
- Vater, J., Kablitz, B., Wilde, C., Franke, P., Mehta, N., & Cameotra, S. S. (2002). Matrix-assisted laser desorption ionization-time of flight mass spectrometry of lipopeptide biosurfactants in whole cells and culture filtrates of *Bacillus subtilis* C-1 isolated from petroleum sludge. *Applied and Environmental Microbiology*, 68(12), 6210-6219.
- Velusamy, P., Immanuel, J. E., Gnanamanickam, S. S., & Thomashow, L. (2006). Biological control of rice bacterial blight by plant-associated bacteria producing 2, 4-diacetylphloroglucinol. *Canadian Journal of Microbiology*, 52(1), 56-65.
- Venkatesh, H. N., Thippeswamy, S., Abhishek, R. U., & Mohana, D. C. (2015). Antibacterial activity of alkaloid extracts and active constituents of some selected plants against *Xanthomonas campestris*. *International Journal of Agricultural Technology*, 11(3), 683-691.
- Verdier, V., Cruz, C. V., & Leach, J. E. (2012). Controlling rice bacterial blight in Africa: needs and prospects. *Journal of Biotechnology*, 159(4), 320-328.
- Vijayakumari, S. J., Sasidharannair, N. K., Nambisan, B., & Mohandas, C. (2013). Optimization of media and temperature for enhanced antimicrobial production by bacteria associated with *Rhabditis* sp. *Iranian Journal of Microbiology*, 5(2), 136-141.
- Viveiros, M., Jesus, A., Brito, M., Leandro, C., Martins, M., Ordway, D., Molnar, A.M., Molnar, J. & Amaral, L. (2005). Inducement and reversal of tetracycline resistance in *Escherichia coli* K-12 and expression of proton gradient-dependent multidrug efflux pump genes. *Antimicrobial Agents and Chemotherapy*, 49(8), 3578-3582.
- Wagner, H., & Ulrich-Merzenich, G. (2009). Synergy research: approaching a new generation of phytopharmaceuticals. *Phytomedicine*, 16(2-3), 97-110.
- Wang, Y., Ouellette, A. N., Egan, C. W., Rathinavelan, T., Im, W., & De Guzman, R. N. (2007). Differences in the electrostatic surfaces of the type III secretion needle proteins PrgI, BsaL, and MxiH. *Journal of Molecular Biology*, 371(5), 1304-1314.
- Ward, A., Hoyle, C., Palmer, S., O'Reilly, J., Griffith, J., Pos, M., Morrison, S., Poolman, B., Gwynne, M. & Henderson, P. (2001). Prokaryote multidrug efflux proteins of the major facilitator superfamily: amplified expression, purification and characterisation. *Journal of Molecular Microbiology and Biotechnology*, 3(2), 193-200

- Ward, G. E., Carey, K. L., & Westwood, N. J. (2002). Using small molecules to study big questions in cellular microbiology. *Cellular Microbiology*, 4(8), 471-482.
- Webber, M. A., & Piddock, L. J. V. (2003). The importance of efflux pumps in bacterial antibiotic resistance. *Journal of Antimicrobial Chemotherapy*, 51(1), 9-11.
- Webber, M., Buckley, A. M., Randall, L. P., Woodward, M. J., & Piddock, L. J. (2006). Overexpression of *marA*, *soxS* and *acrB* in veterinary isolates of *Salmonella enterica* rarely correlates with cyclohexane tolerance. *Journal of Antimicrobial Chemotherapy*, 57(4), 673-679.
- Wengelnik, K., & Bonas, U. (1996). HrpXv, an AraC-type regulator, activates expression of five of the six loci in the *hrp* cluster of *Xanthomonas campestris* pv. *Vesicatoria*. *Journal Of Bacteriology*, 3462-3469.
- Wengelnik, K., Van den Ackerveken, G., & Bonas, U. (1996). HrpG, a key *hrp* regulatory protein of *Xanthomonas campestris* pv. *vesicatorialis* homologous to two-component response regulators. *Molecular Plant-Microbe Interaction*, 9, 704-712.
- Willis, D. K., Rich, J. J., & Hrabak, E. M. (1991). Hrp genes of phytopathogenic bacteria. *Molecular Plant-Microbe Interaction*, 4, 132-138.
- Wilson, D. N. (2014). Ribosome-targeting antibiotics and mechanisms of bacterial resistance. *Nature Reviews Microbiology*, 12(1), 35-48.
- Wilson, K. E., Flor, J. E., Schwartz, R. E., Joshua, H., Smith, J. L., Pelak, B. A., Liesch, J.M. & Hensens, O. D. (1987). Difficidin and oxydifficidin: novel broad spectrum antibacterial antibiotics produced by *Bacillus subtilis*. *The Journal of Antibiotics*, 40(12), 1682-1691.
- Wink, M. (2003). Evolution of secondary metabolites from an ecological and molecular phylogenetic perspective. *Phytochemistry*, 64(1), 3-19.
- Wu, L., Wu, H., Chen, L., Yu, X., Borriss, R., & Gao, X. (2015). Difficidin and bacilysin from *Bacillus amyloliquefaciens* FZB42 have antibacterial activity against *Xanthomonas oryzae* rice pathogens. *Scientific Reports*, 5, 1-9.
- Xu, Y., Luo, Q. Q., & Zhou, M. G. (2013). Identification and characterization of integron-mediated antibiotic resistance in the phytopathogen *Xanthomonas oryzae* pv. *oryzae*. *PLOS ONE*, 8(2), e55962.
- Xu, J., Zhou, L., Venturi, V., He, Y. W., Kojima, M., Sakakibari, H., Höfte, M. & De Vleeschauwer, D. (2015). Phytohormone-mediated interkingdom signaling shapes the outcome of rice-*Xanthomonas oryzae* pv. *oryzae* interactions. *BMC Plant Biology*, 15(10), 1-16.
- Xu, Y., Zhu, X. F., Zhou, M. G., Kuang, J., Zhang, Y., Shang, Y., & Wang, J. X. (2010). Status of streptomycin resistance development in *Xanthomonas oryzae* pv. *oryzae* and *Xanthomonas oryzae* pv. *oryzicola* in China and their resistance characters. *Journal of Phytopathology*, 158(9), 601-608.
- Xue, N. (1973). Application of streptomycin in plant protection. *Bulletin of Agricultural Science and Technology* (2), 21.
- Xue, Y. (2002). Control effect of several biotic pesticide against diseased rice. *Jiangxi Plant Protection*, 25(3), 68-71.

- Yamamoto, S., & Harayama, S. (1995). PCR amplification and direct sequencing of *gyrB* genes with universal primers and their application to the detection and taxonomic analysis of *Pseudomonas putida* strains. *Applied and Environmental Microbiology*, 61(3), 1104-1109.
- Yang, S., Peng, Q., San Francisco, M., Wang, Y., Zeng, Q., & Yang, C. H. (2008). Type III secretion system genes of *Dickeya dadantii* 3937 are induced by plant phenolic acids. *PLOS ONE*, 3(8), e2973.
- Yarbrough, G. G., Taylor, D. P., Rowlands, R. T., Crawford, M. S., & Lasure, L. L. (1993). Screening microbial metabolites for new drugs-theoretical and practical issues. *The Journal of Antibiotics*, 46(4), 535-544.
- Yashitola, J., Krishnaveni, D., Reddy, A. P. K., & Sonti, R. V. (1997). Genetic diversity within the population of *Xanthomonas oryzae* pv. *oryzae* in India. *Phytopathology*, 87(7), 760-765
- Yu, D., Xu, F., Zeng, J., & Zhan, J. (2012). Type III polyketide synthases in natural product biosynthesis. *IUBMB life*, 64(4), 285-295.
- Yugander, A., Sundaram, R. M., Ladhakshmi, D., Hajira, S. K., Prakasam, V., Prasad, M. S., Madhav, M.S., Babu, V.R. & Laha, G. S. (2017). Virulence profiling of *Xanthomonas oryzae* pv. *oryzae* isolates, causing bacterial blight of rice in India. *European Journal of Plant Pathology*, 149(1), 171-191.
- Yusuf, K., Pulat, S., Turdahun, M., Hamdun, M., Osman, G., Abdurehim, Z., & Rahman, E. (2011). Phylogenetic diversity of culturable endophytic bacteria isolated from the *Populus euphratica* at the disused ancient Ugan River. *Acta Microbiologica Sinica*, 51(2), 178-188.
- Zheng, C. J., Lee, S., Lee, C. H., & Kim, W. G. (2007). Macrolactins O–R, glycosylated 24-membered lactones from *Bacillus* sp. AH159-1. *Journal of Natural Products*, 70(10), 1632-1635.
- Zuber, P., Nakano, M. M., & Marahiel, M. A. (1993). Peptide antibiotics. In: *Bacillus subtilis and Other Gram-Positive Bacteria*. American Society of Microbiology Press, Washington, DC.897-916.