

Bibliography

BIBLIOGRAPHY

1. Adlerberth, Marina Cerquetti, Isabe, I. (2000). Mechanisms of Colonisation and Colonisation Resistance of the Digestive Tract Part 1: Bacteria/host Interactions. *Microbial Ecology in Health and Disease*, 12(2), 223–239.
2. Agerholm-Larsen, L., Raben, A., Haulrik, N., Hansen, A. S., Manders, M., & Astrup, A. (2000). Effect of 8 week intake of probiotic milk products on risk factors for cardiovascular diseases. *European Journal of Clinical Nutrition*, 54(4), 288–297.
3. Aissi, E. A., Lecocq, M., Brassart, C., & Bouquelet, S. (2001). Adhesion of some Bifidobacterial strains to human enterocyte-like cells and binding to mucosal glycoproteins. *Microbial Ecology in Health and Disease*, 13(1), 32–39.
4. Al-Sadi, R., Khatib, K., Guo, S., Ye, D., Youssef, M., & Ma, T. (2011). Occludin regulates macromolecule flux across the intestinal epithelial tight junction barrier. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 300(6), G1054–G1064.
5. Al-Sadi, R. M., & Ma, T. Y. (2007). IL-1beta causes an increase in intestinal epithelial tight junction permeability. *Journal of Immunology (Baltimore, Md. : 1950)*, 178(7), 4641–9.
6. Al-Sadi, R., Ye, D., Dokladny, K., & Ma, T. Y. (2008). Mechanism of IL-1beta-induced increase in intestinal epithelial tight junction permeability. *Journal of Immunology (Baltimore, Md. : 1950)*, 180(8), 5653–61.
7. Al-Sadi, R., Ye, D., Said, H. M., & Ma, T. Y. (2010). IL-1 β -Induced Increase in Intestinal Epithelial Tight Junction Permeability Is Mediated by MEKK-1 Activation of Canonical NF- κ B Pathway. *The American Journal of Pathology*, 177(5), 2310–2322.
8. Alakomi, H. L., Skyttä, E., Saarela, M., Mattila-Sandholm, T., Latva-Kala, K., & Helander, I. M. (2000). Lactic acid permeabilizes gram-negative bacteria by disrupting the outer membrane. *Applied and Environmental Microbiology*, 66(5), 2001–2005.
9. Allen, S. J., Martinez, E. G., Gregorio, G. V, & Dans, L. F. (2010). Probiotics

- for treating acute infectious diarrhoea. *The Cochrane Library*.
10. Amachi, S., Ishikawa, K., Toyoda, S., Kagawa, Y., Yokota, A., & Tomita, F. (1998). Characterization of a mutant of *Lactococcus lactis* with reduced membrane-bound ATPase activity under acidic conditions. *Bioscience, Biotechnology, and Biochemistry*, 62(8), 1574–1580.
 11. Amar, J., Chabo, C., Waget, A., Klopp, P., Vachoux, C., Bermúdez-Humarán, L. G., ... Burcelin, R. (2011). Intestinal mucosal adherence and translocation of commensal bacteria at the early onset of type 2 diabetes: molecular mechanisms and probiotic treatment. *EMBO Molecular Medicine*, 3(9), 559–72.
 12. Amasheh, S., Meiri, N., Gitter, A. H., Schöneberg, T., Mankertz, J., Schulzke, J. D., & Fromm, M. (2002). Claudin-2 expression induces cation-selective channels in tight junctions of epithelial cells. *Journal of Cell Science*, 115(Pt 24), 4969–76.
 13. Amin, M., Adams, M., Bolch, C. J. S., & Burke, C. M. (2017). *In vitro* screening of lactic acid bacteria isolated from gastrointestinal tract of Atlantic Salmon (*Salmo salar*) as probiont candidates. *Aquaculture International*, 25(1), 485–498.
 14. Ammor, M. S., Belén Flórez, A., & Mayo, B. (2007). Antibiotic resistance in non-enterococcal lactic acid bacteria and bifidobacteria. *Food Microbiology*. Academic Press.
 15. Andersen, V., Olsen, A., Carbonnel, F., Tjønneland, A., & Vogel, U. (2012). Diet and risk of inflammatory bowel disease. *Digestive and Liver Disease*, 44(3), 185–194.
 16. Anderson, R. C., Cookson, A. L., McNabb, W. C., Kelly, W. J., & Roy, N. C. (2010). *Lactobacillus plantarum* DSM 2648 is a potential probiotic that enhances intestinal barrier function. *FEMS Microbiology Letters*, 309(2), 184–192.
 17. Antikainen, J., Anton, L., Sillanpää, J., & Korhonen, T. K. (2002). Domains in the S-layer protein CbsA of *Lactobacillus crispatus* involved in adherence to collagens, laminin and lipoteichoic acids and in self-assembly. *Molecular Microbiology*, 46(2), 381–94.
 18. Antikainen, J., & Yliopistopaino. (2007). Surface proteins of *Lactobacillus crispatus* adhesive properties and cell wall anchoring. University of Helsinki.
 19. Arai, T., Obuchi, S., Eguchi, K., & Seto, Y. (2016). *In vitro* investigation of

- molecules involved in *Lactobacillus gasseri* SBT2055 adhesion to host intestinal tract components. *Journal of Applied Microbiology*, 120(6), 1658–1667.
20. Arjuna N. B. Ellepola, Lakshman P. (2001). Investigative Methods for Studying the Adhesion and Cell Surface Hydrophobicity of *Candida* Species: An Overview. *Microbial Ecology in Health and Disease*, 13(1), 46–54.
 21. Arnold, C. (2013). The pros and cons of probiotics. *The Lancet Infectious Diseases*, 13(7), 571–2.
 22. Arroyo, R., Martín, V., Maldonado, A., Jiménez, E., Fernández, L., & Rodríguez, J. M. (2010). Treatment of Infectious Mastitis during Lactation: Antibiotics versus Oral Administration of Lactobacilli Isolated from Breast Milk. *Clinical Infectious Diseases*, 50(12), 1551–1558.
 23. Arumugam, M., Raes, J., Pelletier, E., Le Paslier, D., Yamada, T., Mende, D. R., ... Bork, P. (2011). Enterotypes of the human gut microbiome. *Nature*, 473(7346), 174–80.
 24. Avall-Jääskeläinen, S., Kylä-Nikkilä, K., Kahala, M., Miikkulainen-Lahti, T., & Palva, A. (2002). Surface display of foreign epitopes on the *Lactobacillus brevis* S-layer. *Applied and Environmental Microbiology*, 68(12), 5943–51.
 25. Åvall-Jääskeläinen, S., & Palva, A. (2005). *Lactobacillus* surface layers and their applications. *FEMS Microbiology Reviews*, 29(3), 511–529.
 26. Axelrad, J. E., Lichtiger, S., & Yajnik, V. (2016). Inflammatory bowel disease and cancer: The role of inflammation, immunosuppression, and cancer treatment. *World Journal of Gastroenterology*, 22(20), 4794–801.
 27. Baccigalupi, L., Di Donato, A., Parlato, M., Luongo, D., Carbone, V., Rossi, M., ... De Felice, M. (2005). Small surface-associated factors mediate adhesion of a food-isolated strain of *Lactobacillus fermentum* to Caco-2 cells. *Research in Microbiology*, 156(7), 830–836.
 28. Bäckhed, F., Ley, R. E., Sonnenburg, J. L., Peterson, D. A., & Gordon, J. I. (2005). Host-bacterial mutualism in the human intestine. *Science*, 307(5717), 1915–1920.
 29. Balda, M. S., & Matter, K. (2000). The tight junction protein ZO-1 and an interacting transcription factor regulate ErbB-2 expression. *The EMBO Journal*, 19(9), 2024–33.
 30. Balda, M. S., Whitney, J. A., Flores, C., González, S., Cereijido, M., & Matter,

- K. (1996). Functional dissociation of paracellular permeability and transepithelial electrical resistance and disruption of the apical-basolateral intramembrane diffusion barrier by expression of a mutant tight junction membrane protein. *The Journal of Cell Biology*, 134(4), 1031–49.
31. Balmer, S. E., & Wharton, B. A. (1989). Diet and faecal flora in the newborn: breast milk and infant formula. *Archives of Disease in Childhood*, 64(12), 1672–7.
 32. Bamforth, S. D., Kniesel, U., Wolburg, H., Engelhardt, B., & Risau, W. (1999). A dominant mutant of occludin disrupts tight junction structure and function. *Journal of Cell Science*, 112(12), 1879–1888.
 33. Barnby-Smith, F. M. (1992). Bacteriocins: applications in food preservation. *Trends in Food Science & Technology*, 3, 133–137.
 34. Basuroy, S., Seth, A., Elias, B., Naren, A. P., & Rao, R. (2006). MAPK interacts with occludin and mediates EGF-induced prevention of tight junction disruption by hydrogen peroxide. *The Biochemical Journal*, 393(Pt 1), 69–77.
 35. Bateup, J. M., McConnell, M. A., Jenkinson, H. F., & Tannock, G. W. (1995). Comparison of *Lactobacillus* strains with respect to bile salt hydrolase activity, colonization of the gastrointestinal tract, and growth rate of the murine host. *Applied and Environmental Microbiology*, 61(3), 1147–9.
 36. Bazzoni, G. (2003). The JAM family of junctional adhesion molecules. *Current Opinion in Cell Biology*, 15(5), 525–30.
 37. Bazzoni, G., Martinez-Estrada, O. M., Orsenigo, F., Cordenonsi, M., Citi, S., & Dejana, E. (2000). Interaction of junctional adhesion molecule with the tight junction components ZO-1, cingulin, and occludin. *The Journal of Biological Chemistry*, 275(27), 20520–6.
 38. Begley, M., Gahan, C. G. M., & Hill, C. (2005). The interaction between bacteria and bile. *FEMS Microbiology Reviews*, 29(4), 625–651.
 39. Bergmann, K. R., Liu, S. X. L., Tian, R., Kushnir, A., Turner, J. R., Li, H. L., ... De Plaen, I. G. (2013). Bifidobacteria stabilize claudins at tight junctions and prevent intestinal barrier dysfunction in mouse necrotizing enterocolitis. *American Journal of Pathology*, 182(5), 1596–1606.
 40. Bergonzelli, G. E., Granato, D., Pridmore, R. D., Marvin-Guy, L. F., Donnicola, D., & Corthésy-Theulaz, I. E. (2006). GroEL of *Lactobacillus johnsonii* La1 (NCC 533) is cell surface associated: potential role in interactions with the host

- and the gastric pathogen *Helicobacter pylori*. *Infection and Immunity*, 74(1), 425–34.
41. Bernet, M. F., Brassart, D., Neeser, J. R., & Servin, A. L. (1993). Adhesion of human bifidobacterial strains to cultured human intestinal epithelial cells and inhibition of enteropathogen-cell interactions. *Applied and Environmental Microbiology*, 59(12), 4121–8.
 42. Bernet, M. F., Brassart, D., Neeser, J. R., & Servin, A. L. (1994). *Lactobacillus acidophilus* LA 1 binds to cultured human intestinal cell lines and inhibits cell attachment and cell invasion by enterovirulent bacteria. *Gut*, 35(4), 483–9.
 43. Berthier, F., & Ehrlich, S. D. (1998). Rapid species identification within two groups of closely related lactobacilli using PCR primers that target the 16S/23S rRNA spacer region. *FEMS Microbiology Letters*, 161(1), 97–106.
 44. Bhatia, S. J., Kochar, N., Abraham, P., Nair, N. G., & Mehta, A. P. (1989). *Lactobacillus acidophilus* inhibits growth of *Campylobacter pylori* in vitro. *Journal of Clinical Microbiology*, 27(10), 2328–2330.
 45. Bibiloni, R., Fedorak, R. N., Tannock, G. W., Madsen, K. L., Gionchetti, P., Campieri, M., ... Sartor, R. B. (2005). VSL#3 Probiotic-Mixture Induces Remission in Patients with Active Ulcerative Colitis. *The American Journal of Gastroenterology*, 100(7), 1539–1546.
 46. Bierbaum, G., & Sahl, H.-G. (2009). Lantibiotics: mode of action, biosynthesis and bioengineering. *Current Pharmaceutical Biotechnology*, 10(1), 2–18.
 47. Bini, L., Gobbetti, M., De Angelis, M., Cocconcelli, P. S., & Pallini, V. (2001). The acid-stress response in *Lactobacillus sanfranciscensis* CB1. *Microbiology*, 147(7), 1863–1873.
 48. Blum, S., Haller, D., Pfeifer, A., & Schiffrin, E. J. (2002). Probiotics and immune response. *Clinical Reviews in Allergy & Immunology*, 22(3), 287–309.
 49. Blum, S., Reniero, R., Schiffrin, E. J., Crittenden, R., Mattila-Sandholm, T., Ouwehand, A. C., ... Morelli, L. (1999). Adhesion studies for probiotics: Need for validation and refinement. *Trends in Food Science and Technology*, 10(12), 405–410.
 50. Boirivant, M., Fuss, I. J., Chu, A., & Strober, W. (1998). Oxazolone colitis: A murine model of T helper cell type 2 colitis treatable with antibodies to interleukin 4. *The Journal of Experimental Medicine*, 188(10), 1929–39.
 51. Boonaert, C. J., & Rouxhet, P. G. (2000). Surface of lactic acid bacteria:

- relationships between chemical composition and physicochemical properties. *Applied and Environmental Microbiology*, 66(6), 2548–54.
52. Booth, I. R. (1985). Regulation of cytoplasmic pH in bacteria. *Microbiological Reviews*, 49(4), 359.
 53. Borriello, S. P., Hammes, W. P., Holzapfel, W., Marteau, P., Schrezenmeir, J., Vaara, M., & Valtonen, V. (2003). Safety of Probiotics That Contain Lactobacilli or Bifidobacteria. *Clinical Infectious Diseases*, 36(6), 775–780.
 54. Bouma, G., Kaushiva, A., & Strober, W. (2002). Experimental murine colitis is regulated by two genetic loci, including one on chromosome 11 that regulates IL-12 responses. *Gastroenterology*, 123(2), 554–565.
 55. Boureau, L., Hartmann, T., Karjalaine, H. (2000). Models to Study Colonisation and Colonisation Resistance. *Microbial Ecology in Health and Disease*, 12(2), 247–258.
 56. Bovee-Oudenhoven, I. M. J., ten Bruggencate, S. J. M., Lettink-Wissink, M. L. G., & van der Meer, R. (2003). Dietary fructo-oligosaccharides and lactulose inhibit intestinal colonisation but stimulate translocation of *Salmonella* in rats. *Gut*, 52(11), 1572–8.
 57. Braun, G., McKechnie, N. M., & Gürr, W. (1995). Molecular and immunological characterization of hr44, a human ocular component immunologically cross-reactive with antigen Ov39 of *Onchocerca volvulus*. *The Journal of Experimental Medicine*, 182(4), 1121–31.
 58. Bruewer, M., Luegering, A., Kucharzik, T., Parkos, C. A., Madara, J. L., Hopkins, A. M., & Nusrat, A. (2003). Proinflammatory cytokines disrupt epithelial barrier function by apoptosis-independent mechanisms. *Journal of Immunology (Baltimore, Md. : 1950)*, 171(11), 6164–72.
 59. Bruewer, M., Utech, M., Ivanov, A. I., Hopkins, A. M., Parkos, C. A., & Nusrat, A. (2005). Interferon-gamma induces internalization of epithelial tight junction proteins via a macropinocytosis-like process. *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, 19(8), 923–33.
 60. Buck, B. L., Altermann, E., Svingerud, T., & Klaenhammer, T. R. (2005). Functional analysis of putative adhesion factors in *Lactobacillus acidophilus* NCFM. *Applied and Environmental Microbiology*, 71(12), 8344–51.
 61. Bückner, R., Schumann, M., Amasheh, S., & Schulzke, J.-D. (2010). Claudins in

- Intestinal Function and Disease. *Current Topics in Membrane.s* Chapter 9 (Vol. 65, pp. 195–227). Academic Press.
62. Bustos, A. Y., Raya, R., de Valdez, G. F., & Taranto, M. P. (2011). Efflux of bile acids in *Lactobacillus reuteri* is mediated by ATP. *Biotechnology Letters*, 33(11), 2265–2269.
 63. Byrne, F. R., & Viney, J. L. (2006). Mouse models of inflammatory bowel disease. *Current Opinion in Drug Discovery & Development*, 9(2), 207–17.
 64. C.R Soccol et al. (2013). The Potential of Probiotics : A Review, 48(4), 413–434.
 65. Camilleri, M., Madsen, K., Spiller, R., Van Meerveld, B. G., & Verne, G. N. (2012). Intestinal barrier function in health and gastrointestinal disease. *Neurogastroenterology & Motility*, 24(6), 503–512.
 66. Cani, P. D., Knauf, C., Iglesias, M. A., Drucker, D. J., Delzenne, N. M., Burcelin, R., & Burcelin, R. (2006). Improvement of glucose tolerance and hepatic insulin sensitivity by oligofructose requires a functional glucagon-like peptide 1 receptor. *Diabetes*, 55(5), 1484–90.
 67. Cani, P. D., Possemiers, S., Van de Wiele, T., Guiot, Y., Everard, A., Rottier, O., ... Delzenne, N. M. (2009). Changes in gut microbiota control inflammation in obese mice through a mechanism involving GLP-2-driven improvement of gut permeability. *Gut*, 58(8), 1091–103.
 68. Cappa, F., Cattivelli, D., & Cocconcelli, P. S. (2005). The uvrA gene is involved in oxidative and acid stress responses in *Lactobacillus helveticus* CNBL1156. *Research in Microbiology*, 156(10), 1039–1047.
 69. Cario, E., Gerken, G., & Podolsky, D. K. (2004). Toll-like receptor 2 enhances ZO-1-associated intestinal epithelial barrier integrity via protein kinase C. *Gastroenterology*, 127(1), 224–238.
 70. Casey, P. G., Casey, G. D., Gardiner, G. E., Tangney, M., Stanton, C., Ross, R. P., ... Fitzgerald, G. F. (2004). Isolation and characterization of anti-*Salmonella* lactic acid bacteria from the porcine gastrointestinal tract. *Letters in Applied Microbiology*, 39(5), 431–438.
 71. Cencič, A., & Langerholc, T. (2010). Functional cell models of the gut and their applications in food microbiology - A review. *International Journal of Food Microbiology*. Elsevier.
 72. Chantret, I., Barbat, A., Dussaulx, E., Brattain, M. G., & Zweibaum, A. (1988).

- Epithelial polarity, villin expression, and enterocytic differentiation of cultured human colon carcinoma cells: a survey of twenty cell lines. *Cancer Research*, 48(7), 1936–42.
73. Chapman, T. M., Plosker, G. L., & Figgitt, D. P. (2007). Spotlight on VSL#3 Probiotic Mixture in Chronic Inflammatory Bowel Diseases1. *BioDrugs*, 21(1), 61–63.
 74. Charteris, W. P., Kelly, P. M., Morelli, L., & Collins, J. K. (1998). Ingredient selection criteria for probiotic microorganisms in functional dairy foods. *International Journal of Dairy Technology*, 51(4), 123–136.
 75. Chauviere, G., Coconnier, M.-H., Kerneis, S., Fourniat, J., & Servin, A. L. (1992). Adhesion of human *Lactobacillus acidophilus* strain LB to human enterocyte-like Caco-2 cells. *Journal of General Microbiology*, 138(8), 1689–1696.
 76. Chauvière, G., Coconnier, M. H., Kernéis, S., Fourniat, J., & Servin, a L. (1992). Adhesion of human *Lactobacillus acidophilus* strain LB to human enterocyte-like Caco-2 cells. *Journal of General Microbiology*, 138 Pt 8(1992), 1689–1696.
 77. Chen, H.-Q., Yang, J., Zhang, M., Zhou, Y.-K., Shen, T.-Y., Chu, Z.-X., ... Qin, H.-L. (2010). *Lactobacillus plantarum* ameliorates colonic epithelial barrier dysfunction by modulating the apical junctional complex and PepT1 in IL-10 knockout mice. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 299(6), G1287-97.
 78. Chen, X., Xu, J., Shuai, J., Chen, J., Zhang, Z., & Fang, W. (2007). The S-layer proteins of *Lactobacillus crispatus* strain ZJ001 is responsible for competitive exclusion against *Escherichia coli* O157:H7 and *Salmonella typhimurium*. *International Journal of Food Microbiology*, 115(3), 307–312.
 79. Chen, Y.-S., Yanagida, F., & Shinohara, T. (2005). Isolation and identification of lactic acid bacteria from soil using an enrichment procedure. *Letters in Applied Microbiology*, 40(3), 195–200.
 80. Cho, J. H., Nicolae, D. L., Ramos, R., Fields, C. T., Rabenau, K., Corradino, S., ... Bonen, D. K. (2000). Linkage and linkage disequilibrium in chromosome band 1p36 in American Chaldeans with inflammatory bowel disease. *Human Molecular Genetics*, 9(9), 1425–1432.
 81. Choi, S. S., Kim, Y., Han, K. S., You, S., Oh, S., & Kim, S. H. (2006). Effects

- of *Lactobacillus* strains on cancer cell proliferation and oxidative stress *in vitro*. *Letters in Applied Microbiology*, 42(5), 452–458.
82. Christ, A. D., Stevens, A. C., Koeppen, H., Walsh, S., Omata, F., Devergne, O., ... Blumberg, R. S. (1998). An interleukin 12-related cytokine is up-regulated in ulcerative colitis but not in Crohn's disease. *Gastroenterology*, 115(2), 307–313.
 83. Claude, P. (1978). Morphological factors influencing transepithelial permeability: A model for the resistance of the Zonula Occludens. *The Journal of Membrane Biology*, 39(2–3), 219–232.
 84. Clayburgh, D. R., Shen, L., & Turner, J. R. (2004). A porous defense: the leaky epithelial barrier in intestinal disease. *Laboratory Investigation*, 84(3), 282–291.
 85. Coconnier, M. H., Bernet, M. F., Chauvière, G., & Servin, A. L. (1993). Adhering heat-killed human *Lactobacillus acidophilus*, strain LB, inhibits the process of pathogenicity of diarrhoeagenic bacteria in cultured human intestinal cells. *Journal of Diarrhoeal Diseases Research*, 11(4), 235–42.
 86. Coconnier, M. H., Klaenhammer, T. R., Kernéis, S., Bernet, M. F., & Servin, A. L. (1992). Protein-mediated adhesion of *Lactobacillus acidophilus* BG2FO4 on human enterocyte and mucus-secreting cell lines in culture. *Applied and Environmental Microbiology*, 58(6), 2034–9.
 87. Coleman, J. P., & Hudson, L. L. (1995). Cloning and Characterization of a Conjugated Bile Acid Hydrolase Gene from *Clostridium perfringens*. *APPLIED AND ENVIRONMENTAL MICROBIOLOGY*, 61(7), 2514–2520.
 88. Collado, M. C., Grześkowiak, Ł., & Salminen, S. (2007). Probiotic strains and their combination inhibit *in vitro* adhesion of pathogens to pig intestinal mucosa. *Current Microbiology*, 55(3), 260–265.
 89. Collins, J. K., Thornton, G., & Sullivan, G. O. (1998). Selection of probiotic strains for human applications. *International Dairy Journal* (Vol. 8, pp. 487–490). Elsevier.
 90. Collins, M. D., Rodrigues, U., Ash, C., Aguirre, M., Farrow, J. A. E., Martinez-Murcia, A., ... Wallbanks, S. (1991). Phylogenetic analysis of the genus *Lactobacillus* and related lactic acid bacteria as determined by reverse transcriptase sequencing of 16S rRNA. *FEMS Microbiology Letters*, 77(1), 5–12.
 91. Conway, P. L., Gorbach, S. L., & Goldin, B. R. (1987). Survival of lactic acid

- bacteria in the human stomach and adhesion to intestinal cells. *Journal of Dairy Science*, 70(1), 1–12.
92. Conway, P. L., & Kjelleberg, S. (1989). Protein-mediated adhesion of *Lactobacillus Fermentum* strain 737 to mouse stomach squamous epithelium. *Microbiology*, 135(5), 1175–1186.
 93. Cotter, P. D., & Hill, C. (2003). Surviving the acid test: responses of gram-positive bacteria to low pH. *Microbiology and Molecular Biology Reviews* : *MMBR*, 67(3), 429–53, table of contents.
 94. Courvalin, P. (2006). Antibiotic resistance: the pros and cons of probiotics. *Digestive and Liver Disease*, 38(SUPPL. 2), S261–S265.
 95. D'Aimmo, M. R., Modesto, M., & Biavati, B. (2007). Antibiotic resistance of lactic acid bacteria and *Bifidobacterium* spp. isolated from dairy and pharmaceutical products. *International Journal of Food Microbiology*, 115(1), 35–42.
 96. Daffonchio, D., Borin, S., Consolandi, A., Mora, D., Manachini, P. L., & Sorlini, C. (1998). 16S-23S rRNA internal transcribed spacers as molecular markers for the species of the 16S rRNA group I of the genus *Bacillus*. *FEMS Microbiology Letters*, 163(2), 229–236.
 97. Dahiya, R. S., & Speck, M. L. (1968). Hydrogen peroxide formation by lactobacilli and its effect on *Staphylococcus aureus*. *Journal of Dairy Science*, 51(10), 1568–1572.
 98. Das, K. M., Dasgupta, A., Mandal, A., & Geng, X. (1993). Autoimmunity to cytoskeletal protein tropomyosin. A clue to the pathogenetic mechanism for ulcerative colitis. *Journal of Immunology (Baltimore, Md. : 1950)*, 150(6), 2487–93.
 99. De Boever, P., & Verstraete, W. (1999). Bile salt deconjugation by *Lactobacillus plantarum* 80 and its implication for bacterial toxicity. *Journal of Applied Microbiology*, 87(3), 345–352.
 100. De Keersmaecker, S. C. J., Verhoeven, T. L. A., Desair, J., Marchal, K., Vanderleyden, J., & Nagy, I. (2006). Strong antimicrobial activity of *Lactobacillus rhamnosus* GG against *Salmonella typhimurium* is due to accumulation of lactic acid. *FEMS Microbiology Letters*, 259(1), 89–96.
 101. De Robertis, M., Massi, E., Poeta, M. L., Carotti, S., Morini, S., Cecchetelli, L., ... Fazio, V. M. (2011). The AOM/DSS murine model for the study of colon

- carcinogenesis: From pathways to diagnosis and therapy studies. *Journal of Carcinogenesis*, 10, 9.
102. De Smet, I., Van Hoorde, L., Vande Woestyne, M., Christiaens, H., & Verstraete, W. (1995). Significance of bile salt hydrolytic activities of lactobacilli. *Journal of Applied Bacteriology*, 79(3), 292–301.
 103. De Vries, M. C., Vaughan, E. E., Kleerebezem, M., & de Vos, W. M. (2006). *Lactobacillus plantarum*—survival, functional and potential probiotic properties in the human intestinal tract. *International Dairy Journal*, 16(9), 1018–1028.
 104. Donato, K. A., Gareau, M. G., Wang, Y. J. J., & Sherman, P. M. (2010). *Lactobacillus rhamnosus* GG attenuates interferon- and tumour necrosis factor- induced barrier dysfunction and pro-inflammatory signalling. *Microbiology*, 156(11), 3288–3297.
 105. Duary, R. K., Batish, V. K., & Grover, S. (2012). Relative gene expression of bile salt hydrolase and surface proteins in two putative indigenous *Lactobacillus plantarum* strains under *In vitro* gut conditions. *Molecular Biology Reports*, 39(3), 2541–2552.
 106. Duary, R. K., Rajput, Y. S., Batish, V. K., & Grover, S. (2011). Assessing the adhesion of putative indigenous probiotic lactobacilli to human colonic epithelial cells. *The Indian Journal of Medical Research*, 134(5), 664–71.
 107. Dunne, C., Murphy, L., Flynn, S., O'Mahony, L., O'Halloran, S., Feeney, M., ... Daly, C. (1999). Probiotics: from myth to reality. Demonstration of functionality in animal models of disease and in human clinical trials. In *Lactic Acid Bacteria: Genetics, Metabolism and Applications* (pp. 279–292). Springer.
 108. Dunne, C., O'Mahony, L., Murphy, L., Thornton, G., Morrissey, D., O'Halloran, S., ... Collins, J. K. (2001). *In vitro* selection criteria for probiotic bacteria of human origin: correlation with *in vivo* findings. *The American Journal of Clinical Nutrition*, 73(2 Suppl), 386S–392S.
 109. Eckburg, P. B., Bik, E. M., Bernstein, C. N., Purdom, E., Dethlefsen, L., Sargent, M., ... Relman, D. A. (2005). Diversity of the Human Intestinal Microbial Flora. *Science*, 308(5728), 1635 LP-1638.
 110. Eckburg, P. B., & Relman, D. A. (2007). The Role of Microbes in Crohn's Disease. *Clinical Infectious Diseases*, 44(2), 256–262.
 111. Ejtahed, H. S., Mohtadi-Nia, J., Homayouni-Rad, A., Niafar, M., Asghari-

- Jafarabadi, M., Mofid, V., & Akbarian-Moghari, A. (2011). Effect of probiotic yogurt containing *Lactobacillus acidophilus* and *Bifidobacterium lactis* on lipid profile in individuals with type 2 diabetes mellitus. *Journal of Dairy Science*, 94(7), 3288–3294.
112. Elkins, C. A., Moser, S. A., & Savage, D. C. (2001). Genes encoding bile salt hydrolases and conjugated bile salt transporters in *Lactobacillus johnsonii* 100-100 and other *Lactobacillus* species. *Microbiology*, 147(12), 3403–3412.
 113. Elkins, C. A., & Savage, D. C. (2003). CbsT2 from *Lactobacillus johnsonii* 100-100 is a transport protein of the major facilitator superfamily that facilitates bile acid antiport. *Journal of Molecular Microbiology and Biotechnology*, 6(2), 76–87.
 114. Elliott, S. N., Buret, A., McKnight, W., Miller, M. J., & Wallace, J. L. (1998). Bacteria rapidly colonize and modulate healing of gastric ulcers in rats. *The American Journal of Physiology*, 275(3 Pt 1), G425-32.
 115. Endo, A., & Okada, S. (2007). *Lactobacillus composti* sp. nov., a lactic acid bacterium isolated from a compost of distilled shochu residue. *International Journal of Systematic And Evolutionary Microbiology*, 57(4), 870–872.
 116. Ennahar, S., Cai, Y., & Fujita, Y. (2003). Phylogenetic diversity of lactic acid bacteria associated with paddy rice silage as determined by 16S ribosomal DNA analysis. *Applied and Environmental Microbiology*, 69(1), 444–451.
 117. Erkkilä, S., & Petäjä, E. (2000). Screening of commercial meat starter cultures at low pH and in the presence of bile salts for potential probiotic use. *Meat Science*, 55(3), 297–300.
 118. Eun, C. S., Kim, Y. S., Han, D. S., Choi, J. H., Lee, A. R., & Park, Y. K. (2011). *Lactobacillus casei* prevents impaired barrier function in intestinal epithelial cells. *APMIS*, 119(1), 49–56.
 119. Fallani, M., Young, D., Scott, J., Norin, E., Amarri, S., Adam, R., ... Doré, J. (2010). Intestinal Microbiota of 6-week-old Infants Across Europe: Geographic Influence Beyond Delivery Mode, Breast-feeding, and Antibiotics. *Journal of Pediatric Gastroenterology and Nutrition*, 51(1), 77–84.
 120. Fanning, A. S., Jameson, B. J., Jesaitis, L. A., & Anderson, J. M. (1998). The tight junction protein ZO-1 establishes a link between the transmembrane protein occludin and the actin cytoskeleton. *The Journal of Biological Chemistry*, 273(45), 29745–53.

121. Fanning, A. S., Ma, T. Y., & Anderson, J. M. (2002). Isolation and functional characterization of the actin binding region in the tight junction protein ZO-1. *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, 16(13), 1835–7.
122. FAO, F. and A. O. of the U. N., & WHO, W. H. O. (2002). Joint FAO/WHO Working Group Report on Drafting Guidelines for the Evaluation of Probiotics in Food Guidelines for the Evaluation of Probiotics in Food Report of a Joint FAO/WHO Working Group on Drafting Guidelines for the Evaluation of Probiotics in Food, 1–11.
123. Feldman, G. J., Mullin, J. M., & Ryan, M. P. (2005). Occludin: structure, function and regulation. *Advanced Drug Delivery Reviews*, 57(6), 883–917.
124. Findley, M. K., & Koval, M. (2009). Regulation and roles for claudin-family tight junction proteins. *IUBMB Life*, 61(4), 431–437.
125. Finlay, B. B., & Falkow, S. (1997). Common themes in microbial pathogenicity revisited. *Microbiology and Molecular Biology Reviews : MMBR*, 61(2), 136–69.
126. Fons, Ana Gomez, Tuomo Karjalainen, M. (2000). Mechanisms of colonisation and colonisation resistance of the digestive tract Part 2: Bacteria/Bacteria Interactions. *Microbial Ecology in Health and Disease*, 12(2), 240–246.
127. Ford, A. C., Moayyedi, P., & Hanauer, S. B. (2013). Ulcerative colitis. *BMJ (Clinical Research Ed.)*, 346, f432.
128. Forestier, C., De Champs, C., Vatoux, C., & Joly, B. (2001). Probiotic activities of *Lactobacillus casei rhamnosus*: *In vitro* adherence to intestinal cells and antimicrobial properties. *Research in Microbiology*, 152(2), 167–173.
129. Fourniat, J., Colomban, C., Linxe, C., & Karam, D. (1992). Heat-killed *Lactobacillus acidophilus* inhibits adhesion of *Escherichia coli* B41 to HeLa cells. *Annales de Recherches Vétérinaires INRA Editions*, 23(4), 361–370.
130. Fozo, E. M., Kajfasz, J. K., & Quivey, R. G. (2004). Low pH-induced membrane fatty acid alterations in oral bacteria. *FEMS Microbiology Letters*, 238(2), 291–295.
131. Frank, D. N., St Amand, A. L., Feldman, R. A., Boedeker, E. C., Harpaz, N., & Pace, N. R. (2007). Molecular-phylogenetic characterization of microbial community imbalances in human inflammatory bowel diseases. *Proceedings of the National Academy of Sciences of the United States of America*, 104(34),

- 13780–5.
132. Frece, J., Kos, B., Svetec, I. K., Zgaga, Z., Mrsa, V., & Suskovic, J. (2005). Importance of S-layer proteins in probiotic activity of *Lactobacillus acidophilus* M92. *Journal of Applied Microbiology*, 98(2), 285–292.
 133. Fuller, R. (1992). *Probiotics : the scientific basis*. Springer Netherlands.
 134. Fuller, R. (1989). Probiotics in man and animals. *Journal of Applied Bacteriology*. Blackwell Publishing Ltd.
 135. Furuse, M., Furuse, K., Sasaki, H., & Tsukita, S. (2001). Conversion of zonulae occludentes from tight to leaky strand type by introducing claudin-2 into Madin-Darby canine kidney I cells. *Journal of Cell Biology*, 153(2), 263–272.
 136. Furuse, M., Hirase, T., Itoh, M., Nagafuchi, A., Yonemura, S., Tsukita, S., & Tsukita, S. (1993). Occludin: a novel integral membrane protein localizing at tight junctions. *The Journal of Cell Biology*, 123(6 Pt 2), 1777.
 137. Furuse, M., Itoh, M., Hirase, T., Nagafuchi, A., Yonemura, S., Tsukita, S., & Tsukita, S. (1994). Direct association of occludin with ZO-1 and its possible involvement in the localization of occludin at tight junctions. *The Journal of Cell Biology*, 127(6 Pt 1), 1617–26.
 138. Fuss, I. J., Neurath, M., Boirivant, M., Klein, J. S., de la Motte, C., Strong, S. A., ... Strober, W. (1996). Disparate CD4⁺ lamina propria (LP) lymphokine secretion profiles in inflammatory bowel disease. Crohn's disease LP cells manifest increased secretion of IFN-gamma, whereas ulcerative colitis LP cells manifest increased secretion of IL-5. *Journal of Immunology (Baltimore, Md. : 1950)*, 157(3), 1261–70.
 139. Garneau, S., Martin, N. I., & Vederas, J. C. (2002). Two-peptide bacteriocins produced by lactic acid bacteria. *Biochimie*. Elsevier Masson.
 140. Geerling, B. J., Dagnelie, P. C., Badart-Smook, A., Russel, M. G., Stockbrugger, R. W., & Brummer, R.-J. M. (2000). Diet as a risk factor for the development of ulcerative colitis. *The American Journal of Gastroenterology*, 95(4), 1008–1013.
 141. Georgieva, R. N., Iliev, I. N., Chipeva, V. A., Dimitonova, S. P., Samelis, J., & Danova, S. T. (2008). Identification and *in vitro* characterisation of *Lactobacillus plantarum* strains from artisanal Bulgarian white brined cheeses. *Journal of Basic Microbiology*, 48(4), 234–244.
 142. Gitter, A. H., Wullstein, F., Fromm, M., & Schulzke, J. D. (2001). Epithelial

- barrier defects in ulcerative colitis: Characterization and quantification by electrophysiological imaging. *Gastroenterology*, 121(6), 1320–1328.
143. Glickman, R. M. (1998). Inflammatory bowel disease: ulcerative colitis and Crohn's disease. *Harrisons Principles Of Internal Medicine*, 1633–1645.
 144. Goldin, B. R., Gorbach, S. L., Saxelin, M., Barakat, S., Gualtieri, L., & Salminen, S. (1992). Survival of *Lactobacillus* species (strain GG) in human gastrointestinal tract. *Digestive Diseases and Sciences*, 37(1), 121–128.
 145. Golowczyc, M. A., Gugliada, M. J., Hollmann, A., Delfederico, L., Garrote, G. L., Abraham, A. G., ... De Antoni, G. (2008). Characterization of homofermentative lactobacilli isolated from kefir grains: potential use as probiotic. *Journal of Dairy Research*, 75(2), 211–217.
 146. Gomes, A. M. P., & Malcata, F. X. (1999, April 1). *Bifidobacterium* spp. and *Lactobacillus acidophilus*: Biological, biochemical, technological and therapeutical properties relevant for use as probiotics. *Trends in Food Science and Technology*. Elsevier.
 147. Gomes, D. A., Souza, A. M. L., Lopes, R. V, Nunes, A. C., & Nicoli, J. R. (2006). Comparison of antagonistic ability against enteropathogens by G⁺ and G[−] anaerobic dominant components of human fecal microbiota. *Folia Microbiologica*, 51(2), 141–145.
 148. Gómez Zavaglia, A., Kociubinski, G., Pérez, P., Disalvo, E., & De Antoni, G. (2002). Effect of bile on the lipid composition and surface properties of bifidobacteria. *Journal of Applied Microbiology*, 93(5), 794–799.
 149. Gopal, P. K., Prasad, J., Smart, J., & Gill, H. S. (2001). *In vitro* adherence properties of *Lactobacillus rhamnosus* DR20 and *Bifidobacterium lactis* DR10 strains and their antagonistic activity against an enterotoxigenic *Escherichia coli*. *International Journal of Food Microbiology*, 67(3), 207–216.
 150. Gorbach, S. L. (2000). Probiotics and gastrointestinal health. In *American Journal of Gastroenterology* (Vol. 95, pp. S2–S4). No longer published by Elsevier.
 151. Grajek, W., & Olejnik, A. (2004). Epithelial cell cultures *in vitro* as a model to study functional properties of food. *Polish Journal of Food and Nutrition Sciences*, 13(48 61), 5–24.
 152. Granato, D., Bergonzelli, G. E., Pridmore, R. D., Marvin, L., Rouvet, M., & Corthésy-Theulaz, I. E. (2004). Cell surface-associated elongation factor Tu

- mediates the attachment of *Lactobacillus johnsonii* NCC533 (La1) to human intestinal cells and mucins. *Infection and Immunity*, 72(4), 2160–9.
153. Granato, D., Perotti, F., Masserey, I., Rouvet, M., Golliard, M., Servin, A., & Brassart, D. (1999). Cell surface-associated lipoteichoic acid acts as an adhesion factor for attachment of *Lactobacillus johnsonii* La1 to human enterocyte-like Caco-2 cells. *Applied and Environmental Microbiology*, 65(3), 1071–7.
 154. Grasset, E., Pinto, M., Dussaulx, E., Zweibaum, A., & Desjeux, J. F. (1984). Epithelial properties of human colonic carcinoma cell line Caco-2: electrical parameters. *The American Journal of Physiology*, 247(3 Pt 1), C260-7.
 155. Groschwitz, K. R., & Hogan, S. P. (2009). Intestinal barrier function: Molecular regulation and disease pathogenesis. *Journal of Allergy and Clinical Immunology*. Mosby.
 156. Guarner, F., & Malagelada, J. R. (2003). Gut flora in health and disease. *Lancet*, 361(9356), 512–519.
 157. Gueimonde, M., Sánchez, B., de los Reyes-Gavilán, C. G., & Margolles, A. (2013). Antibiotic resistance in probiotic bacteria. *Frontiers in Microbiology*. Frontiers Media SA.
 158. Gueimondea, M., Laitinena, K., Salminen, S., & Isolauric, E. (2012). Breast milk: A source of bifidobacteria for infant gut development and maturation? *Pediatritya*. Karger Publishers.
 159. Gumbiner, B., Lowenkopf, T., & Apatira, D. (1991). Identification of a 160-kDa polypeptide that binds to the tight junction protein ZO-1. *Proceedings of the National Academy of Sciences of the United States of America*, 88(8), 3460–4.
 160. Gunal, M., Yayli, G., Kaya, O., Karahan, N., & Sulak, O. (2006). The effects of antibiotic growth promoter, probiotic or organic acid supplementation on performance, intestinal microflora and tissue of broilers. *Int. J. Poult. Sci*, 5(2), 149–155.
 161. Gupta, P. K., Mital, B. K., & Garg, S. K. (1996). Characterization of *Lactobacillus acidophilus* strains for use as dietary adjunct. *International Journal of Food Microbiology*, 29(1), 105–109.
 162. Gusils, C., González, S. N., & Oliver, G. (1999). Some probiotic properties of chicken lactobacilli. *Canadian Journal of Microbiology*, 45(12), 981–987.
 163. Haller, D., Colbus, H., Gänzle, M. G., Scherenbacher, P., Bode, C., & Hammes,

- W. P. (2001). Metabolic and Functional Properties of Lactic Acid Bacteria in the Gastro-intestinal Ecosystem: A comparative *in vitro* Study between Bacteria of Intestinal and Fermented Food Origin. *Systematic and Applied Microbiology*, 24(2), 218–226.
164. Hammes, W. P., & Vogel, R. F. (1995). The genus *Lactobacillus*. *The Genera of Lactic Acid Bacteria* (pp. 19–54). Boston, MA: Springer US.
 165. Haskins, J., Gu, L., Wittchen, E. S., Hibbard, J., & Stevenson, B. R. (1998). ZO-3, a novel member of the MAGUK protein family found at the tight junction, interacts with ZO-1 and occludin. *The Journal of Cell Biology*, 141(1), 199–208.
 166. Hassan, M., Kjos, M., Nes, I. F., Diep, D. B., & Lotfipour, F. (2012). Natural antimicrobial peptides from bacteria: Characteristics and potential applications to fight against antibiotic resistance. *Journal of Applied Microbiology*.
 167. Hawes, S. E., Hillier, S. L., Benedetti, J., Stevens, C. E., Koutsky, L. A., Wølner-Hanssen, P., & Holmes, K. K. (1996). Hydrogen peroxide—producing lactobacilli and acquisition of vaginal infections. *Journal of Infectious Diseases*, 174(5), 1058–1063.
 168. Heller, F., Florian, P., Bojarski, C., Richter, J., Christ, M., Hillenbrand, B., ... Schulzke, J. D. (2005). Interleukin-13 is the key effector Th2 cytokine in ulcerative colitis that affects epithelial tight junctions, apoptosis, and cell restitution. *Gastroenterology*, 129(2), 550–564.
 169. Heller, F., Fuss, I. J., Nieuwenhuis, E. E., Blumberg, R. S., & Strober, W. (2002). Oxazolone colitis, a Th2 colitis model resembling ulcerative colitis, is mediated by IL-13-producing NK-T cells. *Immunity*, 17(5), 629–638.
 170. Henriksson, A., & Conway, P. L. (1992). Adhesion to porcine squamous epithelium of saccharide and protein moieties of *Lactobacillus fermentum* strain 104-S. *Journal of General Microbiology*, 138(12), 2657–2661.
 171. Herías, M. V., Koninkx, J. F. J. G., Vos, J. G., Huis In't Veld, J. H. J., & Van Dijk, J. E. (2005). Probiotic effects of *Lactobacillus casei* on DSS-induced ulcerative colitis in mice. *International Journal of Food Microbiology*, 103(2), 143–155.
 172. Hering, N. A., Andres, S., Fromm, A., van Tol, E. A., Amasheh, M., Mankertz, J., ... Schulzke, J. D. (2011). Transforming growth factor- β , a whey protein component, strengthens the intestinal barrier by upregulating claudin-4 in HT-

- 29/B6 cells. *The Journal of Nutrition*, 141(5), 783–9.
173. Hering, N. A., Fromm, M., & Schulzke, J.-D. (2012). Determinants of colonic barrier function in inflammatory bowel disease and potential therapeutics. *The Journal of Physiology*, 590(5), 1035–1044.
 174. Herrero Alejandro. (1983). End-product inhibition in anaerobic fermentations. *Trends in Biotechnology*, 1(2), 49–53.
 175. Holzapfel, W. H. N., & Wood, B. J. B. (2012). *The genera of lactic acid bacteria* (Vol. 2). Springer US.
 176. Hood, S. K., & Zoitola, E. A. (1988). Effect of low pH on the ability of *Lactobacillus acidophilus* to survive and adhere to human intestinal cells. *Journal of Food Science*, 53(5), 1514–1516.
 177. Hopkins, M. J., Macfarlane, G. T., Furrie, E., Fite, A., & Macfarlane, S. (2005). Characterisation of intestinal bacteria in infant stools using real-time PCR and northern hybridisation analyses. *FEMS Microbiology Ecology*, 54(1), 77–85.
 178. Howe, K. L., Reardon, C., Wang, A., Nazli, A., & McKay, D. M. (2005). Transforming growth factor-beta regulation of epithelial tight junction proteins enhances barrier function and blocks enterohemorrhagic *Escherichia coli* O157:H7-induced increased permeability. *Am J Pathol*, 167(6), 1587–1597.
 179. Huber, D., Balda, M. S., & Matter, K. (2000). Occludin modulates transepithelial migration of neutrophils. *Journal of Biological Chemistry*, 275(8), 5773–5778.
 180. Ichikawa-Tomikawa, N., Sugimoto, K., Satohisa, S., Nishiura, K., & Chiba, H. (2011). Possible involvement of tight junctions, extracellular matrix and nuclear receptors in epithelial differentiation. *Journal of Biomedicine & Biotechnology*, 2011, 253048.
 181. Itoh, M., Furuse, M., Morita, K., Kubota, K., Saitou, M., & Tsukita, S. (1999). Direct binding of three tight junction-associated MAGUKs, ZO-1, ZO-2, and ZO-3, with the COOH termini of claudins. *The Journal of Cell Biology*, 147(6), 1351–63.
 182. Izquierdo, E., Horvatovich, P., Marchioni, E., Aoude-Werner, D., Sanz, Y., & Ennahar, S. (2009). 2-DE and MS analysis of key proteins in the adhesion of *Lactobacillus plantarum*, a first step toward early selection of probiotics based on bacterial biomarkers. *ELECTROPHORESIS*, 30(6), 949–956.
 183. Jadhav, S. R., Shandilya, U. K., & Kansal, V. K. (2013). Exploring the

- ameliorative potential of probiotic Dahi containing *Lactobacillus acidophilus* and *Bifidobacterium bifidum* on dextran sodium sulphate induced colitis in mice. *The Journal of Dairy Research*, 80(1), 21–27.
184. Jensen, H., Roos, S., Jonsson, H., Rud, I., Grimmer, S., van Pijkeren, J. P., ... Axelsson, L. (2014). Role of *Lactobacillus reuteri* cell and mucus-binding protein A (CmbA) in adhesion to intestinal epithelial cells and mucus *in vitro*. *Microbiology (Reading, England)*, 160, 671–681.
 185. Jepson, M. A., Collares-Buzato, C. B., Clark, M. A., Hirst, B. H., & Simmons, N. L. (1995). Rapid disruption of epithelial barrier function by *Salmonella typhimurium* is associated with structural modification of intercellular junctions. *Infection and Immunity*, 63(1), 356–9.
 186. Jepson, M. A., Schlecht, H. B., & Collares-Buzato, C. B. (2000). Localization of dysfunctional tight junctions in *Salmonella enterica* serovar *typhimurium*-infected epithelial layers. *Infection and Immunity*, 68(12), 7202–8.
 187. John, L. J., Fromm, M., & Schulzke, J.-D. (2011). Epithelial barriers in intestinal inflammation. *Antioxidants & Redox Signaling*, 15(5), 1255–1270.
 188. Johnson-Henry, K. C., Donato, K. A., Shen-Tu, G., Gordanpour, M., & Sherman, P. M. (2008). *Lactobacillus rhamnosus* strain GG prevents enterohemorrhagic *Escherichia coli* O157:H7-induced changes in epithelial barrier function. *Infection and Immunity*, 76(4), 1340–8.
 189. Johnson-Henry, K. C., Hagen, K. E., Gordonpour, M., Tompkins, T. A., & Sherman, P. M. (2007). Surface-layer protein extracts from *Lactobacillus helveticus* inhibit enterohaemorrhagic *Escherichia coli* O157:H7 adhesion to epithelial cells. *Cellular Microbiology*, 9(2), 356–367.
 190. Jowett, S. L., Seal, C. J., Pearce, M. S., Phillips, E., Gregory, W., Barton, J. R., & Welfare, M. R. (2004). Influence of dietary factors on the clinical course of ulcerative colitis: a prospective cohort study. *Gut*, 53(10), 1479–84.
 191. Kalischuk, L. D., Inglis, G. D., & Buret, A. G. (2009). *Campylobacter jejuni* induces transcellular translocation of commensal bacteria via lipid rafts. *Gut Pathogens*, 1(1), 2.
 192. Kandler, O. (1986). Regular nonsporing Gram positive rods. *Bergeys Manual of Systematic Bacteriology*, 2, 1208–1234.
 193. Kankaanpää, P. E., Salminen, S. J., Isolauri, E., & Lee, Y. K. (2001). The influence of polyunsaturated fatty acids on probiotic growth and adhesion.

- FEMS Microbiology Letters*, 194(2), 149–153.
194. Kanneganti, M., Mino-Kenudson, M., & Mizoguchi, E. (2011). Animal models of colitis-associated carcinogenesis. *Journal of Biomedicine & Biotechnology*, 2011, 342637.
 195. Karczewski, J., & Groot, J. (2000). Molecular physiology and pathophysiology of tight junctions III. Tight junction regulation by intracellular messengers: differences in response within and between epithelia. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 279(4), G660-5.
 196. Karczewski, J., Troost, F. J., Konings, I., Dekker, J., Kleerebezem, M., Brummer, R.-J. M., & Wells, J. M. (2010). Regulation of human epithelial tight junction proteins by *Lactobacillus plantarum* *in vivo* and protective effects on the epithelial barrier. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 298(6), G851-9.
 197. Kawahara, T., & Otani, H. (2006). Stimulatory Effect of Lactic Acid Bacteria from Commercially Available Nozawana-zuke Pickle on Cytokine Expression by Mouse Spleen Cells. *Bioscience, Biotechnology, and Biochemistry*, 70(2), 411–417.
 198. Kawamoto, K., Horibe, I., & Uchida, K. (1989). Purification and Characterization of a New Hydrolase for Conjugated Bile Acids, Chenodeoxycholytaurine Hydrolase, from *Bacteroides vulgatus*. *The Journal of Biochemistry*, 106(6), 1049–1053.
 199. Kett, K., Rognum, T. O., & Brandtzaeg, P. (1987). Mucosal subclass distribution of immunoglobulin G-producing cells is different in ulcerative colitis and Crohn's disease of the colon. *Gastroenterology*, 93(5), 919–924.
 200. Kim, H. S., & Gilliland, S. E. (1983). *Lactobacillus acidophilus* as a Dietary Adjunct for Milk to Aid Lactose Digestion in Humans¹. *Journal of Dairy Science*, 66(5), 959–966.
 201. Kim, M. S., Byun, J. S., Yoon, Y. S., Yum, D. Y., Chung, M. J., & Lee, J. C. (2017). A probiotic combination attenuates experimental colitis through inhibition of innate cytokine production. *Beneficial Microbes*, 8(2), 231–241.
 202. Kim, S. E., Choi, S. C., Park, K. S., Park, M. I., Shin, J. E., Lee, T. H., ... Myung, S. J. (2015). Change of fecal flora and effectiveness of the short-term VSL#3 probiotic treatment in patients with functional constipation. *Journal of Neurogastroenterology and Motility*, 21(1), 111–120.

203. Kim, Y., Kim, S.-H., Whang, K.-Y., Kim, Y.-J., & Oh, S. (2008). Inhibition of *Escherichia coli* O157:H7 attachment by interactions between lactic acid bacteria and intestinal epithelial cells. *Journal of Microbiology and Biotechnology*, 18(7), 1278–85.
204. Kimoto, H., Kurisaki, J., Tsuji, N. M., Ohmomo, S., & Okamoto, T. (1999). Lactococci as probiotic strains: Adhesion to human enterocyte-like Caco-2 cells and tolerance to low pH and bile. *Letters in Applied Microbiology*, 29(5), 313–316.
205. Kimura, K., Ito, M., Amano, M., Chihara, K., Fukata, Y., Nakafuku, M., ... Kaibuchi, K. (1996). Regulation of myosin phosphatase by Rho and Rho-associated kinase (Rho-kinase). *Science (New York, N.Y.)*, 273(5272), 245–8.
206. Kinugasa, T., Sakaguchi, T., Gu, X., & Reinecker, H. (2000). Claudins regulate the intestinal barrier in response to immune mediators. *Gastroenterology*, 118(6), 1001–1011.
207. Kitajima, S., Takuma, S., & Morimoto, M. (2000). Histological analysis of murine colitis induced by dextran sulfate sodium of different molecular weights. *Experimental Animals*, 49(1), 9–15.
208. Klaenhammer, T. R. (1993). Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiology Reviews*, 12(1–3), 39–85.
209. Klaenhammer, T. R., & Kullen, M. J. (1999). Selection and design of probiotics. *International Journal of Food Microbiology*, 50(1–2), 45–57.
210. Klein, G., Pack, A., Bonaparte, C., & Reuter, G. (1998). Taxonomy and physiology of probiotic lactic acid bacteria. *International Journal of Food Microbiology*, 41(2), 103–125.
211. Klotz, U., Maier, K., Fischer, C., & Heinkel, K. (1980). Therapeutic Efficacy of Sulfasalazine and Its Metabolites in Patients with Ulcerative Colitis and Crohn's Disease. *New England Journal of Medicine*, 303(26), 1499–1502.
212. Ko, J.-S., Yang, H.-R., Chang, J.-Y., & Seo, J.-K. (2007). *Lactobacillus plantarum* inhibits epithelial barrier dysfunction and interleukin-8 secretion induced by tumor necrosis factor- α . *World Journal of Gastroenterology*, 13(13), 1962–5.
213. Kokesova, A., Frolova, L., Kverka, M., Sokol, D., Rossmann, P., Bartova, J., & Tlaskalova-Hogenova, H. (2006). Oral administration of probiotic bacteria (*E. coli* Nissle, *E. coli* O83, *Lactobacillus casei*) influences the severity of dextran

- sodium sulfate-induced colitis in BALB/c mice. *Folia Microbiologica*, 51(5), 478–484.
214. Kops, S. K., Lowe, D. K., Bement, W. M., & West, A. B. (1996). Migration of *Salmonella typhi* through Intestinal Epithelial Monolayers: An *in vitro* Study. *Microbiology and Immunology*, 40(11), 799–811.
 215. Kos, B., Šušković, J., Vuković, S., Šimpraga, M., Frece, J., & Matošić, S. (2003). Adhesion and aggregation ability of probiotic strain *Lactobacillus acidophilus* M92. *Journal of Applied Microbiology*, 94(6), 981–987.
 216. Kruis, W., Fric, P., Pokrotnieks, J., Lukás, M., Fixa, B., Kascák, M., ... Schulze, J. (2004). Maintaining remission of ulcerative colitis with the probiotic *Escherichia coli* Nissle 1917 is as effective as with standard mesalazine. *Gut*, 53(11), 1617–23.
 217. Kullen, M. J., & Klaenhammer, T. R. (2002). Identification of the pH-inducible, proton-translocating F1F0-ATPase (atpBEFHAGDC) operon of *Lactobacillus acidophilus* by differential display: gene structure, cloning and characterization. *Molecular Microbiology*, 33(6), 1152–1161.
 218. Kulp, W. L., & Rettger, L. F. (1924). Comparative Study of *Lactobacillus acidophilus* and *Lactobacillus bulgaricus*. *Journal of Bacteriology*, 9(4), 357–95.
 219. Kumar, R. S., Brannigan, J. A., Prabhune, A. A., Pundle, A. V, Dodson, G. G., Dodson, E. J., & Suresh, C. G. (2006). Structural and functional analysis of a conjugated bile salt hydrolase from *Bifidobacterium longum* reveals an evolutionary relationship with penicillin V acylase. *The Journal of Biological Chemistry*, 281(43), 32516–25.
 220. Lambert, J. M., Bongers, R. S., de Vos, W. M., & Kleerebezem, M. (2008). Functional analysis of four bile salt hydrolase and penicillin acylase family members in *Lactobacillus plantarum* WCFS1. *Applied and Environmental Microbiology*, 74(15), 4719–26.
 221. Lancaputhra, W. E. V, & Shah, N. P. (1995). *Bifidobacterium* spp in the presence of acid and bile salts. 2-7.
 222. Langendijk, P. S., Schut, F., Jansen, G. J., Raangs, G. C., Kamphuis, G. R., Wilkinson, M. H., & Welling, G. W. (1995). Quantitative fluorescence in situ hybridization of *Bifidobacterium* spp. with genus-specific 16S rRNA-targeted probes and its application in fecal samples. *Applied and Environmental*

- Microbiology*, 61(8), 3069–75.
223. Laprise, P. (2011). Emerging role for epithelial polarity proteins of the Crumbs family as potential tumor suppressors. *Journal of Biomedicine & Biotechnology*, 2011, 868217.
 224. Larsen, A. G., Vogensen, F. K., & Josephsen, J. (1993). Antimicrobial activity of lactic acid bacteria isolated from sour doughs: purification and characterization of bavaricin A, a bacteriocin produced by *Lactobacillus bavaricus* MI401. *Journal of Applied Bacteriology*, 75(2), 113–122.
 225. Laudanno, O. M., Cesolari, J. A., Godoy, A., Sutich, E., Sarangone, S., Catalano, J., & San Miguel, P. (2008). Bioflora Probiotic in Immunomodulation and Prophylaxis of Intestinal Bacterial Translocation in Rats. *Digestive Diseases and Sciences*, 53(10), 2667–2670.
 226. Laukoetter, M. G., Nava, P., Lee, W. Y., Severson, E. A., Capaldo, C. T., Babbin, B. A., ... Campbell, J. A. (2007). JAM-A regulates permeability and inflammation in the intestine *in vivo*. *Journal of Experimental Medicine*, 204(13), 3067–3076.
 227. Lebeer, S., Vanderleyden, J., & De Keersmaecker, S. C. J. (2008). Genes and molecules of lactobacilli supporting probiotic action. *Microbiology and Molecular Biology Reviews*, 72(4), 728–764.
 228. Leblond-Bourget, N., Philippe, H., Mangin, I., & Decaris, B. (1996). 16S rRNA and 16S to 23S Internal Transcribed Spacer Sequence Analyses Reveal Inter- and Intraspecific *Bifidobacterium* Phylogeny. *International Journal of Systematic Bacteriology*, 46(1), 102–111.
 229. Lee, K., Lee, H.-G., Pi, K., & Choi, Y.-J. (2008). The effect of low pH on protein expression by the probiotic bacterium *Lactobacillus reuteri*. *PROTEOMICS*, 8(8), 1624–1630.
 230. Lee, Y.-K., & Puong, K.-Y. (2002). Competition for adhesion between probiotics and human gastrointestinal pathogens in the presence of carbohydrate. *British Journal of Nutrition*, 88(S1), S101.
 231. Lee, Y. K., Lim, C. Y., Teng, W. L., Ouwehand, A. C., Tuomola, E. M., & Salminen, S. (2000). Quantitative approach in the study of adhesion of lactic acid bacteria to intestinal cells and their competition with enterobacteria. *Applied and Environmental Microbiology*, 66(9), 3692–7.
 232. Leeuw, E. de, Li, X., & Lu, W. (2006). Binding characteristics of the

- Lactobacillus brevis* ATCC 8287 surface layer to extracellular matrix proteins. *FEMS Microbiology Letters*, 260(2), 210–215.
233. Leteurtre, E., Gouyer, V., Rousseau, K., Moreau, O., Barbat, A., Swallow, D., ... Lesuffleur, T. (2004). Differential mucin expression in colon carcinoma HT-29 clones with variable resistance to 5-fluorouracil and methotrexate. *Biology of the Cell*, 96(2), 145–151.
 234. Levin, R. J. (1983). Digestive system physiology. *Gut*, 24(1), 86.
 235. Li, X. J., Yue, L. Y., Guan, X. F., & Qiao, S. Y. (2008). The adhesion of putative probiotic lactobacilli to cultured epithelial cells and porcine intestinal mucus. *Journal of Applied Microbiology*, 104(4), 1082–1091.
 236. Liasi, S. A., Azmi, T. I., Hassan, M. D., Shuhaimi, M., Rosfarizan, M., & Ariff, A. B. (2009). Antimicrobial activity and antibiotic sensitivity of three isolates of lactic acid bacteria from fermented fish product, Budu. *Malaysian Journal of Microbiology*, 5(1), 33–37.
 237. Lilly, D. M., & Stillwell, R. H. (1965). Probiotics: Growth-Promoting Factors Produced By Microorganisms. *Science (New York, N.Y.)*, 147(3659), 747–8.
 238. Lin, P. P., Hsieh, Y. M., & Tsai, C. C. (2009). Antagonistic activity of *Lactobacillus acidophilus* RY2 isolated from healthy infancy feces on the growth and adhesion characteristics of enteroaggregative *Escherichia coli*. *Anaerobe*, 15(4), 122–126.
 239. Liong, M.-T. (2011). *Probiotics: biology, genetics, and health aspects*. Springer.
 240. Liu, W., Chen, Y., Golan, M. A., Annunziata, M. L., Du, J., Dougherty, U., ... Li, Y. C. (2013). Intestinal epithelial vitamin D receptor signaling inhibits experimental colitis. *The Journal of Clinical Investigation*, 123(9), 3983–96.
 241. Liu, Y., Nusrat, A., Schnell, F. J., Reaves, T. A., Walsh, S., Pochet, M., & Parkos, C. A. (2000). Human junction adhesion molecule regulates tight junction resealing in epithelia. *J Cell Sci*, 113(13), 2363–2374.
 242. Lorca, G. L., Font de Valdez, G., & Ljungh, A. (2002). Characterization of the protein-synthesis dependent adaptive acid tolerance response in *Lactobacillus acidophilus*. *Journal of Molecular Microbiology and Biotechnology*, 4(6), 525–32.
 243. Low, D., Nguyen, D. D., & Mizoguchi, E. (2013). Animal models of ulcerative colitis and their application in drug research. *Drug Design, Development and*

- Therapy*, 7, 1341–57.
244. Luckey, T. D. (1972). Introduction to intestinal microecology. *The American Journal of Clinical Nutrition*, 25(12), 1292–1294.
 245. Ma, T. Y., Boivin, M. A., Ye, D., Pedram, A., & Said, H. M. (2005). Mechanism of TNF- α modulation of Caco-2 intestinal epithelial tight junction barrier: role of myosin light-chain kinase protein expression. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 288(3), G422–30.
 246. Ma, T. Y., Iwamoto, G. K., Hoa, N. T., Akotia, V., Pedram, A., Boivin, M. A., & Said, H. M. (2004). TNF- α -induced increase in intestinal epithelial tight junction permeability requires NF- κ B activation. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 286(3), G367–76.
 247. Madsen, K., Cornish, A., Soper, P., McKaigney, C., Jijon, H., Yachimec, C., ... De Simone, C. (2001). Probiotic bacteria enhance murine and human intestinal epithelial barrier function. *Gastroenterology*, 121(3), 580–91.
 248. Madsen, K. L., Lewis, S. A., Tavernini, M. M., Hibbard, J., & Fedorak, R. N. (1997). Interleukin 10 prevents cytokine-induced disruption of T84 monolayer barrier integrity and limits chloride secretion. *Gastroenterology*, 113(1), 151–159.
 249. Madsen, K. L., Malfair, D., Gray, D., Doyle, J. S., Jewell, L. D., & Fedorak, R. N. (1999). Interleukin-10 gene-deficient mice develop a primary intestinal permeability defect in response to enteric microflora. *Inflammatory Bowel Diseases*, 5(4), 262–70.
 250. Mähler, M., & Leiter, E. H. (2002). Genetic and Environmental Context Determines the Course of Colitis Developing in IL-10-Deficient Mice. *Inflammatory Bowel Diseases*, 8(5), 347–355.
 251. Makras, L., Triantafyllou, V., Fayol-Messaoudi, D., Adrian, T., Zoumpopoulou, G., Tsakalidou, E., ... De Vuyst, L. (2006). Kinetic analysis of the antibacterial activity of probiotic lactobacilli towards *Salmonella enterica* serovar *Typhimurium* reveals a role for lactic acid and other inhibitory compounds. *Research in Microbiology*, 157(3), 241–247.
 252. Mankertz, J., Amasheh, M., Krug, S. M., Fromm, A., Amasheh, S., Hillenbrand, B., ... Schulzke, J. D. (2009). TNF α up-regulates claudin-2 expression in epithelial HT-29/B6 cells via phosphatidylinositol-3-kinase signaling. *Cell and Tissue Research*, 336(1), 67–77.

253. Mannick, E. E., Cote, R. L., Schurr, J. R., Krowicka, H. S., Sloop, G. D., Zapata-Velandia, A., ... Liu, Z. (2005). Altered phenotype of dextran sulfate sodium colitis in interferon regulatory factor-1 knock-out mice. *Journal of Gastroenterology and Hepatology*, 20(3), 371–380.
254. Marchiando, A. M., Graham, W. V., & Turner, J. R. (2010). Epithelial Barriers in Homeostasis and Disease. *Annual Review of Pathology: Mechanisms of Disease*, 5(1), 119–144.
255. Marco, M. L., Pavan, S., & Kleerebezem, M. (2006). Towards understanding molecular modes of probiotic action. *Current Opinion in Biotechnology*, 17(2), 204–210.
256. Margolles, A., García, L., Sánchez, B., Gueimonde, M., & de los Reyes-Gavilán, C. G. (2003). Characterisation of a *Bifidobacterium* strain with acquired resistance to cholate - A preliminary study. *International Journal of Food Microbiology*, 82(2), 191–198.
257. Marteau, P., Minekus, M., Havenaar, R., & Huis in't Veld, J. H. (1997). Survival of lactic acid bacteria in a dynamic model of the stomach and small intestine: validation and the effects of bile. *J Dairy Sci*, 80(6), 1031–1037.
258. Martìn-Padura, I., Lostaglio, S., Schneemann, M., Williams, L., Romano, M., Fruscella, P., ... Villa, A. (1998). Junctional adhesion molecule, a novel member of the immunoglobulin superfamily that distributes at intercellular junctions and modulates monocyte transmigration. *The Journal of Cell Biology*, 142(1), 117–127.
259. Martín, R., Jiménez, E., Heilig, H., Fernández, L., Marín, M. L., Zoetendal, E. G., & Rodríguez, J. M. (2009). Isolation of bifidobacteria from breast milk and assessment of the bifidobacterial population by PCR-denaturing gradient gel electrophoresis and quantitative real-time PCR. *Applied and Environmental Microbiology*, 75(4), 965–969.
260. Martín, R., Langa, S., Reviriego, C., Jiménez, E., Marín, M. L., Olivares, M., ... Rodríguez, J. M. (2004). The commensal microflora of human milk: New perspectives for food bacteriotherapy and probiotics. *Trends in Food Science and Technology*. Elsevier.
261. Martín, R., Langa, S., Reviriego, C., Jiménez, E., Marín, M. L., Xaus, J., ... Rodríguez, J. M. (2003). Human milk is a source of lactic acid bacteria for the

- infant gut. *Journal of Pediatrics*, 143(6), 754–758.
262. Martín, R., Miquel, S., Ulmer, J., Kechaou, N., Langella, P., & Bermúdez-Humarán, L. G. (2013). Role of commensal and probiotic bacteria in human health: a focus on inflammatory bowel disease. *Microbial Cell Factories*, 12(1), 71.
 263. Mastromarino, P., Brigidi, P., Macchia, S., Maggi, L., Pirovano, F., Trinchieri, V., ... Matteuzzi, D. (2002). Characterization and selection of vaginal *Lactobacillus* strains for the preparation of vaginal tablets. *Journal of Applied Microbiology*, 93(5), 884–893.
 264. Matsuzawa, T., Kuwae, A., & Abe, A. (2005). Enteropathogenic *Escherichia coli* type III effectors EspG and EspG2 alter epithelial paracellular permeability. *Infection and Immunity*, 73(10), 6283–9.
 265. McCarthy, K. M., Skare, I. B., Stankewich, M. C., Furuse, M., Tsukita, S., Rogers, R. A., ... Schneeberger, E. E. (1996). Occludin is a functional component of the tight junction. *Journal of Cell Science*, 109(9), 2287–2298.
 266. McCormick, B. A. (2003). The use of transepithelial models to examine host-pathogen interactions. *Current Opinion in Microbiology*. Elsevier Current Trends.
 267. Melgar, S., Karlsson, A., & Michaëlsson, E. (2005). Acute colitis induced by dextran sulfate sodium progresses to chronicity in C57BL/6 but not in BALB/c mice: correlation between symptoms and inflammation. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 288(6), G1328-38.
 268. Mennigen, R., Nolte, K., Rijcken, E., Utech, M., Loeffler, B., Senninger, N., & Bruewer, M. (2009). Probiotic mixture VSL#3 protects the epithelial barrier by maintaining tight junction protein expression and preventing apoptosis in a murine model of colitis. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 296(5), G1140-9.
 269. Meroth, C. B., Walter, J., Hertel, C., Brandt, M. J., & Hammes, W. P. (2003). Monitoring the bacterial population dynamics in sourdough fermentation processes by using PCR-denaturing gradient gel electrophoresis. *Applied and Environmental Microbiology*, 69(1), 475–482.
 270. Metchnikoff, E. (1908). *The Prolongation of Life*, GP Putnam's Sons. New York, NY.
 271. Metchnikoff, E., & MITCHELL, S. P. C. (1907). *The Prolongation of Life*:

- optimistic studies... The English translation edited by P. Chalmers Mitchell.* London.
272. Midolo, P. D., Lambert, J. R., Hull, R., Luo, F., & Grayson, M. L. (1995). *In vitro* inhibition of *Helicobacter pylori* NCTC 11637 by organic acids and lactic acid bacteria. *Journal of Applied Bacteriology*, 79(4), 475–479.
 273. Mikelsaar, M., Mandar, R., & Sepp, E. (1998). Lactic acid microflora in the human microbial ecosystem and its development. In *Lactic Acid Bacteria: Microbiology and functional aspects*. 2nd edn (pp. 279–342). Marcel Dekker Inc.
 274. Miyauchi, E., Morita, H., & Tanabe, S. (2009). *Lactobacillus rhamnosus* alleviates intestinal barrier dysfunction in part by increasing expression of zonula occludens-1 and myosin light-chain kinase *in vivo*. *Journal of Dairy Science*, 92(6), 2400–2408.
 275. Miyauchi, E., O’Callaghan, J., Buttó, L. F., Hurley, G., Melgar, S., Tanabe, S., ... O’Toole, P. W. (2012). Mechanism of protection of transepithelial barrier function by *Lactobacillus salivarius*: strain dependence and attenuation by bacteriocin production. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 303(9), G1029–41.
 276. Morelli, L. (2007). *In vitro* assessment of probiotic bacteria: From survival to functionality. *International Dairy Journal*. Elsevier.
 277. Moro, E. (1900). Ueber die nach Gram farbbaren bacillen des Säuglingsstuhles. *Wien Klin Wochenschr*, 13, 114–115.
 278. Mukai, T., Asasaka, T., Sato, E., Mori, K., Matsumoto, M., & Ohori, H. (2002). Inhibition of binding of *Helicobacter pylori* to the glycolipid receptors by probiotic *Lactobacillus reuteri*. *FEMS Immunology & Medical Microbiology*, 32(2), 105–110.
 279. Muñoz-Provencio, D., Llopis, M., Antolín, M., de Torres, I., Guarner, F., Pérez-Martínez, G., & Monedero, V. (2009). Adhesion properties of *Lactobacillus casei* strains to resected intestinal fragments and components of the extracellular matrix. *Archives of Microbiology*, 191(2), 153–161.
 280. Muyzer, G., & Smalla, K. (1998). Application of denaturing gradient gel electrophoresis (DGGE) and temperature gradient gel electrophoresis (TGGE) in microbial ecology. *Antonie van Leeuwenhoek*, 73(1), 127–141.
 281. Nanda Kumar, N. S., Balamurugan, R., Jayakanthan, K., Pulimood, A.,

- Pugazhendhi, S., & Ramakrishna, B. S. (2008). Probiotic administration alters the gut flora and attenuates colitis in mice administered dextran sodium sulfate. *Journal of Gastroenterology and Hepatology (Australia)*, 23(12), 1834–1839.
282. Neunlist, M., Toumi, F., Oreschkova, T., Denis, M., Leborgne, J., Laboisse, C. L., ... Jarry, A. (2003). Human ENS regulates the intestinal epithelial barrier permeability and a tight junction-associated protein ZO-1 via VIPergic pathways. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 285(5), G1028-36.
283. Neurath, M. F., Fuss, I., Kelsall, B. L., Stüber, E., & Strober, W. (1995). Antibodies to interleukin 12 abrogate established experimental colitis in mice. *The Journal of Experimental Medicine*, 182(5), 1281–90.
284. Nissle, A. (1918). Die antagonistische behandlung chronischer darmstörungen mit colibakterien. *Med Klin*, 2, 29–30.
285. Nusrat, A., Turner, J. R., & Madara, J. L. (2000). Molecular physiology and pathophysiology of tight junctions. IV. Regulation of tight junctions by extracellular stimuli: nutrients, cytokines, and immune cells. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 279(5), G851-7.
286. O'Hara, A. M., & Shanahan, F. (2006). The gut flora as a forgotten organ. *EMBO Reports*, 7(7), 688–693.
287. O'Shea, E. F., Cotter, P. D., Stanton, C., Ross, R. P., & Hill, C. (2012). Production of bioactive substances by intestinal bacteria as a basis for explaining probiotic mechanisms: Bacteriocins and conjugated linoleic acid. *International Journal of Food Microbiology*, 152(3), 189–205.
288. Ohkusa, T. (1985). Production of experimental ulcerative colitis in hamsters by dextran sulfate sodium and changes in intestinal microflora. *Nihon Shokakibyo Gakkai Zasshi = The Japanese Journal of Gastro-Enterology*, 82(5), 1327–36.
289. Okayasu, I., Hatakeyama, S., Yamada, M., Ohkusa, T., Inagaki, Y., & Nakaya, R. (1990). A novel method in the induction of reliable experimental acute and chronic ulcerative colitis in mice. *Gastroenterology*, 98(3), 694–702.
290. Ouwehand, A. C., Kirjavainen, P. V., Grönlund, M. M., Isolauri, E., & Salminen, S. J. (1999a). Adhesion of probiotic micro-organisms to intestinal mucus. *International Dairy Journal*, 9(9), 623–630.
291. Ouwehand, A. C., Niemi, P., & Salminen, S. J. (1999b). The normal faecal microflora does not affect the adhesion of probiotic bacteria *in vitro*. *FEMS*

- Microbiology Letters*, 177(1), 35–38.
292. Ouwehand, A. C., & Salminen, S. (2003). *In vitro* Adhesion Assays for Probiotics and their *in vivo* Relevance: A Review. *Microbial Ecology in Health and Disease*, 15(4), 175–184.
 293. Ouwehand, A. C., Salminen, S., & Isolauri, E. (2002a). Probiotics: an overview of beneficial effects. In *Lactic Acid Bacteria: Genetics, Metabolism and Applications* (pp. 279–289). Dordrecht: Springer Netherlands.
 294. Ouwehand, A. C., Salminen, S., Tölkkö, S., Roberts, P., Ovaska, J., & Salminen, E. (2002b). Resected human colonic tissue: new model for characterizing adhesion of lactic acid bacteria. *Clinical and Diagnostic Laboratory Immunology*, 9(1), 184–6.
 295. Ouwehand, A. C., Suomalainen, T., Tölkkö, S., & Salminen, S. (2002c). *In vitro* adhesion of propionic acid bacteria to human intestinal mucus. *Le Lait*, 82(1), 123–130.
 296. Ouwehand, A. C., Tuomola, E. M., Tölkkö, S., & Salminen, S. (2001). Assessment of adhesion properties of novel probiotic strains to human intestinal mucus. *International Journal of Food Microbiology*, 64(1–2), 119–126.
 297. Ouwehand, A. C., & Vesterlund, S. (2004). Antimicrobial components from lactic acid bacteria. *FOOD SCIENCE AND TECHNOLOGY-NEW YORK-MARCEL DEKKER-*, 139, 375–396.
 298. Pagès, F., Lazar, V., Berger, A., Danel, C., Lebel-Binay, S., Zinzindohoué, F., ... Fridman, W. H. (2001). *European Cytokine Network* (Vol. 12). John Libbey Eurotext Ltd.
 299. Pangallo, D., Drahovská, H., Harichová, J., Karelová, E., Chovanová, K., Ferianc, P., ... Timko, J. (2008). Assessment of environmental enterococci: bacterial antagonism, pathogenic capacity and antibiotic resistance. *Antonie van Leeuwenhoek*, 94(4), 555.
 300. Parassol, N., Freitas, M., Thoreux, K., Dalmaso, G., Bourdet-Sicard, R., & Rampal, P. (2005). *Lactobacillus casei* DN-114 001 inhibits the increase in paracellular permeability of enteropathogenic *Escherichia coli*-infected T84 cells. *Research in Microbiology*.
 301. Paris, L., Tonutti, L., Vannini, C., & Bazzoni, G. (2008). Structural organization of the tight junctions. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1778(3), 646–659.

302. Parker, R. B. (1974). Probiotics; the other half of the antibiotic story. *Anim. Nutr. Health*, 29, 4–8.
303. Pérez-Sánchez, T., Balcázar, J. L., García, Y., Halaihel, N., Vendrell, D., de Blas, I., ... Ruiz-Zarzuela, I. (2011). Identification and characterization of lactic acid bacteria isolated from rainbow trout, *Oncorhynchus mykiss* (Walbaum), with inhibitory activity against *Lactococcus garvieae*. *Journal of Fish Diseases*, 34(7), 499–507.
304. Pérez, P. F., Minnaard, Y., Disalvo, E. A., & De Antoni, G. L. (1998). Surface properties of bifidobacterial strains of human origin. *Applied and Environmental Microbiology*, 64(1), 21–6.
305. Perše, M., & Cerar, A. (2012). Dextran sodium sulphate colitis mouse model: Traps and tricks. *Journal of Biomedicine and Biotechnology*, 2012.
306. Petersen, A., Heegaard, P. M., Pedersen, A. L., Andersen, J. B., Sørensen, R. B., Frøkiær, H., ... Licht, T. R. (2009). Some putative prebiotics increase the severity of *Salmonella* enterica serovar Typhimurium infection in mice. *BMC Microbiology*, 9(1), 245.
307. Peterson, M. D., & Mooseker, M. S. (1992). Characterization of the enterocyte-like brush border cytoskeleton of the C2BBE clones of the human intestinal cell line, Caco-2. *Journal of Cell Science*, 102(3).
308. Petrof, E. O. (2009). Probiotics and Gastrointestinal Disease: Clinical Evidence and Basic Science. *Anti-Inflammatory & Anti-Allergy Agents in Medicinal Chemistry*, 8(3), 260–269.
309. Pfeiler, E. A., & Klaenhammer, T. R. (2009). Role of transporter proteins in bile tolerance of *Lactobacillus acidophilus*. *Applied and Environmental Microbiology*, 75(18), 6013–6.
310. Phillips, A. D., Navabpour, S., Hicks, S., Dougan, G., Wallis, T., & Frankel, G. (2000). Enterohaemorrhagic *Escherichia coli* O157:H7 target Peyer's patches in humans and cause attaching/effacing lesions in both human and bovine intestine. *Gut*, 47(3), 377–81.
311. Philpott, D. J., McKay, D. M., Sherman, P. M., & Perdue, M. H. (1996). Infection of T84 cells with enteropathogenic *Escherichia coli* alters barrier and transport functions. *The American Journal of Physiology*, 270 (4 Pt 1), G634–45.
312. Piddock, L. J. V. (2006). Multidrug-resistance efflux pumps — not just for

- resistance. *Nature Reviews Microbiology*, 4(8), 629–636.
313. Plotnikov, A., Zehorai, E., Procaccia, S., & Seger, R. (2011). The MAPK cascades: Signaling components, nuclear roles and mechanisms of nuclear translocation. *Biochimica et Biophysica Acta - Molecular Cell Research*. Elsevier.
 314. Poritz, L. S., Garver, K. I., Green, C., Fitzpatrick, L., Ruggiero, F., & Koltun, W. A. (2007). Loss of the Tight Junction Protein ZO-1 in Dextran Sulfate Sodium Induced Colitis. *Journal of Surgical Research*, 140(1), 12–19.
 315. Power, S. E., O'Toole, P. W., Stanton, C., Ross, R. P., & Fitzgerald, G. F. (2014). Intestinal microbiota, diet and health. *British Journal of Nutrition*, 111(3), 387–402.
 316. Pretzer, G., Snel, J., Molenaar, D., Wiersma, A., Bron, P. A., Lambert, J., ... Kleerebezem, M. (2005). Biodiversity-based identification and functional characterization of the mannose-specific adhesin of *Lactobacillus plantarum*. *Journal of Bacteriology*, 187(17), 6128–36.
 317. Pridmore, R. D., Pittet, A. C., Praplan, F., & Cavadini, C. (2008). Hydrogen peroxide production by *Lactobacillus johnsonii* NCC 533 and its role in anti-*Salmonella* activity. *FEMS Microbiology Letters*, 283(2), 210–215.
 318. Qin, H., Zhang, Z., Hang, X., & Jiang, Y. (2009). *L. plantarum* prevents Enteroinvasive *Escherichia coli*-induced tight junction proteins changes in intestinal epithelial cells. *BMC Microbiology*, 9(1), 63.
 319. Qin, J., Li, R., Raes, J., Arumugam, M., Tims, S., Vos, W. M. de, ... Kleerebezem, M. (2010). A human gut microbial gene catalogue established by metagenomic sequencing, 464, 59–65.
 320. Quigley, E. M. M. (2010). Prebiotics and probiotics; modifying and mining the microbiota. *Pharmacological Research*, 61(3), 213–218.
 321. Rakoff-Nahoum, S., Paglino, J., Eslami-Varzaneh, F., Edberg, S., & Medzhitov, R. (2004). Recognition of Commensal Microflora by Toll-Like Receptors Is Required for Intestinal Homeostasis. *Cell*, 118(2), 229–241.
 322. Ramiah, K., van Reenen, C. A., & Dicks, L. M. T. (2008). Surface-bound proteins of *Lactobacillus plantarum* 423 that contribute to adhesion of Caco-2 cells and their role in competitive exclusion and displacement of *Clostridium sporogenes* and *Enterococcus faecalis*. *Research in Microbiology*, 159(6), 470–475.

323. Rao, R. (2009). Occludin phosphorylation in regulation of epithelial tight junctions. *Annals of the New York Academy of Sciences*, 1165(1), 62–68.
324. Reid, G., Bruce, A. W., McGroarty, J. A., Cheng, K. J., & Costerton, J. W. (1990). Is there a role for lactobacilli in prevention of urogenital and intestinal infections? *Clinical Microbiology Reviews*. American Society for Microbiology.
325. Reid, G., & Burton, J. (2002, March 1). Use of *Lactobacillus* to prevent infection by pathogenic bacteria. *Microbes and Infection*. Elsevier Masson.
326. Reid Gregor. (2002). The Potential Role Of Probiotics In Pediatric Urology. *The Journal of Urology*, 168(4), 1512–1517.
327. Ren, J., Sun, K., Wu, Z., Yao, J., & Guo, B. (2011). All 4 Bile Salt Hydrolase Proteins Are Responsible for the Hydrolysis Activity in *Lactobacillus plantarum* ST-III. *Journal of Food Science*, 76(9), M622–M628.
328. Resnick, I. G., & Levin, M. A. (1981). Assessment of bifidobacteria as indicators of human fecal pollution. *Applied and Environmental Microbiology*, 42(3), 433–438.
329. Resta-Lenert, S., & Barrett, K. E. (2003). Live probiotics protect intestinal epithelial cells from the effects of infection with enteroinvasive *Escherichia coli* (EIEC). *Gut*, 52(7), 988–97.
330. Resta-Lenert, S., & Barrett, K. E. (2006). Probiotics and commensals reverse TNF- α - and IFN- γ -induced dysfunction in human intestinal epithelial cells. *Gastroenterology*, 130(3), 731–746.
331. Rettger, L. F., & Cheplin, H. A. (1921). A Treatise on the Transformation of the Intestinal Flora: With Special Reference to the Implantation of *Bacillus Acidophilus* (Vol. 13). Yale University Press.
332. Rettger, L. F., Levy, M. N., Weinstein, L., & Weiss, J. E. (1935). *Lactobacillus acidophilus* and its Therapeutic Application. *Lactobacillus Acidophilus and Its Therapeutic Application*.
333. Rivera-Espinoza, Y., & Gallardo-Navarro, Y. (2010). Non-dairy probiotic products. *Food Microbiology*.
334. Rogosa, M., Mitchell, J. A., & Wiseman, R. F. (1951). A selective medium for the isolation and enumeration of oral and fecal lactobacilli. *Journal of Bacteriology*, 62(1), 132–3.
335. Rojas, M., & Conway, P. L. (1996). Colonization by lactobacilli of piglet small

- intestinal mucus. *Journal of Applied Bacteriology*, 81(5), 474–480.
336. Rolfe, R. D. (2000). The role of probiotic cultures in the control of gastrointestinal health. *The Journal of Nutrition*, 130(2), 396S–402S.
 337. Roos, S. (1999). Adhesion and autoaggregation of *Lactobacillus reuteri* and description of a new *Lactobacillus* species with mucus binding properties. *Acta Universitatis Agriculturae Sueciae. Agraria (Sweden)*. Swedish University of Agricultural Sciences.
 338. Roos, S., Aleljung, P., Robert, N., Lee, B., Wadström, T., Lindberg, M., & Jonsson, H. (1996). A collagen binding protein from *Lactobacillus reuteri* is part of an ABC transporter system? *FEMS Microbiology Letters*, 144(1), 33–38.
 339. Roos, S., & Jonsson, H. (2002). A high-molecular-mass cell-surface protein from *Lactobacillus reuteri* 1063 adheres to mucus components. *Microbiology*, 148(2), 433–442.
 340. Rousset, M. (1986). The human colon carcinoma cell lines HT-29 and Caco-2: Two *in vitro* models for the study of intestinal differentiation. *Biochimie*. Elsevier Masson.
 341. Ruiz, L., Sánchez, B., Ruas-Madiedo, P., De Los Reyes-Gavilán, C. G., & Margolles, A. (2007). Cell envelope changes in *Bifidobacterium animalis* ssp. *lactis* as a response to bile. *FEMS Microbiology Letters*, 274(2), 316–322.
 342. Russell, J. B., & Diez-Gonzalez, F. (1997). The Effects of Fermentation Acids on Bacterial Growth (Vol. 39, pp. 205–234). Academic Press.
 343. Rutgeerts, P., Sandborn, W. J., Feagan, B. G., Reinisch, W., Olson, A., Johanns, J., ... Colombel, J. F. (2005). Infliximab for Induction and Maintenance Therapy for Ulcerative Colitis. *New England Journal of Medicine*, 353(23), 2462–2476.
 344. Sadeghzadeh, M., Rabieefar, A., Khoshnevisasl, P., Mousavinasab, N., & Eftekhari, K. (2014). The Effect of Probiotics on Childhood Constipation: A Randomized Controlled Double Blind Clinical Trial. *International Journal of Pediatrics*, 2014, 1–5.
 345. Saitou, M., Furuse, M., Sasaki, H., Schulzke, J.-D., Fromm, M., Takano, H., ... Tsukita, S. (2000). Complex phenotype of mice lacking occludin, a component of tight junction strands. *Molecular Biology of the Cell*, 11(12), 4131–4142.
 346. Salminen, M. K., Tynkkynen, S., Rautelin, H., Saxelin, M., Vaara, M., Ruutu, P., ... Järvinen, A. (2002). *Lactobacillus* Bacteremia during a Rapid Increase in

- Probiotic Use of *Lactobacillus rhamnosus* GG in Finland. *Clinical Infectious Diseases*, 35(10), 1155–1160.
347. Salminen, S., von Wright, A., Morelli, L., Marteau, P., Brassart, D., de Vos, W. M., ... Mattila-Sandholm, T. (1998). Demonstration of safety of probiotics -- a review. *International Journal of Food Microbiology*, 44(1–2), 93–106.
 348. Salminen, S., Wright, A. von, & Ouwehand, A. (2004). *Lactic acid bacteria : microbiological and functional aspects*. Marcel Dekker.
 349. Sambuy, Y., De Angelis, I., Ranaldi, G., Scarino, M. L., Stammati, A., & Zucco, F. (2005). The Caco-2 cell line as a model of the intestinal barrier: Influence of cell and culture-related factors on Caco-2 cell functional characteristics. *Cell Biology and Toxicology*. Kluwer Academic Publishers.
 350. Sánchez, B., Champomier-Vergès, M.-C., Anglade, P., Baraige, F., de Los Reyes-Gavilán, C. G., Margolles, A., & Zagorec, M. (2005). Proteomic analysis of global changes in protein expression during bile salt exposure of *Bifidobacterium longum* NCIMB 8809. *Journal of Bacteriology*, 187(16), 5799–808.
 351. Sandborn, W. J., van Assche, G., Reinisch, W., Colombel, J., D’Haens, G., Wolf, D. C., ... Thakkar, R. B. (2012). Adalimumab Induces and Maintains Clinical Remission in Patients With Moderate-to-Severe Ulcerative Colitis. *Gastroenterology*, 142(2), 257–265.e3.
 352. Sandborn, W., Reinisch, W., Rachmilewitz, D., Hanauer, S., Lichtenstein, G., de Villiers, W., ... Colombel, J. (2005). Infliximab induction and maintenance therapy for ulcerative colitis: the ACT 2 trial. *Zeitschrift Für Gastroenterologie*, 43(5), V6.
 353. Santos, A., San Mauro, M., Sanchez, A., Torres, J. M., & Marquina, D. (2003). The Antimicrobial Properties of Different Strains of *Lactobacillus* spp. Isolated from Kefir. *Systematic and Applied Microbiology*, 26(3), 434–437.
 354. Santosa, S., Farnworth, E., & Jones, P. J. H. (2006). Probiotics and Their Potential Health Claims. *Nutrition Reviews*, 64(6), 265–274.
 355. Sanz, Y. (2007). Ecological and functional implications of the acid-adaptation ability of *Bifidobacterium*: a way of selecting improved probiotic strains. *International Dairy Journal*, 17(11), 1284–1289.
 356. Sára, M., & Sleytr, U. B. (2000). S-Layer proteins. *Journal of Bacteriology*, 182(4), 859–68.

357. Saran, S., Bisht, M. S., Singh, K., & Teotia, U. S. (2012). Analyzing probiotic attributes to assess comparatively two isolates of *Lactobacillus acidophilus* in prebiotics, Honey and Inulin. *DHR Int J Biomed Life Sci (DHR-IJBLS)*, 2(1), 26–34.
358. Sarem, F., Sarem-Damerdj, L. O., & Nicolas, J. P. (1996). Comparison of the adherence of three *Lactobacillus* strains to Caco-2 and Int-407 human intestinal cell lines. *Letters in Applied Microbiology*, 22(6), 439–442.
359. Saxon, a., Shanahan, F., Landers, C., Ganz, T., & Targan, S. (1990). A distinct subset of antineutrophil cytoplasmic antibodies is associated with inflammatory bowel disease. *Journal of Allergy and Clinical Immunology*, 86(2), 202–210.
360. Schillinger, U., & Lücke, F. K. (1989). Antibacterial activity of *Lactobacillus* sake isolated from meat. *Applied and Environmental Microbiology*, 55(8), 1901–1906.
361. Schleifer, K. H., & Stackebrandt, E. (1983). Molecular Systematics of Prokaryotes. *Annual Review of Microbiology*, 37(1), 143–187.
362. Schmitz, H., Barmeyer, C., Fromm, M., Runkel, N., Foss, H. D., Bentzel, C. J., ... Schulzke, J. D. (1999). Altered tight junction structure contributes to the impaired epithelial barrier function in ulcerative colitis. *Gastroenterology*, 116(2), 301–309.
363. Schneeberger, E. E., & Lynch, R. D. (2004). The tight junction: a multifunctional complex. *American Journal of Physiology. Cell Physiology*, 286(6), C1213-28.
364. Schneitz, C., Nuotio, L., & Lounatma, K. (1993). Adhesion of *Lactobacillus acidophilus* to avian intestinal epithelial cells mediated by the crystalline bacterial cell surface layer (S-layer). *The Journal of Applied Bacteriology*, 74(3), 290–4.
365. Schulte, R., Kerneis, S., Klinke, S., Bartels, H., Preger, S., Kraehenbuhl, J.-P., ... Autenrieth, I. B. (2000). Translocation of *Yersinia enterocolitica* across reconstituted intestinal epithelial monolayers is triggered by *Yersinia* invasin binding to beta1 integrins apically expressed on M-like cells. *Cellular Microbiology*, 2(2), 173–185.
366. Schultz, M. (2008). Clinical use of *E. coli* Nissle 1917 in inflammatory bowel disease. *Inflammatory Bowel Diseases*, 14(7), 1012–1018.
367. Schulzke, J. D., Ploeger, S., Amasheh, M., Fromm, A., Zeissig, S., Troeger, H.,

- ... Fromm, M. (2009). Epithelial Tight Junctions in Intestinal Inflammation. *Annals of the New York Academy of Sciences*, 1165(1), 294–300.
368. Seale, J. V., & Millar, M. (2013). Probiotics: A new frontier for infection control. *Journal of Hospital Infection*. W.B. Saunders.
369. Servin, A. L., & Coconnier, M. H. (2003). Adhesion of probiotic strains to the intestinal mucosa and interaction with pathogens. *Bailliere's Best Practice and Research in Clinical Gastroenterology*, 17(5), 741–754.
370. Seth, A., Yan, F., Polk, D. B., & Rao, R. K. (2008). Probiotics ameliorate the hydrogen peroxide-induced epithelial barrier disruption by a PKC- and MAP kinase-dependent mechanism. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 294(4), G1060-9.
371. Shah, N. P. (2007). Functional cultures and health benefits. *International Dairy Journal*.
372. Shanahan, F. (2003). Probiotics: a perspective on problems and pitfalls. *Scandinavian Journal of Gastroenterology. Supplement*, 38(237), 34–36.
373. Sharma, P., Tomar, S. K., Goswami, P., Sangwan, V., & Singh, R. (2014). Antibiotic resistance among commercially available probiotics. *Food Research International*, 57, 176–195.
374. Sharma, R., Young, C., & Neu, J. (2010). Molecular modulation of intestinal epithelial barrier: contribution of microbiota. *Journal of Biomedicine & Biotechnology*, 2010, 305879.
375. Shen, L., Black, E. D., Witkowski, E. D., Lencer, W. I., Guerriero, V., Schneeberger, E. E., & Turner, J. R. (2006). Myosin light chain phosphorylation regulates barrier function by remodeling tight junction structure. *Journal of Cell Science*, 119(Pt 10), 2095–106.
376. Shen, L., Weber, C. R., Raleigh, D. R., Yu, D., & Turner, J. R. (2011). Tight Junction Pore and Leak Pathways: A Dynamic Duo. *Annual Review of Physiology*, 73(1), 283–309.
377. Sherman, P. M., Johnson-Henry, K. C., Yeung, H. P., Ngo, P. S. C., Goulet, J., & Tompkins, T. A. (2005). Probiotics reduce enterohemorrhagic *Escherichia coli* O157:H7- and enteropathogenic *E. coli* O127:H6-induced changes in polarized T84 epithelial cell monolayers by reducing bacterial adhesion and cytoskeletal rearrangements. *Infection and Immunity*, 73(8), 5183–8.
378. Shifflett, D. E., Clayburgh, D. R., Koutsouris, A., Turner, J. R., & Hecht, G. A.

- (2005). Enteropathogenic *E. coli* disrupts tight junction barrier function and structure *in vivo*. *Laboratory Investigation*, 85(10), 1308–1324.
379. Shin, K., Fogg, V. C., & Margolis, B. (2006). Tight Junctions and Cell Polarity. *Annual Review of Cell and Developmental Biology*, 22(1), 207–235.
380. Siitonen, S., Vapaatalo, H., Salminen, S., Gordin, A., Saxelin, M., Wikberg, R., & Kirkkola, A.-L. (1990). Effect of *Lactobacillus* GG yoghurt in prevention of antibiotic associated diarrhoea. *Annals of Medicine*, 22(1), 57–59.
381. Sillanpää, J., Martínez, B., Antikainen, J., Toba, T., Kalkkinen, N., Tankka, S., ... Korhonen, T. K. (2000). Characterization of the collagen-binding S-layer protein CbsA of *Lactobacillus crispatus*. *Journal of Bacteriology*, 182(22), 6440–50.
382. Song, J. C., Hanson, C. M., Tsai, V., Farokhzad, O. C., Lotz, M., & Matthews, J. B. (2001). Regulation of epithelial transport and barrier function by distinct protein kinase C isoforms. *American Journal of Physiology. Cell Physiology*, 281(2), C649-61.
383. Sood, A., Midha, V., Makharia, G. K., Ahuja, V., Singal, D., Goswami, P., & Tandon, R. K. (2009). The Probiotic Preparation, VSL#3 Induces Remission in Patients With Mild-to-Moderately Active Ulcerative Colitis. *Clinical Gastroenterology and Hepatology*, 7(11), 1202–1209.e1.
384. Spor, A., Koren, O., & Ley, R. (2011). Unravelling the effects of the environment and host genotype on the gut microbiome. *Nature Reviews Microbiology*, 9(4), 279–290.
385. Stevenson, B. R., Anderson, J. M., Braun, I. D., & Mooseker, M. S. (1989). Phosphorylation of the tight-junction protein ZO-1 in two strains of Madin-Darby canine kidney cells which differ in transepithelial resistance. *The Biochemical Journal*, 263(2), 597–9.
386. Strober, W., Fuss, I., & Mannon, P. (2007). The fundamental basis of inflammatory bowel disease. *The Journal of Clinical Investigation*, 117(3), 514–21.
387. Suau, A., Bonnet, R., Sutren, M., Godon, J. J., Gibson, G. R., Collins, M. D., & Dore, J. (1999). Direct analysis of genes encoding 16S rRNA from complex communities reveals many novel molecular species within the human gut. *Appl Environ Microbiol*, 65(11), 4799–4807.
388. Sultana, R., McBain, A. J., & O'Neill, C. A. (2013). Strain-dependent

- augmentation of tight-junction barrier function in human primary epidermal keratinocytes by *Lactobacillus* and *Bifidobacterium* lysates. *Applied and Environmental Microbiology*, 79(16), 4887–94.
389. Sun, Z., Liu, W., Gao, W., Yang, M., Zhang, J., Wu, L., ... Zhang, H. (2010). Identification and characterization of the dominant lactic acid bacteria from kurut: the naturally fermented yak milk in Qinghai, China. *The Journal of General and Applied Microbiology*, 56(1), 1–10.
 390. Suzuki, T. (2013). Regulation of intestinal epithelial permeability by tight junctions. *Cellular and Molecular Life Sciences*, 70(4), 631–659.
 391. Suzuki, T., Yoshinaga, N., & Tanabe, S. (2011). Interleukin-6 (IL-6) regulates claudin-2 expression and tight junction permeability in intestinal epithelium. *The Journal of Biological Chemistry*, 286(36), 31263–71.
 392. Swenson, J. M., Facklam, R. R., & Thornsberry, C. (1990). Antimicrobial susceptibility of vancomycin-resistant *Leuconostoc*, *Pediococcus*, and *Lactobacillus* species. *Antimicrobial Agents and Chemotherapy*, 34(4), 543–9.
 393. Swidsinski, A., Ladhoff, A., Pernthaler, A., Swidsinski, S., Loening-Baucke, V., Ortner, M., ... Lochs, H. (2002). Mucosal flora in inflammatory bowel disease. *Gastroenterology*, 122(1), 44–54.
 394. Tallon, R., Arias, S., Bressollier, P., & Urdaci, M. C. (2007). Strain- and matrix-dependent adhesion of *Lactobacillus plantarum* is mediated by proteinaceous bacterial compounds. *Journal of Applied Microbiology*, 102(2), 442–451.
 395. Tambekar, D. H., & Bhutada, S. A. (2010). an Evaluation of Probiotic Potential of *Lactobacillus* Sp. From Milk of Domestic Animals and Commercial Available Probiotic Preparations in Prevention of Enteric Bacterial Infections. *Recent Research in Science and Technology*, 2(10), 82–88.
 396. Tannock, G. W. (1999). Identification of lactobacilli and bifidobacteria. *Current Issues in Molecular Biology*, 1(1–2), 53–64.
 397. Tannock, G. W., Munro, K., Harmsen, H. J. M., Welling, G. W., Smart, J., & Gopal, P. K. (2000). Analysis of the fecal microflora of human subjects consuming a probiotic product containing *Lactobacillus rhamnosus* DR20. *Applied and Environmental Microbiology*, 66(6), 2578–2588.
 398. Tannock, G. W., Tilsala-Timisjarvi, A., Rodtong, S., Ng, J., Munro, K., & Alatossava, T. (1999). Identification of *Lactobacillus* isolates from the gastrointestinal tract, silage, and yoghurt by 16S-23S rRNA gene intergenic

- spacer region sequence comparisons. *Applied and Environmental Microbiology*, 65(9), 4264–7.
399. Tilsala-Timisjärvi, A., & Alatossava, T. (1997). Development of oligonucleotide primers from the 16S-23S rRNA intergenic sequences for identifying different dairy and probiotic lactic acid bacteria by PCR. *International Journal of Food Microbiology*, 35(1), 49–56.
 400. Tissier, H. (1906). The treatment of intestinal infections by the method of transformation of bacterial intestinal flora. *CR Soc. Biol*, 60, 359–361.
 401. Toba, T., Virkola, R., Westerlund, B., Bjorkman, Y., Sillanpaa, J., Vartio, T., ... Korhonen, T. K. (1995). A Collagen-Binding S-Layer Protein in *Lactobacillus crispatus*. *Applied and Environmental Microbiology*, 61(7), 2467–71.
 402. Tulumoglu, S., Yuksekdog, Z. N., Beyatli, Y., Simsek, O., Cinar, B., & Yaşar, E. (2013). Probiotic properties of lactobacilli species isolated from children's feces. *Anaerobe*, 24, 36–42.
 403. Turner, J. R. (2009). Intestinal mucosal barrier function in health and disease. *Nature Reviews Immunology*, 9(11), 799–809.
 404. Ueno, Y., Hayakawa, K., Takahashi, S., & Oda, K. (1997). Purification and characterization of glutamate decarboxylase from *Lactobacillus brevis* IFO 12005. *Bioscience, Biotechnology, and Biochemistry*, 61(7), 1168–71.
 405. UGARTE, M. B., GUGLIELMOTTI, D., GIRAFFA, G., REINHEIMER, J., & HYNES, E. (2006). Nonstarter Lactobacilli Isolated from Soft and Semihard Argentinean Cheeses: Genetic Characterization and Resistance to Biological Barriers. *Journal of Food Protection*, 69(12), 2983–2991.
 406. Ukena, S. N., Singh, A., Dringenberg, U., Engelhardt, R., Seidler, U., Hansen, W., ... Westendorf, A. M. (2007). Probiotic *Escherichia coli* Nissle 1917 inhibits leaky gut by enhancing mucosal integrity. *PloS One*, 2(12), e1308.
 407. Umeda, K., Matsui, T., Nakayama, M., Furuse, K., Sasaki, H., Furuse, M., & Tsukita, S. (2004). Establishment and characterization of cultured epithelial cells lacking expression of ZO-1. *The Journal of Biological Chemistry*, 279(43), 44785–94.
 408. Van Belkum, M. J., & Stiles, M. E. (2000). Nonantibiotic antibacterial peptides from lactic acid bacteria (1995 to date). *Natural Product Reports*, 17(4), 323–335.

409. Van der Mei, H. C., & Busscher, H. J. (2001). Electrophoretic mobility distributions of single-strain microbial populations. *Applied and Environmental Microbiology*, 67(2), 491–4.
410. Van Itallie, C. M., & Anderson, J. M. (2006). Claudins and epithelial paracellular transport. *Annu. Rev. Physiol.*, 68, 403–429.
411. Van Itallie, C. M., Holmes, J., Bridges, A., Gookin, J. L., Coccaro, M. R., Proctor, W., ... Anderson, J. M. (2008). The density of small tight junction pores varies among cell types and is increased by expression of claudin-2. *Journal of Cell Science*, 121(3), 298–305.
412. Van Pijkeren, J.-P., Canchaya, C., Ryan, K. A., Li, Y., Claesson, M. J., Sheil, B., ... O'Toole, P. W. (2006). Comparative and functional analysis of sortase-dependent proteins in the predicted secretome of *Lactobacillus salivarius* UCC118. *Applied and Environmental Microbiology*, 72(6), 4143–53.
413. Vanderhoof, J. A., & Young, R. J. (1998). Use of probiotics in childhood gastrointestinal disorders. *Journal of Pediatric Gastroenterology and Nutrition*, 27(3), 323–332.
414. Vaughan, E. E., & Mollet, B. (1999). Probiotics in the new millennium. *Nahrung/Food*, 43(3), 148–153.
415. Vélez, M. P., De Keersmaecker, S. C. J., & Vanderleyden, J. (2007). Adherence factors of *Lactobacillus* in the human gastrointestinal tract. *FEMS Microbiology Letters*, 276(2), 140–148.
416. Vidgrén, G., Palva, I., Pakkanen, R., Lounatmaa, K., & Palva, A. (1992). S-layer protein gene of *Lactobacillus brevis*: cloning by polymerase chain reaction and determination of the nucleotide sequence. *Journal of Bacteriology*, 174(22), 7419–27.
417. Vinderola, C. G., Duarte, J., Thangavel, D., Perdigón, G., Farnworth, E., & Matar, C. (2005). Immunomodulating capacity of kefir. *Journal of Dairy Research*, 72(2), 195–202.
418. Wall, T., Båth, K., Britton, R. A., Jonsson, H., Versalovic, J., & Roos, S. (2007). The early response to acid shock in *Lactobacillus reuteri* involves the ClpL chaperone and a putative cell wall-altering esterase. *Applied and Environmental Microbiology*, 73(12), 3924–35.
419. Walsh, S. V., Hopkins, A. M., Chen, J., Narumiya, S., Parkos, C. A., & Nusrat, A. (2001). Rho kinase regulates tight junction function and is necessary for tight

- junction assembly in polarized intestinal epithelia. *Gastroenterology*, 121(3), 566–579.
420. Walter, J. (2008). Ecological role of lactobacilli in the gastrointestinal tract: Implications for fundamental and biomedical research. *Applied and Environmental Microbiology*. American Society for Microbiology.
 421. Whitehead, K., Versalovic, J., Roos, S., & Britton, R. A. (2008). Genomic and genetic characterization of the bile stress response of probiotic *Lactobacillus reuteri* ATCC 55730. *Applied and Environmental Microbiology*, 74(6), 1812–9.
 422. Wilson, M., Henderson, B., & McNab, R. (2002). *Bacterial disease mechanisms : an introduction to cellular microbiology*. Cambridge University Press.
 423. Winker, S., & Woese, C. R. (1991). A Definition of the Domains Archaea, Bacteria and Eucarya in Terms of Small Subunit Ribosomal RNA Characteristics. *Systematic and Applied Microbiology*, 14(4), 305–310.
 424. Wirtz, S., Neufert, C., Weigmann, B., & Neurath, M. F. (2007). Chemically induced mouse models of intestinal inflammation. *Nature Protocols*, 2(3), 541–546.
 425. Wisner, D. M., Harris, L. R., Green, C. L., & Poritz, L. S. (2008). Opposing Regulation of the Tight Junction Protein Claudin-2 by Interferon- γ and Interleukin-4. *Journal of Surgical Research*, 144(1), 1–7.
 426. Woese, C. R. (1987). Bacterial evolution. *Microbiological Reviews*, 51(2), 221.
 427. Wollowski, I., Rechkemmer, G., & Pool-Zobel, B. L. (2001). Protective role of probiotics and prebiotics in colon cancer. *The American Journal of Clinical Nutrition*, 73(2), 451s–455s.
 428. Wong, V. (1997). Phosphorylation of occludin correlates with occludin localization and function at the tight junction. *The American Journal of Physiology*, 273(6 Pt 1), C1859-67.
 429. Yan, F., Cao, H., Cover, T. L., Washington, M. K., Shi, Y., Liu, L., ... Polk, D. B. (2011). Colon-specific delivery of a probiotic-derived soluble protein ameliorates intestinal inflammation in mice through an EGFR-dependent mechanism. *The Journal of Clinical Investigation*, 121(6), 2242–53.
 430. Yan, Y., Kolachala, V., Dalmasso, G., Nguyen, H., Laroui, H., Sitaraman, S. V., & Merlin, D. (2009). Temporal and Spatial Analysis of Clinical and Molecular

- Parameters in Dextran Sodium Sulfate Induced Colitis. *PLoS ONE*, 4(6), e6073.
431. Yanagida, F., Chen, Y., & Shinohara, T. (2006). Searching for bacteriocin-producing lactic acid bacteria in soil. *The Journal of General and Applied Microbiology*, 52(1), 21–28.
 432. Yang, F., Wang, A., Zeng, X., Hou, C., Liu, H., & Qiao, S. (2015). *Lactobacillus reuteri* I5007 modulates tight junction protein expression in IPEC-J2 cells with LPS stimulation and in newborn piglets under normal conditions. *BMC Microbiology*, 15(1), 32.
 433. Yousef, A. E., & Juneja, V. K. (2003). *Microbial Stress Adaptation and Food SAFETY*. CRC Press LLC (Vol. 3). CRC Press.
 434. Yu, Q., Wang, Z., & Yang, Q. (2012). *Lactobacillus amylophilus* D14 protects tight junction from enteropathogeniYu, Q., Wang, Z., & Yang, Q. (2012). *Lactobacillus amylophilus* D14 protects tight junction from enteropathogenic bacteria damage in Caco-2 cells. *Journal of Dairy Science*, 95(10), 5. *Journal of Dairy Science*, 95(10), 5580–5587.
 435. Yuan, J., Wang, B., Sun, Z., Bo, X., Yuan, X., He, X., ... Zeng, M. (2008). Analysis of host-inducing proteome changes in *Bifidobacterium longum* NCC2705 grown *in vivo*. *Journal of Proteome Research*, 7(1), 375–385.
 436. Yun, J. H., Lee, K. B., Sung, Y. K., Kim, E. B., Lee, H. G., & Choi, Y. J. (2009). Isolation and characterization of potential probiotic lactobacilli from pig feces. *Journal of Basic Microbiology*, 49(2), 220–226.
 437. Zago, M., Fornasari, M. E., Carminati, D., Burns, P., Suárez, V., Vinderola, G., ... Giraffa, G. (2011). Characterization and probiotic potential of *Lactobacillus plantarum* strains isolated from cheeses. *Food Microbiology*, 28(5), 1033–1040.
 438. Zakostelska, Z., Kverka, M., Klimesova, K., Rossmann, P., Mrazek, J., Kopečný, J., ... Tlaskalova-Hogenova, H. (2011). Lysate of probiotic *Lactobacillus casei* DN-114 001 ameliorates colitis by strengthening the gut barrier function and changing the gut microenvironment. *PLoS ONE*, 6(11).
 439. Zareie, M., Johnson-Henry, K., Jury, J., Yang, P.-C., Ngan, B.-Y., McKay, D. M., ... Sherman, P. M. (2006). Probiotics prevent bacterial translocation and improve intestinal barrier function in rats following chronic psychological stress. *Gut*, 55(11), 1553–60.
 440. Zavaglia, A. G., Kociubinski, G., Pérez, P., & De Antoni, G. (1998). Isolation and characterization of *Bifidobacterium* strains for probiotic formulation.

- Journal of Food Protection*®, 61(7), 865–873.
441. Zeng, X. Q., Pan, D. D., & Guo, Y. X. (2010). The probiotic properties of *Lactobacillus buchneri* P2. *Journal of Applied Microbiology*, 108(6), 2059–2066.
442. Zhao, H., Zhang, H., Wu, H., Li, H., Liu, L., Guo, J., ... Zhang, X. (2012). Protective role of 1,25(OH)₂vitamin D₃ in the mucosal injury and epithelial barrier disruption in DSS-induced acute colitis in mice. *BMC Gastroenterology*, 12(1), 57.
443. Zhou, J. S., Pillidge, C. J., Gopal, P. K., & Gill, H. S. (2005). Antibiotic susceptibility profiles of new probiotic *Lactobacillus* and *Bifidobacterium* strains. *International Journal of Food Microbiology*, 98(2), 211–217.