

REFERENCES



- Abreu, M. T. (2010). Toll-like receptor signalling in the intestinal epithelium: How bacterial recognition shapes intestinal function. *Nature Reviews Immunology*, **10**(2), 131-144.
- Agaliya, P. J., and Jeevaratnam, K. (2012). Screening of *Lactobacillus plantarum* isolated from fermented idli batter for probiotic properties. *African Journal of Biotechnology*, **11**(65), 12856-12864.
- Agerbaek, M., Gerdes, L. U., and Richelsen, B. (1995). Hypocholesterolaemic effect of a new fermented milk product in healthy. *European Journal of Clinical Nutrition*, **49**, 346-352.
- Ahire, J. J., Bhat, A. A., Thakare, J. M., Pawar, P. B., Zope, D. G., Jain, R. M., and Chaudhari, B. L. (2012). Cholesterol assimilation and biotransformation by *Lactobacillus helveticus*. *Biotechnology Letters*, **34**(1), 103-7.
- Ahn, Y. T., Kim, G. B., Lim, K. S., Baek, Y. J., and Kim, H. U. (2003). Deconjugation of bile salts by *Lactobacillus acidophilus* isolates. *International Dairy Journal*, **13**(4), 303-311.
- Akagawa, K. S. (2002). Functional heterogeneity of colony-stimulating factor-induced human monocyte-derived macrophages. *International Journal of Hematology*, **76**(1), 27-34.
- Akagawa, K. S., Komuro, I., Kanazawa, H., Yamazaki, T., Mochida, K., and Kishi, F. (2006). Functional heterogeneity of colony-stimulating factor-induced human monocyte-derived macrophages. *Respirology*, **11**(s1), S32-S36.
- Alakomi, H. L., Skyttä, E., Saarela, M., Mattila-Sandholm, T., Latva-Kala, K., and Helander, I. M. (2000). Lactic acid permeabilizes Gram-negative bacteria by disrupting the outer membrane. *Applied and Environmental Microbiology*, **66**(5), 2001-2005.
- Aliprantis, A. O., Yang, R. B., Mark, M. R., Suggett, S., Devaux, B., Radolf, J. D., Klimpel, G. R., Godowski, P., and Zychlinsky, A. (1999). Cell activation and apoptosis by bacterial lipoproteins through toll-like receptor-2. *Science*, **285**(5428), 736-739.
- Altena, K., Guder, A., Cramer, C., and Bierbaum, G. (2000). Biosynthesis of the lantibiotic mersacidin: organization of a type B lantibiotic gene cluster. *Applied and Environmental Microbiology*, **66**(6), 2565-2571.

- Amachi, S., Ishikawa, K., Toyoda, S., Kagawa, Y., Yokota, A., and Tomita, F. (1998). Characterization of a mutant of *Lactococcus lactis* with reduced membrane-bound ATPase activity under acidic conditions. *Bioscience, Biotechnology, and Biochemistry*, **62**(8), 1574-1580.
- Ambarus, C. A., Krausz, S., van Eijk, M., Hamann, J., Radstake, T. R. D. J., Reedquist, K. A., Tak, P. P., and Baeten, D. L. P. (2012). Systematic validation of specific phenotypic markers for *in vitro* polarized human macrophages. *Journal of Immunological Methods*, **375**(1), 196-206.
- Ammor, M. S., Flórez, A. B., and Mayo, B. (2007). Antibiotic resistance in non-enterococcal lactic acid bacteria and bifidobacteria. *Food Microbiology*, **24**(6), 559-570.
- Aquino, Ma. G. B., Ebuén, B. U., Widwidan, C., and Soriano, G. P. (2017). Cholesterol lowering potential of *Lactobacillus brevis*. *International Journal of Research Studies in Microbiology and Biotechnology*, **3**(2), 7-10.
- Arpaia, N., Campbell, C., Fan, X., Dikiy, S., van der Veeke, J., Liu, H., Cross, J. R., Pfeffer, K., Coffey, P. J., and Rudensky, A. Y. (2013). Metabolites produced by commensal bacteria promote peripheral regulatory T-cell generation. *Nature*, **504**(7480), 451-455.
- Ashraf, R., Vasiljevic, T., Smith, S. C., and Donkor, O. N. (2014). Effect of cell-surface components and metabolites of lactic acid bacteria and probiotic organisms on cytokine production and induction of CD25 expression in human peripheral mononuclear cells. *Journal of Dairy Science*, **97**(5), 2542-2558.
- Aso, Y., Akaza, H., Kotake, T., Tsukamoto, T., Imai, K., and Naito, S. (1994). Preventive effect of a *Lactobacillus casei* preparation on the recurrence of superficial bladder cancer in a double-blind trial. The BLP Study Group. *European Urology*, **27**(2), 104-109.
- Aso, Y., and Akazan, H. (1992). Prophylactic effect of a *Lactobacillus casei* preparation on the recurrence of superficial bladder cancer. *Urologia Internationalis*, **49**(3), 125-129.

- Åvall-Jääskeläinen, S., Lindholm, A., and Palva, A. (2003). Surface display of the receptor-binding region of the *Lactobacillus brevis* S-layer protein in *Lactococcus lactis* provides nonadhesive lactococci with the ability to adhere to intestinal epithelial cells. *Applied and Environmental Microbiology*, **69**(4), 2230-2236.
- Axelsson, L. T., Ahrné, S. E., Andersson, M. C., and Ståhl, S. R. (1988). Identification and cloning of a plasmid-encoded erythromycin resistance determinant from *Lactobacillus reuteri*. *Plasmid*, **20**(2), 171-174.
- Baccigalupi, L., di Donato, A., Parlato, M., Luongo, D., Carbone, V., Rossi, M., Ricca, E., and de Felice, M. (2005). Small surface-associated factors mediate adhesion of a food-isolated strain of *Lactobacillus fermentum* to Caco-2 cells. *Research in Microbiology*, **156**(7), 830-836.
- Banerjee, P., Merkel, G. J., and Bhunia, A. K. (2009). *Lactobacillus delbrueckii* ssp. *bulgaricus* B-30892 can inhibit cytotoxic effects and adhesion of pathogenic *Clostridium difficile* to Caco-2 cells. *Gut Pathogens*, **1**(1), 8.
- Barnby-Smith, F. M. (1992). Bacteriocins: Applications in food preservation. *Trends in Food Science and Technology*, **3**, 133-137.
- Barnett, J. A. (2000). A history of research on yeasts 2: Louis Pasteur and his contemporaries, 1850–1880. *Yeast*, **16**(8), 755-771.
- Bayer, A. S., Chow, A. W., Concepcion, N., and Guze, L. B. (1978). Susceptibility of 40 lactobacilli to six antimicrobial agents with broad Gram-positive anaerobic spectra. *Antimicrobial Agents and Chemotherapy*, **14**(5), 720-722.
- Begley, M., Gahan, C. G., and Hill, C. (2005). The interaction between bacteria and bile. *FEMS Microbiology Reviews*, **29**(4), 625-651.
- Begley, M., Hill, C., and Gahan, C. G. (2006). Bile salt hydrolase activity in probiotics. *Applied and Environmental Microbiology*, **72**(3), 1729-1738.

- Belicová, A., Mikulášová, M., and Dušínský, R. (2013). Probiotic potential and safety properties of *Lactobacillus plantarum* from Slovak Bryndza cheese. *BioMed Research International*, **2013**.
- Belkacem, B., Meriem, M., and Mebrouk, K. (2009). Probiotic potential of thermotolerant lactobacilli isolated from chicken gastrointestinal digestive and their use as poultry feed. *World Applied Sciences Journal*, **7**, 951-7.
- Bennouna, S., Bliss, S. K., Curiel, T. J., and Denkers, E. Y. (2003). Cross-talk in the innate immune system: neutrophils instruct recruitment and activation of dendritic cells during microbial infection. *The Journal of Immunology*, **171**(11), 6052-6058.
- Bernet, M. F., Brassart, D., Neeser, J. R., and Servin, A. L. (1994). *Lactobacillus acidophilus* LA 1 binds to cultured human intestinal cell lines and inhibits cell attachment and cell invasion by enterovirulent bacteria. *Gut*, **35**(4), 483-489.
- Bezkorovainy, A. (2001). Probiotics: determinants of survival and growth in the gut. *The American Journal of Clinical Nutrition*, **73**(2), 399s-405s.
- Biller, J. A., Katz, A. J., Flores, A. F., Buie, T. M., and Gorbach, S. L. (1995). Treatment of recurrent *Clostridium difficile* colitis with *Lactobacillus* GG. *Journal of Pediatric Gastroenterology and Nutrition*, **21**(2), 224-226.
- Bogdanov, I., Popkhrstov, P., and Marinov, I. (1962). Anticancer effect of antibioticum *bulgaricum* on sarcoma 180 and on the select form of Ehrlich carcinoma. Abstract VIII. In *International Anticancer Congress Moscow* (pp. 335).
- Bouhnik, Y., Flourie, B., Andrieux, C., Bisetti, N., Briet, F., and Rambaud, J. C. (1996). Effects of *Bifidobacterium* sp fermented milk ingested with or without inulin on colonic bifidobacteria and enzymatic activities in healthy humans. *European Journal of Clinical Nutrition*, **50**(4), 269-273.
- Bousvaros, A., Guandalini, S., Baldassano, R. N., Botelho, C., Evans, J., Ferry, G. D., Goldin, B., Hartigan, L., Kugathasan, S., Levy, J., Murray, K. F., Oliva-Hemker, M., Rosh, J.

- R., Tolia, V., Zholudev, A., Vanderhoof, J. A., and Hibberd, P. L. (2005). A randomized, double-blind trial of *Lactobacillus* GG versus placebo in addition to standard maintenance therapy for children with Crohn's disease. *Inflammatory Bowel Diseases*, **11**(9), 833-839.
- Bradford, M. M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*, **72**(1-2), 248-254.
- Brashears, M. M., Gilliland, S. E., and Buck, L. M. (1998). Bile salt deconjugation and cholesterol removal from media by *Lactobacillus casei*. *Journal of Dairy Science*, **81**(8), 2103-2110.
- Brightbill, H. D., Libraty, D. H., Krutzik, S. R., Yang, R. B., Belisle, J. T., Bleharski, J. R., Maitland, M., Norgard, M. V., Plevy, S. E., Smale, S. T., Brennan, P. J., Bloom, B. R., Godowski, P. J., and Modlin, R. L. (1999). Host defense mechanisms triggered by microbial lipoproteins through toll-like receptors. *Science*, **285**(5428), 732-736.
- Buck, B. L., Altermann, E., Svingerud, T., and Klaenhammer, T. R. (2005). Functional analysis of putative adhesion factors in *Lactobacillus acidophilus* NCFM. *Applied and Environmental Microbiology*, **71**(12), 8344-8351.
- Bury, D., and Jelen, P. (2000). Lactose hydrolysis using. *Canadian Agricultural Engineering*, **42**(2), 75.
- Bury, M. (2001). Illness narratives: fact or fiction?. *Sociology of Health and Illness*, **23**(3), 263-285.
- Buydens, P., and Debeuckelaere, S. (1996). Efficacy of SF 68 in the treatment of acute diarrhea a placebo-controlled trial. *Scandinavian Journal of Gastroenterology*, **31**(9), 887-891.
- Caballero-Franco, C., Keller, K., de Simone, C., and Chadee, K. (2007). The VSL# 3 probiotic formula induces mucin gene expression and secretion in colonic epithelial

- cells. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, **292**(1), G315-G322.
- Cai, S., Kandasamy, M., Rahmat, J. N., Tham, S. M., Bay, B. H., Lee, Y. K., and Mahendran, R. (2016). *Lactobacillus rhamnosus* GG activation of dendritic cells and neutrophils depends on the dose and time of exposure. *Journal of Immunology Research*, **2016**.
- Cannon, J. P., Lee, T. A., Bolanos, J. T., and Danziger, L. H. (2005). Pathogenic relevance of *Lactobacillus*: a retrospective review of over 200 cases. *European Journal of Clinical Microbiology and Infectious Diseases*, **24**(1), 31-40.
- Canny, G. O., and McCormick, B. A. (2008). Bacteria in the intestine, helpful residents or enemies from within?. *Infection and Immunity*, **76**(8), 3360-3373.
- Cario, E., and Podolsky, D. K. (2000). Differential alteration in intestinal epithelial cell expression of toll-like receptor 3 (TLR3) and TLR4 in inflammatory bowel disease. *Infection and Immunity*, **68**(12), 7010-7017.
- Carrera-Silva, E. A., Silvestroni, A., LeBlanc, J. G., Piard, J. C., de Giori, G. S., and Sesma, F. (2006). A thermostable α -galactosidase from *Lactobacillus fermentum* CRL722: genetic characterization and main properties. *Current Microbiology*, **53**(5), 374-378.
- Casey, P. G., Casey, G. D., Gardiner, G. E., Tangney, M., Stanton, C., Ross, R. P., Hill, C., and Fitzgerald, G. F. (2004). Isolation and characterization of anti-*Salmonella* lactic acid bacteria from the porcine gastrointestinal tract. *Letters in Applied Microbiology*, **39**(5), 431-438.
- Çataloluk, O., and Gogebakan, B. (2004). Presence of drug resistance in intestinal lactobacilli of dairy and human origin in Turkey. *FEMS Microbiology Letters*, **236**(1), 7-12.
- Chang, M. H., and Chen, T. C. (2000). Reduction of *Campylobacter jejuni* in a simulated chicken digestive tract by lactobacilli cultures. *Journal of Food Protection*, **63**(11), 1594-1597.

- Charteris, W. P., Kelly, P. M., Morelli, L., and Collins, J. K. (1998). Antibiotic susceptibility of potentially probiotic *Lactobacillus* species. *Journal of Food Protection*, **61**(12), 1636-1643.
- Charteris, W. P., Kelly, P. M., Morelli, L., and Collins, J. K. (1998). Antibiotic susceptibility of potentially probiotic *Bifidobacterium* isolates from the human gastrointestinal tract. *Letters in Applied Microbiology*, **26**(5), 333-337.
- Chauviere, G., Coconnier, M. H., Kernéis, S., Fourniat, J., and Servin, A. L. (1992). Adhesion of human *Lactobacillus acidophilus* strain LB to human enterocyte-like Caco-2 cells. *Microbiology*, **138**(8), 1689-1696.
- Chen, Y. S., Yanagida, F., and Shinohara, T. (2005). Isolation and identification of lactic acid bacteria from soil using an enrichment procedure. *Letters in Applied Microbiology*, **40**(3), 195-200.
- Cho, M. J., Lee, J. Y., and Kim, J. H. (2014). Microbial and physiochemical properties of Cheonggukjang fermented using *Bacillus* strains with antibacterial or antifungal activities. *Food Science and Biotechnology*, **23**(5), 1525-1532.
- Choi, S. S., Kang, B. Y., Chung, M. J., Kim, S. D., Park, S. H., Kim, J. S., and Ha, N. J. (2005). Safety assessment of potential lactic acid bacteria *Bifidobacterium longum* SPM1205 isolated from healthy Koreans. *Journal of Microbiology (Seoul, Korea)*, **43**(6), 493-498.
- Christensen, H. R., Frøkiær, H., and Pestka, J. J. (2002). Lactobacilli differentially modulate expression of cytokines and maturation surface markers in murine dendritic cells. *The Journal of Immunology*, **168**(1), 171-178.
- Coconnier, M. H., Bernet, M. F., Chauvière, G., and Servin, A. L. (1993). Adhering heat-killed human *Lactobacillus acidophilus*, strain LB, inhibits the process of pathogenicity of diarrhoeagenic bacteria in cultured human intestinal cells. *Journal of Diarrhoeal Diseases Research*, **11**(4), 235-242.

- Cole, C. B., and Fuller, R. (1984). A note on the effect of host specific fermented milk on the coliform population of the neonatal rat gut. *Journal of Applied Bacteriology*, **56**(3), 495-498.
- Collado, M. C., Gueimonde, M., Sanz, Y., and Salminen, S. (2006). Adhesion properties and competitive pathogen exclusion ability of bifidobacteria with acquired acid resistance. *Journal of Food Protection*, **69**(7), 1675-1679.
- Colombel, J. F., Cortot, A., Neut, C., and Romond, C. (1987). Yoghurt with *Bifidobacterium longum* reduces erythromycin-induced gastrointestinal effects. *The Lancet*, **330**(8549), 43.
- Coppola, R., Succi, M., Tremonte, P., Reale, A., Salzano, G., and Sorrentino, E. (2005). Antibiotic susceptibility of *Lactobacillus rhamnosus* strains isolated from Parmigiano Reggiano cheese. *Le Lait*, **85**(3), 193-204.
- Corral, J. M., Bañuelos, O., Adrio, J. L., and Velasco, J. (2006). Cloning and characterization of a β -galactosidase encoding region in *Lactobacillus coryniformis* CECT 5711. *Applied Microbiology and Biotechnology*, **73**(3), 640-646.
- Corzo, G., and Gilliland, S. E. (1999). Bile salt hydrolase activity of three strains of *Lactobacillus acidophilus*1. *Journal of Dairy Science*, **82**(3), 472-480.
- Costabile, A., Buttarazzi, I., Kolida, S., Quercia, S., Baldini, J., Swann, J. R., Brigidi, P., and Gibson, G. R. (2017). An *in vivo* assessment of the cholesterol-lowering efficacy of *Lactobacillus plantarum* ECGC 13110402 in normal to mildly hypercholesterolaemic adults. *PLoS One* **12**, e0187964.
- Costantini, C., and Cassatella, M. A. (2011). The defensive alliance between neutrophils and NK cells as a novel arm of innate immunity. *Journal of Leukocyte Biology*, **89**(2), 221-233.
- Cotter, P. D., Hill, C., and Ross, R. P. (2005). Bacteriocins: developing innate immunity for food. *Nature Reviews Microbiology*, **3**(10), 777-788.

- Damodharan, K., Palaniyandi, S. A., Yang, S. H., and Suh, J. W. (2015). *In vitro* probiotic characterization of *Lactobacillus* strains from fermented radish and their anti-adherence activity against enteric pathogens. *Canadian Journal of Microbiology*, **61**(11), 837-850.
- Danielsen, M. (2002). Characterization of the tetracycline resistance plasmid pMD5057 from *Lactobacillus plantarum* 5057 reveals a composite structure. *Plasmid*, **48**(2), 98-103.
- Danielsen, M., and Wind, A. (2003). Susceptibility of *Lactobacillus* spp. to antimicrobial agents. *International Journal of Food Microbiology*, **82**(1), 1-11.
- Dash, S. K. (2009). Paper from XXXVII *Dairy Industry Conference*, February 7-9, Kala Academy, Panjim, Goa.
- Dave, R. I., and Shah, N. P. (1996). Evaluation of media for selective enumeration of *Streptococcus thermophilus*, *Lactobacillus delbrueckii* ssp. *bulgaricus*, *Lactobacillus acidophilus*, and bifidobacteria. *Journal of Dairy Science*, **79**(9), 1529-1536.
- de Keersmaecker, S. C., Verhoeven, T. L., Desair, J., Marchal, K., Vanderleyden, J., and Nagy, I. (2006). Strong antimicrobial activity of *Lactobacillus rhamnosus* GG against *Salmonella typhimurium* is due to accumulation of lactic acid. *FEMS Microbiology Letters*, **259**(1), 89-96.
- de Moreno de LeBlanc, A., Del Carmen, S., Zurita-Turk, M., Santos Rocha, C., van de Guchte, M., Azevedo, V., Anderson, M., and LeBlanc, J. G. (2011). Importance of IL-10 modulation by probiotic microorganisms in gastrointestinal inflammatory diseases. *ISRN Gastroenterology*, **2011**.
- de Preter, V., Vanhoutte, T., Huys, G., Swings, J., de Vuyst, L., Rutgeerts, P., and Verbeke, K. (2007). Effects of *Lactobacillus casei* Shirota, *Bifidobacterium breve*, and oligofructose-enriched inulin on colonic nitrogen-protein metabolism in healthy humans. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, **292**(1), 358-368.

- de Rodas, B. Z., Gilliland, S. E., and Maxwell, C. V. (1996). Hypocholesterolemic action of *Lactobacillus acidophilus* ATCC 43121 and calcium in swine with hypercholesterolemia induced by diet. *Journal of Dairy Science*, **79**(12), 2121-2128.
- de Santo, C., Arscott, R., Booth, S., Karydis, I., Jones, M., Asher, R., Salio, M., Middleton, M., and Cerundolo, V. (2010). Invariant NKT cells modulate the suppressive activity of IL-10-secreting neutrophils differentiated with serum amyloid A. *Nature Immunology*, **11**(11), 1039-1046.
- de Vrese, M., Stegelmann, A., Richter, B., Fenselau, S., Laue, C., and Schrezenmeir, J. (2001). Probiotics-compensation for lactase insufficiency. *The American Journal of Clinical Nutrition*, **73**(2), 421s-429s.
- de Vries, M. C., Vaughan, E. E., Kleerebezem, M., and de Vos, W. M. (2006). *Lactobacillus plantarum*—survival, functional and potential probiotic properties in the human intestinal tract. *International Dairy Journal*, **16**(9), 1018-1028.
- Del Piano, M., Morelli, L., Strozzi, G. P., Allesina, S., Barba, M., Deidda, F., Lorenzini, P., Ballaré, M., Montino, F., Orsello, M., Sartori, M., Garelo, E., Carmagnola, S., Pagliarulo, M., and Capurso, L. (2006). Probiotics: from research to consumer. *Digestive and Liver Disease*, **38**, S248-S255.
- Dexter, D. L., and Hager, J. C. (1980). Maturation-induction of tumor cells using a human colon carcinoma model. *Cancer*, **45**(S5), 1178-1184.
- Diaz, M. A., Bik, E. M., Carlin, K. P., Venn-Watson, S. K., Jensen, E. D., Jones, S. E., Gaston, E. P., Relman, D. A., and Versalovic, J. (2013). Identification of *Lactobacillus* strains with probiotic features from the bottlenose dolphin (*Tursiops truncatus*). *Journal of Applied Microbiology*, **115**(4), 1037-1051.
- Dixit, Y., Wagle, A., and Vakil, B. (2016). Patents in the field of probiotics, prebiotics, synbiotics: A Review. *Journal of Food: Microbiology, Safety and Hygiene*, **1**, 111.

- Doi, K., Nishizaki, Y., Kimura, H., Kitahara, M., Fujino, Y., Ohmomo, S., Ohshima, T., and Ogata, S. (2013). Identification of thermo tolerant lactic acid bacteria isolated from silage prepared in the hot and humid climate of Southwestern Japan. *Springer Plus*, **2**(1), 485.
- Donkor, O. N., Henriksson, A., Vasiljevic, T., and Shah, N. P. (2007). α -Galactosidase and proteolytic activities of selected probiotic and dairy cultures in fermented soymilk. *Food Chemistry*, **104**(1), 10-20.
- Doron, S., Snyderman, D. R., and Gorbach, S. L. (2005). *Lactobacillus* GG: bacteriology and clinical applications. *Gastroenterology Clinics of North America*, **34**(3), 483-498.
- dos Santos Pozza, M. S., da Silva Miglioranza, L. H., Garcia, J. E., Garcia, S., and Pozza, P. C. (2011). Human gastrointestinal tract resistance of *Lactobacillus* strains isolated from infant faeces. *Semina: Ciências Agrárias, Londrina*, **32**(3), 1021-1032.
- Drisko, J. A., Giles, C. K., and Bischoff, B. J. (2003). Probiotics in health maintenance and disease prevention. *Alternative Medicine Review*, **8**(2), 143-155.
- Duary, R. K., Rajput, Y. S., Batish, V. K., and Grover, S. (2011). Assessing the adhesion of putative indigenous probiotic lactobacilli to human colonic epithelial cells. *Indian Journal of Medical Research*, **134**(5), 664.
- Dunne, C., O'Mahony, L., Murphy, L., Thornton, G., Morrissey, D., O'Halloran, S., Feeney, M., Flynn, S., Fitzgerald, G., Daly, C., Kiely, B., O'Sullivan, G. C., Shanahan, F., and Collins, J. K. (2001). *In vitro* selection criteria for probiotic bacteria of human origin: correlation with *in vivo* findings. *The American Journal of Clinical Nutrition*, **73**(2), 386s-392s.
- Dunne, D. W., Resnick, D., Greenberg, J., Krieger, M., and Joiner, K. A. (1994). The type I macrophage scavenger receptor binds to Gram-positive bacteria and recognizes lipoteichoic acid. *Proceedings of the National Academy of Sciences*, **91**(5), 1863-1867.
- Dušková, M., and Karpíšková, R. (2013). Antimicrobial resistance of lactobacilli isolated from food. *Czech Journal of Food Science*, **31**, 27-32.

- Elkins, C. A., Muñoz, M. E., Mullis, L. B., Stingley, R. L., and Hart, M. E. (2008). *Lactobacillus*-mediated inhibition of clinical toxic shock syndrome *Staphylococcus aureus* strains and its relation to acid and peroxide production. *Anaerobe*, **14**(5), 261-267.
- Elmabrok, A. S., and Hussin, K. M. (2012). Screening of lactic acid bacteria as biocontrol against (*Colletotrichum capsici*) on chilli Bangi. *Research Journal of Applied Sciences*, **7**, 9-12.
- Endo, A., and Okada, S. (2007). *Lactobacillus composti* sp. nov., a lactic acid bacterium isolated from a compost of distilled shochu residue. *International Journal of Systematic and Evolutionary Microbiology*, **57**(4), 870-872.
- Falk, P. G., Hooper, L. V., Midtvedt, T., and Gordon, J. I. (1998). Creating and maintaining the gastrointestinal ecosystem: what we know and need to know from gnotobiology. *Microbiology and Molecular Biology Reviews*, **62**(4), 1157-1170.
- Fang, F., Li, Y., Bumann, M., Raftis, E. J., Casey, P. G., Cooney, J. C., Walsh, M. A., and O'Toole, P. W. (2009). Allelic variation of bile salt hydrolase genes in *Lactobacillus salivarius* does not determine bile resistance levels. *Journal of Bacteriology*, **191**(18), 5743-5757.
- Farzadi, M., Khatami, S., Mousavi, M., and Amirmozafari, N. (2011). Purification and characterization of α -galactosidase from *Lactobacillus acidophilus*. *African Journal of Biotechnology*, **10**(10), 1873-1879.
- Fioramonti, J., Theodorou, V., and Bueno, L. (2003). Probiotics: what are they? What are their effects on gut physiology?. *Best Practice and Research Clinical Gastroenterology*, **17**(5), 711-724.
- Flórez, A. B., Delgado, S., and Mayo, B. (2005). Antimicrobial susceptibility of lactic acid bacteria isolated from a cheese environment. *Canadian Journal of Microbiology*, **51**(1), 51-58.

- Fogh, J., Fogh, J. M., and Orfeo, T. (1977). One hundred and twenty-seven cultured human tumor cell lines producing tumors in nude mice. *Journal of the National Cancer Institute*, **59**(1), 221-226.
- Foligne, B., Nutton, S., Grangette, C., Dennin, V., Goudercourt, D., Poirer, S., Dewulf, J., Brassart, D., Mercenier, A., and Pot, B. (2007). Correlation between *in vitro* and *in vivo* immunomodulatory properties of lactic acid bacteria. *World Journal of Gastroenterology*, **13**(2), 236.
- Fong, F. L. Y., Kirjavainen, P. V., and El-Nezami, H. (2016). Immunomodulation of *Lactobacillus rhamnosus* GG (LGG)-derived soluble factors on antigen-presenting cells of healthy blood donors. *Scientific Reports*, **6**, 22845.
- Fong, F. L. Y., Kirjavainen, P., Wong, V. H. Y., and El-Nezami, H. (2015). Immunomodulatory effects of *Lactobacillus rhamnosus* GG on dendritic cells, macrophages and monocytes from healthy donors. *Journal of Functional Foods*, **13**, 71-79.
- Fourniat, J., Colomban, C., Linxe, C., and Karam, D. (1992, January). Heat-killed *Lactobacillus acidophilus* inhibits adhesion of *Escherichia coli* B41 to HeLa cells. In *Annales De Recherches Vétérinaires*, **23**, 361-361.
- Fritz, J. H., Le Bourhis, L., Magalhaes, J. G., and Philpott, D. J. (2008). Innate immune recognition at the epithelial barrier drives adaptive immunity: APCs take the back seat. *Trends in Immunology*, **29**(1), 41-49.
- Fuller, R. (1989). Probiotics in man and animals. *Journal of Applied Bacteriology*, **66**(5), 365-378.
- Fuller, R. (1991). Probiotics in human medicine. *Gut*, **32**(4), 439.
- Galdeano, C. M., de Leblanc, A. D. M., Vinderola, G., Bonet, M. B., and Perdigon, G. (2007). Proposed model: mechanisms of immunomodulation induced by probiotic bacteria. *Clinical and Vaccine Immunology*, **14**(5), 485-492.

- Garcia, E. F., Luciano, W. A., Xavier, D. E., da Costa, W. C., de Sousa Oliveira, K., Franco, O. L., de Moraes Júnior, M. A., Lucena, B. T. L., Picão, R. C., Magnani, M., Saarela, M., and de Souza, E. L. (2016). Identification of lactic acid bacteria in fruit pulp processing by products and potential probiotic properties of selected *Lactobacillus* strains. *Frontiers in Microbiology*, **7**, 1371.
- García-Hernández, Y., Rodríguez, Z., Brandão, L. R., Rosa, C. A., Nicoli, J. R., Iglesias, A. E., Pérez-Sanchez, T., Salabarría, R. B., and Halaihel, N. (2012). Identification and *in vitro* screening of avian yeasts for use as probiotic. *Research in Veterinary Science*, **93**(2), 798-802.
- Garro, M. S., Font de Valdez, G., and Savoy de Giori, G. (2004). α -Galactosidase assay in fermented soymilk products. *Environmental Microbiology: Methods and Protocols*, **16**, 121-124.
- Geuking, M. B., Cahenzli, J., Lawson, M. A., Ng, D. C., Slack, E., Hapfelmeier, S., McCoy, K. D., and Macpherson, A. J. (2011). Intestinal bacterial colonization induces mutualistic regulatory T cell responses. *Immunity*, **34**(5), 794-806.
- Gevers, D., Danielsen, M., Huys, G., and Swings, J. (2003). Molecular characterization of tet (M) genes in *Lactobacillus* isolates from different types of fermented dry sausage. *Applied and Environmental Microbiology*, **69**(2), 1270-1275.
- Ghadimi, D., Fölster-Holst, R., de Vrese, M., Winkler, P., Heller, K. J., and Schrezenmeir, J. (2008). Effects of probiotic bacteria and their genomic DNA on TH1/TH2-cytokine production by peripheral blood mononuclear cells (PBMCs) of healthy and allergic subjects. *Immunobiology*, **213**(8), 677-692.
- Ghorbani, G. R., Morgavi, D. P., Beauchemin, K. A., and Leedle, J. A. Z. (2002). Effects of bacterial direct-fed microbials on ruminal fermentation, blood variables, and the microbial populations of feedlot cattle. *Journal of Animal Science*, **80**(7), 1977-1985.

- Giang, H. H., Viet, T. Q., Ogle, B., and Lindberg, J. E. (2010). Effects of different probiotic complexes of lactic acid bacteria on growth performance and gut environment of weaned piglets. *Livestock Science*, **133**(1), 182-184.
- Gill, S. R., Pop, M., DeBoy, R. T., Eckburg, P. B., Turnbaugh, P. J., Samuel, B. S., Gordon, J. I., Relman, D. A., Fraser-Liggett, C. M., and Nelson, K. E. (2006). Metagenomic analysis of the human distal gut microbiome. *Science*, **312**(5778), 1355-1359.
- Gilliland, S. E., and Walker, D. K. (1990). Factors to consider when selecting a culture of *Lactobacillus acidophilus* as a dietary adjunct to produce a hypocholesterolemic effect in humans. *Journal of Dairy Science*, **73**(4), 905-911.
- Gilliland, S. E., Nelson, C. R., and Maxwell, C. (1985). Assimilation of cholesterol by *Lactobacillus acidophilus*. *Applied and Environmental Microbiology*, **49**(2), 377-381.
- Gilliland, S. E., Staley, T. E., and Bush, L. J. (1984). Importance of bile tolerance of *Lactobacillus acidophilus* used as a dietary adjunct¹. *Journal of Dairy Science*, **67**(12), 3045-3051.
- Girardin, S. E., Boneca, I. G., Carneiro, L. A., Antignac, A., Jéhanho, M., Viala, J., J. Tedin, K., Taha, M. K., Labigne, A., Zahringer, U., Coyle, A. J., DiStefano, P. S., Bertin, J., Sansonetti, P. J., and Philpott, D. J. (2003a). Nod1 detects a unique muropeptide from gram-negative bacterial peptidoglycan. *Science*, **300**(5625), 1584-1587.
- Girardin, S. E., Boneca, I. G., Viala, J., Chamaillard, M., Labigne, A., Thomas, G., Philpott, D. J., and Sansonetti, P. J. (2003b). Nod2 is a general sensor of peptidoglycan through muramyl dipeptide (MDP) detection. *Journal of Biological Chemistry*, **278**(11), 8869-8872.
- Glass, R. I., Lew, J. F., Gangarosa, R. E., LeBaron, C. W., and Ho, M. S. (1991). Estimates of morbidity and mortality rates for diarrheal diseases in American children. *The Journal of Pediatrics*, **118**(4), S27-S33.

- Goldin, B. R., and Gorbach, S. L. (1984). The effect of milk and *Lactobacillus* feeding on human intestinal bacterial enzyme activity. *The American Journal of Clinical Nutrition*, **39**(5), 756-761.
- Goldin, B. R., Gorbach, S. L., Saxelin, M., Barakat, S., Gualtieri, L., and Salminen, S. (1992). Survival of *Lactobacillus* species (strain GG) in human gastrointestinal tract. *Digestive Diseases and Sciences*, **37**(1), 121-128.
- Gomes, A. M., and Malcata, F. X. (1999). *Bifidobacterium* spp. and *Lactobacillus acidophilus*: biological, biochemical, technological and therapeutical properties relevant for use as probiotics. *Trends in Food Science and Technology*, **10**(4), 139-157.
- Goossens, D., Jonkers, D. M. A. E., Russel, M. G. V. M., Thijs, A., van Den Bogaard, A., Stobberingh, E., and Stockbrügger, R. (2005). Survival of the probiotic, *L. plantarum* 299v and its effects on the faecal bacterial flora, with and without gastric acid inhibition. *Digestive and Liver Disease*, **37**(1), 44-50.
- Gopal, P. K., Prasad, J., Smart, J., and Gill, H. S. (2001). *In vitro* adherence properties of *Lactobacillus rhamnosus* DR20 and *Bifidobacterium lactis* DR10 strains and their antagonistic activity against an enterotoxigenic *Escherichia coli*. *International Journal of Food Microbiology*, **67**(3), 207-216.
- Gorbach, S., Chang, T. W., and Goldin, B. (1987). Successful treatment of relapsing *Clostridium difficile* colitis with *Lactobacillus* GG. *The Lancet*, **330**(8574), 1519.
- Gordon, S., and Martinez, F. O. (2010). Alternative activation of macrophages: mechanism and functions. *Immunity*, **32**(5), 593-604.
- Granato, D., Perotti, F., Masserey, I., Rouvet, M., Golliard, M., Servin, A., and Brassart, D. (1999). Cell surface-associated lipoteichoic acid acts as an adhesion factor for attachment of *Lactobacillus johnsonii* La1 to human enterocyte-like Caco-2 cells. *Applied and Environmental Microbiology*, **65**(3), 1071-1077.

- Grangette, C., Nutton, S., Palumbo, E., Morath, S., Hermann, C., Dewulf, J., Pot, B., Hartung, T., Hols, P., and Mercenier, A. (2005). Enhanced antiinflammatory capacity of a *Lactobacillus plantarum* mutant synthesizing modified teichoic acids. *Proceedings of the National Academy of Sciences of the United States of America*, **102**(29), 10321-10326.
- Greenberg, N. A., and Mahoney, R. R. (1982). Production and characterization of β -galactosidase from *Streptococcus thermophilus*. *Journal of Food Science*, **47**(6), 1824-1835.
- Greenblatt, M. B., Aliprantis, A., Hu, B., and Glimcher, L. H. (2010). Calcineurin regulates innate antifungal immunity in neutrophils. *Journal of Experimental Medicine*, jem-20092531.
- Grill, J., Schneider, F., Crociani, J., and Ballongue, J. (1995). Purification and characterization of conjugated bile salt hydrolase from *Bifidobacterium longum* BB536. *Applied and Environmental Microbiology*, **61**(7), 2577-2582.
- Grunewald, K. K. (1982). Serum cholesterol levels in rats fed skim milk fermented by *Lactobacillus acidophilus*. *Journal of Food Science*, **47**(6), 2078-2079.
- Guarner, F., and Malagelada, J. R. (2003). Gut flora in health and disease. *The Lancet*, **361**(9356), 512-519.
- Gupta, P., Andrew, H., Kirschner, B. S., and Guandalini, S. (2000). Is *Lactobacillus* GG helpful in children with Crohn's disease? Results of a preliminary, open-label study. *Journal of Pediatric Gastroenterology and Nutrition*, **31**(4), 453-457.
- Guslandi, M., Mezzi, G., Sorghi, M., and Testoni, P. A. (2000). *Saccharomyces boulardii* in maintenance treatment of Crohn's disease. *Digestive Diseases and Sciences*, **45**(7), 1462-1464.
- Haileselassie, Y., Navis, M., Vu, N., Qazi, K. R., Rethi, B., and Sverremark-Ekström, E. (2016). Postbiotic modulation of retinoic acid imprinted mucosal-like dendritic cells by probiotic *Lactobacillus reuteri* 17938 in vitro. *Frontiers in Immunology*, **7**, 96.

- Haller, D., Blum, S., Bode, C., Hammes, W. P., and Schiffrin, E. J. (2000). Activation of human peripheral blood mononuclear cells by nonpathogenic bacteria *in vitro*: evidence of NK cells as primary targets. *Infection and Immunity*, **68**(2), 752-759.
- Hamet, M. F., Londero, A., Medrano, M., Vercammen, E., van Hoorde, K., Garrote, G. L., Huys, G., Vandamme, P., and Abraham, A. G. (2013). Application of culture-dependent and culture-independent methods for the identification of *Lactobacillus kefiranofaciens* in microbial consortia present in kefir grains. *Food Microbiology*, **36**(2), 327-334.
- Hammes, W. P., and Tichaczek, P. S. (1994). The potential of lactic acid bacteria for the production of safe and wholesome food. *Zeitschrift für Lebensmittel-Untersuchung und-Forschung*, **198**(3), 193-201.
- Hansen, J. N. (1993). Antibiotics synthesized by post translational modification. *Annual Reviews in Microbiology*, **47**(1), 535-564.
- Hao, W. L., and Lee, Y. K. (2004). Microflora of the gastrointestinal tract: a review. *Public Health Microbiology: Methods and Protocols*, **268**, 491-502.
- Hartemink, R., and Rombouts, F. M. (1999). Comparison of media for the detection of bifidobacteria, lactobacilli and total anaerobes from faecal samples. *Journal of Microbiological Methods*, **36**(3), 181-192.
- Hayashi, F., Means, T. K., and Luster, A. D. (2003). Toll-like receptors stimulate human neutrophil function. *Blood*, **102**(7), 2660-2669.
- He, T., Priebe, M. G., Welling, G. W., and Vonk, R. J. (2006). Effect of lactose on oro-cecal transit in lactose digesters and maldigesters. *European Journal of Clinical Investigation*, **36**(10), 737-742.
- He, T., Priebe, M. G., Zhong, Y., Huang, C., Harmsen, H. J. M., Raangs, G. C., Antoine, J. M., Welling, G. W., and Vonk, R. J. (2008). Effects of yogurt and bifidobacteria supplementation on the colonic microbiota in lactose-intolerant subjects. *Journal of Applied Microbiology*, **104**(2), 595-604.

- Heyman, M. B. (2006). Lactose intolerance in infants, children, and adolescents. *Pediatrics*, **118**(3), 1279-1286.
- Hickman, C. S. (2005). How have bacteria contributed to the evolution of multicellular animals?. *The Influence of Cooperative Bacteria on Animal Host Biology*, 3-33.
- Hidalgo, I. J., Raub, T. J., and Borchardt, R. T. (1989). Characterization of the human colon carcinoma cell line (Caco-2) as a model system for intestinal epithelial permeability. *Gastroenterology*, **96**(3), 736-749.
- Hill, D. R. (2000). Occurrence and self-treatment of diarrhea in a large cohort of Americans traveling to developing countries. *The American Journal of Tropical Medicine and Hygiene*, **62**(5), 585-589.
- Hill, M. J. (1997). Intestinal flora and endogenous vitamin synthesis. *European Journal of Cancer Prevention*, **6**(2), S43-S45.
- Hirano, J., Yoshida, T., Sugiyama, T., Koide, N., Mori, I., and Yokochi, T. (2003). The effect of *Lactobacillus rhamnosus* on enterohemorrhagic *Escherichia coli* infection of human intestinal cells *in vitro*. *Microbiology and Immunology*, **47**(6), 405-409.
- Hooper, L. V., Wong, M. H., Thelin, A., Hansson, L., Falk, P. G., and Gordon, J. I. (2001). Molecular analysis of commensal host-microbial relationships in the intestine. *Science*, **291**(5505), 881-884.
- Hooper, L. V., Xu, J., Falk, P. G., Midtvedt, T., and Gordon, J. I. (1999). A molecular sensor that allows a gut commensal to control its nutrient foundation in a competitive ecosystem. *Proceedings of the National Academy of Sciences of the USA*, **96**(17), 9833-9838.
- Hosono, A. (1999). Bile tolerance, taurocholate deconjugation, and binding of cholesterol by *Lactobacillus gasseri* strains. *Journal of Dairy Science*, **82**(2), 243-248.

- Hsieh, M. L., and Chou, C. C. (2006). Mutagenicity and antimutagenic effect of soymilk fermented with lactic acid bacteria and bifidobacteria. *International Journal of Food Microbiology*, **111**(1), 43-47.
- Hugo, A. A., de Antoni, G. L., and Pérez, P. F. (2006). *Lactobacillus delbrueckii* subsp *lactis* strain CIDCA 133 inhibits nitrate reductase activity of *Escherichia coli*. *International Journal of Food Microbiology*, **111**(3), 191-196.
- Hugo, A. A., Kakisu, E., de Antoni, G. L., and Perez, P. F. (2008). Lactobacilli antagonize biological effects of enterohaemorrhagic *Escherichia coli* *in vitro*. *Letters in Applied Microbiology*, **46**(6), 613-619.
- Hurst, A. (1967). Function of nisin and nisin-like basic proteins in the growth cycle of *Streptococcus lactis*. *Nature*, **214**(5094), 1232-1234.
- Husain, Q. (2010). β Galactosidases and their potential applications: a review. *Critical Reviews in Biotechnology*, **30**(1), 41-62.
- Ibourahema, C., Dauphin, R. D., Jacqueline, D., and Thonart, P. (2008). Characterization of lactic acid bacteria isolated from poultry farms in Senegal. *African Journal of Biotechnology*, **7**(12).
- Ingrassia, I., Leplingard, A., and Darfeuille-Michaud, A. (2005). *Lactobacillus casei* DN-114 001 inhibits the ability of adherent-invasive *Escherichia coli* isolated from Crohn's disease patients to adhere to and to invade intestinal epithelial cells. *Applied and Environmental Microbiology*, **71**(6), 2880-2887.
- Isolauri, E., Kirjavainen, P. V., and Salminen, S. (2002). Probiotics: a role in the treatment of intestinal infection and inflammation?. *Gut*, **50**(suppl 3), iii54-iii59.
- Isolauri, E., Rautanen, T., Juntunen, M., Sillanauke, P., and Koivula, T. (1991). A human *Lactobacillus* strain (*Lactobacillus casei* sp strain GG) promotes recovery from acute diarrhea in children. *Pediatrics*, **88**(1), 90-97.

- Ivory, K., Chambers, S. J., Pin, C., Prieto, E., Arques, J. L., and Nicoletti, C. (2008). Oral delivery of *Lactobacillus casei*Shirota modifies allergen-induced immune responses in allergic rhinitis. *Clinical and Experimental Allergy*, **38**(8), 1282-1289.
- Jaguin, M., Houlbert, N., Fardel, O., and Lecureur, V. (2013). Polarization profiles of human M-CSF-generated macrophages and comparison of M1-markers in classically activated macrophages from GM-CSF and M-CSF origin. *Cellular Immunology*, **281**(1), 51-61.
- Jain, S., Yadav, H., and Sinha, P. R. (2009). Antioxidant and cholesterol assimilation activities of selected lactobacilli and lactococci cultures. *Journal of Dairy Research*, **76**(04), 385-391.
- Jang, S. E., Hyam, S. R., Han, M. J., Kim, S. Y., Lee, B. G., and Kim, D. H. (2013). *Lactobacillus brevis* G-101 ameliorates colitis in mice by inhibiting NF- κ B, MAPK and AKT pathways and by polarizing M1 macrophages to M2-like macrophages. *Journal of Applied Microbiology*, **115**(3), 888-896.
- Janssens, S., and Beyaert, R. (2002). A universal role for MyD88 in TLR/IL-1R-mediated signaling. *Trends in Biochemical Sciences*, **27**(9), 474-482.
- Jeon, S. G., Kayama, H., Ueda, Y., Takahashi, T., Asahara, T., Tsuji, H., Tsuji, N. M., Kiyono, H., Ma, J. S., Kusu, T., Okumura, R., Hara, H., Yoshida, H., Yamamoto, M., Nomoto, K., and Takeda, K. (2012). Probiotic *Bifidobacterium breve* induces IL-10-producing Tr1 cells in the colon. *PLoS Pathogens*, **8**(5), e1002714.
- Jiménez, E., Martín, R., Maldonado, A., Martín, V., de Segura, A. G., Fernández, L., and Rodríguez, J. M. (2010). Complete genome sequence of *Lactobacillus salivarius* CECT 5713, a probiotic strain isolated from human milk and infant feces. *Journal of Bacteriology*, **192**(19), 5266-5267.
- Johansson, M. A., Björkander, S., Forsberg, M. M., Qazi, K. R., Celades, M. S., Bittmann, J., Eberl, M., and Sverremark-Ekström, E. (2016). Probiotic lactobacilli Modulate *Staphylococcus aureus*-induced activation of conventional and Unconventional T cells and nK cells. *Frontiers in Immunology*, **7**.

- Johansson, M. A., Saghafian-Hedengren, S., Haileselassie, Y., Roos, S., Troye-Blomberg, M., Nilsson, C., and Sverremark-Ekström, E. (2012). Early-life gut bacteria associate with IL-4, IL-10 and IFN- γ production at two years of age. *PLoS One*, **7**(11), e49315.
- Jones, B. V., Begley, M., Hill, C., Gahan, C. G., and Marchesi, J. R. (2008). Functional and comparative metagenomic analysis of bile salt hydrolase activity in the human gut microbiome. *Proceedings of the National Academy of Sciences*, **105**(36), 13580-13585.
- Jonkers, D., Penders, J., Masclee, A., and Pierik, M. (2012). Probiotics in the management of inflammatory bowel disease. *Drugs*, **72**(6), 803-823.
- Jonsson, H., Ström, E., and Roos, S. (2001). Addition of mucin to the growth medium triggers mucus-binding activity in different strains of *Lactobacillus reuteri* in vitro. *FEMS Microbiology Letters*, **204**(1), 19-22.
- Kaewnopparat, S., Dangmanee, N., Kaewnopparat, N., Srichana, T., Chulasiri, M., and Settharaksa, S. (2013). In vitro probiotic properties of *Lactobacillus fermentum* SK5 isolated from vagina of a healthy woman. *Anaerobe*, **22**, 6-13.
- Kaji, R., Kiyoshima-Shibata, J., Nagaoka, M., Nanno, M., and Shida, K. (2010). Bacterial teichoic acids reverse predominant IL-12 production induced by certain *Lactobacillus* strains into predominant IL-10 production via TLR2-dependent ERK activation in macrophages. *The Journal of Immunology*, **184**(7), 3505-3513.
- Kapczynski, D. R., Meinersmann, R. J., and Lee, M. D. (2000). Adherence of *Lactobacillus* to intestinal 407 cells in culture correlates with fibronectin binding. *Current Microbiology*, **41**(2), 136-141.
- Kapsenberg, M. L. (2003). Dendritic-cell control of pathogen-driven T-cell polarization. *Nature Reviews Immunology*, **3**(12), 984-993.
- Kaushik, J. K., Kumar, A., Duary, R. K., Mohanty, A. K., Grover, S., and Batish, V. K. (2009). Functional and probiotic attributes of an indigenous isolate of *Lactobacillus plantarum*. *PLoS One*, **4**(12), e8099.

- Kavitha, J. R., and Devasena, T. (2013). Isolation, characterization, determination of probiotic properties of lactic acid bacteria from human milk. *Journal of Pharmacy and Biological Sciences*, **7**(3), 1-7.
- Kawai, T., and Akira, S. (2010). The role of pattern-recognition receptors in innate immunity: update on Toll-like receptors. *Nature Immunology*, **11**(5), 373-384.
- Kawai, Y., Ishii, Y., Uemura, K., Kitazawa, H., Saito, T., and Itoh, T. (2001). *Lactobacillus reuteri* LA6 and *Lactobacillus gasseri* LA39 isolated from faeces of the same human infant produce identical cyclic bacteriocin. *Food Microbiology*, **18**(4), 407-415.
- Kidd, M. T., Morgan Jr, G. W., Zumwalt, C. D., Price, C. J., Welch, P. A., Brinkhaus, F. L., and Fontana, E. A. (2001). α -Galactosidase enzyme supplementation to corn and soybean meal broiler diets 1 2. *Journal of Applied Poultry Research*, **10**(2), 186-193.
- Kigerl, K. A., Gensel, J. C., Ankeny, D. P., Alexander, J. K., Donnelly, D. J., and Popovich, P. G. (2009). Identification of two distinct macrophage subsets with divergent effects causing either neurotoxicity or regeneration in the injured mouse spinal cord. *Journal of Neuroscience*, **29**(43), 13435-13444.
- Kim, S. O., Sheikh, H. I., Ha, S. D., Martins, A., and Reid, G. (2006). G-CSF-mediated inhibition of JNK is a key mechanism for *Lactobacillus rhamnosus*-induced suppression of TNF production in macrophages. *Cellular Microbiology*, **8**(12), 1958-1971.
- Kim, Y., Kim, S. H., Whang, K. Y., Kim, Y. J., and Oh, S. (2008). Inhibition of *Escherichia coli* O157: H7 attachment by interactions between lactic acid bacteria and intestinal epithelial cells. *Journal of Microbiology and Biotechnology*, **18**(7), 1278-1285.
- Kinová, S. H., Bilkova, A., and Bukovský, M. (2008). Lactobacilli and their probiotic properties. *Ceska a Slovenska Farmacie: Casopis Ceske Farmaceuticke Spolecnosti a Slovenske Farmaceuticke Spolecnosti*, **57**(2), 95-98.
- Klaenhammer, T. R., and Kullen, M. J. (1999). Selection and design of probiotics. *International Journal of Food Microbiology*, **50**(1), 45-57.

- Klaver, F. A., and van der Meer, R. (1993). The assumed assimilation of cholesterol by *Lactobacilli* and *Bifidobacterium bifidum* is due to their bile salt-deconjugating activity. *Applied and Environmental Microbiology*, **59**(4), 1120-1124.
- Klein, G., Hallmann, C., Casas, I. A., Abad, J., Louwers, J., and Reuter, G. (2000). Exclusion of vanA, vanB and vanC type glycopeptide resistance in strains of *Lactobacillus reuteri* and *Lactobacillus rhamnosus* used as probiotics by polymerase chain reaction and hybridization methods. *Journal of Applied Microbiology*, **89**(5), 815-824.
- Kohler, E. M., and Bohl, E. H. (1964). Prophylaxis of diarrhea in newborn pigs. *Journal of the American Veterinary Medical Association*, **144**, 1294-1297.
- Könönen, E., and Wade, W. G. (2007). *Propioni bacterium*, *Lactobacillus*, *Actinomyces*, and other non-spore-forming anaerobic Gram-positive rods. *Manual of Clinical Microbiology*, **1**, 872-888.
- Kuda, T., Yazaki, T., Ono, M., Takahashi, H., and Kimura, B. (2013). *In vitro* cholesterol-lowering properties of *Lactobacillus plantarum* AN6 isolated from aji-narezushi. *Letters in Applied Microbiology*, **57**(3), 187-192.
- Kumar, M., Rakesh, S., Nagpal, R., Hemalatha, R., Ramakrishna, A., Sudarshan, V., Ramagoni, R., Shujaiddin, M., Verma, V., Kumar, A., Tiwari, A. Singh, B., and Kumar, R. (2013). Probiotic *Lactobacillus rhamnosus* GG and Aloe vera gel improve lipid profiles in hypercholesterolemic rats. *Nutrition*, **29**(3), 574-579.
- Kumari, L., and Shamsher, K. S. (2015). Cholesterol oxidase: Role in biotransformation of cholesterol. *Journal of Applied Biology and Biotechnology*, **3**(6), 053-065.
- Lambert, J. M., Bongers, R. S., de Vos, W. M., and Kleerebezem, M. (2008). Functional analysis of four bile salt hydrolase and penicillin acylase family members in *Lactobacillus plantarum* WCFS1. *Applied and Environmental Microbiology*, **74**(15), 4719–4726.

- Langendijk, P. S., Schut, F., Jansen, G. J., Raangs, G. C., Kamphuis, G. R., Wilkinson, M. H., and Welling, G. W. (1995). Quantitative fluorescence in situ hybridization of *Bifidobacterium* spp. with genus-specific 16S rRNA-targeted probes and its application in fecal samples. *Applied and Environmental Microbiology*, **61**(8), 3069-3075.
- Lankaputhra, W. E. V., and Shah, N. P. (1995). Survival of *Lactobacillus acidophilus* and *Bifidobacterium* spp in the presence of acid and bile salts. *Cultured Dairy Products Journal*, **30**(3), 2-7.
- Lebeer, S., Vanderleyden, J., and de Keersmaecker, S. C. (2008). Genes and molecules of lactobacilli supporting probiotic action. *Microbiology and Molecular Biology Reviews*, **72**(4), 728-764.
- LeBlanc, J. G., Garro, M. S., and de Giori, G. S. (2004). Effect of pH on *Lactobacillus fermentum* growth, raffinose removal, α -galactosidase activity and fermentation products. *Applied Microbiology and Biotechnology*, **65**(1), 119-123.
- LeBlanc, J. G., Garro, M. S., Silvestroni, A., Connes, C., Piard, J. C., Sesma, F., and Savoy de Giori, G. (2004). Reduction of α -galactooligosaccharides in soyamilk by *Lactobacillus fermentum* CRL 722: *in vitro* and *in vivo* evaluation of fermented soyamilk. *Journal of Applied Microbiology*, **97**(4), 876-881.
- LeBlanc, J. G., Ledue-Clier, F., Bensaada, M., de Giori, G. S., Guerekobaya, T., Sesma, F., Juillard, V., Rabot, S., and Piard, J. C. (2008). Ability of *Lactobacillus fermentum* to overcome host α -galactosidase deficiency, as evidenced by reduction of hydrogen excretion in rats consuming soya α -galacto-oligosaccharides. *BMC Microbiology*, **8**(1), 22.
- Leblond-Bourget, N., Philippe, H., Mangin, I., and Decaris, B. (1996). 16S rRNA and 16S to 23S internal transcribed spacer sequence analyses reveal inter-and intraspecific *Bifidobacterium* phylogeny. *International Journal of Systematic and Evolutionary Microbiology*, **46**(1), 102-111.

- Lee, D. J., Drongowski, R. A., Coran, A. G., and Harmon, C. M. (2000). Evaluation of probiotic treatment in a neonatal animal model. *Pediatric Surgery International*, **16**(4), 237-242.
- Lee, J., Mo, J. H., Katakura, K., Alkalay, I., Rucker, A. N., Liu, Y. T., Lee, H. K., Shen, C., Cojocaru, G., Shenouda, S., Kagnoff, M., Eckmann, L., Ben-Neriah, Y., and Raz, E. (2006). Maintenance of colonic homeostasis by distinctive apical TLR9 signalling in intestinal epithelial cells. *Nature Cell Biology*, **8**(12), 1327-1336.
- Lee, Y. K., and Mazmanian, S. K. (2010). Has the microbiota played a critical role in the evolution of the adaptive immune system?. *Science*, **330**(6012), 1768-1773.
- Lee, Y. K., Puong, K. Y., Ouwehand, A. C., and Salminen, S. (2003). Displacement of bacterial pathogens from mucus and Caco-2 cell surface by lactobacilli. *Journal of Medical Microbiology*, **52**(10), 925-930.
- Leopold, C. S., and Eikeler, D. (2000). Basic coating polymers for the colon-specific drug delivery in inflammatory bowel disease. *Drug Development and Industrial Pharmacy*, **26**(12), 1239-1246.
- Leske, K. L., Jevne, C. J., and Coon, C. N. (1993). Effect of oligosaccharide additions on nitrogen-corrected true metabolizable energy of soy protein concentrate. *Poultry Science*, **72**(4), 664-668.
- Lesuffleur, T., Kornowski, A., Luccioni, C., Muleris, M., Barbat, A., Beaumatin, J., Dussaulx, E., Dutrillaux, B., and Zweibaum, A. (1991). Adaptation to 5-fluorouracil of the heterogeneous human colon tumor cell line HT-29 results in the selection of cells committed to differentiation. *International Journal of Cancer*, **49**(5), 721-730.
- Leteurtre, E., Gouyer, V., Rousseau, K., Moreau, O., Barbat, A., Swallow, D., Huet, G. and Lesuffleur, T. (2004). Differential mucin expression in colon carcinoma HT-29 clones with variable resistance to 5-fluorouracil and methotrexate. *Biology of the Cell*, **96**(2), 145-151.

- Levitt, M. D., and Donaldson, R. M. (1970). Use of respiratory hydrogen (H₂) excretion to detect carbohydrate malabsorption. *Journal of Laboratory and Clinical Medicine*, **75**(6), 937-945.
- Lewandowska, M., Olejnik, A., Neumann, M., Krêpulec, A., Piotrowska, J., Teresiak, A., and Grajek, W. (2005). Comparative *in vitro* study on the adhesion of probiotic and pathogenic bacteria to different human intestinal cell lines. *Biotechnologia*, **2**(69), 215-233.
- Li, Q., Liu, X., Dong, M., Zhou, J., and Wang, Y. (2015). Adhesion and probiotic properties of *Lactobacillus plantarum* isolated from Chinese traditional fermented soybean paste. *Global Advanced Research Journal of Food Science and Technology*, **4**(1), 001-009.
- Li, W., and Li, C. B. (2003). Lack of inhibitory effects of lactic acid bacteria on 1, 2-dimethylhydrazine-induced colon tumors in rats. *World Journal of Gastroenterology*, **9**(11), 2469-2473.
- Liasi, S. A., Azmi, T. I., Hassan, M. D., Shuhaimi, M., Rosfarizan, M., and Ariff, A. B. (2009). Antimicrobial activity and antibiotic sensitivity of three isolates of lactic acid bacteria from fermented fish product, Budu. *Malaysian Journal of Microbiology*, **5**(1), 33-37.
- Lidbeck, A., Allinger, U. G., Orrhage, K. M., Ottova, L., Brismar, B., Gustafsson, J. Å., Rafter, J. J., and Nord, C. E. (1991). Impact of *Lactobacillus acidophilus* supplements on the faecal microflora and soluble faecal bile acids in colon cancer patients. *Microbial Ecology in Health and Disease*, **4**(2), 81-88.
- Liévin-Le Moal, V., and Servin, A. L. (2006). The front line of enteric host defense against unwelcome intrusion of harmful microorganisms: mucins, antimicrobial peptides, and microbiota. *Clinical Microbiology Reviews*, **19**(2), 315-337.
- Lilly, D. M., and Stillwell, R. H. (1965). Probiotics: growth-promoting factors produced by microorganisms. *Science*, **147**(3659), 747-748.

- Lin, C. F., Fung, Z. F., Wu, C. L., and Chung, T. C. (1996). Molecular characterization of a plasmid-borne (ptc82) chloramphenicol resistance determinant (cat-TC) from *Lactobacillus reuteri* G4. *Plasmid*, **36**(2), 116-124.
- Lindberg, A. A., and Pál, T. (1993). Strategies for development of potential candidate Shigella vaccines. *Vaccine*, **11**(2), 168-179.
- Linden, J. C. (1982). Immobilized α -D-galactosidase in the sugar beet industry. *Enzyme and Microbial Technology*, **4**(3), 130-136.
- Liong, M. T., and Shah, N. P. (2005). Acid and bile tolerance and cholesterol removal ability of lactobacilli strains. *Journal of Dairy Science*, **88** (1), 55–66.
- Liong, M. T., and Shah, N. P. (2006). Effects of a *Lactobacillus casei* synbiotic on serum lipoprotein, intestinal microflora, and organic acids in rats. *Journal of Dairy Science*, **89** (5), 1390–1399.
- Liu, X., Champagne, C. P., Lee, B. H., Boye, J. I., and Casgrain, M. (2014). Thermostability of probiotics and their α -galactosidases and the potential for bean products. *Biotechnology Research International*, **2014**, 21.
- Liu, Y., Fatheree, N. Y., Dingle, B. M., Tran, D. Q., and Rhoads, J. M. (2013). *Lactobacillus reuteri* DSM 17938 changes the frequency of Foxp3⁺ regulatory T cells in the intestine and mesenteric lymph node in experimental necrotizing enterocolitis. *PLoS One*, **8**(2), e56547.
- Liu, Y., Stewart, K. N., Bishop, E., Marek, C. J., Kluth, D. C., Rees, A. J., and Wilson, H. M. (2008). Unique expression of suppressor of cytokine signaling 3 is essential for classical macrophage activation in rodents *in vitro* and *in vivo*. *The Journal of Immunology*, **180**(9), 6270-6278.
- Lye, H. S., Rusul, G., and Liong, M. T. (2010a). Mechanisms of cholesterol removal by lactobacilli under conditions that mimic the human gastrointestinal tract. *International Dairy Journal*, **20**(3), 169–175.

- Lye, H. S., Rusul, G., and Liong, M. T. (2010b). Removal of cholesterol by lactobacilli via incorporation of and conversion to coprostanol. *Journal of Dairy Science*, **93**(4), 1383–1392.
- Mack, D. R., Ahrné, S., Hyde, L., Wei, S., and Hollingsworth, M. A. (2003). Extracellular MUC3 mucin secretion follows adherence of *Lactobacillus* strains to intestinal epithelial cells *in vitro*. *Gut*, **52**(6), 827-833.
- Mack, D. R., Michail, S., Wei, S., McDougall, L., and Hollingsworth, M. A. (1999). Probiotics inhibit enteropathogenic *E. coli* adherence *in vitro* by inducing intestinal mucin gene expression. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, **276**(4), G941-G950.
- Mahmoudi, I., Moussa, O., and Hassouna, M. (2017). Symbiotic, hypocholesterolemic and antioxidant effects of potential probiotic lactobacilli strains isolated from Tunisian camel milk. *Advances in Microbiology*, **7**(4), 328-342.
- Maldonado, N., C., and Nader-Macías, M., E., F. (2015). Functional properties (acid and bile tolerance) and antibiotic susceptibility of lactic acid bacteria isolated from newborn calves for the design of a probiotic product. *International Journal of Veterinary Science and Research*, **1**(1), 011-022.
- Mallett, A., K., Bearne, C. A., and Rowland, I. R. (1989). The influence of incubation pH on the activity of rat and human gut flora enzymes. *Journal of Applied Microbiology*, **66**(5), 433-437.
- Mändar, R., Lõivukene, K., Hütt, P., Karki, T., and Mikelsaar, M. (2001). Antibacterial susceptibility of intestinal lactobacilli of healthy children. *Scandinavian Journal of Infectious Diseases*, **33**(5), 344-349.
- Mann, G. V., and Spoerry, A. (1974). Studies of a surfactant and cholesteremia in the Maasai. *The American Journal of Clinical Nutrition*, **27**(5), 464-469.

- Manson, J. E., Tosteson, H., Ridker, P. M., Satterfield, S., Hebert, P., O'Connor, G. T., Buring, J. E., and Hennekens, C. H. (1992). The primary prevention of myocardial infarction. *New England Journal of Medicine*, **326**(21), 1406-1416.
- Marcon, M. J. (1997). Probiotics in health and medicine: Moving from fashion to scientific validity. *Clinical Microbiology Newsletter*, **19**(12), 89-93.
- Martín, R., Jiménez, E., Olivares, M., Marín, M. L., Fernández, L., Xaus, J., and Rodríguez, J. M. (2006). *Lactobacillus salivarius* CECT 5713, a potential probiotic strain isolated from infant feces and breast milk of a mother–child pair. *International Journal of Food Microbiology*, **112**(1), 35-43.
- Martín, R., Olivares, M., Pérez, M., Xaus, J., Torre, C., Fernández, L., and Rodríguez, J. M. (2010). Identification and evaluation of the probiotic potential of lactobacilli isolated from canine milk. *The Veterinary Journal*, **185**(2), 193-198.
- Martinez, F. O., Helming, L., and Gordon, S. (2009). Alternative activation of macrophages: an immunologic functional perspective. *Annual Review of Immunology*, **27**, 451-483.
- Marty-Teyssset, C., de La Torre, F., and Garel, J. R. (2000). Increased production of hydrogen peroxide by *Lactobacillus delbrueckii* subsp. *bulgaricus* upon aeration: involvement of an nadh oxidase in oxidative stress. *Applied and Environmental Microbiology*, **66**(1), 262-267.
- Masood, M. I., Qadir, M. I., Shirazi, J. H., and Khan, I. U. (2011). Beneficial effects of lactic acid bacteria on human beings. *Critical Reviews in Microbiology*, **37**(1), 91-98.
- Mastromarino, P., Brigidi, P., Macchia, S., Maggi, L., Pirovano, F., Trinchieri, V., Conte, U., and Matteuzzi, D. (2002). Characterization and selection of vaginal *Lactobacillus* strains for the preparation of vaginal tablets. *Journal of Applied Microbiology*, **93**(5), 884-893.
- Mathur, S., and Singh, R. (2005). Antibiotic resistance in food lactic acid bacteria a review. *International Journal of Food Microbiology*, **105**(3), 281-295.

- Matsumoto, M., Ohishi, H., and Benno, Y. (2004). H⁺-ATPase activity in *Bifidobacterium* with special reference to acid tolerance. *International Journal of Food Microbiology*, **93**(1), 109-113.
- Mattar, A., Teitelbaum, D. H., Drongowski, R., Yongyi, F., Harmon, C., and Coran, A. (2002). Probiotics up-regulate MUC-2 mucin gene expression in a Caco-2 cell-culture model. *Pediatric Surgery International*, **18**(7), 586-590.
- Mattila-Sandholm, T., Blum, S., Collins, J. K., Crittenden, R., de Vos, W., Dunne, C., Fonden, R., Grenov, G., Isolauri, E., Kiely, B., Marteau, P., Morelli, L., Ouwehand, A., Reniero, R., Saarela, M., Salminen, S., Saxelin, M., Schiffrin, E., Shanahan, F., Vaughand, E., and von Wright, A. (1999). Probiotics: towards demonstrating efficacy. *Trends in Food Science and Technology*, **10**(12), 393-399.
- McFarland, L. V. (2007). Meta-analysis of probiotics for the prevention of traveler's diarrhea. *Travel Medicine and Infectious Disease*, **5**(2), 97-105.
- McFarland, L. V., Elmer, G. W., and Surawicz, C. M. (2002). Breaking the cycle: treatment strategies for 163 cases of recurrent *Clostridium difficile* disease. *The American Journal of Gastroenterology*, **97**(7), 1769-1775.
- McFarland, L. V., Surawicz, C. M., Greenberg, R. N., Elmer, G. W., Moyer, K. A., Melcher, S. A., Bowen, K. E., and Cox, J. L. (1995). Prevention of β -lactam-associated diarrhea by *Saccharomyces boulardii* compared with placebo. *American Journal of Gastroenterology*, **90**(3), 439-448.
- Meijerink, M., and Wells, J. (2010). Probiotic modulation of dendritic cells and T cell responses in the intestine. *Beneficial Microbes*, **1**(4), 317-326.
- Meijerink, M., van Hemert, S., Taverne, N., Wels, M., de Vos, P., Bron, P. A., Savelkoul, H. F., van Bilsen, J., Kleerebezem, M., and Wells, J. M. (2010). Identification of genetic loci in *Lactobacillus plantarum* that modulate the immune response of dendritic cells using comparative genome hybridization. *PLoS One*, **5**(5), e10632.

- Meira, S. M. M., Helfer, V. E., Velho, R. V., Lopes, F. C., and Brandelli, A. (2012). Probiotic potential of *Lactobacillus* spp. isolated from Brazilian regional ovine cheese. *Journal of Dairy Research*, **79**(01), 119-127.
- Menard, S., Candalh, C., Bambou, J. C., Terpend, K., Cerf-Bensussan, N., and Heyman, M. (2004). Lactic acid bacteria secrete metabolites retaining anti-inflammatory properties after intestinal transport. *Gut*, **53**(6), 821-828.
- Messina, M. J. (1999). Legumes and soybeans: overview of their nutritional profiles and health effects. *The American Journal of Clinical Nutrition*, **70**(3), 439s-450s.
- Miettinen, M., Matikainen, S., Vuopio-Varkila, J., Pirhonen, J., Varkila, K., Kurimoto, M., and Julkunen, I. (1998). Lactobacilli and streptococci induce interleukin-12 (IL-12), IL-18, and gamma interferon production in human peripheral blood mononuclear cells. *Infection and Immunity*, **66**(12), 6058-6062.
- Miller, J. H. (1972). Assay of β -galactosidase. *Experiments in Molecular Genetics*, 352-355.
- Miller, R. S., and Hoskins, L. C. (1981). Mucin degradation in human colon ecosystems. *Gastroenterology*, **81**(4), 759-765.
- Miremadi, F., Ayyash, M., Sherkat, F., and Stojanovska, L. (2014). Cholesterol reduction mechanisms and fatty acid composition of cellular membranes of probiotic Lactobacilli and Bifidobacteria. *Journal of Functional Foods*, **9**, 295-305.
- Mishra, V., and Prasad, D. N. (2000). Probiotics and their potential health benefits. *Indian Dairyman*, **52**(4), 7-14.
- Miyazaki, S., Ishikawa, F., Fujikawa, T., Nagata, S., and Yamaguchi, K. (2004). Intraperitoneal injection of lipopolysaccharide induces dynamic migration of Gr-1 high polymorphonuclear neutrophils in the murine abdominal cavity. *Clinical and Diagnostic Laboratory Immunology*, **11**(3), 452-457.
- Mohamadzadeh, M., Olson, S., Kalina, W. V., Ruthel, G., Demmin, G. L., Warfield, K. L., Bavari, S., and Klaenhammer, T. R. (2005). Lactobacilli activate human dendritic cells

- that skew T cells toward T helper 1 polarization. *Proceedings of the National Academy of Sciences of the United States of America*, **102**(8), 2880-2885.
- Moorthy, G., Murali, M. R., and Devaraj, S. N. (2007). Protective role of lactobacilli in *Shigella dysenteriae* 1–induced diarrhea in rats. *Nutrition*, **23**(5), 424-433.
- Munoz, F. J., and Pares, R. (1988). Selective medium for isolation and enumeration of *Bifidobacterium* spp. *Applied and Environmental Microbiology*, **54**(7), 1715-1718.
- Muñoz, J. A. M., Chenoll, E., Casinos, B., Bataller, E., Ramón, D., Genovés, S., Montava, R., Ribes, J. M., Buesa, J., Fàbrega, J., and Rivero, M. (2011). Novel probiotic *Bifidobacterium longum* subsp. *infantis* CECT 7210 strain active against rotavirus infections. *Applied and Environmental Microbiology*, **77**(24), 8775-8783.
- Muñoz-Provencio, D., Pérez-Martínez, G., and Monedero, V. (2010). Characterization of a fibronectin-binding protein from *Lactobacillus casei* BL23. *Journal of Applied Microbiology*, **108**(3), 1050-1059.
- Muralidhara, K. S., Sheggeby, G. G., Elliker, P. R., England, D. C., and Sandine, W. E. (1977). Effect of feeding lactobacilli on the coliform and *Lactobacillus* flora of intestinal tissue and feces from piglets 1. *Journal of Food Protection*, **40**(5), 288-295.
- Muyzer, G., and Smalla, K. (1998). Application of denaturing gradient gel electrophoresis (DGGE) and temperature gradient gel electrophoresis (TGGE) in microbial ecology. *Antonie van Leeuwenhoek*, **73**(1), 127-141.
- Naganagouda, K., and Mulimani, V. H. (2006). Gelatin blends with alginate: Gel fibers for α -galactosidase immobilization and its application in reduction of non-digestible oligosaccharides in soymilk. *Process Biochemistry*, **41**(8), 1903-1907.
- Nanasombat, S., Phunpruch, S., and Jaichalad, T. (2012). Screening and identification of lactic acid bacteria from raw seafoods and Thai fermented seafood products for their potential use as starter cultures. *Songklanakarin Journal of Science and Technology*, **34**(3), 255–262.

- Naumoff, D. G. (2004, July). The α -galactosidase superfamily: Sequence based classification of α -galactosidases and related glycosidases. In *Proceedings of Fourth International Conference on Bioinformatics of Genome Regulation and Structure* (pp. 25-30).
- Nawaz, M., Wang, J., Zhou, A., Ma, C., Wu, X., and Xu, J. (2011). Screening and characterization of new potentially probiotic lactobacilli from breast-fed healthy babies in Pakistan. *African Journal of Microbiology Research*, **5**(12), 1428-1436.
- Neeser, J. R., Granato, D., Rouvet, M., Servin, A., Teneberg, S., and Karlsson, K. A. (2000). *Lactobacillus johnsonii* La1 shares carbohydrate-binding specificities with several enteropathogenic bacteria. *Glycobiology*, **10**(11), 1193-1199.
- Neish, A. S. (2009). Microbes in gastrointestinal health and disease. *Gastroenterology*, **136**(1), 65-80.
- Nelms, K., Keegan, A. D., Zamorano, J., Ryan, J. J., and Paul, W. E. (1999). The IL-4 receptor: signaling mechanisms and biologic functions. *Annual Review of Immunology*, **17**(1), 701-738.
- Nemcova, R. (1997). Criteria for selection of lactobacilli for probiotic use. *Veterinární Medicína*, **42**(1), 19-27.
- Nguyen, T. D. T., Kang, J. H., and Lee, M. S. (2007). Characterization of *Lactobacillus plantarum* PH04, a potential probiotic bacterium with cholesterol-lowering effects. *International Journal of Food Microbiology*, **113**(3), 358-361.
- Nikolova, D., Petrova, M., Evstatieva, Y., Danova, S., and Atev, A. (2009). Antimicrobial activity of *Lactobacillus helveticus* strain 50P1. *Trakia Journal of Sciences*, **7**, 40-44.
- Nissle, A. (1918). Die antagonistische behandlung chronischer darmstörungen mit colibakterien. *Med Klin*, **2**, 29-30.
- Nomoto, K. (2005). Prevention of infections by probiotics. *Journal of Bioscience and Bioengineering*, **100**(6), 583-592.

- Nueno-Palop, C., and Narbad, A. (2011). Probiotic assessment of *Enterococcus faecalis* CP58 isolated from human gut. *International Journal of Food Microbiology*, **145**(2), 390-394.
- Ogawa, M., Shimizu, K., Nomoto, K., Takahashi, M., Watanuki, M., Tanaka, R., Tanaka, T., Hamabata, T., Yamasaki, S., and Takeda, Y. (2001). Protective effect of *Lactobacillus casei* strain shirota on shiga toxin-producing *Escherichia coli* O157:H7 infection in infant rabbits. *Infection and Immunity*, **69**(2), 1101-1108.
- Oh, H. K., Lee, J. Y., Lim, S. J., Kim, M. J., Kim, G. B., Kim, J. H., Hong, S. K., and Kang, D. K. (2008). Molecular cloning and characterization of a bile salt hydrolase from *Lactobacillus acidophilus* PF01. *Journal of Microbiology and Biotechnology*, **18**(3), 449-56.
- Ohland, C. L., and MacNaughton, W. K. (2010). Probiotic bacteria and intestinal epithelial barrier function. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, **298**(6), G807-G819.
- Olofsson, T. C., and Vásquez, A. (2008). Detection and identification of a novel lactic acid bacterial flora within the honey stomach of the honeybee *Apis mellifera*. *Current Microbiology*, **57**(4), 356-363.
- Öner, Ö., Aslim, B., and Aydaş, S. B. (2014). Mechanisms of cholesterol-lowering effects of lactobacilli and bifidobacteria strains as potential probiotics with their bsh gene analysis. *Journal of Molecular Microbiology and Biotechnology*, **24**(1), 12-18.
- Ooi, L. G., and Liong, M. T. (2010). Cholesterol-lowering effects of probiotics and prebiotics: a review of *in vivo* and *in vitro* findings. *International Journal of Molecular Sciences*, **11**(6), 2499-2522.
- Otero, M. C., and Nader-Macías, M. E. (2006). Inhibition of *Staphylococcus aureus* by H₂O₂-producing *Lactobacillus gasseri* isolated from the vaginal tract of cattle. *Animal Reproduction Science*, **96**(1), 35-46.

- Ouwehand, A. C., and Vesterlund, S. (2004). Antimicrobial components from lactic acid bacteria. *Food Science and Technology-New York-Marcel Dekker-*, **139**, 375-396.
- Ouwehand, A. C., Tuomola, E. M., Lee, Y. K., and Salminen, S. (2001). Microbial interactions to intestinal mucosal models. *Methods in Enzymology*, **337**, 200-212.
- Paludan-Müller, C., Huss, H. H., and Gram, L. (1999). Characterization of lactic acid bacteria isolated from a Thai low-salt fermented fish product and the role of garlic as substrate for fermentation. *International Journal of Food Microbiology*, **46**(3), 219-229.
- Pandey, V., Berwal, V., Solanki, N., and Malik, N. S. (2015). Probiotics: healthy bugs and nourishing elements of diet. *Journal of International Society of Preventive and Community Dentistry*, **5**(2), 81.
- Pant, A. R., Graham, S. M., Allen, S. J., Harikul, S., Sabchareon, A., Cuevas, L., and Hart, C. A. (1996). *Lactobacillus* GG and acute diarrhoea in young children in the tropics. *Journal of Tropical Pediatrics*, **42**(3), 162-165.
- Park, Y. H., Kim, J. G., Shin, Y. W., Kim, S. H., and Whang, K. Y. (2007). Effect of dietary inclusion of *Lactobacillus acidophilus* ATCC 43121 on cholesterol metabolism in rats. *Journal of Microbiology and Biotechnology*, **17**(4), 655-662.
- Parker, R. B. (1974). The other half of the antibiotics story. *Animal Nutrition and Health*, **29**, 4-8.
- Park-Min, K. H., Antoniv, T. T., and Ivashkiv, L. B. (2005). Regulation of macrophage phenotype by long-term exposure to IL-10. *Immunobiology*, **210**(2), 77-86.
- Patel, A., Lindström, C., Patel, A., Prajapati, J. B., and Holst, O. (2012). Probiotic properties of exopolysaccharide producing lactic acid bacteria isolated from vegetables and traditional Indian fermented foods. *International Journal of Fermented Foods*, **1**, 87-100.
- Patti, J. M., Allen, B. L., McGavin, M. J., and Hook, M. (1994). MSCRAMM-mediated adherence of microorganisms to host tissues. *Annual Reviews of Microbiology*, **48**(1), 585-617.

- Pena, J. A., and Versalovic, J. (2003). *Lactobacillus rhamnosus* GG decreases TNF- α production in lipopolysaccharide-activated murine macrophages by a contact-independent mechanism. *Cellular Microbiology*, **5**(4), 277-285.
- Peran, L., Camuesco, D., Comalada, M., Nieto, A., Concha, A., Diaz-Ropero, M. P., Olivares, M., Xaus, J., Zarzuelo, A., and Galvez, J. (2005). Preventative effects of a probiotic, *Lactobacillus salivarius* ssp. *salivarius*, in the TNBS model of rat colitis. *World Journal of Gastroenterology*, **11**(33), 5185.
- Perdigon, G., Galdeano, C. M., Valdez, J. C., and Medici, M. (2002). Interaction of lactic acid bacteria with the gut immune system. *European Journal of Clinical Nutrition*, **56**(4), S21-S26.
- Pereira, D. I., and Gibson, G. R. (2002). Cholesterol assimilation by lactic acid bacteria and bifidobacteria isolated from the human gut. *Applied and Environmental Microbiology*, **68**(9), 4689-4693.
- Pereira, D. I., McCartney, A. L., and Gibson, G. R. (2003). An *in vitro* study of the probiotic potential of a bile-salt-hydrolyzing *Lactobacillus fermentum* strain, and determination of its cholesterol-lowering properties. *Applied and Environmental Microbiology*, **69**(8), 4743-4752.
- Petsuriyawong, B., and Khunajakr, N. (2011). Screening of probiotic lactic acid bacteria from piglet feces. *Kasetsart Journal - Natural Science*, **45**, 245-253.
- Philpott, D. J., McKay, D. M., Mak, W., Perdue, M. H., and Sherman, P. M. (1998). Signal transduction pathways involved in enterohemorrhagic *Escherichia coli*-induced alterations in T84 epithelial permeability. *Infection and Immunity*, **66**(4), 1680-1687.
- Pinto, M. (1983). Enterocyte-like differentiation and polarization of the human colon carcinoma cell line Caco-2 in culture. *Biology of the Cell*, **47**, 323-330.

- Pisano, M. B., Viale, S., Conti, S., Fadda, M. E., Deplano, M., Melis, M. P., Deiana, M., and Cosentino, S. (2014). Preliminary evaluation of probiotic properties of *Lactobacillus* strains isolated from Sardinian dairy products. *BioMed Research International*, 2014.
- Pochard, P., Gosset, P., Grangette, C., Andre, C., Tonnel, A. B., Pestel, J., and Mercenier, A. (2002). Lactic acid bacteria inhibit TH2 cytokine production by mononuclear cells from allergic patients. *Journal of allergy and clinical immunology*, **110**(4), 617-623.
- Pool-Zobel, B. L., Bertram, B., Knoll, M., Lambertz, R., Neudecker, C., Schillinger, U., Schmezer, P., and Holzapfel, W. H. (1993). Antigenotoxic properties of lactic acid bacteria *in vivo* in the gastrointestinal tract of rats. *Nutrition and Cancer* **20**(3), 271-281.
- Prajapati, J. B., Khedkar, C. D., Chitra, J., Suja, S., Mishra, V., Sreeja, V., Patel, R. K., Ahir, V. B., Bhatt, V. D., Sajnani, M. R., Jakhesara, S. J., Koringa, P. G., and Joshi, C. G. (2011). Whole-genome shotgun sequencing of an Indian-origin *Lactobacillus helveticus* strain, MTCC 5463, with probiotic potential. *Journal of Bacteriology*, **193**(16), 4282-4283.
- Pridmore, R. D., Pittet, A. C., Praplan, F., and Cavadini, C. (2008). Hydrogen peroxide production by *Lactobacillus johnsonii* NCC 533 and its role in anti-*Salmonella* activity. *FEMS Microbiology Letters*, **283**(2), 210-215.
- Pundir, R. K., Rana, S., Kashyap, N., and Kaur, A. (2013). Probiotic potential of lactic acid bacteria isolated from food samples: an *in vitro* study. *Journal of Applied Pharmaceutical Science*, **3**(3), 85.
- Quaroni, A., Wands, J., Trelstad, R. L., and Isselbacher, K. J. (1979). Epithelioid cell cultures from rat small intestine. Characterization by morphologic and immunologic criteria. *The Journal of Cell Biology*, **80**(2), 248-265.
- Rachmilewitz, D., Katakura, K., Karmeli, F., Hayashi, T., Reinus, C., Rudensky, B., Akkira, S., Takeda, K., Lee, J., Takabayashi, K., and Raz, E. (2004). Toll-like receptor 9 signaling mediates the anti-inflammatory effects of probiotics in murine experimental colitis. *Gastroenterology*, **126**(2), 520-528.

- Rafter, J. J. (1995). The role of lactic acid bacteria in colon cancer prevention. *Scandinavian Journal of Gastroenterology*, **30**(6), 497-502.
- Raja, B. R., and Arunachalam, K. D. (2011). Market potential for probiotic nutritional supplements in India. *African Journal of Business Management*, **5**(14), 5418.
- Ramasamy, K., Abdullah, N., Wong, M. C., Karuthan, C., and Ho, Y. W. (2010). Bile salt deconjugation and cholesterol removal from media by *Lactobacillus* strains used as probiotics in chickens. *Journal of the Science of Food and Agriculture*, **90**(1), 65-69.
- Ramirez-Chavarin, M. L., Wacher, C., Eslava-Campos, C. A., and Perez-Chabela, M. L. (2013). Probiotic potential of thermotolerant lactic acid bacteria strains isolated from cooked meat products. *International Food Research Journal*, **20**(2), 991-1000.
- Reid, G. (2001). Probiotic agents to protect the urogenital tract against infection. *The American Journal of Clinical Nutrition*, **73**(2), 437s-443s.
- Reid, G., Bruce, A. W., McGroarty, J. A., Cheng, K. J., and Costerton, J. W. (1990). Is there a role for lactobacilli in prevention of urogenital and intestinal infections?. *Clinical Microbiology Reviews*, **3**(4), 335-344.
- Rescigno, M. (2010). Intestinal dendritic cells. *Advances in Immunology*, **107**, 109-138.
- Reynier, M. O., Montet, J. C., Gerolami, A., Marteau, C., Crotte, C., Montet, A. M., and Mathieu, S. (1981). Comparative effects of cholic, chenodeoxycholic, and ursodeoxycholic acids on micellar solubilization and intestinal absorption of cholesterol. *Journal of Lipid Research*, **22**(3), 467-473.
- Rhee, K. J., Sethupathi, P., Driks, A., Lanning, D. K., and Knight, K. L. (2004). Role of commensal bacteria in development of gut-associated lymphoid tissues and preimmune antibody repertoire. *The Journal of Immunology*, **172**(2), 1118-1124.
- Richmond, M. L., Gray, J. I., and Stine, C. M. (1981). Beta-galactosidase: Review of recent research related to technological application, nutritional concerns, and immobilization¹. *Journal of Dairy Science*, **64**(9), 1759-1771.

- Ridlon, J. M., Kang, D. J., and Hylemon, P. B. (2006). Bile salt biotransformations by human intestinal bacteria. *Journal of Lipid Research*, **47**(2), 241-259.
- Rogosa, M., Mitchell, J. A., and Wiseman, R. F. (1951). A selective medium for the isolation and enumeration of oral and fecal lactobacilli. *Journal of Bacteriology*, **62**(1), 132-133.
- Rolfe, R. D. (2000). The role of probiotic cultures in the control of gastrointestinal health. *The Journal of Nutrition*, **130**(2), 396S-402S.
- Rong, J., Zheng, H., Liu, M., Hu, X., Wang, T., Zhang, X., Jin, F., and Wang, L. (2015). Probiotic and anti-inflammatory attributes of an isolate *Lactobacillus helveticus* NS8 from Mongolian fermented koumiss. *BMC Microbiology*, **15**(1), 196.
- Rowland, I. R., and Grasso, P. (1975). Degradation of N-nitrosamines by intestinal bacteria. *Applied Microbiology*, **29**(1), 7-12.
- Ryan, K. A., Daly, P., Li, Y., Hooton, C., and O'toole, P. W. (2008). Strain-specific inhibition of *Helicobacter pylori* by *Lactobacillus salivarius* and other lactobacilli. *Journal of Antimicrobial Chemotherapy*, **61**(4), 831-834.
- Salminen, S., von Wright, A., Morelli, L., Marteau, P., Brassart, D., de Vos, W. M., Fonden, R., Saxelin, M., Collins, K., Mogensen, G., and Birkeland, S. E. (1998). Demonstration of safety of probiotics-a review. *International Journal of Food Microbiology*, **44**(1), 93-106.
- Sanders, T. A. (1999). Food production and food safety. *BMJ: British Medical Journal*, **318** (7199), 1689-1693.
- Sanderson, I. R., and Walker, W. A. (1993). Uptake and transport of macromolecules by the intestine: possible role in clinical disorders (an update). *Gastroenterology*, **104**(2), 622-639.
- Saran, S., Bisht, M. S., Singh, K., and Teotia, U. S. (2012). Analyzing probiotic attributes to assess comparatively two isolates of *Lactobacillus acidophilus* in prebiotics, Honey and Inulin. *International Journal of Biomedical and Life Sciences*, **2**(1), 26-34.

- Sarem, F., Sarem-Damerdj, L. O., and Nicolas, J. P. (1996). Comparison of the adherence of three *Lactobacillus* strains to Caco-2 and Int-407 human intestinal cell lines. *Letters in Applied Microbiology*, **22**(6), 439-442.
- Scalabrini, P., Rossi, M., Spettoli, P., and Matteuzzi, D. (1998). Characterization of *Bifidobacterium* strains for use in soymilk fermentation. *International Journal of Food Microbiology*, **39**(3), 213-219.
- Schaafsma, G. (1993). Lactose intolerance and consumption of cultured dairy products. A review. *Newsletters of the International Dairy Federation* **2**, 15–16.
- Scheirlinck, I., van der Meulen, R., de Vuyst, L., Vandamme, P., and Huys, G. (2009). Molecular source tracking of predominant lactic acid bacteria in traditional Belgian sourdoughs and their production environments. *Journal of Applied Microbiology*, **106**(4), 1081-1092.
- Schillinger, U., and Lücke, F. K. (1989). Antibacterial activity of *Lactobacillus sake* isolated from meat. *Applied and Environmental Microbiology*, **55**(8), 1901-1906.
- Schultz, M., and Sartor, R. B. (2000). Probiotics and inflammatory bowel diseases. *The American Journal of Gastroenterology*, **95**(1), S19-S21.
- Scott, K. P., Melville, C. M., Barbosa, T. M., and Flint, H. J. (2000). Occurrence of the new tetracycline resistance gene tet (W) in bacteria from the human gut. *Antimicrobial Agents and Chemotherapy*, **44**(3), 775-777.
- Senthong, R., Chanthachum, S., and Sumpavapol, P. (2012). Screening and identification of probiotic lactic acid bacteria isolated from Poo-Khem, A traditional salted crab. In *International Conference on Nutrition and Food Sciences*, **39**, 111-115.
- Shah, N. P. (2007). Functional cultures and health benefits. *International dairy journal*, **17**(11), 1262-1277.
- Shah, N., and Prajapati, J. B. (2014). Effect of carbon dioxide on sensory attributes, physico-chemical parameters and viability of probiotic *L. helveticus* MTCC 5463 in fermented milk. *Journal of Food Science and Technology*, **51**(12), 3886-3893.

- Sharma, P., Tomar, S. K., Goswami, P., Sangwan, V., and Singh, R. (2014). Antibiotic resistance among commercially available probiotics. *Food Research International*, **57**, 176-195.
- Sharma, S., and Singh, P. (2014). Isolation and characterization of galactosidase enzyme producing microbe and optimization of its enzyme activity under different culture condition. *International Journal of Current Microbiology and Applied Science*, **3**(7), 148-155.
- Shelef, L. A. (1994). Antimicrobial effects of lactates: a review. *Journal of Food Protection*, **57**(5), 445-450.
- Shibolet, O., and Podolsky, D. K. (2007). TLRs in the Gut. IV. Negative regulation of Toll-like receptors and intestinal homeostasis: addition by subtraction. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, **292**(6), G1469-G1473.
- Shokryazdan, P., Sieo, C. C., Kalavathy, R., Liang, J. B., Alitheen, N. B., Faseleh Jahromi, M., and Ho, Y. W. (2014). Probiotic potential of *Lactobacillus* strains with antimicrobial activity against some human pathogenic strains. *BioMed Research International*, **2014**, 1-16.
- Shornikova, A. V., Casas, I. A., Isolauri, E., Mykkänen, H., and Vesikari, T. (1997). *Lactobacillus reuteri* as a therapeutic agent in acute diarrhea in young children. *Journal of Pediatric Gastroenterology and Nutrition*, **24**(4), 399-404.
- Sica, A., and Mantovani, A. (2012). Macrophage plasticity and polarization: *in vivo* veritas. *The Journal of Clinical Investigation*, **122**(3), 787-795.
- Siddiquee, M. H., Sarker, H., and Shurovi, K. M. (2013). Assessment of probiotic application of lactic acid bacteria (LAB) isolated from different food items. *Stamford Journal of Microbiology*, **2**(1), 10-14.
- Siitonen, S., Vapaatalo, H., Salminen, S., Gordin, A., Saxelin, M., Wikberg, R., and Kirkkola, A. L. (1990). Effect of *Lactobacillus* GG yoghurt in prevention of antibiotic associated diarrhoea. *Annals of Medicine*, **22**(1), 57-59.

- Sikorska, H., and Smoragiewicz, W. (2013). Role of probiotics in the prevention and treatment of meticillin-resistant *Staphylococcus aureus* infections. *International Journal of Antimicrobial Agents*, **42**(6), 475-481.
- Silva, M. T. (2010). When two is better than one: macrophages and neutrophils work in concert in innate immunity as complementary and cooperative partners of a myeloid phagocyte system. *Journal of Leukocyte Biology*, **87**(1), 93-106.
- Silvestroni, A., Connes, C., Sesma, F., de Giori, G. S., and Piard, J. C. (2002). Characterization of the *mecA* locus for α -galactosidase in *Lactobacillus plantarum*. *Applied and Environmental Microbiology*, **68**(11), 5464-5471.
- Simon, G. L., and Gorbach, S. L. (1984). Intestinal flora in health and disease. *Gastroenterology*, **86**(1), 174-193.
- Siripornadulsil, W., Tasaku, S., Buahorn, J., and Siripornadulsil, S. (2014). Probiotic properties of lactic acid bacteria isolated from fermented food. *International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering*, **8**, 364-6.
- Smelt, M. J., de Haan, B. J., Bron, P. A., van Swam, I., Meijerink, M., Wells, J. M., Faas, M. M., and de Vos, P. (2012). *L. plantarum*, *L. salivarius*, and *L. lactis* attenuate Th2 responses and increase Treg frequencies in healthy mice in a strain dependent manner. *PLoS One*, **7**(10), e47244.
- Smiricky-Tjardes, M. R., Grieshop, C. M., Flickinger, E. A., Bauer, L. L., and Fahey, G. C. (2003). Dietary galactooligosaccharides affect ileal and total-tract nutrient digestibility, ileal and fecal bacterial concentrations, and ileal fermentative characteristics of growing pigs. *Journal of Animal Science*, **81**(10), 2535-2545.
- Sofyan, Y. (2010). Isolation and identification of lactic acid bacteria from abalone (*Haliotis asinina*) as a potential candidate of probiotic. *Bioscience*, **2**(1), 38-42.
- Song, Y. L., Kato, N., Matsumiya, Y., Liu, C. X., Kato, H., and Watanabe, K. (1999). Identification of *Lactobacillus* species of human origin by a commercial kit, API50CHL.

- Journal of the Association for Rapid Method and Automation in Microbiology*, **10**(2), 77-82.
- Songisepp, E., Kullisaar, T., Hütt, P., Elias, P., Brilene, T., Zilmer, M., and Mikelsaar, M. (2004). A new probiotic cheese with antioxidative and antimicrobial activity. *Journal of Dairy Science*, **87**(7), 2017-2023.
- Sornplang, P., and Piyadeatsoontorn, S. (2016). Probiotic isolates from unconventional sources: a review. *Journal of Animal Science and Technology*, **58**(1), 26.
- Stacey, K. J., Young, G. R., Clark, F., Sester, D. P., Roberts, T. L., Naik, S., Sweet, M. J., and Hume, D. A. (2003). The molecular basis for the lack of immunostimulatory activity of vertebrate DNA. *The Journal of Immunology*, **170**(7), 3614-3620.
- Stadlbauer, V., Mookerjee, R. P., Hodges, S., Wright, G. A., Davies, N. A., and Jalan, R. (2008). Effect of probiotic treatment on deranged neutrophil function and cytokine responses in patients with compensated alcoholic cirrhosis. *Journal of Hepatology*, **48**(6), 945-951.
- Stein, D. R., Allen, D. T., Perry, E. B., Bruner, J. C., Gates, K. W., Rehberger, T. G., Mertz, K., Jones, D., and Spicer, L. J. (2006). Effects of feeding propionibacteria to dairy cows on milk yield, milk components, and reproduction. *Journal of Dairy Science*, **89**(1), 111-125.
- Strus, M., Brzychczy-Włoch, M., Gosiewski, T., Kochan, P., and Heczko, P. B. (2006). The *in vitro* effect of hydrogen peroxide on vaginal microbial communities. *FEMS Immunology and Medical Microbiology*, **48**(1), 56-63.
- Suarez, F. L., Springfield, J., Furne, J. K., Lohrmann, T. T., Kerr, P. S., and Levitt, M. D. (1999). Gas production in humans ingesting a soybean flour derived from beans naturally low in oligosaccharides. *The American Journal of Clinical Nutrition*, **69**(1), 135-139.
- Sullivan, Å., and Nord, C. E. (2005). Probiotics and gastrointestinal diseases. *Journal of Internal Medicine*, **257**(1), 78-92.

- Surawicz, C. M. (2003). Probiotics, antibiotic-associated diarrhoea and *Clostridium difficile* diarrhoea in humans. *Best Practice and Research: Clinical Gastroenterology*, **17**(5), 775-783.
- Tajabadi, N., Mardan, M., Manap, M. Y. A., and Mustafa, S. (2013). Molecular identification of *Lactobacillus* spp. isolated from the honey comb of the honey bee (*Apis dorsata*) by 16S rRNA gene sequencing. *Journal of Apicultural Research*, **52**(5), 235-241.
- Tamassia, N., Le Moigne, V., Rossato, M., Donini, M., McCartney, S., Calzetti, F., Colonna, M., Bazzoni, F., and Cassatella, M. A. (2008). Activation of an immunoregulatory and antiviral gene expression program in poly (I:C)-transfected human neutrophils. *The Journal of Immunology*, **181**(9), 6563-6573.
- Tanaka, H., Doesburg, K., Iwasaki, T., and Mierau, I. (1999). Screening of lactic acid bacteria for bile salt hydrolase activity. *Journal of Dairy Science*, **82**(12), 2530-2535.
- Tannock, G. W. (1999). Identification of lactobacilli and bifidobacteria. *Current Issues in Molecular Biology*, **1**(1-2), 53-64.
- Tannock, G. W., Tilsala-Timisjarvi, A., Rodtong, S. N. G. J., Ng, J., Munro, K., and Alatossava, T. (1999). Identification of *Lactobacillus* isolates from the gastrointestinal tract, silage, and yoghurt by 16S-23S rRNA gene intergenic spacer region sequence comparisons. *Applied and Environmental Microbiology*, **65**(9), 4264-4267.
- Taverniti, V., Minuzzo, M., Arioli, S., Junttila, I., Hämäläinen, S., Turpeinen, H., Mora, D., Karp, M., Pesu, M., and Guglielmetti, S. (2012). *In vitro* functional and immunomodulatory properties of the *Lactobacillus helveticus* MIMLh5-*Streptococcus salivarius* ST3 association that are relevant to the development of a pharyngeal probiotic product. *Applied and Environmental Microbiology*, **78**(12), 4209-4216.
- Taverniti, V., Stuknyte, M., Minuzzo, M., Arioli, S., de Noni, I., Scabiosi, C., Cordova, Z. M., Junttila, I., Hämäläinen, S., Turpeinen, H., Mora, D., Karp, M., Pesu, M., and Guglielmetti, S. (2013). S-layer protein mediates the stimulatory effect of *Lactobacillus*

- helveticus* MIMLh5 on innate immunity. *Applied and Environmental Microbiology*, **79**(4), 1221-1231.
- Teuber, M., Meile, L., and Schwarz, F. (1999). Acquired antibiotic resistance in lactic acid bacteria from food. *Antonie van Leeuwenhoek*, **76**(1-4), 115-137.
- Thananunkul, D., Tanaka, M., Chichester, C. O., and Lee, T. C. (1976). Degradation of raffinose and stachyose in soybean milk by α -galactosidase from *mortierella vinacea*. Entrapment of α -galactosidase within polyacrylamide gel. *Journal of Food Science*, **41**(1), 173-175.
- Thokchom, S., and Joshi, S. R. (2012). Antibiotic resistance and probiotic properties of dominant lactic microflora from Tungrymbai, an ethnic fermented soybean food of India. *The Journal of Microbiology*, **50**(3), 535-539.
- Thomas, C. M., Hong, T., van Pijkeren, J. P., Hemarajata, P., Trinh, D. V., Hu, W., Britton, R. A., Kalkum, M., and Versalovic, J. (2012). Histamine derived from probiotic *Lactobacillus reuteri* suppresses TNF via modulation of PKA and ERK signaling. *PLoS One*, **7**(2), e31951.
- Tissier, H. (1906). The treatment of intestinal infections by the method of transformation of bacterial intestinal flora. *Cancer Society Biology*, **60**, 359-361.
- Toba, T., Virkola, R., Westerlund, B., Bjorkman, Y., Sillanpaa, J., Vartio, T., Kalkkinen, N., and Korhonen, T. K. (1995). A collagen-binding S-layer protein in *Lactobacillus crispatus*. *Applied and Environmental Microbiology*, **61**(7), 2467-2471.
- Tojo, M., Oikawa, T., Morikawa, Y., Yamashita, N., Iwata, S., Satoh, Y., Hanada, J., and Tanaka, R. (1987). The effects of *Bifidobacterium breve* administration on *Campylobacter enteritis*. *Pediatrics International*, **29**(1), 160-167.
- Tomaro-Duchesneau, C., Jones, M. L., Shah, D., Jain, P., Saha, S., and Prakash, S. (2014). Cholesterol assimilation by *Lactobacillus* probiotic bacteria: an *in vitro* investigation. *BioMed Research International*, **2014**, 9.

- Tulumoglu, S., Yuksekdog, Z. N., Beyatli, Y., Simsek, O., Cinar, B., and Yaşar, E. (2013). Probiotic properties of lactobacilli species isolated from children's feces. *Anaerobe*, **24**, 36-42.
- Tuomola, E. M., Ouwehand, A. C., and Salminen, S. J. (2000). Chemical, physical and enzymatic pre-treatments of probiotic lactobacilli alter their adhesion to human intestinal mucus glycoproteins. *International Journal of Food Microbiology*, **60**(1), 75-81.
- Tuomola, E., Crittenden, R., Playne, M., Isolauri, E., and Salminen, S. (2001). Quality assurance criteria for probiotic bacteria. *The American Journal of Clinical Nutrition*, **73**(2), 393s-398s.
- Tzortzis, G., Jay, A. J., Baillon, M. L. A., Gibson, G. R., and Rastall, R. A. (2003). Synthesis of α -galactooligosaccharides with α -galactosidase from *Lactobacillus reuteri* of canine origin. *Applied Microbiology and Biotechnology*, **63**(3), 286-292.
- Ulezlo, I. V., and Zaprometova, O. M. (1981). Microbial alpha-galactosidase (a review). *Applied Biochemistry and Microbiology*, **18**(1), 3-15.
- Vaarala, O. (2003). Immunological effects of probiotics with special reference to lactobacilli. *Clinical and Experimental Allergy*, **33**(12), 1634-1640.
- van Hemert, S., Meijerink, M., Molenaar, D., Bron, P. A., de Vos, P., Kleerebezem, M., and Marco, M. L. (2010). Identification of *Lactobacillus plantarum* genes modulating the cytokine response of human peripheral blood mononuclear cells. *BMC Microbiology*, **10**(1), 293.
- Vasiljevic, T., and Jelen, P. (2001). Production of β -galactosidase for lactose hydrolysis in milk and dairy products using thermophilic lactic acid bacteria. *Innovative Food Science and Emerging Technologies*, **2**(2), 75-85.
- Veckman, V., Miettinen, M., Matikainen, S., Lande, R., Giacomini, E., Coccia, E. M., and Julkunen, I. (2003). Lactobacilli and streptococci induce inflammatory chemokine

- production in human macrophages that stimulates Th1 cell chemotaxis. *Journal of Leukocyte Biology*, **74**(3), 395-402.
- Vélez, M. P., Verhoeven, T. L., Draing, C., von Aulock, S., Pfitzenmaier, M., Geyer, A., Lambrichts, I., Grangette, C., Pot, B., Vanderleyden, J., and de Keersmaecker, S. C. (2007). Functional analysis of D-alanylation of lipoteichoic acid in the probiotic strain *Lactobacillus rhamnosus* GG. *Applied and Environmental Microbiology*, **73**(11), 3595-3604.
- Verdenelli, M. C., Ghelfi, F., Silvi, S., Orpianesi, C., Cecchini, C., and Cresci, A. (2009). Probiotic properties of *Lactobacillus rhamnosus* and *Lactobacillus paracasei* isolated from human faeces. *European Journal of Nutrition*, **48**(6), 355-363.
- Verreck, F. A., de Boer, T., Langenberg, D. M., Hoeve, M. A., Kramer, M., Vaisberg, E., Kastelein, R., Kolk, A., de Waal-Malefyt, R., and Ottenhoff, T. H. (2004). Human IL-23-producing type 1 macrophages promote but IL-10-producing type 2 macrophages subvert immunity to (myco) bacteria. *Proceedings of the National Academy of Sciences of the United States of America*, **101**(13), 4560-4565.
- Vesa, T. H., Marteau, P., and Korpela, R. (2000) Lactose intolerance. *The Journal of the American College of Nutrition*, **19**(2), 165S–175S.
- Vesterlund, S., Paltta, J., Karp, M., and Ouwehand, A. C. (2005). Measurement of bacterial adhesion—in vitro evaluation of different methods. *Journal of Microbiological Methods*, **60**(2), 225-233.
- Volz, T., Nega, M., Buschmann, J., Kaesler, S., Guenova, E., Peschel, A., Rocken, M., Gotz, F., and Biedermann, T. (2010). Natural *Staphylococcus aureus*-derived peptidoglycan fragments activate NOD2 and act as potent costimulators of the innate immune system exclusively in the presence of TLR signals. *The FASEB Journal*, **24**(10), 4089-4102.

- Wang, J., Zhang, H., Chen, X., Chen, Y., and Bao, Q. (2012). Selection of potential probiotic lactobacilli for cholesterol-lowering properties and their effect on cholesterol metabolism in rats fed a high-lipid diet. *Journal of Dairy Science*, **95**(4), 1645-1654.
- Wang, N., Liang, H., and Zen, K. (2014). Molecular mechanisms that influence the macrophage M1–M2 polarization balance. *Frontiers in Immunology*, **5**, 230-238.
- Wells, J. M. (2011). Immunomodulatory mechanisms of lactobacilli. *Microbial Cell Factories*, **10**(1), S17.
- Wells, J. M., Loonen, L. M., and Karczewski, J. M. (2010). The role of innate signaling in the homeostasis of tolerance and immunity in the intestine. *International Journal of Medical Microbiology*, **300**(1), 41-48.
- Whitehead, K., Versalovic, J., Roos, S., and Britton, R. A. (2008). Genomic and genetic characterization of the bile stress response of probiotic *Lactobacillus reuteri* ATCC 55730. *Applied and Environmental Microbiology*, **74**(6), 1812-1819.
- Whyte, C. S., Bishop, E. T., Rückerl, D., Gaspar-Pereira, S., Barker, R. N., Allen, J. E., Rees, A. J., and Wilson, H. M. (2011). Suppressor of cytokine signaling (SOCS) 1 is a key determinant of differential macrophage activation and function. *Journal of Leukocyte Biology*, **90**(5), 845-854.
- Willis, C. L., Gibson, G. R., Holt, J., and Allison, C. (1999). Negative correlation between oral malodour and numbers and activities of sulphate-reducing bacteria in the human mouth. *Archives of Oral Biology*, **44**(8), 665-670.
- Wilson, K. H. (1995). Molecular biology as a tool for taxonomy. *Clinical Infectious Diseases*, **20**(2), S117-S121.
- Winker, S., and Woese, C. R. (1991). A definition of the domains archaea, bacteria and eucarya in terms of small subunit ribosomal RNA characteristics. *Systematic and Applied Microbiology*, **14**(4), 305-310.
- Woese, C. R. (1987). Bacterial evolution. *Microbiological Reviews*, **51**(2), 221.

- Xu, H., Jeong, H. S., Lee, H. Y., and Ahn, J. (2009). Assessment of cell surface properties and adhesion potential of selected probiotic strains. *Letters in Applied Microbiology*, **49**(4), 434-442.
- Yadav, R., Puniya, A. K., and Shukla, P. (2016). Probiotic properties of *Lactobacillus plantarum* RYPR1 from an indigenous fermented beverage raabadi. *Frontiers in Microbiology*, **7**, 1683.
- Yan, F., and Polk, D. B. (2012). Characterization of a probiotic-derived soluble protein which reveals a mechanism of preventive and treatment effects of probiotics on intestinal inflammatory diseases. *Gut Microbes*, **3**(1), 25-28.
- Yan, F., Liu, L., Cao, H., Moore, D. J., Washington, M. K., Wang, B., Peek Jr, R. M., Acra, S. A., and Polk, D. B. (2017). Neonatal colonization of mice with LGG promotes intestinal development and decreases susceptibility to colitis in adulthood. *Mucosal Immunology*, **10**(1), 117-127.
- Yanagida, F., Chen, Y. S., and Shinohara, T. (2006). Searching for bacteriocin-producing lactic acid bacteria in soil. *The Journal of General and Applied Microbiology*, **52**(1), 21-28.
- Yates, J. (2005). Traveler's diarrhea. *American Family Physician*, **71**(11), 2095-100.
- Yavuzdurmaz, H. (2007). *Isolation, characterization, determination of probiotic properties of lactic acid bacteria from human milk* (Master's thesis, İzmir Institute of Technology).
- Zhao, J. R., and Yang, H. (2005). Progress in the effect of probiotics on cholesterol and its mechanism. *Acta Microbiologica Sinica*, **45**(2), 315-319.
- Zhou, J. S., Pillidge, C. J., Gopal, P. K., and Gill, H. S. (2005). Antibiotic susceptibility profiles of new probiotic *Lactobacillus* and *Bifidobacterium* strains. *International Journal of Food Microbiology*, **98**(2), 211-217.
- Zoumpopoulou, G., Tsakalidou, E., Dewulf, J., Pot, B., and Grangette, C. (2009). Differential crosstalk between epithelial cells, dendritic cells and bacteria in a co-culture model. *International Journal of Food Microbiology*, **131**(1), 40-51.

Book chapters

- Binns, N. (2013). *Probiotics, prebiotics and the gut microbiota*. ILSI Europe.
- Hammes, W. P., and Vogel, R. F. (1995). The genus *Lactobacillus*. In *The genera of lactic acid bacteria* (pp. 19-54). Springer US.
- Harzallah, D., and Belhadj, H. (2013). Lactic acid bacteria as probiotics: characteristics, selection criteria and role in immunomodulation of human GI mucosal barrier. *Lactic acid bacteria—RandD for food, health and livestock purposes*. InTech, Rijeka, Croatia.
- Madigan, M., T. (2006). Chapter 12 Prokaryotic Diversity: The Bacteria Chapter. *Brock Biology of Microorganisms*, **11**.
- Metchnikoff, E. (1907). The prolongation of life. *Optimistic studies*. William Heinemann, London.
- Moslehi-Jenabian, S., Nielsen, D. S., and Jespersen, L. (2011). Application of molecular biology and genomics of probiotics for enteric cytoprotection. In: Malago, J., Koninkx, J., and Marinsek-Logar, R. (eds). *Probiotic Bacteria and Enteric Infections*. (pp. 133-153). Springer, Dordrecht.
- Robinson, R. K., Tamime, A. Y., and Wszolek, M. (2002). Microbiology of fermented milks. *Dairy Microbiology Handbook: The Microbiology of Milk and Milk Products* (pp. 367-430).
- Trevan, M. D., Boffey, S., Goulding, K. H. and Stanbury, P. (2004). *Biotechnology: The Biological Principles*, Tata McGraw-Hill Publishing Ltd, New Delhi, India (pp. 155-228).
- Vonk, R. J., Reckman, G. A., Harmsen, H. J., and Priebe, M. G. (2012). *Probiotics and Lactose Intolerance*. INTECH Open Access Publisher.
- von Wright, A., and Salminen, S. (Eds.). (1998). *Lactic Acid Bacteria: Microbiology and Functional Aspects*. Marcel Dekker.

Wallenfels, K., and Weil, R. (1972). β -Galactosidase. *Academic Press*, New York, USA (pp. 617-66).

Wood, B. J. (Ed.). (2012). *The Lactic Acid Bacteria: Volume 1: The Lactic Acid Bacteria in Health and Disease*. Springer Science and Business Media.

Websites

DDBJ: DNA Data Bank of Japan (2012) <http://www.ddbj.nig.ac.jp/intro-e.html> (accessed February 2012).

FAO/WHO (2001). Evaluation of health and nutritional properties of probiotics in food, including powder milk with live lactic acid bacteria. *Food and Agricultural Organization of United Nations and World Health Organization Expert Consultation Report*.
http://www.who.int/foodsafety/publications/fs_management/en/probiotics.pdf

National Institutes of Health (NIH) *National Center for Biotechnology Information* (NCBI) (2012) GenBank. <http://www.ncbi.nlm.nih.gov>