

## LIST OF FIGURES

Details	Figure No.	Page No.
Energy density vs power density of electrochemical devices	<b>1.1(a)</b>	<b>2</b>
Typical Sodium Battery	<b>1.1(b)</b>	<b>2</b>
Amorphous and crystalline regions in a polymer	<b>1.2</b>	<b>7</b>
Polymer blend system	<b>1.3</b>	<b>13</b>
Irradiation effects on Polymer	<b>1.4</b>	<b>15</b>
Vacancy and Interstitial mechanism for ion motion	<b>2.1</b>	<b>23</b>
Representation of cation motions in a polymer electrolyte (a) assisted by polymer chain motion only; and (b) taking account of ionic cluster contributions	<b>2.2</b>	<b>25</b>
Leitmotif of the jump relaxation model. (a) Ions on a sublattice. (b) Cage-effect potential (broken line) and effective single-particle potential (solid line) after a hop from A to B at time $t = 0$ . (c) Development of the potential for $t > 0$ . (Funke & Wilmer, 2000)	<b>2.3</b>	<b>32</b>
CBH Model: Lowering of barrier height for two closely spaced charge carriers	<b>2.4</b>	<b>34</b>
Ion hopping mechanism (at $t=0$ , i.e. right after ion has hopped) (a site sensitive model on top and coulomb cage potential below). (Bunde et al., 1960; Kumar, 2014).	<b>2.5</b>	<b>35</b>
Impedance plot in a complex plane	<b>2.6</b>	<b>36</b>
Complex Impedance plots for some elementary R, C and RC circuits	<b>2.7(i-iv)</b>	<b>37</b>
Geometric response for an (i) ideal circuit (ii) distributed elements	<b>2.8(i-ii)</b>	<b>39</b>
Vector diagram for Loss tangent	<b>2.9</b>	<b>41</b>
Structure of Poly (ethylene oxide) (PEO)	<b>3.1</b>	<b>51</b>
Structure of Polyacrylamide (PAM)	<b>3.2</b>	<b>52</b>
Structure of Sodium triflate ( $\text{NaCF}_3\text{SO}_3$ )	<b>3.3</b>	<b>52</b>
Structure of Ethylene Carbonate (EC)	<b>3.4</b>	<b>53</b>

Structure of Propylene Carbonate (PC)	<b>3.5</b>	<b>53</b>
Structure of Silicon dioxide (SiO <sub>2</sub> ).	<b>3.6</b>	<b>54</b>
Schematic of Pelletron Accelerator, IUAC	<b>3.7</b>	<b>57</b>
Schematic diagram of a typical FT-IR Instrument	<b>3.8</b>	<b>59</b>
Stretching vibrations of a diatomic molecule and bending vibrations of a triatomic molecule	<b>3.9</b>	<b>61</b>
Different types of Bending vibrations of a triatomic molecule	<b>3.10(a)</b>	<b>63</b>
Image of FT-IR instrument	<b>3.10(b)</b>	<b>63</b>
Bragg's Law	<b>3.11</b>	<b>64</b>
Image of X-ray Diffraction instrument	<b>3.12</b>	<b>65</b>
Working Principle of SEM instrument	<b>3.13</b>	<b>65</b>
Image of the gold/palladium source coating unit for SEM studies.	<b>3.14</b>	<b>66</b>
Image of SEM Microscope	<b>3.15</b>	<b>66</b>
Schematic of a typical DSC unit	<b>3.16</b>	<b>68</b>
Schematic DSC curve	<b>3.17</b>	<b>68</b>
Image of DSC instrument	<b>3.18</b>	<b>69</b>
Wagner's Polarization method for transference number measurement Experimental setup	<b>3.19</b>	<b>70</b>
IR-spectra of all the starting materials	<b>4.1(a-f)</b>	<b>77</b>
IR-spectra of pristine blend and PPS-system	<b>4.2</b>	<b>78</b>
IR-spectra of irradiated PPS-7.5 sample	<b>4.3</b>	<b>78</b>
IR-spectra of PPSP-system	<b>4.4</b>	<b>79</b>
IR-spectra of irradiated PPSP-15 sample	<b>4.5</b>	<b>79</b>
IR-spectra of PPSPN-system	<b>4.6</b>	<b>79</b>
IR-spectra of irradiated PPSPN-12.5 sample	<b>4.7</b>	<b>79</b>
X-ray diffractograms of polymers and pristine blend	<b>4.8</b>	<b>83</b>
X-ray diffractograms of PPS-system	<b>4.9</b>	<b>83</b>

X-ray diffractograms of irradiated PPS-17.5 sample	<b>4.10</b>	<b>83</b>
X-ray diffractograms of PPSP-system	<b>4.11</b>	<b>85</b>
X-ray diffractograms of irradiated PPSP-15 sample	<b>4.12</b>	<b>85</b>
X-ray diffractograms of PPSPN-system	<b>4.13</b>	<b>86</b>
X-ray diffractograms of irradiated PPSPN-12.5 sample	<b>4.14</b>	<b>86</b>
DSC thermograms of PPS-system	<b>4.15(a)</b>	<b>88</b>
Melting temperature ( $T_m$ ) as a function of salt concentration	<b>4.15(b)</b>	<b>88</b>
DSC thermograms of irradiated PPS-17.5 sample	<b>4.16(a)</b>	<b>88</b>
Melting temperature ( $T_m$ ) as a function of fluence for irradiated PPS-17.5 sample	<b>4.16(b)</b>	<b>88</b>
DSC thermograms of PPSP-system	<b>4.17(a)</b>	<b>88</b>
Melting temperature ( $T_m$ ) as a function of EC+PC concentration	<b>4.17(b)</b>	<b>88</b>
DSC thermograms of irradiated PPSP-15 sample	<b>4.18(a)</b>	<b>89</b>
Melting temperature ( $T_m$ ) as a function of fluence for irradiated PPSP-15 sample	<b>4.18(b)</b>	<b>89</b>
DSC thermograms of PPSPN-system	<b>4.19(a)</b>	<b>90</b>
Melting temperature ( $T_m$ ) as a function of SiO <sub>2</sub> concentration	<b>4.19(b)</b>	<b>90</b>
DSC thermograms of irradiated PPSPN-12.5 sample	<b>4.20(a)</b>	<b>90</b>
Melting temperature ( $T_m$ ) as a function of fluence for irradiated PPSPN-12.5 sample	<b>4.20(b)</b>	<b>90</b>
SEM micrograph of un-irradiated PPS-17.5 sample	<b>4.21(a)</b>	<b>91</b>
SEM micrograph of PPS-17.5 sample irradiated at $1 \times 10^{11}$ ions/cm <sup>2</sup> fluence	<b>4.21(b)</b>	<b>91</b>
SEM micrograph of PPS-17.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>4.21(c)</b>	<b>92</b>
SEM micrograph of PPS-17.5 sample irradiated at $2 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>4.21(d)</b>	<b>92</b>

SEM micrograph of un-irradiated PPSP-15 sample	<b>4.22(a)</b>	<b>92</b>
SEM micrograph of PPSP-15 sample irradiated at $1 \times 10^{11}$ ions/cm <sup>2</sup> fluence	<b>4.22(b)</b>	<b>92</b>
SEM micrograph of PPSP-15 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>4.22(c)</b>	<b>93</b>
SEM micrograph of PPSP-15 sample irradiated at $2 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>4.22(d)</b>	<b>93</b>
SEM micrograph of un-irradiated PPSPN-12.5 sample	<b>4.23(a)</b>	<b>93</b>
SEM micrograph of PPSPN-12.5 sample irradiated at $1 \times 10^{11}$ ions/cm <sup>2</sup> fluence	<b>4.23(b)</b>	<b>93</b>
SEM micrograph of PPSPN-12.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>4.23(c)</b>	<b>94</b>
SEM micrograph of PPSPN-12.5 sample irradiated at $2 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>4.23(d)</b>	<b>94</b>
Sinusoidal Current response in a linear system	<b>5.1</b>	<b>99</b>
Impedance plots for various concentrations of NaCF <sub>3</sub> SO <sub>3</sub> in PPS system recorded at different temperatures	<b>5.2(a-c)</b>	<b>102</b>
Impedance plot of PPS-system at 313 K	<b>5.3</b>	<b>102</b>
Equivalent circuit model used to fit impedance data in PPS-system	<b>5.4</b>	<b>102</b>
A typical Randles cell model	<b>5.5</b>	<b>102</b>
Fitted impedance plot of PPS-system at 313 K	<b>5.6(a)</b>	<b>103</b>
Fitted impedance plot of PPS-17.5 sample at various temperatures	<b>5.6(b)</b>	<b>103</b>
Conductivity as a function of salt concentration	<b>5.7</b>	<b>104</b>
Temperature response of conductivity of PPS samples	<b>5.8</b>	<b>104</b>
Frequency dependent conductivity for various concentrations of NaCF <sub>3</sub> SO <sub>3</sub>	<b>5.9(a-c)</b>	<b>106</b>
Frequency dependent conductivity for PPS-system	<b>5.10</b>	<b>106</b>
Power law exponent dependence on temperature for PPS-system	<b>5.11</b>	<b>106</b>

Impedance plots of irradiated (a) PPS-7.5 and (b) PPS-17.5 samples	<b>5.12</b>	<b>107</b>
Impedance plots of PPS-17.5 sample at different temperatures irradiated with $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.13</b>	<b>107</b>
Fitted impedance plot of irradiated PPS-17.5 sample	<b>5.14</b>	<b>107</b>
Fluence dependent conductivity for PPS-17.5 sample	<b>5.15</b>	<b>108</b>
Temperature dependent conductivity for irradiated PPS-17.5 sample	<b>5.16</b>	<b>108</b>
Frequency dependent conductivity for irradiated PPS-17.5 samples	<b>5.17</b>	<b>109</b>
Frequency dependent conductivity of PPS-17.5 sample at different temperatures irradiated with $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.18</b>	<b>109</b>
Power law exponent dependence on temperature for irradiated PPS-17.5 sample	<b>5.19</b>	<b>110</b>
Impedance plots for various concentrations of EC+PC in PPSP-system recorded at different temperatures	<b>5.20(a-c)</b>	<b>111</b>
Impedance plot of PPSP system at different EC+PC concentrations	<b>5.21</b>	<b>111</b>
Fitted impedance plot of PPSP-system at 313 K	<b>5.22(a)</b>	<b>111</b>
Fitted impedance plot of PPSP-15 sample at various temperatures	<b>5.22(b)</b>	<b>111</b>
Conductivity as a function of EC+PC concentration	<b>5.23</b>	<b>112</b>
Temperature response of conductivity of PPSP samples	<b>5.24</b>	<b>112</b>
Frequency dependent conductivity for various concentrations of EC+PC	<b>5.25(a-c)</b>	<b>113</b>
Frequency dependent conductivity for PPSP-system	<b>5.26</b>	<b>114</b>
Power law exponent dependence on temperature for PPSP-system	<b>5.27</b>	<b>114</b>
Impedance plots of irradiated (a) PPSP-5 and (b) PPSP-15 samples	<b>5.28(a-b)</b>	<b>115</b>
Impedance plots of PPSP-15 sample at different temperatures irradiated with $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.29</b>	<b>115</b>
Fitted impedance plot of irradiated PPSP-15 sample	<b>5.30</b>	<b>115</b>
Fluence dependent conductivity for PPSP-15 sample	<b>5.31</b>	<b>115</b>
Temperature dependent conductivity for irradiated PPSP-15 sample	<b>5.32</b>	<b>115</b>

Frequency dependent conductivity for irradiated PPSP-15 samples	<b>5.33</b>	<b>116</b>
Frequency dependent conductivity of PPSP-15 sample at different temperatures irradiated with $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.34</b>	<b>116</b>
Power law exponent dependence on temperature for irradiated PPSP-15 sample	<b>5.35</b>	<b>116</b>
Impedance plots for various concentrations of SiO <sub>2</sub> in PPSPN-system recorded at different temperatures	<b>5.36(a-c)</b>	<b>118</b>
Impedance plot of PPSP system at different SiO <sub>2</sub> concentrations	<b>5.37</b>	<b>118</b>
(a) Fitted impedance plot of PPSPN-system at 313 K and (b) Fitted impedance plot of PPSNP-12.5 sample at various temperatures	<b>5.38(a-b)</b>	<b>118</b>
Conductivity as a function of SiO <sub>2</sub> concentration	<b>5.39</b>	<b>119</b>
Temperature response of conductivity of PPSPN samples	<b>5.40</b>	<b>119</b>
Frequency dependent conductivity for various concentrations of SiO <sub>2</sub>	<b>5.41(a-c)</b>	<b>120</b>
Frequency dependent conductivity for PPSPN-system	<b>5.42</b>	<b>121</b>
Power law exponent dependence on temperature for PPSPN-system	<b>5.43</b>	<b>121</b>
Impedance plots of irradiated (a) PPSPN-7.5 and (b) PPSNP-12.5 samples	<b>5.44(a-b)</b>	<b>122</b>
Impedance plots of PPSPN-12.5 sample at different temperatures irradiated with $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.45</b>	<b>122</b>
Fitted impedance plot of irradiated PPSPN-12.5 sample	<b>5.46</b>	<b>122</b>
Fluence dependent conductivity for PPSPN-12.5 sample	<b>5.47</b>	<b>122</b>
Temperature dependent conductivity of irradiated PPSPN-12.5 sample	<b>5.48</b>	<b>122</b>
Frequency dependent conductivity for irradiated PPSPN-12.5 sample	<b>5.49</b>	<b>123</b>
Frequency dependent conductivity of PPSPN-12.5 sample at different temperatures irradiated with $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.50</b>	<b>123</b>
Power law exponent dependence on temperature for irradiated PPSPN-12.5 sample	<b>5.51</b>	<b>123</b>
Dielectric response for various concentrations of NaCF <sub>3</sub> SO <sub>3</sub>	<b>5.52(a-c)</b>	<b>126</b>

Dielectric response of PPS-system	<b>5.53</b>	<b>126</b>
Dispersion frequency as a function of NaCF <sub>3</sub> SO <sub>3</sub> concentration	<b>5.54</b>	<b>126</b>
Dispersion frequency as a function of temperature	<b>5.55</b>	<b>126</b>
Dielectric loss for various concentrations of NaCF <sub>3</sub> SO <sub>3</sub>	<b>5.56(a-c)</b>	<b>128-129</b>
Dielectric loss of PPS-system	<b>5.57</b>	<b>129</b>
Peak frequency as a function of NaCF <sub>3</sub> SO <sub>3</sub> concentration	<b>5.58</b>	<b>129</b>
Peak frequency as a function of temperature for PPS-system	<b>5.59</b>	<b>129</b>
Dielectric response of irradiated (a) PPS-7.5 and (b) PPS-17.5 samples	<b>5.60(a-b)</b>	<b>129</b>
Dispersion frequency as a function of fluence for PPS-7.5 and 17.5 samples.	<b>5.61</b>	<b>130</b>
Dielectric response of PPS-17.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.62</b>	<b>130</b>
Dispersion frequency of PPS-17.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.63</b>	<b>130</b>
Dielectric loss of irradiated (a) PPS-7.5 and (b) PPS-17.5 sample	<b>5.64(a-b)</b>	<b>130</b>
Peak frequency as a function of fluence for PPS-7.5 and 17.5 samples.	<b>5.65</b>	<b>131</b>
Dielectric loss of PPS-17.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence.	<b>5.66</b>	<b>131</b>
Peak frequency of PPS-17.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.67</b>	<b>131</b>
Dielectric response for various concentrations of EC+PC	<b>5.68(a-c)</b>	<b>132-133</b>
Dielectric response of PPSP-system	<b>5.69</b>	<b>133</b>
Dispersion frequency as a function of EC+PC concentration.	<b>5.70</b>	<b>133</b>
Dispersion frequency as a function of temperature for PPSP-system.	<b>5.71</b>	<b>133</b>
Dielectric loss for various concentrations of EC+PC.	<b>5.72(a-c)</b>	<b>134</b>
Dielectric loss of PPSP-system.	<b>5.73</b>	<b>134</b>
Peak frequency as a function of EC+PC concentration.	<b>5.74</b>	<b>134</b>
Peak frequency as a function of temperature for PPSP-system.	<b>5.75</b>	<b>134</b>
Dielectric response of irradiated (a) PPSP-5 and (b) PPSP-15 samples.	<b>5.76(a-b)</b>	<b>135</b>

Dispersion frequency as a function of fluence for PPSP-5 and 15 samples.	<b>5.77</b>	<b>135</b>
Dielectric response of PPSP-15 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.78</b>	<b>135</b>
Dispersion frequency of PPSP-15 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.79</b>	<b>135</b>
Dielectric loss of irradiated (a) PPSP-5 and (b) PPSP-15 samples.	<b>5.80(a-b)</b>	<b>136</b>
Peak frequency as a function of fluence for PPSP-5 and 15 samples.	<b>5.81</b>	<b>136</b>
Dielectric loss of PPSP-15 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.82</b>	<b>137</b>
Peak frequency of PPSP-15 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.83</b>	<b>137</b>
Dielectric response for various concentrations of SiO <sub>2</sub> .	<b>5.84(a-c)</b>	<b>137-138</b>
Dielectric response of PPSPN-system.	<b>5.85</b>	<b>138</b>
Dispersion frequency as a function of SiO <sub>2</sub> concentration.	<b>5.86</b>	<b>139</b>
Dispersion frequency as a function of temperature for PPSPN-system	<b>5.87</b>	<b>139</b>
Dielectric loss for various concentrations of SiO <sub>2</sub>	<b>5.88(a-c)</b>	<b>139-140</b>
Dielectric loss of PPSPN-system	<b>5.89</b>	<b>140</b>
Peak frequency as a function of SiO <sub>2</sub> concentration	<b>5.90</b>	<b>140</b>
Peak frequency as a function of temperature for PPSPN-system	<b>5.91</b>	<b>140</b>
Dielectric response of irradiated (a) PPSPN-7.5 and (b) PPSNP-12.5 samples	<b>5.92(a-b)</b>	<b>141</b>
Dispersion frequency as a function of fluence for PPSPN-7.5 and 12.5 samples	<b>5.93</b>	<b>141</b>
Dispersion frequency as a function of fluence for PPSPN 7.5 and 12.5 samples	<b>5.94(a)</b>	<b>141</b>
Dielectric response of PPSPN-12.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.94(b)</b>	<b>141</b>
Dispersion frequency of PPSPN-12.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.95</b>	<b>141</b>

Dielectric loss of irradiated (a) PPSPN-7.5 and (b) PPSPN-12.5 samples.	<b>5.96(a-b)</b>	<b>142</b>
Peak frequency as a function of fluence for PPSPN-7.5 and 12.5 samples.	<b>5.97</b>	<b>142</b>
Dielectric loss of PPSPN-12.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.98</b>	<b>142</b>
Peak frequency of PPSPN-12.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence	<b>5.99</b>	<b>142</b>
Modulus behaviour of various concentrations of NaCF <sub>3</sub> SO <sub>3</sub> .	<b>5.100(a-c)</b>	<b>144</b>
Modulus behaviour of PPS-system.	<b>5.101</b>	<b>145</b>
Onset frequency as a function of NaCF <sub>3</sub> SO <sub>3</sub> concentration	<b>5.102</b>	<b>146</b>
Onset frequency as a function of temperature for PPS-system	<b>5.103</b>	<b>146</b>
Modulus behavior of irradiated PPS-7.5 samples	<b>5.104(a)</b>	<b>146</b>
Modulus behavior of irradiated PPS-17.5 samples	<b>5.104(b)</b>	<b>146</b>
Onset Frequency as a function of fluence for PPS-7.5 and 17.5 samples	<b>5.105</b>	<b>147</b>
Modulus behavior of irradiated PPS-17.5 sample at different temperatures	<b>5.106</b>	<b>147</b>
Onset Frequency as a function of temperature for PPS-17.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence.	<b>5.107</b>	<b>148</b>
Modulus behaviour of various concentrations of EC+PC	<b>5.108(a-c)</b>	<b>149</b>
Modulus behaviour of PPSP-system	<b>5.109</b>	<b>149</b>
Onset frequency as a function of EC+PC concentration	<b>5.110</b>	<b>150</b>
Onset frequency as a function of temperature for PPSP-system	<b>5.111</b>	<b>150</b>
Modulus behavior of irradiated PPSP-5 samples	<b>5.112(a)</b>	<b>150</b>
Modulus behavior of irradiated PPSP-15 samples	<b>5.112(b)</b>	<b>150</b>
Onset Frequency as a function of fluence for PPSP-5 and 15 samples	<b>5.113</b>	<b>150</b>
Modulus behavior of irradiated PPSP-15 sample at different temperatures	<b>5.114</b>	<b>151</b>

Onset Frequency as a function of temperature for PPSP-15 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence.	<b>5.115</b>	<b>151</b>
Modulus behaviour of various concentrations of SiO <sub>2</sub>	<b>5.116(a-c)</b>	<b>152</b>
Modulus behaviour of PPSPN-system	<b>5.117</b>	<b>152</b>
Onset frequency as a function of SiO <sub>2</sub> concentration	<b>5.118</b>	<b>153</b>
Onset frequency as a function of temperature for PPSPN-system	<b>5.119</b>	<b>153</b>
Modulus behavior of irradiated PPSPN-7.5 samples	<b>5.120(a)</b>	<b>154</b>
Modulus behavior of irradiated PPSPN-12.5 samples	<b>5.120(b)</b>	<b>154</b>
Onset Frequency as a function of fluence for PPSPN-7.5 and 12.5 samples	<b>5.121</b>	<b>154</b>
Modulus behavior of irradiated PPSPN-12.5 sample at different temperatures	<b>5.122</b>	<b>154</b>
Onset Frequency as a function of temperature for PPSPN-12.5 sample irradiated at $1 \times 10^{12}$ ions/cm <sup>2</sup> fluence.	<b>5.123</b>	<b>155</b>