

# Bibliography

- [1] F. Halzen and A. D. Martin, *QUARKS AND LEPTONS: AN INTRODUCTORY COURSE IN MODERN PARTICLE PHYSICS*. 1984.
- [2] H. Leutwyler, “On the history of the strong interaction,” *arXiv e-prints*, p. arXiv:1211.6777, Nov 2012.
- [3] M. Gell-Mann, “A schematic model of baryons and mesons,” *Physics Letters*, vol. 8, pp. 214–215, Feb. 1964.
- [4] C. A. Aidala, S. D. Bass, D. Hasch, and G. K. Mallot, “The spin structure of the nucleon,” *Reviews of Modern Physics*, vol. 85, pp. 655–691, Apr. 2013.
- [5] T. Muta, *Foundations of Quantum Chromodynamics: An Introduction to Perturbative Methods in Gauge Theories, (3rd ed.)*, vol. 78 of *World scientific Lecture Notes in Physics*. Hackensack, N.J.: World Scientific, 2010.
- [6] S. Sakata, “On a composite model for the new particles,” *Progress of Theoretical Physics*, vol. 16, pp. 686–688, Dec. 1956.
- [7] Y. Neeman, “Derivation of strong interactions from a gauge invariance,” *Nuclear Physics*, vol. 26, pp. 222–229, Aug. 1961.
- [8] M. Gell-Mann, “Symmetries of baryons and mesons,” *Physical Review*, vol. 125, pp. 1067–1084, Feb. 1962.
- [9] A. Pevsner, R. Kraemer, M. Nussbaum, C. Richardson, P. Schlein, R. Strand, T. Toohig, M. Block, A. Engler, R. Gessaroli, and C. Meltzer, “Evidence for a three-pion resonance near 550 mev,” *Physical Review Letters*, vol. 7, pp. 421–423, Dec. 1961.
- [10] G. R. Kalbfleisch, L. W. Alvarez, A. Barbaro-Galtieri, O. I. Dahl, P. Eberhard, W. E. Humphrey, J. S. Lindsey, D. W. Merrill, J. J. Murray, A. Rittenberg, R. R. Ross, J. B. Shafer, F. T. Shively, D. M. Siegel, G. A. Smith, and R. D. Tripp, “Observation of a nonstrange meson of mass 959 MeV,” *Physical Review Letters*, vol. 12, pp. 527–530, May 1964.
- [11] M. Goldberg, M. Gundzik, S. Lichtman, J. Leitner, M. Primer, P. L. Connolly, E. L. Hart, K. W. Lai, G. London, N. P. Samios, and S. S. Yamamoto, “Existence of a new meson of mass 960 MeV,” *Physical Review Letters*, vol. 12, pp. 546–550, May 1964.

- [12] M. Tanabashi *et al.*, “Review of Particle Physics,” *Phys. Rev.*, vol. D98, no. 3, p. 030001, 2018.
- [13] T. P. Cheng and L. F. Li, *Gauge theory of elementary particle physics: Problems and solutions*. 2000.
- [14] S. Okubo, “Note on unitary symmetry in strong interactions,” *Progress of Theoretical Physics*, vol. 27, pp. 949–966, May 1962.
- [15] I. J. R. Aitchison and A. J. G. Hey, *Gauge theories in particle physics: A practical introduction. Vol. 2: Non-Abelian gauge theories: QCD and the electroweak theory*. Bristol, UK: CRC Press, 2012.
- [16] T. Feldmann, P. Kroll, and B. Stech, “Mixing and decay constants of pseudoscalar mesons,” *Physical Review D*, vol. 58, Oct. 1998.
- [17] T. FELDMANN, “QUARK STRUCTURE OF PSEUDOSCALAR MESONS,” *International Journal of Modern Physics A*, vol. 15, pp. 159–207, Jan. 2000.
- [18] T. Feldmann and P. Kroll, “Mixing of pseudoscalar mesons,” *Physica Scripta*, vol. T99, no. 1, p. 13, 2002.
- [19] C. D. Donato, G. Ricciardi, and I. I. Bigi, “ $\eta$ - $\eta'$  mixing: From electromagnetic transitions to weak decays of charm and beauty hadrons,” *Physical Review D*, vol. 85, Jan. 2012.
- [20] T. Feldmann and P. Kroll, “Flavor symmetry breaking and mixing effects in the eta gamma and etagamma transition form factors,” *The European Physical Journal C*, vol. 5, pp. 327–335, Aug. 1998.
- [21] S. Weinberg, “The u(1) problem,” *Physical Review D*, vol. 11, pp. 3583–3593, June 1975.
- [22] S. L. Adler, “Axial-vector vertex in spinor electrodynamics,” *Physical Review*, vol. 177, pp. 2426–2438, Jan. 1969.
- [23] J. S. Bell and R. Jackiw, “A PCAC puzzle:  $\pi^0 \rightarrow \gamma\gamma$  in the  $\sigma$ -model,” *Il Nuovo Cimento A*, vol. 60, pp. 47–61, Mar. 1969.
- [24] B. L. Ioffe, V. S. Fadin, and L. N. Lipatov, *Quantum chromodynamics: Perturbative and nonperturbative aspects*, vol. 30. Cambridge Univ. Press, 2010.
- [25] G. t Hooft, “Symmetry breaking through bell-jackiw anomalies,” in *Instantons in Gauge Theories*, pp. 226–229, WORLD SCIENTIFIC, July 1994.
- [26] G. t Hooft, “How instantons solve the u(1) problem,” *Physics Reports*, vol. 142, pp. 357–387, Sept. 1986.
- [27] S. Okubo, “ $\phi$ -meson and unitary symmetry model,” *Physics Letters*, vol. 5, pp. 165–168, June 1963.
- [28] G. Zweig, “An  $SU_3$  model for strong interaction symmetry and its breaking; Version 2,” p. 80 p, Feb 1964.

- [29] J. Iizuka, “A systematics and phenomenology of meson family,” *Progress of Theoretical Physics Supplement*, vol. 37, pp. 21–34, 1966.
- [30] M. Shifman, A. Vainshtein, and V. Zakharov, “QCD and resonance physics. theoretical foundations,” *Nuclear Physics B*, vol. 147, pp. 385–447, Feb. 1979.
- [31] C. A. Dominguez, A. Ayala, G. Contreras, I. Leon, and P. Podesta, “The operator product expansion beyond perturbation theory in QCD,” AIP, 2011.
- [32] M. SHIFMAN, “QUARK-HADRON DUALITY,” in *At The Frontier of Particle Physics*, pp. 1447–1494, WORLD SCIENTIFIC, Apr. 2001.
- [33] C. A. DOMINGUEZ, “INTRODUCTION TO QCD SUM RULES,” *Modern Physics Letters A*, vol. 28, p. 1360002, Aug. 2013.
- [34] K. G. Wilson, “Non-lagrangian models of current algebra,” *Physical Review*, vol. 179, pp. 1499–1512, Mar. 1969.
- [35] S. Narison, *QCD Spectral Sum Rules*. WORLD SCIENTIFIC, Jan. 1990.
- [36] L. Reinders, “Hadron properties from QCD sum rules,” *Physics Reports*, vol. 127, pp. 1–97, Oct. 1985.
- [37] V. Chernyak, “Asymptotic behaviour of exclusive processes in QCD,” *Physics Reports*, vol. 112, pp. 173–318, Oct. 1984.
- [38] S. S. Agaev and N. G. Stefanis, “Gluon content of the  $\eta$  and  $\eta'$  mesons and the  $\eta\gamma$ ,  $\eta'\gamma$  electromagnetic transition form factors,” *Physical Review D*, vol. 70, Sept. 2004.
- [39] G. P. Lepage and S. J. Brodsky, “Exclusive processes in perturbative quantum chromodynamics,” *Physical Review D*, vol. 22, pp. 2157–2198, Nov. 1980.
- [40] S. S. Agaev, V. M. Braun, N. Offen, and F. A. Porkert, “Light cone sum rules for the  $\pi^0\gamma\gamma$  form factor revisited,” *Physical Review D*, vol. 83, Mar. 2011.
- [41] E. Braaten, “Quantum-chromodynamic corrections to meson-photon transition form factors,” *Physical Review D*, vol. 28, pp. 524–533, Aug. 1983.
- [42] G. A. Christos, “Chiral symmetry and the u(1) problem,” *Physics Reports*, vol. 116, pp. 251–336, Dec. 1984.
- [43] G. Brandenburg *et al.*, “Measurements of the ratios  $B(D(s)^+ \rightarrow \eta \text{ lepton}^+ \text{ neutrino}) / B(D(s)^+ \rightarrow \phi \text{ lepton}^+ \text{ neutrino})$  and  $B(D(s)^+ \rightarrow \eta' \text{ lepton}^+ \text{ neutrino}) / B(D(s)^+ \rightarrow \phi \text{ lepton}^+ \text{ neutrino})$ ,” *Phys. Rev. Lett.*, vol. 75, pp. 3804–3808, 1995.
- [44] C. Amsler *et al.*, “Review of Particle Physics,” *Phys. Lett.*, vol. B667, pp. 1–1340, 2008.
- [45] K. Hagiwara *et al.*, “Review of particle physics. Particle Data Group,” *Phys. Rev.*, vol. D66, p. 010001, 2002.

- [46] P. Kroll and K. Passek-Kumericki, “The  $\eta$  ( $\eta'$ ) gamma transition form factor and the gluon distribution amplitude,” *Journal of Physics G: Nuclear and Particle Physics*, vol. 40, p. 075005, May 2013.
- [47] J. P. Singh and A. B. Patel, “Quark distributions and gluon contents of  $\eta$  and  $\eta'$ ,” *Journal of Physics G: Nuclear and Particle Physics*, vol. 39, p. 015006, Dec. 2011.
- [48] F. Ambrosino *et al.*, “A Global fit to determine the pseudoscalar mixing angle and the gluonium content of the eta-prime meson,” *JHEP*, vol. 07, p. 105, 2009.
- [49] R. Escribano and J. Nadal, “On the gluon content of the  $\eta$  and  $\eta'$  mesons,” *Journal of High Energy Physics*, vol. 2007, pp. 006–006, May 2007.
- [50] C. E. Thomas, “Composition of the pseudoscalar  $\eta$  and  $\eta'$  mesons,” *Journal of High Energy Physics*, vol. 2007, pp. 026–026, Oct. 2007.
- [51] S. D. Bass, “Gluons and the  $\eta$ /nucleon coupling constant,” *Physics Letters B*, vol. 463, pp. 286–292, Sept. 1999.
- [52] S. D. Bass, “Gluonic effects in  $\eta$  and  $\eta'$  physics,” *Physica Scripta*, vol. T99, no. 1, p. 96, 2002.
- [53] L. A. Harland-Lang, V. A. Khoze, M. G. Ryskin, and W. J. Stirling, “Central exclusive production as a probe of the gluonic component of the  $\eta'$  and  $\eta$  mesons,” *The European Physical Journal C*, vol. 73, May 2013.
- [54] S. D. Bass and P. Moskal, “ $\eta'$  and  $\eta$  mesons with connection to anomalous glue,” *Reviews of Modern Physics*, vol. 91, Feb. 2019.
- [55] P. Adlarson *et al.*, “Search for  $\eta$ -mesic  $^4\text{He}$  in the  $dd \rightarrow ^3\text{He}n\pi^0$  and  $dd \rightarrow ^3\text{He}p\pi^-$  reactions with the WASA-at-COSY facility,” *Nucl. Phys.*, vol. A959, pp. 102–115, 2017.
- [56] H. Nagahiro, D. Jido, H. Fujioka, K. Itahashi, and S. Hirenzaki, “Formation of  $\eta'(958)$ -mesic nuclei by the (p, d) reaction,” *Physical Review C*, vol. 87, Apr. 2013.
- [57] S. D. Bass, “The spin structure of the proton,” *Reviews of Modern Physics*, vol. 77, pp. 1257–1302, Nov. 2005.
- [58] S. D. Bass, “PHYSICS: How does the proton spin?,” *Science*, vol. 315, pp. 1672–1673, Mar. 2007.
- [59] G. M. Shore, “The  $u(1)_A$  anomaly and QCD phenomenology,” in *Lecture Notes in Physics*, pp. 235–288, Springer Berlin Heidelberg, 2007.
- [60] G. Shore, “Pseudoscalar meson decay constants and couplings, the witten veneziano formula beyond large  $N_c$ , and the topological susceptibility,” *Nuclear Physics B*, vol. 744, pp. 34–58, June 2006.

- [61] R. Machleidt, “High-precision, charge-dependent bonn nucleon-nucleon potential,” *Physical Review C*, vol. 63, Jan. 2001.
- [62] T. A. Rijken, “Extended-soft-core baryon-baryon model. i. nucleon-nucleon scattering with the ESC04 interaction,” *Physical Review C*, vol. 73, Apr. 2006.
- [63] K. Kawarabayashi and N. Ohta, “The  $\eta$  problem in the large- $n$  limit: Effective lagrangian approach,” *Nuclear Physics B*, vol. 175, pp. 477–492, Dec. 1980.
- [64] I. G. Aznauryan, “Resonance contributions to  $\eta$  photoproduction on protons found using dispersion relations and an isobar model,” *Physical Review C*, vol. 68, Dec. 2003.
- [65] J. Nys, V. Mathieu, C. Fernández-Ramírez, A. H. Blin, A. Jackura, M. Mikhasenko, A. Pilloni, A. Szczepaniak, G. Fox, and J. R. and, “Finite-energy sum rules in eta photoproduction off a nucleon,” *Physical Review D*, vol. 95, Feb. 2017.
- [66] L. Tiator, M. Gorchtein, V. L. Kashevarov, K. Nikonov, M. Ostrick, M. Hadžimehmedović, R. Omerović, H. Osmanović, J. Stahov, and A. Švarc, “Eta and eta prime photoproduction on the nucleon with the isobar model EtaMAID2018,” *The European Physical Journal A*, vol. 54, Dec. 2018.
- [67] M. L. Goldberger and S. B. Treiman, “Decay of the pi meson,” *Physical Review*, vol. 110, pp. 1178–1184, June 1958.
- [68] A. Deur, S. J. Brodsky, and G. F. De Téramond, “The Spin Structure of the Nucleon,” 2018.
- [69] G. Shore and G. Veneziano, “The  $u(1)$  goldberger-treiman relation and the proton spin: A renormalisation group analysis,” *Nuclear Physics B*, vol. 381, pp. 23–65, Aug. 1992.
- [70] N. Nasrallah, “Couplings of the  $\eta$  and  $\eta'$  mesons to the nucleon,” *Physics Letters B*, vol. 645, pp. 335–338, Feb. 2007.
- [71] O. Dumbrajs, R. Koch, H. Pilkuhn, G. Oades, H. Behrens, J. de Swart, and P. Kroll, “Compilation of coupling constants and low-energy parameters,” *Nuclear Physics B*, vol. 216, pp. 277–335, May 1983.
- [72] G.-S. Yang and H.-C. Kim, “Meson baryon coupling constants of the  $SU(3)$  baryons with flavor  $SU(3)$  symmetry breaking,” *Physics Letters B*, vol. 785, pp. 434–440, Oct. 2018.
- [73] T. A. Rijken, M. M. Nagels, and Y. Yamamoto, “Baryon-baryon interactions,” *Progress of Theoretical Physics Supplement*, vol. 185, pp. 14–71, 2010.
- [74] H. Kim, T. Doi, M. Oka, and S. H. Lee, “The ratio and meson baryon couplings from QCD sum rules II,” *Nuclear Physics A*, vol. 678, pp. 295–320, Oct. 2000.
- [75] M. C. Birse and B. Krippa, “Determination of the pion-nucleon coupling constant from QCD sum rules,” *Physics Letters B*, vol. 373, pp. 9–15, Apr. 1996.

- [76] J. P. SINGH, F. X. LEE, and L. WANG, “ETA-NUCLEON COUPLING CONSTANT IN QCD WITH SU(3) SYMMETRY BREAKING,” *International Journal of Modern Physics A*, vol. 26, pp. 947–963, Mar. 2011.
- [77] J. P. Singh, “Singlet axial-vector coupling constant of the nucleon in QCD without instantons,” *Physics Letters B*, vol. 749, pp. 63–67, Oct. 2015.
- [78] J. P. Singh and S. D. Patel, “Eta-nucleon and eta-prime-nucleon coupling constants in QCD and the role of gluons,” *Phys. Lett.*, vol. B791, pp. 249–256, 2019.
- [79] Y. Kondo and O. Morimatsu, “A projected correlation function approach to the  $\pi$ NN coupling constant in QCD sum rules,” *Nuclear Physics A*, vol. 717, pp. 55–72, Apr. 2003.
- [80] T. DOI, “Meson-baryon couplings from QCD sum rules,” *Physics Reports*, vol. 398, pp. 253–279, Sept. 2004.
- [81] V. M. Belyaev, V. M. Braun, A. Khodjamirian, and R. Rückl, “ $D\bar{d}\pi$  and  $B\bar{b}\pi$  couplings in QCD,” *Physical Review D*, vol. 51, pp. 6177–6195, June 1995.
- [82] P. Ball, “Theoretical update of pseudoscalar meson distribution amplitudes of higher twist: the nonsinglet case,” *Journal of High Energy Physics*, vol. 1999, pp. 010–010, Jan. 1999.
- [83] I. Balitsky and V. Braun, “Evolution equations for QCD string operators,” *Nuclear Physics B*, vol. 311, pp. 541–584, Jan. 1989.
- [84] M. Beneke and M. Neubert, “Flavor-singlet b-decay amplitudes in QCD factorization,” *Nuclear Physics B*, vol. 651, pp. 225–248, Feb. 2003.
- [85] P. Ball and G. W. Jones, “ $B \rightarrow \eta(t)$  form factors in QCD,” *Journal of High Energy Physics*, vol. 2007, pp. 025–025, Aug. 2007.
- [86] C. Adolph *et al.*, “The spin structure function  $g_1^p$  of the proton and a test of the Bjorken sum rule,” *Phys. Lett.*, vol. B753, pp. 18–28, 2016.
- [87] E. R. Nocera, R. D. Ball, S. Forte, G. Ridolfi, and J. Rojo, “A first unbiased global determination of polarized PDFs and their uncertainties,” *Nuclear Physics B*, vol. 887, pp. 276–308, Oct. 2014.
- [88] J. Liang, Y.-B. Yang, T. Draper, M. Gong, and K.-F. Liu, “Quark spins and anomalous ward identity,” *Phys. Rev. D*, vol. 98, p. 074505, Oct 2018.
- [89] L. Olbrich, M. Zétényi, F. Giacosa, and D. H. Rischke, “Influence of the axial anomaly on the decay  $n(1535) \rightarrow n\eta$ ,” *Physical Review D*, vol. 97, Jan. 2018.
- [90] J. Pasupathy, J. P. Singh, S. L. Wilson, and C. B. Chiu, “Determination of the magnetic moment by QCD sum rules,” *Physical Review D*, vol. 36, pp. 1442–1450, Sept. 1987.

- [91] C. B. Chiu, J. Pasupathy, and S. L. Wilson, “Renormalization of the axial-vector current in QCD,” *Physical Review D*, vol. 32, pp. 1786–1806, Oct. 1985.
- [92] H. J. Behrend *et al.*, “A Measurement of the  $\pi^0$ ,  $\eta$  and  $\eta'$ -prime electromagnetic form-factors,” *Z. Phys.*, vol. C49, pp. 401–410, 1991.
- [93] J. Gronberg *et al.*, “Measurements of the meson - photon transition form-factors of light pseudoscalar mesons at large momentum transfer,” *Phys. Rev.*, vol. D57, pp. 33–54, 1998.
- [94] B. Aubert *et al.*, “Measurement of the  $\eta$  and  $\eta'$ -prime transition form-factors at  $q^2 = 112\text{-GeV}^2$ ,” *Phys. Rev.*, vol. D74, p. 012002, 2006.
- [95] B. Aubert *et al.*, “Measurement of the  $\gamma\gamma^* \rightarrow \pi^0$  transition form factor,” *Phys. Rev.*, vol. D80, p. 052002, 2009.
- [96] P. del Amo Sanchez *et al.*, “Measurement of the  $\gamma\gamma^* \rightarrow \eta$  and  $\gamma\gamma^* \rightarrow \eta'$  transition form factors,” *Phys. Rev.*, vol. D84, p. 052001, 2011.
- [97] S. Uehara *et al.*, “Measurement of  $\gamma\gamma^* \rightarrow \pi^0$  transition form factor at Belle,” *Phys. Rev.*, vol. D86, p. 092007, 2012.
- [98] S. Agaev, V. Braun, N. Offen, F. Porkert, and A. Schäfer, “Transition form factors  $\gamma\gamma \rightarrow \eta$  and  $\gamma\gamma \rightarrow \eta'$  in QCD,” *Physical Review D*, vol. 90, Oct. 2014.
- [99] A. Efremov and A. Radyushkin, “Factorization and asymptotic behaviour of pion form factor in QCD,” *Physics Letters B*, vol. 94, pp. 245–250, July 1980.
- [100] G. P. Lepage and S. J. Brodsky, “Exclusive processes in quantum chromodynamics: Evolution equations for hadronic wavefunctions and the form factors of mesons,” *Physics Letters B*, vol. 87, pp. 359–365, Nov. 1979.
- [101] A. Duncan and A. H. Mueller, “Asymptotic behavior of composite-particle form factors and the renormalization group,” *Physical Review D*, vol. 21, pp. 1636–1650, Mar. 1980.
- [102] S. J. Brodsky and G. P. Lepage, “Large-angle two-photon exclusive channels in quantum chromodynamics,” *Physical Review D*, vol. 24, pp. 1808–1817, Oct. 1981.
- [103] A. Ali and A. Y. Parkhomenko, “The  $\eta'$ -prime meson mass,” *The European Physical Journal C*, vol. 30, pp. 367–380, Oct. 2003.
- [104] P. Kroll and K. Passek-Kumerički, “Two-gluon components of the  $\eta$  and  $\eta'$  mesons to leading-twist accuracy,” *Physical Review D*, vol. 67, Mar. 2003.
- [105] S. S. Agaev, “Constraints on distribution amplitudes of the  $\eta$  and  $\eta'$  mesons in the light of new experimental results,” *The European Physical Journal C*, vol. 70, pp. 125–137, Oct. 2010.

- [106] A. Khodjamirian, “Form factors of gamma rho to pi and gamma gamma to pi transitions and light-cone sum rules,” *The European Physical Journal C*, vol. 6, pp. 477–484, Jan. 1999.
- [107] S. Noguera and V. Vento, “Model analysis of the world data on the pion transition form factor,” *The European Physical Journal A*, vol. 48, Oct. 2012.
- [108] H.-M. Choi, H.-Y. Ryu, and C.-R. Ji, “Spacelike and timelike form factors for the  $(\pi^0, \eta, \eta') \rightarrow \gamma\gamma$  transitions in the light-front quark model,” *Physical Review D*, vol. 96, Sept. 2017.
- [109] I. C. Cloët, L. Chang, C. D. Roberts, S. M. Schmidt, and P. C. Tandy, “Pion distribution amplitude from lattice QCD,” *Physical Review Letters*, vol. 111, Aug. 2013.
- [110] V. M. Braun, A. Khodjamirian, and M. Maul, “Pion form factor in QCD at intermediate momentum transfers,” *Physical Review D*, vol. 61, Mar. 2000.
- [111] A. Schmedding and O. Yakovlev, “Perturbative effects in the form factor  $\gamma\gamma \rightarrow \pi^0$  and extraction of the pion distribution amplitude from CLEO data,” *Physical Review D*, vol. 62, Oct. 2000.
- [112] N. G. Stefanis, “Pionphoton transition form factor,” *Few-Body Systems*, vol. 52, pp. 415–420, Sept. 2011.
- [113] B. Ioffe and A. Smilga, “Nucleon magnetic moments and magnetic properties of the vacuum in QCD,” *Nuclear Physics B*, vol. 232, pp. 109–142, Jan. 1984.
- [114] P. Ball, V. Braun, and N. Kivel, “Photon distribution amplitudes in QCD,” *Nuclear Physics B*, vol. 649, pp. 263–296, Jan. 2003.
- [115] E. Witten, “Instantons, the quark model, and the  $1/n$  expansion,” *Nuclear Physics B*, vol. 149, pp. 285–320, Mar. 1979.
- [116] G. Duplanić and B. Melić, “Form factors of  $b, b_s \rightarrow \eta(\iota)$  and  $d, d_s \rightarrow \eta(\iota)$  transitions from QCD light-cone sum rules,” *Journal of High Energy Physics*, vol. 2015, Nov. 2015.
- [117] Y.-Y. Charng, T. Kurimoto, and H. nan Li, “Gluonic contribution to  $B \rightarrow \eta(\iota)$  form factors,” *Physical Review D*, vol. 74, Oct. 2006.
- [118] M. Acciarri *et al.*, “Measurement of eta-prime (958) formation in two photon collisions at LEP-1,” *Phys. Lett.*, vol. B418, pp. 399–410, 1998.
- [119] J. P. Singh and S. D. Patel, “Sub-leading power corrections to transition form factors of  $\eta$  and  $\eta'$  mesons from twist-six contributions,” *J. Phys.*, vol. G45, no. 12, p. 125002, 2018.
- [120] T. Husek and S. Leupold, “Two-hadron saturation for the pseudoscalar–vector–vector correlator and phenomenological applications,” *Eur. Phys. J. C*, vol. 75, p. 586, 2015.

- [121] A. Nyffeler, “Precision of a data-driven estimate of hadronic light-by-light scattering in the muon  $g - 2$ : Pseudoscalar-pole contribution,” *Phys. Rev. D*, vol. 94, p. 053006, Sep 2016.
- [122] Y.-Y. Charng, T. Kurimoto, and H.-n. Li, “Gluonic contribution to  $b \rightarrow \eta^{(\prime)}$  form factors,” *Phys. Rev. D*, vol. 74, p. 074024, Oct 2006.
- [123] T. Kurimoto, H. nan Li, and A. I. Sanda, “Leading-power contributions to  $B \rightarrow \pi, \rho$  transition form factors,” *Physical Review D*, vol. 65, Dec. 2001.
- [124] Y. N. Klopot, A. G. Oganesian, and O. V. Teryaev, “Axial anomaly as a collective effect of meson spectrum,” *Physics Letters B*, vol. 695, pp. 130–135, Jan. 2011.
- [125] A. E. Dorokhov, A. E. Radzhabov, and A. S. Zhevlakov, “The pseudoscalar hadronic channel contribution of the light-by-light process to the muon  $(g-2)$   $\mu$  within the nonlocal chiral quark model,” *The European Physical Journal C*, vol. 71, July 2011.
- [126] S. J. Brodsky, F.-G. Cao, and G. F. de Téramond, “Meson transition form factors in light-front holographic QCD,” *Physical Review D*, vol. 84, Oct. 2011.
- [127] J. P. Singh, “Light quark pseudoscalar densities and anomaly matrix elements for  $\eta$  and  $\eta'$  mesons,” *Physical Review D*, vol. 88, Nov. 2013.
- [128] J. P. Singh and J. Pasupathy, “Axial and pseudoscalar current correlators and their couplings to  $\eta$  and  $\eta'$  mesons,” *Physical Review D*, vol. 79, June 2009.
- [129] C. Kim and A. K. Leibovich, “Leading  $SU(3)$  breaking in lightcone distribution amplitudes,” *Physical Review D*, vol. 78, Sept. 2008.