

## List of Tables

<b>Table Number</b>	<b>Table Captions</b>	<b>Page number</b>
3.1	The optimized lattice constant, bandgap, work-function and adsorption energy of hydrogen and oxygen with pristine and functionalized arsenene.	61
3.2	Calculated band gap ( $E_g$ ), bond length, work-function, hydrogen adsorption and Gibbs free energy for pristine systems.	69
3.3	Calculated work-function, hydrogen adsorption and Gibbs free energy for doped systems.	76
4.1	Calculated Lattice constant 'a' (Å), Bond length (Å), Buckling height(Å), Energy band gap $E_g$ (eV) and Fermi level energies $E_F$ (eV) of monolayer Bi, BiAs and BiSb.	89
5.1	Optimized lattice constant and electronic properties of 2x2 supercell silicene, SnSe <sub>2</sub> and hetero-structure Si/SnSe <sub>2</sub> .	112
5.2	Binding energy of CO molecules on adsorbent (silicene, SnSe <sub>2</sub> , Si/P/SnSe <sub>2</sub> , Si/Cl/SnSe <sub>2</sub> , Si/NH <sub>3</sub> <sup>a</sup> /SnSe <sub>2</sub> and Si/NH <sub>3</sub> <sup>b</sup> /SnSe <sub>2</sub> ).	130
6.1	Calculated lattice constant (Å) and band gap for bulk, two-dimensional and one-dimensional Methylammonium lead iodide (MAPI) in cubic phase along with other available data.	146
6.2	Calculated Solar cell parameters of bulk, 2D and 1D MAPI with respect to mesoporous (mp)- TiO <sub>2</sub> and PCBM respectively.	152
6.3	Solar parameter; open circuit voltage (Voc), fill factor (FF), short circuit current density (Jsc) and efficiency ( $\eta$ ) of 2D MAPI under strain calculation with respect to mesoporous (mp)- TiO <sub>2</sub> and PCBM respectively.	158