

BIBLIOGRAPHY

- Ahlstrom, E.H. 1940. A revision of the rotatorian genera *Brachionus* and *Platyias*, with description of one new species and two new varieties. *Bull. Amer. Mus. Nat. Hist.* 77: 143 - 184.
- Ali, S. 1956. *The birds of Gujarat*. Gujarat Research Society, Bombay, India.
- Ali, S. 1979. *The book of Indian birds*. Bombay Natural History Society, Bombay.
- Ali, S. and Ripley, S.D. 1983a. *A pictorial guide to the birds of the Indian subcontinent*. Bombay Natural History Society, Oxford University Press.
- Ali, S. and Ripley, S.D. 1983b. *Handbook of the birds of the India and Pakistan* (compact edition). Oxford University Press, New Delhi, India.
- Anderson, H.H. 1889. Notes on Indian Rotifera. *J. Asiatic Soc. Bengal*, 58: 345 - 358.
- APHA, AWWA, WEF. 1998. *Standard methods for the examination of water and wastewater*, American Public Health Association, Washington DC.
- Archibald, M. 1972. Diversity in some South African diatom associations and its relation to water quality. *Water Res.*, 6: 1229-1238.
- Arora, H. C. 1962. Studies on Indian Rotifera – I. *J. Zool. Soc. India*, 14: 33 - 44
- Arora, H. C. 1963 a. Studies on Indian Rotifera – II. Some species of the genus *Brachionus* from Nagpur. *J. Zool. Soc. India*, 15:112 - 121.
- Arora, H. C. 1963 b. Studies on Indian Rotifera – IV. On some sessile Rotifera from India. *Arch. Hydrobiol.*, 59: 502 - 507.
- Arora, H. C. 1965. Studies on Indian Rotifera. VI. On a collection of Rotifera from Nagpur, India, with four new species. *Hydrobiol.*, 26: 444 - 456.
- Arora, H.C. 1966 a. Studies on Indian Rotifera – Part III. On *Brachionus calyciflorus* and some varieties of the speices. *J. Zool. Soc. India*, 16: 1 - 6.

- Arora, H. C. 1966 b. Studies on Indian Rotifera – V. On species of some genera of the family Brachionidae, subfamily Brachioninae from India. *Arch. Hydrobiol.*, **61**: 482 - 483.
- Arora, H. C. 1966 c. Cyclomorphosis in some species of Indian planktonic rotifers. *Int. Rev. ges. Hydrobiol.*, **51**: 623 - 632.
- Arora, H.C. 1966 d. Rotifera as indicators of trophic nature of environments. *Hydrobiologia*, **27**: 146 - 149.
- Arrow, G. J. 1917. *Fauna of British India*. Coleoptera, Vol. II, Taylor and Francis, London.
- Askey-Doran, M., Bunn, S., Hairsine, P., Price, P., Prosser, I., and Rutherford., I. 1996. *Riparian Management Fact Sheet I. Managing Riparian Lands*. Land and Water Resources Research and Development Corporation. Australia.
- Ayyar, M.E. and Ananthakrishnan, T.N. 1991. *A manual of Zoology*. Vol. I and II, S. Viswanathan (Printers and Publishers) Pvt. Ltd., Madras, India.
- Baker, S. 1922-1930. *Fauna of British India*. Birds, Vol. I-VII, Taylor and Francis, London.
- Banerjea, S. and Motwani, M.P. 1960. Some observations on pollution of the Suvaon stream by the effluents of a sugar factory, Balrampur (UP). *Ind. J. Fish.*, **7**: 107-128.
- Beauchamp, P. De. 1952 a. Un facteur de la variabilite chez les rotiferes du genra *Brachionus*. *Compt. Rendu Acad. Sci Paris*, **234**: 573 - 575.
- Beauchamp, P. De. 1952 b. Variation chez les rotifers due genre *Brachionus*. *Compt. Rendu Acad. Sci Paris*, **235**:1355 - 1356.
- Berzins, B. and Pejler, B. 1987. Rotifer occurrence in relation to pH. *Hydrobiol.*, **147**: 107-116.
- Berzins, B. and Pejler, B. 1989. Rotifer occurrence in relation to temperature. *Hydrobiol.*, **175**: 223-231.
- Bhargava, D.S. 1985. Water quality variation and control technology of Yamuna River. *Envntl. Pollut.* **37**: 355-376.
- Bielanska_Grajner, I. 2001. The psammic rotifer structure in three Lobelian Polish lakes differing in pH. *Hydrobiol.*, **446/447**: 149-153.
- Blanford, W.T. and Godwin Austen, H.H. 1908. *Fauna of British India*. Mollusca, Vol. I, Taylor and Francis, London.
- Brehm, V. 1950. Contributions to the freshwater fauna of India. Part II. *Rec. Ind. Mus.* Vol **XLVIII**: 9-28.
- Brehm, V. 1951. Eine neue Brachionus aue Indien (*B. donneri*). *Zool. Anz.*, **146**: 54 – 55.

- Brett, M.T. 1989. Zooplankton communities and acidification processes (A review). *Wat. Air Soil Pollut.*, **44**: 387 - 414.
- Brunetti, E. 1912. *Fauna of British India*. Diptera, Vol. I, Taylor and Francis, London.
- Buchner, H., Mulzer, F. and Rauh, F. 1957. Untersuchungen uber der variabilitat der Radertiere. *Biol. Zbl.* **76**: 289 - 315.
- Burgis, M.J. 1974. Revised estimates for the biomass and production of zooplankton in Lake George, Uganda. *Freshwat. Biol.*, **4**: 535 - 541.
- Cameron, M. 1932. *Fauna of British India*. Coleoptera. Vol III, Taylor and Francis, London.
- Cecchine, G and Snell, T.W. 1999. Toxicant exposure increases threshold food levels in freshwater rotifer populations. *Environ Toxicol.*, **14**: 523 - 530.
- Chacko, P.I and Rajagopal, A. 1962. Hydrobiology and fisheries of the Ennore river near Madras from April 1960 to March 1961. *Madras J. fisher.*, **1**: 102 - 104.
- Chandrasekhar, S.V.A. and Kodakar, M.S. 1994. Biodiversity of zooplankton from Saroornagar lake, Hyderabad, Andhra Pradesh. *J. Aqua. Biol.*, **9**: 30 - 33.
- Chandrasekhar, S.V.A. and Kodakar, M.S. 1995. Studies on Brachionus from Saroornagar lake, Hyderabad. *J. Aqua. Biol.*, **10**: 48-52.
- Chengalath, R, Fernando, C.H. and Koste, W. 1974. Rotifera from Sri Lanka (Ceylon). New species and records with a list of Rotifera recorded and their distribution in different habitats from Sri Lanka. *Bull. Fish. Res. Stn Sri Lanka (Ceylon)*, **25**: 83-96.
- Cottenie, K., Nuytten, N, Michels, E., and Meester, L.D. 2001. Zooplankton community structure and environmental conditions in a set of interconnected ponds. *Hydrobiol.*, **442**: 339-350.
- Cummins, K.W. 1993. Riparian stream linkages: instream issues. In: Ecology and management of Riparian zones. In: *Ecology and Management of Riparian zones*. Eds. S.E. Bunn, B.J. Pusey and P. Price. Occasional paper 05/93: 5-20. Land and Water Resources Research and Development Corporation. Canberra, Australia.
- Dagaonkar, A. and Saksena, D.N. 1992. Physico-chemical and Biological Characterization of a temple tank, Kaila Sagar, Gwalior, Madhya Pradesh. *J. Hydrobiol.*, **VIII** : 11-19.
- Daniel, J.C. 1983. *The book of Indian Reptiles*. Bombay Natural History Society, Oxford University Press.
- Daniel, J.C. and Sekar, A.G. 1991. Field guide to the amphibians of western India. Part 4. *J. Bombay nat. Hist. Soc.*, **86**: 194-202.

- Daniel, J.C. and Shull, E. M. 1963. A list of the reptiles and amphibians of Surat Dangs, South Gujarat. *J. Bombay nat. Hist. Soc.*, **60**: 737-743.
- Das, A.K. 1998. Faunal diversity in India: Protozoa. In: *Faunal Diversity in India*. Eds. J.R.B. Alfred, A.K. Das and A.K. Sanyal. Envis centre, Zoological Survey of India. pp 11-19.
- Das, S.M. and Akhtar, S. 1976. A survey of rotifers of Kashmir with new records of Palearctic genera and species. *Rotifer news.*, **3**: 9-12.
- De Ridder, M. 1984. A review of rotifer fauna of Sudan. *Hydrobiol.*, **110**: 1113-1130.
- De Smet, W.H. 1998. Preparation of rotifer trophi for light and scanning electron microscopy. *Hydrobiol.*, **387/388**: 117-121.
- Dean, R.B. and Lund, E. 1981. *Water reuse: Problems and solutions*. Academic Press, London.
- Deneke, R. 2000. Review of rotifers and crustaceans in highly acidic environments of pH values 3. *Hydrobiol.*, **433**: 167-172.
- Desai, G.H. and Clarke, A.B. 1923. Gazetteer of Baroda state, Vol. I: General Information, Bombay.
- Desikachary, T.V. 1959. *Cyanophyta*. Indian Council of Agricultural Research, New Delhi.
- Dhanapathi M.V.S.S.S. 1973. On the occurrence of the rare rotifer, *Rotatoria neptunia* (Ehrenberg) in India. *Curr. Sci.*, **42**: 770.
- Dhanapathi M.V.S.S.S. 1974 a. A new Brachionid rotifer, *Platytias quadricornis andhraensis* sub-sp. nov. from India. *Curr. Sci.*, **43**: 358.
- Dhanapathi M.V.S.S.S. 1974 b. Rotifers from Andhra Pradesh, India – I. *Hydrobiol.*, **45**: 357-372.
- Dhanapathi M.V.S.S.S. 1975 a. New record of Rotifer *Tripleuchlanis plicata* (Levander) from India. *Curr. Sci.*, **43**: 385.
- Dhanapathi M.V.S.S.S. 1975 b. Rotifers from Andhra Pradesh, India. *Zool. J. Linn. Soc.*, **57**: 85-94.
- Dhanapathi M.V.S.S.S. 1976 a. Rotifers from Andhra Pradesh, India I. *Euchlanis brahmae* sp. nov., with taxonomic notes on Indian species of the genus *Euchlanis*. *Mem. Soc. Zool.*, **1**: 43-48.
- Dhanapathi M.V.S.S.S. 1976 b. Rotifers from Andhra Pradesh, India -III. Family Lecanidae including two new species. *Hydrobiol.*, **48**: 9-16.

- Dhanapathi M.V.S.S.S. 1976 c. A new lecanid rotifer from India. *Hydrobiol.*, **50**: 191-192.
- Dhanapathi M.V.S.S.S. 1977. Studies on the distribution of *Brachionus calyciflorus* in India. *Arch. Hydrobiol.*, **8**: 226-229.
- Dhanapathi M.V.S.S.S. 1978 a. The systematics and some aspects of ecology of freshwater rotifers from Andhra Pradesh, India. Ph.D. Thesis, Andhra University, Waltair.
- Dhanapathi M.V.S.S.S. 1978 b. New species of Rotifer from India belonging to the family Brachionidae. *Zool. J. Linn. Soc.* **62**: 226-229.
- Dhanapathi M.V.S.S.S. 1997. Variations in some rotifers of the family Brachionidae. *J. Aqua Biol.*, **12**: 35-38.
- Dhanapathi M.V.S.S.S. 2000. *Taxonomic notes on the Rotifers from India (1889-2000)*. Indian Association of Aquatic Biologists, Hyderabad.
- Dhanapathi M.V.S.S.S. and D. V. Rama Sarma. 2000. Further studies on the rotifers from Andhra Pradesh, India, including a new species. *J. Aqua. Biol.*, **15**: 1-12.
- Di Castri, F. and Younes, T. 1996. Biodiversity, the emergence of a new scientific field – its perspectives and constraints. In: *Biodiversity Science and Development*. CAB International. pp. 646.
- Dobell, C. 1960. *Anthony van Leeuwenhoek and his "Little Animals"*. Dover Publishing Inc., New York, N.Y., USA.
- Dudgeon, D. 1995. The ecology of rivers and streams in Tropical Asia. In: *Ecosystems of the world 22: River and stream Ecosystems*. Eds. C.E. Cushing, K.W. Cummins and G.E. Minshall. Elsevier, Amsterdam. pp. 615 - 657.
- Dudgeon, D. 2000. Riverine biodiversity in Asia: a challenge for conservation biology. *Hydrobiologia*, **418**: 1 - 13.
- Dumont, H.J. 1983. Biogeography of rotifers. *Hydrobiol.*, **104**: 19 - 30
- Dumont, H.J. and Segers, H. 1996. Estimating lacustrine zooplankton species richness and complementarity. *Hydrobiol.*, **341**: 125 - 132.
- Duncan, A. And Gulati, R.D. 1981. Parakrama Samudra (Sri Lanka) project, a study of a tropical lake ecosystem. III. Composition, density and distribution of the zooplankton in 1979. *Verh. Int. Ver. Limnol.*, **21**: 1007 - 1014.
- Dussart, B.H. 1974. Biology of inland waters in humid tropical Asia. In: *Natural Resources of Humid tropical Asia, Natural Resources Research*, Vol. XII. UNESCO, Paris, pp. 331-353.

- Edmondson, W.T. 1944. Ecological studies of the sessile Rotatoria. Part I. Factors affecting distribution. *Ecol. Monogr.*, **14**: 31 - 66.
- Edmondson, W.T. 1963. Rotifera. In: *Freshwater Biology*. Edmondson W.T. (Ed.). John Wiley and Sons Inc.
- Edmondson, W.T. and Hutchinson, G. E. 1934. Report on Rotatoria. Article IX. Yale North India Expedition. *Mem. Conn. Acad. Arts Sci.*, **10**: 153 - 186.
- Egborge, A.B.M. 1981. The composition, seasonal variation and distribution of zooplankton in Lake Asejire, Nigeria. *Rev. Zool Afr.* **95**: 136 - 180.
- Fernando, C.H. 1980a. The freshwater zooplankton of Sri Lanka, with a discussion of tropical freshwater zooplankton composition. *Int. Revue ges. Hydrobiol.*, **65**: 85 - 125.
- Fernando, C.H. 1980b. The species and size composition of tropical freshwater zooplankton with special reference to Oriental region (South-East Asia). *Int. Revue ges. Hydrobiol.*, **65**: 411 - 426.
- Fernando, C.H. 1984. Reservoirs and lakes of Southeast Asia (Oriental region). In: *Lakes and Reservoirs, Ecosystems of the world*, Vol.23. F.B. Taub (Ed.), Elsevier, Amsterdam, pp. 411-446.
- Fernando, C.H. and Rajapaksa, R. 1983. Some remarks on long-term and seasonal changes in the zooplankton of Parakrama Samudra. In: *Limnology of Parakrama Samudra – Sri Lanka*. F. Schiemer (Ed.). Dr. W. Junk, Hague.
- Fowler, W.W. 1912. *Fauna of British India*. Coleoptera, Vol I, Taylor and Francis, London.
- Fulton, R.S. III and Pearl, H.S. 1987. Toxic and inhibitory effects of the blue green alga *Microcystis aeruginosa* on herbivorous zooplankton. *J. Plankton Res.*, **9**: 837-856.
- Fussmann, G., 1996. The importance of crustacean zooplankton in structuring rotifer and phytoplankton communities: an enclosure study. *J. plankton Res.*, **10**:1897-1915.
- Galkovskaja, G.A. 1987. Planktonic rotifers and temperature. *Hydrobiol.*, **147**: 307-317.
- Gallagher, J.J. 1957. Cyclomorphosis in the rotifer, *Keratella cochlearis*. *Trans Am. Micro Soc.*, **76**: 197-203.
- Gannon, J.E. and Stemberger, R.S. 1978. Zooplankton especially crustaceans and rotifers as indicators of water quality. *Trans. Am. Micros. Soc.*, **77**: 16-35.
- George, M.G. 1961. Observations on the rotifers from shallow ponds in Delhi. *Curr. Sci.*, **30**: 268-269.
- Gilbert, J.J. 1967. *Asplanchna* and posterolateral spine production in *Brachionus calyciflorus*. *Arch Hydrobiol.*, **64**: 1-62.

- Gilbert, J.J. 1985. Competition between rotifers and *Daphnia*. *Ecology*, **66**: 1943 - 1950.
- Gopal, B. 1997. Biodiversity in Inland Aquatic Ecosystems in India: An overview. *International Journal of Ecology and Environmental Sciences*; **23**: 305 - 313.
- Green, J. 1956. Growth, size and reproduction in *Daphnia* (Crustacea: Cladocera). *Proc. Zool. Soc. Lond.* **126**: 173 - 204.
- Green, J. 1960. Zooplankton of river Sokoto. The Rotifers. *Proc. Zool. Soc. Lond.*, **135**: 491 - 523.
- Green, J. 1972. Latitudinal variation in associations of planktonic Rotifera. *J. Zool. Lond.* **167**: 31-39.
- Green, J. 1996. Association of testate rhizopods (Protozoa) in the plankton of a Malaysian estuary and two nearby ponds. *J. Zool., Lond.*, **239**: 485 - 506.
- Green, J. 2001. Variability and instability of Planktonic rotifer associations in Lesotho, Southern Africa. *Hydrobiol.* **446/447**: 187 - 194.
- Green, J. and Lan O.B. 1974. *Asplanchna* and the spines of *Brachionus calyciflorus* in two javanese ponds. *Freshwat. Biol.*, **4**: 223 - 226.
- Grewal, B. 1993. *Birds of India, Bangladesh, Nepal, Pakistan and Sri Lanka*. The Guide book Company Limited, Hong Kong.
- Groombridge, B. 1983. Comments on the rain forests of southwest India and their herpetofauna. Paper prepared for the Centenary Seminar of the Bombay Natural History Society, 6-10 December, 1983. 18 pp. Revised, January 1984.
- Groombridge, B and Jenkins, M.D. 2000. *Global Biodiversity: Earth's living resources in the 21st century*. UK: World Conservation Monitoring Center. pp. 246.
- Gude, G.K. 1921. *Fauna of British India*. Mollusca, Vol. III, Taylor and Francis, London.
- Gulati, R.D., Ooms-Wilms, A.L., Van Tongeren, F.R., Postema, G and Siewetsen, K. 1992. The dynamics and role of limnetic zooplankton in the Loosdrecht (The Netherlands). *Hydrobiol.*, **233**: 69 - 86.
- Gunathilagaraj, K. 1998. *Field guide to some South Indian Butterflies*. Published by Nilgiri Wildlife and Environment Association.
- Hannah, L and Bowles, I. 1995. Letters: Global priorities. *BioScience* **45**: 122.
- Haque, N., Khan, A.A., Fatima, M. and Barbhuyan, S.I. 1988. Impact of some ecological parameters on rotifer population in a tropical perennial pond. *Environ. Ecol*, **6**: 998 - 1001.

- Harding, W.A. and Moore, J.P. 1927. *Fauna of British India*. Hirudinea, Taylor and Francis, London.
- Hart, R. C. 1987. Population dynamics and production of five crustaceans zooplankton in subtropical reservoir during years of contrasting turbidity. *Freshwat. Biol.*, **18**: 287 - 318.
- Hart, R. C. 1990. Zooplankton distribution in relation to turbidity and related environmental gradient in a large subtropical reservoir: patterns and implications. *Freshwat Biol.*, **24**: 241 - 263.
- Hauer, J. 1937a. Neun Rotatorien aus Indien II. *Zool. Anz*, **119**: 284 - 288.
- Hauer, J. 1937b. Neue Roatorien Indien III. *Zool. Anz*, **120**: 17 - 19.
- Hauer, J. 1938. Die Rotatorien von Sumatra, Java, Bali, nach den Ergebnissen der Deutschen Limnologischen Sunda-Expedition. I, II. *Arch Hydrobiol*, suppl, **15**: 296-384, 507-602.
- Hebert, P.D.N. 1978. The population Biology of Daphnia (Crustaceae: Daphnidae). *Biol. Rev.*, **53**: 387 - 426.
- Herzig, A. 1987. The analysis of planktonic rotifer populations: a plea for long term investigations. *Hydrobiol.*, **147**: 163 - 180.
- Heywood, V.H. and Watson, R.T. 1995. *Global Biodiversity Assessment*. United Nations Environment Programme. Cambridge University Press.
- Hofmann, W. 1977. The influence of abiotic environmental factors on population dynamics in planktonic rotifers. *Arch. Hydrobiol. Beih., Ergebn. Limnol.*, **8**: 77 - 83.
- Howard-Williams, C and Junk, W. J. 1977. The chemical composition of central Amazonian aquatic macrophytes with special reference to their role in the ecosystem. *Arch. Hydrobiol.*, **79**: 456 - 464.
- Hurlbert, S.H., Mulla M.S. and H.R. Wilson. 1972. Effects on an organophosphorous insecticide on the phytoplankton; zooplankton and insect populations of freshwater ponds. *Ecol. Monogr.*, **42**: 269 - 299.
- Hynes, HBN. 1978. *The ecology of running waters*. Liverpool university press, UK.
- Jhingran, V. G. 1983. *Fish and Fisheries of India*. Hindustan Publishing Corporation, New Delhi, India.
- Julka, J.M. 1998. Faunal Diversity in India: Annelida. In: *Faunal Diversity in India*. Eds. J.R.B. Alfred, A.K. Das and A.K. Sanyal. Envis centre, Zoological Survey of India. pp. 123-131.

- Jyoti, M.K and Sehegal, H. 1980. Rotifer fauna of Jammu (J and K), India, Part I. Loricates. *Limnologica* (Berlin) **12**: 121-126.
- Kalyanam, N.P. 1967. *Common insects of India*. Asia Publishing House, Bombay, India.
- Kaushik, S. and Saksena D.N. 1995. Trophic status and rotifer fauna of certain water bodies in central India. *J. Environ. Biol.*, **16**: 283 - 291.
- Kaushik, S. and Saksena, D.N. 1991. Zooplanktonic Fauna of five water bodies in Bhopal, Madhya Pradesh. *Environment and Ecology* **9**: 298 - 299.
- Kirk, K.L. and Gilbert, J.J. 1990. Suspended clay and population dynamics of planktonic rotifers and cladocerans. *Ecology*, **71**: 1741 - 1755.
- Kulshreshtha, S.K., Adholia, U.N., Bhatnagar, A., Khan, A.A., Saxena, M., and Bhagail, M. 1989. Studies on the pollution in river Kshipra: zooplankton in relation to water quality. *Int. J. Ecol. Environ. Sci.*, **15**: 27 - 36.
- Kunte, K. 2000. *India – A lifescape: Butterflies of peninsular India*. Universities Press.
- Lewis, W.M. Jr. 1979. *Zooplankton community analysis: studies on a tropical stream* Springer-Verlag, New York, Berlin.
- Lougheed V.L., Crosbie, B.D., and Chow-Fraser, P. 1998. Predictions on the effect of carp exclusion on water quality, zooplankton and submergent macrophytes in a Great Lakes wetland. *Can. J. Fish. Aquat. Sci.* **38**: 458 - 463.
- Ludwig, J.A. and Reynolds, J.E. 1988. *Diversity indices in statistical ecology*. A Wiley-Interscience publications, John Wiley and sons, New York.
- Manci, K.M. 1989. Riparian ecosystem creation and restoration: A literature summary. *U.S Fish and Wildlife Service Report*. **89**: 1 - 59.
- Marneffe, Y., Comblin, S., and Thome, J. 1998. Ecological water quality assessment of the Butgenbach lake (Belgium) and its impact on the river Warche using rotifers as bioindicators. *Hydrobiol.*, **387/388**: 459 - 467.
- Master, L. L. 1991. Assessing threats and setting priorities for conservation. *Conservation Biology*. **5**: 559 - 563.
- Maxwell, L.H. 1971. *Indian insect guide: A manual of the insects of the plains*. Agricultural Research institute, Pusa. Today and Tomorrow's Printers and Publishers, New Delhi, India.
- McCabe, G.D. and O' Brien, W.J. 1983. The effects of suspended silt on feeding and reproduction of *Daphnia pulex*. *Am. Midl. Nat.*, **110**: 324-337.

- Mengestou, S., Green, J. and Fernando, C.H. 1991. Species composition, distribution and seasonal dynamics of Rotifera in a Rift Valley lake in Ethiopia (Lake Awasa). *Hydrobiol.*, **209**: 203-214.
- Michael, R.G. 1968. Studies on the zooplankton of a tropical fish pond, India. *Hydrobiol.*, **32**: 47 - 68.
- Mickle, A.M and Wetzel, R.G. 1978. Effectiveness of submerged angiosperm-epiphyte complexes on exchange of nutrients of organic carbon in littoral systems. *Aquatic Bot.*, **4**: 303 - 316.
- Mishra, S.R. and Saksena, D.N. 1990: Seasonal abundance of the Zooplankton of the Waste Water from the Industrial Complex at Birla Nagar (Gwalior) India. *Acta hydrochem. Hydrobiol.* **18**: 215 - 220.
- Mishra, S.R. and Saksena, D.N. 1998. Rotifers and their seasonal variation in a sewage collecting Morar (Kalpi) river, Gwalior, India. *J. Env Biol.*, **19**: 363 - 374.
- Mitra, A.K. 1982. Chemical characteristics of surface water at selected gauging stations in the river Godavari, Krishna and Tungabhadra. *Ind. J. Environ. Hlth.*, **24**: 165 - 179.
- MoEF. 1999. *National Policy and Macrolevel Action Strategy on Biodiversity* New Delhi: Ministry of Environment and Forests, Government of India. pp.74 .
- Murray, J. 1906. Some rotifera of Sikkim, Himalaya. *J.R. Microsc. Soc. London.* **9**: 637 - 644.
- Myers, N. 1979. *The Sinking Ark: A new look at the problem of disappearing species.* Pergamon Press, New York.
- Naidu, V. K. 1967. A Contribution to the Rotatorian Fauna of South India. *J. Bombay nat Hist. Soc* **64**: 384 - 388
- Nair, K.K.N and Nayar, C.K.G. 1969. A Collection of Brachionid Rotifers from Kerala. *Proc. Ind. Acad. Sci.*, **LXIX**: 223 - 233
- Nair, K.K.N and Nayar, C.K.G. 1971. A Preliminary Study on the Rotifers of Irinjalkuda and Neighbouring Places. *J. Ker. Acad. Biol.*, **3**: 31 - 43
- Nandan, S.N. and Patel R.J., 1983 a. Seasonal variations of phytoplankton in the Vishwamitri river, Baroda. All India Applied Phycological Congress, Kanpur. pp. 262 - 268.
- Nandan, S.N. and Patel R.J., 1983 b. Study of algal communities in river Vishwamitri, Baroda, as indicators of organic pollution. *Ind. J. Ecol.* **10**: 11 - 15.
- Nandan, S.N. and Patel R.J., 1986. Assessment of water quality of Vishwamitri river by Algal analysis. *Indian J Environ. Hlth.*, **29**: 160 - 161.

- Nandan, S.N. and Patel R.J., 1991. Observations on fluctuation of algal flora in Vishwamitri river, Baroda. In: *Current Trends in Limnology*. Ed. N.K. Shastree. Narendra Publishing House.
- Nasar, S.A.K. 1973. Zooplankton fauna of Bhagalpur. Rotifera. *Bhagalpur Univ. J.*, 6: 55-62.
- Nayar, C.K.G. 1964. Morphometric studies on the rotifer, *Brachionus calyciflorus* Pallas. *Curr. Sci.*, 33: 469 - 470.
- Nayar, C.K.G. 1965 a. Cyclomorphosis of *B. calyciflorus*. *Hydrobiol.*, 25: 538 - 544.
- Nayar, C.K.G. 1965 b. Taxonomic notes on the Indian species of *Keratella* (Rotifera). *Hydrobiol.*, 26: 457 - 462.
- Nayar, C.K.G. 1968. Rotifer fauna of Rajasthan, India. *Hydrobiol.* 31: 168 - 185.
- Nayar, C.K.G. and K.K.N. Nair. 1969. A collection of Brachionid rotifers from Kerala. *Proc. Ind. Acad. Sci.*, 69: 223-233.
- Nayar, K.K., Anathakrishnan, T.N. and David, B.V. 1981. *General and applied entomology*. Tata McGraw-Hill Publishing Company Ltd., New Delhi, India.
- Olson, D., E. Dinerstein, P. Canevari, I. Davidson, G. Castro, V. Morisset, R. Abell, and E. Toledo (eds.). 1998. *Freshwater biodiversity of Latin America and the Caribbean: A conservation assessment*. Biodiversity Support Program. Washington, DC.
- Parson, A. 1991. *The conservation and ecology of riparian tree communities in the Murray Darling Basin*, NSW: A Review. NSW NPWS Hurstville.
- Pasha, S.M.K. 1961. On a collection of freshwater rotifers from Madras. *J. Zool. Soc. India* 13: 50 - 55.
- Patel, M.I. and Chhaya, N.D. 1979. *Field guide to the fishes of Gujarat*. Gujarat Fisheries Aquatic Sciences research Institute, Department of Fisheries, Government of Gujarat, India.
- Patel, R.I. 1971. *Forest flora of Gujarat State*. Forest Department, Gujarat state, Baroda, India.
- Pejler, B. 1957. Taxonomical and ecological studies on planktonic rotifera from central northern Swedish Lapland. *J. Svenska Akad Handl. Ser.*, 6: 1-68.
- Pejler, B. 1977. On the global distribution of family Brachionidae (Rotatoria). *Arch. Hydrobiol.* (Supplement), 53: 255-306.
- Pennak, R.W. 1955. *Comparative limnology of eight Colorado Mountain lakes*. Univ. Colorado Studies, Series of Biology, Boulder, Colorado. pp. 255.

- Pennak, R.W. 1957. Species composition of limnetic zooplankton communities *Limnol. Oceanogr.*, **2**: 222-232.
- Philipose, M.T. 1967. *Chlorococcales*. Indian Council of Agricultural Research, New Delhi.
- Plath, K and Boersma M. 2001. Mineral limitation of zooplankton: stoichiometric constraints and optimal foraging. *Ecology* **82**: 1260-1269.
- Pollard, A. I. Gonzalez, M.J. Vanni, M.J. and Headworth, J.L. 1998. Effects of turbidity and biotic factors on the rotifer community in a Ohio reservoir. *Hydrobiol.*, **387/388**: 215 - 223.
- Porter, K.G. and Orcutt, J.D. 1980. Nutritional adequacy, manageability and toxicity as factors that determine the food quality of green and blue green algae for *Daphnia*. In: *Evolution and Ecology of Zooplankton Communities*. Ed. Kerfoot, W.C. University Press of New England, Hanover, New Hampshire. pp. 268-281.
- Prabhavathy, G and Sreenivasan, A. 1977. Ecology of warm freshwater zooplankton of Tamil Nadu. *Proc. Symp. Warm Water Zoopl., Goa Spl. Publication*, National Institute of Oceanography. pp. 319-329.
- Prater, S.H. 1990. *The Book of Indian Animals*. Bombay Natural History Society, Oxford University Press.
- Preston, H.B. 1915. *Fauna of British India*. Mollusca, Vol. II, Taylor and Francis, London.
- Pringle, C.M., F.N. Scatena, P. Paaby-Hansen, and M. Núñez-Ferrera. 2000. River conservation in Latin America and the Caribbean. In: *Global Perspectives on Rivers Conservation: Science, Policy and Practice*. Eds. P.J. Boon, B.R. Davies, and G.E. Petts. John Wiley and Sons, Ltd.
- Radhakrishna, Y. 1984. Introduction. *Hydrobiol.*, **119**: 5.
- Rajyagor, S.B and Tripathy S. 1979. Gujarat State Gazetteers. Vadodara district. Govt. of Gujarat.
- Ramanathan, K.R. 1964. *Ulotrichales*. Indian Council of Agricultural Research, New Delhi.
- Rana, B.C. and Nirmal Kumar, J.I. 1988. Energy dispersal analysis by X-rays of certain aquatic macrophytes. *Indian J. weeds Sci.* **20**: 46 - 49.
- Ranade, M.R. 1952. A checklist of fishes occurring in the freshwaters of Baroda. *J Bombay nat. Hist. Soc*; **52**: 472 - 474.
- Randhawa, M.S. 1959. *Zygnemaceae*. Indian Council of Agricultural Research, New Delhi.
- Rao, R. K. and Chandra Mohan, P. 1976. On the occurrence of a rotifer *Asplanchna sieboldi* (Leydig) *urawensis* (Sudzuki) in Indian waters. *Curr. Sci.*, **45**: 234 - 235.

- Rao, R. K. and Chandra Mohan, P. 1977. *Monostyla obtusa* Murray, a new record from India. *Geobios.*, 4: 118.
- Rao, R. K. and Chandra Mohan, P. 1982. Studies on freshwater rotifers from Vishakapatnam, India. *Rec. Zoo. Sur. of India*, 79: 397 - 403.
- Rao, R. K. and Chandra Mohan, P. 1984. Brackish water rotifers from Visakhapatnam harbour. *Ind. Mar. Sci.*, 13: 92 - 93.
- Risser, P.G. 1990. The ecological importance of landwater ecotones. In: *The Ecology and Management of Aquatic – Terrestrial Ecotones*. Eds. R.J. Naiman and H. Decamps. UNESCO, Paris, Parthenon Publishing Group. Man and Biosphere Series.
- Robinson, A.H. and P.K. Robinson. 1971. Seasonal distribution of zooplankton in northern basin of Lake Chad. *J. Zool. Lond.*, 163: 25 - 61.
- Ruttner-Kolisko, A. 1949. Zum Formwechsel und Artproblem von *Anuraea aculeata* (*Keratella quadrata*). *Hydrobiol.*, 1: 425-268.
- Ruttner-Kolisko, A. 1975. The influence of fluctuating temperature on plankton rotifers. A graphical model based on life data of *Hexarthra fennica* from Neusiedlersee, Austria. *Symp. Biol. Hung.*, 15: 197 - 204.
- Sabnis, S. D. 1967. A study of the flora and vegetation of Baroda and environs including an account of the Cyperaceae of Gujarat. Ph.D thesis, M. S. University of Baroda, Baroda, India.
- Saksena, D.N. and Kulkarni N. 1986. On the Rotifer Fauna of two sewage Channels of Gwalior (India). *Limnologica* 17: 139 - 148.
- Saksena, D.N. and Mishra, S. R. 1990. On the planktonic fauna of industrial wastewater from Birla Nagar Industrail Complex, Gwalior, India. *Geobios new reports* 9: 186 - 188.
- Saksena, D.N. and Sharma S.P. 1985. On the feeding of *Asplanchna brightwelli* Gosse in a perennial impoundment, Kaila Sagar tank at Gwalior, India. *Comp. Physiol. Ecol.*, 19: 167 - 170.
- Saksena, D.N., Vengayil D.T. and Kulkarni N. 1986. Zooplankton of temporary water pools of Gwalior, Madhya Pradesh, India. *J. Zool. Soc Indl.*, 37: 7 - 16.
- Sampath, V., Sreenivasan, A. and Ananthanarayanan, R. 1979. Rotifers as biological indicators of water quality in Cauvery River. *Proc. Symp. Environ. Biol.* pp. 441-452.
- Sampathkumar, R. 1991. Taxonomic Composition and Distribution of *Brachionus* (Rotatoria: Monogononta) Populations in Ponds. *J. Bombay nat. Hist. Soc.* 88: 67 – 72

- Sampathkumar, R. 1992. On the Taxonomy and Ecology of Rotifers in Fish Ponds. *J. Bombay nat. Hist. Soc.* **89**: 204 – 209.
- Sawyer, C.N., McCarty, P.L., Parkin, G.F., 1994. *Chemistry for Environmental Engineering*. McGraw – Hill International Editions. pp. 658.
- Saxena, M.M. 2001. Rotifer fauna of the Indian Desert. *Bionotes* **3**: 80-81.
- Segers, H and Dumont, H.J. 1995. 102+ rotifer species (Rotifera: Monogononta) in Broa Reservoir (S.P. Brasil) on 26 August 1994, with a description of three new species. *Hydrobiol.*, **316**: 183-197.
- Sewell, R.B.S. 1935. Studies on the bionomics of freshwater in India. II. On the fauna of the tank in the Indian Museum compound and seasonal changes observed. *Int. Rev. Ges Hydrobiol.*, **31**: 203-238.
- Shah, G.L. 1983. Flora of Gujarat, Vol. I and II. Sardar Patel University Press, Vallabh Vidyanagar.
- Sharma, B.K. 1976. Rotifers collected from Northwest India. *Newsl. Zool. Surv. India* **2**: 255 - 257.
- Sharma, B.K. 1978 a. Contributions to the Rotifer Fauna of West Bengal. Part I. Family Lecanidae. *Hydrobiol.*, **57**: 142 - 153.
- Sharma, B.K. 1978 b. Contributions to the Rotifer Fauna of West Bengal. Part II. Genus *Lepadella* Bory de St. Vincent. *Hydrobiol.*, **58**: 83 - 88.
- Sharma, B.K. 1978 c. Two new lecanid rotifers from India. *Hydrobiol.*, **60**: 191 - 192.
- Sharma, B.K. 1979 a. A note on some epizoic rotifers from West Bengal. *Bull Zool. Sur. Ind.*, **2**.
- Sharma, B.K. 1979 b. Rotifers from West Bengal III. Further studies on the Eurotatoria. *Hydrobiologia*, **64**: 239 - 250
- Sharma, B.K. 1979 c. Rotifers from West Bengal IV. *Hydrobiol.*, **65**: 39 - 47.
- Sharma, B.K. 1979 d. Further contributions to Lecanid fauna of West Bengal. *Acta Hydrobiol.*, **20**: 53 - 59.
- Sharma, B.K. 1979 e. Rotifers from West Bengal V. Bull. CIFE., Bombay.
- Sharma, B.K. 1980. Contributions to the Rotifer Fauna of Punjab State, India. I. Family Brachionidae. *Hydrobiol.* **76**: 249-253.
- Sharma, B.K. 1983. The Indian species of the genus *Brachionus* (Eurotatoria: Monogononta: Brachionidae). *Hydrobiol.*, **70**: 225 - 233.

- Sharma, B.K. 1986. Assessment of Pollution indicators in Indian Rotatoria. *J. Meghalaya Sci Soc.*: 47 - 49.
- Sharma, B.K. 1987 Indian Brachionidae (Eurotatoria: Monogononta) and their distribution. *Hydrobiol.* **144**: 269 - 275.
- Sharma, B. K. 1991. Rotifera. In: *Animal Resources of India: Protozoa to Mammalia*. State of the Art, Zoological Survey of India, Calcutta. pp. 69 - 88.
- Sharma, B. K. 1996. Biodiversity of Freshwater Rotifera in India- a status report. *Proc. Zool. Soc., Calcutta* **49**: 73 - 85.
- Sharma, B. K. 1998 a. Faunal Diversity in India: Rotifera. In: *Faunal Diversity in India*. Eds. J.R.B. Alfred, A.K. Das and A.K. Sanyal. Envis centre, Zoological Survey of India. pp. 57 - 70.
- Sharma, B. K. 1998 b. Freshwater Rotifera: Eurotatoria From Assam, Northeast India. *J. Bombay nat. Hist. Soc.* **95**: 524 - 526.
- Sharma, B.K. and Michael, R.G. 1980. Synopsis of taxonomic study on Indian Rotatoria. *Hydrobiol.* **73**: 229 - 236.
- Sharma, H.G. 1985. Hydrobiological studies of river Vishwamitri. Ph.D. thesis, South Gujarat University, Surat, India.
- Shiel, R. J. 1995. A guide to the identification of Rotifers, cladocerans and copepods from Australian waters. Presented at the Taxonomy workshop held at The Murray- Darling Freshwater Research Centre, Albury, 8-10 February 1995.
- Skadowsky, S.N. 1923. Hydrophysiologische und hydrobiologische Beobachtungen uber die Bedeutung der Reaktion des Mediums fur die Susswasserorganismen. *Ver. Int. ver. Limnol.*, **1**: 341 - 358.
- Sladeczek, V. 1983. Rotifers as bioindicators of water quality. *Hydrobiol.*, **100**: 169 - 201.
- Solbrig, O.T. 2000. The theory and practice of the science of biodiversity: A personal Assessment. In: *The biology of Biodiversity*. Ed. M. Kato. Springer – Verlag. Tokyo. pp. 107 - 117.
- Somashekar, R.K. 1988. Ecological studies on the two major rivers of Karnataka. In: *Ecology and pollution of Indian Rivers*. (Ed) Trivedy R.K. Ashish Publishing House. New Delhi.
- Sommer, U., Gliwicz, W. Lampert and A. Duncan. 1986. The PEG-model of seasonal succession of planktonic events in fresh waters. *Arch. Hydrobiol.*, **106**: 433 - 471.

- Stein, B. A. and R. M. Chipley. 1996. *Priorities for conservation: 1996 annual report card for U.S. plant and animal species*. Arlington, VA: The Nature Conservancy.
- Stewart, F.H. 1908. Rotifers and Gastrotricha from Tibet. *Rec. Ind. Mus.*, 2: 316-323.
- Subba Rao, N.V. 1998. Faunal Diversity in India: Mollusca. In: *Faunal Diversity in India*. Eds. J.R.B. Alfred, A.K. Das and A.K. Sanyal. Envis centre, Zoological Survey of India. pp. 103 - 117.
- Subramanian, V., Biksham G and Rames R. 1987. Environmental geology of peninsular river basins of India. *J. Geol. Soc. Ind.*, 30: 393 - 401.
- Sudzuki, H. 1989. Rotifera from the oriental region and their characteristics. Papers presented at the time of Centennial Anniversary of Nihon Daigaku University. pp. 325 - 366.
- Taylor, B.E. and Mahoney, D.L. 1988. Extinction and recolonization: processes regulating zooplankton dynamics in a cooling reservoir. *Verh. Int. Ver. Limnol.*, 23: 1536 - 1541.
- Tebutt, T.H.Y. 1992. *Principles of water quality control*, 4th edition, Pergamon Press UK.
- Telesh, I.V. 1995. Rotifer assemblages in the Neva Bay, Russia: Principles of formation present state and perspectives. *Hydrobiol.*, 313/314: 57 - 62.
- Threlkeld, S.T. 1979. The midsummer dynamics of two *Daphnia* species in Wintergreen lake, Michigan. *Ecology*, 60: 165 - 179.
- Threlkeld, S.T. 1986. Resource mediated demographic variation during the midsummer sucession of a cladoceran community. *Freshwat. Biol.*, 16: 673 - 683.
- Threlkeld, S.T. 1987. *Daphnia* population fluctuations: patterns and mechanisms. In Peters R.H. and R. de Bernardi (eds.) *Daphnia. Mem. Ist. Ital. Idrobiol.*, 45: 367 - 388.
- Tikadeer, B.K. 1987. *Handbook of Indian spiders*. ZSI, Calcutta, India.
- Tiwari, K.K. and B. K. Sharma. 1977: Rotifers in the Indian Museum Tank, Calcutta. *Sci. Cult.* 43: 280 - 282.
- Trivedi, R.K. and Goel, P.K. 1986. *Chemical and Biological Methods for Water Pollution Studies*. Environmental Publications. Karad.
- Tundisi, J.G. 1984. Tropical limnology. *Verh. Int. Limnol.*, 22: 60 - 64
- Van den Berg, Coops, M.S.H., Noordhuis, R., Van Schie, J., and Simons, J. 1997. Macroinvertebrate communities in relation to sumerged vegetation in two Chara-dominated lakes. *Hydrobiol.*, 342/343: 143 - 150.
- Varshney, C.K. and Rzoska, J. 1973. Aquatic weeds of Asia. Dr. W. Junk Publishers, The Hague.

- Vasisht, H.S. and Battish S. K., 1969. The rotifer fauna of North India. I *Scaridium longicaudatum* Eher. *Res. Bull. Punjab Univ.*, **20**: 593-594.
- Vasisht, H.S. and Battish S. K., 1970. The Rotifer Fauna of North India II. *Trichocerca porcellus*. *Res. Bull. Punjab Univ.*, **22**: 515.
- Vasisht, H.S. and Battish S. K. 1971a. The Rotifer Fauna of North India. *Res. Bull. Punjab Univ.* **22**: 179 - 188.
- Vasisht, H.S. and Battish S. K. 1971b. The Rotifer Fauna of North India. *Platyias, Keratella, Anueropsis, Mytilina* and *Euchlanis*. *Res. Bull. Punjab Univ.* **22**: 231-237.
- Vasisht, H.S. and Dawar B. L. 1968: The male of the rotifer *Cupelopagis vorax* (Leidy). *Curr. Sci.* **37**: 466 - 467.
- Vasisht, H.S. and Gupta C.L. 1967: The Rotifer Fauna of Chandigarh. *Res. Bull. Punjab Univ.* **18**: 495 - 496.
- Venkataraman, G.S. 1961. *Vaucheriaceae*. Indian Council of Agricultural Research, New Delhi.
- Venkateswarlu, V. 1986. Ecological studies on the rivers of Andhra Pradesh with special reference to water quality and pollution. *Proc. Ind. Sci. Acad.*, **96**: 495 - 508.
- Venkateswarlu, T and Jayanti, T.V. 1968. Hydrobiological studies of the river Sabarmati to evaluate water quality. *Hydrobiol.*, **31**: 442-448.
- Venkatraman, K. and Krishnamoorthy. 1998. Faunal Diversity in India: Crustacea. In: *Faunal Diversity in India*. Eds. J.R.B. Alfred, A.K. Das and A.K. Sanyal. Envis centre, Zoological Survey of India, Calcutta. pp. 133 - 144.
- Verma. S.R., Sharma, P., Tyagi, A., Rani, S., Gupta, A.K. and Dalela, R.C. 1984. Pollution and saprobic status of eastern Kali nadi. *Limnologica* (Berlin) **15**: 69 - 133.
- Vision Vishwamitri. 1998. A report by the Department of Architecture, M.S.University of Baroda. In collaboration with the Department of Landscape Architecture, School of Design, North Carolina State University, Raleigh, USA.
- Walker, K. 1993. Issues in the Riparian Ecology of Large Rivers. In: *Proceedings of the 1993 workshop, 'Ecology and Management of Riparian Zones'*. Eds. Marcoola QLD. S. Bunn, J. Pusey, P. Price. Land and Water Resource Research Development Corporation. Australia.
- Webster, K.E. and Peters, R.H. 1978. Some size dependent inhibitions of larger cladoceran filterers in filamentous suspensions. *Limnol. Oceanogr.* **23**: 1238 - 1245.

- Wesenberg-Lund, C. 1900. Von dem Abhängigkeitsverhältnis zwischen dem Bau der Planktonorganismen und dem spezifischen Gewicht des Süßwasser. *Biol. Cbl* 20: 606 - 619.
- Wesenberg-Lund, C. 1908. *Plankton investigations of the Danish lakes*. Copenhagen.
- Wesenberg-Lund, C. 1926. Contribution to the biology and morphology of the genus *Daphnia*. *Danske Vidensk Selsk. Skr.* 11: 39.
- Wesenberg-Lund, C. 1930. Contributions to the biology of Rotifera. Part II. The periodicity and sexual periods. *Kgl. Danske. Vidensk. Selsk. Skifter. Naturv. Mathem.*, 2: 1 - 230.
- Wilson, E.O. 1985. The biological diversity crisis. *BioScience* 35: 700 - 706.
- Wiszniewski, J. 1936. Notes sur le psammon III. Deux tourbieres aux environs de Varsovie. *Arch. Hydrobiol.*, 10: 173 - 187.
- Wolfenbarger, W.C. 1999. Influences of biotic and abiotic actors on seasonal succession of zooplankton in Hugo Reservoir, Oklahoma, USA. *Hydrobiol.*, 400: 13 - 31.
- Woltereck, R. 1928. Über die Spezifität des Lebensraumes, der Nahrung und der Körperformen bei pelagischen cladoceran und über ökologische Gestalt-systeme. *Biol. Zbl.*
- Wulfert, K. 1966. Rotatorien aus dem Statusee Ajwa und der Trinkwasser-Aufbereitung der Stadt Baroda (Indien). *Limnologica* 4: 53 - 93.
- Wycliffe, M. J. and Michael, R.G. 1968. *Pseudoembata acutipoda* gen. Et. sp. Nov. (Rotifera: Bdelloidea), an epizoic rotifer. *Curr. Sci.*, 37: 106 - 108.
- Yoshinaga, T., Atsushi, H., and Tsukamoto, K. 2001. Why do rotifer populations present a typical sigmoid curve? *Hydrobiol.*, 446/447: 99 - 105.