

BIBLIOGRAPHY:

- Ali, S. 2002. *The book of Indian birds*. 13th revised edition. Bombay Natural History Society. Oxford- University Press. Mumbai.
- Ali, S. and Ripley, S. D. 1983. *Handbook of the Birds of India and Pakistan* (Compact Edition) University Press Bombay. Bombay, India.
- Al-Mufti, M. M., Sydes, C.L., Furness, S. B., Grime, J. P. and Band, S. R. 1977. A quantitative analysis of shoot phenology and dominance in herbaceous vegetation. *Journal of Ecology*, **65**: 759-791.
- Ambasht, R. S. and Ambasht, P. K. 1992. *Environment and Pollution*. Student Friends and Co. Publishers, Varanasi. As Cited by Khan and Ansari, 2005. *Loc. Cit.*
- Ankney, D., Davison, C. and ScottSource, D. M. 1980. Changes in Nutrient Reserves and Diet of Breeding Brown-Headed Cowbirds. *The Auk*, **97** (4): 684-696.
- Anonymous, 1971. *Final Act of the International Conference on the Conservation of Wetlands and Water fowl*. 30 January-3 February, 1971. Ramsar, Iran.
- Anonymous 2003. *A Manual on Water and Wastewater Analysis*. One Day Training Programme conducted by Gujarat Pollution Control Board (GPCB) Gandhinagar Gujarat India.
- Anonymous, 2006. *A report on Ecological and Faunal diversity of Jambughoda Wildlife Sanctuary* Submitted to TRC, Forest Department, Gandhinagar,

- Gujarat, India, by Padate, G. S *et al* . Department of Zoology, The M. S. University of Baroda.
- APHA, 1998. *Standard methods for the examination of water and wastewater* 20th Edition. American Public Health Association. American water works Association Water Environment Federation.
- Austin, G. T. Tomoff, C. S. 1978. Relative abundance in bird populations. *Am. Nat.*, **112**: 695-699.
- Baldassarre, C. A. and Bolden, E. G. 1994. *Waterfowl Ecology and Wildlife Management*, University of Minnesota Press, Minneapolis. As cited by Gopal, 1995. *Loc. cit*.
- Balla, S. A. and Davis, J. A. 1995. Seasonal variation in the macroinvertebrate fauna of wetlands of differing water regime and nutrient status on the Swan Coastal Plain, Western Australia. *Hydrobiologia*, **299**: 147-161.
- Bancroft, G., Gawlik, D. and Rutchev, K. 2002. Distribution of wading birds relative to vegetation and water depths in the northern everglades of Florida, USA. *Waterbirds*, **25**(3): 265-277.
- Baranyi, C., Hein, T., Holarek, C., Keckeis, S. and Schiemer, F. 2002. Zooplankton biomass and community structure in a Danube River Floodplain system: effects of hydrology. *Freshwater Biology*, **47**: 473-482.
- Barbiero, R. P., James, W. F. and Barko, J. W. 1999. The effects of disturbance events on phytoplankton community structure in a small temperate reservoir. *Freshwater Biology*, **42**: 503-512.

- Bary, B. M. 1959. Species of zooplankton as a means of identifying different surface waters and demonstrating their movements and mixing. *Pacific Science*, **13**: 14–54. As cited by Webber *et al.*, 2005. *Loc. Cit.*
- Beaugrand, G. 2005. Monitoring pelagic ecosystems using plankton indicators. *ICES. J. Mar. Sic.*, **62**: 333–338.
- Beklioglu, M. and Moss, B. 1996. Mesocosm experiments on the interaction of sediment influence, fish predation and aquatic plants with the structure of phytoplankton and zooplankton communities. *Freshwater Biology*, **36**: 315 - 325.
- Belanger, L. and Couture R. 1988. Use of Man-made ponds by Dabbling duck Broods *J. Wild. Manag.*, **52** (4):718-723.
- Belanger, S. and Cherry, S. 1990. Interacting effects of pH acclimation and heavy metals on acute and chronic toxicity to *Ceriodaphnia dubla* (Cladocera). *J. of Crust. Biol.*, **12**: 225-235.
- Bethke, R. W. and Nudds, T. 1993. Variation in the diversity of ducks along a gradient of environmental variability. *Oecologia*, **93**: 242-250.
- Bianchi, F., Acri, F., Aubry, F. B., Berton, A., Boldrin, A., Camatti, E., Cassin, D. and Comaschi, A. 2003. Can plankton communities be considered as bio-indicators of Water Quality In The Lagoon Of Venice? *Mar. Pollut. Bull.*, **46**: 964–971.
- Boere, G.C., Galbraith, C.A. and Stroud, D.A. (eds.). 2006. *Waterbirds around the world*. The Stationery Office, Edinburgh, UK. 960 pp.


- Bolduc, F. and Afton, A. 2003. Effects of structural marsh management and salinity on invertebrate prey of waterbirds in marsh ponds during winter on the Gulf Coast chenier plain. *Wetlands*, **23**(4):897-910.
- Bolduc, F. and Afton, A. 2004. Relationships between Wintering Water birds and invertebrates, Sediments and Hydrology of Coastal Marsh Ponds *Waterbirds*, **27**(3): 333-341.
- Bonecker, C. C. and Lansac-Toha F. A. 1996. Community structure of rotifers in two environments of the upper River Parana floodplain (MS) – Brazil. *Hydrobiologia*, **325** : 137-150.
- Bosman, A. L., Du Toit, J. T., Hockey, P. A. R. and Branch, G. M. 1986. A field experiment demonstrating the influence of seabird guano on intertidal primary production. *Estuarine, Coastal and Shelf Science*, **23** (3): 283-294.
- Bowden, W. B. 1987. The Biogeochemistry of Nitrogen in Freshwater Wetlands. *Biogeochemistry*, **4** (3): 313-348.
- Bowden, W.B. 1984. Nitrogen and phosphorus in the sediments of a freshwater tidal marsh. *Estuaries*, **7** (2): 108-118.
- Boycott, A. E. May, 1936. The Habitats of Fresh-Water Mollusca in Britain. *The J..Anim. Ecol.*, **5**(1): 116-186.
- Boyer, T. and Polasky, S. 2004. Valuing urban wetlands: A Review of Non-Market Valuation Studies. *Wetlands*, **24** (4): 744-755.
- Brenninkmeijer, A. Makcel, K., Eric, W. and Stienen, M. 1997. Sandwich Terns *Sterna sandvicensis* feeding on shell fractions. *IBIS*, **139**:397-399.

- Bronmark, C. 1985. Freshwater Snail Diversity: Effects of Pond Area, Habitat Heterogeneity and Isolation. *Oecologia*, **67** (1): 127-131.
- Campbell, B. and Lack, E. 1985. *Dictionary of Birds*, British Ornithological Union, T and AD Poysr Ltd. As cited by Gopal, 1995. *Loc. cit.*
- Castro, B., Marques, S. M. and Goncalves, F. 2007. Habitat selection and diel distribution of the crustacean zooplankton from a shallow Mediterranean lake during the turbid and clear water phases. *Freshwater Biology*, **52**: 421–433.
- Catling, P. M., Freedman, B., Stewart, C., Kerekes, J. J. and Lefkovitch, L. P. 1986. Aquatic plants of acid lakes in Kejimikujik National Park, Nova Scotia; floristic composition and relation to water chemistry. *Can. J. Bot.*, **64**: 724-729.
- Chee, W. L. and Vitt, D. H. 1989. The vegetation, surface water chemistry and peat chemistry of moderate-rich fens in central Alberat, Canada. *Wetlands*, **9**: 227-261.
- Coman, F. E., Connolly, R. M. and Preston, N. P. 2006. Effects of water exchange and abiotic factors on zooplankton and epibenthic fauna in shrimp ponds. *Aquaculture Research*, **37**:1387-1399.
- Confer, S. R. and Niering, W. A. 1992. Comparison of created and natural freshwater emergent wetlands in Connecticut (USA). *Wetlands Ecology and Management*. **2** (3) 143-156.

- Cowardin, L. M., Carter, V., Golet, F. C. and La Roe, E. T. 1979. Classification of wetlands and Deepwater Habitats of the United States., U. S. Fish and Wildlife Service, Washington, DC. Pp 103. As cited by Gopal, 1995. *Loc. cit.*
- Cramp, S. and Simmons, K. E. L. 1977. Handbook of the Birds of Europe, the Middle East and North Africa. Volume I, London, Great Britain: Oxford University Press, London. As cited by Rahmani and Shobark, 1992. *Loc. Cit.*
- Darby, P. C., Bennetts, R. E., Miller, S. J. and Percival, H. F. 2002. Movements of Florida Apple Snails in Relation to Water Levels and Drying Events. *Wetlands*, **22** (3): 489–498.
- Davis, T. J. 1994. The Ramsar Convention Manual: A Guide to the Convention on Wetlands of International Importance especially as waterfowl habitats. Ramsar Convention Bureau, Gland, Switzerland. As cited by Gopal, B. 1995. *Loc. cit.*
- Dawson, D.G. 1981. *Counting Birds for a Relative Measure (index) of Density*. In Ralph, C. J. and Scott, J. M. (eds.). Estimating the Numbers of Terrestrial Birds. *Stud. Avian Biol.*, **6**:12-16.
- Desai, M. and Shanbhag, A. 2007. Birds breeding in unmanaged Monoculture plantations in Goa, India. *Indian Forester*, **133** (10): 1367-1372.

- Dillon, R. T. and Benfield, E. F. 1982. Distribution of pulmonate snails in the New River of Virginia and North Carolina, USA: interaction between alkalinity and stream drainage area. *Freshw. Biol.*, **12**: 179-186.
- Dodson, S. 1992. Predicting crustacean zooplankton species richness. *Limnology and Oceanography*, **37**:848-856.
- Dodson, S. I., Arnott, S. E. and Cottingham, K. L. 2000. The Relationship in Lake Communities between Primary Productivity and Species Richness. *Ecology*, **81** (10): 2662-2679.
- Doherty, S., Cohen, M., Lane, C., Line, L. and Surdick, J. 2000. *Biological criteria for inland freshwater wetlands in Florida: A review of Technical and scientific literature (1990-1999)*. Report to the United States Environmental Protection Agency, Center for Wetlands, University of Florida, Gainesville, Florida, USA.
- Dunn, I. G. 1965. Diurnal Fluctuations of Physicochemical Conditions in a Shallow Tropical Pond. *Limnology and Oceanography*, **12** (1): 151-154.
- Dunson, W. and Travis, J. 1991. The Role of Abiotic Factors in Community Organization. *The American Naturalist*, **138** (5): 1067-1091.
- Ebbinge, B. S. 1989. A multifactorial explanation for variation in breeding performance of Brent geese *Branta bernicla*. *IBIS*, **131**: 196-204.
- Edmonson, W. T. 1963. *Freshwater biology*. 2nd edition. John Wiley and Son, INC, U.S.A.

- Eeva, T. and Lehikoinen, E. 1995. Egg shell quality, clutch size and hatching success of the great tit (*Parus major*) and the pied flycatcher (*Ficedula hypoleuca*) in an air pollution gradient. *Oecologia*, **102**: 312-323.
- Emerson, S., Quay, P., Stump, C., Wilbur, D. and Knox, M. 1991. O₂, Ar, N₂, and ²²²Rn in surface waters of the sub arctic ocean: Net biological O₂, production. *Global Biogeochem. Cycles.*, **5** (1): 49-69.
- Filella, M., Devillea, C., Chanudeta, V. and Vignatib, D. 2006. Variability of the colloidal molybdate reactive phosphorous concentrations in freshwaters. *Water Research*, **40**: 3185 – 3192.
- Finlayson, M. C. 1992. Managing Mediterranean Wetlands and their Birds. IWRB special publication 20. IWRB, Slimbridge, U.K As cited by Gopal, 1995. *Loc. Cit.*
- Finlayson, M. C. and Moser, M. (eds). 1991. *Wetlands*. International Wetland and Waterfowl Research Bureau, Slimbridge, U.K. and Fact on File, Oxford. As cited by Boere, *et al.* 2006 *Loc. cit.*
- Fog, J. and Lampio, T. 1982. Introduction- When to manage? In: D.A. Scott (eds), *Managing Wetlands and Their Birds*. International Waterfowl Research Bureau, Slimbridge, England. As cited by Gopal, B. 1995. *Loc. Cit.*
- Folt C. L. and Burns C. W. 1999. Biological drivers of zooplankton patchiness. *Trends in Ecology and Evolution*, **14**: 300–305.
- Fowler, J. and Cohen, L. *Statistics for Ornithologists*. Second Edition. BTO Guide No. 22.



- Fox, A.D., King, R. and Watkin, J. 1992. Seasonal variation in weight, body measurements and condition of free-living Teal. *Bird Study*, **39**:53-62.
- freshwater. *Limnology and Oceanography*, **10** (2): 296-298.
- Frith, P. and Fisher, S. G. (eds). 1992. Global climate change and freshwater ecosystems. Springer, New York, New York, USA. *Loc. Cit.* Verschuren, *et al.* 2000.
- Gama-Flores, J. L. Sarma, S. S and S. Nandini, S. 2005. Interaction among copper toxicity, temperature and salinity on the population dynamics of *Brachionus rotundiformis* (Rotifera). *Hydrobiologia*, **546**:559-568
- Garg, J. K., T. S. Singh and Murthy, T. V. R. 1998. Coastal Wetlands of India Nation-wide wetland mapping project. Space Application Centre (ISRO), Ahmedabad; 237 pp.
- George, D. G. and Heaney, S. I. 1978. Factors influencing the spatial distribution of phytoplankton in small productive lake. *J. Ecology.*, **66**: 133 -155.
- Gibbs, J.P. 1993. The importance of small wetlands for the persistence of local populations of wetland-associated animals. *Wetlands*, **13**: 25-31.
- Gibbs, J. P. 1995. Hydrologic needs of wetland animals. Pp 267-276. As cited by Gibbs, J. P. 2000. *Loc. Cit*
- Gibbs, J. P. 2000. Wetland loss and biodiversity conservation. *Conservation Biology*, **14** (1): 314-317.
- Gillis, P. L., Mitchell, R. J., Schwalba, A. N., McNicholsa, K. N., Mackiea, G. L., Woodb, C. M. and Ackermana, J. D. 2008. Sensitivity of the glochidia

- (larvae) of freshwater mussels to copper: Assessing the effect of water hardness and dissolved organic carbon on the sensitivity of endangered species. *Aquatic Toxicology*, (in press) doi:10.1016/j.aquatox. 2008.04.003.
- Gonzalez, J. A. 1997. Seasonal Variation in the Foraging Ecology of the Wood Stork in the Southern Llanos of Venezuela. *The Condor*, **99** (3):671-680.
- Gopal, B. (Compiler) 1995. “*Handbook of Wetland Management*”, WWF-India, New Delhi, India.
- Graphpad software, SanDiego, California U. S. A., www.graphpad.com.
- Green, A. J. 1996. Analyses of globally threatened Anatidae in relation to threats, distribution, migration pattern and habitat use. *Conserv. Biol.*, **10**:1435-1445.
- Green, A.J. 1998. Comparative feeding behaviour and niche organization in a Mediterranean duck community. *Can. J. Zool.*, **76**:500-507.
- Grillas, P., Wijck, C. V. and Bonis, A. 1993. The Effect of Salinity on the Dominance-Diversity Relations of Experimental Coastal Macrophyte Communities. *J. Veg. Sci.*, **4** (4): 453-460.
- Grimmett, R. Inskipp, C. and Inskipp, T. 1998. *Birds of the Indian Sub Continent*. Christopher Helm, London.
- Grimmett, R. Inskipp, C. and Inskipp, T. 2001. *Pocket Guide of the Birds of the Indian sub-continent*. Oxford University Press. Mumbai.
- Haines, T. A. 1981. Acidic precipitation and its consequences for aquatic ecosystems: a review. *Trans. Am. Fish. Soc.*, **110**: 669-707.

- Hann, B. J. and Zrum, L. 1997. Littoral microcrustaceans (Cladocera, Copepoda) in a prairie coastal wetland: seasonal abundance and community structure *Hydrobiologia*, **357**: 37–52.
- Hannan, H. H., Fuchs, I. R. and Whitenberg, D. C. 1979. Spatial and Temporal Patterns of Temperature, Alkalinity, Dissolved Oxygen and Conductivity in an Oligo-Mesotrophic, Deep-Storage Reservoir in Central Texas. *Hydrobiologia*, **66** (3): 209-221,
- Haphey, C. 1970. Some Physico-Chemical Investigations of Stratification in Abbot's Pool, Somerset: Studies on the Dissolved Oxygen Content. *J. Ecol.*, **58** (2): 435-444.
- Hart, R. and Newman, J. 1995. The importance of isolated wetlands to fish and wildlife in Florida. Project report for non game wild life program project NG88-102, Florida Game and Fresh Water Fish Commission, Tallahassee, FL.
- Hemond, H. F. and Benoit, J. 1988. Cumulative Impacts on Water Quality Functions of wetland. *Environmental Management*, **12** (5): 639-653.
- Hodgson, Y. S. 2005. A trophic cascade synthesis: review of top-down mechanism regulating lake ecosystems. *Bios*, **76** (3): 137-144.
- Hoyer, M. V. and Canfield, D. E. Jr. 1994. Bird abundance and species richness on Florida lakes: Influence of trophic status, lake morphology and aquatic macrophytes. *Hydrobiologia*, **279/ 280**: 107-119.
- <http://wgbis.ces.iisc.ernet.in/energy/TR86/welcome.html>

- Hulsmann S., Mehner, T., Worischka, S. and Plewa, M. 1999. Is the difference in population dynamics of *Daphnia galeata* in littoral and pelagic areas of a long-term biomanipulated reservoir affected by age-0 fish predation? *Hydrobiologia*, **408/409**: 57–63.
- Hunter, M. L, Jones, J. J., Gibbs, E., Moring, J. R. 1986. Duckling Responses to Lake acidification: Do Black Ducks and Fish Compete? *Oikos*, **47** (1): 26-32.
- Hussain, S. 1995. Management for migratory waterfowl. In: Gopal B. (compiler) *Hand book of wetland Management*, WWF-India New Delhi, India.
- Hutchinson, G. E. 1957. *A Treatise on Limnology. Volume 1*. Geography, physics and chemistry. John Wiley and Sons. New York. As cited by Gama-Flores *et al*, 2005. *Loc. Cit.*
- Hutchinson, G. E. 1967. *A Treatise on Limnology. Volume 2. Introduction to Lake Biology and the Limnoplankton*. John Wiley, and sons. New York, 1115 pp. As cited by Gama-Flores *et al*, 2005. *Loc. Cit.*
- Javed, S. and Kaul, R. 2002. *The Field Methods for Birds Surveys*. Bombay Natural History Society. Mumbai.
- Jenkins, W. J. and Goldman, J. C. 1985. Seasonal oxygen cycling and primary production in the Sargasso Sea. *J. Mar. Res.*, **43**: 465-491.
- Jones, J. I., 1968. The relationship of planktonic foraminiferal populations to water masses in the Western Caribbean and lower Gulf of Mexico. *Bulletin of Marine Sciences*, **18**: 946–982. As cited by Webber *et al.*, 2005. *Loc. Cit.*

- Kant, S. and Raina, A. K. 1990. Limnological studies of two ponds in Jammu. II. Physico-chemical parameters. *J. Env. Biol.*, **11**: 137–144.
- Kazemirack, K. 2000. *A field Guide to the Birds of India, SriLanka, Pakistan, Nepal, Bhutan, Bangladesh and the Maldives*. On Book Service, New Delhi.
- Khan, F. A. and Ansari, A. A. 2005. Eutrophication: An Ecological Vision. *The Botanical Review*, **71** (4): 449-482.
- Khan, N. and Zafar – ul Islam. 2007. 1 % Biogeographical population estimates for water birds in India. *Mistnet*, **8** (4): 4-22.
- King, C. E. and Serra, M. 1998. Seasonal variation as a determinant of population structure in rotifers reproducing by cyclical parthenogenesis. *Hydrobiologia*, **387/388**: 361–372.
- Kingsolver, J. G. 1989. Weather and the population dynamics of insects: integrating physiological and population ecology. *Physiological Zoology*, **62**:314-334.
- Kooloos, J. G. M., Kraaijeveld, A. R., Langenbach, G. E. J. and Zweers, G. A. 1989. Comparative mechanics of filter feeding in *Anas platyrhynchos*, *Anas clypeata*, and *Aythya fuligula* (Aves, Anseriformes). *Zoomorphology*, **108**: 269-290.
- Krapu, G. L. 1974. Foods of breeding pintails in North Dakota. *J. Wildlife Manag.*, **38**:408-417.

- Krebs, C. J. 1985. *Ecology: the experimental analysis of distribution and abundance*. Third edition, Harper and Row Publishers, New York.
- Kricher, J. C. 1972. Bird species diversity: the effect of species richness and equitability on the diversity index. *Ecology*, **53**: 278-282.
- Kricher, J. C. 1975. Diversity in two wintering bird communities: possible weather effects. *Auk*, **92**: 766-777.
- Kushlan, J. A. 1979. Feeding ecology and prey selection in the White Ibis. *Condor*, **81**: 376-389.
- Kushlan, J. A. 1986a. Responses of Wading Birds to seasonally fluctuating water levels: Strategies and their limits. *Colonial Waterbirds*, **9** (2):155-162.
- Kushlan, J. A. 1986b. The Management of Wetlands for Aquatic Birds. *Colonial Waterbirds*, **9** (2): 246-248.
- Lea, S., Daley, C., Peter, J., Boddington, C. and Morison, V. 1996. Diving patterns in shags and cormorants (*Phalacrocorax*): tests of an optimal breathing model. *IBIS*, **138**: 391-398.
- Lean, D. R. S. 1973. Phosphorous dynamics in lake water. *Science*, **179** (4074): 678-680.
- Lentz-Cipollini, K. A. and Dunson, W. A. 2006. Abiotic features of Seasonal Pond habitat and Effects on Endangered Northeastern Bulrush, *Scirpus ancistrochaetus* Schuyler, in Central Pennsylvania. *Castanea*, **71** (4): 272-281.

- Leschine, T. M., Wellman, K. F. and Green, T. H. 1997. *The Economic Value of wetlands: Wetlands' Role in Flood Protection in Western Washington*. Final report prepared for Department of Ecology. Washington State.
- Li, Z. W. D. and Mundkur, T. 2007. Numbers and distribution of waterbirds and wetlands in the Asia-Pacific region. *Results of the Asian Waterbird Census: 2002-2004*. Published by Wetlands International, Kuala Lumpur, Malaysia.
- Lindo, M. K. 1991. Zooplankton populations of the coastal zone and nearshore waters of Hellshire: St. Catherine, Jamaica. *Estuarine Coastal and Shelf Science*, **32**: 597–608. As cited by Webber *et al.*, 2005. *Loc. Cit.*
- Lowrance, R., Todd, R., Fail, J., Hendrickson, O., Leonard, R. and Asmussen, L. 1984. Riparian Forests as Nutrient Filters in Agricultural Water sheds. *Bioscience*, **34**: 374-377.
- Macan, T.T. 1950. Ecology of Fresh-Water Mollusca in the English Lake District. *J. Anim. Ecol.*, **19** (2): 124-146.
- Mackie, G. L. and Flippance, L. A. 1983. Relationships between Buffering Capacity of Water and the Size and Calcium Content of Freshwater Mollusks. *Fresh. Invert. Biol.*, **2**, (1): 48-55.
- Madsen, J. 1994. Impacts of disturbance on migratory waterfowl. *IBIS*, **137**: S67-S74.

- Madwick, G., Jones, I. D., Thackeray, J. S., Elliott, J. A. and Miller, J. 2006. Phytoplankton communities and antecedent conditions: high resolution sampling in Esthwaite Water. *Freshwater Biology*, **51** : 1798-1810.
- Marzluff, J. M. 2001. Worldwide urbanization and its effects on birds. In: *Avian conservation: research and management*. Marzluff J. M. and Sallabanks, R. (eds.) Island Press, Washington, D.C.
- Mayagoitia, E. O., Armenglo, X. and Rojo, C. 2000. Structure and dynamics of Zooplankton in a semi-arid wetland, The National park Las Tablas De Daimiel (Spain). *Wetlands*, **20** (4): 629-638.
- Maynard, L. and Wilcox, D. A. 1997. Coastal wetlands of the Great Lakes. State of the Lakes Ecosystem Conference'96. Environment Canada and U.S. Environmental Protection Agency Report EPA 905-R-97-015b. As cited by Wilcox, D. A., *et al.*, 2002. *Loc. cit.*
- McCann, J. 1939. Studies of the Grit Requirements of Certain Upland Game Birds. *The J. Wild. Manag.*, **3**, (1): 31-41.
- McKenna, J. E. 2003. Community metabolism during early development of restored wetlands. *Wetlands*, **23** (1):35-50.
- McKnight, D. D., Brakke, D. F. and Mulholland, (eds). 1996. Freshwater ecosystems and climate change in North America. *Limnology and Oceanography*, **41**:815-1149. As cited by Verschuren *et al.*, 2000. *Loc. cit.*

- McManus, J., Collier, R. and Dymond, J. 1996. Spatial and temporal distribution of dissolved oxygen in Crater Lake, Oregon. *Limno. Oceanogr.*, **41**(4): 722-731.
- Michael, P. 1986. *Ecological Methods for Field and Laboratory Investigations*. Tata McGraw-Hill Publishing Co. Ltd. New Delhi.
- Mikschi, E. 1989. Rotifer distribution in relation to temperature and oxygen content. *Hydrobiologia*, **186/187**: 209-214.
- Mischke, U. 2003. Cyanobacteria associations in shallow polytrophic lakes: influence of environmental factors. *Acta Oecologica*, **24**, supplement 1 S11-S23.
- Mitsch, W. J. and Gosselink, J. G. 1993. *Wetlands*. Van Nostrand Reinhold Company, New York, NY, USA. As cited by Mayagoitia, *et al.*, 2000. *Loc. Cit.*
- MoEF 1990. Wetlands of India- A directory of Ministry of Environment and Forest, Govt. of India, New Delhi.
- Munawar, M. 1974. Limnological Studies on Freshwater Ponds of Hyderabad – India. *Hydrobiologia*, **44** (1): 13-27.
- Murkin, H. R. and Kadlec, J. 1986. Relationship between water fowl and macroinvertebrate densities in Northern Prairie Marsh. *J. Wild. Manag.*, **50** (2) :212-217.

- Murphy, S. M., Kessel, B., ViningSource, L. J. 1984. Waterfowl Populations and Limnologic Characteristics of Taiga Ponds. *J. Wild. Manag.*, **48** (4): 1156-1163.
- Nagarajan, R. and Thiyagesan, K. 1996 Shore birds and substrate quality of the Pichavaram wetlands, south India. *IBIS*, **138**: 710-721.
- Nakashima, B. S., Gascon, D. and Legett, W. C. 1977. Species diversity of littoral zone fishes along a phosphorus-production gradient in Lake Memphremagog, Quebec-Vermont. *J. Fish. Res. Bd. Can.* **34**: 167-170. As cited by Nilsson and Nilsson, 1978. *Loc. Cit.*
- Newton, I. 1995. The contribution of some recent research on birds to ecological understanding. *J. Anim. Ecol.*, **64**: 675–696.
- Nilsson, S. G. and Nilsson, I. N. 1978. Breeding bird community densities and species richness in lakes. *Oikos*, **31**: 214-221.
- Nisbet, I. C. T. 1997. Female Common Terns *Sterna hirundo* eating mollusc shells: evidence for calcium deficits during egg laying. *IBIS*, **139**: 400.
- Nudds, T. 1983. Variation in richness, evenness and diversity in diving and dabbling ducks guilds in prairie pothole habitats. *Can. J. Zool.*, **61**:1547-1550.
- Nudds, T. D. and Bowlby, J. N. 1984. Predator-prey size relationships in North American dabbling ducks. *Can. J. Zool.*, **62**: 2002-2008.

- Owen, M. and Cook, W. 1977. Variation in body weight, wing length and condition of Mallard *Anas platyrhynchos* and their relationship to environmental changes. *J. Zool. Lond.*, **183**:377-395.
- Owen, M. and Black, J. 1990. *Waterfowl Ecology*. Blackie, Glasgow. As cited by Paracuellos *et al.*, 2002. *Loc. Cit.*
- Owino, A.O., Bennun, L. A., Nasirwa, O. and Oyugi, J. O. 2002. Trends in Waterbird Numbers in the Southern Rift Valley of Kenya, 1991-2000. *Waterbirds*, **25** (2): 191-201.
- Owen, M., Wells, R. and Black, J. 1992. Energy budgets of wintering Barnacle Geese: The effects of declining food resources. *Ornis Scand.*, **23**: 451-458.
- Pace, M. L., Bade, D., Cottingham, K. L., Essington, T. E., Houser, J. N. and Schindler, D. E. 2001. Trophic Cascades, nutrients, and lake productivity: whole lake experiments. *Ecological Monographs*, **71**:163–186.
- Padate, G. S. and Sapna, S. 1996. Checklist of Birds in and around Harni Pond, an urban wetland near Baroda. *Pavo*, **34** (1&2): 95-104.
- Padate, G. S., Sapna, S. and Devkar, R. V. 2001. Status of Birds in Vadodara District (Central Gujarat). *Pavo*, **39** (1&2): 83-94.
- Padate, G., Deshkar, S. and Sapna, S. 2008. The Influence of Narmada water Inundation on the Duck Populations of Wadhwana Irrigation Reservoir.

- Published in proceedings of 'Taal 2007' the world Lake conference
Sengupta, M. and Dalwani R. (eds.) Pp.131-136.
- Padisak, J. 1992. Seasonal Succession of Phytoplankton in a Large Shallow Lake (Balaton, Hungary). A Dynamic Approach to Ecological Memory, Its Possible Role and Mechanisms. *The J. Ecol.*, **80** (2): 217-230.
- Padisak, J., Borics, G., Feh'er, G., Grigorszky, I. and Sorocki-Pinter, E. 2006. Use of phytoplankton assemblages for monitoring ecological status of lakes within the water Framework Directive: the assemblage index. *Hydrobiologia*, **533**:1-14.
- Padisak, J., Borics, G., Feher, G., Grigorszky, I., Oldal, I., Schmidt, A. and Zsuzsa Z. D. 2003. Dominant species, functional assemblages and frequency of equilibrium phases in late summer phytoplankton assemblages in Hungarian small shallow lakes. *Hydrobiologia*, **502**: 157–168.
- Panjawani, R., 1994. Evolution of wildlife laws in India. In: *The wildlife (Protection) Act 1972 as amended upto 1991*. Natraj Publishers, Dehradun, India.
- Paracuellos, M. 2006. How can habitat selection affect the use of a wetland complex by water birds? *Biodiversity and Conservation*, **15**: 4569-4582.
- Paracuellos, M., Castro, H., Nevado, J. C., Ona, J. A., Matamla, J. J., Garcia, L. and Salas. G. 2002. Repercussions of the Abandonment of Mediterranean Saltpans on waterbird communities. *Waterbirds*, **25** (4): 492-498.

- Pathak, V. G. and Satakopan, S. 1957. Plant types of the ponds of the plains around Baroda. 1-Pond Vegetation at Harni Baroda. *J. M. S. U. Baroda*, **4**(2):11-53.
- Patterson, J. H. 1976. The role of environmental heterogeneity in the regulation of duck populations. *J. Wild. Manage.*, **40** (1): 22-32.
- Patterson, J. H. 1994. The North American Waterfowl Management Plan and Wetlands for the Americas programmes: A summary. *IBIS*, **137**: S215-S218.
- Pejler, B. 1995. Relation to habitat in Rotifers. *Hydrobiologia*, **313/314** : 267-278.
- Pennak, R. W. 1946. The Dynamics of Fresh-water Plankton Populations. *Ecological Monographs*, **16** (4): 339-355.
- Perrins, C. M. 1996. Eggs, egg formation and the timing of breeding. *IBIS*, **138** (1): 2-15.
- Pienkowski, M., Ferns, P., Davidson, N. and Worrall, D. 1984. Balancing the budget: measuring the energy intake and requirements of shorebirds in the field. In *Coastal waders and wildfowl in winter*. Evans, P. R. Goss-Custard, J. D. and Hale, E. G. (eds): 29-56. Cambridge University Press. Cambridge.
- Pinel-Alloul, B. 1995. Spatial heterogeneity as a multiscale characteristic of zooplankton community. *Hydrobiologia*, **301**: 17-42. Cambridge
- Powell, G. V. N. 1987. Habitat use by wading birds in a semitropical estuary: implications of hydrography. *Auk*, **104**: 740-749.

- Powers, B. 1930. The Relation between pH and Aquatic Animals. *The American Naturalist*, **64** (693): 342-366.
- Prasad, S. N. and Vijayan, L. 2005. An Inventory of wetlands. *ENVIS Newsletter on Wetland Ecosystem*. **1** (2): 1-4.
- Prowse, T. D., Wrona, F. J., Reist, J. D., Hobbie, J. E., Levesque, L. M. J. and Vincent, W. F. 2006. General features of the arctic relevant to climate change in freshwater ecosystems. *Ambio*, **35**: 332–338.
- Rahmani, A. R. and Shobrak, M. Y. 1992. Glossy Ibises (*Plegadis falcinellus*) and Black-Tailed Godwits (*Limosa limosa*) Feeding on Sorghum in Flooded Fields in Southwestern Saudi Arabia. *Colonial Waterbirds*, **15** (2): 239-240.
- Ramchandra, T., Kiran, A., Ahylaya, N. and Deepa, R. S. 2002. Status of wetlands of Bangalore. Technical Report 86. available at www.wgbis.ces.iisc.ernet.in/energy/TR86/welcome.html
- Rathod, J. and Padate, G. 2008. A comparative study of Avifauna of a sub-urban wetland and an irrigation Reservoir of Savli Taluka, District Vadodara. Published in proceedings of 'Taal 2007' the World Lake Conference Sengupta, M. and Dalwani R. (eds.). Pp. 537-541.
- Reddy, K. R. 1981. Diel variations of certain physico-chemical parameters of water in selected aquatic systems. *Hydrobiologia*, **85**: 201-207
- Revenga, C. and Kura, Y. 2003. Status and Trends of Biodiversity of Inland Water Ecosystems. Secretariat of the Convention on Biological Diversity,

- Montreal, Technical Series no. 11. Published by the Secretariat of the Convention on Biological Diversity. Montreal, Quebec, Canada
- Rodger, W. A. and Panwar, H. S. 1990. *Planning a Wildlife Protected Network in India*, 2 Volume project PO: IND/82/003, FAO, Dehradun. pp120.
- Rodgers, W. A. 1991. *Techniques for wildlife census in India A field manual*. Wildlife Institute of India, Dehradun, India.
- Rotenbery, J. 1978. Components of avian diversity along a multifactorial gradient. *Ecology*, **59**: 693-699.
- Rotenberry, J., Fitzner, R. and Rickard, W. 1979. Seasonal variation in avian community structure: differences in mechanisms regulating diversity. *Auk*, **96**:499-505.
- Rothhaupt, K. O. 2000. Plankton population dynamics: food web interactions and abiotic constraints. *Freshwater Biology*, **45**: 105–109.
- Runnells, D. 1965. A Conductometric Method for Determining the Alkalinity of
- Sampath, K. and Krishnamoorthy, K. 1990. Bird fauna and limnology of the Koliveli tank, Tamil Nadu. India. In: Vijayan. V.S. (ed) Proc. Seminar on Wetland Ecology and Management: 47-48: Bombay Natural History Society. Bombay.
- Schroder, T. 2005. Diapause in monogonont rotifers. *Hydrobiologia*, **546**:291–306

- Schutte, K. H. and Elsworth, J. F. 1954. The Significance of Large pH Fluctuations Observed in Some South African Vleis. *J. Ecology*, **42** (1): 148-150.
- Serrano, L. and Fahd, K. 2005. Zooplankton communities across a hydroperiod gradient of temporary ponds in the Donna National Park (SW Spain). *Wetlands*, **25** (1): 101-111.
- Shay, J. M. and Shay, C. T. 1986. Prairie marshes in western Canada, with specific reference to the ecology of five emergent macrophytes. *Canad. J. Bot.*, **64**: 443-454.
- Shurin, J. 2000. Dispersal limitation, invasion resistance, and the structure of pond Zooplankton communities. *Ecology*, **81**(11): 3074-3086.
- Sladeczek, V. 1983, Rotifers as indicators of water quality. *Hydrobiologia*, **100**: 169-201.
- Smith, K. and Mac Mahon, J. 1981. Bird communities along a montane sere: community structure and energetics. *Auk*, **98**: 8-28.
- Soininen, J., Kokocinski, M., Estlander, S., Kotanen, J. and Heino, J.: 2007. Neutrality, niches, and determinants of plankton metacommunity structure across boreal wetland ponds. *Ecoscience*, **14** (2): 146-154.

- Sonobe, K. and Usui, S. (eds). 1993. *A Field Guide to the Water birds of Asia*. Wild Bird Society of Japan, Tokyo.
- SPSS for Windows. Released 7.5.1 (December 20, 1996). SPSS Inc., 1989-96.
- Stanczykowska, A., Zyska, P., Dombrowski, A., Kot, H. and Zyska, E. 1990. The distribution of waterfowl in relation to mollusc populations in the man-made Lake Zegrzynskie. *Hydrobiologia*, **191**: 233-240.
- Stansly, P. A., Gore, J. A., Ceilley, D. W. and Main, M. B. 1997. Inventory of freshwater macroinvertebrates. Final Report for the South Florida Water Management District Isolated Wetland Monitoring Program. Contract # C-7949. As cited by Pace, *et al.*, 2001. *Loc. Cit.*
- Subba Rao, N.V. 1989. *Handbook: Freshwater molluscs of India*. Zoological Survey of India, Calcutta.
- Sundar, K.S.G. 2006. Flock size, density and habitat selection of four large waterbirds species in an agricultural landscape in Uttar Pradesh, India: implications for management. *Waterbirds*, **29** (3): 365-374.
- Terborgh, J. 1973. On the notion of favourable ness in plant ecology. *American Naturalist*, **107**:481-501.
- Ternjej, I. and Tomec, M. 2005. Plankton community and related environmental factors in the oligotrophic Lake Vrana. *Period. Biology*, **107**: 321–328.
- Thackeray, S. J., George, D. G., Jones, R. I. and Winfield, I. J. 2004. Quantitative analysis of the importance of wind induced circulation for the spatial

- structuring of planktonic populations. *Freshwater Biology*, **49**:1091–1102.
- Tiner, R.W. Jr. 1984. Wetlands in the United States: *Current Status and Recent Trends*. U S. Fish and Wildlife Service, National Wetland Inventory Project, Washington, D.C. As cited by. Confer, S. R. and Niering, W. A. 1992. *Loc. Cit.*
- Townsend, C. R., Doledec, S. and Scarsbrook, M. R. 1997. Species traits in relation to temporal and spatial heterogeneity in streams: a test of habitat templet theory. *Freshwater Biology*, **37**: 367-387.
- Tramer, E. J. 1969. Bird species diversity: Components of Shannnon's formula. *Ecology*, 50:927-929. As cited by Raymond *et al.*, 1993. *Loc . Cit.*
- Traut, A. H. 2003. Urban lakes and waterbirds: Effects of development on distribution and Behaviour. A thesis presented to the Graduate School of the University of Florida in partial fulfillment of the requirements for the degree of Masters of Science.
- Tronstad, L. M., Tronstad, B. P. and Benke, A. C. 2005. Invertebrate responses to decreasing water levels in a subtropical river floodplain wetland. *Wetlands*, **25** (3): 583-593.
- Uhler, F. M. 1964. Bonus from waste places. In Linduska, J. P. Ed. Waterfowl tomorrow. U. S. Govt. Printing Off. Washington D.C. pp 643-653

- Urabe, J. 1992. Midsummer succession of rotifer plankton in a shallow eutrophic pond. *J. Plankton Res.*, **14** (6): 851-866.
- Urban, E. K., Fry, C. H. and Keith, S. 1982. The birds of Africa. **Volume II** London, Great Britain. Academic Press. As cited by Rahmani and Shobark, 1992. *Loc. Cit.*
- Urfi, A. J., Sen, M., Kalam, A. and Meganathan, T. 2005. Counting birds in India: Methodologies and Trends. *Current Science*, **89** (12): 1997-2003.
- Vakkilainen, K., Kairesalo, T., Hietala, J., Balayla, D., Cares, E., Wouter, J. Bund, V., Donk, E., Ferna Ndezalaez, M., Gyllstrom, M., Hansson, L., Miracle, M., Moss, B., Romo, S., Rueda, J. and Stephen, D. 2004. Response of zooplankton to nutrient enrichment and fish in shallow lakes: a pan-European mesocosm experiment. *Freshwater Biology*, **49**: 1619–1632.
- Verschuren, D., Tibby, J., Sabbe, K. and Roberts, N. 2000. Effects of Depth, Salinity and Substrate on the Invertebrate Community of a fluctuating tropical lake. *Ecology*, **81**(1): 164-182
- Vijayan., L. 1995. Management for resident water fowl. Gopal B. (compiler) *Hand book of Wetland Management*, WWF-India, New Delhi, India.
- Wareborn, I. 1970. Land Molluscs and Their Environments in an Oligotrophic Area in Southern Sweden. *Oikos*, **20**, 2: 461-479.

- Webber, D. F. and Webber, M. K. 1998. The water quality of Kingston Harbour: evaluating the use of the planktonic community and traditional water quality indices. *Chemistry and Ecology*, **14**: 357–374.
- Webber, M., Edwards-Myers, E., Campbell, C. and Webber, D. 2005. Phytoplankton and zooplankton as indicators of water quality in Discovery Bay, Jamaica. *Hydrobiologia*, **545**:177–193.
- Weller, M. W. and Spatcher, C. E. 1965. Role of habitat in the distribution and abundance of marsh birds. Special Report No. 43, Iowa State University, Ames, Iowa, pp: 31. *Loc. cit.* as Weller, M. W. 1988.
- Weller, M.W. 1978. Management of Freshwater marshes for wildlife. In Good, R.E., Whingham, D.F. and Simpson, R.L. (eds) *Freshwater Wetlands: Ecological process and management potential*. New York: Academic Press.
- As Cited in Murphy, S. M, *et al.*, 1984. *Loc. cit.*
- Weller, M. M. 1981. *Freshwater marshes and wildlife management*. University of Minnesota Press. Minneapolis. As cited by Vijayan, L. 1995. *Loc. Cit.*
- Weller, M. W. 1988. Issues and Approaches in Assessing Cumulative Impacts on Waterbird Habitat in Wetlands. *Environmental Management*, **12** (5): 695-701.
- Wetzel, R. G. 1975. *Limnology*. W.B. Saunders and Company Philadelphia.
- Whittaker, R. H. and Likens, G. E. 1973. Primary production: the biosphere and man. *Hum. Ecology*, **1**: 357-369.
- Wilcox, D. A., Meeker, J. E., Hudson, P. L., Armitage, B. J., Black M. G. and Uzarski, D. G. 2002. Hydrologic variability and the application of index of

- biotic integrity metrics to wetlands: A Great Lakes evaluation. *Wetlands*, **22** (3): 588-615.
- Willen, E. 2001. Phytoplankton and Water Quality Characterization: Experiences from the Swedish Large Lakes Malaren, Hjalmarren, Vattern and Vanern. *Ambio*, **30**: 8.
- Wrona, F., Prowse, T., Reist, J., Hobbie, J., Levesque, L. and Warwick F. 2006. Climate Change Effects on Aquatic Biota, Ecosystem Structure and Function. *Ambio*, **35** (7).
- Yang, L., Chang, H. T. and Huang, M. N. L. 2001. Nutrient removal in gravel- and soil- based wetland microcosms with and without vegetation. *Ecological Engineering*, **18**: 91–105.
- Yuhe, Yu; Yan, Q. and Feng, W. 2008. Spatiotemporal heterogeneity of plankton communities in Lake Donghu, China, as revealed by PCR denaturing gradient gel electrophoresis and its relation to biotic and abiotic factors. *FEMS Microbiolo Ecol.*, **63**: 328–337.
- Zafar-ul Islam. 2000. Important Bird Areas (IBA) Programme in India. *Newsletter*, Wildlife Institute of India. **7** (3&4).