

BIBLIOGRAPHY

- 1) Abohweyere P. (1990) Study of limnological parameter and potential fish yield in Kigera reservoir (extensive system) in Kainji, New Bussa, Nigeria. *J. Aqua. Sci.* 5:53-58.
- 2) Abbott R. T. (1950) Snail invaders. *Natural History*. 59:80-85.
- 3) Aboo K.M. (1968) A study of well waters in Bhopal city. *Envir. Hlth.* 10:189 203.
- 4) Abdul R., Alexzender K., Sayok., Efrunsjah., and Sapuan A. (2007) Issues affecting the sustainability of Lagoan Bunut Lake, Sarawak. , (Paper presented at Colloquium on Lakes and Reservoirs management Status and Issues, 2-3 August 2007, Putrajaya Malaysia).
- 4) Adoni A. Q. (1985) A Workbook on Limnology. Bandna Printing Service, New Delhi. Pp-216.
- 6) Adihakari S. (2003) Fertilization, soil and water quality management in small-scale ponds. *Aquaculture Asia* Vol. VIII No. 4:6-8
- 7) Affan A., Jewel S. A., Khan S., Lee B. J. (2005) Seasonal Cycle of Phytoplankton in Aquaculture Ponds in Bangladesh. *Algae* Vol. 20(1):43-52.
- 8) Agarkar O.F. (1967) Myxophyaceae of Gwalior Madhya Pradesh. *Phykos* 6:1-6.
- 9) Agrawal, K and Rajawar, S. (2010) Physico-chemical and Microbiological study of Tehri Dam Reservoir, Garhwal Himalaya, India. *Journal of American Science* 6(6): 65-71.

- 10) Aher, S. K., Mane, U. H., and Pawar, B. A. (2007) A study on physico-chemical parameters of Kagdipura Swamp in relation to Pisciculture Aurangabad, Maharashtra. *J. Aqua. Biol.* 22 (1) 93-96.
- 11) Alikunhi K. H. (1957) Fish culture in India. *Fram.Bull.* 20. IACR. New Delhi, Pp. 144.
- 12) Ambasht R. S. and Ambasht N. K. (1998) Ecology of Indian Wetlands [In: Ecology of Wetlands and Associated Systems; Ed. Majumdar, S. K.; Miller, E. W. and Brenner, F. J. Pennsylvania Academy of Science; Easton; pp. 104-116.
- 13) Arvinda H. B., Manjappa S., Puttaiah E. T. (1998) Water quality Index of Tungabhadra river water ecosystem near Harihar town, Karnataka. *J. Poll. Res.* 17: 371-375.
- 14) Arya S, Kumar V. and Dhaka A. (2011) Assessment of underground water quality. A case study of Jhansi city, Uttar Pradesh, India. *Int. Multidisciplinary. Res. Journal.* 7:11-14.
- 15) APHA (2004) Standard Methods for the Examination of Water and Waste Water. 20th Ed. American Public Health Association, Washington D. C.
- 16) Bagenal T. B. and Tesch F. W. (1978) Age and growth. In: T.B. Bagenal, (ed) Methods for assessment of fish production in freshwater, 3rd edition. Blackwell Scientific Publication, Oxford, UK. pp.101-136.

- 17) Bahura R. (1990) A planktonological survey of some water bodies in and around Bikaner (Rajasthan), M. Phil, Dissertation, Dungar Collage, Bikaner.
- 18) Bhandari N.S and Nayal K. (2008) Correlation Study on Physico-Chemical Parameters and Quality Assessment of Kosi River Water, Uttarakhand. *E-Journal of Chemistry*. Vol. 5, No.2, pp. 342-346
- 19) Bakare O. (1970) Bottom deposits as food of inland freshwater fish. In Kainji: a Nigerian man-made lake: Kainji Lake studies Vol. 1. Ecology, Ed. S. A. Visser. Ibadan, Nigerian Institute of Social and Economic Research 65-85.
- 20) Bhatt M., Yazdani T., Narian K., Yunus M., and Shukla R. (2009) Water Quality status of some urban ponds of Lucknow, Uttarpradesh. *Journal of Wetlands Ecology* Vol-2, pp 67-73.
- 21) Bhatt L. R., Lacoul P., Lekhal H. D Jha P. K. (1999) Physico-chemical characteristic and phytoplankton for Taudha Lake, Kathmandu. *Poll. Res.* 18 (4): 353-358.
- 22) Bhuiyan B. R and Gupta S. (2007) A comparative hydro biological study of a few ponds of Barak Valley, Assam and their role as sustainable water resources. *Journal of Environmental Biology* 28(4): 799-802.
- 23) Boyd C. E. (1982) Water Quality Management for pond fish culture. Elsevier Science Publisher, pp-318.
- 24) Bronmark K.C and Hansson L.A. (2002) Environmental issues in Lakes and Ponds: Current state and prospective. *Environ. Conserv.* 29, 290-306.

- 25) Chong G (2007). Tasek Bera; Past, Present and Future. (Paper presented at Colloquium on Lakes and Reservoirs management Status and Issues, 2-3 August 2007, Putrajaya Malaysia).
- 26) Chukwurah E. I. (2001) Aquatic Microbiology. Otoba Press Limited, Onitsha, Nigeria.
- 27) Cole G. R. (1979) *A text Book of Limnology*, 2nd Ed. C.V. Mosley Company. pp283.
- 28) Das A. K. (2000) Limmnochemistry of some Andhra Pradesh reservoirs. *J. Inland. Fish Soc. India*, 32:37-44.
- 29) Dinar A., Seidl P., Olem H., Jorden V., Dada A., Johnson R. (1995). Restoring and protecting the world's lakes and reservoirs. World Bank Technical Paper No. 289. The World Bank, Washington D C, pp. 85.
- 30) Doha S., and Dewan S., (1967) Studies on the biology of Tilapia, length weight relationship and condition factor. *Pakistan J. Sci.* 19:14-23.
- 31) Dunson W. A and Travis J. (1991) The role of abiotic factors in community organization. *Am. Nat.* 138:1067-1091.
- 32) Ezra A. G. and Nwankwo D. I. (2001) Composition of phytoplankton algae in Gubi Reservoir, Bauchi, Nigeria. *Journal of Aquatic Sciences* 16(2): 115-118.
- 33) Edmondson W. T. (1959) Fresh water biology 2nd ed. John Wiley and Sons Inc. New York.
- 34) Fagade S. O. (1979) Observation of the biology of two species of Tilapia from the Lagos lagoon Nigeria. *Bull. Inst. Fond Afr. Nore.* (Ser. A) 41: 627-658.

- 35) Ferley J. P., Zmirou D., Balducci F., Baleux B., Fera P., Larbaigt G., Jacq E., Moissonnier B., Blineau A. and Boudot J. (1989) Epidemiological significance of microbiological pollution criteria for river recreational waters. *Int. J. Epidemiol.* 18, 198-205.
- 36) Ganai A. H., Parveen S., Kabir H. A. (2010) .Study of some physic-chemical parameters in medical pond, Aligarh. *The Ekologia* 10: 1-2.
- 37) Gayando F. C. and Pauly D. (1997). FAO ICLARM stock assessment tools (FISAT): References Manual, FAO Computerized Information Series (Fisheries) (8): 262.
- 38) George, G.P. (1976) Hydro-biological studies on the lower lake of Bengal with special reference to productivity of economic fish. Ph. D. Thesis, Barkattullah University, Bhopal.
- 39) Ghobadi H. and Farahnak A. (2004) A Faunistic Survey on the Cercariae of *Bellamya (Viviparus) bengalensis* Snails and Their Zoonotic Importance. *Iranian J. Publ. Health*, 33 (2): 38-42.
- 40) Ghosh G.K. (2002) Water of India (Quality and Quantity). APH Publishing House. Delhi. P-500.
- 41) Ghosh, S.L (1919) Myxophyaal of Lahore. *J.Ind.Bot.Soc.* 1:8-18.
- 42) Gillis P. L., Mitchell R. J., Schwalba A. N., McNicholsa K. N., Macklea G. L., Wood C. M. and Ackermana J. D. (2008) Sensitivity of the Glochidia (Larvae) of Freshwater mussels to copper: Assessing the effect of water hardness and dissolved organic carbon on the sensitivity of endangered species. *Aquatic Toxicology* (in Press).

- 43) Giannoulis N., Maipa V., Konstantinou I., Albanis T., and Dimoliatis I. (2005)
‘Microbiological risk assessment of Agios Georgios source supplies
in north western Greece based on faecal coliform determination
and sanitary inspection survey. *Chemosphere* 58: 1269-1276.
- 44) Govind, B.V (1963) Priliminary studies on plankton of the Tungabhadra
Reserviour. *Ind. J. Fish* 10(1): 148-158.
- 45) Gupta R. K., Gorai A. C., and Pandey P. N., (1996) Impact of coal mine effluents
on the physico-chemical characteristics of Raja Tank, Jharia,
Dhanbad, *J. Fresh Water Biol.* 8:63-73.
- 46) Gupta N., Ramesh C., Sharma D., Tripathi A. K. (2008) Bio-physico-chemical
characteristics of swamp. *Journal of Environmental Biology*.29 (3)
381-386.
- 47) GWP Technical Advisory Committee (2000) Global Water Partnership.
Integrated Water Resources Management. TAC background papers
No.4. Stockholm:
- 48) Hasan G. O., Paul P. and Pellegrino D. (2007) Distribution of heavy metals in
vegetation surrounding the Blackstone River, USA: Considerations
regarding sediment contamination and long term metals transport
in freshwater riverine ecosystems. *J. Environ. Biol.* 28: 93-502.
- 49) Harish K., Kiran B. R., Purushotham R., Puttaiah E. T., and Manjappa S. (2006).
Length-weight relationship of cyprinid fish *Rasbora daniconius*
(Hamilton-Buchanan) from Saravathi reservoir, Karnataka.
Zoos' Print Journal 21(1): 2140-2141.

- 50) <http://www.wetlandsofindia.org/wetlandwila/index.php/Gujarat>
- 51) http://www.vmcgujarat.org/cdp_pdf/Link%205.pdf
- 52) Hutchinson G. E. (1967) A Treatise on Limnology, Vol, 2 Introduction to Lake Biology and Limno-plankton. John Wiley and Sons Inc, New York.
- 53) Islam S.N. (2007) Physico-chemical parameters and occurrence of some zooplankton in a pond of Rajshahi, Bangladesh. *Univ. J. Zool. Rajshahi.* 17, 51-60.
- 54) Kadam M. S., Pampatwar D. V., and Mali R. P. (2007) Seasonal variations in different physico-chemical characteristics in Masoli reservoir of Parbhani district, Maharashtra, *J. Aqua. Biol.* 22(1): 110-112.
- 55) Kamal D., Khan A.N., Rahman M.A and Ahmed F. (2007) Study on the physico-chemical properties of water of Mouri River, Khulna, Bangladesh. *Pak. J. Biol. Sci.* 10 (5):710-717.
- 56) Karr J. R., Dudley D. R. (1981) Ecological perspective on water quality goals. *Environ. Management* 5:56-68.
- 57) Karunaskaran V. (2008) Study of water quality in and around Vriddhachalam in Cuddalore district, Tamilnadu. *Nature Environment and Pollution Technology*, 7(4): 635-638.
- 58) Kaushik S., and Saxena D.N. (1995) Trophic status of Rotifer Fauna of certain water bodies in Central India. *J. Env. Biol.* 16 (4): 283-291.
- 59) Khan F. A., Ansari A. A. (2005) Eutrophication: An ecological vision. *The Botanical Review*, 71(4):449–482.
- 60) King R.P. (1998) Physico-chemical indices of the fisheries potential of a Nigerian rainforest pond. *J. Aqua. Sci.* 13:49-54.

- 61) Kistemann T., Claben T., Koch C., Dangendorf F., Fischeder R., Gebel J., Vacata V., Exner M. (2002) Microbial load of drinking water reservoir Tributaries during extreme rainfall and runoff *Appl. Environ. Microbiol.*, 68, 2188-2197.
- 62) Korai A. L., Sahato G. A., Lashari K. H., and Arbani S. N. (2008) Biodiversity in relation to physic-chemical properties of Keenjhar Lake, Thatta district, Sindh, Pakistan. *Turkish Journal of Fisheries and Aquatic Sciences* 8:259-268.
- 63) Kumar A and Bohra C. (1998) Impact on human activities on the limnology of two religious ponds of Basulanath Dham, Dumka. *Indian J. Environ & Ecoplan.* 16 (4):809-812.
- 64) Kumar S., and Kapoor A. (2006) Water quality monitoring in respect to Physico-chemical characteristics of tropical lake of Udaipur city of Rajasthan. *Indian J. Environ & Ecoplan.* 12 (3):775-782.
- 65) Kumar N. and Sharma R. C. (2002) Water Quality of river Krishna (Part-2 Biological Characteristics of 7 bioindicators) *J. Nature Conservator*, 14(2): 273-297.
- 66) Kumar A. and Verma M. (2009). Spectrum of plankton abundance in certain lotic system, Jharkhand, India. Proceeding of International Conference, National Ocean University, Keelung, Taiwan on 6-9 October.
- 67) Kumary K. S. A. and Azis P. K. A. (2001) Water quality of the Poonthura estuary. *Mahasagar* 36: 43-47.

- 68) Lackey J. B. (1938) The manipulation and counting of river plankton and changes in some organisms due to formalin preservation. U.S. Public Health Reports, 53, 2080 - 2093.
- 69) Lean D. R. S. (1973) Phosphorus dynamics in lake water. *Science*, 179 (4074): 678 - 680.
- 70) Le Cren E. D. (1951). The length-weight relationship and seasonal cycle in gonad weight and condition in the perch *Perca fluviatilis*. *J. Anim. Ecol.* 20(2):201-219.
- 71) Lewis W. M. (2000) Basis for the protection and management of tropical lakes. *Lakes Reserv. Res. Manage.* 5:35-48.
- 72) Lizama M and Ambrosio A. M. (2002) Condition Factor in Species of fish in the upper PARANA river floodplain. *Braz. J. Biol.* 62(1): 113-124.
- 73) McMahon R. F. (1983) Ecology of an invasive pest bivalve, Corbicula. In W. D. Russell-Hunter, ed. *The mollusca. Ecology*. Academic Press, New York, Pages 505-561
- 74) Mark V Hoyer1., Jennifer L. Donze., Eric J. Schulz., Daniel J., Willis and Daniel E. (2006) Total Coliform and *Escherichia Coli* Counts in 99 Florida Lakes with Relations to Some Common Limnological Factors. *Lake and Reservoir Management* 22(2):141-150.
- 75) Mas-Coma S., Angles R., Strauss W., Esteban J. G., Oviedo J. A., and Buchon P. (1995) Human fascioliasis in Bolivia: a general analysis and a critical review of existing data. *Res. Rev. Parasitol* 55: 73-79.

- 76) Mc Laughlin and Brindle R. L. (2001) A laboratory-scale investigation into the use of powdered iron for in situ Removal of phosphorus from treated sewage effluent with constructed wetlands. *Water Quality Res. J. Canada.* 36(4):759-779.
- 77) MOEF (Ministry of Environment and Forests): Conservation of Wetlands in India, A profile approach and guidelines, Ministry of Environment and Forests, Government of India, 2007.
- 78) Mellanby H. (1963) Animal life in freshwater. 6th ed., Chapman and Hall Ltd. London.
- 79) Mercy T. V. A., Thomas K. R., and Jacob E. (2002) Length- weight relationship in *Puntius denisonii* (Day). *Indian Journal of Fisheries* 49(2):209-210.
- 80) Mitra A. K. (1982) Chemical characteristics of surface water at selected Gauging stations in the river Godavari, Krishna and Tungabhadra. *Indian J. Environ. Health*, 24: 165-179.
- 81) Mruthunjaya T.B and Hosmani S.P. (2004) Application of cluster Analysis to evaluate pollution in Lingambudhi Lake in Mysore, Karnataka. *Nature Environment and Pollution Technology*. 3(4):463:466
- 82) Murage E. W. and Ngindu A. M. (2007) Quality of Water the Slum Dwellers use: The case of a Kenyan Slum. *Journal of Urban Health*, 84(6):829-838.
- 83) Mustapha M.K. 2008. Assessment of water quality of Oyun Reservoir, Offa, Nigeria, and Using selected Physic-chemical Parameters. *Turkish Journal of Fisheries and Aquatic Sciences* 8:309-319.

- 84) Mushrifah I. (2007) Tasik Chinni; Sustaining Environmentally Sensitive Areas, (Paper presented at Colloquium on Lakes and Reservoirs management Status and Issues, 2-3 August 2007, Putrajaya Malaysia.
- 85) Nair B.M.S., Seth O.N., Mishra K.D. (1980) Limnological studies on a village pond, India, Proceedings at national symposium, Past, Present and Future of Bhopal Lakes, Pp:195-201.
- 86) Nair, A. G., Abdalla I., Mohamed I., and Premkumar, K. (2005) Physicochemical parameters and correlation coefficient of ground waters of north-east Libya. *Poll. Res.* 24(1): 1-6.
- 87) Narshima Rao P. and Jaya P. B. (2001) Limnological investigations and diversity of plankton in sewage feed fish culture pond at Nambur near Gubtur. A.P. *India. J. Aqua. Biol.* 16(1&2):11-14.
- 88) Needham J. G and Needham R. R. (1962) A guide to the study of freshwater biology, Holden-Day, Inc San Francisco California.
- 89) Negi G. C. S and Kumar K. (2001). Water yield and water quality of some aquifers. *International Journal of Ecology and Env. Sci.* 27:55-59.
- 90) Okafor N. (1985) Aquatic and water microbiology. Forth Dimension Publishers, Engu, Nigeria.
- 91) Okpokwasilli G. C and Akujobi T. C. (1962) Bacteriological indicators of Tropical water quality. *Environ. Toxicol.* 11:77-82.

- 92) Oscoz J. F., Campos and Escala M. C. (2005) Length-weight relationships of some fish species of the Iberian Peninsula. *Journal of Applied Ichthyology* 21: 73.
- 93) Okamura T. (2008) Long term changes in the water quality of Lake Biwa. Proceedings of TAAL 2007: The 12th World Lake Conference; 176-183.
- 94) Pabst M. H., Mathias J. A. and Barica J. (1980) Relationship between thermal stability and summer oxygen depletion in a prairie pothole lake. *Can. J. Fish. Aquat. Sci.* 1433-1438.
- 95) Park, B. K and Park S. S. (2005) Effects of stream hydraulic conditions on foraging strategies of false dace, *Pseudorasbora parva* in the lentic ecosystem. *J. Environ. Biol.* 26, 635-643.
- 96) Patil P. R., Chaudhari D. N., and Kinge M. S. (2004) Quality Status of Padmalaya Lake, Erondal of Jalgaon District, Maharashtra State. *J. Environment and Ecology*, 22(1): 65-68.
- 97) Paul M.K., Misra A.K. (2004). An assessment of pollution of water used for domestic purposes in lumbering town, Assam, India. *Nature, Environ. Pollut. Technol.* 3(4): 531-534.
- 98) Paulose P. V. and Maheshwari K. (2007) Seasonal variation in zooplankton community structure of Ramgarh Lake, Jaipur, Rajasthan. Proceedings of Taal 2007, The 12th World Lake Conference. 82 - 87.
- 99) Pauly D. (1983) Some simple methods for the assessment of tropical fish stock. FAO Fish Tech. Pap no. 234, pp: 52.

- 100) Raghunath R. and Sreedhara T. R. (1996) Carbonate and organic matter of the shelf of Kasargod, west coast of India. *Ind. J. Mar. Sci.*, 25, 355-357.
- 101) Rao S. (1989) Handbook of Fresh water molluscs of India, Zoolgical Survey Of India, Calcutta.
- 102) Ramachandra T. V., Kiran R. and Ahalya N. (2002) Status, Conservation and Management of Wetlands, Allied Publishers (P) Ltd.
- 103) Saha S. B., Bhattacharya S. B., Choudhury A. (2000). Diversity of phytoplankton of sewage pollution brackish water tidal ecosystems. *Environ. Biol.* 21 (1): 9 -14.
- 104) Salaskar P. B and Yeragi S. G. (2008) Environmental status of Powai Lake Mumbai. Proceedings of TAAL 2007: The 12th World Lake Conference; 1650 -1654.
- 105) Sarwar S. G. and Wazir A. (1991) Physico-chemical characteristics of fresh water pond of Srinagar, Kashmir. *J. Poll. Res.*, 10:223-227.
- 106) Saravanakumar A., Rajkumar M., Serebiah S and Thivakaran G. A. (2008) Seasonal variations in physico-chemical characteristics of water, sediment and soil texture in arid zone mangroves of Kachchh-Gujarat. *J. Environ. Biol.* 29, 725-732.
- 107) Sati S. C and Paliwal P. C. (2008) Physicochemical and Bacteriological analysis of Kost River water in central Himalaya. *Poll. Res.* 27(1):179-183.

- 108) Scholz T. and Maldonado G. (2000) The introduction and dispersal of *Centrocestus formosanus* (Nishigori, 1924) (Digenea: Heterophyidae) in Mexico: A review. *American Midland Naturalist* 143: 185-200.
- 109) Sehgal H. S. (1980) Limnology of lake Sruinsar, Jammu with reference to zooplankton and fisheries prospectus. Ph. D. Thesis, University of Jammu.
- 110) Serajuddin M. (2005) Length-weight relationship of freshwater spiny eel, *Mastoeembelus armatus* (Lacepede) from Aligarh region, Uttar Pradesh, India. *Proceedings of the National Academy of Sciences, India* 75(1): 13-18.
- 111) Shannon E and Brexonik P. (1972) Limnological Characteristics of north and central Florida lakes Limnology and oceanography January v. 17 (1):97-110.
- 112) Sharma B. K. (2009) Composition, abundance and ecology of phytoplankton communities of Loktak Lake, Manipur, India. *Journal of Threatened Taxa*, 1(8): 401-410.
- 113) Sharma N.K. and Bhardwaj S. (2011) An Assessment of Seasonal Variation In Phytoplankton Community of Mahi River (India). *Geneconserve*. 10(40): 154-164.
- 114) Sharma P., Sood A., Sharma S., Bisht S., Kumar V., Pandey P., Gusain M. P., Gusain O. P. (2010) Bacterial indicators of faecal pollution and physiochemical assessment of important North Indian lakes. *RMZ - Materials and Geo-environment* 57(1), pp. 25-40.

- 115) Shastree N.K., Islam M.S., Pathak S., and Afshan M. (1991) Studies on the Physico-chemical dimension of the lentic hydrosphere of Ravindra sarovar (Ganga) in current trends in Limnology narendra Publishing House.New Delhi.India P: 133-152.
- 116) Singh F.D. (1986) Relation between primary productivity and Environmental parameters of Tropical lakes.*Stat.Anal.Pollu. Res.*5:103-110.
- 117) Smt. Pratibha Devisingh Patil. (*President of India*). Inaugural Address. Proceedings of Taal2007: The 12th World Lake Conference: xxx-xxxi.
- 118) Soni R. N and Bhatt S. A. (2008) Periodical Ecological Study of an urban pond near Vadodara, Gujarat, India. Proceedings of TAAL 2007: The 12th World Lake Conference; 1591-1596.
- 119) Srivastava, N., Agrawal M., and Tyagi A. (2003) Study of physico-chemical characteristics of water bodies around Jaipur. *J. Environ. Biol.* 24:177-180.
- 120) Sunella M., Radha Krishna G., Vamsi Krishna A., Manga Sai V., Bhargav K and Srinivas J. S. (2008) Water and sediment analysis of Hussainsagar Lake, Hyderabad. Proceedings of TAAL 2007: The 12th World Lake Conference; 304-306.
- 121) Sunil Kumar R. (1996). Distribution of organic carbon in the sediments of Cochin mangroves, south west coast of India. *Indian J. Mar. Sci.* 25:274-276.

- 122) Swapnil Rai, Chopra A. K., Pathak C., Sharma R and Gupta P. M. (2011)
Comparative study of some physicochemical parameters of soil
irrigated with sewage water and canal water of Dehradun city,
India. *Arch. Appl. Sci. Res.* 3(2):318-325.
- 123) Tamlurkar H. L. and Ambhore N. E. (2006) Correlation coefficients of some
physico-chemical characteristics of Alisagar Dam water, district
Nizamabad (A.P.) *India. J. Aqua. Biol.* 21: 115–118.
- 124) Tepe Y and Matlu E. (2005) Physic-chemical characteristics of Hatay
Harbiye Spring water, Turkey. *J. of the Institute of science and Tec.*
of Dumplupinar University, 6:77-88.
- 125) Thippeswamy S., Sequira M G and Suresh G. C. (2008) Hydrobiology of
Kodige Tank in Western Ghats, India. Proceedings of TAAL 2007:
the 12th World Lake Conference; 12-18.
- 126) Tonapi G. T. (1980) Fresh water animal of Indian ecological approach.
Oxford and IBH Publishing corporation. New Dehli.
- 127) Trivedy R. K and Goel P. K. (1986) Chemical and Biological methods for
water pollution. Environ Media. Karad.
- 128) Unni K. S. (1985) Comparative limnology of several reservoirs of central
India. Int. *Review of Hydriobiol.* 70(6):845-856.
- 129) Usha R., Ramalingam K and Bharathi U. D. (2006) Freshwater lakes – A
potential source for aquaculture activities - A model study on
Perumal lake, Cuddalore, Tamil Nadu. *J. Environ. Biol.* 27, 713-722.
- 130) Van Nguyen V. and Wood E. F. (1979) On morphology of summer algae
dynamics in non-stratified lakes. *Eco Modelling.* 6:17-131.

- 131) Vasanthkumar B. and Vijaykumar K. (2010) Diurnal variation of physico-chemical properties and primary productivity of phytoplankton in Bheema river. *Rec. Res. Sci. Tech.* 3:39-42.
- 132) Venkateswarlu V. (1969) An ecological study of the algae of the river Moosi, Hyderabad (India) with special reference to water pollution-I: Physico-chemical complexes. *Hydrobiologia* 33:117-43.
- 133) Verbrugge L. M., Rainey J. J., Reimink R. L. and Blankespoor H. D. (2004) Swimmer's itch: Incidence and risk factors. *American Journal of Public Health* 94: 738-741.
- 134) Verma S. (2010) Biological impact assessment of Industrial pollution in lentic ecosystem: In situ and experimental evolution. Ph. D. Thesis M. S. University of Baroda, Vadodara, India.
- 135) Voznaya N.F. (1981) Chemistry of water and microbiology (translation from Russain by Alexander Rosinkin), Mir Publishers, Moscow. P. 347.
- 136) Water and Rivers Commission (1997) Water facts 3: River and estuary pollution. Perth: Water and Rivers Commission.
- 137) WISA (2002).Water Institute of Southern Africa. IWA Publishing centre.p-196
- 138) Walkley A and Black I. A. (1935) An examination of methods for determination of organic carbon and nitrogen in soils. *Australian journal of agriculture research* 10: 340-352.

- 139) Welch P. S. (1952) Limmnolgy. McGraw Hill book Company, New York, Toronto and London (2nd Ed), pp538.
- 140) Welcome R. L. (1979) Fisheries Ecology of Flood Plain Rivers. Longman Press, London, pp: 317.
- 141) Wetzel R. G. (1975) Limnology W. B. Saunders Company, Toronto, pp 1-743.
- 142) Wetzel R. G. (1983) Limnology, 2nd ed. W. B. Saunders, Coll. Publ. pp 267.
- 143) Zaffar A. R. (1964) On the ecology of algae in certain fish ponds of Hyderabad, India. iii. Periodicity. *Hydrobiologia*, 30(1):96-112.
- 144) Zafar A. and Sultana N. (2008) Seasonal Methods for examination of water and waste water. 20th Ed. Washington D. C.
- 145) Zahoor P, Imtiyaz T, Mudgal L. K. and Seddique A. (2010) Distribution of Molluscans in Narmada River, India. *Researcher* 2(10):41-46.
- 146) Zamaxaka M., Pironcheva G., and Muyima N. Y. O. (2004) Microbiological and physico-chemical assessment of the quality of domestic water sources in selected rural communities of the Eastern Cape Province. South Africa.
- 147) Zutshi D. P. and Khan A. V. (1998) Eutrophic gradient in Dal Lake, Kashmir, India: *Indian J. Env. Health*, 30(4):348-354.