

REFERENCES

TESTICULAR TOXICITY OF METHYLMERCURY: ANALYSIS OF CELLULAR DISTRIBUTION PATTERN AT DIFFERENT STAGES OF THE SEMINIFEROUS EPITHELIUM

K. D. VACHHRAJANI,* A. ROY CHOWDHURY,† and K. K. DUTTA*

*Inhalation Toxicology Laboratory, Industrial Toxicology Research Centre, Lucknow, (U.P.) India
†National Institute of Occupational Health, Ahmedabad, India

Toxicol Ind Health. 1992 Nov-Dec;8(6):377-406.

Arch Environ Contam Toxicol 53: 667-677 (2007)
DOI 10.1016/j.aecet.2007.03.010

Effects of Subchronic Exposure via Drinking Water to a Mixture of Eight Water-Contaminating Metals: A Biochemical and Histopathological Study in Male Rats

A weight-of-evidence approach for interactions in chemical mixtures.

Mumtaz MM, Durkin PR.

United States Environmental Protection Agency Office of Research and Development, Cincinnati, Ohio, USA.

NTP Technical Report on Toxicity Studies of

A Chemical Mixture of 25 Groundwater Contaminants

Administered in Drinking Water to F344/N Rats and B6C3F₁ Mice

REPRODUCTION 43: 525-542 (1990)

Quantitative and Qualitative Characteristics of the Stages and Transitions in the Cycle of the Rat Seminiferous Epithelium: Light Microscopic Observations of Perfusion-Fixed and Plastic-Embedded Testes¹

REX A. HESS²

Department of Veterinary Biosciences, University of Illinois, Urbana, Illinois 61801

LOW DOSE HETEROGENEOUS CHEMICAL MIXTURE EXPOSURE FOR THE DURATION OF ONE SEMINIFEROUS EPITHELIAL CYCLE IMPAIRS SPERMATOGENESIS AND INDUCE OXIDATIVE STRESS IN RAT TESTIS

MORYA, K. AND VACHHRAJANI, K. D.

Division of Environment and Toxicology, Department of Zoology, Faculty of Science, The Maharaja Sayajirao University of Baroda, Vadodra, Gujarat, India. E-mail: kmorya@gnail.com

Estimation of Toxicity of Chemical Mixtures through Modeling of Chemical Interactions

M.M. Mumtaz,¹ C.T. De Rosa,¹ J. Groten,² V.J. Feron,² H. Hansen,¹ and P.R. Durkin³

¹Division of Toxicology, Agency for Toxic Substances and Disease Registry, Atlanta, Georgia; ²Toxicology Division, TNO Nutrition and Food Research Institute, Zeist, The Netherlands; ³Syracuse Environmental Research Associates, Syracuse, New York

Abadin HG, Murray EH and Wheeler JS: The use of hematological effects in the development of minimal risk levels. *Reg Toxicol Pharmacol*, 28:61-66 (1998).

Aboua YG, du Plessis SS and Brooks N: Impact of organic hydroperoxides on rat testicular tissue and epididymal sperm. *African J Biotech*, 8: 6416-6424 (2009).

Adewole SO, Salako AA, Doherty OW and Naicker T: Effect of melatonin on carbon tetrachloride-induced kidney injury in wistar rats. *African J Biomed Res*, 10: 153-164 (2007).

Adeyemi O, Oloyede OB. and Oladiji AT: Effect of leachate-contaminated groundwater on the growth and blood of albino of rats. *Int J Hematol*, 3: 1-6 (2007).

Agency for Toxic Substances and Disease Registry: Toxicological Profile for Chromium. US Department of Health and Human Services, Public Health Service, (1998).

Agency for Toxic Substances and Disease Registry: Toxicological profile for di-n-butyl phthalate. US Department of Health and Human Services, Public Health Service, (2001).

Aiso S, Arito H, Nishizawa T, Nagano K, Yamamoto S and Matsushima T: Thirteen week inhalation toxicity of p-dichlorobenzene in mice and rats. *J Occup Health*, 47: 249-260 (2005).

Aitken RJ and Roman SD: Antioxidant systems and oxidative stress in the testes. *Oxid Med Cell Longev*, 1: 15–24 (2008).

Al-Attar AM: Hepatoprotective influence of vitamin c on thioacetamide-induced liver cirrhosis in wistar male rats. *J Pharmacol Toxicol*, 6: 218-233 (2011).

Akbarsha MA and Averal HI: Male reproductive toxicity of vincristine: ultra structural changes in the epididymal principle cells. *Biomed Lett*, 57: 159-69 (1998).

Akbarsha MA and Shivasamy P: Male reproductive toxicity of phosphamidon: Histological changes in epididymis. *Indian J Exp Biol*, 36: 34-38 (1998).

Aleynik SI, Leo MA, Ma X, Aleynik MK and Lieber CS: Polyenylphosphatidycholine prevents carbon tetrachloride-induced lipid peroxidation while it attenuates liver fibrosis. *J Hepatol*, 27: 554-561 (1997).

Al-Madani WA, Siddiqi NJ and Alhomida AS: Renal toxicity of mercuric chloride at different time intervals in rats. *Biochemistry Insights*, 2: 37-45 (2009).

Aly AAH and Domènech O: Aroclor 1254 induced cytotoxicity and mitochondrial dysfunction in isolated rat hepatocytes. *Toxicology*, 262:175-183 (2009).

Ambali SF, Onukak C, Idris SB, Yaqub LS, Shittu M, Aliyu H and Kawu MU: Vitamin C attenuates short-term hematological and biochemical alterations induced by acute chlorpyrifos exposure in Wistar rats. *J Med Medical Sci*, 10: 465-477 (2012).

Ames BN and Gold LS: chemical carcinogenesis: too many rodent carcinogens. *Proc Natl Acad Sci*, 87: 7772-7776 (1990).

Anane R, and Creppy EE: Lipid peroxidation as pathway of aluminium cytotoxicity in human skin fibroblast cultures: prevention by superoxide dismutase+catalase and vitamins E and C. *Hum Exp Toxicol*, 20: 477-481 (2001).

Aruldas MM, Subramanian S, Sekar P, Vengatesh G, Chandrahasan G, Govindarajulu P and Akbarsha MA: Chronic chromium exposure-induced changes in testicular histoarchitecture are associated with oxidative stress: study in a non-human primate (*Macaca radiata* Geoffroy). *Human Reprod*, 20: 2801–2813 (2005).

Asagba SO and Eriyamremu GE: Oral Cadmium Exposure Alters haematological and liver function parameters of rats fed a Nigerian-like diet. *J Nutritional Environ Med*, 16: 267–274 (2007).

Asklund C, Jørgensen N, Jensen TK and Skakkebaek NE: Biology and epidemiology of testicular dysgenesis syndrome. *BJU Int*, 93: 6 -11 (2004).

Atangwho IJ, Ani IF, Agiang MA, Effiong GS and Ebong PE: Comparative effect of chlorpropamide and combined leaf extracts of *Azadirachta indica* and *Vernonia amygdalina* on blood glucose and biochemical parameters of alloxanized rats. *J Med Med Sci*, 1: 248-253 (2010).

Atreja SK and Anand SR: Phospholipase and lysophospholipase activities of goat spermatozoa in transit from the caput to the cauda epididymis. *J Reprod Fertil*, 74: 687–691 (1985).

Awad M and William Jr: Textbook of biochemistry with clinical correlation. John Wiley and Sons, INC, Newyork (1997).

Ayala-Fierro F, Baldwin AL, Wilson LM, Valeski JE and Carter DE: Structural alterations in the rat kidney after acute arsenic exposure. *Lab Invest*, 80: 87-97 (2000).

Aziz IIA and Zabut BM: Determination of blood indices of albino rats treated with aluminum chloride and investigation of antioxidant effects of vitamin E and C. *Egyptian J Biol*, 13: 1-7 (2011).

Aziz IIA, Al Agha SZ and Shehwan Oa: Hematological and biochemical studies for gasoline toxicity among gasoline workers in Gaza strip. J. Al-Aqsa Univ, 10: 41-58 (2006).

Aziz N, Saleh RA, Sharma RK, Lewis-Jones I, Esfandiari N, Thomas AJ and Agarwal A: Novel association between sperm reactive oxygen species production, sperm morphological defects, and the sperm deformity index. Fert Ster, 2: 621-627 (2004).

Baars AJ and Breimer DD: The glutathione S-transferases: their role in detoxification and toxification of xenobiotics. Ann Biol Clin, 38:49-56 (1980).

Bambino TH and Hsueh AJ: Direct inhibitory effect of glucocorticoids upon testicular lutenizing hormone receptor and steroidogenesis in vivo and in vitro. Endocrinol, 108: 2142-2148 (1981).

Bao AM, Man XM, Guo XJ, Dong HB, Wang FQ, Sun H, Wang YB, Zhou ZM and Sha JH : Effects of di-n-butyl phthalate on male rat reproduction following pubertal exposure. Asian J Androl, 13: 702–709 (2011).

Batt A and Ferrari L: Manifestation of chemically induced liver damage. Clin Chem, 41: 1882-1887 (1995).

Beatty CH, Basinger GM, Dully CC and Bocek RM: Comparison of red and white voluntary skeletal muscles of several species of primates. J Histochem Cytochem, 14: 590-600 (1966).

Bekheet SHM: Cadmium chloride rapidly alters both BTB tight junction proteins and germ cells in young rat testes. Egypt Acad J biolog, Sci, 2: 59-74 (2010).

Benjamin N, Kushwah A, Sharma RK and Katiyar AK: Histopathological changes in liver, Kidney and muscles of pesticides exposed malnourished and diabetic rats. Indian J Exp Biol, 44: 228-232 (2006).

Benoff D, Jacob A and Hurley IR: Male infertility and environmental exposure to lead and cadmium. *Human Reprod Update*, 6:107-121 (2000).

Bertazzi PA, Bernucci L, Brambilla G, Consonni D and Pesatori AC: The Seveso Studies on Early and Long-Term Effects of Dioxin Exposure: A Review. *Environ Health Perspect*, 106: 625-633 (1998).

Bessey OA, Lowry OH, And Brock MJ: A method for the rapid determination of alkaline phosphatase with five cubic millimeters of serum. *J Biol Chem*, 164: 321-329 (1946).

Beutler E, Duron O, and Kelley BM: Improved method for the determination of blood glutathione. *J Lab Clin Med*, 61: 882-888 (1963).

Birnbaum LS: Developmental effects of dioxins. *Environ Health Perspect*, 103: 89-94 (1995).

Blackman SC, Rey JA: Hematologic emergencies: acute anemia. *Clin Ped Emerg Med*, 6:124-137 (2005).

Blount BC, Silva MJ, Caudill SP, Needham LL, Pirkle JL, Sampson EJ, Lucier GW, Jackson RJ and Brock JW: Levels of seven urinary phthalate metabolites in a human reference population. *Environ Health Perspect*, 108: 979-982 (2000).

Bo Nielsen L: Transfer of low density lipoprotein into the arterial wall and risk of atherosclerosis. *Atherosclerosis*, 123: 1-15 (1996).

Boas M, Feldt-Rasmussen U, Skakkebaek NE and Main KM: Environmental chemicals and thyroid function. *European J Endocrinol*, 154: 599–611(2006).

Boekelheide K, Fleming SL, Johnson KJ, Patel SR and Schoenfeld HA: Role of Sertoli cells in injury associated germ cell apoptosis. *Proc Soc Exp Biol and Med*, 225: 105-115 (2002).

Boekelheide K, Neely MD, Sioussat TM: The Sertoli cell cytoskeleton: a target for toxicant-induced germ cell loss. *Toxicol Appl Pharmacol*. 101: 373-389 (1989).

Boekelheide K: Mechanisms of toxic damage to spermatogenesis, *J Natl Cancer Inst Monogr*, 34: 6-8 (2005).

Brilhante O, Stumpp T and Miraglia SM: Long-term testicular toxicity caused by doxorubicin treatment during pre-pubertal phase. *Int J Med Med Sci*, 3: 52-60 (2011).

Brook RD, Franklin B, Cascio W, Hong Y, Howard G, Lipsett M, Luepker R, Mittleman M, Samet J, Smith SC and Tager I: Air pollution and cardiovascular disease: a statement for healthcare professionals from the expert panel on population and prevention science of the American heart association. *Circulation*, 109: 2655-2671 (2004).

Brown WV: High-density lipoprotein and transport of cholesterol and triglyceride in blood. *J Clin Lipidol*, 1: 7-19 (2007).

Brownlee KK, Moore AW and Hackney AC: Relationship between circulating cortisol and testosterone: influence of physical exercise. *J Sports Sci Med*, 4: 76-83 (2005).

Brunstrom B, Lund B, Bergman A, Asplund L, Athanassiadis I, Athanasiadou M, Jensen S and Orberg J: Reproductive toxicity in mink (*Mustela vison*) chronically exposed to environmentally relevant polychlorinated biphenyl concentrations. *Environ Toxicol Chem*, 20: 2318–2327 (2001).

Brzoska MM, Moniuszko-Jakoniuk J, Pilat-Marcinkiewicz B and Sawicki B: liver and kidney function and histology in rats exposed to cadmium and ethanol. *Alcohol and Alcoholism*, 38: 2-10 (2003).

Buege JA and Aust SD: Microsomal lipid peroxidation, *Meth Enzymol*, 52: 302–310 (1978).

Bustos-Obregón E and Hartley R: Ecotoxicology and testicular damage (Environmental Chemical Pollution): a review. *Int J Morphol*, 26: 833-840 (2008).

Carlsen E, Giwercman A, Keiding N and Skakkebaek NE: Evidence for decreasing quality of semen during past 50 years. *Brit Med J*, 305: 609 (1992).

CDC (Center for disease control and prevention): Fourth national report on human exposure to environmental chemicals (2009). Available at: <http://www.cdc.gov/exposurereport/pdf/FourthReport.pdf>

Chan JC: Acid-base disorders and the kidney. *Adv Pediatr*, 30: 401-471 (1983).

Chapin RE, Phelps JL, Schwetz BA and Yang RSH: Toxicology studies of a chemical mixture of 25 groundwater contaminants: III: Male reproduction study in B6C3F₁ mice. *Fund Appl Toxicol*, 13: 388-398 (1989).

Cheng CY, Wong EWP, Lie PPY, Li MWM, Su L, Siu ER, Yan HHY, Mannu J, Mathur PP, Bonanomi M, Silvestrini B and Mruk DD: Environmental toxicants and male reproductive function. *Spermatogenesis*, 1: 2–13 (2011).

Chouhan S and Flora: Arsemic and Fluoride: two major ground water pollutants, *Indian J Exp Biol* 48: 666-678 (2010).

Chowdhury AR: Recent advances in heavy metals induced effect on male reproductive function—a retrospective. *Al Ameen J Med Sci*, 2: 37-42 (2009).

Christ-Crain M, Meier C, Puder J, Staub JJ, Huber PR, Ulrich Keller¹, Müller B: Changes in Liver Function correlate with the Improvement of Lipid Profile after Restoration of Euthyroidism in Patients with Subclinical Hypothyroidism. *EXCLI Journal*, 3:1-9 (2004).

Chukwuand LO and Okhumale BO: Mode of joint action response to binary mixtures of three refined petroleum products by Nile tilapia *Oreochromis niloticus* fingerlings. *Scientific Res and Essay*, 4: 806-811 (2009).

Cornwall GA: New insights into epididymal biology and function. *Human Reprod Update*, 15 (2): 213–227 (2009).

Creasy DM: Evaluation of Testicular Toxicity in Safety Evaluation Studies: The Appropriate Use of Spermatogenic Staging. *Toxicol Pathol*, 25: 119-131 (1997).

Creasy DM: Evaluation of testicular toxicology: A synopsis and discussion of the recommendations proposed by the Society of Toxicologic Pathology. *Birth Defects Research Part B: Dev Rep Toxicol*, 68: 408–415 (2003).

Creasy DM: Pathogenesis of Male Reproductive Toxicity. *Toxicol Path*, 29: 64-76 (2001).

Cristofori P, Zanetti E and Fregona D: Renal proximal tubule segment specific nephrotoxicity: an overview on biomarkers and histopathology. *Toxicol Pathol*, 35: 270-275 (2007).

Crofton KM, Craft ES, Hedge JM, Gennings C, Simmons JE, Carchman RiA, Carter H and DeVito MJ: Thyroid hormone–disrupting chemicals: evidence for dose-dependent additivity or synergism. *Environ Health Perspect*, 113:1549–1554 (2005).

Das Gupta A, Das SN, Dhundasi SA and Das KK: Effect of garlic (*Allium sativum*) on heavy metal (Nickel II and ChromiumVI) induced alteration of serum lipid profile in male albino rats. *Int J Environ Res Public Health*, 5:147-151 (2008).

Das KK, Das SN and Dhundasi SA: Nickel, its adverse health effects & oxidative stress. *Indian J Med Res* 128: 412-425 (2008).

David K and Spady, MD: Reverse cholesterol transport and atherosclerosis regression. *Circulation*, 100: 576-578 (1999).

DeLuca FA: Overview of general physiologic features and functions of vitamin D. *Am J Clin Nutr*, 80:1689S–1696S (2004).

Dentin R, Girard J and Postic C: Carbohydrate responsive element binding protein (ChREBP) and sterol regulatory element binding protein-1c (SREBP-1c): two key regulators of glucose metabolism and lipid synthesis in liver. *Biochim*, 87: 81–86 (2005).

Dey SK, Roy S and Chatterjee AK: Effect of chromium on certain aspects of metabolic toxicities. *Toxicol Mech Method*, 13: 89-95 (2003)

Dias RJ, Bhise SB, Mali KS and Dias FJ: assessment of hepatic function: a review. *Int J Pharma Res Dev*, 1: 1-16 (2009).

Duruibe JO, Ogwuegbu MOC and Egwurugwu JN: Heavy metal pollution and human biotoxic effects. *Int J Phy Sci*, 2: 112-118 (2007).

Dym M and Fawcett DW: The blood-testis barrier in the rat and the physiological compartmentation of seminiferous epithelium. *Bio Reprod* 3: 308-326 (1970).

Eaton DL and Klaassen CD: Principles of toxicology. Casarett and Doull's Toxicology: The Basic Science of Poisons, (C. D. Klaassen, 6th ed.). pp. 11–34. McGraw-Hill, New York (2001).

Ebele OB: Mechanisms of arsenic toxicity and carcinogenesis. *African J Biochem Res*, 3: 232-237 (2009).

Egbowona BF and Mustapha OA: Endocrine disrupting compounds exposure and testis development in mammals. *EXCLI J*, 10:173-191 (2011).

El-Shahawi MS, Hamza A, Bashammakh AS and Al-Saggaf WT: An overview on the accumulation, distribution, transformations, toxicity and analytical methods for the monitoring of persistent organic pollutants. *Talanta* 80: 1587–1597 (2010).

Epstein M: Alcohol's impact on kidney function. *Alcohol Health & Res World*, 21: 84-93 (1997).

Ercal N, Gurer-Orhan H and Aykin-Burns N: Toxic metals and oxidative stress part I: mechanism involved in metal induced oxidative damage. *Curr Top Med Chem*, 1: 529-539 (2001).

Eto K, Tokunaga H, Nagashima K and Takeuchi T: An autopsy case of minamata disease (methylmercury poisoning)--pathological viewpoints of peripheral nerves. *Toxicol Pathol*, 30: 714-722 (2002).

Feron VJ, Cassee FR and Groten JR: Toxicology of chemical mixtures: *Int Pers Environ Health Perspect*, 106: 1281-1289 (1998).

Fiorini C, Tilloy-Ellul A, Chevalier S, Charuel C and Pointis G: Sertoli cell junctional proteins as early targets for different classes of reproductive toxicants. *Repro Toxicol*, 18: 413-421 (2004).

Flora SJS, Mittal M and Mehta A: Heavy metal induced oxidative stress & its possible reversal by chelation therapy. *Indian J Med Res*, 128: 501-523 (2008).

Foley GL: Overview of male reproductive pathology. *Toxicol Pathol*, 29(1):49 – 63 (2001).

Foreman D, Gaylor L, Evans E and Trella C: A modification of the Roe procedure for determination of fructose in tissues with increased specificity. *Anal Biochem*, 56: 584-590 (1973).

Foster PMD, Mylchreest E, Gaido KW and Sar M: Effect of phthalate esters on the developing reproductive tract of male rats. *Human reprod update*, 7: 231-235 (2001).

Foster WG, Maharaj-Briceño S and Cyr DG: Dioxin-induced changes in epididymal sperm count and spermatogenesis. *Environ Health Perspect*, 118:458-464 (2010).

Freidig A, Hofhuis M, Holstijn IV and Hermens J: Glutathione depletion in rat hepatocytes: a mixture toxicity study with α,β -unsaturated esters. *Xenobiotica*, 31: 295-307 (2001).

Fackler OT and Grosse R: Cell motility through plasma membrane blebbing. *J Cell Biol*, 181: 879-884 (2008).

Friedewald WT, Levy RI and Friedrickson DS: Estimation of plasma or serum low density lipoprotein cholesterol concentration without use of preparaline ultracentrifuge. *Clin Chem*, 18: 499-502 (1972).

Fukuoka M, Kobayashi T, Zhou Y and Hayakawa T: Mechanism of testicular atrophy induced by di-n-butyl phthalate in rats. Changes in the activity of succinate dehydrogenase and the levels of transferrin and ferritin in the Sertoli and germ cells. *J Appl Toxicol*, 13: 241-246 (1993).

Galbo H: Influence of aging and exercise on endocrine function. *Int J Sports Nutrit Exer Metabol*, 11: S49- 57 (2001).

Gary K, Diamond L and Zalups R: Understanding renal toxicity of heavy metals. *Toxicol Pathol*, 26: 92-103 (1998).

Germolec DR, Spalding J, Yu HS, Chen GS, Simeonova PP, Humble MC, Bruccoleri A, Boorman GA, Foley JF, Yoshida T and Luster MI: Arsenic enhancement of skin neoplasia by chronic stimulation of growth factors. *Am J Pathol*, 153: 1775-1785 (1998).

Giusti RM, Iwamoto K and Hatch EE: Diethylstilbestrol Revisited: A Review of the Long-Term Health Effects. *Ann Intern Med*, 122:778-788 (1995).

Goyer RA, Liu J and Waalkes MP: Cadmium and cancer of prostate and testis. *Biometals*, 17 : 555-558 (2004).

Graves JW: Diagnosis and Management of Chronic Kidney Disease. *Mayo Clin Proc*, 83:1064-1069 (2008).

Gray LE, Ostby J, Furr J, Price M, Veeramachaneni DNR and Parks L: Perinatal exposure to the phthalates DEHP, BBP and DINP, but not DEP, DMP, or DOTP, alter sexual differentiation of male rats. *Toxicol Sci*, 58: 350-365 (2000).

Griveau JF, Dumont E, Renard P, Callegari JP and Le Lannou D: Reactive oxygen species, lipid peroxidation and enzymatic defence systems in human spermatozoa. *J Reprod Fertil* 103: 17-26 (1995).

Groten JP, Cassee FR, Van Bladeren PJ, De Rosa C, Feron VJ: Mixtures, In *Toxicology*. Marguardt H, Schafer SG, McClellan R and Welsch F. (ed), Academic Press. NY. pp: 257-270 (1999).

Groten JP, Feron VJ and Sühnel J: Toxicology of simple and complex mixtures. *Trends in Pharmacol Sci*, 22: 316-322 (2001).

Groten JP, Schoen ED, Van Bladeren PJ, Frieke Kuper C, Van Zorge JA and Feron VJ: Subacute toxicity of a mixture of nine chemicals in rats: detecting interactive effects with a fractionated two-level factorial design. *Fund Appl Toxicol*, 36: 15-29 (1997).

Gruener N and Lockwood MP: Mutagenic activity in drinking water. *Am J Public Health*, 70: 276-278 (1980).

Guilhermino L, Soares AM, Carvalho AP and Lopes MC: Effects of cadmium and parathion exposure on hematology and blood biochemistry of adult male rats. *Bull Environ Contam Toxicol*, 60: 52-59 (1998).

Gur E and Waner T: The variability of organ weight background data in rats. *Lab Animal*, 27: 65-72(1993).

Habig WH, Pabst MJ and Jakoby W B: Glutathione -s-transferases: the first enzymatic step in mercapturic acid formation. *J Biol Chem*, 249: 7130-7139 (1974).

Hall PF: Testicular steroid synthesis: organization and regulation. In: *The physiology of reproduction*. Edited by Knobil E and Neil JD, Raven Press, New York, vol 1:1335-1362 (1994).

Hanberg A: Toxicology of environmentally persistent chlorinated organic compounds. *Pure Appl Chem*, 68: 1791 -1799 (1996).

Hanukoglu I, Rapoport R, Weiner L and Sklan D: Electron leakage from the mitochondrial NADPH-adrenodoxin reductase-adrenodoxin- P450_{scc} (cholesterol side chain cleavage) system. *Arch Biochem Biophys*, 305: 489-498 (1993).

Haouem S, Najjar MF, El Hani A and Sakly R: Accumulation of cadmium and its effects on testis function in rats given diet containing cadmium-polluted radish bulb. *Exp Toxicol Pathol*, 59: 307-311 (2008).

Hattori H, Suzuki O and Asano M: Identification of cresols and o-dichlorobenzene in stomach content, blood and urine of a cadaver by gas chromatography/ mass spectrometry. *Jpn J Legal Med*, 35: 1-4 (1981).

Hayes RB: The carcinogenicity of metals in humans. *Cancer Cause Control*, 8: 371-385 (1997).

Hederstedt L and Rutberg L: Succinate Dehydrogenase-a Comparative Review. *Microbio Reviews*, 45: 542-555 (1981).

Heindel JJ, Chapin RE, George J, Gulati DK, Fail PA, Barne LH and Yang RSH: Assessment of the reproductive toxicity of a complex mixture of 25 groundwater contaminants in mice and rats. *Toxicol Sci*, 25: 9-19 (1995).

Henkler F and Luch A: Adverse health effects of environmental chemical agents through non-genotoxic mechanisms. *J Epidemiol Community Health*, 65: 1-3 (2011).

Herak-Kramberger CM and Sabolic I: The integrity of renal cortical brush-border and basolateral membrane vesicles is damaged in vitro by nephrotoxic heavy metals. *Toxicology*, 156: 139-147 (2001).

Hess R A: Quantitative and qualitative characteristic of the stages and transition in the cycle of the rat Seminiferous Epithelium: light microscopic observations of perfusion fixed and plastic – embedded testes. *Biol Reprod*, 43: 525-542 (1990).

Hess RA and Nakai M: Histopathology of the male reproductive system induced by the fungicide benomyl. *Histol Histopathol*, 15: 207-224 (2000).

Hess RA: Effects of environmental toxicants on the efferent ducts, epididymis and fertility. *J Reprod Ferti*, 53: 247-259 (1999).

Hissink AM, Van Ommen B and Van Bladeren PJ: Dose-dependent kinetics and metabolism of 1, 2-dichlorobenzene in rat: effect of pretreatment with Phenobarbital. *Xenobiotica*, 26: 89-105 (1996).

Hoffman DS and Killian GJ: Isolation of epithelial cells from the corpus epididymidis and analysis for glycerylphosphocholine, sialic acid and protein. *J Exp Zool*, 217: 93–102 (1981).

Homsby PJ: Steroid and xenobiotic effects on the adrenal cortex: mediation by oxidative and other mechanisms. *Free Rad Biol and Med*, 6 103–115 (1989).

Hotchkiss AK, Parks-Saldutti LG, Ostby JS, Lambright C, Furr J., Vandenberg JG and Gray LE: A mixture of the 7 “antiandrogens” linuron and butyl benzyl phthalate alters sexual differentiation of the male rat in a cumulative fashion. *Biol Rep*, 71: 1852–1861 (2004).

Hotchkiss AK, Rider CV, Furra J, Howdeshell KL, Blystone CR, Wilson VS, and Gray Jr LE: In utero exposure to an AR antagonist plus an inhibitor of fetal testosterone synthesis induces cumulative effects on F1 male rats. *Reprod Toxicol*, 30: 261–270 (2010).

Howdeshell KL, Furr J, Lambright CR, Rider CV, Wilson VS, and Gray LE: Cumulative effects of dibutyl phthalate and diethylhexyl phthalate on male rat reproductive tract development: altered fetal steroid hormones and genes. *Toxicol Sci*, 99: 190–202 (2007).

Howdeshell KL, Wilson VS, Furr J, Lambright CR., Rider CV, Blystone CR, Hotchkiss AK, and Gray LE: A mixture of five phthalate esters inhibits fetal testicular testosterone production in the sprague-dawley rat in a cumulative, dose-additive manner. *Toxicol Sci*, 105: 153–65 (2008).

Huang J, Liao J, Liu Y, Lu S, Chou C, Chan W, Chen S and Ueng T: Motorcycle exhaust induces reproductive toxicity and testicular interleukin-6 in male rats. *Toxicol Sci*, 103: 137–148 (2008).

Hughes MF: Arsenic toxicity and potential mechanisms of action. *Toxicol Letters*, 133: 1-16 (2002).

Ilic V, Bojanic V and Jovic B: Epidemiological and pathogenetic aspects of nickel poisoning. *Acta Medica Mediana*, 46: 37-44 (2007).

Institóris L, Siroki O, Ündeger Ülku, Dési I and Nagymajtenyi L: Immunotoxicological effects of repeated combined exposure by cypermethrin and the heavy metals lead and cadmium in rats. *Int J Immunopharmacol*, 21: 735-743 (1999).

Israni DA, Patel KV and Gandhi TR: Anti-hyperlipidemic activity of aqueous extract of *Terminalia Chebula* & *Gaumutra* in high cholesterol diet fed rats. *Int J Pharma Sci*, 1: 48-59 (2010).

Ita SO and Udofia UA: Comparative study of some haematological parameters in rats following ingestion of crude oil (nigerian bonny light), petrol, kerosene and diesel. *Asian J Biol Sci*, 4: 498-505 (2011).

Jadav SH, Sarkar SN and Tripathi HC: Cytogenic effect of a mixture of selected metals following subchronic exposure through drinking water in male rats. *Indian J Exp Biol*, 44: 997-1005 (2006).

Jadhav SH, Sarkar SN, Patil RD and Tripathi HC: Effects of subchronic exposure via drinking water to a mixture of eight water-contaminating metals: a biochemical and histopathological study in male rats. *Arch Environ Contam Toxicol*, 53: 667–677 (2007).

Jaeschke H: Mechanisms of oxidant stress-induced acute tissue injury. *Exp Biol Med*, 209: 104-111 (1995).

Jana K, Jana S and Samanta PK: Effects of chronic exposure to sodium arsenite on hypothalamo-pituitary-testicular activities in adult rats: possible an estrogenic mode of action. *Reprod Biol Endocrinol*, 4: 9 (2006).

Janicka K and Cempel M: Effect of Nickel (II) Chloride oral exposure on urinary nickel excretion and some other elements. *Polish J Environl Stud*, 12: 563-566 (2003).

Jarrar BM and Mahmoud ZN: Histochemical demonstration of the alteration in the renal dehydrogenase activities induced by lead in wistar albino rats (*Rattus norvegicus*). *J Health Sci*, 48: 106-117 (2000).

Jarup L, Berglund M, Elinder CG, Nordberg G and Vahter M: Health effects of cadmium exposure- a review of the literature and a risk estimate. *Scand J Work Environ Health*, 24: 1-52 (1998).

Ji LL: Oxidative stress during exercise implication of antioxidant nutrient. *Free Rad Biol Med*, 18: 1079-1086 (1995).

Jia C, Roman C and Hegg CC: Nickel sulfate induces location-dependent atrophy of mouse olfactory epithelium: protective and proliferative role of purinergic receptor activation. *Toxicol Sci*, 115: 547–556 (2010).

Jintana S, Sming K, Krongtong Y and Thanyachai S: Cholinesterase activity, pesticide exposure and health impact in a population exposed to organophosphates. *Int Arch Occup Environ Health*, 82: 833-42 (2009).

Joel S, Landrigan PJ, Baker EL, Orenstein WA and Von Lindern IH: Lead-induced anemia: dose-response relationships and evidence for a threshold. *Am J Pub Health*, 80:165-168 (1990).

Jonker D, Jones MA, Bladeren PJ, Woutersen RA, Til HP and Feron VJ: Acute (24 hr) toxicity of a combination of four nephrotoxicants in rats compared with the toxicity of the individual compounds. *Food Chem Toxicol*, 31: 45-52 (1993).

Jonker D, Woutersen RA and Feron VJ: Toxicity of mixtures of nephrotoxicants with similar or dissimilar mode of action. *Food Chem Toxicol*, 34: 1075-1082 (1996).

Joven J, Cliville X and Camps J: Plasma protein abnormalities in nephrotic syndrome: effect on plasma colloid osmotic pressure and viscosity. *Clini Chem*, 43: 1223–1231 (1997).

Jurewicz J and Hanke W: Exposure to phthalates: reproductive outcome and children health. A review of epidemiological studies: *Int J Occup Med Environ Health*, 24: 115-41 (2011).

Takeyama M and Tohyama C: Developmental neurotoxicity of dioxin and its related Compounds. *Industrial Health*, 41: 215–230 (2003).

Kako M, Toda G, Torii M, Kimura H, Miyake K, Suzuki H and Oda T: Electron microscopic studies on hepatic alkaline phosphatase in experimentally induced biliary obstruction of the rat. *J Gastroenterology*, 15: 600-605 (1980).

Kamanyire R and Karalliedde L: Organophosphate toxicity and occupational exposure. *Occupational Medicine*, 54: 69–75 (2004).

Kaoud HA, Kamel MM, Abdel-Razek AH, Kamel GM and Ahmed KA: Neurobehavioural, neurochemical and neuromorphological effects of cadmium in male rats. *J American Sci*, 6: 189-202 (2010).

Kertai E, Hollosi G, Kovacs J and Varga V: Effect of glycerol-induced acute renal failure and di-2-ethylhexyl phthalate on the enzymes involved in biotransformation of xenobiotics. *Acta Physiol Hung*, 87: 253-65 (2000).

Khan MSH, Mostofa M, Jahan MS, Sayed MA and Hossain MA: Effect of garlic and vitamin b-complex in lead acetate induced toxicities in mice. *Bangl J Vet Med*, 6: 203–210 (2008).

Khargarot BS and Ray PK: Acute toxicity and toxic interaction of chromium and nickel to common guppy *Poecilia reticulata* (Peters). *Bull Environ Contam Toxicol*, 44: 832-839 (1990).

Kini RD, Nayanatara AK, Ramswam C, Shiela RP, Ramesh BM, Venkappa SM: Infertility in male induced by cadmium chloride: role of ascorbic acid. *J Chinese Clinical Medicine*, 4: 616-621 (2009).

Knobil E and Neil JD: The physiology of reproduction. JD, Raven Press, New York, vol 1:1335-1362 (1994).

Koeppen BM: Renal regulation of acid-base balance. *Am J Physiol* 275: S132–S141 (1998).

Könemann H: Fish toxicity tests with mixtures of more than two chemicals: A proposal for a quantitative approach and experimental results. *Toxicology*, 19: 229-238 (1981).

Kortenkamp A: Low dose mixture effects of endocrine disrupters: implications for risk assessment and epidemiology. *International Journal of Andrology* Volume 31: 233–240 (2008).

Kostyniak PJ, Hansen LG, Widholm JJ, Fitzpatrick RD, Olson JR, Helferich JL, Kim KH, Sable HJK, Seegal RF, Pessah IN and Schantz SL: Formulation and characterization of an experimental pcb mixture designed to mimic human exposure from contaminated fish. *Toxicol sci*, 88: 400–411 (2005).

Koyuturk M, Yanardag R, Bolkent S and Tunali S: The potential role of combined anti-oxidants against cadmium toxicity on liver of rats. *Indust Health*, 23: 393—401 (2007).

Ksheerasagar RL, Hiremath MB and Kaliwal BB: Durational exposure of carbosulfan induced effect on kidney, biochemical contents and enzyme activities in albino mice. *World J Sci Tech*, 1: 43-55 (2011).

Ksheerasagar RL, Hiremath MB and Kaliwal BB: Impairment of hepatic biochemical contents and enzymes activities during carbosulfan intoxication in albino mice. *Int Multidisci Res J*, 1: 06-15 (2011).

Kuester RK, Waalkes MP, Goering PL, Fisher BL, McCuskey RS and Sipes IG: Differential hepatotoxicity induced by cadmium in Fischer 344 and Sprague-dawley rats. *Toxicol Sci*, 65: 151-159 (2002).

Kumagai S and Matsunaga I: Quantitative determination of urinary metabolites of o-dichlorobenzene using a gas chromatograph. *Ind Health*, 35: 399-403 (1997).

Kumagai S and Matsunaga I: Identification of urinary metabolites of human subjects exposed to o-dichlorobenzene. *Int Arch Occup Environ Health*, 67: 207-209 (1995).

Kumagai Y and Taguchi K: Toxicological effects of polycyclic aromatic hydrocarbon quinones contaminated in diesel exhaust particles. *Asian J Atmospheric Environ*, 1: 28-35 (2007).

Kumar G, Sharmila Banu G, Kannan V and Rajasekara PM: Antihepatotoxic effect of α -carotene on paracetamol induced hepatic damage in rats. *Ind J Exp Biol*, 43: 351-355 (2005).

Labunska I, Stephenson A, Brigden K, Santillo D, Stringer R, Johnston PA and Ashton JM: Toxic Hotspots: A Greenpeace Investigation of Gujarat Industrial Estates. Technical Note, No: 5/99, Greenpeace Research Laboratories, Exeter (1999).

Lacasaña M, López-Flores I, Rodríguez-Barranco M, Aguilar-Garduño C, Blanco-Muñoz J, Pérez-Méndez O, Gamboa R, Bassol S and Cebrian ME: Association between organophosphate pesticides exposure and thyroid hormones in floriculture workers. *Toxicol Appl Pharmacol*, 15: 19-26 (2010).

Lah B, Zinko B, Narat M and Marinsek-Logar M: Monitoring of genotoxicity in drinking water using in vitro comet assay and ames test. *Food Technol Biotechnol*, 43: 139–146 (2005).

Langard S: Role of chemical species and exposure characteristics in cancer among persons occupationally exposed to chromium compounds. *Scand J Work Environ Health*, 19 suppl 1: 81-89(1993).

Lash LH: Role of Renal Metabolism in Risk to Toxic Chemicals. *Environ Health Perspect*, 102: 75-79 (1994).

Leblond CP and Clermont Y: Definition of the stages of the cycle of the seminiferous epithelium in the rat. *Ann NY Acad Sci*, 55: 548-573 (1952).

Levy LS, Martin PA and Bidstrup P L: Investigation of the potential carcinogenicity of a range of chromium containing materials on rat lung. *British J Indus Med*, 43: 243-256 (1986).

Li H, Chen Q, Li S, Yaof W, Li L, Sh X, Wang L, Castranova V, Vallyathan V, Ernst E and Chen C: Effect of Cr(VI) exposure on sperm quality: human and animal studies. *Ann occup Hyg*, 45: 505-511 (2001).

Li Q and Kawada T: The mechanism of organophosphorus pesticide-induced inhibition of cytolytic activity of killer cells. *Cell Mol Immunol*, 3: 171-178 (2006).

Li Q: New mechanism of organophosphorus pesticide-induced immunotoxicity. *J Nippon Med Sch*, 74: 92-105 (2007).

Linou A, Petralias A, Christophi CA, Christoforidou E, Kouroutou P, Stoltidis M, Veloudaki A, Tzala E, Makris KC and Karagas MR: Oral ingestion of hexavalent chromium through drinking water and cancer mortality in an industrial area of Greece - An ecological study. *Environ Health*, 10: doi: 10.1186/1476-069X-10-50 (2011).

Lock EA and Reed CJ: Xenobiotic metabolizing enzymes of the kidney. *Toxicol Pathol*, 26: 18-25 (1998).

Long WP, Grant MP, TSAI JC and Perdew GH: Protein Kinase C activity is required for aryl hydrocarbon receptor pathway-mediated signal transduction. *Mol Pharmacol*, 53: 691–700 (1998).

Lovekamp-Swan T and Davis BJ: Mechanisms of phthalate ester toxicity in the female reproductive system. *Environ Health Perspect*, 111: 139–145 (2003).

Lowry OH, Rosebrough NJ, Farr AL, and Randall RJ: Protein measurement with the folin phenol reagent. *J Biol Chem*, 193: 265-275 (1951).

Mailankot M, Jayalekshmi H, Chakrabarti A and Vasudevan DM: Effect of exogenous L-ornithine L-aspartate on ethanol induced testicular injury in wistar rats. *Indian J Clin Biochem*, 24: 94-97 (2009).

Mandal PK: Dioxin: a review of its environmental effects and its aryl hydrocarbon receptor biology. *J Comp Physiol B*, 175: 221-230 (2005).

Mandal TK and Das NS: Correlation of testicular toxicity and oxidative stress induced by chlorpyrifos in rats. *Hum Exp Toxicol*, 30: 1529-1539 (2011).

Mansour SA and Mossa AH: Comparative effects of some insecticides as technical and formulated on male albino rats. *J Egypt Soc Toxicol*, 32: 41–54 (2005).

Marettová E, Marett M and Legáth J: Changes in the peritubular tissue of rat testis after cadmium treatment. *Biol Trace Elem Res*, 134: 288-295 (2004).

Marklund S and Marklund G: Involvement of the superoxide anion radical in the auto oxidation of pyrogallol and a convenient assay for superoxide dismutase. *Eur J Biochem*, 47: 469-474 (1974).

Marouani N, Tebourb O, Mokni M, Yacoubi MT, Sakly M, Benkhalifa M and Rhouma KB: Embryotoxicity and fetotoxicity following intraperitoneal administrations of hexavalent chromium to pregnant rats. *Zygote*, 19: 229-235 (2011).

Mason KE, Brown JA, Young JO and Nesbit RR: Cadmium-induced injury of the rat testis. *The Anatomical Record*, 149: 135–147, (1964).


Mastrangelo G, Fadda E and Marzia V: Polycyclic aromatic hydrocarbons and cancer in man. *Environ Health Perspect*, 104: 1166-1170 (1996).

McDermott C, Allshire A, Pelt FV and Heffron JJA: In Vitro exposure of jurkat t-cells to industrially important organic solvents in binary combination: interaction analysis. *Toxicol sci*, 101: 263–274 (2008).

Menkveld R, Holleboom CAG and Rhemrev JPT: Measurement and significance of sperm morphology. *Asian J Andro*, 13: 59–68 (2011).

Michalowicz J and Duda W: Phenols – sources and toxicity. *Polish J Environ Stud*, 16: 347-362 (2007).

Miller MT and Stromland K: Teratogen update: thalidomide: a review, with a focus on ocular findings and new potential uses. *Teratology* 60:306–321 (1999).



Mishra S, Dwivedi SP and Singh RB: a review on epigenetic effects of heavy metal carcinogens on human health. The Open Nutraceuticals J, 3: 188-193 (2010).

Moffit JS, Bryant BH, Hall SJ and Boekelheide K: Dose-Dependent Effects of Sertoli Cell Toxicants 2,5-Hexanedione, Carbendazim, and Mono-(2-ethylhexyl) phthalate in Adult Rat Testis. Toxicol Pathol, 35: 719-727 (2007).

Mohammad FS: Cadmium induced renal toxicity in male rats, Rattus rattus. Eastern J Med, 15: 93-96 (2010).

Moss, DW and Henderson AR: Enzymes. In: Tietz fundamental of clinical chemistry 4th edn, Tietz NW (ed) W.B Saunders Company Philadelphia pp: 283-335 (1996).

Moustafa SA: Glucose intolerance due to heavy metals intoxication in the rat. Egyptian J Hospital Med, 10: 27-33 (2003).

Mugahi MN, Heidari Z, Sagheb HM, Barbarestani M: Effects of chronic lead acetate intoxication on blood indices of male adult rat. DARU, 11: 147-151 (2003).

Mukherjee S and Mukhopadhyay PK: Studies on arsenic toxicity in male rat gonads and its protection by high dietary protein supplementation. Al Ameen J Med Sci, 2: 73 -77 (2009).

Mumtaz MM, De Rosa CT, Groten J, Feron VJ, Hansen H and Durkin RR: Estimation of toxicity of chemical mixtures through modeling of chemical interactions. Environ Health Perspect, 106:1353-1360 (1998).

Mumtaz MM, Sipes G and Yang R S H: Risk assessment of chemical mixtures: biologic and toxicologic issues. Fund Appl Toxicol, 21: 258-269 (1993).

Mumtaz MM: Principles and Practice of Mixtures Toxicology. Edited by Moiz Mumtaz, WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim ISBN: 978-3-527-31992-3 (2010).

Muriel P: Role of free radicals in liver diseases. *Hepatol Int*, 3:526–536 (2009).

Murthy RC, Saxena DK, Gupta SK and Chandra SV: Ultra structural observations in testicular tissue of chromium-treated rats. *Reprod Toxicol*, 5: 443-447 (1991)

Murugesan V, Balaganesh M, Balasubramanian K and Arunakaran J: Effects of polychlorinated biphenyl (Aroclor 1254) on steroidogenesis and antioxidant system in cultured adult rat Leydig cells. *J of Endocrin*, 192: 325–338 (2007).

Mylchreest E, Wallace DC, Cattley RC and Foster PMD: Dose dependent alterations in androgen-regulated male reproductive development in rats exposed to di (n-butyl) phthalate during late gestation. *Toxicol Sci*, 55:143-151(2000).

Nair N, Bedwal S, Kumari D, Bedwal S and Bedwal RS: Effect on histological and sperm kinetics in DBP exposed Wistar rats. *J Environ Bio*, 29: 769-772 (2008).

Nanda A: Studies on the impact of pollution on the invertebrate diversity of Mahi River. Ph.D Thesis, The M. S University of Baroda, Vadodara (2002).

Naraysn S and Roy D: Changes in protein and nonprotein thiol contents in bladder, kidney and liver of mice by the pesticide sodium-o-phenylphenol and their possible role in cellular toxicity. *Biochem Int*, 26: 191-198 (1992).

NTP (National toxicological program): Technical Report on Toxicity Studies of a chemical mixture of 25 groundwater contaminants administered in drinking water to F344/N Rats and B6C3F1 mice. NIH Publication 93-3384 (1993).

NTP (National toxicology program): Toxicity studies of dibutyl phthalate (CAS No 84-74-2) administered in feed to F344/N rats and B6C3F1 mice. NITS publication No PB95-232427, US Department of commerce, Springfield, VA, (1995).

NTP (National toxicology program): Toxicology and carcinogenesis studies of 1, 2-dichlorobenzene (o-dichlorobenzene) (CAS NO 95-50-1) in F344/N rats and B6C3F1 mice. NIH publication No 86-2511, US Department of Health and Human Services, Public Health Service, (1985).

Nett TM, Turzillo AM, Baratta M, Rispoli LA: Pituitary effects of steroid hormones on secretion of follicle-stimulating hormone and luteinizing hormone. *Domest Anim Endocrinol*, 23: 33-42 (2002).

Nguyen T, Jung E, Yang H, Hyun S, Choi K and Jeung E: Potential endocrine disrupting effects of phthalates in in vitro and in vivo models. *J Emb Trans*, 25: 207-213 (2010).

Odigie IP, Ladipo CO, Ettarh RR and Izegbu MC: Effect of chronic exposure to low levels of lead on renal function and renal ultrastructure in SD rats. *Nigerian J Physiol Sci*, 19: 27- 32 (2004).

O'Flaherty EJ: Chromium as an essential and toxic metal. *Scand J work Environ Health*, 19: 124-125 (1993).

Ognjanovic BI, Pavlovic SZ, Maletic SD, Zikic RV, Stajn A, Radojicic RM, Saicic ZS and Petrovic VM: Protective influence of vitamin E an antioxidant defence system in the blood of rats treated with cadmium. *Physiol Res*, 52: 563-570 (2003).

Ohta H, Yamauchi Y, Nakakita M, Tanaka H, Asami S, Seki Y and Yoshikawa H: Relationship between renal dysfunction and bone metabolism disorder in male rats after long term oral quantitative cadmium administration. *Industrial Health*, 38: 339-355 (2000).

Okamura A, Kamijima M, Ohtani K, Yamanoshita O, Nakamura D, Ito Y, Miyata M, Ueyama J, Suzuki T, Imai R, Takagi K and Nakajima T: Broken sperm, cytoplasmic droplets and reduced sperm motility are principal markers of decreased sperm quality due to organophosphorus pesticides in rats. *J Occup Health*, 51: 478-87 (2009).

Okuno Y and Miyata K: Effects of an Endocrine Disruptor on Male Reproductive Organs. *J Toxicol Pathol*, 14: 79 (2001).

Ombelet W, Menkveld R, Kruger TF and Steeno O: Sperm morphology assessment: historical review in relation to fertility. *Hum Reprod Update*, 1: 543-557 (1995).

Onwuka FC, Erhabor O, Eteng MU and Umoh IB: Ameliorative effect of cabbage extract on cadmium induced changes on hematology and biochemical parameters of albino rats. *J Toxicol Environ Health Sci*, 2: 11-16 (2010).

Pandya C, Pillai P, Nampoothiri LP, Bhatt N, Gupta S and Gupta S: Effect of lead and cadmium co-exposure on testicular steroid metabolism and antioxidant system of adult male rats. 43: doi: 10.1111/j.1439-0272.2010.01137 (2011).

Pant N, Shukla M, Patel DK, Shukla Y, Mathur N, Gupta YK and Saxena DK: Correlation of phthalate exposures with semen quality. *Toxicol Appl Pharmacol*, 231: 112-116 (2008).

Patel SP and Katyare SS: A comparative study of reactive oxygen species (ROS) related parameters in rat tissues. *Ind J Clini Biochem*, 21: 48-53 (2006).

Patnaik BB, Roy A, Agarwal S and Bhattacharya S: Induction of oxidative stress by non-lethal dose of mercury in rat liver: Possible relationships between apoptosis and necrosis. *J Environ Biol*, 31: 413-416 (2010).

Patra RC, Rautray AK and Swarup D: Oxidative stress in lead and cadmium toxicity and its amelioration. *Vet Med Int*, 20: (2011).

Patrick-Iwuanyanwu KC, Onyemaenu CC, Wegwu MO and Ayalogu EO: Hepatotoxic and nephrotoxic effects of kerosene and petrol-contaminated diets in wistar albino rats. *Res J Environ Toxicol*, 5: 49-57 (2011).

Payne AH & Hales DB: Overview of steroidogenic enzymes in the pathway from cholesterol to active steroid hormones. *Endo Reviews*, 25: 947–970 (2004).

Pearson S, Stern S and McGavak TH: Rapid, accurate method for the determination of total cholesterol in serum. *Anal Chem*, 25: 813-814 (1953).

Peltola V, Huhtaniemi I, Metsa-Ketela T, and Ahotupa M: Induction of lipid peroxidation during steroidogenesis in the rat testis. *Endocrinol*, 137: 105-112 (1996).

Penning TM: Molecular endocrinology of hydroxysteroid dehydrogenases. *Endocrine Reviews*, 18: 285-305 (1997).

Perazella MA: Renal vulnerability to drug toxicity. *Clin J Am Soc Nephrol*, 4: 1275–1283 (2009).

Pereira ML, das Neves RP, Oliveira H, Santos TM and de Jesus JP: Effect of Cr (V) on reproductive organ morphology and sperm parameters: An experimental study in mice. *Environ Health Global Access Sci Source*, 4:9 doi: 101186/ 1476-069X-4-9 (2005).

Philbert MA, Billingsley ML and Reuhl KR: Mechanisms of Injury in the central nervous system. *Toxicol Pathol*, 28: 43-53 (2000).

Piña-Guzmán B, Sánchez-Gutiérrez M, Marchetti F, Hernández-Ochoa I, Solís-Heredia MJ and Quintanilla-Vega B: Methyl-parathion decreases sperm function and fertilization capacity after targeting spermatocytes and maturing spermatozoa. *Toxicol Appl Pharma*, 238: 141–149 (2009).

Poli G: Liver damage due to free radicals. *Br Med Bull*, 49: 604-620 (1993).

Pomati F, Orlandi C, Clerici M, Luciani F and Zuccato E: Effects and Interactions in an Environmentally Relevant Mixture of Pharmaceuticals. *Toxicol Sci*, 102: 129–137 (2008).

Poovala VS, Huang H and Salahudeen AK: Role of reactive oxygen metabolites in organophosphate-bidrin-induced renal tubular cytotoxicity. *J Am Soc Nephrol*, 10: 1746-1752 (1999).

Prekeyi TF and Akinjokun AR: Hematotoxicity and hepatotoxicity attributed to zinc and cadmium in the Norwegian rat. *Toxicol Environ Chem*, 90: 733-737 (2008).

Queiroz EK and Waissmann: Occupational exposure and effects on the male reproductive system. *Cad Saúde Pública*, Rio de Janeiro, 22: 485-493 (2006).

Raffaele KC, Vulimiri SV and Bateson TF: Benefits and barriers to using epidemiology data in environmental risk assessment. *The Open Epidemiol J*, 4: 99-105 (2011).

Ramesh B and Satakopan VN: Antioxidant activities of hydroalcoholic extract of *ocimum sanctum* against cadmium induced toxicity in rats. *Indian J Clin Biochem*, 25: 307–310 (2010).

Rao AV and Shaha C: Role of glutathione S-transferases in oxidative stress-induced male germ cell apoptosis. *Free Radical Biol Med*, 29: 1015-1027 (2000).

Rao M, Narayana K, Benjamin S and Bairy KL: L-ascorbic acid ameliorates postnatal endosulfan induced testicular damage in rats. *Indian J Physiol Pharmacol*, 49: 331-336 (2005).

Rao MV and Chhunchha BK: Effects of melatonin on mercury induced endocrine toxicity in the rat. *J Herbal Med Toxicol*, 3: 85-89 (2009).

Rao MV, Parekh SS and Chawla SC: Vitamin E supplementation ameliorates chromium and/or nickel induced oxidative stress in vivo. *J Health Sci*, 52: 142-147 (2006).

Reddy BS, Rozati R, Reddy BV and Raman NV: Association of phthalate esters with endometriosis in Indian women. *BJOG*, 113: 515-20 (2006).

Reddy YVK, Reddy PS and Shivalingam MR: Testosterone mediated partial recovery of carboplatin induced reproductive toxicity in male wistar rats. *J Biomed Sci and Res*, 2: 46-53 (2010).

Reza B, Ali N, Azhdar H, Alireza A and Ali K: Effects of low level lead exposure on blood pressure and function of the rat isolated heart. *Indian J Pharmacol*, 40: 69-72 (2008).

Rhman NHA, Bakhiet AO and Adam SEI: Toxic effects of various dietary levels of combined cadmium chloride and zinc chloride on male Wistar rats. *J Pharmacol Toxicol*, 6: 76-81 (2011).

Rider CV, Wilson VS, Howdeshell KL, Hotchkiss AK, Furr JR, Lambright CR and Gray LE: Cumulative effects of in utero administration of mixtures of "antiandrogens" on male rat reproductive development. *Toxicol Pathol*, 37: 100-113 (2009).

Robaire B and Hermo L: Efferent ducts, epididymis and vas deference: Structure and functions and their regulation. In: *The Physiology of Reproduction*, Knobil E and Neill J (ed.) Raven Press Ltd, New York. pp 999-1080 (1988).

Robinson M, Bercz JP, Rindhand HP, Condie LW and Parnell MJ: Ten- and ninty-day toxicity studies of 1, 2 dichlorobenzene administered by oral gavage to Sprague-dawley rats. *Drug Chem Toxicol*, 14: 83-112 (1991).

Roe JH and Kuether CA: The determination of ascorbic acid in whole blood and urine through the 2, 4-dinitrophenyl hydrazine derivatives of dehydro ascorbic acid. *J Biol Chem*, 147: 399-407 (1943).

Rosenthal T, Younis F and Alter A: Combating combination of hypertension and diabetes in different rat models. *Pharmaceuticals*, 3: 916-939 (2010).

Rotruck JT, Pope AL, Ganther HE, Swanson AB, Hafeman DG and Hoekstra WG: Selenium biochemical role as component of glutathione peroxidase. *Science*, 179: 588-590 (1973).

Roy DN, Sen G, Chowdhury KD and Biswas T: Combination therapy with androGrapholide and d-penicillamine enhanced therapeutic advantage over monotherapy with d-penicillamine in attenuating fibrogenic response and cell death in the periportal zone of liver in rats during copper toxicosis. *Toxicol Appl Pharmacol*, 250: 54-68 (2011).

Russell LD, Goh JC, Rashed RMA and Vogl AW: The consequence of actin disruption at Sertoli cell ectoplasmic spelization sites facing spermatids after in vivo exposure to rat testis to cytochalasin. *Biol Repro*, 39:105-118 (1988).

Saba AB, Oridupa OA, Oyeyemi MO and Osanyigbe OD: Spermatozoa morphology and characteristics of male wistar rats administered with ethanolic extract of *Lagenaria Breviflora* Roberts. *Afri J Biotech*, 8:1170-1175, (2009).

Saboli I: Common Mechanisms in nephropathy induced by toxic metals. *Nephron Physiol*, 104: 107–114 (2006).

Saillenfait A, Payan JP, Fabry JP, Beydon D, Langonne I, Gallissot F and Sabate JP: Assessment of the developmental toxicity, metabolism, and placental transfer of di-n-butyl phthalate administered to pregnant rats. *Toxicol Sci*, 45: 212–224 (1998).

Sanders T, Liu Y, Buchner V and Tchounwou PB: Neurotoxic effects and biomarkers of lead exposure: a review. *Rev Environ Health*, 24: 15–45 (2009).

Sanocka D and Kurpysz M: Reactive oxygen species and sperm cells. *Repro Biol Endocrin*, 2: doi: 10.1186/1477-7827-2-12 (2004).

Saradha B and Mathur PP: Effect of environmental contaminants on male reproduction. *Environ Toxicol Pharmacol*, 21: 34-41 (2006).

Sayim F, Yavasoglu NUK, Uyanikgil Y, Aktug H, Yavasoglu A and Turgut M: Neurotoxic effects of cypermethrin in wistar rats, a hematological, biochemical and histopathological study. *J Health Sci*, 51: 300-307 (2005).

Schecter A, Birnbaum L, Ryan JJ and Constable JD: Dioxins: An overview. *Environ Res*, 101: 419-421 (2006).

Schuhmacher-Wolz U, Dieter HH, Klein D and Schneider K: Oral exposure to inorganic arsenic: evaluation of its carcinogenic and non-carcinogenic effects. *Crit Rev Toxicol*, 39: 271-98 (2009).

Schwarz M and Appel KE: Carcinogenic risks of dioxin: mechanistic considerations. *Reg Toxicol Pharmacol*, 43: 19–34 (2005).

Scott HM, Mason JI and Sharpe RM: Steroidogenesis in the fetal testis and its susceptibility to disruption by exogenous compounds. *Endo Reviews*, 30: 1-49 (2009).

Selvan VT, Manikandan L, Senthil Kumar GP, Suresh R, Kakoti BB, Gomathi P, Kumar DA, Saha P, Gupta M and Mazumder UK: Antidiabetic and antioxidant effect of methanol extract of *Artanema sesamoides* in Streptatozocin-induced diabetic rats. *Int J App Res Nat Pro*, 1: 25-33 (2008).

Seth PK, Srivastava SP, Agrawal DK and Chandra SV: Effects of di (2-ethylhexyl) phthalate on rat gonads. *Environ Res*, 12: 131 (1976).

Shalaby SEM and El-Mageed AEM: Biochemical targets affected by sub acute doses of new pesticide mixtures tested on albino rats. *J Plant Protec Res*, 50: 513-519 (2010).

Sharma A: Environmental Impact Assessment along the effluent channel from Baroda to Jambusar and at its confluence with Mahi estuary at the Gulf of Khambhat with special reference to heavy metals. PhD Thesis, The M S University of Baroda, 1-326 (1995).

Sharma S, Kalpana, Arti, Shweta, Suryavathi V, Singh PK, Ramesh, Shipra and Sharma KP: Toxicity assessment of textile dye wastewater using swiss albino rats. *Australasian J Ecotoxicol*, 13: 81-85 (2007).

Sharpe RM, Fisher JS, Millar MM, Jobling S and Sumpter J: Gestational and lactational exposure of rats to xenoestrogens results in reduced testicular size and sperm production, *Environ Health Pers*, 103: 1136-1143 (1995).

Shelby MD, Tice RR, DeMarini DM and Yang RSH: Toxicity and mutagenicity of a mixture of 25 chemicals found in contaminated groundwater. U. S. Environmental Protection Agency, Washington, DC, EPA/600/D-89/160 (NTIS PB90117284), (1990).

Shetty AK, Kumar GS, Sambaiah K and Salimath PV: Effect of bitter gourd (*Momordica charantia*) on glycaemic status in streptozotocin induced diabetic rats. *Plant Foods Hum Nutr*, 60: 109-112 (2005).

Shivanandappa T and Venketesh S: A colorimetric assay method for 3 β -Hydroxy ⁵-steroid Dehydrogenase. *Anal Biochem*, 254: 57-61 (1997).

Sikka SC and Wang R: Endocrine disruptors and estrogenic effects on male reproductive axis. *Asian J Androl*, 10:134–145 (2008).

Silbergeld EK: Toward the Twenty-First Century: Lessons from Lead and Lessons Yet To Learn. *Environ Health Pers*, 86: 191-196 (1990).

Simmons JE, Yang RS, Svendsgaard DJ, Thompson MB, Seely JC and McDonald A: Toxicology studies of a chemical mixture of 25 groundwater contaminants: hepatic and renal assessment, response to carbon tetrachloride challenge, and influence of treatment-induced water restriction. *J Toxicol Environ Health*, 43: 305-25 (1994).

Simmons JE: Chemical mixtures. Challenge for toxicology and risk assessment. *Toxicology*, 105: 111-119 (1995).

Sinclair S: Male infertility: nutritional and environmental considerations. *Altern Med Rev*, 5: 28-38 (2000).

Sinha K A: Colorimetric assay of catalase. *Anal Biochem*, 47: 389-394 (1972).
Siu ER, Mruk DD, Porto CS and Cheng CY: Cadmium-induced testicular injury. *Toxicol Appl Pharmacol*, 238: 240-249 (2009).

Skakkebaek NE, Rajpert-De Meyts E and Main KM: Testicular dysgenesis syndrome: an increasingly common developmental disorder with environmental aspects. *Human Reprod.*, 5: 972-978 (2001).

Soto AM and Sonnenschein C: Environmental causes of cancer: endocrine disruptor as carcinogens. *Nat Rev Endocrinol*, Doi:10.1038/nrendo.2010.87 (2010).

Stacchiotti A, Lavazza A, Rezzani R, Borsani E, Rodella L and Bianchi R: Mercuric chloride-induced alterations in stress protein distribution in rat kidney. *Histol Histopathol*, 19: 1209-1218 (2004).

Starek A, Miranowicz-Dzierawska K and Starek-wiechowicz B: Interactive effect of combined exposure to ethylene glycol ethers and ethanol on hematological parameters in rats. *Health*, 2: 1054-1064 (2010).

Steinberger E: Current status of studies concerned with evaluation of toxic effects of chemicals on the testes. *Environ Health Pers*, 38: 29-33 (1981).

Stevens KR and Gallo MA: Practical considerations in the conduct of chronic toxicity studies. In: *Principles and Methods of Toxicology* (AW Hayes ed.), Raven Press, 237-250 (1989).

Stevens LA, Josef Coresh J, Greene T and Levey AS: Assessing kidney function- measured and estimated glomerular filtration rate. *N Eng J Med*, 354: 2473-2483 (2006).

Stohs SJ and Bagchi D: oxidative mechanisms in the toxicity of metal ions. *Free Rad Biol Med*, 18: 321-336 (1995).

Stout MD, Herbert RA, Kissling GE, Collins BJ, Travlos GS, Witt KL, Melnick RL, Abdo KM, Malarkey DE and Hooth MJ: Hexavalent chromium is carcinogenic to F344/N rats and B6C3F1 mice after chronic oral exposure. *Environ Health Pers*, 117: 716-722 (2009).

Sturgill MG and Lambert GH: Xenobiotic-induced hepatotoxicity: mechanisms of liver injury and methods of monitoring hepatic function. *Clini Chem*, 43 (8): 1512-1526 (1997).

Sujatha K, Srilatha CH, Anjaneyula Y and Amaravathi P: Lead acetate induced nephrotoxicity in wistar albino rats: A pathological, immunohistochemical and ultrastructural studies. *Internat J Pharma Bio Sci*, 2: 459-469 (2011).

Syberg K, Elleby A, Pedersen H, Cedergreen N and Forbes VE: Mixture toxicity of three toxicants with similar and dissimilar modes of action to *Daphnia magna*. *Ecotoxicol Environ Safety*, 69: 428-436 (2008).

Szelag M, Magdalan J, Maria K, Anna KY, Przemyslaw K and Malgorzata P: Assessment of efficacy of quercetin-5'-sulfonic acid sodium salt in the treatment of acute chromium poisoning: experimental studies. *Pol J Pharmacol*, 55: 1097–1103 (2003).

Talalay P: Hydroxysteroid dehydrogenase. *Methods in Enzymol*, vol 5, Colowick S and Kaplan NO, Accademic Press, NY, 512-516 (1992).

Tanaka A, Matsumoto A and Yamaha T: Biochemical studies on phthalic esters. III. Metabolism of dibutyl phthalate (DBP) in animals. *Toxicology*, 9: 109-23 (1978).

Tarasub N, Tarasub C and Ayutthaya WD: Protective role of curcumin on cadmium-induced nephrotoxicity in rats. *J Environ Chem Ecotoxicol*, 3: 17-24 (2011).

Teichert-Kuliszewska K and Nicholls D: Rat kidney brush border enzyme activity following subchronic oral lead exposure. *Toxicol Appl Pharmacol*, 77: 211-218 (1985).

Thomas WH, Hollibaughl JT, Seibertl DLR and Wallace GT: Toxicity of a Mixture of Ten Metals to Phytoplankton. *Mar Ecol Prog*, 2: 213-220 (1980).

Thyagaraju BM and Muralidhara: Vulnerability of Prepubertal Mice Testis to Iron Induced Oxidative Dysfunctions In Vivo and Functional Implications. *Int J Fert Ster*, 1: 145-154 (2008).

Toft G, Hagmarb L, Giwercmanc A and Bonde JP: Epidemiological evidence on reproductive effects of persistent organochlorines in humans. *Rep Toxicol*, 19: 5–26 (2004).

Toppari J, Larsen JC, Christiansen P, Giwercman A, Grandjean P, Guillette LJ, Jégou B Jr., Jensen TK, Jouannet P, Keiding N, Leffers H, McLachlan JA, Meyer O, Müller J, Rajpert-De Meyts E, Scheike T, Sharpe R, Sumpter J and Skakkebaek NE: Male reproductive health and environmental xenoestrogens. *Environ. Hlth. Pers.*, 104: 741–803 (1996).

Transler JM, Hermo L and Robarrie B: Morphological changes in the testis and epididymis of rats treated with cyclophosphamide: A quantitative approach. *Biol Reprod*, 38: 463-476 (1998).

Tsimihodimos V, Mitrogianni Z and Elisaf M: Dyslipidemia Associated with Chronic Kidney Disease. *The Open Cardiovascular Med J*, 5: 41-48 (2011).

Turner TT and Lysiak JJ: Oxidative Stress: A common factor in testicular dysfunction. *J Androl*, 29: 488–498 (2008)

U S Environmental Protection Agency: Guideline for mutagenicity risk assessment federal registered. 51: 34006-34012 (1986 c).

Uboh FE, Asuquo EN, Eteng MU and Akpanyung EO: Endosulfan induces renal toxicity independent of the route of exposure in rats. *Am Biochem Mol Biol*, 4: 359-367 (2011).

US Environmental Protection Agency: Chromium (VI): Health effects summary Tables, U.S. Environmental Protection Agency, Washington, DC, (1991b).

US Environmental Protection Agency: Chromium (VI): integrated risk information system (IRIS), Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Cincinnati, OH, (1991a).

Vachhrajani KD and Dutta KK. Stage specific effect during one seminiferous epithelial cycle following ethylene glycol monomethyl ether exposure in rats. *Indian J Exp Biol*, 30: 892-896 (1992).

Vachhrajani, KD and Pandya AP: Action of acute industrial effluent exposure in prepubertal and adult rat testis during one cycle of seminiferous epithelium. *J Cell Tissue Res*, 8:1531-1536 (2008).

Vachhrajani, KD and Pandya AP: single exposure of industrial effluent in prepubertal rats alters consequent spermatogenesis. *J Cell Tissue Res*, 6: 633-637 (2006).

Valko M, Morris H and Cronin MTD: Metals, toxicity and oxidative stress. *Curr Med Chem*, 12:1161-1208 (2005).

Wadaan MAM: Effect of Mercury exposure on blood chemistry and liver histopathology of male rats. *J Pharm Toxicol*, 4:126-131 (2009).

Wade MG, Parent S, Finnson KW, Foster Warren, Younglai E, McMahon A, Cyr DG and Hughes C: Thyroid toxicity due to subchronic exposure to a complex mixture of 16 organochlorine, lead and cadmium. *Tox Sci*, 67: 207-218 (2002).

Walker WH and Cheng J: FSH and testosterone signalling in Sertoli cells. *Reprod*, 130: 15-28 (2005).

Walter H, Consolaro F, Gramantica P, Scholze M and Altenburger R: Mixture toxicity of priority pollutants at No Observed Effect Concentration (NOECs). *Ecotoxicol*, 11: 299-310 (2002).

Wang CY, Killian G and Chapman DA: Association of ¹⁴C-phosphatidylcholine with rat epididymal sperm and its conversion to ¹⁴C-glyceryl phosphorylcholine by sperm and principal cells. *Biol Reprod*, 25: 969-976 (1981).

White I G: Studies on the estimation of glycerol, fructose and lactic acid with particular reference to semen. *Aust J Exp Biol Med Sci*, 37: 441-447 (1959).

White SS and Birnbaum LS: An overview of the effects of dioxins and dioxin-like compounds on vertebrates, as documented in human and ecological epidemiology. *J Environ Sci Hlth C Environ Carcinog Ecotoxicol Rev*, 27: 197-211 (2009).

Wielgomas B and Krechniak J: Toxicokinetic interactions of α -cypermethrin and chlorpyrifos in rats. *Polish J Environ Stud*, 16: 267-274 (2007).

Wintrobe MM: In clinical haematology, 8th Edn. Lea and Febiger, Philadelphia, (1981).

Wolfe RR: Control of muscle protein breakdown: Effects of activity and nutritional states. *Int J Sports Nutrit Exer Metabol*, 11: S164-169 (2001).

Wyrobek AJ: Method for evaluating the effects of environment chemicals on human sperm production. *Env Health Perspect*, 44: 53-59 (1983).

Wolosawick JJ and Bryan JHD: Ultrastructural characterization of the manchette microbules in the seminiferous epithelium of the mouse. *Amer J Anat*, 150: 301-322 (1977).

Yang R: NTP technical report on the toxicity studies of a chemical mixture of 25 groundwater contaminants administered in drinking water to F344/N Rats and B6C3F mice. *Toxic Res SER*, 35: 1-12(1993).

Younis HS, Parrish AR and Sipes IG: The role of hepatocellular oxidative stress in kupffer cell activation during 1, 2-dichlorobenzene-induced hepatotoxicity. *Toxicol Sci*, 76: 201–211 (2003).

Yuan C, Wang C, Gao S, Kong T, Chen L, Li X, Song L and Wang Y: Effects of permethrin, cypermethrin and 3-phenoxybenzoic acid on rat sperm motility in vitro evaluated with computer-assisted sperm analysis. *Toxicol in Vitro*, 24: 382-386 (2010).

Zaki NI, El-halwagy MEA, Darwish SK and Mohammed AS: Impacts of paracetamol, malathion and arsenic or their combinations on liver and pancreas of albino rats. *Aus J Basic and Applied Sci*, 5: 473-481 (2011).

Zhang B and Lin S: Effects of 3, 4-Dichloroaniline on Testicle Enzymes as Biological Markers in Rats. *Biomed Environ Sci*, 22: 40-43 (2009).

Zhang N: The role of endogenous aryl hydrocarbon receptor signaling in cardiovascular physiology. *J Cardiovasc Dis Res*, 2:91-95 (2011).

Zhang Q, Kusaka Y, Sato K, Mo Y, Fukuda M and Donaldson K: Toxicity of ultrafine nickel particles in lungs after intratracheal instillation. *J Occup Health*, 40: 171–176 (1998).