

- Abdel, A. N. E. and Gharib, S. M. 2006. The interaction between phytoplankton and zooplankton in lake-sea connection, Alexnadria, Egypt. *International Journal of Oceans & Oceanography*, **15**: 151-165.
- Allison, G. 2004. The influence of species diversity and stress intensity on community resistance and resilience. *Ecological Monographs*, **74**: 117-134.
- Allison, S. K. 1992. The influence of rainfall variability on the species composition of a northern California salt marsh plant assemblage. *Vegetation*, **101**: 145-160.
- Anderson, O. R. 1988. *Comparative Protozoology – Ecology, Physiology, Life history*. Pp. 482. Springer – Verleg, New York.
- Andrea, M. and Jean, L. V. 2004. Population dynamics of *Pseudevadne tergestina* (Branchiopoda: Onychopoda) in Guanabara Bay, Brazil. *Braz. Arch. Biol. Tech.* **47**(5): 713-723.
- Andrew, S. Y., Mackie, P., Graham, O. P., Teresa, D. and Kate, M. 2005. Shallow marine benthic invertebrates of the Seychelles plateau. High diversity in a tropical oligotrophic environment. *Philos. Trans. Royal Soc. Science*, **363**(1826): 203-228.
- Annual Report. 2003. Central Pollution Control Board, Ministry of Environment and Forest, Government of India.
- APHA, AWWA, WEF. 1998. *Standard methods for the examination of water and wastewater*, American Public Health Association, Washington DC.
- Arthur, F. H. 1960. The resistance of Marine zooplankton of the Caribbean and South Atlantic to change in salinity. *Limnology and Oceanography*, **5**(1): 43-47.
- Arun, A.V. 2005. Impact of artificial structures on biodiversity of estuaries: A case study from Cochin estuary with emphasis on clam beds. *Applied Ecology and Environmental Research*, **4**(1): 99-100.
- Baidya, A. U. and Choudhury, A. 1984. Distribution and abundance of zooplankton in a tidal creek of Sagar Island, Sundarbans, West Bengal. *Envir. & Ecol.* **2**: No. 4.
- Balasubramanian, 2001. Coral reefs of India. State of Art Report. *ENVIS*, Centre for Advanced Study in Marine Biology. Parangipittai, Tamil Nadu, India.
- Baltz, D. M. 1991. Introduced fishes in marine systems and inland seas. *Biological Conservation*, **56**: 151-177.
- Battarbee, R. W. 1990. The causes of lake acidification, with special reference to the role of acid deposition. *Philos. Trans. R. Soc. Lond. B* **327**: 339-347.
- Batten, S. D., Allen, R. J. S. and Wotton, C. O. M. 1998. The effects of the sea Empress oil spill on the plankton of the southern Irish Sea. *Marine Pollution Bulletin*, **36**: 764-774.

- Behn, P. M. and Boumans, R. M. 2001. Modeling herbivorous consumer consumption in the Great Bay Estuary, New Hampshire. *Ecological Modeling*, **143** (1 & 2): 71-94.
- Best, M. A., Wither, A. W. and Coates, S. 2006. Dissolved oxygen as a physicochemical supporting element in the water frame work directive. *Marine Pollution Bulletin*, **55**(1-6): 53-64.
- Biles, C. L., Paterson, D. N., Ford, R. B., Solan, M. and Raffaelli, D. G. 2002. Bioturbation, ecosystem functioning and community structure. *Hydrology and Earth System Science*, **6**(6): 999-1005.
- Birkeland, C., Reimer, A. A. and Young, J. R. 1976. Survey of marine communities in Panama and experiment with oil, U.S. Environmental Protection Agency, 600/3-76-028.
- Blumer, M. and Sass, J. 1972. Oil Pollution: persistence and Degradation of Spilled Fuel Oil. *Science*, **176**: 1120-1122.
- Blumer, M., Sanders, H. L., Grassle, F. and Hampson, J. 1971. A small oil spill. *Environment*, **13**: 3-12.
- Bolger, T. 2001. The functional value of species biodiversity – A review. *Biol. Env.*, **101**: 199-224.
- Boltovskoy, D. 1981. Atlas del zooplancton del Atlántico Sudoccidental y métodos de trabajos con el zooplancton mariño. Mar del Plata: INIDEP.
- Boynton, W. R., Kemp, W. M. and Keefe, C. W. 1982. A comparative analysis of nutrients and other factors influencing estuarine phytoplankton. In: *Estuarine Comparisons*. pp. 69-90. Academic Press, London.
- Bradley, B. P. 1990. Introductory remarks on Seasonal succession in Chesapeake Bay. *Bull. Plankton Soc. Jpn*, Spec. Vol.: 129-131.
- Bray, J. R. and Curtis, J. T. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecological Monographs*, **27**: 325-349.
- Brett, M. T., Lubnow, F. S., Villar-Argaiz, M., Muller-Solger, A. and Goldman, C. R. 1999. Nutrient control of bacterioplankton and phytoplankton dynamics. *Aquat. Ecol.* 1-11.
- Brey, T. 1991. The relative significance of biological and physical disturbance: an example from inter-tidal and sub-tidal sandy bottom communities. *Estuarine Coastal Shelf Sci.*, **33**: 339-360.
- Bromirski, P. D., Flick, R. E. and Cayan, D. R. 2003. Storminess variability along the California coast: 1858-2000. *J. Climate*, **16**: 982-993.
- Brown, J. H., Norgan Earnest, S. K., Parody, J. M. and Haskel, J. P. 2001, Regulation of diversity: maintenance of species richness in changing environments. *Oecologia*, **126**: 321-332.
- Butler, P. A. 1973. Residue in fish, wildlife and estuaries. Organochlorine residues in estuarine Molluscs, 1965-72. *Pest. Monit. J.*, **6**: 238-246.

- Calbert, A., Landry, M. R. and Nunnery, S. 2001. Bacteria-flagellate interactions in the microbial food web of the oligotrophic subtropical North Pacific. *Aquat. Microb. Ecol.*, **23**: 283-292.
- Charles, D. F. 1991. *Acidic depositions and aquatic ecosystems: Regional case studies*. Springer-Verlag, New York.
- Chee, Ye. 2004. An ecological perspective on the variation of ecosystem services. *Biological Conservation*, **120**(4): 549-565.
- Chen, C. Y. and Durbin, E. G. 1994. Effects of pH on the growth and carbon uptake of marine phytoplankton. *Mar. Ecol. Prog. Ser.*, **109**: 83-94.
- Chen, C. C. 1998. *The distributional correlation between planktonic copepods and ichthyoplankton in the western North Pacific*. M. Sc. Thesis submitted to the National Taiwan University, Taipei.
- Christie, M., Hanley, N., Warren, J., Murphey, K., Wright, R. and Hyde, J. 2006. Valuing the diversity of biodiversity. *Ecological Economics*, **58**: 304-317.
- Christopher, D., Harley, G., Hughes, A. R., Kristen, M., H., Benjamin, G. M., Cascade, J. B. S., et al. 2006. The impacts of climate change in the coastal marine system. *Ecology letters*, **9**: 228-241.
- Claes, R. 1998. Biodiversity and interspecific genetic variation. *Pure and Applied Chem.*, **70**(11): 2079-2084.
- Clark, R. B. 1982. The long-term effects of oil pollution on marine populations, communities and ecosystems: some questions. *Phil. Trans. R. Soc.*, **297**: 185-192. London.
- Clark, R. B. 1989. *Marine pollution*. Pp. 220. Oxford Sciences Publications. New York, U.S.A.
- Clarke, K. M. and Warwick, R. M. 1994. *Change in marine communities: An approach to statistical analysis and interpretations*. Plymouth, U.K: National Environmental Research Council. Plymouth Marine Laboratory.
- Clarke, K. R. 1993. Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology*, **18**: 117-142.
- Clarke, K. R. and Ainsworth, R.M. 1993. A method of linking multivariate community structure to environmental variable. *Marine ecology progress series*. **92**: 205-219.
- Clarke, K. R. and Gorley, R. N. 2001. PRIMER v5: User manual/tutorial. Plymouth. PRIMER-E Ltd.
- Clarke, K. R. and Green, R. H. 1988. Statistical design and analysis for a 'biological effects' study. *Mar. Ecol. Prog. Ser.*, **46**: 213-226.
- Clarke, K. R. and Warwick, R. M. 1994. Similarity – based testing for community pattern: two way lay out with no replication. *Marine Biology*, **118**: 167 – 176.
- Clarke, K. R. and Warwick, R. M. 1998. A taxonomic distinctness index and its statistical properties. *Journal of Applied Ecology*, **35**: 523-531.
- Clarke, K. R. and Warwick, R. M. 1999. The taxonomic distinctness measure of biodiversity weighting on step length between hierarchical levels. *Mar. Eco. Prog. Ser.*, **184**: 21-29.

- Clarke, K. R. and Warwick, R. M. 2001. Changes in marine communities. An approach to statistical analysis and interpretations. PRIMER-5. Plymouth, U.K.38.
- Clarke, K. R. and Warwick, R. M. 2001b. A further biodiversity index applicable to species test: Variation in taxonomic distinctness. *Mar. Ecol. Prog. Ser.*, **216**: 265-278.
- Clarke, K.R and Gorley, R.N. 2001. PRIMER v5: User manual/ tutorial, Plymouth. PRIMER – E Ltd.
- Conell, J. H. 1978. Diversity in tropical rain forest. *Science*, **199**: 1302-1310.
- Costanza, R. D., Arge, R., de Groot, R., Farber, S., Grasso, M., Hannon, B. *et al* 1997. The Value of the world's ecosystem services and natural capital. *Nature*, **387**: 253-260.
- Cripps, G. C. and Priddle, J. 1991. Hydrocarbons in the Antarctic marine environment. *Antarctic Science*, **3**: 233-250.
- Cross, S. F. and Ellis, D. V. 1981. Environment recovery in a marine ecosystem impacted by sulphite process pulp mill. *J. Water Poll. Control Fed.*, **53**: 1339-1346.
- Cushing, D. H., Humphrey, G. F., Banse, K. and Laevastu, T. 1958. Report of the committee on terms and equivalents. *Rapp. P.V. Reun. Cons. Perm. Int. Explorer. Mer.*, **144**: 15-16.
- David, G. B. and Theodore, J. S. 1998. Long term trends in water clarity revealed by secchi disk measurement in lower Narragansett Bay. *Journal of Marine Science*, **55**: 668-678.
- Dalla, V. L. 1996. Study of the ecosystem of the lagoon of Venice, with emphasis on anthropogenic impact. *Inter Research MEPS*, **141**: 247-261.
- De Decker, A. H. B. 1973. Agulhas Bank plankton. In: B. Zeitzschel (Ed.) *Ecological studies: Analysis and Synthesis*. Springer-Verlag, Berlin.
- de Madariaga, I., Gonzalez-Azpiri, L., Villate, F. and Orive, E. 1992. Plankton responses to hydrological changes induced by freshets in a shallow mesotidal estuary. *Estuarine Coastal Shelf Sci.*, **35**: 425-434.
- de Souza Lima, H. and Williams, P. J. LeB. 1978. Oxygen consumption by the planktonic population of an estuary-Southampton water. *Estuarine Coastal Mar. Sci.*, **6**: 515-521.
- Delalo E.P., Baldina E.P., Bileva O.K. 1965. Seasonal changes of zooplankton distribution in the western part of the Black Sea in 1957. Investigations of plankton of the Black and Azov Seas. Kiev, Naukova dumka, 92-101, (in Russian).
- Delalo, E. P., Baldina, E. P., Bileva, O. K. 1965. Seasonal changes of zooplankton distribution in the western part of the Black Sea in 1957. Investigations of plankton of the Black and Azon Seas. *Klev. Naukova Dumka*, 92-101. As cited by Kovalav, *et al.* 1999. In: *Tr. J. Zoology*, **23**: 195-209.
- Denburg, A. B. 1998. Metazoan plankton and the structure of the plankton community in the stratified waters. *Mar. Ecol. Prog. Ser.* **175**: 191-200.

- Desikachery, T. V. 1959. *Cyanophyta*. New Delhi: Indian Council of Agricultural Research.
- Devassy, V. P. and Bhattathiri, P. M. A. 1974. Phytoplankton ecology of Cochin backwater. *Indian Journal of Marine Sciences*, **3**: Pp. 96.
- Devassy, V. P., Bhattathiri, P. M. A., Qasim, S. Z. 1978: *Trichodesmium* phenomenon. *Indian Journal of Marine Sciences*, **7**:168-186.
- distribution and abundance in the Sacramento-San Joaquin Estuary. Interagency Ecological Studies Program for the Sacramento-San Joaquin. *Estuary Technical Report* 23: 42 pp.
- Dorain, S. H. and Dennis, M. A. 1996. Zooplankton dynamics in an intertidal salt Marsh Basin. *Estuaries*, **19**(3): 659-673.
- Douglas, P. C. 2001. Regulation by low temperature of phytoplankton growth and nutrient uptake in the southern ocean. *Mar. Ecol. Prog. Ser.*, **219**: 51-54.
- Dunton, K. H. 1990. Growth and production of *Laminaria Solidungula*: relation to continuous underwater light levels in the Alaskan High Arctic. *Marine Biology*, **106**: 297-304.
- Edward, M. and Richardson, A. J. 2004. Impact of climate change on marine pelagic phenology and trophic mismatch. *Nature*, **430**: 8811-8884.
- Edwards, M., Beaugrand, G., Reid, P. C., Rowden, A. A., and Jones, M. B., 2002. Ocean climate anomalies and the ecology of the North Sea. *Mar. Ecol. Prog. Ser.*, **239**: 1-10.
- Ehrhardt, M. 1972. Petroleum hydrocarbons in oysters from Galveston Bay. *Environmental Pollution*, **3**: 257-264.
- Ellingsen, K. E. 2001. Biodiversity of continental shelf soft-sediment macrobenthos community. *Mar. Ecol. Prog. Ser.*, **218**: 1-15.
- Emelia, R. A. 1979. The seasonal cycle of the phytoplankton in the coastal waters of Ghana. *Hydrobiologia*, **62**(1): 33-45.
- Eppley, R. W., Rogers, J. N. and Mc Carthy, J. J. 1969. Half saturation constants for up take of nitrate and ammonium by marine phytoplankton. *Limnol. Oceanogr.*, **14**: 912-920.
- Eskinazi, L. E., Silva-Cunha, M. G. G., Koenig, M. L., Macêdo, S. J. and Costa, K. M. P. 1997. Variação espacial e temporal do fitoplâncton no plataforma continental de Pernambuco – Brazil. *Trabalhos do Instituto de Ocenografia da Universidade Federal de Pernambuco*, **25**: 1-16.
- Everson, I. 1987. Exploitation of Antarctic fisheries. In: D. W. H. Walton (Ed.) *Antarctic Science*. pp. 125-137. Cambridge University Press, Cambridge.
- Farber-Lorda, J., Lavin, M. F, Zapatero, M. A. and Robles, J. M. 1994. Distribution and abundance of euphausiids in the Gulf of Tehuantepec during wind forcing. *Deep-Sea Res. Pt I*, **41**: 359-367.
- Fernández, E., Cabal, J., Acuna, J. L., Bode, A., Botas, A. and Garcia-Soto, C. 1993. Plankton distribution across a slope current-induced front in the southern Bay of Biscay. *Journal of Plankton Research*, **15**(6): 619-641.

- Fields, P. A., Graham, J. B., Rosenblatt, R. H. and Somero, G. N. 1993. Effects of expected global climate change on marine faunas. *Trends Ecol. Evol.*, **8**: 361–367.
- Flagg, C. N., Warick, G. D. and Smith, S. C. 1994. The interaction of phytoplankton, zooplankton and currents from mid-Atlantic Bight. *Deep-Sea Res. Pt II*, **41**: 411–435.
- Flöder, S. and Sommer, U. 1999. Diversity in planktonic communities: An experimental test of the intermediate disturbance hypothesis. *Limnology Oceanography*, **44**: 1114–1119.
- Foster, B. A. (1971). Desiccation as a factor in the intertidal zonation of barnacle. *Mol Bio* **18** : 12 - 29
- Freely, R. A., Sabine, C. L., Lee, K., Berrelson, W., Kleypas, J., Fabry, V. J. and Millero, F. J. 2004. Impact of anthropogenic CO₂ on the CaCO₃ system in the oceans. *Science*, **305**(5682): 362–366.
- Friebele, E. S., Correll, D. L. and Faust, M. A. 1978. Relationship between phytoplankton cell size and the rate of orthophosphate uptake: In-situ observations of an estuarine population. *Mar. Biol.*, **45**: 39–52.
- Gajbhiye, S. N., Mustafa, S., Mehta, P. and Nair, V. R. 1995. Assessment of biological characteristics on coastal environment of Murud (Maharashtra) during the oil spill (17 May 1993). *Indian Journal Marine Sciences*, **24**: 196–202.
- Gasi naite, Cardosa, A. C., Heiskanen, A. S., Henriksen, P., Kauppilo, I., Olenina, R, *et al.* 2005. Seasonality of coastal phytoplankton in the Baltic Sea. Influence of salinity and eutrophication. *Estuarine, Coastal and Shelf Science*, **65**: 239–252.
- Gerino, M. 1990. The effects of bioturbation on particle redistribution in Mediterranean coastal sediment. Preliminary results. *Hydrobiologia*, **207**: 251–258.
- GESAMP (IMO/FAO/UNESCO/WMO/WHO/IAEA/UN/UNEP Joint Group of Experts on the Scientific Aspects of Marine Pollution). 1977. Impact of oil on the marine environment. *Reports and Studies No. 6*. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy. Pp. 250.
- Gessner and Schramm. 1971. Salinity–plants. In: O. Kinne (Ed.) *Marine Ecology*, Vol. 1 (Part 2). pp. 705–820. Willey Inter-Science, London.
- Godhantaraman, N., 2001, Seasonal variations in taxonomic composition, abundance and food web relationship of microzooplankton in estuarine and mangrove waters, Parangipettai region, southeast coast of India. *Indian Journal of Marine Sciences*, **30**: 151–160.
- Gómez-Erache, M. W., Norbis, W. and Basteri, D. 2000. Wind effect as forcing factor controlling distribution and diversity of copepods in a shallow temperate estuary (Solis Grande, Uruguay). *Scientific Marina*, **64**(1): 87–95.
- Gopinatan, C. P., Nair, P. V. R. and Nair, A. K. K. 1984. Quantitative ecology of phytoplankton in the Cochin backwaters. *Indian Journal of Marine Science*, **31**(3): 325–336.
- Gopinathan, C. P. 1972. Seasonal abundance of the phytoplankton in the Cochin backwaters. *Journal of Marine Biology Assessment*, **14**(2): 568–572.

- Gosawmi, S. C. 1982. Distribution and biodiversity of copepods in the Mandovi–Zuari estuarine system. Goa. *Indian Journal of Marine Sciences*, **11**: 292-295.
- Goswami, S. C and Devassy, V. P. 1991. Seasonal fluctuations in the occurrence of Cladocera in the Mandovi –Estuarine waters of Goa. *Indian Journal of Marine Sciences*, **20**:138-142.
- Goutx, M. M, Berland, B., Leveac, M. and Bertrand, J. C. 1984. Effects of petroleum biodegradation products on phytoplankton growth. Deuxieme Colloque International De Bacteriologie marine – IFREMER, *Actes de colloques*, **3**: 621-627.
- Gujarat Maritime Board, 2003. Alang –Sosiya port officer, Personal communication.
- Günay, K. 1989. The relationship between coastal tourism, Sea pollution and public health: A case study from Turkey. *The Environmentalist*, **9**(4): 245-251.
- Hansen, F. C., Cloete, R. R. and Verheye H. M. 2005. Seasonal and spatial variability of dominant copepods along a transect off Walvis Bay (23°S), Namibia. *Afr. J. Mar. Sci.*, **27** (in press) page no
- Hansen, H. C. B., Koch, C. B., Krough, H. N., Borggaard, O. K. and Sorensen, J. 1996. Abiotic nitrate reduction to ammonium: Key role of green rust. *Environ. Sci. Technol.*, **30**: 2053–2056.
- Haq, S. M., Alikhan, J. and Chughtai, S. 1973. The distribution and abundance of zooplankton along the coast of Pakistan during post monsoon and pre monsoon period. In: B. Zeitzchel, (Ed.) *The biology of the Indian Ocean*. pp. 257-272. Springer-Verlag, New York.
- Haridas, Pa and Menon, P. G. and Madhupratap, M. 1980. Annual variations in the zooplankton from a polluted coastal environment. *Mahasagar-Bulletin of National Institute of Oceanography*, **13**: 239-248.
- Hart, C. M., Gonzalez, M. R., Simpson, E. P and Hurlbert, S. H. 1998. Salinity and fish effects on Salton Sea microecosystem. *Zooplankton and Nekton–Hydrobiologia*, **381**: 129-152.
- Havens, K. E. 1991. Crustacean Zooplankton food web structure in lakes of varying acidity. *Canadian Journal of Fisheries and Aquatic Sciences*, **48**: 1846-1852.
- Hecky, R. E. and Kilham, P. 1988. Nutrient limitation of Phytoplanktons in freshwater and marine environment: A review of recent evidence on the effects of enrichment. *Limnology and Oceanography*, **33**(4):796-822.
- Heywood, V. H. and Watson, R. T. 1995. *Global Biodiversity Assessment*. United Nations Environment programme. Cambridge University press, U.K.
- Hillebrand, H. 2003. Opposing effects of grazing and nutrients on diversity. *Oikos.*, **100**: 592–600.
- Hinga, K. R. 2002. Effects of pH on coastal marine phytoplankton. *Mar. Ecol. Prog. Ser.*, **238**: 281-300.
- Hoarse, R. and Hiscock, K. 1974. An ecological survey of the rocky coast adjacent to a bromine extraction work. *Estuar. Coast. Mar. Sci.*, **2**: 329-348.

- Hochachka, P. W. and Somero, G. N. 2002. *Biochemical adaptation: Mechanism and process in physiological evolution*. Oxford University Press, Oxford.
- Hoffmeyer, M. S. 1994. Seasonal succession of Copepoda in the Bahí'a Blanca estuary. In F. D. Ferrari, and B. P. Bradley, (Eds.). *Ecology and Morphology of Copepods*. *Hydrobiologia*, **292/293**: 303–308.
- Hopkinson, C. S. 1985. Shallow-water benthic and pelagic metabolism: evidence of heterotrophy in the near shore, Georgia Bight. *Mar. Biol.*, **87**: 19-32.
- Horner, R. A., Dick, L. S. and Shiels, W. E. 1973. Nutrient cycles. In D. W. Hood (Ed.) *Environmental studies of Port Valdez*. pp. 283-294. Institute of Marine Science. University of Alaska, Fairbanks.
- Hossain, M. M. 1983. *Pollution in the Karnafully River-estuary as revealed by macro-benthic organisms*. A post graduate-thesis work in marine biology, submitted to the Institute of Marine Sciences, University of Chittagong, Bangladesh. Pp 96.
- Hughes, T. P., Baird, A. H., Bellwood, D. R., Card, M., Connolly, S. R., Folke, C. *et al.* 2003. Climate change, human impacts, and the resilience of coral reefs. *Science*, **301**: 929–933.
- Hun, S. P. and Charles, S. J. 2000. A method for assessing caching potential for petroleum hydrocarbon pelase sites. Multiphase and Mull substance Equilibrium. *Partition Soil and Sediment*, **9**(6): 611-632.
- Hurlbert, S. H., Mulla, M. S. and Wilson, H. R. 1972. Effects of an organophosphorus insecticide on the phytoplankton, zooplankton and insect populations of freshwater ponds. *Ecol. Monogr.*, **42**: 269–299.
- Ian, R. W., Bell, R. G. and Wilkinson, D. L. 1993. *Advanced series on Ocean Engineering*. Vol. 8. Ocean Disposal of Waste water. World Scientific Publisher, London. U. K.
- Imma, T., Stephen, J., de More, Scott, W. F., Jean-Pierre, V., Jean, B. and Chantal, C. 2005. Aliphatic and aromatic hydrocarbon in marine biota and coastal sediments from the gulf and gulf of Oman. *Marine Pollution Bulletin*, **50**(12): 1619-1633.
- Ioanna, S. F., Evangelos, P., Alain, L., and Serge, F. 1998. Zooplankton assemblages and influence of environmental parameters on them in a Mediterranean area. *Journal of Plankton Research*, **20** (5): 847-870.
- Iqbrboe, T. 1993. Turbulence, phytoplankton cell size, and the structure of pelagic food webs. *Adv. Mar. Biol.*, **29**: 1-72.
- Islam, K. L. and Hussain, M. M. 1986. Effect of ship scrapping activities on the soil and sea environment in the coastal area of Chittagong, Bangladesh. *Marine Pollution Bulletin*, **17**: 462-463.
- James, M., Melckzedek, O., Joseph, K. and Peter, W. 2003. Composition, abundance and seasonality of zooplankton in Middle creek. Kenya. Western Indian Ocean. *Journal of Marine Science*, **2**(2): 147-155.
- Jayaraman, V. 1999. observations on petroleum hydrocarbons and some water quality parameters during oil spills near Madras harbour. *Indian Journal of Marine Sciences*, **28**: 245-248.

- Jean-Baptiste P., 1994. - Circulation océanique générale et traceurs. *Oceanis*, **20** (6) 3-20.
- Jenkins, B., Kitching, R. L. and Pimm, S. L. 1992. Productivity, disturbance and food web structure at a local spatial scale in experimental container habitats. *Oikos*, **65**: 249-255.
- Joesph, K. J. and Pillai, V. K. 1975. Seasonal and spatial distribution of phytoplankton in Cochoin backwaters. *Bull. Dept. Mar. Sci.*, University of Cochin. **7**(1): 171-180.
- Johnston, W. R. P. and McIntyre, A. D. 1976. Seabirds and Pollution. pp. 403-502. Academic Press London.
- Jones, R. 1982. Population fluctuations and recruitment in marine populations. *Phil. Trans. R. Soc.*, **297**: 353-368. London.
- Judkins, D. C. 1980. Vertical distribution of Zooplankton in relation to the Oxygen minimum of Peru. *Deep-Sea Res.*, **27**: 475-487.
- Kamykowski, D and Zentra, S. 1990. Hypoxia in the world ocean as recorded in the historical data set. *Deep Sea Res.*, **37**: 1861-1874.
- Kazuyasu, M. and Akihiko, H. 1986. Distribution and seasonal variations of phosphorus in Tokyo Bay. *Journal of Oceanography*, **42**(4): 2 41- 254.
- Kelly, P.S., Lwiza, K. M. M., Cowen, R. K., Goni, G. 2000. Low salinity pools at Barbados West Indies : their origin frequency and variability. *J. Geophys Res.*, **105**(C8): 19699-19708.
- Kent, M. 1969. Measuring dissolved oxygen as an indicator of primary productivity. Chesapeake Science. 10(3/4) : *Proceeding of the 2nd Thermal workshop of the U.S. International Biological programme* (Sep – Dec, 1969) pp 327 – 330
- Kimmerer, W. and Orsi J. J. 1996. Causes of long term decline in zooplankton in the San Francisco Bay Estuary since 1987. In Hollibaugh JI. Eds. San Francisco Bay: the ecosystem. The American Association for the Advancement of Science. San Francisco. Pp403-414.
- Kimmerer, W. and Orsi, J. J. 1996. Causes of long term decline in zooplankton in the San Francisco Bay Estuary since 1987. In: J. I. Hollibaugh (Ed.) *San Francisco Bay: the ecosystem*. pp. 403-414. The American Association for the Advancement of Science. San Francisco.
- Kimmerer, W. J. 2002. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages? *Mar. Ecol. Prog. Ser.*, **243**: 39–55.
- Kimmerere, W. J. 2002. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages. *Mar. Ecol. Prog. Ser.* **243**: 39-55.
- Knatz, G. 1978. Succession of Copepod species in a Middle Atlantic estuary. *Estuaries*, **1**: 68-61.
- Koenig, L. M. Eskinazi L. E., Neumann-Leitão, S. and Macedo, J. S. 2003. Impacts of the construction of the Port of Suape on phytoplankton in the Ipojuca River estuary (Pernambuco-Brazil). *Brazilian Arch. Bio. Tech.*, **46**(1): 73-81.
- Kokurkuna, E. N. and Mikaelyan, A. S. 1994. Composition and distribution of picophytoplankton on the open area of the Black Sea in winter. *Oceanologia*, **34**(1): 67-72.

- Kollmer, W. E. 1962. The annual cycle of phytoplankton in the waters off Walvis Bay. *Invest. Rep. Mar. Res. Lab. S. W. Africa*, **4**: 44.
- Kollmer, W. E. 1963. Notes on zooplankton and phytoplankton collections made off Walvis Bay. *Invest. Rep. Mar. Res. Lab. S. W. Africa*, **8**: 78.
- Koshelev, V. N., Safieva, R. Z., Gordadze, G. N. and Ryabov, V. D. 2005. Chemistry of petroleum hydrocarbons. *Historical Aspects and Current Trends*, **41**(2): 116-119.
- Koval, L. G. 1984. Zoo and necro-zooplankton of the Black Sea. *Klev. Naukova Dumka*, Pp. 127.
- Kovalev, A. V. 1980. Seasonal variations of zooplankton in the Sevastopol Bay. *Hydrobiologia Journal*, **16**: 9-14.
- Krishnamurthy, V. 1961. A *Compsopogon* occurring in the Reddish Canal near Manchester. *British Phycological Journal*, **2**: 87-88.
- Kusmorskaya, A. P. 1955. Seasonal and annual changes of the Black Sea zooplankton.
- Kyewalyanga, M. S., Mwandya, A. W. and Valdenberg, A. 2004. Preliminary Study on Hatching of Rotifers (*Brachionus plicatilis*) and Copepods (Cyclopoida): Response to Flooding and Organic Fertilization in Western Indian Ocean. *Journal of Marine Sciences*, **3**: 7986.
- Lacerda, L. D., de Souza, M. and Ribeiro, M. G. 2004. The effects of land use change on mercury distribution in soils of Alta Floresta, Southern Amazon. *Environ. Pollut.*, **129**: 247-255.
- Lalli, C. M. and Parsons, T. R. 1993. *Biological Oceanography: An Introduction*. Pergamon Press, USA.
- Lalli, C. M. and Parsons, T. R. 1997. *Biological Oceanographic Processes: An Introduction*, Butterworth – Heinemann, Oxford.
- Lazareva, L. P. 1957. To question on seasonal dynamics of the Black Sea zooplankton in Karadag region. *Proc. of Karadag Biol. St.*, **14**: 127-134.
- Legendre, L. and Legendre, P. 1983. *Numerical Ecology*. Elsevier, Amsterdam. USA.
- Legendre, L. and Rassoulzadegan, F. 1995. Plankton and nutrient dynamics in marine waters. *Ophelia*, **41**: 153-172.
- Legendre, L. and Rassoulzadegan, F. 1995. Plankton and nutrient dynamics in marine waters. *Ophelia*, **41**: 153-172.
- Levy, E. M. 1979. Further chemical evidence for natural seepage in the Baffin Island Shelf. In: *Current Research, Part B, Geological Survey of Canada*, paper **79-1B**. Published by Canada, Hull, Quebec, Canada.
- Lewis, W. M. Jr. 1976. Surface/volume ratio: Implications for phytoplankton morphology. *Science*, **192**: 885-887.
- Linden, O., Ganning, B. and Lindstrom, L. 1992. Studies on plankton, primary production and fish in the inner Brunei Bay. *Marine Research Indonesian*, **28**: 55-79.
- Lindin, O; Linden, O; Ganning B. and Lindstrom. L. 1992. Studies on plankton, primary production and fish in innu Brunei Bay. *Marine Research Indonesian*, **28**: 55-79

- Linton, D. M. and Warner, G. F. 2003. Biological indicators in the Caribbean coastal zone and their role in integrated coastal management. *Ocean and Coastal Management*, **46**: 261-276.
- Lloyd, D., Boddy, L. and Davies, K. J. P. 1987. Persistence of bacterial denitrification capacity under aerobic conditions of the rule rather than the exception. *FEMS Microbio. Ecol.*, **45**: 183-190.
- Lloyd, D., L. Boddy, and K.J.P. Davies. 1987. Persistence of bacterial denitrification capacity under aerobic conditions: The rule rather than the exception. *FEMS Microbiol. Ecol.*, **45**: 185-190.
- Locke, A. and Sprules, W. G. 1993. Effects of experimental acidification on zooplankton population and community dynamics. *Can. J. Fish. Aquat. Sci.*, **50**: 1238-1247.
- Locke, A. and Sprules, W. G. 1994. Effects of lake acidification and recovery on the stability of zooplankton food webs. *Ecology*, **75**: 498-506.
- Locke, A., Sprules, W. G., Keller, W. and Pitblado, J. R. 1994. Zooplankton communities and water chemistry of Sudbury area lakes: changes related to pH recovery. *Can. J. Fish. Aquat. Sci.*, **51**: 151-16.
- Longhurst, A. R. 1967. Vertical distribution of zooplankton in relation to the eastern Pacific oxygen minimum. *Deep-Sea Research*, **14**: 51-63.
- Longhurst, A. R. 1976. Interactions between zooplankton and phytoplankton profiles in the eastern tropical Pacific Ocean, *Deep - Sea Research*, **23**: 729-754.
- Lopez, G., Guerrero, F. and Castro, M. M. 1988. Seasonal fluctuations in the plankton in the plankton community in a hypersaline temporary lake (Honda, Southern Spain). *International J. Salt Lake Res.*, **6**: 353-371.
- Loya, Y. and Rinkevich, B. 1980. Effects of oil pollution in coral reefs communities. *Mar. Eco. Prog. Ser.*, **3**: 167-180.
- Lua Cajcieiro, C. P., José, A. J., Maria, L. K., Fernando, F. P. N., Carmen, M and Rauquirio, M. D. C. 2005. Effect of coastline properties and waste-water on plankton composition and distribution in a stressed environment on the North coast of Olinds, PE (Brazil). *Brazilian Archives of Biology & Technology*. **8**(6): 1015-1026.
- Madhupratap, M. 1980. Ecology of coexisting copepod species in Cochin backwaters: relationships of coexisting copepods of Cochin backwaters. *Mahasagar, Goa*. **13**(1): 45-52.
- Madhupratap, M. and Haridas, P. 1990. Zooplankton, especially Calanoid copepods, in the upper 1000 m of the south east Arabian Sea. *Journal of Plankton Research*, **12**(2): 305-321.
- Madhupratap, M., Nair, K. N. V., Gopalakrishnan, T. C., Haridas, P., Nair, K. K. C., Venugopal, P. and Gauns, M. 2001. Arabian Sea Oceanography and fisheries of west coast of India. *Current Sciences*, **81**: 355-361.
- Magda, Y., Camp, J., Garces, E., Maso, M. and Delgado, M. 2001. High resolution spatio-temporal detection of potentially harmful dinoflagellates in confined waters of NW Mediterranean. *Journal of Plankton Research*, **23**(5): 497-514.

- Magurran, A. E. 1988. *Ecological diversity and its measurement*. Chapman & Hall, London.
- Makas, D. L. 1992. Seasonal cycle of zooplankton off southwestern British Columbia. 1979-89. *Can. J. Fish. Aqua. Sciences*, **49**: 903-921.
- Mallin, M. A. 1994. Phytoplankton ecology of North Carolina estuaries. *Estuaries*, **17**: 561-574.
- Mangesh, G. Smita, M., Pratihar, A. K. and Ramaiah, N. Year?. Microzooplankton and their prey in relation to size fractionated phytoplankton standing stocks in an estuarine system. NIO. Dona Paula . Goa. 40304. India.
- Manimaran, B., Ramadhas, V., Santhanam, R., and Gopalakrishnan, P. e. (1997). "Cultivation of duckweed *Lemna minor* utilizing waste nutrients." The National Seminar on Water Quality Issues in Aquaculture Systems, Tamil Nadu Veterinary and Animal Sciences University, Tuticorin (India), 65-72.
- Mann, J. C. H. 1982. *Ecology of Coastal Waters*. Pp. 322. University of California Press, Berkeley.
- Margalef, R., 1978. Life forms of phytoplankton as survival alternatives in an unstable environment. *Oceanologica Acta*, **1**: 493-509.
- Marta, L. S., Andy, J. G. and Eloy, M. C. 2006. Temporal and spatial variations of an aquatic invertebrate community subjected to avian predation at the Odid salt pond (SW Spain). *Arc. Hydrobiologia*, **166**(2): 199-223.
- Martin, J. H. 1965. Phytoplankton-zooplankton relationships in Narragansett Bay. *Limnol. Oceanogr.*, **10**: 185-191.
- Maruf, H. M. and Islam, M. M. 2006. Ship breaking activities and its impact on the coastal zone of Chittagong, Bangladesh: Towards sustainable Management. Published by Advocacy and publication unit. *Young Power in Social Action* (YPSA). Pp. 1-65.
- Mashtakova, G. P. 1985. Long-term dynamics of planktonic community of eastern part of the Black Sea. Oceanological and fishery researches of the Black Sea. *Nauka*, **1**: 50-61.
- Matsumura-Tundisi, T. 1986. Latitudinal distribution of Calanoida copepods in a freshwater aquatic system of Brazil. *Revista Brasileira de Biologia*, **46**(3): 527-553.
- Maurer, R. O. and Kane, J. 1978. Zooplankton in the vicinity of the USNS *Potomac* oil spill (Baffin Bay, August 5, 1977). *Nat. Mar. Fish. Serv.*, Northeast Fish Center, Narragansett Lab., **78**: 7-17.
- May, R. M. 1988. How many species are there on earth? *Science*, **241**: 1441-1449.
- McClendon, J. H. 1999. The Origin of life. *Earth Science Reviews*, **47**: 71-93.
- Mehta, P., Kadam, A. N., Gajbhiye, S. N. and Desai, B. N. 1994. Petroleum hydrocarbon concentration in selected species of fish and prawn from northwest coast of India. *Journal of Marine Sciences*, **23**(2): 123-125.
- Meybeck, M. 1982. Carbon, Nitrogen, and Phosphorus transport by world rivers. *American Journal of Science*, **282**: 401-450.

- Michael, R. R., Anne, L. G., Kirk, W. R. and Jacques, R. W. 1993. Effects of oxygen waters on Chesapeake Bay zooplankton. *Limnology and Oceanography*, **38**(8): 1603-1614.
- Mironov, O. G. 1980. Aspects of petroleum hydrocarbon metabolisms in marine animals. *Helgoland Marine Research*, **33**(1-4): 192-196.
- Mitchell, C. T., Anderson, E. K., Jones, L. G. and North, W. J. 1970. What oil does to Ecology. *Wat. Pollut. Control. Fed.*, **42**: 812-818.
- Moore, M. N. and Kitching, J. A. 1939. The biology of *Chthamalus stella poli*. *J. Mar. Biol. Ass., U.K.* **23**: 521-541.
- Morris, P. A. 1973. The Peterson field guide series. In: W. J. Clench (Ed.): *A field guide to shells of the Atlantic and Gulf Coasts and the West Indies*. Pp. 330. Houghton Mifflin Company, Boston. USA.
- Moustaka-Gouni, M. 1993. Phytoplankton succession and diversity in a warm monomictic, relatively shallow lake: Lake Volvi, Macedonia, Greece. *Hydrobiologia*, **249**: 33-42.
- Murphy, T. A. 1971. Environmental effects of Oil pollution. *Journal of Sanitary Eng. Div. Am. Soc. Civ. Engrs.*, **97**: 361-371.
- Murugan, A. and Ayyakannu, K. 1993. Studies on ecology of phytoplankton in Cuddalore Uppanar backwaters, southeast coast of India, *Indian Journal Marine Sciences*, **22**: 135-137.
- Myers, N. 1979. *The Sinking Ark: A new look at the problem of disappearing species*. Pp. 307. Pergamon Press, New York.
- Myers, N., Mittermeier, R. A., Mittermeier, C. G., da Fonseca, G. A. B. and Kent, J. 2000. Biodiversity Hotspots for conservation priorities. *Nature*, **403**: 853-858.
- Nair, V. R., Gajbhiye, S. N., Krishnakumari, L. and Desai, B. N. 1983. The World of Copepods. *Indian Journal of Marine Sciences*, **12**(3): 160-165.
- Nayar, S., Goh, B. P. L. and Cho, L. M. 2004. The impact of petroleum hydrocarbon (diesel) on periphyton in an impacted tropical estuary based on in situ microcosms. *Journal of Experimental Marine Biology and Ecology*, **302**(2): 213-232.
- Neff, J. M. 1979. *Polycyclic Aromatic Hydrocarbons in the Aquatic Environment: Sources, fates, and biological effects*. Applied Science Publishers, London.
- Newell, G. E. and Newell, R. C. 1963. *Marine Plankton: Practical Guide*. Hutchlson Educational Press, London.
- Nielsen, T. G. 2005. Struktur og funktion af fødenettet i havets frievandmasser. Doktordisputats. Danmarks Miljøundersøgelser. 71.
- Nikitin, V. N. 1939. Plankton Batumskoy buhty i ego godichnye kolichestvennye izmenenia. [Plankton of the Batum Bay and its annual quantitative changes.] [Russian]. *Sbornik, posvyatshenny professoru N.M. Knipovichu (1885-1939)*, Moscow, Leningrad, p. 63-86.
- Nikitin, V.N. 1939. Plankton Batumskoy buhty i ego godichnye kolichestvennye izmenenia. [Plankton of the Batum Bay and its annual quantitative changes.]

- [Russian]. *Sbornik, posvyatshenny professoru N.M. Knipovichu (1885-1939)*, Moscow, Leningrad, p. 63-86.
- Ntahondi, N. and Alfonse, M. D. 2001. Episodic atmospheric changes and their impact on the hydrography of coastal waters in Tanzania. *Climate Research*, **18**: 157-162.
- Obrebski, S., Orsi, J. J. and Kimmerer, W. 1992. Long-term trends in zooplankton
- Ogilvie, B. G., Nedwell, D. B., Harnson, R. M., Robinson, A. D. and Sage, A. S. 1997. High nitrate, muddy estuaries as nitrogen sinks: the nitrogen budget of the River Colne estuary(United Kingdom). *Mar. Ecol. Prog. Series*, **150**: 217-228.
- Ogilvie, B., Nedwell, D. B., Harrison, R. M., Robinson, A. and Sage, A. 1997. High nitrate, muddy estuaries as nitrogen sinks: the nitrogen budget of the River Colne estuary. *Mar. Ecol. Prog. Series*, **150**: 217-228.
- Okemava, E. N. 1990. *A study of the pelagic copepod in a tropical marine creek-Tudor, Mumbasa, Kenya with a special reference to their community structure, biomass and productivity*. A Ph.D. Thesis submitted to the University of Brussels, Urije.
- Oleg, G. M. 1968. Hydrocarbons pollution of the sea and its influence on marine organisms. *Helgoland Marine Research*, **17**(1-4): 335-339.
- Omari, M., Ikeda, T. 1985. Method in Marine zooplankton ecology. *The quarterly review of biology*, **60**(4): 527- 528.
- Omori, M. and Ikeda, T. 1984. *Methods in Zooplankton Ecology*. John Wiley & Sons, New York, 332 pp.
- Orsi, J. J. and Oh Tsuska, S. 1999. Introduction of Asian copepods. *Acratiella sinensis*, *Tortanus dex trilobatus* (Copepoda: Calanoida) and *Limnoithona tetraspina* (Copepoda: Cyclopoida) to the San Francisco Estuary, California, *USA Plankton Biol. Ecol.*, **46**: 128-131.
- Ottman, F. T., Okuda, T., Cavalcante, L., Silva, O. C., Araújo, J. V. A. Coêlho, P. A. *et al.* 1965/66. Estudo da Barra das Jangadas – Prate V – Efeitos da poluição sobre a ecologia do estu rio. *Trabalhos do Instituto de Ocenografia da Universidade Federal de Pernambuco*, **7/8**: 7-16.
- Pasternak, A. F. 1983. Seasonal dynamics of number and biomass of zooplankton. Seasonal changes of the Black Sea zooplankton, Moscow. *Nauka*, Vol?: 139-177.
- Patrick, R. and Palavage, D. M. 1994. The value of species as indicators of water quality. *Proc. Acad. Nat. Sci.*, Philadelphia. **145**: 55-92.
- Paula, J., Pinto, I., Gaurne, I., Monteiro, S., Gove, D. and Guerreiro, J. 1998. Seasonal cycle of planktonic communication at Inhaca Island, southern Mozambique. *J. Plankton Res.*, **20**: 2165-2178.
- Pearson, T. H. and Rosenberg, R. 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment, *Oceanogr. Mar. Bio.*, A review, **16**: 229-311.
- Pechenik, J. A. 1989. Environmental influences on larval survival and development. In: A. C. Giese, J. S. Pearse, and V. B. Pearse (Eds.) *Reproduction of Marine Invertebrates*. pp. 551-560. Blackwell Scientific Publications, Palo Alto, CA.

- Pereira, L. C. C., Jiménez, J. A and Medeiros, C. 2003. Environmental degradation of the littoral of Casa Caiada and Rio Doce, Olinda-PE (Brazil). In: Klein, A. *et al.* (Eds.). *Brazilian Sandy Beaches: Morphodynamic, Ecology, Use, Hazards and Management. Journal of Coastal Research*, **35**: 502-508.
- Peter, K. J., Iyer, K. H., John, S. and Radhakrishnan, E. V. (1977) Distribution and coexistence of planktonic organisms along the southwest coast of India. In *Proc. Symp. Warm Water Zooplankton*, UNESCO/NIO, pp. 80-86
- Peterson, C. G. and Stevenson, R. J. 1992. Resistance and resilience of lotic algal communities: importance of disturbance timing and current. *Ecology*, **73**: 1445-1461.
- Petraistic, T. H., Latham, R. E. and Niesenbaum, R. A. 1989. The maintenance of species diversity by disturbance. *Quarterly Review of Biology*, **64**: 393-418.
- Pisias, N. G., Mix, A. C. And Heusser, L. 2001. Millennial scale climate variability of the northeast Pacific Ocean and northwest North America based on radiolaria and pollen. *Q. Sci. Rev.*, **20**: 1561-1576.
- Porumb, F. 1980. Development du zooplancton dans les conditions d'eutrophisation des eaux du littoral Roumain de la Mer Noire. *Journées Etud. Pollutions*, Cagleari, C.I.E.S.M.M., Cagleari. 881-886.
- Prescott, G. E. 1959. Biological disturbances resulting from algal populations in standing waters. In: C. A. Tryon and R. T. Hartman (Eds.) *The Ecology of Algae*. pp. 22-37. University of Pittsburgh, Pittsburgh.
- Prescott, L., Klein, D. A. and Harley, J. P. 2002. *Microbiology* - 5th ed. McGraw-Hill, New York.
- Pritchard, T. R., Lee, R. S., Ajani, P. A. Rendell, P. S., Black, K. and Koop, K. 2003. Phytoplankton responses to nutrient sources to coastal waters of SE Australia. *Aqua. Eco. Health & Manag.*, **6**(2): 105-117.
- Qasim, S. Z. 1998. *Glimpses of Indian Ocean*, Pp. 206. Universities Press (India) Ltd., Hyderabad, India.
- Qasim, S. Z., Bhattatheri, P. M. A. and Devassy, V. P. 1972a. The influence of salinity on the rate of photosynthesis and abundance of some photosynthesis and abundance of some tropical phytoplankton. *Marine Biology*, **12**: 200-206.
- Radharkrishna, K. 1969. Primary productivity studies in the shelf waters off Alleppey, south-west India, during the post-monsoon season. *Mar. Biol.*, **4**: 174-181.
- Raghunathan, C., Sengupta, R., Wangikar, U. and Lakhmapurkar, J. 2004. A record of live corals along the Saurashtra coast of Gujarat, Arabian Sea. *Current Science*, **87**(8): 1131-1138.
- Ragunathan, C., Tewari, A., Joshi, H. V., Sravankumar, V. G., Trivedi, R. H. and Yasmin Khambhaty. 2003. Impact of turbidity on intertidal macrofauna at Gopnath, Mahuva and Veraval coasts (West coast of India). *Indian Journal of Marine Sciences*, **32**(3): 214- 221.

- Ramaiah, N. and Nair, V. R. 1997. Distribution and abundance of copepods in the pollution gradient zones of Bombay harbor-Thane creek-Bassein creek, west coast of India. *Indian Journal of Marine Sciences*, **26**: 20-25.
- Raman, K., Ramakrishna, K. V., Radhakrishnan, S. and Rao, G. R. M. 1975. Studies on the hydrobiology and the benthic ecology of Lake Pulicat. *Bulletin of Dept. of Marine Sciences*, University of Cochin, **VII**: 855-884.
- Ratna Bharathi, V., Kalavati, C. and Raman, A. V. 2001. Planktonic flagellates in relation to pollution in Visakhapattanam harbour, east coast of India. *Indian Journal of Marine Sciences*, **30**(1): 25-32.
- Reay, D. S., Priddle, J., Nedwell, D. B., Whitehouse, M. J., Ellis-Evans, J. C., Deubert, C., et al. 2001. Regulation by low temperature of phytoplankton growth and nutrient uptake in the Southern Ocean. *Mar. Ecol. Prog. Ser.*, **219**: 51-64.
- Reay, P. J. and Kimaro, M. M. 1984. Surface zooplankton studies in the port of Mombasa during the northeast monsoon. *Kenya J. Sci. Tech.* (Ser. B) **5**: 27-48.
- Redekar, P.D. and Wagh, A. B. 2000. Relationship of fouling diatom number and chlorophyll-a value from Zuari estuary, Goa (West coast of India). *Seaweed Res. Bull.*, **22**(1&2): 173-181.
- Rezai, H., Fatimah, M. Y., Aziz, A. and Othman, R. 2004. Spatial and temporal variations in calanoid copepod distribution in the straits of Malacca. *Hydrobiologia*, **537**: 157-167.
- Risser, P. G., Karr, J. R. and Formann, R. T. T. 1984. *Landscape Ecology Direction and Approaches*. Pp.180. Sple. Pub. 2. Illinois Natural History Survey, Champaign.
- Robert, B. 1959. The distribution of planktonic Chaetognaths in the pacific and their relationships to the water masses. *Limnology and Oceanography*, **4**(1): 2-28.
- Robertson, A. 1998. *Petroleum Hydrocarbons*, In: AMAP Assessment Report: Arctic Pollution Issues. Arctic Monitoring and Assessment programme (AMAP), Oslo, Norway: **42**: 661-716.
- Robertson, L. A. Kuenen, J.G. 1990. Physiological and Ecological aspects of aerobic denitrification a link with hetrotrophic nitrification? In: N. P. Revsbech and J. Soressen, (Eds.). *Denitrification in Soil and Sediment*. pp. 91-104. Plenum Press, New York.
- Roemmich, D. and McGowan, J. A. 1995. Climate warming and the decline of Zooplankton in California. *Current Science*, **267**: 1324-1326.
- Rojo, C. and Alvarez Cobelas, M. 1993. Hypertrophic phytoplankton and the intermediate disturbance hypothesis. *Hydrobiologia*, **249**: 43-57.
- Rosenberg, R. 1973. Succession in the benthic macroalgae in a Swedish fjord subsequent to the closure of a sulphite pulp mill. *Oikos*. **24**: 294-258.
- Rosenzweig, M. L. 1995. *Species diversity in space and time*. Cambridge University Press, Cambridge.
- Round, F. E., Crawford, R. M. and Mann, D. G. 1990. *The Diatoms: biology and morphology of genera*. Cambridge University Press, Cambridge.

- Samayda, T. J. 1980. Phytoplankton species succession. In: I. Morris (Ed.) *The Physiological Ecology of Phytoplankton - Studies in ecology*. Vol. 7. pp. 493-570. Blackwell, Oxford.
- Sankaranarayan, V. N. and Qasim, S. Z. 1969. Nutrients of the Cochin Backwaters in relation to environmental characteristic. *Marine Biology*, **2**: 236-247.
- Santhanam, R. and Srinivasan, A. 1994. *A manual of Marine Zooplankton*. Oxford and IBH Publishing Co. Pvt. Ltd., New Delhi, India.
- Santhanam, R. K., Krishnamurthy and Subbaraju, R. B. 1975. Zooplankton of Porto Novo, South India. *Bull. Dept. Mar. Sci.*, University of Cochin. **7**: 899-911.
- Schiel, D. R., Steinbeck, J. R. and Foster, M. S. 2004. Ten years of induced ocean warming causes comprehensive changes in marine benthic communities. *Ecology*, **85**: 1833-1839.
- Schndler, D.W. 1988. Effects of acid rain on freshwater ecosystems. *Science* **239**: 149-157.
- Schnetzer, A. and Steinberg, D. K. 2002. Natural diets of vertically migrating zooplankton in the Sargasso Sea. *Mar. Biol.*, **141**: 89-99.
- Scott, C. D. 2006. Planktons in a warmer world. *Nature*, **450**: 695-696.
- Seibel, B. A. and Fabry, V. J. 2003. Marine biotic response to elevated carbon dioxide. *Advances in Applied Biodiversity Science*, **4**: 59-67.
- Seibel, B.A. and Fabry, V. J. 2003. Marine biotic response to elevated carbon dioxide, *Advance in Applied Biodiversity Science* **4**: 59 – 67
- Selvaraj, G. S. D., Thomas, V. J. and Khambadkar, L. R. 2003. Seasonal variation of phytoplankton and productivity in the surf zone and backwaters of Cochin. *Journal of Marine Biology Assessment*, **45**(1): 9-19.
- Selvaraj, K., Jonatham, M. P., Rammohan, V., Thangraj, G. S., Pugalendhi, M. and Sen Gupta, R. and Desa, E. 2001. *The Indian ocean – a perspective*, Vol. pp. 1-396.
- Seshagiri, R. and Anil, A. C. 2003. Marine biodiversity and ecosystem functioning: A Perspective, *Current Science*, **84**(7): 884-892.
- Seshaiyana, 2006. *ENVIS*, Center for Advanced Study In Marine Biology. Annamalai University. Newsletter on Estuaries, Mangroves, Coral Reefs and Lagoons. **14**(1): Pages?
- Sewell, R.B. and Fage, L. 1948. Minumum oxygen layer in the ocean. *Nature*, **162**: 949-951.
- Shaikh, E. A., Roff, J. C. Nad Dowidar, N. M. 1986. Phytoplankton ecology and production in the Red sea off Jiddah. Saudi Arabia. *Marine Biology*, **92**(3): 405-416.
- Shannon, C. E. and Wiener, W. 1949. *A Mathematical Theory of Communications*. Pp. 117. University of Illinois Press, Urban.
- Shipley, B., Keddy, P. A., Gaudet, C. and Moore, D. R. J. 1991. A model of species density in shoreline vegetation. *Ecology*, **72**: 1658-1667.

- Shushkina, E. A. and Vinogradov, M. E. 1992. Vertical distribution of zooplankton in the Guaymas Basin (Gulf of California). *Okeanologia*, **32**(5): 881-887.
- Siddique, S. 2004. Impact of Ship breaking on marine fish diversity of the Bay of Bengal. A report of DFID – SUFER Project. Dhaka, Bangladesh. Pp. 46
- Smetacek, V. 1988. In: H. Postma and J. J. Ziljstra (Eds.) *Ecosystem of the world's Continental Shelves*. Pp. 93. Elsevier, Amsterdam.
- Smith, V. H. 1979. Nutrient dependence of primary productivity in lakes. *Limnology and Oceanography*, **24**: 1051-1064.
- Solbrig, O. T. 2000. The theory and practice of the science of biodiversity: A personal Assessment. In: M. Kato (Ed.) *The Biology of Biodiversity*. pp. 107-117. Springer-Verlag, Tokyo.
- Somero, G. N. 2002.. Thermal physiology and vertical zonation of intertidal animals: optima, limits, and costs of living. *Integ. Comp. Biol.*, **42**: 780-789.
- Sommer, F., Stibor, H., Sommer, M., and Velimirov, B. 2000. Grazing by meso-zooplankton from Kiel Bight, Baltic Sea, on different sized algae and natural size fractions . *Mar. Eco. Prog. Ser.*, **199**: 43-53.
- Sommer, M., Sommer, F., Santer, B., Jamieson, C., Boersma, M., Becker, C. and Hansen, T. 2001. Complementary impact of copepods and cladocerans on phytoplankton. *Ecology Letters*, **4**: 545-550.
- Sommer, U. 1993. Disturbance–diversity relationships in two lakes of similar nutrient chemistry but contrasting disturbance regimes. *Hydrobiologia*, **249**: 59–65.
- Sournia, A. 1974. Circadian periodicities in natural populations of marine phytoplankton. *Adv. Mar. Bio.*, **12**: 325-389.
- Sournia, A. 1977. Notes on primary productivity of coastal waters in the Gulf of Elat. *Int. Rev. Ges. Hydrobiol.* **62**: 813-819.
- Sousa, W. P. 1979. Disturbance in marine intertidal boulder fields: the non equilibrium maintenance of species diversity. *Ecology*, **60**: 1225-1239.
- Southward, A. J. and Crisp, D. J. 1954. Recent change in distribution of the inter tidal barnacles *Chthamalus stellatus* *poli* and *Balanus hananoides* in the Bristis Isle. *J. An. Ecol.*, **23**: 1663-1677.
- Southward, A. J. and Crisp, D. J. 1956. Fluctuations in the distribution and abundance of inter tidal barnacles. *J. Mar. Bio. Ass.*, **35**: 211-229.
- Sprules, W. G., 1975. Midsummer crustacean zooplankton communities in acid stressed lakes. *J. Fish. Res. Bd. Canada*, **32**: 389-395.
- Srinivas, M. R., Shaik, B., Joshi, H. V. and Ramachandraiah, G. 2005. Seasonal distribution and contaminants levels of total PHCs and PAHs and heavy metals in coastal waters of the Alang-Sosiya ship scrapping yard, Gulf of Cambay, India. *Chemospher*, **61**(11): 1587-1593. CLE IN PRESS
- Steele, J, H. 1958. Plant production in the northern North Sea. *Marine Res.*, Scot. Home Dept., 1958 (7): 1-36.
- Steele, J. H. 1958. *Scot. Home Dep. Mar. Res.*, 1958 (7): 1-36.

- Stephen, R. 1976. Calanoid copepods from the shelf and slope waters off Cochin: distribution biomass and species diversity. In: S. Z. Quasim, (Ed.) *Proceedings of the symposium on Warm water zooplankton*. National Institute of Oceanography, Goa. pp. 21-27.
- Sterling, W., Rakesh, M., Sarma, V. S., Ranjanna, B. and Raman, A.V. 2006. Discriminatory zooplankton assemblages through multivariate methods. A case for a tropical polluted harbor and bar-built estuary. *Chemistry and Ecology*. **22**(3): 225-237.
- Stirling, E. A., 1975. Some effects of pollutants on the behaviour of the bivalve - *Tellina tenuis*. *Marine Pollution Bulletin*, **6**: 122-124.
- Suresh, V. R. and Mathew, K. J. 1999. Studies of phytoplankton productivity in Kavaratti Atto, Lakshadweep. *Indian Journal of Fisheries*, **46**(4): 401-403.
- Suzuoki, T. and Shirakawa, K. 1979. Visual observation on pollutants floating in the open ocean, *Oceanogr. Mag*, **30**: 55-60.
- Swane, H., Day, M. and Wetzel, M. J. 2004. *Limnodrilus hoffmeisteri* (Annelida: Oligochaeta: Tubificidae) in Pop's Cave, Wisconsin, USA. *Journal of Cave and Karts Studies*, **66**(1): 28-31.
- Syed, S. J., Sriytha, P. M., Venkateran, R. and Premkumar, K. 2004. Spatial distribution of fouling assemblage on Data Buoys: Implication on larval dispersal pattern. *Proceedings of Conference on microbiology of the tropical Seas*, National Institute of Oceanography. Dona Paula, Goa-403004, India. pp.13-15.
- Tang, S. M., Orlic, I., Makjanic, J., Wu, X. K. and Ng, T. H., 1997. A survey of levels of metallic and organic pollutants in Singapore coastal waters and marine sediments. In: G. Vigers, K. S. Ong, N. McPherson, N. Millson, I. Watson, A. Tang, (Eds.) *Proceedings of the ASEAN-Canada Technical Conference on Marine Science*. EVS Environment Consultants, North Vancouver and Department of Fisheries Malaysia, Penang, Malaysia, pp. II 51- II 60.
- Teal, J. M. and Farrington, J. W. 1977. A Comparison of Hydrocarbons in Animals and their Benthic Habitats: *Rapp. Reun. Cons. Int. Explor. Mer.*, **171**: 79-83.
- Tewari, A., Joshi, H. V., Trivedi, R. H., Sravankumar, V. G., Ragunathan, C., Khabhaty, Y., et al.. 2001. The effect of ship scrapping industry and its associated wastes on the biomass production and biodiversity of biota in situ condition at Alang. *Marine Pollution Bulletin*, **42**: 462-469.
- Thiery, A. and Puente. 2002. Crustacean assemblage and environment characteristics of a man made solar salt work in southern France, with emphasis on an ostracan (Branchipoda) population dynamics. *Hydrobiologia*. **486**: 191-200.
- Thomas, C.R. 1997. Identifying marine phytoplankton . San Diego. Academia press. 858 p
- Thorne-Miller, B. 1999. *The Living Ocean*, Island press, Washington DC. USA.
- Thripp, K. J. and Collazo, J. A. 2003. Density and distribution of water boatman and brine shrimp at a major shorebird wandering area in Puerto Rico-wetland. *Ecol. Manage.*, **11**: 331-341.

- Timonin, A.G., Arashkevich, E.G., Drits, A.V. and Semenova, T.N. 1992. Zooplankton dynamics in the northern Benguela ecosystem, with special reference to the copepod *Calanoides carinatus*. In: A. I. L. Payne, K. H. Brink, K. H. Mann and R. Hilborn (Eds.) *Benguela Trophic Functioning*. *S. Afr. J. Mar. Sci.*, **12**: 545-560.
- Tiwari, R. L. and Nair, V. R, 1993. Zooplankton composition in Dharamtar creek adjoining Bombay harbour. *Indian Journal Marine Sciences*, **22**: 63-69.
- Tiwari, R. L. and Nair, V. R. 1993. Zooplankton composition in Dharamtar creek adjoining Bombay harbour. *Indian Journal Marine Sciences*, **22**: 63-69.
- Tiwari, R.L and Vijayalakshmi, R.N. 1993. Zooplankton composition in Dharamtar creek adjoining Bombay harbour. *Indian. J. Mar. Sci.* **22**: 63-69
- Trivedi, R.K and Goel, P.K . 1986. Chemical and biological methods for water pollution studies. Environmental publication, Karad.
- Turner, J. T. 1978. Scanning electron microscope investigations of the feeding habits and mouthpart structures of three species of copepods of the family Pontellidae. *Bulletin of Marine Science*, **28**: 487-500.
- Underwood, A. J., 1992. Competition in marine plant-animal interactions. In: *Plant-Animal Interactions in the Marine Benthos*, edited by D.M. John, S.J. Hawkins & J.H. Price, Oxford University Press, pp. 443-475..
- Unterüberbacher, H. K. 1964. Zooplankton studies in the waters off Walvis Bay with special reference to Copepoda. *Invest. Rep. Mar. Res. Lab. S. W. Africa*, **11**: 1-42. + Plates 2-36.
- Urabe, J. 1990. Stable horizontal variations in the zooplankton community structure of a reservoir maintenance by predation and competition. *Limnology and Oceanography*, **35**: 1705-1717.
- Uye, S. I. 1994. Replacement of large copepods by small ones with eutrophication of embayments: cause and consequence. *Hydrobiologia*, **292-293**: 513-519.
- Val, H. S. 2006. Response of estuarine and coastal marine phytoplankton to nitrogen and phosphorus enrichment. *Limnology and Oceanography*, **51**(1 & 2): 377-384.
- Valiela, I. 1984. *Marine Ecological Processes*. Springer-Verlag, New York.
- Verheye, H. M. and Richardson, A. J. 1998. Long term increase in the crustacean zooplankton abundance in the southern Benguela upwelling region (1951-1996): bottom up or top down control? *Journal of Marine Science*, **55**: 803-807.
- Verity, P. G. and Smetacek, V. 1996. Organism life cycles, predation and the structure of pelagic ecosystems. *Mar. Ecol. Prog. Ser.*, **130**: 277-293.
- Verlekar, X. N., Desai, S. R., Snigdha and D'silva, C. 1996. Seasonal Periodicity of Phytoplankton and Zooplankton Population at the Mouth of Mandovi Estuary, Goa and Their Relation to Fisheries. *Journal?*
- Verma, K. K., Rao, L. V. G. and Cherian, T. 1975. Temporal and spatial variations in hydrographic conditions of Mandovi estuary. *Indian Journal of Marine Sciences*, **4**: 11-17.

- Victor, H. 1887. PLANKTON. Ocean Processes and Ecology, Spring 2004. http://ic.ucsc.edu/~kudela/OS130/Lectures/2005/OS130_040505/OS130S05_L3_plankton_notes.pdf.
- Vidal, J. 1980. Physioecology of zooplankton. Effects of phytoplankton concentration, temperature and body size on the metabolic rate of *Calanus pacifus*. *Marine Biology*, **56**(3): 195-202.
- Villa, H., Quintela, J., Coêlho, M. L., Icely, J. D. and Andrade, J. P. 1997. Phytoplankton biomass and zooplankton abundance of the south coast of Portugal (Sagres), with special reference to spawning of *Loliigo vulgaris*. *Scientific Marina*, **61**(2): 123-129.
- Vinogradov, M. E. and Voronina, N. M. 1962. Influence of the oxygen deficit on the distribution of plankton in the Arabian Sea, *Deep - Sea Research*, **9**: 523-530.
- Wabber, D. F. and Webber, M. K. 1998. The water quality of Kingston Harbour: evaluating the use of the planktonic community and traditional water quality indices, *Chemistry and Ecology*, **14**: 357-374.
- Walsh, G. E., 1975. Utilization of energy by primary producers in four ponds in northwestern Florida. In *Proceedings on Biostimulation and Nutrient Assessment Workshop*, pp. 249-74, U.S. Environmental Protection Agency, Ecological Research Series, EPA-660/3-75-034, iv, 319 Pp.
- Warwick, R. M. and Clarke, K. R. 1995. New 'biodiversity' measures reveal a decrease in taxonomic distinctness with increasing stress. *Mar. Ecol. Prog. Ser.*, **129**: 301-305.
- Warwick, R. M. and Clarke, K. R. 1998. Taxonomic distinctness and environmental assessment. *Journal of Applied Ecology*, **35**: 532-543.
- Warwick, R. M. and Turk, S. M. 2002. Predicting climate change effects on marine biodiversity: Comparison of recent and fossil molluscan death assemblages. *Journal of Marine Biological Association*, **82**: 847-850.
- Wasmund, N., Lass, H. U. and Nausch, G. 2005. Distribution of nutrients chlorophyll and phytoplankton primary production in relation to hydrographic structure bordering the Benguels Angolan frontal region. *African Journal of Marine Science*. **27**(1): 177-190.
- Wells, P. G. and Percy, J. A. 1985. Effects of oil on Arctic invertebrates. In: F. R. Engelhardt, (Ed.), *Petroleum effects in the Arctic environment*, pp. 101-156. Elsevier Applied Science Publishers, Essex, England.
- Wetzel, R. G. 2001. *Limnology—Lake and river ecosystems*. Academic Press, London.
- Willam, B. C. and Dorinds, R. O. 1997. Ground truthing paleo climate: Record sediment Trap observation Aid paleo graphers. *Oceanus*, Vol?: 11-14.
- Wilson, G. 1985. The systematic position of the ilyarachnoid Eurycopidae (Crustacea, Isopoda, Asellota). Dissertation for the Degree of Doctor of Philosophy (Marine Biology). University of California, San Diego. **xxii**: 403 pp.
- Wolfinbarger, W.C. 1999. Influence of biotic and abiotic factors on Seasonal succession of zooplankton in Hugo Reservoir, Oklahoma , USA. *Hydrobiologia*, **400**: 13-31.

- Wong, C. S., Green, D. R., and Cretney, W. J. 1976. Distribution and source of tar on the Pacific Ocean. *Marine Pollution Bulletin*, **7**: 102-106.
- Wooldridge, T. and Melville-Smith, R. 1979. Copepod succession in two African estuaries. *Journal of Plankton Research*, **1**: 329-341.
- Worm, B., Lotze, H. K., Hillebrand, H., Sommer, U. 2002. Consumer versus resource control of species diversity and ecosystem functioning. *Nature*, **417**: 848-851.
- Xabier, I., Jef, H. and Roger, P. H. 2004. Global biodiversity pattern of marine phytoplankton and zooplankton. *Nature*, **429**(24): 863-867.
- Yoshinaga, T., Atsushi, H. and Tsukamoto, K. 2001. Why do rotifer populations preset a typical sigmoid curve? *Hydrobiology*, **446/447**: 99-105.
- Zingde, M. D. and Desai, B. N. 1992. Pollution status of Thane creek, Bombay Harbour. *Marine Pollution Bulletin*, **12**(7): 237-240.
- Zsolnay, A. 1977. Inventory of nonvolatile fatty acids and hydrocarbons in the ocean. *Mar. Chem.*, **5**: 465-475.
- Zuauhui, W., Yuzao, Qi, Jufing, C., Ning, Xu and Yufing, Y. 2006. Phytoplankton abundance, community structure and nutrients in cultural area of Daya bay, South China Sea. *Journal of Marine System*, **62**(1-2): 85 -94.