

## BIBLIOGRAPHY

- ABUL FADL, M.A.M. AND KING, E.J. 1949. Properties of acid phosphatases of erythrocytes of human prostate gland. Biochem. J., 45:51-60.
- ALLEN, B.M. 1918. The relation of the thyroid gland to regeneration in Rana pipiens. Anat. Rec., 14: 85-86.
- ARGYRIS, T.S. 1956. Succinic dehydrogenase and Esterase activities of mouse skin during regeneration and fetal development. Anat. Rec., 126: 1-13.
- ARNOLD, J.S. AND JEE, W.S.S. 1957. Bone growth and osteoclastic activity as indicated by radioautographic distribution of plutonium. Am. J. Anat., 101 : 367-419.
- APPELMANS, F., WATTIANX, R. AND DE DUVE, C. 1955. Tissue fractionation studies. 5.The association of acid phosphatase with special class of cytoplasmic granules in the liver. Biochem. J., 69: 438-445.
- ASTWOOD, E.B. 1949. Mechanisms of action of various antithyroid compounds. Annals. N.Y. Acad. Sci., 50: 419-443.
- ASTWOOD, E.B. 1954. Mechanisms of action of antithyroid compounds. The thyroid, Brookhaven Symposia in Biology. No. 7 : 61-73.
- BAKER, J.R. 1946. The histochemical recognition of lipine. Quart. J. Micr. Sci., 87: 441-470.

- BARTELMEZ, G.W. AND BENSLEY, S.H. 1947. "Acid phosphatase" reaction in peripheral nerves. Science, 106:639-641.
- BASSINA, J.A. 1940. An enquiry into regeneration by the method of calculating mitotic coefficients. Byul. Eksperim. Biol. Med., 10:389 (Russian - reviewed by Chalkley, 1959).
- BECKETT, E.B. AND BOURNE, G.H. 1958. Acid and alkaline phosphatases in normal and diseased human muscle. Acta. Anat. 35: 326-343.
- BEHRENDT, H. 1943. Phosphatase activity of human erythrocytes. Proc. Soc. Exp. Biol. Med., 54: 268-271.
- BEHRENDT, H. 1949. Phosphatases in blood of man. Values in whole blood plasma, cytolysates and erythrocytic suspensions. Am. J. Clin. Path., 19: 167-176.
- BERLIN, L.B. 1958. Histochemical study of glycogen in human skin after regeneration and autotransplant. Doklady. Akad. Nauk. S. S. R., 123: 179-181.
- BERLIN, L.B. 1959. Histochemical study of glycogen and nucleoproteins during skin regeneration. Doklady Akad. Nauk. S. S. R., 131: 188-190.
- BERGMAN, R.A. 1960. Further observations on the localization of glycogen in the frog striated muscle. Bull. John Hopkins Hosp., 107: 307-320.
- BIEBER, S., SPENCE, J.A. AND HUTCHINGS, G.H. 1959. Nucleic acids and their derivatives and the development of Rana pipiens, 1. Oogenesis. Exp. Cell. Res., 16:202-214

- BODEMER, C.W. 1962. The effect of microquantities of ribonuclease on the regenerating amphibian limb. Anat. Rec., 142: 105-110.
- BODEMER, C.W. AND EVERETT, N.B. 1959. Localization of newly synthesized proteins in regenerating newt limbs as determined by radioautographic localization of injected Methionine-S<sup>35</sup>. Develop. Biol., 1:327-342.
- BODIAN, D. AND MELLORS, R.C. 1944. Phosphatase activity in chromatolytic nerve cells. Proc. Soc. Exp. Biol. Med., 55: 243-245.
- BORGHESE, E. 1957. Recent histochemical results of studies on embryos of some birds and mammals. In "Internat. Rev. Cytol.", VI: 289-341.
- BOURNE, G. 1943. The distribution of alkaline phosphatase in various tissues. Quart. J. Exp. Physiol., 32, 1-20.
- BRACHET, J. 1950. Chemical Embryology. Interscience Publishers, Inc., New York.
- BRADFIELD, J. R. G. 1951. Glycogen of vertebrate epidermis. Nature, 167: 40-41.
- BROWN, D.D. AND CASTON, J.D. 1962. Biochemistry of amphibian development. 1. Ribosome and protein synthesis in early development of Rana pipiens. Develop. Biol., 5: 412-432.

- BUEDING, E. AND FARBER, E. 1960. Comparative biochemistry of glycolysis. In "Comparative Biochemistry" (Florkin, M. and Mason, H.S. eds.). Vol. 2. p. 411-439. Academic Press, New York.
- BUNO, W. AND GERMINO, N.I. 1958. Distribution of succinic dehydrogenase in the organs of adult albino rat. Acta Anat., 33: 161-174.
- BURSTONE, M.S. 1958. Histochemical comparison of Naphthol AS-phosphates for the demonstration of phosphatases. J. Nat. Cancer. Inst., 20: 601-616.
- BURSTONE, M.S. 1958a. Histochemical demonstration of acid phosphatase with Naphthol-AS-phosphates. J. Nat. Cancer. Inst., 21: 523-539.
- BURSTONE, M.S. 1959a. Histochemical demonstration of acid phosphatase activity in osteoclasts. J. Histochem. Cytochem., 7: 39-41.
- BURSTONE, M.S. 1960a. In "Calcification in Biological Systems". Am. Assoc. Advance. Sci., pp. 217-243. Sognnaes. R.F. (ed.) Washington, D.C.
- BURSTONE, M.S. 1961. Histochemical demonstration of phosphatases in frozen sections with Naphthol-AS-phosphates. J. Histochem. Cytochem., 9: 146-153.
- BURSTONE, M.S. 1962. Enzyme histochemistry and its applications in the study of Neoplasms. pp. 164. Academic Press, New York.

- CAIN, A.J. 1947a. The use of Nile blue in the examination of lipoids. Quart. J. Micr. Sci., 88: 383-392.
- CAIN, A.J. 1947b. An examination of Baker's acid haematein test for phospholipines. Quart. J. Micr. Sci., 88: 467-478.
- CARENZA, F.A.Jr. AND CABRINI, R.L. 1962. Histochemical demonstration of acid phosphatase in healing wound. Science, 135: 672.
- CASSELMAN, W.G.B. 1952. Observations concerning the specificity of the acid haematein test for phospholipines. Quart. J. Micr. Sci., 93: 381-383.
- CHALKLEY, D.T. 1954. A quantitative histological analysis of the fore-limb regeneration in Triturus viridescens. J. Morphol., 94: 21-70.
- CHALKLEY, D.T. 1959. The cellular basis of regeneration. In "Regeneration in vertebrates" (C.S.Thronton Ed.), pp. 34-56 Univ. Chicago Press. Chicago. Illinois.
- CHANGUS, G.W. 1957. Osteoblastic hyperplasia of bone: A histochemical appraisal of fibrous dysplasia of bone. Cancer, 10: 1157-1161.
- CHINOY, N.J. AND GEORGE, J.C. 1965. Embryonic and post embryonic development of the pigeon pectoralis muscle. J. Anim. Morphol. Physiol., 12:57-68.
- CHINOY, N.J. AND GEORGE, J.C. 1965. Cholinesterases in the pectoral muscles of some Vertebrates. J. Physiol. (London). 177: 346-354.

- CHINOY, N.J. AND GEORGE, J.C. 1966. Cholinesterases in the embryonic and post embryonic pigeon pectoralis muscle. Pavo, 4: 65-71.
- CLEMENT-NOEL, H. 1944. Les acides pentosenucléiques et la régénération. Soc. Roy. Zool. Belg., 78: 25-33.
- COSMOS, E. 1966. Enzymatic activity of differentiating muscle fibres. 1. Development of phosphorylase in muscles of domestic fowl. Develop. Biol., 13: 163-181.
- CRETIN, A. 1951. Contribution histochemique à l'étude de la construction et de la destruction osseuse. Presse. Med., 59: 1240-1242.
- COUPLAND, R.E. AND HOLMES, R. L. 1957. The use of cholinesterase technique for the demonstration of peripheral nerve structures. Quart. J. Micr. Sci., 98: 327-330.
- DANIELLI, J.F. 1954. Phosphatases and other enzymes considered in relation to active transport and the functions of fibrous protein structures. Proc. Roy. Soc. (London) 142: 146-154.
- DANNENBERG, A.M., BURSTONE, M.S. AND WILDHACK, J.A. 1960. Phagocytic and enzymatic activities of rabbit mononuclear and polymorphonuclear exudate cells: A histochemical study. J. Histochem. Cytochem., 8: 318-319.

DAVIDSON, J.N., LESLIE, I., SMELLIE, R.M.S. AND THOMSON, R.Y.

1950. Chemical changes in the developing chick embryo related to the deoxyribonucleic acid content of the nucleus. Biochem. J., 46: Proc. XI.

DEANE, H.W., BARRETT, R.J. AND SELIGMAN, A.M. 1960. Handbuch Der Histochemie. VII, Enzymes. 108 P, Gustav Fisher Verlag, Stuttgart.

DE DUVE, C. 1959. Lysosomes a new group of cytoplasmic particles in Subcellular Particles. (T. Hyashi Ed.), Ronald Press Co. N.Y. pp. 128-159.

DEMPSEY, E.W. WISLOCKI, G.B. AND SINGER, M. 1946. Some observations on the chemical cytology of striated muscle. Anat. Rec., 96: 221-247.

DICKENS, F. 1951. Anaerobic glycolysis, respiration and the Pasteur effects. In: The Enzymes, J.B. Sumner and K. Myrback, Eds. Acad. Press, New York. <sup>Vol.</sup> II. <sub>pp.</sub> 624-683.

ENGAL, W.K. 1961. Cytological localization of glycogen in cultured skeletal muscle. J. Histochem. Cytochem., 9: 38-43.

ERANKO, O. AND PALKAMA, A. 1962. Improved localization of phosphorylase by the use <sup>of</sup> polyvinyl pyrrolidone and high substrate concentration. J. Histochem. Cytochem., 9: 585.

FALIN, L.I. 1961. Glycogen in the epithelium of mucous membranes and skin and its significance. Acta Anat., 46: 244-276.

FELL, H.B. AND ROBISON, R. 1929. The growth, development and phosphatase activity of embryonic avian Femora and limb buds cultivated in vitro. Biochem. J., 23: 76.

FELL, H.B. AND ROBISON, R. 1934. The development of calcifying mechanism in avian, cartilage and osteoid tissue. Biochem. J., 28: 2243.

FELL, H.B. AND DANIELLI, J.F. 1943. The enzymes of healing wounds. I. The distribution of alkaline phospho-monoesterase in experimental wounds and burns in rat. Brit. J. Exp. Path., 24: 196-203.

FISCHMAN, W.H. AND BAKER, J.R. 1955. Cellular localization of B-Glucoronidase in rat tissue. J. Histochem. Cytochem., 4: 570-587.

FREDRICSSON, B. 1952. A modification of the histochemical method for demonstration of alkaline phosphatase in which the nonspecific reactions and the diffusion phenomena are reduced. Anatomischer Angeiver, 99: 97-106.

FREDRICKSON, D.S. AND GORDON, R.S. 1958. Transport of fatty acids. Physiol. Rev., 38: 585-630.

FORMISANO, R. AND MONTAGNA, W. 1954. Succinic dehydrogenase activity in the skin of guinea pig. Anat. Rec., 120: 893-905.

FUJII, T. AND OHNISHI, T. 1952. The phosphate metabolism of frog skin in relation to its inductive power. Annot. Zool. Jap., 25: 54-62.

- GECZIK, R. AND WOLSKY, A. 1959. Dehydrogenase activity during regeneration in the tail of Triturus viridescens: A histological and enzymological study. Anat. Rec., 134: 568.
- GEORGE, J.C. 1962. A histochemical study of the red and white muscles of the Mackerel. Am. Midl. Nat., 68: 487.
- GEORGE, J.C. AND AMBADKAR, P.M. 1963. Histochemical demonstration of lipids and lipase activity in rat testis. J. Histochem. Cytochem., 11: 420-425.
- GEORGE, J.C. AND BERGER, A.J. 1966. Avian Myology. Academic Press, New York. U.S.A.
- GEORGE, J.C. AND BHAKTHAN, N.M.G. 1960a. A study on the fibre diameter and certain enzyme concentrations in the flight muscles of some butterflies. J. Exp. Biol., 37: 308.
- GEORGE, J.C. AND BHAKTHAN, N.M.G. 1960b. The fibre diameter and certain enzyme concentrations in the flight muscles of some moths. J. Anim. Morphol. Physiol., 7: 141-149.
- GEROGE, J.C. AND BOKDAWALA, F.D. 1964. Cellular organization and fat utilization in fish muscle. J. Anim. Morphol. Physiol., 11: 124-132.
- GEORGE, J.C. AND EAPEN, J. 1958a. Certain histochemical and physiological observations on the adipose tissues of the pigeon. J. Anim. Morphol. Physiol., 5: 49.

- GEORGE, J.C. AND EAPEN, J. 1959a. Histochemical demonstration of Lipase and Alkaline phosphatase activity in the fat body of the desert Locust. Nature, 183: 268.
- GEORGE, J.C. AND EAPEN, J. 1959b. A histological and histochemical study of the brown and yellow adipose tissue of the Bat, Hipposideros speoris. Quart. J. Micr. Sci., 100: 369-375.
- GEORGE, J.C. AND EAPEN, J. 1959c. Lipase activity in the adipose tissue of vertebrates. J. Anim. Morphol. Physiol., 6: 119-122.
- GEROGE, J.C. AND NAIK, R.M. 1958. Studies on the structure and physiology of flight muscles of Birds. 5- Some histochemical and cytochemical observations on the structure of the pectoralis., J. Anim. Morphol. Physiol., 6: 16-23.
- GEORGE, J.C. AND NAIK, R.M. 1960. Intermuscular fat store in the pectoralis of Birds. Auk, 77: 216-217.
- GEORGE, J.C., NAIR, M.S. AND SCARIA, K.S. 1958. Studies on the structure and physiology of the flight muscles of birds. 3. Alkaline phosphatase activity in the pigeon breast muscle. Curr. Sci., 27: 172-173.
- GEORGE, J.C. AND NENE, R.V. 1965. A histophysiological study of some muscles of the avian pectoral appendage. Pavo, 3: 35-46.

- GEORGE, J.C. AND PISHAWIKAR, S.D. 1961. Acid phosphatase activity in the pigeon breast muscle.  
Naturwissenschaften, 48: 104.
- GEORGE, J.C. AND SCARIA, K.S. 1958. Histochemical demonstration of lipase activity in the pectoralis major muscle of the pigeon. Nature, 181: 783.
- GEORGE, J.C., SUSHEELA, A.K. AND SCARIA, K.S. 1958. A quantitative histochemical study of lipase activity in the pectoralis major muscle of the Bat. Naturwissenschaften, 45: 93.
- GEORGE, J.C. AND SUSHEELA, A.K. 1966. Phosphorylase and lactic dehydrogenase in the rat diaphragm.  
J. Anim. Morphol. Physiol., 13: 85-94.
- GEORGE, J.C. AND TALESARA, C.L. 1961. A quantitative study of the distribution pattern of certain oxidising enzymes and a lipase in the red and the white fibres of the pigeon breast muscle. J. Cell. Comp. Physiol., 58: 253-260.
- GEORGE, J.C. AND TALESARA, C.L. 1961a. Histochemical observations on the SDH and Cytochrome Oxidase activity in the pigeon breast muscle. Quart. J. Micr. Sci., 102: 131-141.
- GEORGE, J.C., VALLYATHAN, N.V. AND SCARIA, K.S. 1958. Lipase activity in insect flight muscle.  
Experientia, 14: 250.

GEREBTZOFF, M.A., PHILIPPOT, E. AND DALLENMAGNE, M.J. 1954.

Recherches histochimiques sur les acetylcholine et choline esterases. 2. Activite enzymatique dans les muscles lents et rapides des mammiferes et des oiseaux. Acta. Anat., 20: 234-257.

GHIDONI, M.B. 1948. Effects of thyroid inhibitors upon the tail regeneration in the tadpole. Growth, 12: 181-202.

GHIRETTI, F. 1950. On the activity of acid and alkaline phosphatase during tail regeneration in Triturus cristatus (Laur). Experientia, 6: 98-100.

GLUCK, L. AND KULOVICH, M.V. 1964. Histochemical studies of the distribution of RNA in tissues of the developing chick embryo. Yale J. Biol. Med., 36: 379-387.

GLENNER, G.G. AND BURSTONE, M.S. 1958. Esterase and phosphatase activity in Necturus maculosus: A study in comparative histoenzymology. Anat. Rec., 130: 243-252.

GODLEWSKI, E. 1928. Untersuchungen über Auslösung und Hemmung der Regeneration beim Axolotl. Roux Arch. Entw-mech., 114: 108-143.

GOMORI, G. 1941. Distribution of acid phosphatase in the tissues under normal and under pathologic conditions. Arch. Path., 32: 189-199.

- GOMORI, G. 1941a. The distribution of phosphatase in normal organs and tissues. J. Cell. Comp. Physiol., 17: 71-84.
- GOMORI, G. 1943. Calcification and phosphatases. Amer. J. Path., 19: 197.
- GOMORI, G. 1950. An improved histochemical technique for acid phosphatase. Stain. Tech., 25: 81-85.
- GOMORI, G. 1953. Microscopic histochemistry, Principles and practice. University of Chicago Press. Chicago. U.S.A.
- GOMORI, G. 1956. Histochemical methods for acid phosphatase. J. Histochem. Cytochem., 4: 453-461.
- GOSLAR, H.G. 1958a. Beitrage zum Hautungsvorgang der Schlangen. Acta Histochem., 5: 182-212.
- GOSLAR, H.G. 1958b. The skin of reptiles as an Endocrine test object. Endokrinologie., 36: 279-286.
- GRANT, P. 1958. The synthesis of deoxyribonucleic acid during early embryonic development of Rana pipiens. J. Cellular. Comp. Physiol., 52: 227-247.
- GREENSTEIN, J.P. 1945. Research conference on cancer. Publ. of A.A.A.S. 192.
- GRILLO, T.A.I. 1961. Uridine diphosphate glucose-glycogen synthetase activity in the chick embryo. Nature, 195: 902-903.
- GURR, E. 1956. A practical manual of Medical and Biological staining techniques. London, Leonard Hill Ltd.

- HIGHT, W.F. AND ROSSITER, R.J. 1950. Acid and alkaline phosphatase in white cells. Data for the lymphocytes and polymorphonuclear leucocytes of man and rabbit. Blood, 5: 267-277.
- HAHN, H.P. VON. 1960. Die Aktivitat der Sauren phosphatase bei der Xenopus larvae. II. Normale regeneration. Helv. Physiol. Acta., 18: C80-C83.
- HANKE, W. 1962. Die Beeinflussung der Wundheilung bei Saugtieren durch histostatische und morphogenerische Substanzen. Arch. F. Entw-mech., 153: 669-702.
- HAY, E.D. 1956. Effects of thyroxine on limb regeneration in the newt, Triturus viridescens. Bull. Johns Hopkins Hosp., 99: 262-285.
- HAY, E.D. AND FISCHMAN, D.A. 1961. Origin of blastema in regenerating limbs of the newt, Triturus viridescens. Develop. Biol., 1: 327-342.
- HEATH, H.D. 1953. Regeneration and growth of chimaeric amphibian limbs. J. Exp. Zool., 122: 339-366.
- HEIVAAK, O. 1960. Red cell acid phosphatase with reference to its interaction in the estimation of serum acid phosphatase. Amm. Med. Int. Fenn., 49: 181-185.
- HESS, O. 1959. Organotypische und phasenspezifische Verteilung ungestigter Lipoide im Schwanz der larve von Xenopus laevis. Experientia, 15: 161-162.
- HORI, S.H. AND CHANG, J.P. 1963. Demonstration of lipids in mitochondria and other cellular elements. J. Histochem. Cytochem., 11: 115-116.

- HOSKINS, E.R. AND HOSKINS, M.M. 1919. Growth and development of amphibia as affected by thyroidectomy.  
J. Exp. Zool., 29: 1-70.
- HUGES, A. AND NEWS, D. 1959. Tail regeneration in the Gecknoid lizard, Sphaerodactylus. J. Embryo. Exp. Morphol., 7: 281-302.
- IDE-ROZAS, A. 1936. Die cytologischen Verhaltnisse bei der regeneration von Kaulquappenextremetaten.  
Wilhelm Roux. Arch. Entwicklangmech. Organ., 135: 552-608.
- JACKSON, D.S. 1958. Some biochemical aspects of fibrogenesis and wound healing. New. Engl. J. Med., 259: 814-820.
- JACOVLEVA, T.M. 1943. Cell changes in connective tissue during regeneration. 1. Doklady Akad. Nauk. URSS., 41: 222-224.
- JOHNSON, E.A. AND SINGER, M. 1963. A histochemical study of succinic and lactic dehydrogenases in regenerating forelimbs of the adult newt, Triturus. Amer. Zool., 3: 511.
- JOHNSON, F.R. AND McMINN, R.M.H. 1958. The association of alkaline phosphatase with fibrogenesis. J. Anat., 92: 544-550.
- JUNQUIERA, L.C.U. 1950. Alkaline and acid phosphatase distribution in normal and regenerating tadpole tails.  
J. Anat. Lond., 84: 369-373.

- KABAT, E.A. AND FURTH, J. 1941. A histochemical study of the distribution of alkaline phosphatase in various normal and neoplastic tissues. Am. J. Path., 17: 303-318.
- KAMBARA, S. 1953. The effect of thyroid and thiourea on regeneration of the tail in the newt, Triturus pyrrhogaster. Annot. Zool. Jap., 26: 208-212.
- KAMBARA, S. 1955. Phosphatases in the skin of the newt, Triturus pyrrhogaster. Annot. Zool. Jap., 28:61-66.
- KARZMAR, A.G. AND BERG, G.G. 1951. Alkaline phosphatase during limb development and regeneration of Ambystoma punctatum. J. Exp. Zool., 117:137-163.
- KAMRIN, P.R. AND SINGER, M. 1955. The influence of the spinal cord in regeneration of the tail of the lizard, Anolis carolinensis. J. Exp. Zool., 128:611-627.
- KASABYAN, S.S. 1956. Glycogen content of tissues during healing of skin wounds in albino mice. Bull. Exp. Biol. Med., 41: 173-175.
- KING, E.J., WOOD, E.J. AND DELORY, G.E. 1945. Acid phosphatase of the red cell. Biochem. J., 39: xxiv.
- KOBAYASHI, M., MARUYAMA, K. AND KAMBARA, S. 1955. Effect of thyroxine on the phosphatase activity of pigeon skin. Endocrinology, 57: 129-133.
- KOELLE, G.B. AND FRIEDENWALD, J.B. 1949. A histochemical methods for localizing cholinesterase activity. Proc. Soc. Exp. Biol. Med., 70:617-622.

- KUDOKOSTSEV, B.P. 1962. Stimulation of the regeneration processes in the extremities of lizards by the method of supplementary innervation. C.R.Acad. Sci.SSSR., 142: 233-236.
- KURANICK, N.B. 1955. Histochemistry of nucleic acids. In: International Review of Cytology, 4:221-268. Ed. Bourne, G.H. and Danielli, J.F. Academic Press. N.Y.
- LESSEK, A.M. 1947. The stability of so called axonal acid phosphatase as determined by experiments in its "Stainability". Stain. Tech., 22: 133-138.
- LAUFER, H. 1960. Immunochemical studies of muscle proteins in mature and regenerating limbs of the adult newt, Triturus viridescens. J. Embryol. Exp. Morphol., 7: 431-458.
- LA VELLE, A., LIU, C. AND LA VELLE, F.W. 1954. Acid phosphatase activity as related to nucleic acid sites in the nerve cells. Anat. Rec., 119:305-324.
- LE-BLOND, C.P. 1950. Distribution of periodic acid reactive carbohydrates in the adult rat. Am.J.Anat., 86:1-50.
- LEVER, J. 1948. A mathematical method for the determination of the thyroid gland. Proc.Kon.Ned.Akad.V.Klev., C51:1302.
- LITWILLER, R. 1939. Mitotic index and size in the regenerating amphibian limbs. J.Exp.Zool., 82: 273-286.

- LORCH, I.J. 1947. Localization of alkaline phosphatase in mammalian bones. Quart. J. Micr. Sci., 88: 367.
- LOVTRUP, S. 1959. Biochemical indices of embryonic differentiation. In: "Proceedings of the fourth International congress of Biochemistry". Vol.6. Biochemistry of Morphogenesis. Nickerson, W.J.(Ed.), New York, Pergamon Press, pp.105-125.
- MADERSON, P.F.A. 1967. The skin of lizards and snakes. Brit. J. Herp., 3: 151-154.
- MALATY, H.A. AND BOURNE, G.H. 1953. Histochemistry of Succinic dehydrogenase. Nature, 171: 296-297.
- MALINOW, M., FRENANDEZ, M., GIMENO, A.L. AND BUR, G. 1959. Distribution of alkaline phosphatase in the arteries of several species. Nature, 183:1262-1263.
- MANCINI, R.E. 1948. Histochemical study of glycogen in tissues. Anat. Rec., 111:149-160.
- MANHEIMER, L.H. AND SELIGMAN, A.M. 1948. Improvement in the method for the histochemical demonstration of alkaline phosphatase and its use in a study of normal and neoplastic tissues. J. Nat. Cancer. Inst., 9: 181-199.
- MANNER, H.W. 1953. The origin of the blastema and of new tissues in regenerating fore limbs of adult Triturus vividescens. J. Exp. Zool., 122:229-257.

- MARCHANT, J. 1949. Alkaline phosphatase in normal and degenerated peripheral nerves of the rabbit.  
J. Anat., 83: 227-237.
- MARIAN, D.H. HUGHES, A.F.W. AND WERBA, S.M. 1956. Nucleic acid metabolism of the developing chick embryo.  
Biochem. Biophys. Acta (Amst.), 19:318-323.
- METTETAL, C. 1939. La regeneration des membres chez la salamandre et le triton. Histologie et determination.  
Arch. Anat. Histol. Embryol., 28:1-214.
- MOFFAT, L.A. AND BELLAIRS, A.D'A. 1964. The regenerative capacity of the tail in embryonic and postnatal lizard (Lacerta vivipera jacquin). J. Embryol. Exp. Morph., 12: 769-786.
- MONIS, B. AND RUTENBERG, A. 1959. Alkaline phosphatase in leucocytes by an azo dye method. Stain. Tech., 34: 339-342.
- MONTAGNA, W. 1949. Glycogen and lipid in human cartilage, with some cytochemical observations on the cartilage of the dog, cat and rabbit. Anat. Rec., 103: 77-92.
- MONTAGNA, W. AND FORMISANO, V. 1955. Histology and chemistry of human skin. VII. The distribution of Succinic dehydrogenase activity. Anat. Rec., 122:65-77.
- MONTAGNA, W. AND ELLIS, R.A. 1958. The Biology of hair growth. Edited by William Montagna and Richard A. Ellis. N.Y. Academic Press. pp.520.

- MOOG, F. 1943. Distribution of phosphatase in the spinal cord of chick embryo of one to eight days incubation. Proc.Natt.Acad.Sci., 29: 176-183.
- MOOG, F. 1944. Localization of alkaline and acid phosphatases in the early embryogenesis of the chick. Biol. Bull., 86:51-80.
- MORETTI, G. AND MESCON, H. 1956. A chemical <sup>and</sup> histochemical evaluation of acid phosphatase activity in human skin. J. Histochem. Cytochem., 4:247-253.
- MOYSON, F. 1946. La phosphatase alcaline au cours du développement chez Rana temporaria et au cours des phénomènes de cicatrisation et de régénération. Ann.Soc.Roy.Zool., 77: 68-77.
- MURRAY, M.R. 1959. Factors bearing on myelin formation in vitro "The Biology of Myelin". Saul R. Korey, Ed., Paul B. Hoeber Inc. N.Y. pp.201-209.
- MUSTAKALLIO, K.K. 1962. Dehydrogenases of human epidermis. Annales d' Histochemie., 6:275-277.
- NEEDHAM, A.E. 1952. Regeneration and wound healing. Methuen & Co. Ltd. N.Y. John Willy & Sons Inc. London.
- NEWMAN, W., FEICIN, L., WOLF, A. AND KABAT, E.A. 1950. Histochemical studies on tissue enzymes. IV. Distribution of some enzyme systems which liberate phosphate at pH 9.2 as determined with various substrates and inhibitors, demonstration of three groups of enzymes. Am.J.Pathol., 26:257-305.

- NIWELINSKI, J. 1960. An enzymologic study of the regenerating forelimb of the newt, Triturus vulgaris (L.). Folia Biol., 8: 1-9.
- NOBACK, C.R. AND PAFF, G.H. 1951. Localization of acid phosphatase in fibroblasts. Anat. Rec., 109:71-79.
- NOVIKOFF, A.B. 1960. Biochemical and staining reactions of cytoplasmic constituents. In: "Developing cell system and their control". D. Rudnick, Ed., The Ronald Press Co., N.Y., pp.167-203.
- NOVIKOFF, A.B. AND POTTER, V.R. 1948. Changes in Nucleic acid concentration during the development of the chick embryo. J. Biol. Chem., 173:233-238.
- O'CONNOR, R.J. 1957. Carbohydrate metabolism and embryonic determination. In: International review of cytology. Vol.VI. G.H. Bourne and J.F.Danielli, Ed., 343-381.
- OGATA, T. AND MORI, M. 1963. A histochemical study of hydrolytic enzymes in Muscle fibres of various animals. J. Histochem. Cytochem., 3: 645-652.
- OGATA, T. AND MORI, M. 1963. Histochemical study of oxidative enzymes in Vertebrate muscles. J. Histochem. Cytochem., 12: 171-182.
- OGAWA, K. AND OKAMOTO, M. 1961. Histochemical demonstration of succinic dehydrogenase system to tissue culture. Texas Reports of Biol. Med., 19: 134-139.

- OKUNEFF, N. 1933. Über einige physiko-chemische  
Erscheinungen während der Regeneration. I.  
Mitteilung: Messung der Wasserstoffionenkon-  
zentration in regenerierenden Extremitäten  
des Axolotl. Biochem. Zeitschr., 195:421-427.
- PADYKULA, H.A. 1952. The localization of succinic  
dehydrogenase in tissue sections of rat.  
Am. J. Anat., 91: 107-145.
- PAWLOWSKY, E.N. 1923. Hyperthyroidismus und Regeneration.  
Arch. Mikros. Anat. Entwicklungsmech., 99:620-627.
- PEADON, A.M. 1953. The effects of thiourea on limb rege-  
neration in the tadpole. Growth, 17:21-44.
- PEARSE, A.G.E. 1960. Histochemistry, Theoretical and Applied,  
J.A. Churchill Ltd., London.
- PREDA, V., CRISTEA, SI DR. M. AND CRACIUM. 1962. Modificările  
histochimice în regenerarea ecografiei de triton în  
prezența și absență creierului anterior. Morf.  
Norm. Si. Patol., 7: 305-310.
- PRITCHARD, J.J. 1952. A cytological and histochemical study  
of bone and cartilage formation in the rat. J. Anat.,  
86:259-277.
- RAEKALLIO, J. 1960. Enzymes histochemically demonstrable  
in the earliest phase of wound healing. Nature,  
188: 234-235.

- RAEKALLIO, J. AND LEVONEN, E. 1963. The appearance of esterase in rat skin wounds. Am.Med.Exp.Fenn., 41: 305-310.
- REDDY, D.V.N., LOMBARDO, M.E. AND CERECEDO, L.R. 1952. Nucleic acids changes during the development of the chick embryo. J. Biol. Chem., 198:267-270.
- REINER, L., RUTENBURG, A.M. AND SELIGMAN, M. 1957. Acid phosphatase activity in human neoplasm. Cancer, 10: 563-576.
- RICHARDSON, D. 1933. Some effects of anterior pituitary and thyroid secretions on regeneration of the hind leg in Triturus viridescens.Anat.Rec., 55: 73.
- RICHARDSON, D. 1940. Thyroid and pituitary hormones in relation to regeneration.1. The effect of anterior pituitary hormone on regeneration of the hind leg in normal and thyroidectomized newts. J.Exp.Zool., 83: 407-429.
- RICHARDSON, D. 1945. Thyroid and pituitary hormones in relation to regeneration. 2. Regeneration on hind leg of the newt, Triturus viridescens, with different concentrations of thyroid and pituitary hormones. Anat.Rec., 100:417-428.
- ROBBINS, P.W., TRAUT, R.R. AND LIPMAN, F. 1959. Glycogen synthesis from glucose-6-phosphate and Uridine diphosphate glucose in muscle preparation. Pro.Nat.Acad.Sci.Wash., 45:6-12.

- ROBISON, R. 1923. The possible significance of hexose phosphoric esters in ossification. Biochem. J. 17: 286.
- ROCHE, J., THOAI, N-v. AND BAUDOIN, J. 1942. Acid phosphatases of red blood cells. Compt. Rend., 215: 386-387.
- ROSE, S.M. 1944. Methods of initiating limb regeneration in adult anura. J. Exp. Zool., 95: 149-170.
- ROSE, S.M. 1948. Epidermal de-differentiation during blastema formation in regenerating limbs of Triturus viridescens. J. Exp. Zool., 108: 337-361.
- ROSE, S.M. 1964. Physiology of the Amphibia. Edt. by John A. Moore. Academic Press. N.Y.
- ROSKIN, G. AND KHARLOVA, G. 1943. Zymonucleic acid in cells of a normal regenerate and in those of malignant growth. Doklady Akad. Nauk. URRSS., 44: 389-391.
- ROSSITER, R.J. AND STRICKLAND, K.P. 1960. The metabolism and function of phosphatides. In: "Lipide metabolism". K. Bloch (Ed.). John Wiley & Sons. Inc. N.Y.
- RUTENBURG, A.M. AND SELIGMAN, M. 1955. The histochemical demonstration of acid phosphatase by a post incubation coupling technique. J. Histochem. Cytochem., 3: 455-470.

- SAMORAJSKI, J. 1957. Changes in phosphatase activity following transection of the sciatic nerve.  
J. Histochem. Cytochem., 5: 15-27.
- SCHEEN, S.R. AND WINKELMAN, R.K. 1961. Alkaline phosphatase in skin of certain animals. Arch. Derm., 83:439-446.
- SCHMIDT, R., ROBBINS, P.W. AND TRAUT, R.R. 1959. Glycogen synthesis in muscle lacking in phosphorylase.  
Proc. Nat. Acad. Sci. Klash., 45:1236-1240.
- SCHMIDT, A.J. 1958a. Fore limb regeneration of thyrodecomized adult newts. I. Morphology. J. Exp. Zool., 137:197-226.
- SCHMIDT, A.J. 1958b. Forelimb regeneration of thyrodecomized adult newts. II. Histology. J. Exp. Zool., 139:95-135.
- SCHMIDT, A.J. 1960. Preblastemic changes of intramuscular glycogen in forelimb regeneration of the adult newt, Triturus viridescens. J. Exp. Zool., 145:43-48.
- SCHMIDT, A.J. 1962. Distribution of polysaccharides in the regenerating forelimb of the adult newt,  
Diemictylus viridescens (Triturus v.). J. Exp. Zool., 149: 171-191.
- SCHMIDT, A.J. 1962a. The basement membrane of the epidermis of the adult newt, Diemictylus viridescens: the collagen nature of the fibres of the adepidermal reticulum. Acta Anat., 50:170-185.
- SCHMIDT, A.J. 1963a. Localization of acid phosphatase in limb tissue of adult newt, Diemictylus viridescens.  
J. Exp. Zool., 152:91-101.

SCHMIDT, A.J. 1963b. Succinic, malic,  $\alpha$ -Glycerophosphate and lactic dehydrogenases in limb tissues of adult newt, Diemictylus viridescens. J.Exp.Zool., 153: 69-80.

SCHMIDT, A.J. 1966a. The sudanophilic lipid of normal and regenerating limb tissues of the adult newt, Diemictylus viridescens. J. Morph., 118: 57-78.

SCHMIDT, A.J. 1966b. Lipid of normal and regenerating tissues of the adult newt, Diemictylus viridescens. J.Morph., 118:353-366.

SCHMIDT, A.J. AND WEARY, M. 1962. The distribution of alkaline phosphatase in the regenerating forelimb of the adult newt, Diemictylus viridescens. (Triturus v.). J.Exp.Zool., 150: 69-81.

SCHMIDT, A.J. AND WEARY, M. 1963. Localization of acid phosphatase in the regenerating forelimb of the adult newt, Diemictylus viridescens. J.Exp.Zool., 152: 101-113.

SCHMIDT, A.J. AND WEIDMAN, M. 1964. Dehydrogenases and aldolase in the regenerating forelimb of the adult newt, Diemictylus viridescens. J.Exp.Zool., 155: 303-316.

SCHMIDT, A.J. AND NORMAN,W. 1965. The distribution of esterase in the regenerating and non-regenerating tissues of the adult newt forelimb. Anat.Rec., 151:474-475.

- SCHOTTE', O.E. 1939. The origin and morphogenetic potencies of regenerates. Growth, Suppl., 1 : 59-76.
- SCHOTTE', O.E. AND BUTLER, E.G. 1941. Morphological effects of denervation and amputation of limbs in urodele larvae. J. Exp. Zool., 87: 279-322.
- SCHOTTE', O.E. AND WASHBURN, W.W. 1954. Effects of thyrodectomy on the regeneration of the forelimb in Triturus viridescens. Anat. Rec., 120: 156.
- SHAH, R.V. AND CHAKKO, T.V. 1966. Mitochondrial localization of alkaline phosphatase in the adult and regenerating lizard muscle, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol., 13: 206-209.
- SHISHKIN, G.S. 1959. Esterase and lipase concentration changes during regeneration on cutaneous connective tissue. C.R.Acad.Sci.,URSS., 129: 1158-1162.
- SINGER, M. 1952. The influence of the nerve in regeneration of the amphibian extremity. Quart. Rev. Biol., 27: 169-200.
- SINGER, M. 1956. The influence of nerve in regeneration. In regeneration in vertebrates. C.S. Thronton Ed. University of Chicago Press. pp.59-80.
- SINGER, M. 1959. Acetylcholine content of the normal forelimb regenerate of the adult newt, Triturus. Dev. Biol., 1: 603-620.

- SINGER, M. 1960. Nervous mechanism in the regeneration of the body parts in vertebrates. In: "Developing Cell System and Their Control" (D.Rudnick, ed.), p. 115-133. Ronald Press. New York.
- SINGER, M. 1961. Induction of regeneration of body parts in the lizard, Anolis. Proc. Soc. Exp. Biol. Med., 107: 106-108.
- SINGER, M. 1962. Nervous control of the regrowth of body parts in vertebrates. In: "The effect of Use and Disuse on Neuromuscular functions" (Gutmann,E. and Hnik, P. Eds.). Czech.Acad.Sci., Prague.
- SINGER, M. AND CRAVEN, L. 1948. The growth and morphogenesis of the regenerating forelimb of adult Triturus following denervation at various stages of development. J.Exp.Zool., 108: 279-308.
- SINGER, M., DAVIS, M.H. AND ARKOWITZ, E.S. 1960. Acetylcholinesterase activity in the regenerating forelimb of the adult newt, Triturus. J.Embryol. Exp. Morph., 8: 98-111.
- SINGER, M. AND SALPETER, M.M. 1961. Regeneration in Vertebrates: the role of the wound epithelium. In: "Growth in living system" (M.X. Zarow, ed.), Basic Books Inc., N.Y. pp. 277-311.
- SIMPSON, S.B. Jr. 1961. Induction of limb regeneration in the lizard, Lygosoma laterale by augmentation of the nerve supply. Proc.Soc.Exp.Biol.Med., 107:108-111.

- SIMPSON, S.B. 1964. Analysis of tail regeneration in the lizard, Lygosoma laterale. I. Initiation of regeneration and cartilage differentiation: the role of Ependyma. J. Morph., 114: 425-436.
- SLOTOPOLSKY, B. 1922. (1921-1922) Beitrage zur Kenntnis der Verstummelungsund Regenerationsvorgange am Lacertilienschwanze. Zool. Jahrb., 43: 219-322.
- STEIN, J.M. AND PADYKULA, H.A. 1962. Histochemical classification of individual skeletal muscle fibres of the rat. Am. J. Anat., 110: 103-124.
- SZE, L.C. 1953. Changes in the amount of deoxyribonucleic acid in the development of Rana pipiens. J. Exp. Zool., 122: 577-601.
- TAGUCHI, S., KOBAYASHI, H. AND MARUYAMA, K. 1956. Phosphatase activity of the skin of toad and its tadpole. Annot. Zool. Jap., 29: 181-186.
- THOMAS, E. AND PEARSE, A.G.E. 1961. The fine localization of dehydrogenase in the nervous system. Histochemie., 2: 266-282.
- THRONTON, C.S. 1949. Beryllium inhibition of regeneration. I. Morphological effects of beryllium on amputated forelimb of larval amblystoma. J. Morph., 84: 459-494.
- VALLYATHAN, N.V. AND GEORGE, J.C. 1965. Histochemical demonstration of acid and alkaline phosphatase activity in the red and white fibres of the pigeon pectoralis. J. Anim. Morphol. Physiol., 12: 100-103.

- VAN STONE, J.M. 1964. The relationship of nerve number to regenerative capacity in the developing hindlimb of Rana sylvatica. J. Exp. Zool., 155: 293-302.
- VARGA, E., KOVER, A., KOVACS, R. AND HETENYI, E. 1957. Changes in the acetylcholine sensitivity and cholinesterase activity of skeletal muscles in the course of ontogenesis. Acta Physiol. Acad. Sci. Hung., 11: 243-251.
- VORBRODT, A. 1958. Histochemically demonstrable phosphatase and protein synthesis. Exp. Cell. Res., 15: 1-20.
- WASHBURN, W. 1950. A histological investigation of the effects of thyroid deficiency on the regeneration of the forelimb of Triturus viridescens. Masters Thesis, Amherst College, Massachusetts.
- WHEELER, A. 1953. Temporal variation in histological appearance of thyroid and pituitary of salamanders treated with thyroid inhibitors. Biol. Bull., 104: 250-262.
- WOODLAND, W.N. 1920. Some observations on caudal autotomy and regeneration in the Gecko (Hemidactylus flaviviridis, Ruppel) with notes on the tail of sphenodon and phygopus. Quart. J. Micro. Sci., 65: 63-100.
- WOLF, A., KABAT, E.A. AND NEWMAN, W. 1943. Histochemical studies on tissue enzymes. III. A study of the distribution of acid phosphatases with special reference to the nervous system. Am. J. Path., 19: 423-439.

- WOLFE, H.G. AND COHEN, R.B. 1963. Histochemical studies  
on the regenerating Urodele limb. I. Oxidative  
and glycogenic enzymes. Develop. Biol., 8: 48-66.
- YNTEMA, C.L. 1959. Regeneration in sparsely innervated  
and neurogenic forelimbs of *Ambystoma* larva.  
J. Exp. Zool., 140: 101-124.