

BIBLIOGRAPHY

- Abbott, N. J., Rönnbäck, L., & Hansson, E. (2006). Astrocyte–endothelial interactions at the blood–brain barrier. *Nature Reviews Neuroscience*, 7(1), 41-53.
- Abrajano, J. J., Qureshi, I. A., Gokhan, S., Zheng, D., Bergman, A., & Mehler, M. F. (2009). REST and CoREST modulate neuronal subtype specification, maturation and maintenance. *PloS one*, 4(12), e7936.
- Adams, C., Poston, R., & Buk, S. (1989). Pathology, histochemistry and immunocytochemistry of lesions in acute multiple sclerosis. *Journal of the neurological sciences*, 92(2), 291-306.
- Aggarwal, S., Snaidero, N., Pähler, G., Frey, S., Sánchez, P., Zweckstetter, M., . . . Schaap, I. A. (2013). Myelin membrane assembly is driven by a phase transition of myelin basic proteins into a cohesive protein meshwork. *PLoS biology*, 11(6), e1001577.
- Aggarwal, S., Yurlova, L., & Simons, M. (2011). Central nervous system myelin: structure, synthesis and assembly. *Trends in cell biology*, 21(10), 585-593.
- Ahrendsen, J. T., & Macklin, W. (2013). Signaling mechanisms regulating myelination in the central nervous system. *Neuroscience bulletin*, 29(2), 199-215.
- Ahrendsen, J. T., & Macklin, W. (2013). Signaling mechanisms regulating myelination in the central nervous system. *Neuroscience bulletin*, 29(2), 199-215.
- Aiga, A., Asaumi, K., Lee, Y. J., Kadota, H., Mitani, S., Ozaki, T., & Takigawa, M. (2006). Expression of neurotrophins and their receptors tropomyosin-related kinases (Trk) under tension-stress during distraction osteogenesis. *Acta medica Okayama*, 60(5), 267-277.
- Albrecht, P. J., Enterline, J. C., Cromer, J., & Levison, S. W. (2007). CNTF-activated astrocytes release a soluble trophic activity for oligodendrocyte progenitors. *Neurochemical research*, 32(2), 263-271.
- Albrecht, P. J., Murtie, J. C., Ness, J. K., Redwine, J. M., Enterline, J. R., Armstrong, R. C., & Levison, S. W. (2003). Astrocytes produce CNTF during the remyelination phase of viral-induced spinal cord demyelination to stimulate FGF-2 production. *Neurobiology of disease*, 13(2), 89-101.
- Amir, R. E., Van den Veyver, I. B., Wan, M., Tran, C. Q., Francke, U., & Zoghbi, H. Y. (1999). Rett syndrome is caused by mutations in X-linked MECP2, encoding methyl-CpG-binding protein 2. *Nature genetics*, 23(2), 185-188.
- Anderson, G. R., Galfin, T., Xu, W., Aoto, J., Malenka, R. C., & Südhof, T. C. (2012). Candidate autism gene screen identifies critical role for cell-adhesion molecule CASPR2 in dendritic arborization and spine development. *Proceedings of the National Academy of Sciences*, 109(44), 18120-18125.

- Andoh-Noda, T., Akamatsu, W., Miyake, K., Matsumoto, T., Yamaguchi, R., Sanosaka, T., . . . Nakashima, K. (2015). Differentiation of multipotent neural stem cells derived from Rett syndrome patients is biased toward the astrocytic lineage. *Molecular brain*, 8(1), 31.
- Arai, K., & Lo, E. H. (2010). Astrocytes protect oligodendrocyte precursor cells via MEK/ERK and PI3K/Akt signaling. *Journal of neuroscience research*, 88(4), 758-763.
- Araque, A., Parpura, V., Sanzgiri, R. P., & Haydon, P. G. (1999). Tripartite synapses: glia, the unacknowledged partner. *Trends in neurosciences*, 22(5), 208-215.
- Armstrong, D. D. (2005). Can we relate MeCP2 deficiency to the structural and chemical abnormalities in the Rett brain?. *Brain and Development*, 27, S72-S7
- Azevedo, F. A., Carvalho, L. R., Grinberg, L. T., Farfel, J. M., Ferretti, R. E., Leite, R. E., ... & Herculano-Houzel, S. (2009). Equal numbers of neuronal and nonneuronal cells make the human brain an isometrically scaled-up primate brain. *Journal of Comparative Neurology*, 513(5), 532-541.
- Bacci, A., Verderio, C., Pravettoni, E., & Matteoli, M. (1999). The role of glial cells in synaptic function. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 354(1381), 403-409.
- Bakhti, M., Aggarwal, S., & Simons, M. (2014). Myelin architecture: zippering membranes tightly together. *Cellular and molecular life sciences*, 71(7), 1265-1277.
- Bakhti, M., Snaidero, N., Schneider, D., Aggarwal, S., Möbius, W., Janshoff, A., . . . Simons, M. (2013). Loss of electrostatic cell-surface repulsion mediates myelin membrane adhesion and compaction in the central nervous system. *Proceedings of the National Academy of Sciences*, 110(8), 3143-3148.
- Ballas, N., Grunseich, C., Lu, D. D., Speh, J. C., & Mandel, G. (2005). REST and its corepressors mediate plasticity of neuronal gene chromatin throughout neurogenesis. *Cell*, 121(4), 645-657.
- Ballas, N., Lioy, D. T., Grunseich, C., & Mandel, G. (2009). Non-cell autonomous influence of MeCP2-deficient glia on neuronal dendritic morphology. *Nature neuroscience*, 12(3), 311-317.
- Banaclocha, M. A. M. (2007). Neuromagnetic dialogue between neuronal minicolumns and astroglial network: A new approach for memory and cerebral computation. *Brain research bulletin*, 73(1-3), 21-27.
- Barnett, S. C., & Linington, C. (2013). Myelination: do astrocytes play a role? *The Neuroscientist*, 19(5), 442-450.
- Baron, W., Metz, B., Bansal, R., Hoekstra, D., & de Vries, H. (2000). PDGF and FGF-2 signaling in oligodendrocyte progenitor cells: regulation of proliferation and

differentiation by multiple intracellular signaling pathways. *Molecular and Cellular Neuroscience*, 15(3), 314-329.

Barres, B. A. (2008). The mystery and magic of glia: a perspective on their roles in health and disease. *Neuron*, 60(3), 430-440.

Barres, B., & Raff, M. (1994). Control of oligodendrocyte number in the developing rat optic nerve. *Neuron*, 12(5), 935-942.

Battefeld, A., Tran, B. T., Gavrilis, J., Cooper, E. C., & Kole, M. H. (2014). Heteromeric Kv7. 2/7.3 channels differentially regulate action potential initiation and conduction in neocortical myelinated axons. *Journal of Neuroscience*, 34(10), 3719-3732.

Baumann, N., & Pham-Dinh, D. (2001). Biology of oligodendrocyte and myelin in the mammalian central nervous system. *Physiological reviews*, 81(2), 871-927.

Bedogni, F., Rossi, R. L., Galli, F., Gigli, C. C., Gandaglia, A., Kilstrup-Nielsen, C., & Landsberger, N. (2014). Rett syndrome and the urge of novel approaches to study MeCP2 functions and mechanisms of action. *Neuroscience & Biobehavioral Reviews*, 46, 187-201.

Beirowski, B. (2013). Concepts for regulation of axon integrity by enwrapping glia. *Frontiers in cellular neuroscience*, 7.

Belichenko, P. V., Wright, E. E., Belichenko, N. P., Masliah, E., Li, H. H., Mobley, W. C., & Francke, U. (2009). Widespread changes in dendritic and axonal morphology in *Mecp2*-mutant mouse models of rett syndrome: Evidence for disruption of neuronal networks. *Journal of Comparative Neurology*, 514(3), 240-258.

Ben-Shachar, S., Chahrour, M., Thaller, C., Shaw, C. A., & Zoghbi, H. Y. (2009). Mouse models of MeCP2 disorders share gene expression changes in the cerebellum and hypothalamus. *Human molecular genetics*, 18(13), 2431-2442.

Betancur, C., Sakurai, T., & Buxbaum, J. D. (2009). The emerging role of synaptic cell-adhesion pathways in the pathogenesis of autism spectrum disorders. *Trends in neurosciences*, 32(7), 402-412.

Bhat, M. A., Rios, J. C., Lu, Y., Garcia-Fresco, G. P., Ching, W., Martin, M. S., . . . Rosenbluth, J. (2001). Axon-glia interactions and the domain organization of myelinated axons requires neurexin IV/Caspr/Paranodin. *Neuron*, 30(2), 369-383.

Bhat, S., & Pfeiffer, S. E. (1986). Stimulation of oligodendrocytes by extracts from astrocyte-enriched cultures. *Journal of neuroscience research*, 15(1), 19-27.

Biancotti JC, Kumar S, de Vellis J (2008) Activation of inflammatory response by a combination of growth factors in cuprizone induced demyelinated brain leads to myelin repair. *Neurochem Res* 33:2615–2628

- Birling, M.-C., Roussel, G., Nussbaum, F., & Nussbaum, J.-L. (1993). Biochemical and immunohistochemical studies with specific polyclonal antibodies directed against bovine myelin/oligodendrocyte glycoprotein. *Neurochemical research*, 18(8), 937-945.
- Black, J. A., & Waxman, S. G. (1988). The perinodal astrocyte. *Glia*, 1(3), 169-183.
- Black, J., Cummins, T., Plumptre, C., Chen, Y., Hormuzdiar, W., Clare, J., & Waxman, S. (1999). Upregulation of a silent sodium channel after peripheral, but not central, nerve injury in DRG neurons. *Journal of neurophysiology*, 82(5), 2776-2785.
- Bogdanović, O., & Veenstra, G. J. C. (2009). DNA methylation and methyl-CpG binding proteins: developmental requirements and function. *Chromosoma*, 118(5), 549-565.
- Bögler, O., Wren, D., Barnett, S. C., Land, H., & Noble, M. (1990). Cooperation between two growth factors promotes extended self-renewal and inhibits differentiation of oligodendrocyte-type-2 astrocyte (O-2A) progenitor cells. *Proceedings of the National Academy of Sciences*, 87(16), 6368-6372.
- Bögler, O., Wren, D., Barnett, S. C., Land, H., & Noble, M. (1990). Cooperation between two growth factors promotes extended self-renewal and inhibits differentiation of oligodendrocyte-type-2 astrocyte (O-2A) progenitor cells. *Proceedings of the National Academy of Sciences*, 87(16), 6368-6372.
- Boiko, T., Van Wart, A., Caldwell, J. H., Levinson, S. R., Trimmer, J. S., & Matthews, G. (2003). Functional specialization of the axon initial segment by isoform-specific sodium channel targeting. *Journal of Neuroscience*, 23(6), 2306-2313.
- Boison, D., & Stoffel, W. (1989). Myelin-deficient rat: a point mutation in exon III (A----C, Thr75----Pro) of the myelin proteolipid protein causes dysmyelination and oligodendrocyte death. *The EMBO journal*, 8(11), 3295-3302.
- Bolton, M. M., & Eroglu, C. (2009). Look who is weaving the neural web: glial control of synapse formation. *Current opinion in neurobiology*, 19(5), 491-497.
- Bonni, A., Brunet, A., West, A. E., Datta, S. R., Takasu, M. A., & Greenberg, M. E. (1999). Cell survival promoted by the Ras-MAPK signaling pathway by transcription-dependent and-independent mechanisms. *Science*, 286(5443), 1358-1362.
- Boor, P., de Groot, K., Waisfisz, Q., Kamphorst, W., Oudejans, C. B., Powers, J. M., . . . van der Knaap, M. S. (2005). MLC1: a novel protein in distal astroglial processes. *Journal of neuropathology and experimental neurology*, 64(5), 412-419.
- Bosio, A., Binczek, E., & Stoffel, W. (1996). Functional breakdown of the lipid bilayer of the myelin membrane in central and peripheral nervous system by disrupted galactocerebroside synthesis. *Proceedings of the National Academy of Sciences*, 93(23), 13280-13285.

- Bottenstein, J. E., & Sato, G. H. (1979). Growth of a rat neuroblastoma cell line in serum-free supplemented medium. *Proceedings of the National Academy of Sciences*, 76(1), 514-517.
- Boyle, M. E., Berglund, E. O., Murai, K. K., Weber, L., Peles, E., & Ranscht, B. (2001). Contactin orchestrates assembly of the septate-like junctions at the paranode in myelinated peripheral nerve. *Neuron*, 30(2), 385-397.
- Boyles, J. K., Pitas, R. E., Wilson, E., Mahley, R. W., & Taylor, J. (1985). Apolipoprotein E associated with astrocytic glia of the central nervous system and with nonmyelinating glia of the peripheral nervous system. *Journal of Clinical Investigation*, 76(4), 1501.
- Bozzali, M., & Wrabetz, L. (2004). Axonal signals and oligodendrocyte differentiation. *Neurochemical research*, 29(5), 979-988.
- Brady, S., Siegel, G., Albers, R. W., & Price, D. (2011). *Basic neurochemistry: principles of molecular, cellular, and medical neurobiology*: Academic press.
- Brenner, M., Johnson, A. B., Boespflug-Tanguy, O., Rodriguez, D., Goldman, J. E., & Messing, A. (2001). Mutations in GFAP, encoding glial fibrillary acidic protein, are associated with Alexander disease. *Nature genetics*, 27(1), 117-120.
- Brinkmann, B. G., Agarwal, A., Sereda, M. W., Garratt, A. N., Müller, T., Wende, H., ...& Radyushkin, K. (2008). Neuregulin-1/ErbB signaling serves distinct functions in myelination of the peripheral and central nervous system. *Neuron*, 59(4), 581-595.
- Brown, A. M., & Ransom, B. R. (2007). Astrocyte glycogen and brain energy metabolism. *Glia*, 55(12), 1263-1271.
- Brown, A. M., Tekkök, S. B., & Ransom, B. R. (2004). Energy transfer from astrocytes to axons: the role of CNS glycogen. *Neurochemistry international*, 45(4), 529-536.
- Bugga, L., Gadiant, R. A., Kwan, K., Stewart, C. L., & Patterson, P. H. (1998). Analysis of neuronal and glial phenotypes in brains of mice deficient in leukemia inhibitory factor. *Developmental Neurobiology*, 36(4), 509-524.
- Bunge, R. P. (1968). Glial cells and the central myelin sheath. *Physiological reviews*, 48(1), 197-251.
- Butt, A. M., & Berry, M. (2000). Oligodendrocytes and the control of myelination in vivo: new insights from the rat anterior medullary velum. *Journal of neuroscience research*, 59(4), 477-488.
- Butt, A. M., Kiff, J., Hubbard, P., & Berry, M. (2002). Synantocytes: new functions for novel NG2 expressing glia. *Journal of neurocytology*, 31(6), 551-565.

- Butt, A., Duncan, A., & Berry, M. (1994). Astrocyte associations with nodes of Ranvier: ultrastructural analysis of HRP-filled astrocytes in the mouse optic nerve. *Journal of neurocytology*, 23(8), 486-499.
- Cahoy, J. D., Emery, B., Kaushal, A., Foo, L. C., Zamanian, J. L., Christopherson, K. S., ... & Thompson, W. J. (2008). A transcriptome database for astrocytes, neurons, and oligodendrocytes: a new resource for understanding brain development and function. *Journal of Neuroscience*, 28(1), 264-278.
- Calfa, G., Percy, A. K., & Pozzo-Miller, L. (2011). Experimental models of Rett syndrome based on Mecp2 dysfunction. *Experimental biology and medicine*, 236(1), 3-19.
- Camargo, N., Goudriaan, A., van Deijk, A. L. F., Otte, W. M., Brouwers, J. F., Lodder, H., ... & Chrast, R. (2017). Oligodendroglial myelination requires astrocyte-derived lipids. *PLoS biology*, 15(5), e1002605.
- Canoll, P. D., Musacchio, J., Hardy, R., Reynolds, R., Marchionni, M. A., & Salzer, J. L. (1996). GGF/neuregulin is a neuronal signal that promotes the proliferation and survival and inhibits the differentiation of oligodendrocyte progenitors. *Neuron*, 17(2), 229-243.
- Cao, Q., He, Q., Wang, Y., Cheng, X., Howard, R. M., Zhang, Y., . . . Xu, X.-M. (2010). Transplantation of ciliary neurotrophic factor-expressing adult oligodendrocyte precursor cells promotes remyelination and functional recovery after spinal cord injury. *Journal of Neuroscience*, 30(8), 2989-3001.
- Cartier, N., Lewis, C.-A., Zhang, R., & Rossi, F. M. (2014). The role of microglia in human disease: therapeutic tool or target? *Acta neuropathologica*, 128(3), 363-380.
- Chahrour, M., Jung, S. Y., Shaw, C., Zhou, X., Wong, S. T., Qin, J., & Zoghbi, H. Y. (2008). MeCP2, a key contributor to neurological disease, activates and represses transcription. *Science*, 320(5880), 1224-1229.
- Chan, J. R., Watkins, T. A., Cosgaya, J. M., Zhang, C., Chen, L., Reichardt, L. F., ... & Barres, B. A. (2004). NGF controls axonal receptivity to myelination by Schwann cells or oligodendrocytes. *Neuron*, 43(2), 183-191.
- Chang, Q., Khare, G., Dani, V., Nelson, S., & Jaenisch, R. (2006). The disease progression of Mecp2 mutant mice is affected by the level of BDNF expression. *Neuron*, 49(3), 341-348.
- Chapleau, C. A., Calfa, G. D., Lane, M. C., Albertson, A. J., Larimore, J. L., Kudo, S., . . . Pozzo-Miller, L. (2009). Dendritic spine pathologies in hippocampal pyramidal neurons from Rett syndrome brain and after expression of Rett-associated MECP2 mutations. *Neurobiology of disease*, 35(2), 219-233.
- Charles, P., Hernandez, M. P., Stankoff, B., Aigrot, M. S., Colin, C., Rougon, G., ...& Lubetzki, C. (2000). Negative regulation of central nervous system myelination by

polysialylated-neural cell adhesion molecule. *Proceedings of the National Academy of Sciences*, 97(13), 7585-7590.

Charles, P., Tait, S., Faivre-Sarrailh, C., Barbin, G., Gunn-Moore, F., Denisenko-Nehrbass, N., . . . Lubetzki, C. (2002). Neurofascin is a glial receptor for the paranodin/Caspr-contactin axonal complex at the axoglia junction. *Current Biology*, 12(3), 217-220.

Chen, S., Velardez, M. O., Warot, X., Yu, Z. X., Miller, S. J., Cros, D., & Corfas, G. (2006). Neuregulin 1-erbB signaling is necessary for normal myelination and sensory function. *Journal of Neuroscience*, 26(12), 3079-3086.

Chen, W. G., Chang, Q., Lin, Y., Meissner, A., West, A. E., Griffith, E. C., . . . Greenberg, M. E. (2003). Derepression of BDNF transcription involves calcium-dependent phosphorylation of MeCP2. *Science*, 302(5646), 885-889.

Chen, Y., Balasubramanian, V., Peng, J., Hurlock, E. C., Tallquist, M., Li, J., & Lu, Q. R. (2007). Isolation and culture of rat and mouse oligodendrocyte precursor cells. *Nature protocols*, 2(5), 1044.

Chernoff, G. F. (1981). Shiverer: an autosomal recessive mutant mouse with myelin deficiency. *Journal of Heredity*, 72(2), 128-128.

Christopherson, K. S., Ullian, E. M., Stokes, C. C., Mullen, C. E., Hell, J. W., Agah, A., ... & Barres, B. A. (2005). Thrombospondins are astrocyte-secreted proteins that promote CNS synaptogenesis. *Cell*, 120(3), 421-433.

Cohen, S., Gabel, H. W., Hemberg, M., Hutchinson, A. N., Sadacca, L. A., Ebert, D. H., . . . Zhou, Z. (2011). Genome-wide activity-dependent MeCP2 phosphorylation regulates nervous system development and function. *Neuron*, 72(1), 72-85.

Colantuoni, C., Jeon, O.-H., Hyder, K., Chenchik, A., Khimani, A. H., Narayanan, V., . . . Pevsner, J. (2001). Gene expression profiling in postmortem Rett Syndrome brain: differential gene expression and patient classification. *Neurobiology of disease*, 8(5), 847-865.

Colodner, K. J., Montana, R. A., Anthony, D. C., Folkerth, R. D., De Girolami, U., & Feany, M. B. (2005). Proliferative potential of human astrocytes. *Journal of Neuropathology & Experimental Neurology*, 64(2), 163-169.

Coman, I., Barbin, G., Charles, P., Zalc, B., & Lubetzki, C. (2005). Axonal signals in central nervous system myelination, demyelination and remyelination. *Journal of the neurological sciences*, 233(1-2), 67-71.

Cornell-Bell, A. H., Finkbeiner, S. M., Cooper, M. S., & Smith, S. J. (1990). Glutamate induces calcium waves in cultured astrocytes: long-range glial signaling. *Science*, 247(4941), 470.

- Cronk, J. C., Derecki, N. C., Ji, E., Xu, Y., Lampano, A. E., Smirnov, I., . . . Coddington, N. (2015). Methyl-CpG binding protein 2 regulates microglia and macrophage gene expression in response to inflammatory stimuli. *Immunity*, 42(4), 679-691.
- Cuddapah, V. A., Pillai, R. B., Shekar, K. V., Lane, J. B., Motil, K. J., Skinner, S. A., ... & Percy, A. K. (2014). Methyl-CpG-binding protein 2 (MECP2) mutation type is associated with disease severity in Rett syndrome. *Journal of medical genetics*, 51(3), 152-158.
- Darwanto, A., Kitazawa, R., Maeda, S., & Kitazawa, S. (2003). MeCP2 and promoter methylation cooperatively regulate E-cadherin gene expression in colorectal carcinoma. *Cancer science*, 94(5), 442-447.
- Davis, J. Q., Lambert, S., & Bennett, V. (1996). Molecular composition of the node of Ranvier: identification of ankyrin-binding cell adhesion molecules neurofascin (mucin+/third FNIII domain-) and NrCAM at nodal axon segments. *The Journal of cell biology*, 135(5), 1355-1367.
- Deitmer, J. W. (2001). Strategies for metabolic exchange between glial cells and neurons. *Respiration physiology*, 129(1-2), 71-81.
- Delarasse, C., Daubas, P., Mars, L. T., Vizler, C., Litzenburger, T., Iglesias, A., . . . Decker, L. (2003). Myelin/oligodendrocyte glycoprotein-deficient (MOG-deficient) mice reveal lack of immune tolerance to MOG in wild-type mice. *Journal of Clinical Investigation*, 112(4), 544.
- Delcourt, N., Jouin, P., Poncet, J., Demey, E., Mauger, E., Bockaert, J., ...& Galéotti, N. (2005). Difference in Mass Analysis Using Labeled Lysines (DIMAL-K) A New, Efficient Proteomic Quantification Method Applied to the Analysis of Astrocytic Secretomes. *Molecular & Cellular Proteomics*, 4(8), 1085-1094.
- Delépine, C., Meziane, H., Nectoux, J., Opitz, M., Smith, A. B., Ballatore, C., . . . Williams, E. C. (2015). Altered microtubule dynamics and vesicular transport in mouse and human MeCP2-deficient astrocytes. *Human molecular genetics*, 25(1), 146-157.
- Delépine, C., Nectoux, J., Letourneur, F., Baud, V., Chelly, J., Billuart, P., & Bienvenu, T. (2015). Astrocyte Transcriptome from the Mecp2 308-Truncated Mouse Model of Rett Syndrome. *Neuromolecular medicine*, 17(4), 353-363.
- Deng, V., Matagne, V., Banine, F., Frerking, M., Ohliger, P., Budden, S., ...& Ojeda, S. R. (2007). FXYP1 is an MeCP2 target gene overexpressed in the brains of Rett syndrome patients and Mecp2-null mice. *Human molecular genetics*, 16(6), 640-650.
- Derecki, N. C., Cronk, J. C., Lu, Z., Xu, E., Abbott, S. B., Guyenet, P. G., & Kipnis, J. (2012). Wild-type microglia arrest pathology in a mouse model of Rett syndrome. *Nature*, 484(7392), 105-109.

- Deshmukh, D., Kuizon, S., Bear, W., & Brockerhoff, H. (1980). Distribution of phosphoinositides among subfractions of rat brain myelin. *Lipids*, 15(1), 14-18.
- Devaux, J. J., & Faivre-Sarrailh, C. (2013). Neuro-glial interactions at the nodes of Ranvier: implication in health and diseases. *Frontiers in cellular neuroscience*, 7, 196.
- Devaux, J. J., Kleopa, K. A., Cooper, E. C., & Scherer, S. S. (2004). KCNQ2 is a nodal K⁺ channel. *Journal of Neuroscience*, 24(5), 1236-1244.
- Devaux, J., Alcaraz, G., Grinspan, J., Bennett, V., Joho, R., Crest, M., & Scherer, S. S. (2003). Kv3. 1b is a novel component of CNS nodes. *Journal of Neuroscience*, 23(11), 4509-4518.
- Di Giorgio, F. P., Carrasco, M. A., Siao, M. C., Maniatis, T., & Eggan, K. (2007). Non-cell autonomous effect of glia on motor neurons in an embryonic stem cell-based ALS model. *Nature neuroscience*, 10(5), 608-614.
- Díaz de León-Guerrero, S., Pedraza-Alva, G., & Pérez-Martínez, L. (2011). In sickness and in health: the role of methyl-CpG binding protein 2 in the central nervous system. *European Journal of Neuroscience*, 33(9), 1563-1574.
- Dietrich, J., Lacagnina, M., Gass, D., Richfield, E., Mayer-Pröschel, M., Noble, M., . . . Pröschel, C. (2005). EIF2B5 mutations compromise GFAP⁺ astrocyte generation in vanishing white matter leukodystrophy. *Nature medicine*, 11(3), 277-283.
- Dietschy, J. M., & Turley, S. D. (2004). Thematic review series: brain Lipids. Cholesterol metabolism in the central nervous system during early development and in the mature animal. *Journal of lipid research*, 45(8), 1375-1397.
- Doetsch, F., Caille, I., Lim, D. A., García-Verdugo, J. M., & Alvarez-Buylla, A. (1999). Subventricular zone astrocytes are neural stem cells in the adult mammalian brain. *Cell*, 97(6), 703-716.
- Dong, Y., & Benveniste, E. N. (2001). Immune function of astrocytes. *Glia*, 36(2), 180-190.
- Dowell, J. A., Johnson, J. A., & Li, L. (2009). Identification of astrocyte secreted proteins with a combination of shotgun proteomics and bioinformatics. *Journal of proteome research*, 8(8), 4135-4143.
- Drukarch B, Schepens E, Stoof JC, Langeveld CH, Van Muiswinkel FL (1998) Astrocyte-enhanced neuronal survival is mediated by scavenging of extracellular reactive oxygen species. *Free Radic Biol Med* 25:217–220
- Duflocq, A., Le Bras, B., Bullier, E., Couraud, F., & Davenne, M. (2008). Nav1. 1 is predominantly expressed in nodes of Ranvier and axon initial segments. *Molecular and Cellular Neuroscience*, 39(2), 180-192.

- Duncan Armstrong, D., Deguchi, K., & Antalfy, B. (2003). Survey of MeCP2 in the Rett Syndrome and the Non—Rett Syndrome Brain. *Journal of child neurology*, 18(10), 683-687.
- Durand, T., De Felice, C., Signorini, C., Oger, C., Bultel-Poncé, V., Guy, A., . . . Pecorelli, A. (2012). F2-Dihomo-isoprostanes and brain white matter damage in stage 1 Rett syndrome. *Biochimie*, 30, 1e5.
- Ebert, D. H., Gabel, H. W., Robinson, N. D., Kastan, N. R., Hu, L. S., Cohen, S., . . . Bird, A. P. (2013). Activity-dependent phosphorylation of MeCP2 threonine 308 regulates interaction with NCoR. *Nature*, 499(7458), 341-345.
- Einheber, S., Zanazzi, G., Ching, W., Scherer, S., Milner, T. A., Peles, E., & Salzer, J. L. (1997). The axonal membrane protein Caspr, a homologue of neuexin IV, is a component of the septate-like paranodal junctions that assemble during myelination. *The Journal of cell biology*, 139(6), 1495-1506.
- Emery, B., Agalliu, D., Cahoy, J. D., Watkins, T. A., Dugas, J. C., Mulinyawe, S. B., . . . Barres, B. A. (2009). Myelin gene regulatory factor is a critical transcriptional regulator required for CNS myelination. *Cell*, 138(1), 172-185.
- Emsley, J. G., & Macklis, J. D. (2006). Astroglial heterogeneity closely reflects the neuronal-defined anatomy of the adult murine CNS. *Neuron glia biology*, 2(3), 175-186.
- Eng, D. L., Lee, Y. L., & Lal, P. G. (1997). Expression of glutamate uptake transporters after dibutyryl cyclic AMP differentiation and traumatic injury in cultured astrocytes. *Brain research*, 778(1), 215-221.
- Eshed-Eisenbach, Y., & Peles, E. (2013). The making of a node: a co-production of neurons and glia. *Current opinion in neurobiology*, 23(6), 1049-1056.
- Esper, R. M., Pankonin, M. S., & Loeb, J. A. (2006). Neuregulins: versatile growth and differentiation factors in nervous system development and human disease. *Brain research reviews*, 51(2), 161-175.
- Fan, L. F., Xu, D. E., Wang, W. H., Yan, K., Wu, H., Yao, X. Q., ... & Ma, Q. H. (2013). Caspr interaction with Amyloid Precursor Protein reduces amyloid- β generation in vitro. *Neuroscience letters*, 548, 255-260.
- Fawcett, J. W., Housden, E., Smith-Thomas, L., & Meyer, R. L. (1989). The growth of axons in three-dimensional astrocyte cultures. *Developmental biology*, 135(2), 449-458.
- Ferreira, A. C., Pinto, V., Dá Mesquita, S., Novais, A., Sousa, J. C., Correia-Neves, M., . . . Marques, F. (2013). Lipocalin-2 is involved in emotional behaviors and cognitive function. *Frontiers in cellular neuroscience*, 7.
- Fields, R. D. (2008). Oligodendrocytes changing the rules: action potentials in glia and oligodendrocytes controlling action potentials. *The Neuroscientist*, 14(6), 540-543.

- Fitzner, D., Schneider, A., Kippert, A., Möbius, W., Willig, K. I., Hell, S. W., . . . Simons, M. (2006). Myelin basic protein-dependent plasma membrane reorganization in the formation of myelin. *The EMBO journal*, 25(21), 5037-5048.
- Fjell, J., Hjelmström, P., Hormuzdiar, W., Milenkovic, M., Aglieco, F., Tyrrell, L., . . . Black, J. A. (2000). Localization of the tetrodotoxin-resistant sodium channel Na_v1 in nociceptors. *Neuroreport*, 11(1), 199-202.
- Forlani, G., Giarda, E., Ala, U., Di Cunto, F., Salani, M., Tupler, R., . . . Landsberger, N. (2010). The MeCP2/YY1 interaction regulates ANT1 expression at 4q35: novel hints for Rett syndrome pathogenesis. *Human molecular genetics*, 19(16), 3114-3123.
- Fray, A. E., Ince, P. G., Banner, S. J., Milton, I. D., Usher, P. A., Cookson, M. R., & Shaw, P. J. (1998). The expression of the glial glutamate transporter protein EAAT2 in motor neuron disease: an immunohistochemical study. *European Journal of Neuroscience*, 10(8), 2481-2489.
- Frost, E. E., Zhou, Z., Krasnesky, K., & Armstrong, R. C. (2009). Initiation of oligodendrocyte progenitor cell migration by a PDGF-A activated extracellular regulated kinase (ERK) signaling pathway. *Neurochemical research*, 34(1), 169-181.
- Fruttiger, M., Karlsson, L., Hall, A. C., Abramsson, A., Calver, A. R., Bostrom, H., . . . Betsholtz, C. (1999). Defective oligodendrocyte development and severe hypomyelination in PDGF-A knockout mice. *Development*, 126(3), 457-467.
- Fuchikami, M., Morinobu, S., Kurata, A., Yamamoto, S., & Yamawaki, S. (2009). Single immobilization stress differentially alters the expression profile of transcripts of the brain-derived neurotrophic factor (BDNF) gene and histone acetylation at its promoters in the rat hippocampus. *International Journal of Neuropsychopharmacology*, 12(1), 73-82.
- Fulmer, C. G., VonDran, M. W., Stillman, A. A., Huang, Y., Hempstead, B. L., & Dreyfus, C. F. (2014). Astrocyte-derived BDNF supports myelin protein synthesis after cuprizone-induced demyelination. *Journal of Neuroscience*, 34(24), 8186-8196.
- Fünfschilling, U., Supplie, L. M., Mahad, D., Boretius, S., Saab, A. S., Edgar, J., . . . Möbius, W. (2012). Glycolytic oligodendrocytes maintain myelin and long-term axonal integrity. *Nature*, 485(7399), 517-521.
- Gard, A. L., Burrell, M. R., Pfeiffer, S. E., Rudge, J. S., & Williams, W. C. (1995). Astroglial control of oligodendrocyte survival mediated by PDGF and leukemia inhibitory factor-like protein. *Development*, 121(7), 2187-2197.
- Garg, S. K., Liroy, D. T., Knopp, S. J., & Bissonnette, J. M. (2015). Conditional depletion of methyl-CpG-binding protein 2 in astrocytes depresses the hypercapnic ventilatory response in mice. *Journal of Applied Physiology*, 119(6), 670-676.

Genoud, S., Lappe-Siefke, C., Goebbels, S., Radtke, F., Aguet, M., Scherer, S. S., ...& Mantei, N. (2002). Notch1 control of oligodendrocyte differentiation in the spinal cord. *J Cell Biol*, 158(4), 709-718.

Georgel, P. T., Horowitz-Scherer, R. A., Adkins, N., Woodcock, C. L., Wade, P. A., & Hansen, J. C. (2003). Chromatin compaction by human MeCP2 assembly of novel secondary chromatin structures in the absence of DNA methylation. *Journal of Biological Chemistry*, 278(34), 32181-32188.

German, D., Liang, C.-L., Song, T., Yazdani, U., Xie, C., & Dietschy, J. (2002). Neurodegeneration in the Niemann–Pick C mouse: glial involvement. *Neuroscience*, 109(3), 437-450.

Ghatak, N. R. (1992). Occurrence of oligodendrocytes within astrocytes in demyelinating lesions. *Journal of Neuropathology & Experimental Neurology*, 51(1), 40-46.

Ghiani, C. A., Ying, Z., Vellis, J. d., & Gomez-Pinilla, F. (2007). Exercise decreases myelin-associated glycoprotein expression in the spinal cord and positively modulates neuronal growth. *Glia*, 55(9), 966-975.

Ghosh, A., Carnahan, J., & Greenberg, M. E. (1994). Requirement for BDNF in activity-dependent survival of cortical neurons. *Science*, 263(5153), 1618-1623.

Giedd, J. N. (2004). Structural magnetic resonance imaging of the adolescent brain. *Annals of the New York Academy of Sciences*, 1021(1), 77-85.

Givogri, M. I., Costa, R. M., Schonmann, V., Silva, A. J., Campagnoni, A. T., & Bongarzone, E. R. (2002). Central nervous system myelination in mice with deficient expression of Notch1 receptor. *Journal of neuroscience research*, 67(3), 309-320.

Goebbels, S., Oltrogge, J. H., Kemper, R., Heilmann, I., Bormuth, I., Wolfer, S., . . . Lappe-Siefke, C. (2010). Elevated phosphatidylinositol 3, 4, 5-trisphosphate in glia triggers cell-autonomous membrane wrapping and myelination. *Journal of Neuroscience*, 30(26), 8953-8964.

Gollan, L., Sabanay, H., Poliak, S., Berglund, E. O., Ranscht, B., & Peles, E. (2002). Retention of a cell adhesion complex at the paranodal junction requires the cytoplasmic region of Caspr. *The Journal of cell biology*, 157(7), 1247-1256.

Gordon, H. B., Letsou, A., & Bonkowsky, J. L. (2014). The leukodystrophies. Paper presented at the Seminars in neurology.

Goss, J. R., O'Malley, M. E., Zou, L., Styren, S. D., Kochanek, P. M., & DeKosky, S. T. (1998). Astrocytes are the major source of nerve growth factor upregulation following traumatic brain injury in the rat. *Experimental neurology*, 149(2), 301-309.

- Greco, T. M., Seeholzer, S. H., Mak, A., Spruce, L., & Ischiropoulos, H. (2010). Quantitative mass spectrometry-based proteomics reveals the dynamic range of primary mouse astrocyte protein secretion. *Journal of proteome research*, 9(5), 2764-2774.
- Greener, M. (2015). Don't underestimate glial cells. *Progress in Neurology and Psychiatry*, 19(1), 5-8.
- Grinspan, J. (2002). Cells and signaling in oligodendrocyte development. *Journal of Neuropathology & Experimental Neurology*, 61(4), 297-306.
- Guardiola-Diaz, H. M., Ishii, A., & Bansal, R. (2012). Erk1/2 MAPK and mTOR signaling sequentially regulates progression through distinct stages of oligodendrocyte differentiation. *Glia*, 60(3), 476-486.
- Gutnick, M. J., & Prince, D. A. (1981). Dye coupling and possible electrotonic coupling in the guinea pig neocortical slice. *Science*, 211(4477), 67-70.
- Guy, J., Cheval, H., Selfridge, J., & Bird, A. (2011). The role of MeCP2 in the brain. *Annual review of cell and developmental biology*, 27, 631-652.
- Halassa, M. M., Fellin, T., & Haydon, P. G. (2009). Tripartite synapses: roles for astrocytic purines in the control of synaptic physiology and behavior. *Neuropharmacology*, 57(4), 343-346.
- Halassa, M. M., Fellin, T., Takano, H., Dong, J. H., & Haydon, P. G. (2007). Synaptic islands defined by the territory of a single astrocyte. *Journal of Neuroscience*, 27(24), 6473-6477.
- Hansen, J. C., Ghosh, R. P., & Woodcock, C. L. (2010). Binding of the Rett syndrome protein, MeCP2, to methylated and unmethylated DNA and chromatin. *IUBMB life*, 62(10), 732-738.
- Hansson, E., & RÖNNBÄCK, L. A. R. S. (2003). Glial neuronal signaling in the central nervous system. *The FASEB Journal*, 17(3), 341-348.
- Hao, H. N., Zhao, J., Lotoczky, G., Grever, W. E., & Lyman, W. D. (2001). Induction of human β -defensin-2 expression in human astrocytes by lipopolysaccharide and cytokines. *Journal of neurochemistry*, 77(4), 1027-1035.
- Harauz, G., Ishiyama, N., Hill, C. M., Bates, I. R., Libich, D. S., & Fares, C. (2004). Myelin basic protein—diverse conformational states of an intrinsically unstructured protein and its roles in myelin assembly and multiple sclerosis. *Micron*, 35(7), 503-542.
- Hart, I. K., Richardson, W. D., Heldin, C. H., Westermarck, B. E. N. G. T., & Raff, M. C. (1989). PDGF receptors on cells of the oligodendrocyte-type-2 astrocyte (O-2A) cell lineage. *Development*, 105(3), 595-603.

Heckman, L. D., Chahrour, M. H., & Zoghbi, H. Y. (2014). Rett-causing mutations reveal two domains critical for MeCP2 function and for toxicity in MECP2 duplication syndrome mice. *Elife*, 3, e02676.

Hengel, H., Magee, A., Mahanjah, M., Vallat, J. M., Ouvrier, R., Abu-Rashid, M., ...& Bauer, P. (2017). CNTNAP1 mutations cause CNS hypomyelination and neuropathy with or without arthrogryposis. *Neurology Genetics*, 3(2), e144.

Herculano-Houzel, S. (2014). The glia/neuron ratio: how it varies uniformly across brain structures and species and what that means for brain physiology and evolution. *Glia*, 62(9), 1377-1391.

Hildebrand, C., & Waxman, S. G. (1984). Postnatal differentiation of rat optic nerve fibers: electron microscopic observations on the development of nodes of Ranvier and axoglial relations. *Journal of Comparative Neurology*, 224(1), 25-37.

Hirano, A., & Dembitzer, H. M. (1967). A structural analysis of the myelin sheath in the central nervous system. *The Journal of cell biology*, 34(2), 555-567.

Hu, Q. D., Cui, X. Y., Ng, Y. K., & Xiao, Z. C. (2004). Axoglial interaction via the notch receptor in oligodendrocyte differentiation. *Annals-Academy of Medicine Singapore*, 33(5), 581-588.

Iacobas S, Iacobas DA (2010) Astrocyte proximity modulates the myelination gene fabric of oligodendrocytes. *Neuron Glia Biol* 6:157–169

Ioannidou K, Anderson KI, Strachan D, Edgar JM, Barnett SC (2014) Astroglial-axonal interactions during early stages of myelination in mixed cultures using in vitro and ex vivo imaging techniques. *BMC Neurosci* 15:59

Ishibashi T, Lee PR, Baba H, Fields RD (2009) Leukemia inhibitory factor regulates the timing of oligodendrocyte development and myelination in the postnatal optic nerve. *J Neurosci Res* 87:3343–3355

Ishibashi, T., Dakin, K. A., Stevens, B., Lee, P. R., Kozlov, S. V., Stewart, C. L., & Fields, R. D. (2006). Astrocytes promote myelination in response to electrical impulses. *Neuron*, 49(6), 823-832.

Itoh, M., Tahimic, C. G., Ide, S., Otsuki, A., Sasaoka, T., Noguchi, S., . . . Kurimasa, A. (2012). Methyl CpG-binding protein isoform MeCP2_e2 is dispensable for Rett syndrome phenotypes but essential for embryo viability and placenta development. *Journal of Biological Chemistry*, 287(17), 13859-13867.

Ivanovic, A., Horresh, I., Golan, N., Spiegel, I., Sabanay, H., Frechter, S., . . . Rosenbluth, J. (2012). The cytoskeletal adapter protein 4.1 G organizes the internodes in peripheral myelinated nerves. *J Cell Biol*, 196(3), 337-344.

Jahn, O., Tenzer, S., & Werner, H. B. (2009). Myelin proteomics: molecular anatomy of an insulating sheath. *Molecular neurobiology*, 40(1), 55-72.

Jha, M. K., Jo, M., Kim, J. H., & Suk, K. (2018). Microglia-Astrocyte Crosstalk: An Intimate Molecular Conversation. *The Neuroscientist*, 1073858418783959.

Jha, M. K., Seo, M., Kim, J. H., Kim, B. G., Cho, J. Y., & Suk, K. (2013). The secretome signature of reactive glial cells and its pathological implications. *Biochimica et Biophysica Acta (BBA)-Proteins and Proteomics*, 1834(11), 2418-2428.

Jin, L.-W., Horiuchi, M., Wulff, H., Liu, X.-B., Cortopassi, G. A., Erickson, J. D., & Maezawa, I. (2015). Dysregulation of glutamine transporter SNAT1 in Rett syndrome microglia: a mechanism for mitochondrial dysfunction and neurotoxicity. *Journal of Neuroscience*, 35(6), 2516-2529.

Jin, X. R., Chen, X. S., & Xiao, L. (2017). MeCP2 deficiency in neuroglia: new progress in the pathogenesis of Rett syndrome. *Frontiers in molecular neuroscience*, 10, 316.

Ji-wen, Y., Tong-yan, T., & Qi-lin, H. (2013). Protective effect of astrocyte-conditioned medium on neurons following hypoxia and mechanical injury. *Chinese Journal of Traumatology*, 16(1), 3-9.

Jones, A. L., Thomas, C. L., & Maule, A. J. (1998). De novo methylation and co-suppression induced by a cytoplasmically replicating plant RNA virus. *The EMBO journal*, 17(21), 6385-6393.

Jordan, C. A., Friedrich, V. L., Godfraind, C., Cardellechio, C. B., Holmes, K. V., & Dubois-Dalcq, M. (1989). Expression of viral and myelin gene transcripts in a murine CNS demyelinating disease caused by a coronavirus. *Glia*, 2(5), 318-329.

Jung, B. P., Jugloff, D. G., Zhang, G., Logan, R., Brown, S., & Eubanks, J. H. (2003). The expression of methyl CpG binding factor MeCP2 correlates with cellular differentiation in the developing rat brain and in cultured cells. *Developmental Neurobiology*, 55(1), 86-96.

Kahn, M., & De Vellis, J. (1994). Regulation of an oligodendrocyte progenitor cell line by the interleukin-6 family of cytokines. *Glia*, 12(2), 87-98.

Kaplan, M. R., Meyer-Franke, A., Lambert, S., Bennett, V., Duncan, I., Levinson, S., & Barres, B. (1997). Induction of sodium channel clustering by oligodendrocytes. *Nature*, 386(6626), 724.

Karayannis, T., Au, E., Patel, J. C., Kruglikov, I., Markx, S., Delorme, R., ...& Gordon, A. (2014). Cntnap4 differentially contributes to GABAergic and dopaminergic synaptic transmission. *Nature*, 511(7508), 236.

Kerr BJ, Patterson PH. Leukemia inhibitory factor promotes oligodendrocyte survival after spinal cord injury. *Glia*. 2005;51:73–79.

Khong, P. L., Lam, C. W., Ooi, C. G., Ko, C. H., & Wong, V. C. (2002). Magnetic resonance spectroscopy and analysis of MECP2 in Rett syndrome. *Pediatric neurology*, 26(3), 205-209.

Khorshid Ahmad Jr, T. (2015). Transcriptional regulation of brain derived neurotrophic factor (BDNF) by methyl CpG binding protein 2 (MeCP2): implication in re-myelination and/or myelin repair in an animal model of multiple sclerosis (MS).

Kifayathullah, L. A., Arunachalam, J. P., Bodda, C., Agbemenyah, H. Y., Laccone, F. A., & Mannan, A. U. (2010). MeCP2270 mutant protein is expressed in astrocytes as well as in neurons and localizes in the nucleus. *Cytogenetic and genome research*, 129(4), 290-297.

Kim, J. H., Budde, M. D., Liang, H.-F., Klein, R. S., Russell, J. H., Cross, A. H., & Song, S.-K. (2006). Detecting axon damage in spinal cord from a mouse model of multiple sclerosis. *Neurobiology of disease*, 21(3), 626-632.

Kimoto, H., Eto, R., Abe, M., Kato, H., & Araki, T. (2009). Alterations of glial cells in the mouse hippocampus during postnatal development. *Cellular and molecular neurobiology*, 29(8), 1181-1189.

Kıray, H., Lindsay, S. L., Hosseinzadeh, S., & Barnett, S. C. (2016). The multifaceted role of astrocytes in regulating myelination. *Experimental neurology*, 283, 541-549.

Kishi, N., & Macklis, J. D. (2004). MECP2 is progressively expressed in post-migratory neurons and is involved in neuronal maturation rather than cell fate decisions. *Molecular and Cellular Neuroscience*, 27(3), 306-321.

Kishi, N., & Macklis, J. D. (2010). MeCP2 functions largely cell-autonomously, but also non-cell-autonomously, in neuronal maturation and dendritic arborization of cortical pyramidal neurons. *Experimental neurology*, 222(1), 51-58.

Klein, M. E., Liroy, D. T., Ma, L., Impey, S., Mandel, G., & Goodman, R. H. (2007). Homeostatic regulation of MeCP2 expression by a CREB-induced microRNA. *Nature neuroscience*, 10(12), 1513.

Klugmann, M., Schwab, M. H., Pühlhofer, A., Schneider, A., Zimmermann, F., Griffiths, I. R., & Nave, K.-A. (1997). Assembly of CNS myelin in the absence of proteolipid protein. *Neuron*, 18(1), 59-70.

Knapp, P. E., Skoff, R., & Redstone, D. (1986). Oligodendroglial cell death in jimpy mice: an explanation for the myelin deficit. *Journal of Neuroscience*, 6(10), 2813-2822.

Kokura, K., Kaul, S. C., Wadhwa, R., Nomura, T., Khan, M. M., Shinagawa, T., . . . Ishii, S. (2001). The Ski protein family is required for MeCP2-mediated transcriptional repression. *Journal of Biological Chemistry*, 276(36), 34115-34121.

Kordeli, E., Lambert, S., & Bennett, V. (1995). Ankyrin a new ankyrin gene with neural-specific isoforms localized at the axonal initial segment and node of Ranvier. *Journal of Biological Chemistry*, 270(5), 2352-2359.

Kostianovsky, A. M., Maier, L. M., Anderson, R. C., Bruce, J. N., & Anderson, D. E. (2008). Astrocytic regulation of human monocytic/microglial activation. *The Journal of Immunology*, 181(8), 5425-5432.

Kriegstein, A., & Alvarez-Buylla, A. (2009). The glial nature of embryonic and adult neural stem cells. *Annual review of neuroscience*, 32, 149-184.

Krum, J. M., Phillips, T. M., & Rosenstein, J. M. (2002). Changes in astroglial GLT-1 expression after neural transplantation or stab wounds. *Experimental neurology*, 174(2), 137-149.

Krzisch, M., Temprana, S. G., Mongiat, L. A., Armida, J., Schmutz, V., Virtanen, M. A., ... & Bergami, M. (2015). Pre-existing astrocytes form functional perisynaptic processes on neurons generated in the adult hippocampus. *Brain Structure and Function*, 220(4), 2027-2042.

Kuhlmann, T., Miron, V., Cuo, Q., Wegner, C., Antel, J., & Brück, W. (2008). Differentiation block of oligodendroglial progenitor cells as a cause for remyelination failure in chronic multiple sclerosis. *Brain*, 131(7), 1749-1758.

Kurumada, S., Onishi, A., Imai, H., Ishii, K., Kobayashi, T., & Sato, S. B. (2007). Stage-specific association of apolipoprotein AI and E in developing mouse retina. *Investigative ophthalmology & visual science*, 48(4), 1815-1823.

Lafon-Cazal, M., Adjali, O., Galéotti, N., Poncet, J., Jouin, P., Homburger, V., ... & Marin, P. (2003). Proteomic Analysis of Astrocytic Secretion in the Mouse Comparison With The Cerebrospinal Fluid Proteome. *Journal of Biological Chemistry*, 278(27), 24438-24448.

Laquérière, A., Maluenda, J., Camus, A., Fontenas, L., Dieterich, K., Nolent, F., . . . Gentil, D. (2013). Mutations in CNTNAP1 and ADCY6 are responsible for severe arthrogryposis multiplex congenita with axoglia defects. *Human molecular genetics*, 23(9), 2279-2289.

Laursen, L. S., & Chan, C. W. (2011). Translation of myelin basic protein mRNA in oligodendrocytes is regulated by integrin activation and hnRNP-K. *The Journal of cell biology*, jcb. 201007014.

Laursen, L. S., & Ffrench-Constant, C. (2007). Adhesion molecules in the regulation of CNS myelination. *Neuron glia biology*, 3(4), 367-375.

Law, A. J., Lipska, B. K., Weickert, C. S., Hyde, T. M., Straub, R. E., Hashimoto, R., ... & Weinberger, D. R. (2006). Neuregulin 1 transcripts are differentially expressed in

schizophrenia and regulated by 5' SNPs associated with the disease. *Proceedings of the National Academy of Sciences*, 103(17), 6747-6752.

Lee, Y., Morrison, B. M., Li, Y., Lengacher, S., Farah, M. H., Hoffman, P. N., . . . Zhang, P.-W. (2012). Oligodendroglia metabolically support axons and contribute to neurodegeneration. *Nature*, 487(7408), 443-448.

Lekman, A. Y., Hagberg, B. A., & Svennerholm, L. T. (1991). Membrane cerebral lipids in Rett syndrome. *Pediatric neurology*, 7(3), 186-190.

Lennon, V. A., Kryzer, T. J., Pittock, S. J., Verkman, A., & Hinson, S. R. (2005). IgG marker of optic-spinal multiple sclerosis binds to the aquaporin-4 water channel. *Journal of Experimental Medicine*, 202(4), 473-477.

Lepore, A. C., Rauck, B., Dejea, C., Pardo, A. C., Rao, M. S., Rothstein, J. D., & Maragakis, N. J. (2008). Focal transplantation-based astrocyte replacement is neuroprotective in a model of motor neuron disease. *Nature neuroscience*, 11(11), 1294-1301.

Li, H., Zhong, X., Chau, K. F., Santistevan, N. J., Guo, W., Kong, G., ...& Jin, P. (2014). Cell cycle-linked MeCP2 phosphorylation modulates adult neurogenesis involving the Notch signalling pathway. *Nature communications*, 5, 5601.

Li, W., Calfa, G., Larimore, J., & Pozzo-Miller, L. (2012). Activity-dependent BDNF release and TRPC signaling is impaired in hippocampal neurons of Mecp2 mutant mice. *Proceedings of the National Academy of Sciences*, 109(42), 17087-17092.

Liberto, C. M., Albrecht, P., Herx, L., Yong, V., & Levison, S. (2004). Pro-regenerative properties of cytokine-activated astrocytes. *Journal of neurochemistry*, 89(5), 1092-1100.

Lim, M. C. C., Maubach, G., & Zhuo, L. (2008). Glial Fibrillary Acidic Protein Splice Variants in Hepatic Stellate Cells-Expression and Regulation. *Molecules & Cells* (Springer Science & Business Media BV), 25(3).

Linnartz-Gerlach, B., Kopatz, J., & Neumann, H. (2014). Siglec functions of microglia. *Glycobiology*, 24(9), 794-799.

Lioy, D. T., Garg, S. K., Monaghan, C. E., Raber, J., Foust, K. D., Kaspar, B. K., . . . Ballas, N. (2011). A role for glia in the progression of Rett's syndrome. *Nature*, 475(7357), 497-500.

Lipani, J. D., Bhattacharjee, M. B., Corey, D. M., & Lee, D. A. (2000). Reduced nerve growth factor in Rett syndrome postmortem brain tissue. *Journal of Neuropathology & Experimental Neurology*, 59(10), 889-895.

Liu, J.-P., Tang, Y., Zhou, S., Toh, B. H., McLean, C., & Li, H. (2010). Cholesterol involvement in the pathogenesis of neurodegenerative diseases. *Molecular and Cellular Neuroscience*, 43(1), 33-42.

- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods*, 25(4), 402-408.
- Lopez, P. H. (2014). Role of myelin-associated glycoprotein (siglec-4a) in the nervous system. In *Glycobiology of the Nervous System* (pp. 245-262): Springer.
- López-Juárez, A., Titus, H. E., Silbak, S. H., Pressler, J. W., Rizvi, T. A., Bogard, M., ... & Ratner, N. (2017). Oligodendrocyte Nf1 controls aberrant notch activation and regulates myelin structure and behavior. *Cell reports*, 19(3), 545-557.
- Love, S. (2006). Demyelinating diseases. *Journal of clinical pathology*, 59(11), 1151-1159.
- Lu, B., Yokoyama, M., Dreyfus, C. F., & Black, I. B. (1991). NGF gene expression in actively growing brain glia. *Journal of Neuroscience*, 11(2), 318-326.
- Lublin, F. D., & Reingold, S. C. (1996). Defining the clinical course of multiple sclerosis results of an international survey. *Neurology*, 46(4), 907-911.
- Lunyak, V. V., Burgess, R., Prefontaine, G. G., Nelson, C., Sze, S. H., Chenoweth, J., ... & Rosenfeld, M. G. (2002). Corepressor-dependent silencing of chromosomal regions encoding neuronal genes. *Science*, 298(5599), 1747-1752.
- Luo, J., & Miller, M. W. (1999). Platelet-derived growth factor-mediated signal transduction underlying astrocyte proliferation: site of ethanol action. *Journal of Neuroscience*, 19(22), 10014-10025.
- Lutz, S. E., Zhao, Y., Gulinello, M., Lee, S. C., Raine, C. S., & Brosnan, C. F. (2009). Deletion of astrocyte connexins 43 and 30 leads to a dysmyelinating phenotype and hippocampal CA1 vacuolation. *Journal of Neuroscience*, 29(24), 7743-7752.
- Lutz, S. E., Zhao, Y., Gulinello, M., Lee, S. C., Raine, C. S., & Brosnan, C. F. (2009). Deletion of astrocyte connexins 43 and 30 leads to a dysmyelinating phenotype and hippocampal CA1 vacuolation. *Journal of Neuroscience*, 29(24), 7743-7752.
- Lyst, M. J., Ekiert, R., Ebert, D. H., Merusi, C., Nowak, J., Selfridge, J., . . . de Lima Alves, F. (2013). Rett syndrome mutations abolish the interaction of MeCP2 with the NCoR/SMRT co-repressor. *Nature neuroscience*, 16(7), 898-902.
- Maezawa, I., & Jin, L.-W. (2010). Rett syndrome microglia damage dendrites and synapses by the elevated release of glutamate. *Journal of Neuroscience*, 30(15), 5346-5356.
- Maezawa, I., Swanberg, S., Harvey, D., LaSalle, J. M., & Jin, L.-W. (2009). Rett syndrome astrocytes are abnormal and spread MeCP2 deficiency through gap junctions. *Journal of Neuroscience*, 29(16), 5051-5061.

- Mahmood, A., Bibat, G., Zhan, A.-L., Izbudak, I., Farage, L., Horska, A., . . . Naidu, S. (2010). White matter impairment in Rett syndrome: diffusion tensor imaging study with clinical correlations. *American Journal of Neuroradiology*, 31(2), 295-299.
- Maragakis, N. J., & Rothstein, J. D. (2006). Mechanisms of disease: astrocytes in neurodegenerative disease. *Nature clinical practice Neurology*, 2(12), 679-689.
- Marriott MP, Emery B, Cate HS, Binder MD, Kemper D, Wu Q, Kolbe S, Gordon IR, Wang H, Egan G, Murray S, Butzkueven H, Kilpatrick TJ. Leukemia inhibitory factor signaling modulates both central nervous system demyelination and myelin repair. *Glia*. 2008;56:686–698.
- Martinowich, K., Hattori, D., Wu, H., Fouse, S., He, F., Hu, Y., . . . Sun, Y. E. (2003). DNA methylation-related chromatin remodeling in activity-dependent BDNF gene regulation. *Science*, 302(5646), 890-893.
- Masa, P. T., & Mugnaini, E. (1982). Cell junctions and intramembrane particles of astrocytes and oligodendrocytes: a freeze-fracture study. *Neuroscience*, 7(2), 523-538.
- Mauch, D. H., Nägler, K., Schumacher, S., Göritz, C., Müller, E. C., Otto, A., & Pfrieder, F. W. (2001). CNS synaptogenesis promoted by glia-derived cholesterol. *Science*, 294(5545), 1354-1357.
- Mayer, M., Bhakoo, K., & Noble, M. (1994). Ciliary neurotrophic factor and leukemia inhibitory factor promote the generation, maturation and survival of oligodendrocytes in vitro. *Development*, 120(1), 143-153.
- McFarland, H. F., & Martin, R. (2007). Multiple sclerosis: a complicated picture of autoimmunity. *Nature immunology*, 8(9), 913-919.
- Meehan, R. R., Lewis, J. D., McKay, S., Kleiner, E. L., & Bird, A. P. (1989). Identification of a mammalian protein that binds specifically to DNA containing methylated CpGs. *Cell*, 58(3), 499-507.
- MEEHAN, R., LEWIS, J., CROSS, S., NAN, X., JEPPESEN, P., & BIRD, A. (1992). Transcriptional repression by methylation of CpG. *J Cell Sci*, 1992 (Supplement 16), 9-14.
- Melanson, M., Grossberndt, A., Klowak, M., Leong, C., Frost, E. E., Prout, M., . . . Wong, L. (2010). Fatigue and cognition in patients with relapsing multiple sclerosis treated with interferon beta. *International Journal of Neuroscience*, 120(10), 631-640.
- Melanson, M., Miao, P., Eisenstat, D., Gong, Y., Gu, X., Au, K., . . . Namaka, M. (2009). Experimental autoimmune encephalomyelitis-induced upregulation of tumor necrosis factor-alpha in the dorsal root ganglia. *Multiple Sclerosis Journal*, 15(10), 1135-1145.

- Menegoz, M., Gaspar, P., Le Bert, M., Galvez, T., Burgaya, F., Palfrey, C., ...& Girault, J. A. (1997). Paranodin, a glycoprotein of neuronal paranodal membranes. *Neuron*, 19(2), 319-331.
- Messersmith, D. J., Murtie, J. C., Le, T. Q., Frost, E. E., & Armstrong, R. C. (2000). Fibroblast growth factor 2 (FGF2) and FGF receptor expression in an experimental demyelinating disease with extensive remyelination. *Journal of neuroscience research*, 62(2), 241-256.
- Messing, A., Head, M. W., Galles, K., Galbreath, E. J., Goldman, J. E., & Brenner, M. (1998). Fatal encephalopathy with astrocyte inclusions in GFAP transgenic mice. *The American journal of pathology*, 152(2), 391.
- Meyer-Franke A, Shen S, Barres BA (1999) Astrocytes induce oligodendrocyte processes to align with and adhere to axons. *Mol Cell Neurosci* 14:385–397
- Mi, S., Hu, B., Hahm, K., Luo, Y., Hui, E. S. K., Yuan, Q., ...& Guo, J. (2007). LINGO-1 antagonist promotes spinal cord remyelination and axonal integrity in MOG-induced experimental autoimmune encephalomyelitis. *Nature medicine*, 13(10), 1228.
- Mi, S., Miller, R. H., Lee, X., Scott, M. L., Shulag-Morskaya, S., Shao, Z., ...& Hession, C. (2005). LINGO-1 negatively regulates myelination by oligodendrocytes. *Nature neuroscience*, 8(6), 745.
- Michailov, G. V., Sereda, M. W., Brinkmann, B. G., Fischer, T. M., Haug, B., Birchmeier, C., ... & Nave, K. A. (2004). Axonal neuregulin-1 regulates myelin sheath thickness. *Science*, 304(5671), 700-703.
- Milner, R., Anderson, H. J., Rippon, R. F., McKay, J. S., Franklin, R. J., Marchionni, M. A., . . . French-Constant, C. (1997). Contrasting effects of mitogenic growth factors on oligodendrocyte precursor cell migration. *Glia*, 19(1), 85-90.
- Miltenberger-Miltenyi, G., & Laccone, F. (2003). Mutations and polymorphisms in the human methyl CpG-binding protein MECP2. *Human mutation*, 22(2), 107-115.
- Minkowski, A. (1967). *Regional development of the brain in early life*: FA Davis Co.
- Miyake, K., & Nagai, K. (2007). Phosphorylation of methyl-CpG binding protein 2 (MeCP2) regulates the intracellular localization during neuronal cell differentiation. *Neurochemistry international*, 50(1), 264-270.
- Miyake, K., Hirasawa, T., Soutome, M., Itoh, M., Goto, Y. I., Endoh, K., ...& Taira, T. (2011). The protocadherins, PCDHB1 and PCDH7, are regulated by MeCP2 in neuronal cells and brain tissues: implication for pathogenesis of Rett syndrome. *BMC neuroscience*, 12(1), 81.
- Miyamoto, N., Maki, T., Shindo, A., Liang, A. C., Maeda, M., Egawa, N., ... & Arai, K. (2015). Astrocytes promote oligodendrogenesis after white matter damage via brain-derived neurotrophic factor. *Journal of Neuroscience*, 35(41), 14002-14008.

- Mnatzakanian, G. N., Lohi, H., Munteanu, I., Alfred, S. E., Yamada, T., MacLeod, P. J., . . . Friez, M. J. (2004). A previously unidentified MECP2 open reading frame defines a new protein isoform relevant to Rett syndrome. *Nature genetics*, 36(4), 339.
- Molofsky, A. V., & Deneen, B. (2015). Astrocyte development: a guide for the perplexed. *Glia*, 63(8), 1320-1329.
- Molofsky, A. V., Krenick, R., Ullian, E., Tsai, H. H., Deneen, B., Richardson, W. D., ... & Rowitch, D. H. (2012). Astrocytes and disease: a neurodevelopmental perspective. *Genes & development*, 26(9), 891-907.
- Moore, C. S., Abdullah, S. L., Brown, A., Arulpragasam, A., & Crocker, S. J. (2011). How factors secreted from astrocytes impact myelin repair. *Journal of neuroscience research*, 89(1), 13-21.
- Moore, N. H., Costa, L. G., Shaffer, S. A., Goodlett, D. R., & Guizzetti, M. (2009). Shotgun proteomics implicates extracellular matrix proteins and protease systems in neuronal development induced by astrocyte cholinergic stimulation. *Journal of neurochemistry*, 108(4), 891-908.
- Moraga-Amaro, R., Jerez-Baraona, J. M., Simon, F., & Stehberg, J. (2014). Role of astrocytes in memory and psychiatric disorders. *Journal of Physiology-Paris*, 108(4-6), 240-251.
- Nagai, K., Miyake, K., & Kubota, T. (2005). A transcriptional repressor MeCP2 causing Rett syndrome is expressed in embryonic non-neuronal cells and controls their growth. *Developmental brain research*, 157(1), 103-106.
- Nagai, M., Re, D. B., Nagata, T., Chalazonitis, A., Jessell, T. M., Wichterle, H., & Przedborski, S. (2007). Astrocytes expressing ALS-linked mutated SOD1 release factors selectively toxic to motor neurons. *Nature neuroscience*, 10(5), 615-622.
- Nagele, R. G., Wegiel, J., Venkataraman, V., Imaki, H., Wang, K.-C., & Wegiel, J. (2004). Contribution of glial cells to the development of amyloid plaques in Alzheimer's disease. *Neurobiology of aging*, 25(5), 663-674.
- Nair A, Frederick TJ, Miller SD (2008) Astrocytes in multiple sclerosis: a product of their environment. *Cell Mol Life Sci* 65:2702
- Nan, X., Meehan, R. R., & Bird, A. (1993). Dissection of the methyl-CpG binding domain from the chromosomal protein MeCP2. *Nucleic acids research*, 21(21), 4886-4892.
- Nan, X., Ng, H.-H., Johnson, C. A., Laherty, C. D., Turner, B. M., Eisenman, R. N., & Bird, A. (1998). Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex. *Nature*, 393(6683), 386-389.
- Nash, B., Thomson, C. E., Linington, C., Arthur, A. T., McClure, J. D., McBride, M. W., & Barnett, S. C. (2011). Functional duality of astrocytes in myelination. *Journal of Neuroscience*, 31(37), 13028-13038.

Nave, K. A. (2010). Myelination and support of axonal integrity by glia. *Nature*, 468(7321), 244.

Nave, K. A. (2010). Myelination and the trophic support of long axons. *Nature Reviews Neuroscience*, 11(4), 275.

Nave, K. A., & Trapp, B. D. (2008). Axon-glial signaling and the glial support of axon function. *Annu. Rev. Neurosci.*, 31, 535-561.

Nave, K.-A., & Werner, H. B. (2014). Myelination of the nervous system: mechanisms and functions. *Annual review of cell and developmental biology*, 30, 503-533.

Nave, K.-A., Lai, C., Bloom, F. E., & Milner, R. J. (1987). Splice site selection in the proteolipid protein (PLP) gene transcript and primary structure of the DM-20 protein of central nervous system myelin. *Proceedings of the National Academy of Sciences*, 84(16), 5665-5669.

Nectoux, J., Florian, C., Delepine, C., Bahi-Buisson, N., Khelifaoui, M., Reibel, S., . . . Bienvenu, T. (2012). Altered microtubule dynamics in *Mecp2*-deficient astrocytes. *Journal of neuroscience research*, 90(5), 990-998.

Nguyen, M. V. C., Du, F., Felice, C. A., Shan, X., Nigam, A., Mandel, G., . . . Ballas, N. (2012). *MeCP2* is critical for maintaining mature neuronal networks and global brain anatomy during late stages of postnatal brain development and in the mature adult brain. *Journal of Neuroscience*, 32(29), 10021-10034.

Nguyen, M. V. C., Felice, C. A., Du, F., Covey, M. V., Robinson, J. K., Mandel, G., & Ballas, N. (2013). Oligodendrocyte lineage cells contribute unique features to Rett syndrome neuropathology. *Journal of Neuroscience*, 33(48), 18764-18774.

Nguyen, T., Mehta, N. R., Conant, K., Kim, K.-J., Jones, M., Calabresi, P. A., . . . Ming, G.-L. (2009). Axonal protective effects of the myelin-associated glycoprotein. *Journal of Neuroscience*, 29(3), 630-637.

Nishie, M., Mori, F., Fujiwara, H., Hasegawa, M., Yoshimoto, M., Iwatsubo, T., . . . Wakabayashi, K. (2004). Accumulation of phosphorylated α -synuclein in the brain and peripheral ganglia of patients with multiple system atrophy. *Acta neuropathologica*, 107(4), 292-298.

Noble, M., & Murray, K. (1984). Purified astrocytes promote the in vitro division of a bipotential glial progenitor cell. *The EMBO journal*, 3(10), 2243.

Noble, M., Murray, K., Stroobant, P., Waterfield, M. D., & Riddle, P. (1988). Platelet-derived growth factor promotes division and motility and inhibits premature differentiation of the oligodendrocyte/type-2 astrocyte progenitor cell. *Nature*, 333(6173), 560-562.

- Norton, W., & Poduslo, S. E. (1973). Myelination in rat brain: method of myelin isolation. *Journal of neurochemistry*, 21(4), 749-757.
- O'Brien, J. S., & Sampson, E. L. (1965). Lipid composition of the normal human brain: gray matter, white matter, and myelin. *Journal of lipid research*, 6(4), 537-544.
- Ohgoh, M., Shimizu, H., Ogura, H., & Nishizawa, Y. (2000). Astroglial trophic support and neuronal cell death: influence of cellular energy level on type of cell death induced by mitochondrial toxin in cultured rat cortical neurons. *Journal of neurochemistry*, 75(3), 925-933.
- Okabe, Y., Takahashi, T., Mitsumasu, C., Kosai, K.-i., Tanaka, E., & Matsuishi, T. (2012). Alterations of gene expression and glutamate clearance in astrocytes derived from an MeCP2-null mouse model of Rett syndrome. *PloS one*, 7(4), e35354.
- O'Meara, R. W., Ryan, S. D., Colognato, H., & Kothary, R. (2011). Derivation of enriched oligodendrocyte cultures and oligodendrocyte/neuron myelinating co-cultures from post-natal murine tissues. *Journal of visualized experiments: JoVE*(54).
- Orth, M., & Bellosta, S. (2012). Cholesterol: its regulation and role in central nervous system disorders. *Cholesterol*, 2012.
- Orthmann-Murphy, J. L., Abrams, C. K., & Scherer, S. S. (2008). Gap junctions couple astrocytes and oligodendrocytes. *Journal of Molecular Neuroscience*, 35(1), 101-116.
- Pacheco, N. L., Heaven, M. R., Holt, L. M., Crossman, D. K., Boggio, K. J., Shaffer, S. A., . . . Olsen, M. L. (2017). RNA sequencing and proteomics approaches reveal novel deficits in the cortex of Mecp2-deficient mice, a model for Rett syndrome. *Molecular autism*, 8(1), 56.
- Paintlia, M. K., Paintlia, A. S., Barbosa, E., Singh, I., & Singh, A. K. (2004). N-acetylcysteine prevents endotoxin-induced degeneration of oligodendrocyte progenitors and hypomyelination in developing rat brain. *Journal of neuroscience research*, 78(3), 347-361.
- Pang, Y., Fan, L. W., Tien, L. T., Dai, X., Zheng, B., Cai, Z., ... & Bhatt, A. (2013). Differential roles of astrocyte and microglia in supporting oligodendrocyte development and myelination in vitro. *Brain and behavior*, 3(5), 503-514.
- Pang, Y., Zheng, B., Fan, L. W., Rhodes, P. G., & Cai, Z. (2007). IGF-1 protects oligodendrocyte progenitors against TNF α -induced damage by activation of PI3K/Akt and interruption of the mitochondrial apoptotic pathway. *Glia*, 55(11), 1099-1107.
- Park, H. C., & Appel, B. (2003). Delta-Notch signaling regulates oligodendrocyte specification. *Development*, 130(16), 3747-3755.

Patel, J. R., McCandless, E. E., Dorsey, D., & Klein, R. S. (2010). CXCR4 promotes differentiation of oligodendrocyte progenitors and remyelination. *Proceedings of the National Academy of Sciences*, 107(24), 11062-11067.

Pedraza, L., Huang, J. K., & Colman, D. (2009). Disposition of axonal caspr with respect to glial cell membranes: Implications for the process of myelination. *Journal of neuroscience research*, 87(15), 3480-3491.

Pedraza, L., Huang, J. K., & Colman, D. R. (2001). Organizing principles of the axoglial apparatus. *Neuron*, 30(2), 335-344.

Pellegrini, G., Rossier, C., Magistretti, P. J., & Martin, J.-L. (1996). Cloning, localization and induction of mouse brain glycogen synthase. *Molecular brain research*, 38(2), 191-199.

Perea, G., Navarrete, M., & Araque, A. (2009). Tripartite synapses: astrocytes process and control synaptic information. *Trends in neurosciences*, 32(8), 421-431.

Pereda, A. E. (2014). Electrical synapses and their functional interactions with chemical synapses. *Nature Reviews Neuroscience*, 15(4), 250.

Pérez-Alvarez, A., & Araque, A. (2013). Astrocyte-neuron interaction at tripartite synapses. *Current drug targets*, 14(11), 1220-1224.

Perkins, D. N., Pappin, D. J., Creasy, D. M., & Cottrell, J. S. (1999). Probability-based protein identification by searching sequence databases using mass spectrometry data. *ELECTROPHORESIS: An International Journal*, 20(18), 3551-3567.

Peters, A., & Palay, S. L. (1991). *The fine structure of the nervous system: neurons and their supporting cells*: Oxford University Press, USA.

Pfeiffer-Guglielmi, B., Fleckenstein, B., Jung, G., & Hamprecht, B. (2003). Immunocytochemical localization of glycogen phosphorylase isozymes in rat nervous tissues by using isozyme-specific antibodies. *Journal of neurochemistry*, 85(1), 73-81.

Pfriege, F. W., & Barres, B. A. (1997). Synaptic efficacy enhanced by glial cells in vitro. *Science*, 277(5332), 1684-1687.

Pfriege, F. W., & Ungerer, N. (2011). Cholesterol metabolism in neurons and astrocytes. *Progress in lipid research*, 50(4), 357-371.

Phan, B. N., Page, S. C., Campbell, M. N., Bohlen, J. F., Thaxton, C. L., Simon, J. M., ... & Philpot, B. D. (2017). Defects of myelination are common pathophysiology in syndromic and idiopathic autism spectrum disorders. *bioRxiv*, 128124.

Piaton, G., Gould, R. M., & Lubetzki, C. (2010). Axon-oligodendrocyte interactions during developmental myelination, demyelination and repair. *Journal of neurochemistry*, 114(5), 1243-1260.

- Pillai, A. M., Thaxton, C., Pribisko, A. L., Cheng, J. G., Dupree, J. L., & Bhat, M. A. (2009). Spatiotemporal ablation of myelinating glia-specific neurofascin (NfascNF155) in mice reveals gradual loss of paranodal axoglial junctions and concomitant disorganization of axonal domains. *Journal of neuroscience research*, 87(8), 1773-1793.
- Poliak, S., & Peles, E. (2003). The local differentiation of myelinated axons at nodes of Ranvier. *Nature Reviews Neuroscience*, 4(12), 968-980.
- Poo, M. M. (2001). Neurotrophins as synaptic modulators. *Nature Reviews Neuroscience*, 2(1), 24.
- Prineas, J., & Raine, C. (1976). Electron microscopy and immunoperoxidase studies of early multiple sclerosis lesions. *Neurology*, 26(6 Part 2), 29-32.
- Pringle, N., Collarini, E., Mosley, M., Heldin, C., Westermark, B., & Richardson, W. (1989). PDGF A chain homodimers drive proliferation of bipotential (O-2A) glial progenitor cells in the developing rat optic nerve. *The EMBO journal*, 8(4), 1049.
- Quaderi, N., Meehan, R., Tate, P., Cross, S., Bird, A., Chatterjee, A., . . . Brown, S. (1994). Genetic and physical mapping of a gene encoding a methyl CpG binding protein, *Mecp2*, to the mouse X chromosome. *Genomics*, 22(3), 648-651.
- Quarles, R. H. (2007). Myelin-associated glycoprotein (MAG): past, present and beyond. *Journal of neurochemistry*, 100(6), 1431-1448.
- Raff, M. C., Lillien, L. E., Richardson, W. D., Burne, J. F., & Noble, M. D. (1988). Platelet-derived growth factor from astrocytes drives the clock that times oligodendrocyte development in culture. *Nature*, 333(6173), 562-565.
- Raine, C. S. (1984). Morphology of myelin and myelination. In *Myelin* (pp. 1-50). Springer, Boston, MA.
- Rajasekharan, S., Baker, K. A., Horn, K. E., Jarjour, A. A., Antel, J. P., & Kennedy, T. E. (2009). Netrin 1 and Dcc regulate oligodendrocyte process branching and membrane extension via Fyn and RhoA. *Development*, 136(3), 415-426.
- Rakela, B., Brehm, P., & Mandel, G. (2018). Astrocytic modulation of excitatory synaptic signaling in a mouse model of Rett syndrome. *eLife*, 7, e31629.
- Ramocki, M. B., Tavyev, Y. J., & Peters, S. U. (2010). The MECP2 duplication syndrome. *American journal of medical genetics Part A*, 152(5), 1079-1088.
- Ramón y Cajal, S. (1909). 1911. *Histologie du Système Nerveux de l'Homme et des Vertébrés*, 2, 1952-1955.
- Ramos-Cejudo, J., Gutiérrez-Fernández, M., Otero-Ortega, L., Rodríguez-Frutos, B., Fuentes, B., Vallejo-Cremades, M. T., ... & Díez-Tejedor, E. (2014). Brain-derived

neurotrophic factor administration mediated oligodendrocyte differentiation and myelin formation in subcortical ischemic stroke. *Stroke*, STROKEAHA-114.

Ransohoff, R. M. (1999). Mechanisms of inflammation in MS tissue: adhesion molecules and chemokines. *Journal of neuroimmunology*, 98(1), 57-68.

Rasband, M. N., Park, E. W., Vanderah, T. W., Lai, J., Porreca, F., & Trimmer, J. S. (2001). Distinct potassium channels on pain-sensing neurons. *Proceedings of the National Academy of Sciences*, 98(23), 13373-13378.

Rasband, M. N., Peles, E., Trimmer, J. S., Levinson, S. R., Lux, S. E., & Shrager, P. (1999). Dependence of nodal sodium channel clustering on paranodal axoglial contact in the developing CNS. *Journal of Neuroscience*, 19(17), 7516-7528.

Rattray, M., & Bendotti, C. (2006). Does excitotoxic cell death of motor neurons in ALS arise from glutamate transporter and glutamate receptor abnormalities? *Experimental neurology*, 201(1), 15-23.

Ravn, K., Nielsen, J., Uldall, P., Hansen, F., & Schwartz, M. (2003). No correlation between phenotype and genotype in boys with a truncating MECP2 mutation. *Journal of medical genetics*, 40(1), e5-e5.

Readhead, C., Popko, B., Takahashi, N., Shine, H. D., Saavedra, R. A., Sidman, R. L., & Hood, L. (1987). Expression of a myelin basic protein gene in transgenic shiverer mice: correction of the dysmyelinating phenotype. *Cell*, 48(4), 703-712.

Rett, A. (1966). On a unusual brain atrophy syndrome in hyperammonemia in childhood. *Wiener medizinische Wochenschrift* (1946), 116(37), 723.

Rinholm, J. E., & Bergersen, L. H. (2012). Neuroscience: The wrap that feeds neurons. *Nature*, 487(7408), 435-436.

Rinholm, J. E., Hamilton, N. B., Kessaris, N., Richardson, W. D., Bergersen, L. H., & Attwell, D. (2011). Regulation of oligodendrocyte development and myelination by glucose and lactate. *Journal of Neuroscience*, 31(2), 538-548.

Roach, A., Boylan, K., Horvath, S., Prusiner, S. B., & Hood, L. E. (1983). Characterization of cloned cDNA representing rat myelin basic protein: absence of expression in brain of shiverer mutant mice. *Cell*, 34(3), 799-806.

Rosenbluth, J. (1976). Intramembranous particle distribution at the node of Ranvier and adjacent axolemma in myelinated axons of the frog brain. *Journal of neurocytology*, 5(6), 731-745.

Rosenbluth, J. (2009). Multiple functions of the paranodal junction of myelinated nerve fibers. *Journal of neuroscience research*, 87(15), 3250-3258.

Rothstein, J. D., Martin, L. J., & Kuncl, R. W. (1992). Decreased glutamate transport by the brain and spinal cord in amyotrophic lateral sclerosis. *New England Journal of Medicine*, 326(22), 1464-1468.

Roxburgh, R., Seaman, S., Masterman, T., Hensiek, A., Sawcer, S., Vukusic, S., . . . Le Page, E. (2005). Multiple Sclerosis Severity Score Using disability and disease duration to rate disease severity. *Neurology*, 64(7), 1144-1151.

Rühl, A., Hoppe, S., Frey, I., Daniel, H., & Schemann, M. (2005). Functional expression of the peptide transporter PEPT2 in the mammalian enteric nervous system. *Journal of Comparative Neurology*, 490(1), 1-11.

Sadakata, T., Mizoguchi, A., Sato, Y., Katoh-Semba, R., Fukuda, M., Mikoshiba, K., & Furuichi, T. (2004). The secretory granule-associated protein CAPS2 regulates neurotrophin release and cell survival. *Journal of Neuroscience*, 24(1), 43-52.

Saher, G., Rudolphi, F., Corthals, K., Ruhwedel, T., Schmidt, K.-F., Löwel, S., . . . Nave, K.-A. (2012). Therapy of Pelizaeus-Merzbacher disease in mice by feeding a cholesterol-enriched diet. *Nature medicine*, 18(7), 1130-1135.

Sakurai, Y., Nishimura, D., Yoshimura, K., Tsuruo, Y., Seiwa, C., & Asou, H. (1998). Differentiation of oligodendrocyte occurs in contact with astrocyte. *Journal of neuroscience research*, 52(1), 17-26.6.

Sampathkumar, C., Wu, Y. J., Vadhvani, M., Trimbuch, T., Eickholt, B., & Rosenmund, C. (2016). Loss of MeCP2 disrupts cell autonomous and autocrine BDNF signaling in mouse glutamatergic neurons. *Elife*, 5, e19374.

Sánchez-Abarca, L. I., Tabernero, A., & Medina, J. M. (2001). Oligodendrocytes use lactate as a source of energy and as a precursor of lipids. *Glia*, 36(3), 321-329.

Saywell, V., Viola, A., Confort-Gouny, S., Le Fur, Y., Villard, L., & Cozzzone, P. J. (2006). Brain magnetic resonance study of Mecp2 deletion effects on anatomy and metabolism. *Biochemical and biophysical research communications*, 340(3), 776-783.

Schafer, D. P., Bansal, R., Hedstrom, K. L., Pfeiffer, S. E., & Rasband, M. N. (2004). Does paranode formation and maintenance require partitioning of neurofascin 155 into lipid rafts? *Journal of Neuroscience*, 24(13), 3176-3185.

Schmitt, A., Gofferje, V., Weber, M., Meyer, J., Mössner, R., & Lesch, K. P. (2003). The brain-specific protein MLC1 implicated in megalencephalic leukoencephalopathy with subcortical cysts is expressed in glial cells in the murine brain. *Glia*, 44(3), 283-295.

Schmitt, S., Castelvetti, L. C., & Simons, M. (2015). Metabolism and functions of lipids in myelin. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1851(8), 999-1005.

- Schummers, J., Yu, H., & Sur, M. (2008). Tuned responses of astrocytes and their influence on hemodynamic signals in the visual cortex. *Science*, 320(5883), 1638-1643.
- Schwab, M., & Schnell, L. (1989). Region-specific appearance of myelin constituents in the developing rat spinal cord. *Journal of neurocytology*, 18(2), 161-169.
- Schwartz, J. P., & Nishiyama, N. (1994). Neurotrophic factor gene expression in astrocytes during development and following injury. *Brain research bulletin*, 35(5), 403-407.
- Seifert, G., Schilling, K., & Steinhäuser, C. (2006). Astrocyte dysfunction in neurological disorders: a molecular perspective. *Nature Reviews Neuroscience*, 7(3), 194-206.
- Serwanski, D. R., Jukkola, P., & Nishiyama, A. (2017). Heterogeneity of astrocyte and NG2 cell insertion at the node of ranvier. *Journal of Comparative Neurology*, 525(3), 535-552.
- Shahbazian, M. D., Antalffy, B., Armstrong, D. L., & Zoghbi, H. Y. (2002). Insight into Rett syndrome: MeCP2 levels display tissue-and cell-specific differences and correlate with neuronal maturation. *Human molecular genetics*, 11(2), 115-124.
- Shahbazian, M. D., Young, J. I., Yuva-Paylor, L. A., Spencer, C. M., Antalffy, B. A., Noebels, J. L., . . . Zoghbi, H. Y. (2002). Mice with truncated MeCP2 recapitulate many Rett syndrome features and display hyperacetylation of histone H3. *Neuron*, 35(2), 243-254.
- Sharma, K., Singh, J., Pillai, P. P., & Frost, E. E. (2015). Involvement of MeCP2 in regulation of myelin-related gene expression in cultured rat oligodendrocytes. *Journal of Molecular Neuroscience*, 57(2), 176-184.
- Sherman, D. L., & Brophy, P. J. (2005). Mechanisms of axon ensheathment and myelin growth. *Nature Reviews Neuroscience*, 6(9), 683-690.
- Shimizu, T., Osanai, Y., & Ikenaka, K. (2018). Oligodendrocyte–Neuron Interactions: Impact on Myelination and Brain Function. *Neurochemical research*, 43(1), 181-185.
- Siegel, G. J., Agranoff, B. W., Albers, R. W., Molinoff, P. B., & Lees, M. B. (1994). Basic neurochemistry. *Journal of neuroscience research*, 39(4), 512.
- Simons, M., & Nave, K.-A. (2016). Oligodendrocytes: myelination and axonal support. *Cold Spring Harbor perspectives in biology*, 8(1), a020479.
- Simons, M., & Trajkovic, K. (2006). Neuron-glia communication in the control of oligodendrocyte function and myelin biogenesis. *Journal of cell science*, 119(21), 4381-4389.

- Skene, P. J., Illingworth, R. S., Webb, S., Kerr, A. R., James, K. D., Turner, D. J., . . . Bird, A. P. (2010). Neuronal MeCP2 is expressed at near histone-octamer levels and globally alters the chromatin state. *Molecular cell*, 37(4), 457-468.
- Slezak, M., & Pfrieder, F. W. (2003). New roles for astrocytes: regulation of CNS synaptogenesis. *Trends in neurosciences*, 26(10), 531-535.
- Smith, G. M., Rutishauser, U., Silver, J., & Miller, R. H. (1990). Maturation of astrocytes in vitro alters the extent and molecular basis of neurite outgrowth. *Developmental biology*, 138(2), 377-390.
- Snaidero, N., Möbius, W., Czopka, T., Hekking, L. H., Mathisen, C., Verkleij, D., . . . Lyons, D. A. (2014). Myelin membrane wrapping of CNS axons by PI (3, 4, 5) P3-dependent polarized growth at the inner tongue. *Cell*, 156(1), 277-290.
- Sobottka, B., Ziegler, U., Kaech, A., Becher, B., & Goebels, N. (2011). CNS live imaging reveals a new mechanism of myelination: the liquid croissant model. *Glia*, 59(12), 1841-1849.
- Sofroniew, M. V. (2009). Molecular dissection of reactive astrogliosis and glial scar formation. *Trends in neurosciences*, 32(12), 638-647.
- Sofroniew, M. V., & Vinters, H. V. (2010). Astrocytes: biology and pathology. *Acta neuropathologica*, 119(1), 7-35.
- Sofroniew, M. V., Howe, C. L., & Mobley, W. C. (2001). Nerve growth factor signaling, neuroprotection, and neural repair. *Annual review of neuroscience*, 24(1), 1217-1281.
- Sokoloff, L. (1991). Measurement of local cerebral glucose utilization and its relation to local functional activity in the brain. In *Fuel homeostasis and the nervous system* (pp. 21-42): Springer.
- Song, S. K., Sun, S. W., Ju, W. K., Lin, S. J., Cross, A. H., & Neufeld, A. H. (2003). Diffusion tensor imaging detects and differentiates axon and myelin degeneration in mouse optic nerve after retinal ischemia. *Neuroimage*, 20(3), 1714-1722.
- Sørensen, A., Alekseeva, T., Katechia, K., Robertson, M., Riehle, M. O., & Barnett, S. C. (2007). Long-term neurite orientation on astrocyte monolayers aligned by microtopography. *Biomaterials*, 28(36), 5498-5508.
- Spiegel, I., Adamsky, K., Eshed, Y., Milo, R., Sabanay, H., Sarig-Nadir, O., . . . Peles, E. (2007). A central role for Necl4 (SynCAM4) in Schwann cell-axon interaction and myelination. *Nature neuroscience*, 10(7), 861-869.
- Stankoff, B., Aigrot, M. S., Noël, F., Wattilliaux, A., Zalc, B., & Lubetzki, C. (2002). Ciliary neurotrophic factor (CNTF) enhances myelin formation: a novel role for CNTF and CNTF-related molecules. *Journal of Neuroscience*, 22(21), 9221-9227.

- Stehberg, J., Moraga-Amaro, R., Salazar, C., Becerra, A., Echeverría, C., Orellana, J. A., ... & Sáez, J. C. (2012). Release of gliotransmitters through astroglial connexin 43 hemichannels is necessary for fear memory consolidation in the basolateral amygdala. *The FASEB Journal*, 26(9), 3649-3657.
- Stöckli, K., Lillien, L., Näher-Noé, M., Breitfeld, G., Hughes, R. A., Raff, M., . . . Sendtner, M. (1991). Regional distribution, developmental changes, and cellular localization of CNTF-mRNA and protein in the rat brain. *The Journal of cell biology*, 115(2), 447-459.
- Streit, W. J., Graeber, M. B., & Kreutzberg, G. W. (1988). Functional plasticity of microglia: a review. *Glia*, 1(5), 301-307.
- Sultan, S., Li, L., Moss, J., Petrelli, F., Cassé, F., Gebara, E., ... & Toni, N. (2015). Synaptic integration of adult-born hippocampal neurons is locally controlled by astrocytes. *Neuron*, 88(5), 957-972.
- Sun, X. Y., Takagishi, Y., Okabe, E., Chishima, Y., Kanou, Y., Murase, S., ...& Peles, E. (2009). A novel Caspr mutation causes the shambling mouse phenotype by disrupting axoglial interactions of myelinated nerves. *Journal of Neuropathology & Experimental Neurology*, 68(11), 1207-1218.
- Sussman, C. R., Vartanian, T., & Miller, R. H. (2005). The ErbB4 neuregulin receptor mediates suppression of oligodendrocyte maturation. *Journal of Neuroscience*, 25(24), 5757-5762.
- Susuki, K., Chang, K.-J., Zollinger, D. R., Liu, Y., Ogawa, Y., Eshed-Eisenbach, Y., . . . Seidenbecher, C. I. (2013). Three mechanisms assemble central nervous system nodes of Ranvier. *Neuron*, 78(3), 469-482.
- Swiss, V. A., Nguyen, T., Dugas, J., Ibrahim, A., Barres, B., Androulakis, I. P., & Casaccia, P. (2011). Identification of a gene regulatory network necessary for the initiation of oligodendrocyte differentiation. *PloS one*, 6(4), e18088.
- Tait, S., Gunn-Moore, F., Collinson, J. M., Huang, J., Lubetzki, C., Pedraza, L., ...& Brophy, P. J. (2000). An oligodendrocyte cell adhesion molecule at the site of assembly of the paranodal axo-glial junction. *The Journal of cell biology*, 150(3), 657-666.
- Takahashi, K., Prinz, M., Stagi, M., Chechneva, O., & Neumann, H. (2007). TREM2-transduced myeloid precursors mediate nervous tissue debris clearance and facilitate recovery in an animal model of multiple sclerosis. *PLoS medicine*, 4(4), e124.
- Talbott, J. F., Loy, D. N., Liu, Y., Qiu, M. S., Bunge, M. B., Rao, M. S., & Whittemore, S. R. (2005). Endogenous Nkx2. 2+/Olig2+ oligodendrocyte precursor cells fail to remyelinate the demyelinated adult rat spinal cord in the absence of astrocytes. *Experimental neurology*, 192(1), 11-24.

- Tanaka, Y., Kim, K. Y., Zhong, M., Pan, X., Weissman, S. M., & Park, I. H. (2013). Transcriptional regulation in pluripotent stem cells by methyl CpG-binding protein 2 (MeCP2). *Human molecular genetics*, 23(4), 1045-1055.
- Tao, J., Hu, K., Chang, Q., Wu, H., Sherman, N. E., Martinowich, K., . . . Wang, W. (2009). Phosphorylation of MeCP2 at Serine 80 regulates its chromatin association and neurological function. *Proceedings of the National Academy of Sciences*, 106(12), 4882-4887.
- Taveggia, C., Feltri, M. L., & Wrabetz, L. (2010). Signals to promote myelin formation and repair. *Nature Reviews Neurology*, 6(5), 276-287.
- Taveggia, C., Thaker, P., Petrylak, A., Caporaso, G. L., Toews, A., Falls, D. L., ...& Salzer, J. L. (2008). Type III neuregulin-1 promotes oligodendrocyte myelination. *Glia*, 56(3), 284-293.
- Taveggia, C., Zanazzi, G., Petrylak, A., Yano, H., Rosenbluth, J., Einheber, S., ...& Chao, M. V. (2005). Neuregulin-1 type III determines the ensheathment fate of axons. *Neuron*, 47(5), 681-694.
- Taylor, A. M., Saifetiarova, J., & Bhat, M. A. (2017). Postnatal loss of neuronal and glial neurofascins differentially affects node of Ranvier maintenance and myelinated axon function. *Frontiers in cellular neuroscience*, 11, 11.
- Tekkök, S. B., Brown, A. M., Westenbroek, R., Pellerin, L., & Ransom, B. R. (2005). Transfer of glycogen-derived lactate from astrocytes to axons via specific monocarboxylate transporters supports mouse optic nerve activity. *Journal of neuroscience research*, 81(5), 644-652.
- Thal, D. R., Schultz, C., Deghani, F., Yamaguchi, H., Braak, H., & Braak, E. (2000). Amyloid β -protein (A β)-containing astrocytes are located preferentially near N-terminal-truncated A β deposits in the human entorhinal cortex. *Acta neuropathologica*, 100(6), 608-617.
- Thaxton, C., Pillai, A. M., Pribisko, A. L., Dupree, J. L., & Bhat, M. A. (2011). Nodes of Ranvier act as barriers to restrict invasion of flanking paranodal domains in myelinated axons. *Neuron*, 69(2), 244-257.
- Thomson, C., McCulloch, M., Sorenson, A., Barnett, S., Seed, B., Griffiths, I., & McLaughlin, M. (2008). Myelinated, synapsing cultures of murine spinal cord—validation as an in vitro model of the central nervous system. *European Journal of Neuroscience*, 28(8), 1518-1535.
- Thorsell, A., Fajerson, J., Blomstrand, F., Nilsson, M., Blennow, K., Eriksson, P. S., & Westman-Brinkmalm, A. (2011). Proteome analysis of serum-containing conditioned medium from primary astrocyte cultures. *J Proteomics Bioinformatics*, 2008, 128-142.

- Tochiki, K. K., Cunningham, J., Hunt, S. P., & Géranton, S. M. (2012). The expression of spinal methyl-CpG-binding protein 2, DNA methyltransferases and histone deacetylases is modulated in persistent pain states. *Molecular pain*, 8(1), 14.
- Todd, K. J., Serrano, A., Lacaille, J. C., & Robitaille, R. (2006). Glial cells in synaptic plasticity. *Journal of Physiology-Paris*, 99(2-3), 75-83.
- Tomassy, G. S., Dershowitz, L. B., & Arlotta, P. (2016). Diversity matters: a revised guide to myelination. *Trends in cell biology*, 26(2), 135-147.
- Tomita, M., Khan, R. L., Blehm, B. H., & Santoro, T. J. (2004). The potential pathogenetic link between peripheral immune activation and the central innate immune response in neuropsychiatric systemic lupus erythematosus. *Medical hypotheses*, 62(3), 325-335.
- Tortora, G. J., & Derrickson, B. H. (2008). *Principles of anatomy and physiology*: John Wiley & Sons.
- Trapp, B. D., & Nave, K. A. (2008). Multiple sclerosis: an immune or neurodegenerative disorder?. *Annu. Rev. Neurosci.*, 31, 247-269.
- Trapp, B. D., Nishiyama, A., Cheng, D., & Macklin, W. (1997). Differentiation and death of premyelinating oligodendrocytes in developing rodent brain. *The Journal of cell biology*, 137(2), 459-468.
- Tripathi, A., Parikh, Z. S., Vora, P., Frost, E. E., & Pillai, P. P. (2017). pERK1/2 peripheral recruitment and filopodia protrusion augment oligodendrocyte progenitor cell migration: combined effects of PDGF-A and fibronectin. *Cellular and molecular neurobiology*, 37(2), 183-194.
- Tsiperson, V., Huang, Y., Bagayogo, I., Song, Y., VonDran, M. W., DiCicco-Bloom, E., & Dreyfus, C. F. (2015). Brain-derived neurotrophic factor deficiency restricts proliferation of oligodendrocyte progenitors following cuprizone-induced demyelination. *ASN neuro*, 7(1), 1759091414566878.
- Turovsky, E., Karagiannis, A., Abdala, A. P., & Gourine, A. V. (2015). Impaired CO₂ sensitivity of astrocytes in a mouse model of Rett syndrome. *The Journal of physiology*, 593(14), 3159-3168.
- Ueno, T., Ito, J., Hoshikawa, S., Ohori, Y., Fujiwara, S., Yamamoto, S., . . . Nakamura, K. (2012). The identification of transcriptional targets of *Ascl1* in oligodendrocyte development. *Glia*, 60(10), 1495-1505.
- Urduingio, R. G., Lopez-Serra, L., Lopez-Nieva, P., Alaminos, M., Diaz-Uriarte, R., Fernandez, A. F., & Esteller, M. (2008). *Mecp2*-null mice provide new neuronal targets for Rett syndrome. *PloS one*, 3(11), e3669.

- van Kollenburg, B., van Dijk, J., Garbern, J., Thomas, A. A., Scheper, G. C., Powers, J. M., & van der Knaap, M. S. (2006). Glia-specific activation of all pathways of the unfolded protein response in vanishing white matter disease. *Journal of Neuropathology & Experimental Neurology*, 65(7), 707-715.
- Verkhratsky, A., & Butt, A. (2013). *Glial physiology and pathophysiology*: John Wiley & Sons.
- Vernerey, J., Macchi, M., Magalon, K., Cayre, M., & Durbec, P. (2013). Ciliary neurotrophic factor controls progenitor migration during remyelination in the adult rodent brain. *Journal of Neuroscience*, 33(7), 3240-3250.
- Villard, L., Kpebe, A., Cardoso, C., Chelly, J., Tardieu, M., & Fontes, M. (2000). Two affected boys in a Rett syndrome family Clinical and molecular findings. *Neurology*, 55(8), 1188-1193.
- Volterra, A., & Meldolesi, J. (2005). Astrocytes, from brain glue to communication elements: the revolution continues. *Nature Reviews Neuroscience*, 6(8), 626.
- Vora, P., Mina, R., Namaka, M., & Frost, E. E. (2010). A novel transcriptional regulator of myelin gene expression: implications for neurodevelopmental disorders. *Neuroreport*, 21(14), 917-921.
- Wake, H., Lee, P. R., & Fields, R. D. (2011). Control of local protein synthesis and initial events in myelination by action potentials. *Science*, 333(6049), 1647-1651.
- Wang, D. D., & Bordey, A. (2008). The astrocyte odyssey. *Progress in neurobiology*, 86(4), 342-367.
- Wang, H., Chan, S. A., Ogier, M., Hellard, D., Wang, Q., Smith, C., & Katz, D. M. (2006). Dysregulation of brain-derived neurotrophic factor expression and neurosecretory function in *Mecp2* null mice. *Journal of Neuroscience*, 26(42), 10911-10915.
- Wang, S., Sdrulla, A. D., Bush, G., Nofziger, D., Hicks, C., Weinmaster, G., & Barres, B. A. (1998). Notch receptor activation inhibits oligodendrocyte differentiation. *Neuron*, 21(1), 63-75.
- Wang, Y., Wu, B., Farrar, E., Lui, W., Lu, P., Zhang, D., . . . Yang, D. (2017). Notch-Tnf signalling is required for development and homeostasis of arterial valves. *European heart journal*, 38(9), 675-686.
- Watkins, T. A., Emery, B., Mulinyawe, S., & Barres, B. A. (2008). Distinct stages of myelination regulated by γ -secretase and astrocytes in a rapidly myelinating CNS coculture system. *Neuron*, 60(4), 555-569.
- Waxman, S. G. (2006). Axonal conduction and injury in multiple sclerosis: the role of sodium channels. *Nature Reviews Neuroscience*, 7(12), 932-941.

- Waxman, S. G., Kocsis, J. D., & Stys, P. K. (1995). The axon: structure, function, and pathophysiology: Oxford University Press, USA.
- Williams, A., Piaton, G., & Lubetzki, C. (2007). Astrocytes—friends or foes in multiple sclerosis? *Glia*, 55(13), 1300-1312.
- Williams, E. C., Zhong, X., Mohamed, A., Li, R., Liu, Y., Dong, Q., . . . Lu, J. (2014). Mutant astrocytes differentiated from Rett syndrome patients-specific iPSCs have adverse effects on wild-type neurons. *Human molecular genetics*, 23(11), 2968-2980.
- Wolf, F., & Kirchhoff, F. (2008). Imaging astrocyte activity. *Science*, 1597-1599.
- Wu, Z. Q., Li, D., Huang, Y., Chen, X. P., Huang, W., Liu, C. F., ... & Ma, Q. H. (2017). Caspr controls the temporal specification of neural progenitor cells through notch signaling in the developing mouse cerebral cortex. *Cerebral Cortex*, 27(2), 1369-1385.
- Wyss-Coray, T., Loike, J. D., Brionne, T. C., Lu, E., Anankov, R., Yan, F., . . . Husemann, J. (2003). Adult mouse astrocytes degrade amyloid- β in vitro and in situ. *Nature medicine*, 9(4), 453-457.
- Xiao, J., Wong, A. W., Willingham, M. M., van den Buuse, M., Kilpatrick, T. J., & Murray, S. S. (2010). Brain-derived neurotrophic factor promotes central nervous system myelination via a direct effect upon oligodendrocytes. *Neurosignals*, 18(3), 186-202.
- Yamamuro, A., Ago, Y., Takuma, K., Maeda, S., Sakai, Y., Baba, A., & Matsuda, T. (2003). Possible involvement of astrocytes in neuroprotection by the cognitive enhancer T-588. *Neurochemical research*, 28(12), 1779-1783.
- Yasui, D. H., Xu, H., Dunaway, K. W., LaSalle, J. M., Jin, L.-W., & Maezawa, I. (2013). MeCP2 modulates gene expression pathways in astrocytes. *Molecular autism*, 4(1), 3.
- Yazdani, M., Deogracias, R., Guy, J., Poot, R. A., Bird, A., & Barde, Y. A. (2012). Disease modeling using embryonic stem cells: MeCP2 regulates nuclear size and RNA synthesis in neurons. *Stem cells*, 30(10), 2128-2139.
- Yin, L. L., Lin, L. L., Zhang, L., & Li, L. (2012). Epimedium flavonoids ameliorate experimental autoimmune encephalomyelitis in rats by modulating neuroinflammatory and neurotrophic responses. *Neuropharmacology*, 63(5), 851-862.
- Yokota, H., Yoshikawa, M., Hirabayashi, H., Nakase, H., Uranishi, R., Nishimura, F., ... & Sakaki, T. (2005). Expression of ciliary neurotrophic factor (CNTF), CNTF receptor alpha (CNTFR- α) following experimental intracerebral hemorrhage in rats. *Neuroscience letters*, 377(3), 170-175.
- Young, J. I., Hong, E. P., Castle, J. C., Crespo-Barreto, J., Bowman, A. B., Rose, M. F., . . . Berget, S. (2005). Regulation of RNA splicing by the methylation-dependent transcriptional repressor methyl-CpG binding protein 2. *Proceedings of the National Academy of Sciences of the United States of America*, 102(49), 17551-17558.

Zachariah, R. M., & Rastegar, M. (2012). Linking epigenetics to human disease and Rett syndrome: the emerging novel and challenging concepts in MeCP2 research. *Neural plasticity*, 2012.

Zafra, F., Lindholm, D., Castren, E., Hartikka, J., & Thoenen, H. (1992). Regulation of brain-derived neurotrophic factor and nerve growth factor mRNA in primary cultures of hippocampal neurons and astrocytes. *Journal of Neuroscience*, 12(12), 4793-4799.

Zalc, B. (2006). The acquisition of myelin: a success story. Paper presented at the Novartis Foundation Symposium.

Zalc, B., Goujet, D., & Colman, D. (2008). The origin of the myelination program in vertebrates. *Current Biology*, 18(12), R511-R512.

Zhang, Y., Argaw, A. T., Gurfein, B. T., Zameer, A., Snyder, B. J., Ge, C., ... & John, G. R. (2009). Notch1 signaling plays a role in regulating precursor differentiation during CNS remyelination. *Proceedings of the National Academy of Sciences*, pnas-0902834106.

Zhou, Q., Choi, G., & Anderson, D. J. (2001). The bHLH transcription factor Olig2 promotes oligodendrocyte differentiation in collaboration with Nkx2. 2. *Neuron*, 31(5), 791-807.

Zhou, Z., Hong, E. J., Cohen, S., Zhao, W.-n., Ho, H.-y. H., Schmidt, L., . . . Griffith, E. C. (2006). Brain-specific phosphorylation of MeCP2 regulates activity-dependent Bdnf transcription, dendritic growth, and spine maturation. *Neuron*, 52(2), 255-269.

Zhu, M. Y., Wang, W. P., & Bissette, G. (2006). Neuroprotective effects of agmatine against cell damage caused by glucocorticoids in cultured rat hippocampal neurons. *Neuroscience*, 141(4), 2019-2027.

Zonta, B., Tait, S., Melrose, S., Anderson, H., Harroch, S., Higginson, J., . . . Brophy, P. J. (2008). Glial and neuronal isoforms of Neurofascin have distinct roles in the assembly of nodes of Ranvier in the central nervous system. *The Journal of cell biology*, 181(7), 1169-1177.