

BIBLIOGRAPHY

Bibliography

Aber, K., Nori, P., MacDonald, S., Bibat, G., Jarrar, M., and Kaufmann, W. (2003). Methyl-CpG-binding protein 2 is localized in the postsynaptic compartment: an immunochemical study of subcellular fractions. *Neuroscience* 116, 77-80.

Adams, V.H., McBryant, S.J., Wade, P.A., Woodcock, C.L., and Hansen, J.C. (2007). Intrinsic disorder and autonomous domain function in the multifunctional nuclear protein, MeCP2. *The Journal of biological chemistry* 282, 15057-15064.

Allaman, I., Belanger, M., and Magistretti, P.J. (2011). Astrocyte–neuron metabolic relationships: for better and for worse. *Trends in neurosciences* 34, 76-87.

Allen, N.J. (2014). Astrocyte regulation of synaptic behavior. *Annual review of cell and developmental biology* 30, 439-463.

Almeida, R.G., Czopka, T., and Lyons, D.A. (2011). Individual axons regulate the myelinating potential of single oligodendrocytes in vivo. *Development* 138, 4443-4450.

Amir, R.E., Van den Veyver, I.B., Wan, M., Tran, C.Q., Francke, U., and Zoghbi, H.Y. (1999). Rett syndrome is caused by mutations in X-linked MECP2, encoding methyl-CpG-binding protein 2. *Nature genetics* 23, 185.

Araque, A., Carmignoto, G., Haydon, P.G., Oliet, S.H., Robitaille, R., and Volterra, A. (2014). Gliotransmitters travel in time and space. *Neuron* 81, 728-739.

Ariani, F., Mari, F., Pescucci, C., Longo, I., Bruttini, M., Meloni, I., Hayek, G., Rocchi, R., Zappella, M., and Renieri, A. (2004). Real-time quantitative PCR as a routine method for screening large rearrangements in Rett syndrome: report of one case of MECP2 deletion and one case of MECP2 duplication. *Human mutation* 24, 172-177.

Armstrong, R., Harvath, L., and Dubois-Dalcq, M. (1991). Astrocytes and O-2A Progenitors Migrate Toward Distinct Molecules in a Microchemotaxis Chamber. *Annals of the New York Academy of Sciences* 633, 520-522.

Ausió, J. (2016). MeCP2 and the enigmatic organization of brain chromatin. Implications for depression and cocaine addiction. *Clinical epigenetics* 8, 58.

Back, S.A., Tuohy, T.M., Chen, H., Wallingford, N., Craig, A., Struve, J., Luo, N.L., Banine, F., Liu, Y., and Chang, A. (2005). Hyaluronan accumulates in demyelinated lesions and inhibits oligodendrocyte progenitor maturation. *Nature medicine* 11, 966.

Ballas, N., Grunseich, C., Lu, D.D., Speh, J.C., and Mandel, G. (2005). REST and its corepressors mediate plasticity of neuronal gene chromatin throughout neurogenesis. *Cell* 121, 645-657.

Ballas, N., Lioy, D.T., Grunseich, C., and Mandel, G. (2009). Non-cell autonomous influence of MeCP2-deficient glia on neuronal dendritic morphology. *Nature neuroscience* 12, 311-317.

Balmer, D., Goldstine, J., Rao, Y.M., and LaSalle, J.M. (2003). Elevated methyl-CpG-binding protein 2 expression is acquired during postnatal human brain development and is correlated with alternative polyadenylation. *Journal of molecular medicine* 81, 61-68.

Bansal, R., Magge, S., and Winkler, S. (2003). Specific inhibitor of FGF receptor signaling: FGF-2-mediated effects on proliferation, differentiation, and MAPK activation are inhibited by PD173074 in oligodendrocyte-lineage cells. *Journal of neuroscience research* 74, 486-493.

Bansal, R., Miyake, H., Nakamura, I., Eto, H., Gotoh, A., Fujisawa, M., Okada, H., Arakawa, S., Kamidono, S., and Hara, I. (2002). Fibroblast growth factors and their receptors in oligodendrocyte development: implications for demyelination and remyelination. *Developmental neuroscience* 24, 35-46.

Barateiro, A., and Fernandes, A. (2014). Temporal oligodendrocyte lineage progression: in vitro models of proliferation, differentiation and myelination. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research* 1843, 1917-1929.

Baron, W., Colognato, H., and French-Constant, C. (2005). Integrin-growth factor interactions as regulators of oligodendroglial development and function. *Glia* 49, 467-479.

Bibliography

Baron, W., Decker, L., Colognato, H., and French-Constant, C. (2003). Regulation of integrin growth factor interactions in oligodendrocytes by lipid raft microdomains. *Curr Biol* 13, 151-155.

Barres, B., Hart, I., Coles, H., Burne, J., Voyvodic, J., Richardson, W., and Raff, M. (1992). Cell death and control of cell survival in the oligodendrocyte lineage. *Cell* 70, 31-46.

Barres, B.A., and Raff, M.C. (1999). Axonal control of oligodendrocyte development. *The Journal of cell biology* 147, 1123-1128.

Baumann, N., and Pham-Dinh, D. (2001). Biology of oligodendrocyte and myelin in the mammalian central nervous system. *Physiological reviews* 81, 871-927.

Becker, A., Zhang, P., Allmann, L., Meilinger, D., Bertulat, B., Eck, D., Hofstaetter, M., Bartolomei, G., Hottiger, M.O., Schreiber, V., *et al.* (2016). Poly(ADP-ribosylation) of Methyl CpG Binding Domain Protein 2 Regulates Chromatin Structure. *The Journal of biological chemistry* 291, 4873-4881.

Bedford, M.T., and Clarke, S.G. (2009). Protein arginine methylation in mammals: who, what, and why. *Molecular cell* 33, 1-13.

Bedogni, F., Rossi, R.L., Galli, F., Gigli, C.C., Gandaglia, A., Kilstrup-Nielsen, C., and Landsberger, N. (2014). Rett syndrome and the urge of novel approaches to study MeCP2 functions and mechanisms of action. *Neuroscience & Biobehavioral Reviews* 46, 187-201.

Bellini, E., Pavesi, G., Barbiero, I., Bergo, A., Chandola, C., Nawaz, M.S., Rusconi, L., Stefanelli, G., Strollo, M., and Valente, M.M. (2014). MeCP2 post-translational modifications: a mechanism to control its involvement in synaptic plasticity and homeostasis? *Frontiers in cellular neuroscience* 8, 236.

Bergles, D.E., Jabs, R., and Steinhäuser, C. (2010). Neuron-glia synapses in the brain. *Brain research reviews* 63, 130-137.

Bergo, A., Strollo, M., Gai, M., Barbiero, I., Stefanelli, G., Sertic, S., Cobolli Gigli, C., Di Cunto, F., Kilstrup-Nielsen, C., and Landsberger, N. (2015). Methyl-CpG binding protein 2 (MeCP2) localizes at the centrosome and is required for proper mitotic spindle organization. *The Journal of biological chemistry* 290, 3223-3237.

Bienvenu, T., and Chelly, J. (2006). Molecular genetics of Rett syndrome: when DNA methylation goes unrecognized. *Nature Reviews Genetics* 7, 415.

Boisvert, F.-M., Côté, J., Boulanger, M.-C., and Richard, S. (2003). A proteomic analysis of arginine-methylated protein complexes. *Molecular & Cellular Proteomics* 2, 1319-1330.

Bracaglia, G., Conca, B., Bergo, A., Rusconi, L., Zhou, Z., Greenberg, M.E., Landsberger, N., Soddu, S., and Kilstrup-Nielsen, C. (2009). Methyl-CpG-binding protein 2 is phosphorylated by homeodomain-interacting protein kinase 2 and contributes to apoptosis. *EMBO reports* 10, 1327-1333.

Brown, A.M., and Ransom, B.R. (2007). Astrocyte glycogen and brain energy metabolism. *Glia* 55, 1263-1271.

Buchthal, B., Lau, D., Weiss, U., Weislogel, J.M., and Bading, H. (2012). Nuclear calcium signaling controls methyl-CpG-binding protein 2 (MeCP2) phosphorylation on serine 421 following synaptic activity. *The Journal of biological chemistry* 287, 30967-30974.

Buschdorf, J.P., and Strätling, W.H. (2004). A WW domain binding region in methyl-CpG-binding protein MeCP2: impact on Rett syndrome. *Journal of molecular medicine* 82, 135-143.

Bush, T.G., Puvanachandra, N., Horner, C.H., Polito, A., Ostefeld, T., Svendsen, C.N., Mucke, L., Johnson, M.H., and Sofroniew, M.V. (1999). Leukocyte infiltration, neuronal degeneration, and neurite outgrowth after ablation of scar-forming, reactive astrocytes in adult transgenic mice. *Neuron* 23, 297-308.

Buttery, P.C. (1999). Laminin-2/integrin interactions enhance myelin membrane formation by oligodendrocytes. *Molecular and Cellular Neuroscience* 14, 199-212.

- Canas, N., Gorina, R., Planas, A., Vergés, J., Montell, E., García, A., and López, M. (2010). Chondroitin sulfate inhibits lipopolysaccharide-induced inflammation in rat astrocytes by preventing nuclear factor kappa B activation. *Neuroscience* 167, 872-879.
- Carbonell, W.S., Murase, S.-I., Horwitz, A.F., and Mandell, J.W. (2005a). Infiltrative microgliosis: activation and long-distance migration of subependymal microglia following periventricular insults. *Journal of neuroinflammation* 2, 5.
- Carbonell, W.S., Murase, S.-I., Horwitz, A.F., and Mandell, J.W. (2005b). Migration of perilesional microglia after focal brain injury and modulation by CC chemokine receptor 5: an in situ time-lapse confocal imaging study. *Journal of neuroscience* 25, 7040-7047.
- Chahrour, M., and Zoghbi, H.Y. (2007). The story of Rett syndrome: from clinic to neurobiology. *Neuron* 56, 422-437.
- Chahrour, M., Jung, S.Y., Shaw, C., Zhou, X., Wong, S.T., Qin, J., and Zoghbi, H.Y. (2008). MeCP2, a key contributor to neurological disease, activates and represses transcription. *Science* 320, 1224-1229.
- Chandler, S.P., Guschin, D., Landsberger, N., and Wolffe, A.P. (1999). The methyl-CpG binding transcriptional repressor MeCP2 stably associates with nucleosomal DNA. *Biochemistry* 38, 7008-7018.
- Chao, H.-T., and Zoghbi, H.Y. (2009). The yin and yang of MeCP2 phosphorylation. *Proceedings of the National Academy of Sciences* 106, 4577-4578.
- Chen, W.G., Chang, Q., Lin, Y., Meissner, A., West, A.E., Griffith, E.C., Jaenisch, R., and Greenberg, M.E. (2003). Derepression of BDNF transcription involves calcium-dependent phosphorylation of MeCP2. *Science* 302, 885-889.
- Chen, Y., Balasubramanian, V., Peng, J., Hurlock, E.C., Tallquist, M., Li, J., and Lu, Q.R. (2007). Isolation and culture of rat and mouse oligodendrocyte precursor cells. *Nat Protoc* 2, 1044-1051.
- Cheng, P.-Y., Lin, Y.-P., Chen, Y.-L., Lee, Y.-C., Tai, C.-C., Wang, Y.-T., Chen, Y.-J., Kao, C.-F., and Yu, J. (2011). Interplay between SIN3A and STAT3 mediates chromatin

conformational changes and GFAP expression during cellular differentiation. *PLoS One* 6, e22018.

Cheng, T.-L., Wang, Z., Liao, Q., Zhu, Y., Zhou, W.-H., Xu, W., and Qiu, Z. (2014). MeCP2 suppresses nuclear microRNA processing and dendritic growth by regulating the DGCR8/Drosha complex. *Developmental cell* 28, 547-560.

Choudhary, C., Kumar, C., Gnäd, F., Nielsen, M.L., Rehman, M., Walther, T.C., Olsen, J.V., and Mann, M. (2009). Lysine acetylation targets protein complexes and co-regulates major cellular functions. *Science* 325, 834-840.

Chung, W.S., Allen, N.J., and Eroglu, C. (2015). Astrocytes Control Synapse Formation, Function, and Elimination. *Cold Spring Harbor perspectives in biology* 7, a020370.

Ciccarelli, A., Calza, A., Santoru, F., Grasso, F., Concas, A., Sassoe-Pognetto, M., and Giustetto, M. (2013). Morphine withdrawal produces ERK-dependent and ERK-independent epigenetic marks in neurons of the nucleus accumbens and lateral septum. *Neuropharmacology* 70, 168-179.

Cohen, S., Gabel, H.W., Hemberg, M., Hutchinson, A.N., Sadacca, L.A., Ebert, D.H., Harmin, D.A., Greenberg, R.S., Verdine, V.K., and Zhou, Z. (2011). Genome-wide activity-dependent MeCP2 phosphorylation regulates nervous system development and function. *Neuron* 72, 72-85.

Colantuoni, C., Jeon, O.-H., Hyder, K., Chenchik, A., Khimani, A.H., Narayanan, V., Hoffman, E.P., Kaufmann, W.E., Naidu, S., and Pevsner, J. (2001). Gene expression profiling in postmortem Rett Syndrome brain: differential gene expression and patient classification. *Neurobiology of disease* 8, 847-865.

Collins, A.L., Levenson, J.M., Vilaythong, A.P., Richman, R., Armstrong, D.L., Noebels, J.L., David Sweatt, J., and Zoghbi, H.Y. (2004). Mild overexpression of MeCP2 causes a progressive neurological disorder in mice. *Human molecular genetics* 13, 2679-2689.

Colognato, H., Baron, W., Avellana-Adalid, V., Relvas, J.B., Baron-Van Evercooren, A., and Georges-Labouesse, E. (2002). CNS integrins switch growth factor signalling to promote target-dependent survival. *Nature Cell Biology* 4, 833.

Cortés-Mendoza, J., de León-Guerrero, S.D., Pedraza-Alva, G., and Pérez-Martínez, L. (2013). Shaping synaptic plasticity: the role of activity-mediated epigenetic regulation on gene transcription. *International journal of developmental neuroscience* 31, 359-369.

Coy, D.L., Wagenbach, M., and Howard, J. (1999). Kinesin takes one 8-nm step for each ATP that it hydrolyzes. *Journal of Biological Chemistry* 274, 3667-3671.

Cragolini, A.B., Huang, Y., Gokina, P., and Friedman, W.J. (2009). Nerve growth factor attenuates proliferation of astrocytes via the p75 neurotrophin receptor. *Glia* 57, 1386-1392.

Cvekl, A., and Duncan, M.K. (2007). Genetic and epigenetic mechanisms of gene regulation during lens development. *Progress in retinal and eye research* 26, 555-597.

Czopka, T., and Lyons, D.A. (2013). Individual oligodendrocytes have only a few hours in which to generate new myelin sheaths in vivo. *Developmental cell* 25, 599-609.

D'esposito, M., Quaderi, N., Ciccodicola, A., Bruni, P., Esposito, T., D'Urso, M., and Brown, S. (1996). Isolation, physical mapping, and northern analysis of the X-linked human gene encoding methyl CpG-binding protein, MECP2. *Mammalian Genome* 7, 533-535.

D'Annessa, I., Gandaglia, A., Brivio, E., Stefanelli, G., Frasca, A., Landsberger, N., and Di Marino, D. (2018). Tyr120Asp mutation alters domain flexibility and dynamics of MeCP2 DNA binding domain leading to impaired DNA interaction: Atomistic characterization of a Rett syndrome causing mutation. *Biochimica et Biophysica Acta (BBA)-General Subjects*.

del Río Hortega, P. (1932). Microglia. *Cytology and cellular pathology of the nervous system*.

Delcuve, G.P., Rastegar, M., and Davie, J.R. (2009). Epigenetic control. *Journal of cellular physiology* 219, 243-250.

Deng, J.V., Rodriguiz, R.M., Hutchinson, A.N., Kim, I.H., Wetsel, W.C., and West, A.E. (2010). MeCP2 in the nucleus accumbens contributes to neural and behavioral responses to psychostimulants. *Nature neuroscience* 13, 1128-1136.

Derecki, N.C., Cronk, J.C., Lu, Z., Xu, E., Abbott, S.B., Guyenet, P.G., and Kipnis, J. (2012). Wild-type microglia arrest pathology in a mouse model of Rett syndrome. *Nature* 484, 105-109.

Desmet, C.J., and Peeper, D.S. (2006). The neurotrophic receptor TrkB: a drug target in anti-cancer therapy? *Cellular and molecular life sciences : CMLS* 63, 755-759.

Diaz de Leon-Guerrero, S., Pedraza-Alva, G., and Perez-Martinez, L. (2011). In sickness and in health: the role of methyl-CpG binding protein 2 in the central nervous system. *The European journal of neuroscience* 33, 1563-1574.

Djalali, S., Hölte, M., Grosse, G., Rothe, T., Stroh, T., Grosse, J., Deng, D., Hellweg, R., Grantyn, R., and Hörtnagl, H. (2005). Effects of brain-derived neurotrophic factor (BDNF) on glial cells and serotonergic neurones during development. *Journal of neurochemistry* 92, 616-627.

Dragich, J.M., Kim, Y.H., Arnold, A.P., and Schanen, N.C. (2007). Differential distribution of the MeCP2 splice variants in the postnatal mouse brain. *Journal of Comparative Neurology* 501, 526-542.

Ebert, D.H., and Greenberg, M.E. (2013). Activity-dependent neuronal signalling and autism spectrum disorder. *Nature* 493, 327.

Ebert, D.H., Gabel, H.W., Robinson, N.D., Kastan, N.R., Hu, L.S., Cohen, S., Navarro, A.J., Lyst, M.J., Ekiert, R., Bird, A.P., *et al.* (2013). Activity-dependent phosphorylation of MeCP2 threonine 308 regulates interaction with NCoR. *Nature* 499, 341-345.

Bibliography

- Eliason, D.A., Cohen, S.A., Baratta, J., Yu, J., and Robertson, R.T. (2002). Local proliferation of microglia cells in response to neocortical injury in vitro. *Brain research Developmental brain research* 137, 75-79.
- Emery, B. (2010). Regulation of oligodendrocyte differentiation and myelination. *Science* 330, 779-782.
- Fancy, S.P., Zhao, C., and Franklin, R.J. (2004). Increased expression of Nkx2. 2 and Olig2 identifies reactive oligodendrocyte progenitor cells responding to demyelination in the adult CNS. *Molecular and Cellular Neuroscience* 27, 247-254.
- Farina, C., Aloisi, F., and Meinl, E. (2007). Astrocytes are active players in cerebral innate immunity. *Trends in immunology* 28, 138-145.
- Ffrench-Constant, C., Kiernan, B.W., Milner, R., and Scott-Drew, S. (1994). Developmental studies of oligodendrocyte precursor cell migration and their implications for transplantation as therapy for multiple sclerosis. *Eye (Lond)* 8 (Pt 2), 221-223.
- Fields, J., Cisneros, I.E., Borgmann, K., and Ghorpade, A. (2013). Extracellular regulated kinase 1/2 signaling is a critical regulator of interleukin-1 β -mediated astrocyte tissue inhibitor of metalloproteinase-1 expression. *PLoS One* 8, e56891.
- Flavell, S.W., Kim, T.-K., Gray, J.M., Harmin, D.A., Hemberg, M., Hong, E.J., Markenscoff-Papadimitriou, E., Bear, D.M., and Greenberg, M.E. (2008). Genome-wide analysis of MEF2 transcriptional program reveals synaptic target genes and neuronal activity-dependent polyadenylation site selection. *Neuron* 60, 1022-1038.
- Forbes-Lorman, R.M., Kurian, J.R., and Auger, A.P. (2014). MeCP2 regulates GFAP expression within the developing brain. *Brain research* 1543, 151-158.
- Fortin, D., Rom, E., Sun, H., Yayon, A., and Bansal, R. (2005). Distinct fibroblast growth factor (FGF)/FGF receptor signaling pairs initiate diverse cellular responses in the oligodendrocyte lineage. *Journal of Neuroscience* 25, 7470-7479.

Bibliography

- Fox, M.A., Afshari, F.S., Alexander, J.K., Colello, R.J., and Fuss, B. (2006). Growth conelike sensorimotor structures are characteristic features of postmigratory, premyelinating oligodendrocytes. *Glia* 53, 563-566.
- Frost, E., Kiernan, B.W., Faissner, A., and ffrench-Constant, C. (1996). Regulation of oligodendrocyte precursor migration by extracellular matrix: evidence for substrate-specific inhibition of migration by tenascin-C. *Dev Neurosci* 18, 266-273.
- Frost, E., Zhou, Z., Krasnesky, K., and Armstrong, R. (2009). Initiation of Oligodendrocyte Progenitor Cell Migration by a PDGF-A Activated Extracellular Regulated Kinase (ERK) Signaling Pathway. *Neurochemical Research* 34, 169-181.
- Frost, E.E., Buttery, P.C., Milner, R., and ffrench-Constant, C. (1999). Integrins mediate a neuronal survival signal for oligodendrocytes. *Curr Biol* 9, 1251-1254.
- Fruttiger, M., Karlsson, L., Hall, A.C., Abramsson, A., Calver, A.R., Bostrom, H., Willetts, K., Bertold, C.H., Heath, J.K., Betsholtz, C., *et al.* (1999). Defective oligodendrocyte development and severe hypomyelination in PDGF-A knockout mice. *Development* 126, 457-467.
- Fuks, F., Hurd, P.J., Wolf, D., Nan, X., Bird, A.P., and Kouzarides, T. (2003). The methyl-CpG-binding protein MeCP2 links DNA methylation to histone methylation. *The Journal of biological chemistry* 278, 4035-4040.
- Galvao, T.C., and Thomas, J.O. (2005). Structure-specific binding of MeCP2 to four-way junction DNA through its methyl CpG-binding domain. *Nucleic acids research* 33, 6603-6609.
- Georgel, P.T., Horowitz-Scherer, R.A., Adkins, N., Woodcock, C.L., Wade, P.A., and Hansen, J.C. (2003). Chromatin compaction by human MeCP2 assembly of novel secondary chromatin structures in the absence of DNA methylation. *Journal of Biological Chemistry* 278, 32181-32188.
- Géranton, S.M., Fratto, V., Tochiki, K.K., and Hunt, S.P. (2008). Descending serotonergic controls regulate inflammation-induced mechanical sensitivity and methyl-

CpG-binding protein 2 phosphorylation in the rat superficial dorsal horn. *Molecular pain* 4, 35.

Ghosh, R.P., Horowitz-Scherer, R.A., Nikitina, T., Shlyakhtenko, L.S., and Woodcock, C.L. (2010). MeCP2 binds cooperatively to its substrate and competes with histone H1 for chromatin binding sites. *Molecular and cellular biology* 30, 4656-4670.

Goedert, M. (2001). The significance of tau and alpha-synuclein inclusions in neurodegenerative diseases. *Current Opinion in Genetics & Development* 11, 343-351.

Goldman, S.A., and Kuypers, N.J. (2015). How to make an oligodendrocyte. *Development* 142, 3983-3995.

Gonzales, M.L., Adams, S., Dunaway, K.W., and LaSalle, J.M. (2012). Phosphorylation of distinct sites in MeCP2 modifies cofactor associations and the dynamics of transcriptional regulation. *Mol Cell Biol* 32, 2894-2903.

Gonzales, M.L., Adams, S., Dunaway, K.W., and LaSalle, J.M. (2012a). Phosphorylation of distinct sites in MeCP2 modifies cofactor associations and the dynamics of transcriptional regulation. *Mol Cell Biol* 32, 2894-2903.

Good, K.V., Martínez de Paz, A., Tyagi, M., Cheema, M.S., Thambirajah, A.A., Gretzinger, T.L., Stefanelli, G., Chow, R.L., Krupke, O., and Hendzel, M. (2017). Trichostatin A decreases the levels of MeCP2 expression and phosphorylation and increases its chromatin binding affinity. *Epigenetics*, 1-11.

Gorina, R., Font-Nieves, M., Márquez-Kisinousky, L., Santalucia, T., and Planas, A.M. (2011). Astrocyte TLR4 activation induces a proinflammatory environment through the interplay between MyD88-dependent NF κ B signaling, MAPK, and Jak1/Stat1 pathways. *Glia* 59, 242-255.

Grunstein, M. (1998). Yeast heterochromatin: regulation of its assembly and inheritance by histones. *Cell* 93, 325-328.

Bibliography

Guardiola-Diaz, H.M., Ishii, A., and Bansal, R. (2012). Erk1/2 MAPK and mTOR signaling sequentially regulates progression through distinct stages of oligodendrocyte differentiation. *Glia* 60, 476-486.

Gutowski, N., Newcombe, J., and Cuzner, M. (1999). Tenascin-R and C in multiple sclerosis lesions: relevance to extracellular matrix remodelling. *Neuropathology and applied neurobiology* 25, 207-214.

Guy, J., Cheval, H., Selfridge, J., and Bird, A. (2011). The role of MeCP2 in the brain. *Annual review of cell and developmental biology* 27, 631-652.

Guy, J., Hendrich, B., Holmes, M., Martin, J.E., and Bird, A. (2001). A mouse Mecn2-null mutation causes neurological symptoms that mimic Rett syndrome. *Nature genetics* 27, 322.

Hagberg, B. (1985). Rett's syndrome: prevalence and impact on progressive severe mental retardation in girls. *Acta paediatrica Scandinavica* 74, 405-408.

Hagberg, B., Aicardi, J., Dias, K., and Ramos, O. (1983). A progressive syndrome of autism, dementia, ataxia, and loss of purposeful hand use in girls: Rett's syndrome: report of 35 cases. *Annals of neurology* 14, 471-479.

He, L., and Lu, Q.R. (2013). Coordinated control of oligodendrocyte development by extrinsic and intrinsic signaling cues. *Neuroscience bulletin* 29, 129-143.

Heinen, T.E., dos Santos, R.P., da Rocha, A., dos Santos, M.P., da Costa Lopez, P.L., Silva Filho, M.A., Souza, B.K., da Rosa Rivero, L.F., Becker, R.G., and Gregianin, L.J. (2016). Trk inhibition reduces cell proliferation and potentiates the effects of chemotherapeutic agents in Ewing sarcoma. *Oncotarget* 7, 34860.

Hill, R.A., Patel, K.D., Goncalves, C.M., Grutzendler, J., and Nishiyama, A. (2014). Modulation of oligodendrocyte generation during a critical temporal window after NG2 cell division. *Nature neuroscience* 17, 1518.

Horn, P.J., and Peterson, C.L. (2006). Heterochromatin assembly: a new twist on an old model. *Chromosome Research* 14, 83-94.

Hu, S., Wan, J., Su, Y., Song, Q., Zeng, Y., Nguyen, H.N., Shin, J., Cox, E., Rho, H.S., and Woodard, C. (2013). DNA methylation presents distinct binding sites for human transcription factors. *Elife* 2.

Hughes, E.G., Kang, S.H., Fukaya, M., and Bergles, D.E. (2013). Oligodendrocyte progenitors balance growth with self-repulsion to achieve homeostasis in the adult brain. *Nat Neurosci* 16, 668-676.

Hutchinson, A.N., Deng, J.V., Cohen, S., and West, A.E. (2012). Phosphorylation of MeCP2 at Ser421 contributes to chronic antidepressant action. *The Journal of neuroscience : the official journal of the Society for Neuroscience* 32, 14355-14363.

Huttlin, E.L., Jedrychowski, M.P., Elias, J.E., Goswami, T., Rad, R., Beausoleil, S.A., Villén, J., Haas, W., Sowa, M.E., and Gygi, S.P. (2010). A tissue-specific atlas of mouse protein phosphorylation and expression. *Cell* 143, 1174-1189.

Jaboin, J., Kim, C.J., Kaplan, D.R., and Thiele, C.J. (2002). Brain-derived neurotrophic factor activation of TrkB protects neuroblastoma cells from chemotherapy-induced apoptosis via phosphatidylinositol 3'-kinase pathway. *Cancer research* 62, 6756-6763.

Jacob, C., Lebrun-Julien, F., and Suter, U. (2011). How histone deacetylases control myelination. *Molecular neurobiology* 44, 303-312.

Jeffery, L., and Nakielnny, S. (2004). Components of the DNA methylation system of chromatin control are RNA-binding proteins. *Journal of Biological Chemistry* 279, 49479-49487.

Jellinger, K. (1988). The pedunculopontine nucleus in Parkinson's disease, progressive supranuclear palsy and Alzheimer's disease. *Journal of Neurology, Neurosurgery & Psychiatry* 51, 540-543.

Jia, S., Wang, W., Hu, Z., Shan, C., Wang, L., Wu, B., Yang, Z., Yang, X., and Lei, D. (2015). BDNF mediated TrkB activation contributes to the EMT progression and the poor prognosis in human salivary adenoid cystic carcinoma. *Oral oncology* 51, 64-70.

Bibliography

Jiang, Y., Jahagirdar, B.N., Reinhardt, R.L., Schwartz, R.E., Keene, C.D., Ortiz-Gonzalez, X.R., Reyes, M., Lenvik, T., Lund, T., and Blackstad, M. (2002). Pluripotency of mesenchymal stem cells derived from adult marrow. *Nature* 418, 41.

Jiang, Y., Langley, B., Lubin, F.D., Renthal, W., Wood, M.A., Yasui, D.H., Kumar, A., Nestler, E.J., Akbarian, S., and Beckel-Mitchener, A.C. (2008). Epigenetics in the nervous system. *Journal of Neuroscience* 28, 11753-11759.

Johnson, K.M., Milner, R., and Crocker, S.J. (2015). Extracellular matrix composition determines astrocyte responses to mechanical and inflammatory stimuli. *Neuroscience letters* 600, 104-109.

Jones, P.L., Veenstra, G.C.J., Wade, P.A., Vermaak, D., Kass, S.U., Landsberger, N., Strouboulis, J., and Wolffe, A.P. (1998). Methylated DNA and MeCP2 recruit histone deacetylase to repress transcription. *Nature genetics* 19, 187.

Jugloff, D.G., Vandamme, K., Logan, R., Visanji, N.P., Brotchie, J.M., and Eubanks, J.H. (2008). Targeted delivery of an Mecp2 transgene to forebrain neurons improves the behavior of female Mecp2-deficient mice. *Human molecular genetics* 17, 1386-1396.

Jung, B.P., Jugloff, D.G., Zhang, G., Logan, R., Brown, S., and Eubanks, J.H. (2003). The expression of methyl CpG binding factor MeCP2 correlates with cellular differentiation in the developing rat brain and in cultured cells. *Developmental Neurobiology* 55, 86-96.

Kakita, A., and Goldman, J.E. (1999). Patterns and Dynamics of SVZ Cell Migration in the Postnatal Forebrain: Monitoring Living Progenitors in Slice Preparations. *Neuron* 23, 461-472.

Kaludov, N.K., and Wolffe, A.P. (2000). MeCP2 driven transcriptional repression in vitro: selectivity for methylated DNA, action at a distance and contacts with the basal transcription machinery. *Nucleic acids research* 28, 1921-1928.

Kinde, B., Gabel, H.W., Gilbert, C.S., Griffith, E.C., and Greenberg, M.E. (2015). Reading the unique DNA methylation landscape of the brain: non-CpG methylation,

hydroxymethylation, and MeCP2. *Proceedings of the National Academy of Sciences* 112, 6800-6806.

Kishi, N., and Macklis, J.D. (2004). MECP2 is progressively expressed in post-migratory neurons and is involved in neuronal maturation rather than cell fate decisions. *Molecular and Cellular Neuroscience* 27, 306-321.

Klose, R.J., and Bird, A.P. (2004). MeCP2 behaves as an elongated monomer that does not stably associate with the Sin3a chromatin remodeling complex. *Journal of Biological Chemistry* 279, 46490-46496.

Koch, C., and Stratling, W.H. (2004). DNA binding of methyl-CpG-binding protein MeCP2 in human MCF7 cells. *Biochemistry* 43, 5011-5021.

Kokura, K., Kaul, S.C., Wadhwa, R., Nomura, T., Khan, M.M., Shinagawa, T., Yasukawa, T., Colmenares, C., and Ishii, S. (2001). The Ski protein family is required for MeCP2-mediated transcriptional repression. *Journal of Biological Chemistry* 276, 34115-34121.

Kriaucionis, S., and Bird, A. (2003). DNA methylation and Rett syndrome. *Human molecular genetics* 12, R221-R227.

Kriaucionis, S., and Bird, A. (2004). The major form of MeCP2 has a novel N-terminus generated by alternative splicing. *Nucleic acids research* 32, 1818-1823.

Kudo, S. (1998). Methyl-CpG-binding protein MeCP2 represses Sp1-activated transcription of the human leukosialin gene when the promoter is methylated. *Molecular and cellular biology* 18, 5492-5499.

Kumar, A., Kamboj, S., Malone, B.M., Kudo, S., Twiss, J.L., Czymmek, K.J., LaSalle, J.M., and Schanen, N.C. (2008). Analysis of protein domains and Rett syndrome mutations indicate that multiple regions influence chromatin-binding dynamics of the chromatin-associated protein MECP2 in vivo. *Journal of cell science* 121, 1128-1137.

Lawn, S., Krishna, N., Pisklakova, A., Qu, X., Fenstermacher, D.A., Fournier, M., Vrionis, F.D., Tran, N., Chan, J.A., Kenchappa, R.S., *et al.* (2015). Neurotrophin

signaling via TrkB and TrkC receptors promotes the growth of brain tumor-initiating cells. *The Journal of biological chemistry* 290, 3814-3824.

Lelièvre, S.A. (2009). Contributions of extracellular matrix signaling and tissue architecture to nuclear mechanisms and spatial organization of gene expression control. *Biochimica et Biophysica Acta (BBA)-General Subjects* 1790, 925-935.

Lewis, J.D., Meehan, R.R., Henzel, W.J., Maurer-Fogy, I., Jeppesen, P., Klein, F., and Bird, A. (1992). Purification, sequence, and cellular localization of a novel chromosomal protein that binds to methylated DNA. *Cell* 69, 905-914.

Li, H., Zhong, X., Chau, K.F., Santistevan, N.J., Guo, W., Kong, G., Li, X., Kadakia, M., Masliah, J., Chi, J., *et al.* (2014). Cell cycle-linked MeCP2 phosphorylation modulates adult neurogenesis involving the Notch signalling pathway. *Nature communications* 5, 5601.

Li, H., Zhong, X., Chau, K.F., Williams, E.C., and Chang, Q. (2011). Loss of activity-induced phosphorylation of MeCP2 enhances synaptogenesis, LTP and spatial memory. *Nature neuroscience* 14, 1001.

Li, X., Liu, X., Guo, H., Zhao, Z., Li, Y.S., and Chen, G. (2016). The significance of the increased expression of phosphorylated MeCP2 in the membranes from patients with proliferative diabetic retinopathy. *Scientific reports* 6, 32850.

Lioy, D.T., Garg, S.K., Monaghan, C.E., Raber, J., Foust, K.D., Kaspar, B.K., Hirrlinger, P.G., Kirchhoff, F., Bissonnette, J.M., and Ballas, N. (2011). A role for glia in the progression of Rett's syndrome. *Nature* 475, 497.

Liu, F., Ni, J.J., and Sun, F.Y. (2017). Expression of Phospho-MeCP2s in the Developing Rat Brain and Function of Postnatal MeCP2 in Cerebellar Neural Cell Development. *Neuroscience bulletin* 33, 1-16.

Liu, F., Ni, J.J., Huang, J.J., Kou, Z.W., and Sun, F.Y. (2015). VEGF overexpression enhances the accumulation of phospho-S292 MeCP2 in reactive astrocytes in the adult rat striatum following cerebral ischemia. *Brain Res* 1599, 32-43.

Bibliography

- Liu, S.H., Lai, Y.L., Chen, B.L., and Yang, F.Y. (2017). Ultrasound Enhances the Expression of Brain-Derived Neurotrophic Factor in Astrocyte Through Activation of TrkB-Akt and Calcium-CaMK Signaling Pathways. *Cerebral cortex* 27, 3152-3160.
- Long, S.W., Ooi, J.Y., Yau, P.M., and Jones, P.L. (2011). A brain-derived MeCP2 complex supports a role for MeCP2 in RNA processing. *Bioscience reports* 31, 333-343.
- Lu, Q.R., Sun, T., Zhu, Z., Ma, N., Garcia, M., Stiles, C.D., and Rowitch, D.H. (2002). Common developmental requirement for Olig function indicates a motor neuron/oligodendrocyte connection. *Cell* 109, 75-86.
- Lu, Q.R., Yuk, D.-i., Alberta, J.A., Zhu, Z., Pawlitzky, I., Chan, J., McMahon, A.P., Stiles, C.D., and Rowitch, D.H. (2000). Sonic hedgehog-regulated oligodendrocyte lineage genes encoding bHLH proteins in the mammalian central nervous system. *Neuron* 25, 317-329.
- Lue, L.F., Rydel, R., Brigham, E.F., Yang, L.B., Hampel, H., Murphy, G.M., Brachova, L., Yan, S.D., Walker, D.G., and Shen, Y. (2001). Inflammatory repertoire of Alzheimer's disease and nondemented elderly microglia in vitro. *Glia* 35, 72-79.
- Lugtenberg, D., de Brouwer, A.P., Kleefstra, T., Oudakker, A.R., Frints, S.G., Schrandt-Stumpel, C.T., Fryns, J.-P., Jensen, L.R., Chelly, J., and Moraine, C. (2006). Chromosomal copy number changes in patients with non-syndromic X linked mental retardation detected by array CGH. *Journal of medical genetics* 43, 362-370.
- Luo, J., and Miller, M.W. (1999). Platelet-derived growth factor-mediated signal transduction underlying astrocyte proliferation: site of ethanol action. *Journal of Neuroscience* 19, 10014-10025.
- Maezawa, I., and Jin, L.-W. (2010). Rett syndrome microglia damage dendrites and synapses by the elevated release of glutamate. *Journal of Neuroscience* 30, 5346-5356.
- Maezawa, I., Swanberg, S., Harvey, D., LaSalle, J.M., and Jin, L.-W. (2009). Rett syndrome astrocytes are abnormal and spread MeCP2 deficiency through gap junctions. *Journal of Neuroscience* 29, 5051-5061.

- Maier, O., van der Heide, T., van Dam, A.-M., Baron, W., de Vries, H., and Hoekstra, D. (2005). Alteration of the extracellular matrix interferes with raft association of neurofascin in oligodendrocytes. Potential significance for multiple sclerosis? *Molecular and Cellular Neuroscience* 28, 390-401.
- Mao, L.-M., Horton, E., Guo, M.-L., Xue, B., Jin, D.-Z., Fibuch, E.E., and Wang, J.Q. (2011). Cocaine increases phosphorylation of MeCP2 in the rat striatum in vivo: a differential role of NMDA receptors. *Neurochemistry international* 59, 610-617.
- Marchi, M., Guarda, A., Bergo, A., Landsberger, N., Kilstrup-Nielsen, C., Ratto, G.M., and Costa, M. (2007). Spatio-temporal dynamics and localization of MeCP2 and pathological mutants in living cells. *Epigenetics* 2, 187-197.
- Martin-Subero, M., Anderson, G., Kanchanatawan, B., Berk, M., and Maes, M. (2016). Comorbidity between depression and inflammatory bowel disease explained by immune-inflammatory, oxidative, and nitrosative stress; tryptophan catabolite; and gut–brain pathways. *CNS spectrums* 21, 184-198.
- Matijević, T., Knežević, J., Barišić, I., Rešić, B., Čulić, V., and Pavelić, J. (2006). The MECP2 gene mutation screening in Rett syndrome patients from Croatia. *Annals of the New York Academy of Sciences* 1091, 225-232.
- Maunakea, A.K., Chepelev, I., Cui, K., and Zhao, K. (2013). Intragenic DNA methylation modulates alternative splicing by recruiting MeCP2 to promote exon recognition. *Cell research* 23, 1256.
- McGowan, H., and Pang, Z.P. (2015). Regulatory functions and pathological relevance of the MECP2 3' UTR in the central nervous system. *Cell Regeneration* 4, 9.
- Meins, M., Lehmann, J., Gerresheim, F., Herchenbach, J., Hagedorn, M., Hameister, K.a., and Epplen, J. (2005). Submicroscopic duplication in Xq28 causes increased expression of the MECP2 gene in a boy with severe mental retardation and features of Rett syndrome. *Journal of medical genetics* 42, e12-e12.
- Mencarelli, M., Spanhol-Rosseto, A., Artuso, R., Rondinella, D., De Filippis, R., Bahi-Buisson, N., Nectoux, J., Rubinsztajn, R., Bienvenu, T., and Moncla, A. (2010). Novel

Bibliography

FOXP1 mutations associated with the congenital variant of Rett syndrome. *Journal of medical genetics* 47, 49-53.

Messersmith, D.J., Murtie, J.C., Le, T.Q., Frost, E.E., and Armstrong, R.C. (2000). Fibroblast growth factor 2 (FGF2) and FGF receptor expression in an experimental demyelinating disease with extensive remyelination. *J Neurosci Res* 62, 241-256.

Milner, R., Anderson, H.J., Rippon, R.F., McKay, J.S., Franklin, R.J.M., Marchionni, M.A., Reynolds, R., and Ffrench-Constant, C. (1997). Contrasting effects of mitogenic growth factors on oligodendrocyte precursor cell migration. *Glia* 19, 85-90.

Milner, R., Edwards, G., Streuli, C., and ffrench-Constant, C. (1996). A role in migration for the alpha V beta 1 integrin expressed on oligodendrocyte precursors. *The Journal of Neuroscience* 16, 7240-7252.

Milot, E., Strouboulis, J., Trimborn, T., Wijgerde, M., de Boer, E., Langeveld, A., Tan-Un, K., Vergeer, W., Yannoutsos, N., and Grosveld, F. (1996). Heterochromatin effects on the frequency and duration of LCR-mediated gene transcription. *Cell* 87, 105-114.

Miyake, K., and Nagai, K. (2007). Phosphorylation of methyl-CpG binding protein 2 (MeCP2) regulates the intracellular localization during neuronal cell differentiation. *Neurochemistry international* 50, 264-270.

Mnatzakanian, G.N., Lohi, H., Munteanu, I., Alfred, S.E., Yamada, T., MacLeod, P.J., Jones, J.R., Scherer, S.W., Schanen, N.C., and Friez, M.J. (2004). A previously unidentified MECP2 open reading frame defines a new protein isoform relevant to Rett syndrome. *Nature genetics* 36, 339.

Moazed, D. (2001). Common themes in mechanisms of gene silencing. *Molecular cell* 8, 489-498.

Murgatroyd, C., Patchev, A.V., Wu, Y., Micale, V., Bockmuhl, Y., Fischer, D., Holsboer, F., Wotjak, C.T., Almeida, O.F., and Spengler, D. (2009). Dynamic DNA methylation programs persistent adverse effects of early-life stress. *Nature neuroscience* 12, 1559-1566.

- Namihira, M., Nakashima, K., and Taga, T. (2004). Developmental stage dependent regulation of DNA methylation and chromatin modification in a immature astrocyte specific gene promoter. *FEBS letters* 572, 184-188.
- Nan, X., Campoy, F.J., and Bird, A. (1997). MeCP2 is a transcriptional repressor with abundant binding sites in genomic chromatin. *Cell* 88, 471-481.
- Nan, X., Ng, H.H., Johnson, C.A., Laherty, C.D., Turner, B.M., Eisenman, R.N., and Bird, A. (1998). Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex. *Nature* 393, 386-389.
- Nan, X., Tate, P., Li, E., and Bird, A. (1996). DNA methylation specifies chromosomal localization of MeCP2. *Molecular and cellular biology* 16, 414-421.
- Nguyen, M.V., Du, F., Felice, C.A., Shan, X., Nigam, A., Mandel, G., Robinson, J.K., and Ballas, N. (2012). MeCP2 is critical for maintaining mature neuronal networks and global brain anatomy during late stages of postnatal brain development and in the mature adult brain. *The Journal of neuroscience : the official journal of the Society for Neuroscience* 32, 10021-10034.
- Nguyen, M.V.C., Felice, C.A., Du, F., Covey, M.V., Robinson, J.K., Mandel, G., and Ballas, N. (2013). Oligodendrocyte lineage cells contribute unique features to Rett syndrome neuropathology. *Journal of Neuroscience* 33, 18764-18774.
- Nikitina, T., Shi, X., Ghosh, R.P., Horowitz-Scherer, R.A., Hansen, J.C., and Woodcock, C.L. (2007). Multiple modes of interaction between the methylated DNA binding protein MeCP2 and chromatin. *Molecular and cellular biology* 27, 864-877.
- Okabe, Y., Takahashi, T., Mitsumasu, C., Kosai, K.-i., Tanaka, E., and Matsuishi, T. (2012). Alterations of gene expression and glutamate clearance in astrocytes derived from an MeCP2-null mouse model of Rett syndrome. *PloS one* 7, e35354.
- Olynik, B., and Rastegar, M. (2012). The genetic and epigenetic journey of embryonic stem cells into mature neural cells. *Frontiers in genetics* 3, 81.

O'Meara, R.W., Michalski, J.P., and Kothary, R. (2011). Integrin signaling in oligodendrocytes and its importance in CNS myelination. *J Signal Transduct* 2011, 354091.

Orentas, D.M., and Miller, R.H. (1996). The origin of spinal cord oligodendrocytes is dependent on local influences from the notochord. *Developmental biology* 177, 43-53.

Orkand, R., Nicholls, J., and Kuffler, S. (1966). Effect of nerve impulses on the membrane potential of glial cells in the central nervous system of amphibia. *Journal of neurophysiology* 29, 788-806.

Pacheco, N.L., Heaven, M.R., Holt, L.M., Crossman, D.K., Boggio, K.J., Shaffer, S.A., Flint, D.L., and Olsen, M.L. (2017). RNA sequencing and proteomics approaches reveal novel deficits in the cortex of Mecp2-deficient mice, a model for Rett syndrome. *Molecular autism* 8, 56.

Paez, P.M., García, C.I., Davio, C., Campagnoni, A.T., Soto, E.F., and Pasquini, J.M. (2004). Apotransferrin promotes the differentiation of two oligodendroglial cell lines. *Glia* 46, 207-217.

Pandey, S., Simmons Jr, G.E., Malyarchuk, S., Calhoun, T.N., and Pruitt, K. (2015). A novel MeCP2 acetylation site regulates interaction with ATRX and HDAC1. *Genes & cancer* 6, 408.

Parikh, Z.S., Tripathi, A., and Pillai, P.P. (2017). Differential Regulation of MeCP2 Phosphorylation by Laminin in Oligodendrocytes. *Journal of molecular neuroscience : MN* 62, 309-317.

Parker, D., Ferreri, K., Nakajima, T., LaMorte, V., Evans, R., Koerber, S., Hoeger, C., and Montminy, M. (1996). Phosphorylation of CREB at Ser-133 induces complex formation with CREB-binding protein via a direct mechanism. *Molecular and cellular biology* 16, 694-703.

Pelka, G.J., Watson, C.M., Radziewicz, T., Hayward, M., Lahooti, H., Christodoulou, J., and Tam, P.P. (2006). Mecp2 deficiency is associated with learning and cognitive deficits and altered gene activity in the hippocampal region of mice. *Brain* 129, 887-898.

- Petel-Galil, Y., Ben-Zeev, B., Greenbaum, I., Vecsler, M., Goldman, B., Lohi, H., Minassian, B., and Gak, E. (2006). Comprehensive diagnosis of Rett's syndrome relying on genetic, epigenetic and expression evidence of deficiency of the methyl-CpG-binding protein 2 gene: study of a cohort of Israeli patients. *Journal of medical genetics* 43, e56-e56.
- Pfeiffer, S.E., Warrington, A.E., and Bansal, R. (1993). The oligodendrocyte and its many cellular processes. *Trends in cell biology* 3, 191-197.
- Pringle, N., Collarini, E., Mosley, M., Heldin, C., Westermark, B., and Richardson, W. (1989). PDGF A chain homodimers drive proliferation of bipotential (O-2A) glial progenitor cells in the developing rat optic nerve. *The EMBO Journal* 8, 1049-1056.
- Quesseveur, G., David, D., Gaillard, M., Pla, P., Wu, M., Nguyen, H., Nicolas, V., Auregan, G., David, I., and Dranovsky, A. (2013). BDNF overexpression in mouse hippocampal astrocytes promotes local neurogenesis and elicits anxiolytic-like activities. *Translational psychiatry* 3, e253.
- Ramocki, M.B., Peters, S.U., Tavyev, Y.J., Zhang, F., Carvalho, C., Schaaf, C.P., Richman, R., Fang, P., Glaze, D.G., and Lupski, J.R. (2009). Autism and other neuropsychiatric symptoms are prevalent in individuals with MeCP2 duplication syndrome. *Annals of neurology* 66, 771-782.
- Reichwald, K., Thiesen, J., Wiehe, T., Weitzel, J., Strätling, W.H., Kioschis, P., Poustka, A., Rosenthal, A., and Platzer, M. (2000). Comparative sequence analysis of the MECP2-locus in human and mouse reveals new transcribed regions. *Mammalian Genome* 11, 182-190.
- Relvas, J.B., Setzu, A., Baron, W., Buttery, P.C., LaFlamme, S.E., and Franklin, R.J. (2001). Expression of dominant-negative and chimeric subunits reveals an essential role for $\beta 1$ integrin during myelination. *Current Biology* 11, 1039-1043.
- Reuss, B., Dono, R., and Unsicker, K. (2003). Functions of fibroblast growth factor (FGF)-2 and FGF-5 in astroglial differentiation and blood-brain barrier permeability: evidence from mouse mutants. *Journal of Neuroscience* 23, 6404-6412.

Rexach, J.E., Rogers, C.J., Yu, S.H., Tao, J., Sun, Y.E., and Hsieh-Wilson, L.C. (2010). Quantification of O-glycosylation stoichiometry and dynamics using resolvable mass tags. *Nature chemical biology* 6, 645-651.

Reynolds, R., and Wilkin, G.P. (1988). Development of macroglial cells in rat cerebellum. II. An in situ immunohistochemical study of oligodendroglial lineage from precursor to mature myelinating cell. *Development* 102, 409-425.

Ricciardi, S., Boggio, E.M., Grosso, S., Lonetti, G., Forlani, G., Stefanelli, G., Calcagno, E., Morello, N., Landsberger, N., and Biffo, S. (2011). Reduced AKT/mTOR signaling and protein synthesis dysregulation in a Rett syndrome animal model. *Human molecular genetics* 20, 1182-1196.

Richards, E.J., and Elgin, S.C. (2002). Epigenetic codes for heterochromatin formation and silencing: rounding up the usual suspects. *Cell* 108, 489-500.

Ridet, J.L., Malhotra, S.K., Privat, A., and Gage, F.H. (1997). Reactive astrocytes: cellular and molecular cues to biological function. *Trends in neurosciences* 20, 570-577.

Rose, C.R., Blum, R., Pichler, B., Lepier, A., Kafitz, K.W., and Konnerth, A. (2003). Truncated TrkB-T1 mediates neurotrophin-evoked calcium signalling in glia cells. *Nature* 426, 74.

Rose, S.M., and Garrard, W.T. (1984). Differentiation-dependent chromatin alterations precede and accompany transcription of immunoglobulin light chain genes. *Journal of Biological Chemistry* 259, 8534-8544.

Rutlin, M., and Nelson, S.B. (2011). MeCP2: phosphorylated locally, acting globally. *Neuron* 72, 3-5.

Saab, A.S., Tzvetanova, I.D., and Nave, K.-A. (2013). The role of myelin and oligodendrocytes in axonal energy metabolism. *Current opinion in neurobiology* 23, 1065-1072.

Saxena, A., de Lagarde, D., Leonard, H., Williamson, S.L., Vasudevan, V., Christodoulou, J., Thompson, E., MacLeod, P., and Ravine, D. (2006). Lost in

translation: translational interference from a recurrent mutation in exon 1 of MECP2. *Journal of medical genetics* 43, 470-477.

Saywell, V., Viola, A., Confort-Gouny, S., Le Fur, Y., Villard, L., and Cozzone, P.J. (2006). Brain magnetic resonance study of *Mecp2* deletion effects on anatomy and metabolism. *Biochemical and biophysical research communications* 340, 776-783.

Schroeter, M., Jander, S., Huitinga, I., Witte, O.W., and Stoll, G. (1997). Phagocytic response in photochemically induced infarction of rat cerebral cortex. The role of resident microglia. *Stroke* 28, 382-386.

Scolding, N., Morgan, B., Houston, A., Campbell, A., Linington, C., and Compston, D. (1989). Normal rat serum cytotoxicity against syngeneic oligodendrocytes: complement activation and attack in the absence of anti-myelin antibodies. *Journal of the neurological sciences* 89, 289-300.

Seifert, G., and Steinhäuser, C. (2001). Ionotropic glutamate receptors in astrocytes. In *Progress in brain research* (Elsevier), pp. 287-299.

Shao, J., Liu, T., Xie, Q.R., Zhang, T., Yu, H., Wang, B., Ying, W., Mruk, D.D., Silvestrini, B., and Cheng, C.Y. (2013). Adjudin attenuates lipopolysaccharide (LPS)- and ischemia-induced microglial activation. *Journal of neuroimmunology* 254, 83-90.

Sharma, K., Singh, J., Pillai, P.P., and Frost, E.E. (2015). Involvement of MeCP2 in Regulation of Myelin-Related Gene Expression in Cultured Rat Oligodendrocytes. *J Mol Neurosci*.

Sharma, K., Singh, J., Pillai, P.P., and Frost, E.E. (2015). Involvement of MeCP2 in Regulation of Myelin-Related Gene Expression in Cultured Rat Oligodendrocytes. *J Mol Neurosci*.

Sheikh, T.I., Mittal, K., Willis, M.J., and Vincent, J.B. (2013). A synonymous change, p. Gly16Gly in MECP2 Exon 1, causes a cryptic splice event in a Rett syndrome patient. *Orphanet journal of rare diseases* 8, 108.

Bibliography

Silvestroff, L., Franco, P.G., and Pasquini, J.M. (2013). Neural and oligodendrocyte progenitor cells: transferrin effects on cell proliferation. *ASN neuro* 5, AN20120075.

Simons, M., and Trajkovic, K. (2006). Neuron-glia communication in the control of oligodendrocyte function and myelin biogenesis. *Journal of cell science* 119, 4381-4389.

Šišková, Z., Baron, W., de Vries, H., and Hoekstra, D. (2006). Fibronectin impedes “myelin” sheet-directed flow in oligodendrocytes: a role for a beta 1 integrin-mediated PKC signaling pathway in vesicular trafficking. *Molecular and Cellular Neuroscience* 33, 150-159.

Skene, P.J., Illingworth, R.S., Webb, S., Kerr, A.R., James, K.D., Turner, D.J., Andrews, R., and Bird, A.P. (2010). Neuronal MeCP2 is expressed at near histone-octamer levels and globally alters the chromatin state. *Molecular cell* 37, 457-468.

Sloane, J.A., and Vartanian, T.K. (2007). Myosin Va controls oligodendrocyte morphogenesis and myelination. *Journal of Neuroscience* 27, 11366-11375.

Snaidero, N., and Simons, M. (2014). Myelination at a glance (The Company of Biologists Ltd).

Sobel, R.A., and Mitchell, M.E. (1989). Fibronectin in multiple sclerosis lesions. *The American journal of pathology* 135, 161.

Sofroniew, M.V. (2009). Molecular dissection of reactive astrogliosis and glial scar formation. *Trends in neurosciences* 32, 638-647.

Sommer, I., and Schachner, M. (1981). Monoclonal antibodies (O1 to O4) to oligodendrocyte cell surfaces: an immunocytological study in the central nervous system. *Developmental biology* 83, 311-327.

Sontheimer, H. (1994). Voltage-dependent ion channels in glial cells. *Glia* 11, 156-172.

Sudol, M., Chen, H.I., Bougeret, C., Einbond, A., and Bork, P. (1995). Characterization of a novel protein-binding module--the WW domain. *FEBS letters* 369, 67-71.

Bibliography

Swiss, V.A., Nguyen, T., Dugas, J., Ibrahim, A., Barres, B., Androulakis, I.P., and Casaccia, P. (2011). Identification of a gene regulatory network necessary for the initiation of oligodendrocyte differentiation. *PloS one* 6, e18088.

Tai, D.J., Liu, Y.C., Hsu, W.L., Ma, Y.L., Cheng, S.J., Liu, S.Y., and Lee, E.H. (2016). MeCP2 SUMOylation rescues Mecp2-mutant-induced behavioural deficits in a mouse model of Rett syndrome. *Nature communications* 7, 10552.

Takebayashi, H., Yoshida, S., Sugimori, M., Kosako, H., Kominami, R., Nakafuku, M., and Nabeshima, Y.-i. (2000). Dynamic expression of basic helix-loop-helix Olig family members: implication of Olig2 in neuron and oligodendrocyte differentiation and identification of a new member, Olig3. *Mechanisms of development* 99, 143-148.

Tao, J., Hu, K., Chang, Q., Wu, H., Sherman, N.E., Martinowich, K., Klose, R.J., Schanen, C., Jaenisch, R., Wang, W., *et al.* (2009). Phosphorylation of MeCP2 at Serine 80 regulates its chromatin association and neurological function. *Proc Natl Acad Sci U S A* 106, 4882-4887.

Thambirajah, A.A., Ng, M.K., Frehlick, L.J., Li, A., Serpa, J.J., Petrotchenko, E.V., Silva-Moreno, B., Missiaen, K.K., Borchers, C.H., and Adam Hall, J. (2011). MeCP2 binds to nucleosome free (linker DNA) regions and to H3K9/H3K27 methylated nucleosomes in the brain. *Nucleic acids research* 40, 2884-2897.

Thambirajah, A.A., Ng, M.K., Frehlick, L.J., Li, A., Serpa, J.J., Petrotchenko, E.V., Silva-Moreno, B., Missiaen, K.K., Borchers, C.H., Adam Hall, J., *et al.* (2012). MeCP2 binds to nucleosome free (linker DNA) regions and to H3K9/H3K27 methylated nucleosomes in the brain. *Nucleic acids research* 40, 2884-2897.

Tirassa, P., Triaca, V., Amendola, T., Fiore, M., and Aloe, L. (2003). EGF and NGF injected into the brain of old mice enhance BDNF and ChAT in proliferating subventricular zone. *Journal of neuroscience research* 72, 557-564.

Trapp, B.D., Nishiyama, A., Cheng, D., and Macklin, W. (1997). Differentiation and death of premyelinating oligodendrocytes in developing rodent brain. *The Journal of cell biology* 137, 459-468.

- Tripathi, A., Parikh, Z.S., Vora, P., Frost, E.E., and Pillai, P.P. (2017). pERK1/2 peripheral recruitment and filopodia protrusion augment oligodendrocyte progenitor cell migration: combined effects of PDGF-A and fibronectin. *Cellular and molecular neurobiology* 37, 183-194.
- Tudor, M., Akbarian, S., Chen, R.Z., and Jaenisch, R. (2002). Transcriptional profiling of a mouse model for Rett syndrome reveals subtle transcriptional changes in the brain. *Proceedings of the National Academy of Sciences* 99, 15536-15541.
- Urduingio, R.G., Sanchez-Mut, J.V., and Esteller, M. (2009). Epigenetic mechanisms in neurological diseases: genes, syndromes, and therapies. *The Lancet Neurology* 8, 1056-1072.
- Van Esch, H. (2011). MECP2 duplication syndrome. *Molecular syndromology* 2, 128-136.
- Van Esch, H., Bauters, M., Ignatius, J., Jansen, M., Raynaud, M., Hollanders, K., Lugtenberg, D., Bienvenu, T., Jensen, L.R., and Géc, J. (2005). Duplication of the MECP2 region is a frequent cause of severe mental retardation and progressive neurological symptoms in males. *The American Journal of Human Genetics* 77, 442-453.
- van Horssen, J., Bö, L., Dijkstra, C.D., and de Vries, H.E. (2006). Extensive extracellular matrix depositions in active multiple sclerosis lesions. *Neurobiology of disease* 24, 484-491.
- Van't Veer, A., Du, Y., Fischer, T.Z., Boetig, D.R., Wood, M.R., and Dreyfus, C.F. (2009). Brain-derived neurotrophic factor effects on oligodendrocyte progenitors of the basal forebrain are mediated through trkB and the MAP kinase pathway. *Journal of neuroscience research* 87, 69-78.
- Vaz, S.H., Jørgensen, T.N., Cristóvão-Ferreira, S., Duflot, S., Ribeiro, J.A., Gether, U., and Sebastião, A.M. (2011). Brain-derived neurotrophic factor (BDNF) enhances GABA transport by modulating the trafficking of GABA transporter-1 (GAT-1) from the plasma membrane of rat cortical astrocytes. *Journal of Biological Chemistry* 286, 40464-40476.

Verkhatsky, A., and Steinhäuser, C. (2000). Ion channels in glial cells. *Brain Research Reviews* 32, 380-412.

Viola, A., Saywell, V., Villard, L., Cozzone, P.J., and Lutz, N.W. (2007). Metabolic fingerprints of altered brain growth, osmoregulation and neurotransmission in a Rett syndrome model. *PLoS One* 2, e157.

Vora, P., Mina, R., Namaka, M., and Frost, E.E. (2010). A novel transcriptional regulator of myelin gene expression: implications for neurodevelopmental disorders. *Neuroreport* 21, 917-921.

Vora, P., Pillai, P.P., Zhu, W., Mustapha, J., Namaka, M.P., and Frost, E.E. (2011). Differential effects of growth factors on oligodendrocyte progenitor migration. *Eur J Cell Biol* 90, 649-656.

Wade, P.A. (2001). Methyl CpG binding proteins: coupling chromatin architecture to gene regulation. *Oncogene* 20, 3166.

Wang, Y.-J., Zheng, Y.-L., Lu, J., Chen, G.-Q., Wang, X.-H., Feng, J., Ruan, J., Sun, X., Li, C.-X., and Sun, Q.-J. (2010). Purple sweet potato color suppresses lipopolysaccharide-induced acute inflammatory response in mouse brain. *Neurochemistry international* 56, 424-430.

Watase, K., and Zoghbi, H.Y. (2003). Modelling brain diseases in mice: the challenges of design and analysis. *Nature Reviews Genetics* 4, 296.

Weiler, K.S., and Wakimoto, B.T. (1995). Heterochromatin and gene expression in *Drosophila*. *Annual review of genetics* 29, 577-605.

Wu, M., Hernandez, M., Shen, S., Sabo, J.K., Kelkar, D., Wang, J., O'Leary, R., Phillips, G.R., Cate, H.S., and Casaccia, P. (2012). Differential modulation of the oligodendrocyte transcriptome by sonic hedgehog and bone morphogenetic protein 4 via opposing effects on histone acetylation. *Journal of Neuroscience* 32, 6651-6664.

Xia, Q., Hu, Q., Wang, H., Yang, H., Gao, F., Ren, H., Chen, D., Fu, C., Zheng, L., Zhen, X., *et al.* (2015). Induction of COX-2-PGE2 synthesis by activation of the

MAPK/ERK pathway contributes to neuronal death triggered by TDP-43-depleted microglia. *Cell death & disease* 6, e1702.

Yang, Y., Lewis, R., and Miller, R.H. (2011). Interactions between oligodendrocyte precursors control the onset of CNS myelination. *Developmental biology* 350, 127-138.

Yasui, D.H., Gonzales, M.L., Aflatooni, J.O., Crary, F.K., Hu, D.J., Gavino, B.J., Golub, M.S., Vincent, J.B., Carolyn Schanen, N., Olson, C.O., *et al.* (2014). Mice with an isoform-ablating *Mecp2* exon 1 mutation recapitulate the neurologic deficits of Rett syndrome. *Human molecular genetics* 23, 2447-2458.

Young, J.I., Hong, E.P., Castle, J.C., Crespo-Barreto, J., Bowman, A.B., Rose, M.F., Kang, D., Richman, R., Johnson, J.M., and Berget, S. (2005). Regulation of RNA splicing by the methylation-dependent transcriptional repressor methyl-CpG binding protein 2. *Proceedings of the National Academy of Sciences of the United States of America* 102, 17551-17558.

Zhang, R., Zhang, Z., Zhang, L., and Chopp, M. (2001a). Proliferation and differentiation of progenitor cells in the cortex and the subventricular zone in the adult rat after focal cerebral ischemia. *Neuroscience* 105, 33-41.

Zhang, S.C., Goetz, B.D., Carre, J.L., and Duncan, I.D. (2001b). Reactive microglia in dysmyelination and demyelination. *Glia* 34, 101-109.

Zhao, H., Wang, S.L., Qian, L., Jin, J.L., Li, H., Xu, Y., and Zhu, X.L. (2013). Diammonium Glycyrrhizinate Attenuates A β 1–42-Induced Neuroinflammation and Regulates MAPK and NF- κ B Pathways In Vitro and In Vivo. *CNS neuroscience & therapeutics* 19, 117-124.

Zhong, X., Li, H., and Chang, Q. (2012). MeCP2 phosphorylation is required for modulating synaptic scaling through mGluR5. *Journal of Neuroscience* 32, 12841-12847.

Zhou, Y.X., Flint, N.C., Murtie, J.C., Le, T.Q., and Armstrong, R.C. (2006a). Retroviral lineage analysis of fibroblast growth factor receptor signaling in FGF2 inhibition of oligodendrocyte progenitor differentiation. *Glia* 54, 578-590.

Bibliography

Zhou, Z., Hong, E.J., Cohen, S., Zhao, W.N., Ho, H.Y., Schmidt, L., Chen, W.G., Lin, Y., Savner, E., Griffith, E.C., *et al.* (2006). Brain-specific phosphorylation of MeCP2 regulates activity-dependent Bdnf transcription, dendritic growth, and spine maturation. *Neuron* 52, 255-269.

Zocchi, L., and Sassone-Corsi, P. (2012). SIRT1-mediated deacetylation of MeCP2 contributes to BDNF expression. *Epigenetics* 7, 695-700.

Zuchero, J.B., and Barres, B.A. (2013). Intrinsic and extrinsic control of oligodendrocyte development. *Current opinion in neurobiology* 23, 914-920.