

BIBLIOGRAPHY

- Ahlquist, R. P. (1948). A study of the adrenotropic receptors. *American Journal of Physiology Legacy Content*, 153(3), 586-600.
- Alissa, E. M., & Ferns, G. A. (2012). Functional foods and nutraceuticals in the primary prevention of cardiovascular diseases. *Journal of nutrition and metabolism*, 2012.
- Ambrosio, G., Zweier, J. L., Duilio, C., Kuppusamy, P., Santoro, G., Elia, P. P., Chiariello, M. (1993). Evidence that mitochondrial respiration is a source of potentially toxic oxygen free radicals in intact rabbit hearts subjected to ischemia and reflow. *Journal of Biological Chemistry*, 268(25), 18532-18541.
- Andersen, O. M., & Markham, K. R. (2005). *Flavonoids: chemistry, biochemistry and applications*: CRC press.
- Bers, D. M. (2008). Calcium cycling and signaling in cardiac myocytes. *Annu. Rev. Physiol.*, 70, 23-49.
- Bloom, S., & Davis, D. L. (1972). Calcium as mediator of isoproterenol-induced myocardial necrosis. *The American journal of pathology*, 69(3), 459.
- Bridle, P., & Timberlake, C. (1997). Anthocyanins as natural food colors-selected aspects. *Food chemistry*, 58(1), 103-109.
- Brodde, O.-E. (1991). Beta 1-and beta 2-adrenoceptors in the human heart: properties, function, and alterations in chronic heart failure. *Pharmacological reviews*, 43(2), 203-242.
- Brodde, O.-E., & Michel, M. C. (1999). Adrenergic and muscarinic receptors in the human heart. *Pharmacological reviews*, 51(4), 651-690.
- Cassidy, A., Mukamal, K. J., Liu, L., Franz, M., Eliassen, A. H., & Rimm, E. B. (2013). High anthocyanin intake is associated with a reduced risk of

- myocardial infarction in young and middle-aged women. *Circulation*, 127(2), 188-196. doi:10.1161/CIRCULATIONAHA.112.122408
- Charron, C. S., Clevidence, B. A., Britz, S. J., & Novotny, J. A. (2007). effect of dose size on bioavailability of acylated and nonacylated anthocyanins from red cabbage (*Brassica oleracea* L. Var. capitata). *J Agric Food Chem*, 55(13), 5354-5362. doi:10.1021/jf0710736
- Chauhan, E. S., Tiwari, A., & Singh, A. (2016). Phytochemical screening of red cabbage (*Brassica oleracea*) powder and juice-A comparative study. *Journal of Medicinal Plants*, 4(5), 196-199.
- Chen, C.-y., Yi, L., Jin, X., Mi, M.-t., Zhang, T., Ling, W.-h., & Yu, B. (2010). Delphinidin attenuates stress injury induced by oxidized low-density lipoprotein in human umbilical vein endothelial cells. *Chemico-biological interactions*, 183(1), 105-112.
- Chen, H. W., Chien, C. T., Yu, S. L., Lee, Y. T., & Chen, W. J. (2002). Cyclosporine A regulate oxidative stress-induced apoptosis in cardiomyocytes: mechanisms via ROS generation, iNOS and Hsp70. *British journal of pharmacology*, 137(6), 771-781.
- Chen, Z. C., Yu, B. C., Chen, L. J., Cheng, K. C., Lin, H. J., & Cheng, J. T. (2011). Characterization of the mechanisms of the increase in PPAR δ expression induced by digoxin in the heart using the H9c2 cell line. *British journal of pharmacology*, 163(2), 390-398.
- Cretu, G. C., & Morlock, G. E. (2014). Analysis of anthocyanins in powdered berry extracts by planar chromatography linked with bioassay and mass spectrometry. *Food chemistry*, 146, 104-112.

- Cruz, A. B., Pitz, H. d. S., Veber, B., Bini, L. A., Maraschin, M., & Zeni, A. L. B. (2016). Assessment of bioactive metabolites and hypolipidemic effect of polyphenolic-rich red cabbage extract. *Pharmaceutical biology*, 54(12), 3033-3039.
- Czank, C., Cassidy, A., Zhang, Q., Morrison, D. J., Preston, T., Kroon, P. A., Kay, C. D. (2013). Human metabolism and elimination of the anthocyanin, cyanidin-3-glucoside: a ¹³C-tracer study. *The American journal of clinical nutrition*, 97(5), 995-1003.
- Delgado-Vargas, F., Jiménez, A., & Paredes-López, O. (2000). Natural pigments: carotenoids, anthocyanins, and betalains-characteristics, biosynthesis, processing, and stability. *Critical reviews in food science and nutrition*, 40(3), 173-289.
- Devi, J. R., & Thangam, E. B. (2012). Mechanisms of anticancer activity of sulforaphane from *Brassica oleracea* in HEP-2 human epithelial carcinoma cell line. *Asian Pacific Journal of Cancer Prevention*, 13(5), 2095-2100.
- Devkar, R. V., Pandya, A. V., & Shah, N. H. (2012). Protective role of *Brassica oleracea* and *Eugenia jambolana* extracts against H₂O₂ induced cytotoxicity in H9C2 cells. *Food Funct*, 3(8), 837-843. doi:10.1039/c2fo00001f
- Dhalla, N. S., Temsah, R. M., & Netticadan, T. (2000). Role of oxidative stress in cardiovascular diseases. *Journal of hypertension*, 18(6), 655-673.
- Duchnowicz, P., Bors, M., Podsedek, A., Koter-Michalak, M., & Broncel, M. (2012). Effect of polyphenols extracts from *Brassica* vegetables on erythrocyte membranes (*in vitro* study). *Environ Toxicol Pharmacol*, 34(3), 783-790. doi:10.1016/j.etap.2012.09.008

- Dyrby, M., Westergaard, N., & Stapelfeldt, H. (2001). Light and heat sensitivity of red cabbage extract in soft drink model systems. *Food chemistry*, 72(4), 431-437.
- Eguchi, M., Liu, Y., Shin, E. J., & Sweeney, G. (2008). Leptin protects H9c2 rat cardiomyocytes from H₂O₂-induced apoptosis. *The FEBS journal*, 275(12), 3136-3144.
- Fabiani, R., Ceconi, C., Curello, S., Alfieri, O., & Visioli, O. (1993). Myocardial damage during ischaemia and reperfusion. *European heart journal*, 14(suppl_G), 25-30.
- Farag, M. A., & Motaal, A. A. A. (2010). Sulforaphane composition, cytotoxic and antioxidant activity of crucifer vegetables. *Journal of Advanced Research*, 1(1), 65-70.
- Farina, A., Doldo, A., Cotichini, V., Rajevic, M., Quaglia, M., Mulinacci, N., & Vincieri, F. (1995). HPTLC and reflectance mode densitometry of anthocyanins in *Malva silvestris* L.: a comparison with gradient-elution reversed-phase HPLC. *Journal of pharmaceutical and biomedical analysis*, 14(1-2), 203-211.
- Finkel, T. (1999). Signal transduction by reactive oxygen species in non-phagocytic cells. *Journal of leukocyte biology*, 65(3), 337-340.
- Fleming, J., Holligan, S., & Kris-Etherton, P. (2013). Dietary patterns that decrease cardiovascular disease and increase longevity. *J. Clin. Exp. Cardiol.*, 5, 6.
- Fuleki, T., & Francis, F. (1968). Quantitative Methods for Anthocyanins. *Journal of food science*, 33(3), 266-274.

- Giusti, M. M., & Wrolstad, R. E. (2003). Acylated anthocyanins from edible sources and their applications in food systems. *Biochemical Engineering Journal*, 14(3), 217-225.
- Griendling, K. K., Minieri, C. A., Ollerenshaw, J. D., & Alexander, R. W. (1994). Angiotensin II stimulates NADH and NADPH oxidase activity in cultured vascular smooth muscle cells. *Circulation research*, 74(6), 1141-1148.
- Hafidh, R., Abdulamir, A., Bakar, F. A., Jalilian, F., Jahanshiri, F., Abas, F., & Sekawi, Z. (2013). Novel anticancer activity and anticancer mechanisms of *Brassica oleracea* L. var. capitata f. rubra. *European Journal of Integrative Medicine*, 5(5), 450-464.
- Hagiwara, A., Yoshino, H., Ichihara, T., Kawabe, M., Tamano, S., Aoki, H., Ito, N. (2002). Prevention by natural food anthocyanins, purple sweet potato color and red cabbage color, of 2-amino-1-methyl-6-phenylimidazo [4, 5-B] pyridine (phip)-associated colorectal carcinogenesis in rats. *The Journal of toxicological sciences*, 27(1), 57-68.
- Han, H., Long, H., Wang, H., Wang, J., Zhang, Y., & Wang, Z. (2004). Progressive apoptotic cell death triggered by transient oxidative insult in H9c2 rat ventricular cells: a novel pattern of apoptosis and the mechanisms. *American Journal of Physiology-Heart and Circulatory Physiology*, 286(6), H2169-H2182.
- Hennekens, C. H. (1998). Increasing burden of cardiovascular disease. *Circulation*, 97(11), 1095-1102.
- Hess, M. L., & Manson, N. H. (1984). Molecular oxygen: friend and foe: the role of the oxygen free radical system in the calcium paradox, the oxygen paradox

- and ischemia/reperfusion injury. *Journal of molecular and cellular cardiology*, 16(11), 969-985.
- Hsieh, S.-R., Cheng, W.-C., Su, Y.-M., Chiu, C.-H., & Liou, Y.-M. (2014). Molecular targets for anti-oxidative protection of green tea polyphenols against myocardial ischemic injury. *BioMedicine*, 4(4).
- Hung, T.-C., Chang, T.-T., Fan, M.-J., Lee, C.-C., & Chen, C. Y.-C. (2014). In silico insight into potent of anthocyanin regulation of FKBP52 to prevent alzheimer's disease. *Evidence-Based Complementary and Alternative Medicine*, 2014.
- Igarashi, K., Kimura, Y., & Takenaka, A. (2000). Preventive effects of dietary cabbage acylated anthocyanins on paraquat-induced oxidative stress in rats. *Bioscience, biotechnology, and biochemistry*, 64(8), 1600-1607.
- Ihara, Y., Urata, Y., Goto, S., & Kondo, T. (2006). Role of calreticulin in the sensitivity of myocardial H9c2 cells to oxidative stress caused by hydrogen peroxide. *American Journal of Physiology-Cell Physiology*, 290(1), C208-C221.
- Imlay, J. A. (2003). Pathways of oxidative damage. *Annual Reviews in Microbiology*, 57(1), 395-418.
- Jadeja, R. N., Thounaojam, M. C., Patel, D. K., Devkar, R. V., & Ramachandran, A. (2010). Pomegranate (*Punica granatum* L.) juice supplementation attenuates isoproterenol-induced cardiac necrosis in rats. *Cardiovascular toxicology*, 10(3), 174-180.
- Jiang, X., Shen, T., Tang, X., Yang, W., Guo, H., & Ling, W. (2017). Cyanidin-3-O- β -glucoside combined with its metabolite protocatechuic acid attenuated the activation of mice hepatic stellate cells. *Food & Function*.

- Jogsan, Y. (2014). Happiness and Indian Personality Dimensions in CHD patients and normal people. *Journal of Contemporary Psychological Research*, 2349(5642), 50.
- Joseph, D. R. (1908). The ratio between the heart-weight and body-weight in various animals. *The Journal of experimental medicine*, 10(4), 521.
- Kataya, H. A., & Hamza, A. A. (2008). Red cabbage (*Brassica oleracea*) ameliorates diabetic nephropathy in rats. *Evidence-Based Complementary and Alternative Medicine*, 5(3), 281-287.
- Koga, A., Oka, N., Kikuchi, T., Miyazaki, H., Kato, S., & Imaizumi, T. (2003). Adenovirus-mediated overexpression of caveolin-3 inhibits rat cardiomyocyte hypertrophy. *Hypertension*, 42(2), 213-219.
- Kühnau, J. (1976). The flavonoids. A class of semi-essential food components: their role in human nutrition. In *World review of nutrition and dietetics* (Vol. 24, pp. 117-191): Karger Publishers.
- Kuwana, T., & Newmeyer, D. D. (2003). Bcl-2-family proteins and the role of mitochondria in apoptosis. *Current opinion in cell biology*, 15(6), 691-699.
- Lee, J., Durst, R. W., & Wrolstad, R. E. (2005). Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: collaborative study. *Journal of AOAC international*, 88(5), 1269-1278.
- Lee, Y., & Gustafsson, Å. B. (2009). Role of apoptosis in cardiovascular disease. *Apoptosis*, 14(4), 536-548.
- Li, C., Duan, W., Yang, F., & Zhang, X. (2006). Caveolin-3-anchored microdomains at the rabbit sarcoplasmic reticulum membranes. *Biochem Biophys Res Commun*, 344(4), 1135-1140. doi:10.1016/j.bbrc.2006.04.024

- Li, H., Xie, Y.-H., Yang, Q., Wang, S.-W., Zhang, B.-L., Wang, J.-B., Miao, S. (2012). Cardioprotective effect of paeonol and danshensu combination on isoproterenol-induced myocardial injury in rats. *PloS one*, 7(11), e48872.
- Li, W., Chen, S., Zhou, G., Li, H., Zhong, L., & Liu, S. (2016). Potential role of cyanidin 3-glucoside (C3G) in diabetic cardiomyopathy in diabetic rats: An in vivo approach. *Saudi Journal of Biological Sciences*, doi:10.1016/j.sjbs.2016.11.007.
- Lin, J.-Y., & Li, C.-Y. (2010). Proteinaceous constituents of red cabbage juice increase IL-10, but decrease TNF- α secretions using lps stimulated mouse splenocytes. *Journal of Food and Drug Analysis*, 18(1).
- Lipskaia, L., Chemaly, E. R., Hadri, L., Lompre, A.-M., & Hajjar, R. J. (2010). Sarcoplasmic reticulum Ca^{2+} ATPase as a therapeutic target for heart failure. *Expert opinion on biological therapy*, 10(1), 29-41.
- Lipskaia, L., Hulot, J. S., & Lompre, A. M. (2009). Role of sarco/endoplasmic reticulum calcium content and calcium ATPase activity in the control of cell growth and proliferation. *Pflugers Arch*, 457(3), 673-685. doi:10.1007/s00424-007-0428-7
- Lopera, Y. E., Fantinelli, J., González Arbeláez, L. F., Rojano, B., Ríos, J. L., Schinella, G., & Mosca, S. (2013). Antioxidant activity and cardioprotective effect of a nonalcoholic extract of *Vaccinium meridionale* Swartz during ischemia-reperfusion in rats. *Evidence Based Complementary and Alternative Medicine*, doi:10.1155/2013/516727.
- Majeed, M. S., & Al-Azzawie, H. F. (2012). Effect of ethanolic red cabbage extract on oxidative stress in hyperthyroid rabbits induced by L-thyroxine. *Iraqi J Scien [Internet]*. [diunduh 2014 Sep 21], 53(2), 298-307.

- Markakis, P. (1982). Anthocyanins as food additives.
- Mazza, G., & Miniati, E. (1993). Anthocyanins in fruits, vegetables, and grains: CRC press.
- Stafford, H. A. (1990). Flavonoid metabolism: CRC press.
- McDevitt, D. (1989). In vivo studies on the function of cardiac β -adrenoceptors in man. *European heart journal*, 10(suppl_B), 22-28.
- Mizgier, P., Kucharska, A. Z., Sokół-Łętowska, A., Kolniak-Ostek, J., Kidoń, M., & Fecka, I. (2016). Characterization of phenolic compounds and antioxidant and anti-inflammatory properties of red cabbage and purple carrot extracts. *Journal of Functional Foods*, 21, 133-146.
- Mohazzab-h, K. M., Kaminski, P. M., & Wolin, M. S. (1997). Lactate and PO₂ modulate superoxide anion production in bovine cardiac myocytes. *Circulation*, 96(2), 614-620.
- Muhammad, S. A., & Fatima, N. (2015). In silico analysis and molecular docking studies of potential angiotensin-converting enzyme inhibitor using quercetin glycosides. *Pharmacognosy magazine*, 11(Suppl 1), S123.
- Nimse, S. B., & Pal, D. (2015). Free radicals, natural antioxidants, and their reaction mechanisms. *RSC Advances*, 5(35), 27986-28006.
- Organization, W. H. (2011). Cardiovascular diseases (CVDs): Fact sheet No 317. 2011 <http://www.who.int/mediacentre/factsheets/fs317/en/index.html>. Accessed March.
- Oyama, K., Takahashi, K., & Sakurai, K. (2011). Hydrogen peroxide induces cell cycle arrest in cardiomyoblast H9c2 cells, which is related to hypertrophy. *Biological and Pharmaceutical Bulletin*, 34(4), 501-506.

- Padmanabhan, M., & Prince, P. S. M. (2006). Preventive effect of S-allylcysteine on lipid peroxides and antioxidants in normal and isoproterenol-induced cardiotoxicity in rats: a histopathological study. *Toxicology*, 224(1), 128-137.
- Parton, R. G., Way, M., Zorzi, N., & Stang, E. (1997). Caveolin-3 associates with developing T-tubules during muscle differentiation. *The Journal of cell biology*, 136(1), 137-154.
- Patel, D. K., Desai, S. N., Gandhi, H. P., Devkar, R. V., & Ramachandran, A. (2012). Cardio protective effect of Coriandrum sativum L. on isoproterenol induced myocardial necrosis in rats. *Food and chemical toxicology*, 50(9), 3120-3125.
- Patel, H. H., & Insel, P. A. (2009). Lipid rafts and caveolae and their role in compartmentation of redox signaling. *Antioxidants & redox signaling*, 11(6), 1357-1372.
- Perveen, S., Yang, J. S., Ha, T. J., & Yoon, S. H. (2014). Cyanidin-3-glucoside inhibits ATP-induced intracellular free Ca^{2+} concentration, ROS formation and mitochondrial depolarization in PC12 cells. *The Korean Journal of Physiology & Pharmacology*, 18(4), 297-305.
- Piccaglia, R., Marotti, M., & Baldoni, G. (2002). Factors influencing anthocyanin content in red cabbage (*Brassica oleracea* var capitata L f rubra (L) Thell). *Journal of the Science of Food and Agriculture*, 82(13), 1504-1509.
- Pliszka, B., Huszcza-Ciołkowska, G., Mieleszko, E., & Czaplicki, S. (2009). Stability and antioxidative properties of acylated anthocyanins in three cultivars of red cabbage (*Brassica oleracea* L. var. capitata L. f. rubra). *Journal of the Science of Food and Agriculture*, 89(7), 1154-1158.
- Podsędek, A., Redzynia, M., Klewicka, E., & Koziolkiewicz, M. (2014). Matrix effects on the stability and antioxidant activity of red cabbage anthocyanins

- under simulated gastrointestinal digestion. *BioMed research international*, 2014.
- Rajadurai, M., & Prince, P. S. M. (2007). Preventive effect of naringin on isoproterenol-induced cardiotoxicity in Wistar rats: an in vivo and in vitro study. *Toxicology*, 232(3), 216-225.
- Ratajczak, P., Damy, T., Heymes, C., Oliviero, P., Marotte, F., Robidel, E., Samuel, J.-L. (2003). Caveolin-1 and-3 dissociations from caveolae to cytosol in the heart during aging and after myocardial infarction in rat. *Cardiovascular research*, 57(2), 358-369.
- Roth, D. M., & Patel, H. H. (2011). Role of caveolae in cardiac protection. *Pediatr Cardiol*, 32(3), 329-333. doi:10.1007/s00246-010-9881-8
- Rothberg, K. G., Heuser, J. E., Donzell, W. C., Ying, Y.-S., Glenney, J. R., & Anderson, R. G. (1992). Caveolin, a protein component of caveolae membrane coats. *Cell*, 68(4), 673-682.
- Ryter, S. W., Kim, H. P., Hoetzel, A., Park, J. W., Nakahira, K., Wang, X., & Choi, A. M. (2007). Mechanisms of cell death in oxidative stress. *Antioxidants & redox signaling*, 9(1), 49-89.
- Sankhari, J. M., Thounaojam, M. C., Jadeja, R. N., Devkar, R. V., & Ramachandran, A. (2012). Anthocyanin-rich red cabbage (*Brassica oleracea* L.) extract attenuates cardiac and hepatic oxidative stress in rats fed an atherogenic diet. *Journal of the Science of Food and Agriculture*, 92(8), 1688-1693.
- Sarpate, R., Deore, T., Patil, M., & Tupkari, S. (2010). Characterization of anthocyanins by GCMS. *International Journal of Chemical Sciences*, 8(1), 415-423.

- Scherer, P. E., Okamoto, T., Chun, M., Nishimoto, I., Lodish, H. F., & Lisanti, M. P. (1996). Identification, sequence, and expression of caveolin-2 defines a caveolin gene family. *Proceedings of the National Academy of Sciences*, 93(1), 131-135.
- Seddon, M., Looi, Y. H., & Shah, A. M. (2007). Oxidative stress and redox signaling in cardiac hypertrophy and heart failure. *Heart*, 93(8), 903-907.
- Serra, D., Paixão, J., Nunes, C., Dinis, T. C., & Almeida, L. M. (2013). Cyanidin-3-glucoside suppresses cytokine-induced inflammatory response in human intestinal cells: comparison with 5-aminosalicylic acid. *PloS one*, 8(9), e73001.
- Shah, A., & Channon, K. (2004). Free radicals and redox signaling in cardiovascular disease. *Heart*, 90(5), 486-487.
- Shan, P., Pu, J., Yuan, A., Shen, L., Shen, L., Chai, D., & He, B. (2008). RXR agonists inhibit oxidative stress-induced apoptosis in H9c2 rat ventricular cells. *Biochemical and biophysical research communications*, 375(4), 628-633.
- Sharma, R., Panigrahi, P., & Suresh, C. (2014). In-Silico analysis of binding site features and substrate selectivity in plant flavonoid-3-O glycosyltransferases (F3GT) through molecular modeling, docking and dynamics simulation studies. *PloS one*, 9(3), e92636.
- Shibata, M., Takeshita, D., Obata, K., Mitsuyama, S., Ito, H., Zhang, G.-X., & Takaki, M. (2011). NHE-1 participates in isoproterenol-induced downregulation of SERCA2a and development of cardiac remodeling in rat hearts. *American Journal of Physiology-Heart and Circulatory Physiology*, 301(5), H2154-H2160.

- Shokeen, D., & Aeri, T. (2015). Risk factors associated with the increasing cardiovascular diseases prevalence in India: a review. *Nutrition & Food Sciences*, doi: 10.4172/2155-9600.1000331.
- Singal, P., Kapur, N., Dhillon, K., Beamish, R., & Dhalla, N. (1982). Role of free radicals in catecholamine-induced cardiomyopathy. *Canadian journal of physiology and pharmacology*, 60(11), 1390-1397.
- Soengas, P., Sotelo, T., Velasco, P., & Cartea, M. E. (2011). Antioxidant properties of Brassica vegetables. *Functional plant science and biotechnology*, 5(2), 43-55.
- Sondheimer, E., & Kertesz, Z. (1948). Anthocyanin pigments. *Analytical Chemistry*, 20(3), 245-248.
- Song, K. S., Scherer, P. E., Tang, Z., Okamoto, T., Li, S., Chafel, M., Lisanti, M. P. (1996). Expression of caveolin-3 in skeletal, cardiac, and smooth muscle cells. Caveolin-3 is a component of the sarcolemma and co-fractionates with dystrophin and dystrophin-associated glycoproteins. *Journal of Biological Chemistry*, 271(25), 15160-15165.
- Stintzing, F. C., & Carle, R. (2004). Functional properties of anthocyanins and betalains in plants, food, and in human nutrition. *Trends in food science & technology*, 15(1), 19-38.
- Stój, A., Targoński, Z., & Malik, A. (2006). Use of anthocyanin analysis for detection of berry juice adulterations. *Acta Scientiarum Polonorum Technologia Alimentaria*, 5(1), 61-72.
- Tang, L., Zhang, D., Xu, S., Zuo, H., Zuo, C., & Li, Y. (2014). Different spectroscopic and molecular modeling studies on the interaction between cyanidin-3-O-glucoside and bovine serum albumin. *Luminescence*, 29(2), 168-175.

- Tang, Z., Scherer, P. E., Okamoto, T., Song, K., Chu, C., Kohtz, D. S., Lisanti, M. P. (1996). Molecular cloning of caveolin-3, a novel member of the caveolin gene family expressed predominantly in muscle. *Journal of Biological Chemistry*, 271(4), 2255-2261.
- Thannickal, V. J., & Fanburg, B. L. (1995). Activation of an H₂O₂ generating NADH oxidase in human lung fibroblasts by transforming growth factor β 1. *Journal of Biological Chemistry*, 270(51), 30334-30338.
- Thounaojam, M. C., Jadeja, R. N., Karn, S. S., Shah, J. D., Patel, D. K., Salunke, S. P., Ramachandran, A. (2011). Cardioprotective effect of *Sida rhomboidea* Roxb extract against isoproterenol induced myocardial necrosis in rats. *Experimental and Toxicologic pathology*, 63(4), 351-356.
- Thounaojam, M. C., Jadeja, R. N., Sankhari, J. M., Devkar, R. V., & Ramachandran, A. V. (2011). Safety evaluations on ethanolic extract of red cabbage (*Brassica oleracea* L.) in mice. *J Food Sci*, 76(1), T35-39. doi:10.1111/j.1750-3841.2010.01962.x
- Tong, T., Niu, Y.-H., Yue, Y., Wu, S.-c., & Ding, H. (2017). Beneficial effects of anthocyanins from red cabbage (*Brassica oleracea* L. var. capitata L.) administration to prevent irinotecan-induced mucositis. *Journal of Functional Foods*, 32, 9-17.
- Tsuda, T., Horio, F., & Osawa, T. (1999). Absorption and metabolism of cyanidin 3-O- β -D-glucoside in rats. *FEBS letters*, 449(2-3), 179-182.
- Vanni, S., Neri, M., Tavernelli, I., & Rothlisberger, U. (2011). Predicting novel binding modes of agonists to β adrenergic receptors using all-atom molecular dynamics simulations. *PLoS computational biology*, 7(1), e1001053.

- Volden, J., Borge, G. I. A., Bengtsson, G. B., Hansen, M., Thygesen, I. E., & Wicklund, T. (2008). Effect of thermal treatment on glucosinolates and antioxidant-related parameters in red cabbage (*Brassica oleracea* L. ssp. capitata f. rubra). *Food Chemistry*, 109(3), 595-605.
- Wagner, H., & Bladt, S. (1996). *Plant drug analysis: a thin layer chromatography atlas*: Springer Science & Business Media.
- Wallukat, G. (2002). The β -adrenergic receptors. *Herz*, 27(7), 683-690.
- Wiczowski, W., Szawara-Nowak, D., & Topolska, J. (2013). Red cabbage anthocyanins: Profile, isolation, identification, and antioxidant activity. *Food research international*, 51(1), 303-309.
- Wrolstad, R. E. (2001). *Current protocols in food analytical chemistry*: Wiley.
- Wrolstad, R., Culbertson, J., Cornwell, C., & Mattick, L. (1982). Detection of adulteration in blackberry juice concentrates and wines. *Journal Association of Official Analytical Chemists*, 65(6), 1417-1423.
- Wrolstad, R., Hong, V., Boyles, M., & Durst, R. (1995). Use of anthocyanin pigment analysis for detecting adulteration in fruit juices. *Methods to Detect Adulteration in Fruit Juice and Beverages*, 1.
- Wu, X., Beecher, G. R., Holden, J. M., Haytowitz, D. B., Gebhardt, S. E., & Prior, R. L. (2006). Concentrations of anthocyanins in common foods in the United States and estimation of normal consumption. *Journal of agricultural and food chemistry*, 54(11), 4069-4075.
- Xie, X., Zhao, R., & Shen, G. X. (2012). Influence of delphinidin-3-glucoside on oxidized low-density lipoprotein-induced oxidative stress and apoptosis in cultured endothelial cells. *Journal of agricultural and food chemistry*, 60(7), 1850-1856.

- Xing, W., & Jian, H. (2011). Pretreatment with astragaloside IV protects H9c2 cells against hydrogen peroxide-induced apoptosis by scavenging of reactive oxygen species and regulation of Bcl-2 and Bax expression. *Journal of Medicinal Plants Research*, 5(14), 3304-3311.
- Ye, X.-J., Ng, T.-B., Wu, Z.-J., Xie, L.-H., Fang, E.-F., Wong, J.-H., Zhang, Y.-B. (2011). Protein from red cabbage (*Brassica oleracea*) seeds with antifungal, antibacterial, and anticancer activities. *Journal of agricultural and food chemistry*, 59(18), 10232-10238.
- Yeager, J. C., & Whitehurst, M. E. (1982). Verapamil prevents isoproterenol-induced cardiac failure in the rat. *Life sciences*, 30(3), 299-306.
- Zbinden, G., & Bagdon, R. (1963). Isoproterenol-induced heart necrosis, an experimental model for the study of angina pectoris and myocardial infarct. *Revue canadienne de biologie*, 22, 257.
- Zuo, H., Tang, L., Li, S., & Huang, J. (2015). Combined multispectroscopic and molecular docking investigation on the interaction between delphinidin-3-O-glucoside and bovine serum albumin. *Luminescence*, 30(1), 110-117.
- Zielińska, M., Lewandowska, U., Podsędek, A., Cygankiewicz, A. I., Jacenik, D., Sałaga, M., Fichna, J. (2015). Orally available extract from *Brassica oleracea* var. capitata rubra attenuates experimental colitis in mouse models of inflammatory bowel diseases. *Journal of Functional Foods*, 17, 587-599.