LIST OF TABLE

Sr. No	Title	Page No.
1.	Agrochemical used with its LC_{50} and duration of exposure for *O. mossambicus*	28
2.	Depicts the reagents used in a PCR reaction with volume of it used in 10ul assay system	30
3.	Represents the various stages of PCR cycles of GnRH-I.	31
4.	Represents the various stages of PCR cycles of Kiss-1.	32
5.	Represents the various stages of PCR cycles of Kiss-2	33
6.	Represents the various stages of PCR cycles of GtH-Ir.	33
7.	Represents the various stages of PCR cycles of GtH-IIr	34
8.	Represents the various stages of PCR cycles of ER-I.	34
9.	Represents the various stages of PCR cycles of ER-II	35
10.	Represents the various stages of PCR cycles of AR-I	36
11	Represents the various stages of PCR cycles of AR-II	36
12.	Represents the various stages of PCR cycles of GR-I	37
13.	Represents the various stages of PCR cycles of TSH- ***βr***	38
14.	Represents the various stages of PCR cycles of MAPK-2	38
15.	Represents the various stages of PCR cycles of PKC	39
16.	Represents the various stages of PCR cycles of 18s rRNA	40
17.	Depicts the primer sequence with its annealing temperature and product size.	31
18.	SDS PAGE resolving gel percentage, which was used for the separation of bands on total protein isolated.15% resolving gel was used for the separation of kisspeptin bands.	32
19.	List of chemicals required for preparation of SDS-PAGE stacking gel	32
20.	Represents the mean ± SE values of cortisol, T3,T4, TSH, Estradiol	58

	and 11 ketotestosterone of female tilapia *O.mossambicus*, exposed to agrochemicals	
21.	Represents the mean ± SE values of cortisol, T3,T4, TSH, 17-β Estradiol and 11 ketotestosterone of male tilapia *O.mossambicus* exposed to agrochemicals.	58
22.	Depicts the mean percentage difference of cortisol, T3, T4, TSH, Estradiol and 11- ketotestosterone of tilapia *O.mossambicus* exposed to agrochemicals.	58
23.	Depicts the ratio of T_3 and T_4 of *O.mossambicus* exposed to agrochemicals.	59
24.	Shows the p value of Dunnettes multiple comparison tests of various hormones of male *O.mossambicus* exposed to agrochemicals.	59
25.	Shows the p value of Dunnettes multiple comparison tests of various hormones of female *O.mossambicus* exposed to agrochemicals.	59
26.	Depicts the tools with its applications used in various species of teleost.	77
27.	Depicts the mean± SD values of HPG axis candidate genes of *O. mossambicus* exposed to agrochemicals.	83
28.	Depicts the mean± SD values of HPG axis candidate genes in ovary and testes of *O. mossambicus* exposed to agrochemicals	84
29.	Depicts the Post hoc Dunnette's multiple comparison test values of HPG axis candidate genes of *O. mossambicus* exposed to agrochemicals	84
30.	Depicts the western blot mean± SD values of kiss2 and kiss 1 in brain of *O. mossambicus* exposed to agrochemicals.	85
31.	Depicts the mean± SD values of GR and TSH-βr in vital tissues of *O. mossambicus* exposed to agrochemicals	85
32.	Depicts the Post hoc Dunnette's multiple comparison test values of GR and TSH- βr axis candidate genes of *O. mossambicus* exposed to agrochemicals	85
33.	Regression Analysis of kisspeptin 2 with Candidate HPG genes of *O.mossambicus* exposed to CZ.	95
34.	Regression Analysis of kisspeptin 2 with Candidate HPG genes of *O.mossambicus* exposed to MN.	96

35.	Regression Analysis of kisspeptin 2 with Candidate HPG genes of *O.mossambicus* exposed to IMI.	97
36.	Regression Analysis of kisspeptin 2 with Candidate HPG genes of *O.mossambicus* exposed to PE.	98
37.	LC_{50} value of some agrochemicals for different species.	121