

CHAPTER-VII

7. REFERENCES

Abraham, B.J., 1983. Spatial and Temporal patterns in a Sagebrush Steepe spider community (Arachnida, Araneae). *Journal of Arachnology*, 11(1), pp.31-50.

Adams, M.R., 2000. Choosing hunting sites: web site preferences of the orb weaver spider, *Neoscona crucifera*, relative to light cues. *Journal of Insect Behavior*, 13 (3), pp. 299-305.

Agnarsson, I. & Blackledge, T.A., 2009. Can a spider web be too sticky? Tensile mechanics constrains the evolution of capture spiral stickiness in orb-weaving spiders. *Journal of Zoology*, 278 (2), pp.134-40.

Almeida-Silva, L.M., Griswold, C.E. & Brescovit, A.D., 2010. Revision of the Asian spider genus *Pandava* Lehtinen (Araneae: Titanoecidae): description of five new species and first record of Titanoecidae from Africa. *Zootaxa*, 2630, p.30–56.

Ananthkrishnan, T.N. & David, B.V., 2004. *General and applied entomology*. 2nd ed. New Delhi: Tata McGraw Hill Publishing Company Limited.

Asari, R.J. & Padate, S.N., 1978. Flora and Vegetation of Jambughoda, Mahal and Surrounding hills, District Panchmahal, Gujarat, India. *Journal of the Maharaja Sayajirao University of Baroda*, 29(3), pp.29-43.

Baehr, M. & Baehr, B., 1993. The Hersiliidae of the Oriental Region including New Guinea: Taxonomy, phylogeny, zoogeography (Arachnida, Araneae). *Spixiana* , 19, pp.1-96.

Bergthaler, G.J. & R lys, V., 2000. Suction sampling in alpine habitats: experiences and suggestions. In *In European Arachnology 2000: 19th European Colloquium of Arachnology*. Aarhus, Denmark, 2000. Aarhus Universitetsforlag.

- Bhatt, N., 2014. Sustainability of spiders in temperature variations at Shoolpaneshwar Wildlife Sanctuary, Gujarat, India. *International research Journal of Environment Sciences*, 3(8), pp.14-18.
- Bilising, S.W., 1920. Quantitative studies in the food of spiders. *The Ohio Journal of Science*, 20 (7), pp.215-60.
- Blackledge, T.A. & Pickett, K.M., 2000. Predatory interactions between mud-dauber wasps (Hymenoptera, Sphecidae) and Argiope (Araneae, Araneidae) in captivity. *The Journal of Arachnology*, 28, pp.211-16.
- Borror, D.J., Johnson, N.F. & Triplehorn, C.A., 1989. *An introduction to the study of insects*. 6th ed. Pennsylvania State University: Saunders College Publishing.
- Buddle, C.M. & Hammond, H.E.J., 2003. Comparison of ground beetles (Coleoptera: Carabidae) and spiders (Araneae) collected in pan and pitfall traps. *The Canadian Entomologist*, 135, pp.609-11.
- Cardoso, P. et al., 2008. Rapid biodiversity assessment of spiders (Araneae) using semi-quantitative sampling: a case study in a Mediterranean forest. *Insect Conservation and Diversity*, 1, pp.71-84.
- Catalog, W.S., 2015. *World Spider Catalog: Natural History Museum Bern*. [Online] (16) Available at: <http://wsc.nmbe.ch> [Accessed 27 October 2015].
- Champion, H.G. & Seth, S.K., 1968. *A revised survey of the forest types of India*. Delhi: Government of India.
- Churchill, T.B. & Arthur, J.M., 1999. Measuring spider richness: effects of different sampling methods and spatial and temporal scales. *Journal of Insect Conservation*, 3, pp.287-95.
- Clark, T.E. & Samways, M.J., 1997. Sampling arthropod diversity for urban ecological landscaping in species-rich Southern Hemisphere Botanic Garden. *Journal of Insect Conservation*, 1, pp.221-34.

Coddington, J.A., 2005. Phylogeny and classification of spiders. In D. Ubick, P. Paquin, P.E. Cushing & R. V., eds. *Spiders of North America: An identification manual*. American Arachnology Society. pp.18-24.

Coddington, J.A. et al., 1991. Designing and testing sampling protocols to estimate biodiversity in tropical systems. In Dudley, E., ed. *Proceeding of Fourth International Congress on Systematics and Evolution Biology*. Portland, 1991. Dioscorides Press.

Coddington, J.A. & Herbert, W.L., 1991. Systematics and Evolution of spiders (Araneae). *Annual Review of Ecology and Systematics*, 22, pp.565-92.

Coddington, J.A., Young, L.H. & Coyle, F.A., 1996. Estimating spider species richness in a Southern Appalachian Cove Hardwood Forest. *Journal of Arachnology*, 24(2), pp.111-28.

Coslovsky, M. & Zschokke, S., 2009. Asymmetry in orb-webs: An adaptation to web building costs. *Journal of Insect Behavior*, 22 (1), pp.29-38.

Costello, M.J. & Daane, K.M., 1997. Comparison of sampling methods used to estimate spider (Araneae) species abundance and composition in Grape Vineyards. *Environmental Entomology*, 26(2), pp.142-49.

Curtis, D.J., 1980. Pitfalls in spider community studies (Araneidae, Araneae). *Journal of Arachnology*, 8, pp.271-80.

Devkar, R., Jayaraman, S., Upadhyay, K. & Patel, P., 2011. Albino microchiropteran, *Rhinopoma microphyllum* Kinneri sighted in a bat colony inhabiting abandoned mines. *Current Science*, 100(2), pp.165-66.

Devkar, R., Patel, P. & Upadhyay, K., 2013a. Present scenario and possible threats to the Microchiropteran Bats near Jambughoda Wildlife Sanctuary, Gujarat. *Small Mammal Mail*, 1(5), pp.28-31.

Devkar, R., Upadhyay, K. & Patel, P., 2013b. *Know About Bats*. U.K.: Initiative for Conservation and Awareness of Bats (ICAB) The Rufford's Small Grants Foundation.

Foelix, R.F., 2011. *Biology of spiders*. 3rd ed. New York: Oxford University Press.

Fujii, Y., 1998. Ecological studies on wolf spiders (Araneae: Lycosidae) in a Northwest area of Kanto Plain, Central Japan: Habitat preference observed by Hand-sorting. *Acta Arachnology* , 47(1), pp.7-19.

Gajbe, U.A., 2007. Araneae: Arachnida. In: Fauna of Madhya Pradesh (including Chhattisgarh). *State Fauna Series, Zoological Survey of India, Kolkata* , 15(1), pp.419-540.

Gajbe, U.A., 2008. Fauna of India and the adjacent countries: Spider (Arachnida: Araneae: Oxyopidae). *Zoological Survey of India, Kolkata* , 3, p.1–117.

Gao, C.X. & Li, S.Q., 2010. One new spider species of the genus *Cephalobares* from Yunnan, China (Araneae, Theridiidae). *Acta Zootaxonomica Sinica* , 35 , p.255–257.

Gil, A.C., 2009. Seasonal dynamics of forest spiders (Arachnida: Araneae) in the temperate zone of the Basque country and Navarra (Northern Spain). *Munibe*, 57, pp.83-146.

Green, J., 1999. Sampling method and time determines composition of spider collections. *The Journal of Arachnology*, 27, pp.176-82.

Gregg, R.E., 1968. The preservation of Invertebrates in Alcohol. *Entomological News*, 79(1), pp.1-12.

Heiling, A.M. & Herberstein, M.E., 1999. The role of experience in web-building spiders (Araneidae). *Animal Cognition* , 2 (3), pp.171-77.

Hore, U. & Uniyal, V.P., 2008a. Effect of prescribed fire on spider assemblage in Terai Grasslands, India. *Turk Journal of Arachnology*, 1 (1), pp.15-36.

Hore, U. & Uniyal, V.P., 2008b. Use of spiders (Araneae) as indicator for monitoring of habitat conditions in Terai Conservation Area, India. *Indian Forester*, pp.1371-80.

Hovemeyer, K. & Stippich, G., 2000. Assessing spider community structure in a beech forest: Effects of sampling methods. *European Journal of Entomology*, 97, pp.369-75.

- Huber, B.A., 2011. Revision and cladistic analysis of Pholcus and closely related taxa (Araneae, Pholcidae). *Bonner Zoologische Monographien*, 58, pp.1-509.
- IUCN, 1994a. *Guidelines for Protected Area Management Categories*. CNPPA with the assistance of WCMC, IUCN: Gland, Switzerland and Cambridge, UK.
- IUCN, 1994b. *1993 United Nations List of National Parks and Protected Areas*. Prepared by WCMC & CNPPA, IUCN: Gland, Switzerland and Cambridge, UK.
- Javed, S.M.M., Srinivasulu, C. & Tampal, F., 2010. Addition to araneofauna of Andhra Pradesh, India: occurrence of three species of Argyrodes Simon, 1864 (Araneae: Theridiidae). *Journal of Threatened Taxa* , 2, pp.980-85.
- Jim, H.J. & Kaplan, D.L., 2003. Mechanism of silk processing in insects and spiders. *Nature*, 424, pp.1057-61.
- Jocqué, R., 1991. A generic revision of the spider family Zodariidae (Araneae). *Bulletin of the American Museum of Natural History*, 201, pp.1-160.
- Jocqué, R. & Dippenaar-Schoeman, A.S., 2006. *Spider Families of the World*. Tervuren: Musée Royal de l'Afrique Central.
- Kapoor, V., 2006. An assessment of spider sampling methods in Tropical Rainforest Fragments of the Anamalai Hills, Western Ghats, India. *Zoos' Print Journal*, 21(12), pp.2483-88.
- Keswani, S., Hadole, P. & Rajoria, A., 2012. Checklist of spiders (Arachnida: Araneae) from India. *Indian Journal of Arachnology* , 1(1), p.1–129.
- Koh, J.K.H. & Ming, L.T., 2013. *Biodiversity in the heart of Borneo: Spiders of Brunei Darussalam*. 1st ed. Kota Kinabalu: Natural History Publication (Borneo).
- Kraus, O. & Kraus, M., 1989. The genus Stegodyphus (Arachnida, Araneae): Sibling species, species groups and parallel origin of social living. *Verhandlungen des Naturwissenschaftlichen Vereins, Hamburg* , 30, pp.151-254.

Kulkarni, S. & Yadav, S., 2015. Bridging the distributional gap of *Tylorida striata* (Thorell, 1877) and new synonymy (Araneae: Tetragnathidae). *Biodiversity Data Journal* , 3(e4878), pp.1-12.

Kumar, D., 2015. *Documentation of Bio-diversity of Arachnida and Lepidoptera in Gujarat*. Project Report. Gandhinagar: Gujarat Biodiversity Board Department of Zoology, Faculty of Science, The M.S. University of Baroda.

Lange, M., Gossner, M.M. & Weisser, W.W., 2011. Effect of pitfall trap type and diameter on vertebrate by-catches and ground beetle (Coleoptera: Carabidae) and spider (Araneae) sampling. *Methods in Ecology and Evolution*, 2, pp.185-90.

Lehtinen, P.T., 1967. Classification of the cribellate spiders and some allied families, with notes on the evolution of the suborder Araneomorpha. *Annales Zoologici Fennici* , 4, pp.199-468.

Levi, H.W. & Levi, L.R., 1962. The genera of the spider family Theridiidae. *Bulletin of the Museum of Comparative Zoology at Harvard College*, 127, p.1–71.

Levi, H.W. & Levi, L.R., 1962. The genera of the spider family Theridiidae. *Bulletin of the Museum of Comparative Zoology at Harvard College* , 127, p.1–71.

Lewis, R.V., 2006. Spider Silk: Ancient ideas for new biomaterials. *Chemical Reviews*, 106 (9), pp.3762-74.

Li, D., Jackson, R.R. & Barrion, A.T., 1999. Parental and Predatory behavior of *Scytodes* sp., an araneophagic spitting spider (Araneae: Scytodidae) from the Philippines. *Journal of Zoological Society of London*, 247, pp.293-310.

Majumder, S.C. & Tikader, B.K., 1991. Studies on some spiders of the family Clubionidae from India. *Records of the Zoological Survey of India, Occasional Paper*, 102, pp.1-175.

Marc, P., Canard, A. & Ysnel, F., 1999. Spiders (Araneae) useful for pest limitation and bio-indication. *Agriculture, ecosystems and Environment*, 74, pp.229-73.

- Nakata, K. & Zschokke, S., 2010. Upside-down spiders build upside-down orb webs: web asymmetry, spider orientation and running speed in *Cyclosa*. *Proceedings of the Royal Society of London B: Biological Sciences* , 277, pp.3019-25.
- Nobre, T., Meierrose, C. & Oliveira, N.G.D., 2000. Comparison of sampling techniques for Vineyard foliage spiders (Araneae). *Ekologia*, 19(3), pp.201-06.
- Padate, G. et al., 2003. *Ecology and faunal diversity study of Jambughoda Wildlife Sanctuary*. Project Report. Vadodara: Forest Department Under OECF AIDED Programme Department of Zoology, Faculty of Science, The M.S. University of Baroda.
- Pandya, T.M., 1995. *Bioregion Common Property Resource Management Studies*. PhD Thesis. Vadodara: The Maharaja Sayajiro University of Baroda.
- Pandya, T.M. & Oza, G.M., 1998. *Bioregion common property resource management studies*. Vadodara: International Society of Naturalists.
- Parasharya, B.M., Vyas, R.V. & Patel, B.H., 2011. First authentic record of Regal Parachute Spider *Poecilotheria regalis* Pocock, 1899 and further comments on the distribution of Theraphosidae spiders from Gujarat State, India. *Journal of the British Tarantula Society*, 26(2), pp.55-62.
- Parmar, B.N. et al., 2014. First record of *Plesiophrictus millardi* Pocock, 1899 (Araneae: Theraphosidae) from Gujarat, India. *Research Journal of Animal, Veterinary, Fishery Sciences*, 2(5), pp.6-9.
- Pasquet, A. & Leborgne, R., 1997. Management of web construction in different spider species. In *Proceeding of the 7th European Colloquium of Arachnology*. Edinburgh , 1997.
- Patel, B.H., 1971. *Studies on some spiders (Araneae: Arachnida) from Gujarat, India*. Ph. D. Thesis. Gujarat: Sardar Patel University, Vallabh Vidyanagar.
- Patel, B.H., 1973. Some interesting Theridiid spiders (Araneae: Theridiidae) from Gujarat, India. *Bulletin of the British Arachnological Society* , 2(8), p.149–152.

Patel, B.H., 1975b. Studies on some spiders of the family Argiopidae (Arachnida: Araneae) from Gujarat, India. *VIDYA, Journal of Gujarat University, B-Science*, XVIII(1), pp.153-67.

Patel, B.H., 2003a. Fauna of Protected areas in India-I: Spiders of Vansda National Park, Gujarat. *Zoos' Print Journal*, 18(4), pp.1079-83.

Patel, B.H., 2003. Fauna of Protected areas-2: A preliminary list of spiders with descriptions of three new species from Parambikulam Wildlife Sanctuary, Kerala. *Zoos' Print Journal*, 18(10), pp.1207-12.

Patel, S.B., Bhatt, N.B. & Patel, K.B., 2012. Diversity of spider fauna of Ratanmahal Sloth Bear Sanctuary, Gujarat. *Life Sciences Leaflets*, 7, pp.74-79.

Patel, B.H. & Patel, H.K., 1972. New species of Cyllognatha Koch and Thwaitesia Cambridge (Theridiidae: Araneida) from Gujarat, India. *Oriental Insects*, 6(3), pp.293-97.

Patel, B.H. & Patel, H.K., 1973a. Description of some new species of spiders from India. *Oriental Insects*, 7(1), pp.127-32.

Patel, B.H. & Reddy, T.S., 1989. On some rare spiders of the family Zodariidae (Araneae: Arachnida) from coastal Andhra Pradesh, India. *Journal of the Bombay Natural History Society*, 86(1), p.221-225.

Patel, B.H. & Vyas, R., 2001. Spiders of Hingolghadh Nature Education Sanctuary, Gujarat, India. *Zoos' Print Journal*, 16(9), pp.589-90.

Peterson, J.A., Romero, S.A. & Harwood, J.D., 2010. Pollen interception by Linyphiid spiders in a corn agroecosystem: implications for dietary diversification and risk-assessment. *Arthropod-Plant Interactions*, 4(4), pp.207-17.

Pickard-Cambridge, O., 1870. On some new genera and species of Araneida. *Proceedings of the Zoological Society of London*, p.728-747.

- Platnick, N.I., Dupérré, N., Ott, R. & Kranz-Baltensperger, Y., 2011. The goblin spider genus *Brignolia* (Araneae, Oonopidae). *Bulletin of the American Museum of Natural History*, 349, pp.1-131.
- Pocock, R.I., 1900. *The Fauna of British India, including Ceylon and Burma, Arachnida*. London: Taylor and Francis.
- Prasifka, J.R. et al., 2007. Comparison of pitfall traps and litter bags for sampling ground-dwelling arthropods. *Journal of Applied Entomology*, 131(2), pp.115-20.
- Prasifka, J.R. et al., 2007. Comparison of pitfall traps and litter bags for sampling ground-dwelling arthropods. *Journal of Applied Entomology*, 131(2), pp.115-20.
- Reddy, T.S. & Patel, B.H., 1994. A new species of genus *Ctenus* Walckenaer (Araneae: Ctenidae) from India. *Entomon*, 19(3&4), p.131–133.
- Reddy, T.S. & Patel, B.H., 1994. A new species of genus *Ctenus* Walckenaer (Araneae: Ctenidae) from India. *Entomon*, 9(3), p.131–133.
- Richards, O.W. & Davies, R.G., 1977. *Imms' General Textbook of Entomology*. 10th ed. London: Chapman & Hall Publication.
- Samu, F. & Lovei, G.L., 1995. Species richness of a spider community (Araneae): Extrapolation from simulated increasing sampling effort. *European Journal of Entomology*, 92, pp.633-38.
- Saravanan, D., 2006. Spider Silk-Structure, Properties and Spinning. *Journal of Textile and Apparel, Technology and Management*, 5 (1), pp.1-20.
- Scharff, N. et al., 2003. When to Quit? Estimating spider species richness in a Northern European Deciduous Forest. *The Journal of Arachnology*, 31, pp.246-73.
- Scott, A.G., Oxford, G.S. & Selden, O.P., 2006. Epigeic spiders as ecological indicators of conservation value for peat bogs. *Biological Conservation*, 1271, pp.420-28.

- Sethi, V.D. & Tikader, B.K., 1988. Studies on some giant crab spiders of the family Heteropodidae from India. *Records of the Zoological Survey of India, Miscellaneous Publications, Occasional Paper*, 93, pp.1-94.
- Shanower, T.G. & Romeis, J.M.E.M., 1999. Insect pests of pigeonpea and their management. *Annual Review of Entomology*, 44(1), pp.77-96.
- Shultz, J.W., 1990. Evolutionary morphology and phylogeny of Arachnida. *cladistics*, 6, pp.1-38.
- Siliwal, M.S.B. & Pilo, B., 2003. Fauna of Protected areas-3: Spiders of Purna Wildlife Sanctuary, Dangs, Gujarat. *Zoos' Print Journal*, 18(11), pp.1259-63.
- Skerl, K.L. & Gillespie, R.G., 1999. Spiders in Conservation-tools, targets and other topics. *Journal of Insect Conservation*, 3, pp.249-50.
- Sørensen, L.L., Coddington, J.A. & Scharff, N., 2002. Inventorying and estimating subcanopy spider diversity using semiquantitative sampling method in an Afrotropical forest. *Environmental Entomology*, 31(2), pp.319-30.
- Srinivasulu, C. et al., 2013. Additions to the araneofauna of Andhra Pradesh, India - Part II. Records of interesting species of the comb-footed genera *Latrodectus*, *Rhomphaea* and *Coleosoma* (Araneae: Theridiidae). *Journal of Threatened Taxa*, 5, pp.4483-91.
- Stevenson, B.G. & Dindal, D.L., 1982. Effect of leaf shape on forest litter spiders: Community organization and microhabitat selection of immature *Enoplognatha ornatipes* (Clerk) (Theridiidae). *Journal of Arachnology*, 10, pp.165-78.
- Tikader, B.K., 1982. *The Fauna of India, Spiders: Araneae (Araneidae & Ganphosidae)*. Calcutta: Zoological Survey of India.
- Topping, C.J. & Sunderland, K.D., 1992. Limitations of use of pitfall traps in ecological studies exemplified by a study of spiders in a field of Winter Wheat. *Journal of Applied Ecology*, 29(2), pp.485-91.

- Uetz, G.W., Halaj, J. & Cady, A.B., 1999. Guild structure of spiders in major crops. *The Journal of Arachnology*, 27, pp.270-80.
- Uetz, G.W. & Unzicker, J.D., 1976. Pitfall trapping in ecological studies of Wandering Spiders. *Journal of Arachnology*, 3, pp.101-11.
- Uniyal, V.P. & Hore, U., 2006. Studies on the spider fauna in Mixed Sal Forest area of Chandrabani, Dehra Dun. *Indian Forester*, pp.83-88.
- Uniyal, V.P. & Quasin, S., 2010. Spiders: Bio-Indicators for Monitoring Biodiversity. *W.I.I Newsletter*, 17(3), p.3.
- Upadhyay, K., Patel, P. & Solanki, R., 2014. First record of White-Tailed Wood-Rat, *Madromys blanfordi* from Jambughoda Wildlife Sanctuary, Gujarat, India. *Small Mammal Mail*, 5(2), pp.21-22.
- Vankhede, G., Keswani, S. & Rajoria, A., 2013. A new species of the spiders Genus *Hygropoda* (Araneae: Pisauridae) from India. *Indian Society of Arachnology*, 2 (1), p.52–60.
- Venner, S. & Casas, J., 2005. Spider webs designed for rare but life-saving catches. *Proceeding of the Royal Society of London B: Biological Sciences*, 272 (1572), pp.1587-92.
- Vollrath, F., 1992. Analysis and interpretation of orb spider exploration and web-building behavior. *Advances in the Study of Behavior*, 21 (1), pp.147-99.
- Vollrath, F., Downes, M. & Krackow, S., 1997. Design variability in web geometry of an orb-weaving spider. *Physiology and Behavior*, 62 (4), pp. 735-743.
- Vyas, R., 1999. A preliminary survey on amphibian fauna of Jambughoda Wildlife Sanctuary, Gujarat. *Frog Leg*, 99, pp.2-3.
- Vyas, R., 2006. Reptilian diversity of Jambughoda Wildlife Sanctuary, Gujarat. *Tigerpaper*, 20 (1), pp.20-23.

- Vyas, R., Parasharaya, B.M. & Upadhyay, K.B., 2003. Record of Malabar Balloon Frog (*Uperodon systoma*) from Jambughoda Wildlife Sanctuary and its distribution in Gujarat state. *Cobra*, 54, pp.9-10.
- Vyas, R. & Upadhyay, K., 2011. Bemerkungen zu Geckos (Squamata: Gekkonidae) als Beute von Fledermäusen (Chiroptera: Microchiroptera: Megadermatidae). *Sauria*, 33(4), pp.71-74.
- Vyas, R. & Upadhyay, K., 2004. First record of the Painted Frog (*Kaloula pulchra*) from Jambughoda Wildlife Sanctuary, Gujarat. *Herpinstance*, 2(1), pp.1-2.
- Vyas, R. & Upadhyay, K., 2013. Mugger crocodile (*Crocodylus palustris*) preying on Indian Flying Fox (*Pteropus giganteus*). *Crocodile Specialist Group, Newsletter*, 32(3), pp.33-34.
- Vyas, R. & Upadhyay, K., 2014a. Study of the Indian Flying Fox (*Pteropus giganteus*) colonies of Jambughoda Wildlife Sanctuary, Gujarat, India: Record of largest roosting congregation at Targol. *Small Mammal Mail*, 6(1), pp.2-8.
- Vyas, R. & Upadhyay, K., 2014b. Sightings and distribution of rusty-spotted cat in Gujarat state, India. *Cat News*, 61, pp.26-29.
- Vyas, R. et al., 2013. Notes on the Breeding of the Brown Fish Owl *Ketupa zeylonensis*. *Indian BIRDS*, 8(6), pp.147-51.
- Watanabe, T., 2001. Effects of web design on the prey capture efficiency of the Uloborid spider *Octonoba sybotides* under abundant and limited prey conditions. *Zoological Science*, 18 (4), pp.585-90.
- Winder, L. et al., 2001. The use of barrier-connected pitfall trapping for sampling predatory beetles and spiders. *Entomologia Experimentalis et Applicata*, 98, pp.249-58.
- Witt, P.N. & Baum, R., 1960. Changes in orb webs of spiders during growth (*Araneus diadematus* Clerck and *Neoscona vertebrata* McCook). *Behaviour*, 16(3), pp.309-18.
- Zhang, Z.Q., 2013. Phylum Arthropoda. *ZOOTAXA*, 3703(1), pp.17-26.

Zhao, A. et al., 2005. Unique molecular architecture of egg case silk protein in a spider, *Nephila clavata*. *Journal of Biochemistry*, 138 , pp.593-604.