

REFERENCES

- Abbott, R. T. 1989. *Compendium of Landshells*. American Malcologists, Burlington, M. A.
- Achard, F., Eva, H. D., Stibig, H. J., Mayaux, P. and Galego, J. 2002. Determination of deforestation rates of the world's humid tropical forests. *Science*, **297**: 999-1002.
- Adayalkar, S. P. 2006. Monthly Averages of Temperature and Rain fall (1975-2005) Station-Dhadgaon. Stastical Department, Agricultural College, Dhule and Nandurbar district.
- Ahir, K. and Parikh, P. H. 2006. Diversity of butterflies in Gir protected area, Gujarat. Pp.148-154. In: S. Ignacimuthu, S. J. and S. Jayraj (eds.), *Biodiversity and Insect Pest Management*. Narosa Publishing House, New Delhi.
- Alabaster, J. S. and Lloyd, R. 1980. *Water quality criteria for fresh 'water fish*. 2nd edition. Pp 325.
- Alam, A. and Khan, A. A. 1996. Dynamics of plankton communities in four freshwater lentic ecosystems in relation to varying dominant biota. *Poll. Res.*, **15** (3):287- 291.
- Ali, M. M., Islam, M. A. and Habib, M. A. B. 1985. Monthly abundance of zooplankton and correlation of various dominant species and nauplius of zooplankton with some water characters in a pond. *Univ. J. Zool. Rajshahi Univ.*, **4**: 42-49.
- Ali, S. 1996. *The book of Indian Birds*. 11th Ed. Bombay Natural Society, Bombay.
- Ali, S. and Repley, S. D. 1983. *Handbook of birds of India and Pakisthan* (Compact edition, Oxford University Press, Bombay. India.
- Allen, A. P., Whittier, T. R., Larsen, D. P., Kaufmann, P. R., O'Connor, R. J., Hughes, R. M., Stemberger, R. S., Dixit, S. S., Brinkhurst, R. O., Herlihy, A. T. and Paulsen S. G. 1999. Concordance of taxonomic composition patterns across multiple assemblages: effects of scale, size and land use. *Can. J. Fisheries Aquatic Sciences.*, **56**: 2029-2040.
- An Kwang-Guk, and Jones, J. R. 2000. Factors regulating blue-green dominance in a reservoir directly influenced by the Asian monsoon. *Hydrobiologia*, **432**:37-48.

- Andrewartha, H. G. and Birch, L. C. 1973. The history of insect ecology. In: Smith, R. F.; Mitter, T. E. and Smith, C. N. (Eds.) *History of Entomology*, C. A. Annual Reviews, Palo Alto, pp 229-266.
- Anonymous, 2005. Lake Jennie Meeker Country. Water sampling report. In: outdoor corps program Saint Paul, M. N. Univ. of Minnesota extension Service, 55108.
- Antoine, C., Castella, E., Castella-Muller, J. and Lachavanne, J. B. 2004. Habitat requirements of fresh water gastropods assemblages in a lake fringe wetland (Lake Neuchated Switzerland). *Arch Hydrobiol.*, **159**: 377-94.
- Anu, A., Sabu, T. K. and Vineesh, P. J. 2009. Seasonality of litter insects and their relationship with rainfall in a wet evergreen forest in south Western Ghats. *J. Insect Sci.*, **9**: 46.
- APHA, 1992. *American Public Health Association : Standard methods for the examination of water and waste water* 19th edition. Pp 472.
- APHA, 1998. *American Public Health Association : Standard methods for the examination of water and wastewater*. 20th edition. American water works Association Water Environment Federation. Washington, D.C.
- Apodaca, C. K. and Chapman, L. J. 2004. Zygoptera adult of National Kibale Park, Uganda: Seasonal habitat associations and occurrence. *Odonatologica*, **33**(2): 129-146.
- Arulprakash, R. and Gunathilagaraj, K. 2010. Abundance and diversity of Odonata in temporary water bodies of Coimbatore and Salem districts in Tamil Nadu. *J. Threat. Taxa.*, **2**(8): 1099-1102.
- Arvind, N. A., Rajashekhar, K. P. and Madhayastha, N. A. 2005. Species diversity, endemism and distribution of land snails of the Western Ghats, India. *Records of the Western Australian Museum, Supplement*, **68**: 31-38.
- Atoma, O.C. 2004. *Spatial and temporal characteristics of phytoplankton and nutrient dynamics of the Imo River Estuary. South Eastern Nigeria*. Ph.D Thesis. Department of Botany, University of Benin, Benin City. 220 pp
- Awasthi, U. and Tiwari, S. 2004. Seasonal trends in abiotic factors of a lentic habitat (Govindgharh Lake) Rewa, M.P. *Indian Eco. Env. And Cons.*, **10** (2): 165-170.

- Ayoade, A. A., Agarwal, N. K. and Chandola-Saklani, A. 2009. Changes in physicochemical features and plankton of two regulated high altitude rivers of Garhwal Himalaya, India. *European J. Scientific Research*, **27**(1): 77-92.
- Baijot, E. M. J. and Bouada S. 1997. *Hydrobiological aspects of fisheries in Sahel region*. Technical center for agricultural and Rural co-operation ACP-EU. 220pp.
- Baillie, J. and Groombridge, K. 1996. 1996 IUCN *Red List of threatened animals*. World Conservation Union, Gland Switzerland.
- Baker, R. R. 1970. Bird predation as a selective pressure on the immature stages of the cabbage butterflies. *J. Zool.*, **162**: 43-59.
- Baker, R. R. 1972. Territorial behavior of the nymphalid butterflies. *J. Anim. Ecol.*, **41**: 453 -469.
- Bandela, N. N., Vaidya, D. P., Lomte, V. S. and Shivanikar, S. V. 1999. The distribution pattern of phosphate and nitrogen forms and their interrelationships in Barul Dam water. *Poll. Res.*, **18** (4): 411-414.
- Bandurski, R. S. 1965. Biological reduction of sulfate and nitrate. In: Bonner, J. and Varner, J. E. eds. *Plant Chemistry*. Academic Press, New York. Pp 467 – 490.
- Barker, G. M. and Mayhill, P. C. 1999. Patterns of diversity and habitat relationships in terrestrial mollusc communities of the Pukeamaru Ecological District, northeastern New Zealand. *J. Biogeography*, **26**: 215-238.
- Barker, G. M. and Mayhill, P. C. 1999. Patterns of diversity and habitat relationships in terrestrial mollusc communities of the Pukeamaru Ecological District, northeastern New Zealand. *J. Biogeography*, **26**: 215-238.
- Barua, K. K., Jolanta, S., Kadiri, S. B. and Michael, M. 2010. Correlations of rainfall and forest type with papilionoid assemblages in Assam in Northeast India. Hindawi Publishing Corporation Psyche.
- Basinska, A. and Kuczynska-Kippen, K. 2009. Differentiated macrophyte types as a habitat for rotifers in small mid forest water bodies. *J. Biologia. Biomedic. Life Sci.*, 1100-1107.
- Battish, S. K. 1992. *Freshwater Zooplankton of India*. Oxford and IBH Publishing Co. Pvt. Ltd. New Delhi.
- Baur, B. 1986. Patterns of dispersion, density and dispersal in alpine populations of the land snail *Arianta arbustorum* (L.) (Helicidae). *Holarct. Ecol.*, **9**: 117-125.

- Baur, B., Cremene, C., Groza, G., Schileyko, A. A., Baur, A. and Erhardt, A. 2007. Intensified grazing affects endemic plant and gastropod diversity in alpine grasslands of the Southern Carpathian mountains (Romania). *Biologia, Bratislava*, **62**(2): 438-445.
- Beaugarand, G. F. I. and Reid, P. C. 2000. Spatial, seasonal and long term fluctuations of plankton in relation to hydroclimatic features in the English channel. Celtic Sea and Bay of Biscay. *Marine Ecology Progress series*, **200**: 1813-1819.
- Begon, M., Harper, L. J. and Townsend, R. J. 1995. *Ecology: individuals, populations and communities*. Editions Omega, Barcelona, S. A.
- Beklioglu, M. and Moss, B. 1996. Experiments on the interaction of sediment influence, fish predation and aquatic plants with the structure of phytoplankton and zooplankton communities. *Freshwater Biology*, **36**: 315-325.
- Belmaker, J. 2009. Species richness of resident and transient fish responds differentially to regional diversity. *Global Ecol. Biogeogr.*, **18**:426-436.
- Bethke, R. W. and Nudds, T. 1993. Variation in the diversity of ducks along a gradient of environmental variability. *Oecologia*, **93**: 242-250.
- Beugrand, R. J., Lovejoy, T. E., Kapos, V. D., Santos, A. A. and Hutchinsonson, R. W. 1992. The Biological dynamics of tropical rain forest fragments. *Bioscience*, **42**:859-866.
- Beyst, B. D., Buysse, A., Dewicke and Mees, J. 2001. Surf zone hyperbenthos of Belgian sandy beaches: seasonal patterns. *Estuarine, Coastal and Shelf Science*, **53**: 877-895.
- Bhade, C., Unni, K. S. and Bhade, S. 2001. Limnology and Eutrophication of Tawa Reservoir, M.P. State, India. *Verh. Internat. Verein. Limnol.*, **27**:3632-3635.
- Bhanja, K., Mohanta, B. K. and Patra, A. K. 2000. *Studies on the water quality index of river Sanamachhankandana at Keonjhar Garh, Orissa, India*.
- Bhatt, L. R., Lacoul, P., Lekhak, H. D. and Jha, P. K. 1999. Physico-chemical characteristics and phytoplanktons of Taudaha, Lake, Kathmandu. *Poll. Res.*, **18** (4): 353-358.
- Birdlife International. 2000. Threatened birds of the World. Lynx Publications. Barcelona, Spain, Cambridge, U.K.
- BIS, (Bureau of Indian Standard). 1991. Indian Standard specification for drinking water, B. S. 10500.

- Biswas, A. and Raut, S. K. 1999. Spatial distribution of the edible mussels *Lamellidens marginalis* (Lamarck) (Bivalvia: Unionidae) in ponds in west Bengal, India. *J. Nat. Taiwan Mus.*, **52**: 79-85.
- Biswas, S. 1984. Phytoplankton of Opi Lake Enugu State, Nigeria. *Verhatnisse in Vereinigungen Limnologie*, **22**:1180-1184.
- Blanford, W. T. 1870. Contribution to Indian Malcology, No XI, description of new species of *Paludomus*, *Cremnoconchus*, *Cyclostoma* and of Helicidae from various parts of India. *J. Asiatic. Soc. Bengal*, **39**: 9-25.
- Blanford, W. T. and Godwin, H. H. 1908. *The fauna of British India- including Ceylon and Burma-mollusca* I. Taylor and Francis, London.
- Bohra, O.P. 1976. *Some aspects of limnology of Padam Sagar and Ranisagar*. Ph.D. Thesis submitted to University of Jodhpur, Jodhpur, India.
- Boqiagn, Q., Weiping, HU., Guang, GAO., Liancong, LUO and Jinshan, ZHANG. 2004. Dynamics of sediment resuspension and the conceptual scheme of nutrient release in the large shallow Lake Taihu, China. *Chinese Science Bulletin*, **49** (1): 54-64.
- Bormans, M. and Condie, S. A. 1998. Modelling the distribution of *Anabaena* and *Melosira* in a stratified river weir pool. *Hydrobiologia*, **364**: 3-13.
- Boschi, C. and Baur, B. 2007. The effect of horse, cattle and sheep grazing on the diversity and abundance of land snails in nutrient-poor calcareous grasslands. *Basic Appl. Ecol.*, **8**: 55-65.
- Bostrom, B., Anderson, J. M., Fleisher, S. and Jansson, J. 1988. Exchange of phosphorus across the sediment-water interface. *Hydrobiologia*, **170**: 229 – 244.
- Boyd, C. E. 1982. *Water quality management of lake fish culture*. Elsevier Sci. Pub. Co. Amstardam- Oxford, New York. Pp 318.
- Boyd, C.E. and Lichtkoppler, F. R. 1979. Water quality management in pond fish culture. *Research and Development Series*, **22**:30.
- Bried, J. T. 2005. *Community and conservation ecology of dragonfly and damselfly adults in Mississippi Wetlands*. M. S. Thesis, Mississippi State University, Mississippi.
- Briers, R. A. 2003. Range size and environmental calcium requirements of British freshwater gastropods. *Global Ecol. Biograph.*, **12**: 47-51.

- Brook, B. W., Sodhi, N. S. and Ng, P. K. L. 2003. Catastrophic extinctions follow deforestation in Singapore. *Nature*, **424**: 420-23.
- Brook, S. J. 1993. Review of a method to monitor adult dragonfly population. *J. British Dragonfly Society*, **9**(1): 1-4.
- Brooks, S. J. 1999. *Field guide to the dragonflies and damselflies of Great Britain and Ireland*. British Wildlife Publishing, Rotherwick.
- Brooks, S. J. and Jakson, K. A. 2001. The Odonata of Bioko, Republic of Equatorial Guinea, with the description of fan-shaped setae on early instar Libellulidae larvae. *Odonatologica*, **30**(1): 29-38.
- Brown, K. M. 1997. Temporal and spatial patterns of abundance in the gastropod assemblage of a macrophyte bed. *Anim. Malacol. Bull.*, **14**: 27-33.
- Brown, J. H. 1981. Two decades of homage to Santa-Rosalia: towards a general theory of diversity. *American Zoologist*, **21**: 877-888.
- Brown, L. and Amadon, D. 1968. *Eagles, Hawks and Falcons of the world*, 2 volumes. Country Life Books, Feltham.
- Brown, S. and Lugo, A. E. 1990. Tropical secondary forests. *J. Trop. Ecol.*, **6**: 1-32.
- Brunberg, A. K. and Blomqvist, P. 2002. Benthic overwintering of *Microcystis* colonies under different environmental conditions. *J. Plankton Research*, **24**(11): 12-22
- Bruno, B. C., Sara, C., Antunes, R. P., Amadeu, M. V. M., Soares, P. and Fernando, G. 2005. Rotifer community structure in three shallow lakes: Seasonal fluctuations and explanatory factors. *Hydrobiologia*, **543**: 221-232.
- Buchwald, R. 1992. Vegetation and dragonfly biological faunal characteristics and examples of field studies. *Vegetation*, **101**: 99-107.
- Buden, D. W. 1992. Birds of the Exumas, Bahama Island. *Wilson Bull.*, **104**: 674-698.
- Burch, J. B. and Pearce, T. A. 1990. Terrestrial Gastropoda. In: Dindal, D. L. editor. *Soil Biology Guide*. John Wiley and Sons, New York, USA. Pp 201-309.
- Butler, R. G. and Phillip, G. D. 2008. The significance of littoral and shoreline habitat integrity to the conservation of lacustrine damselflies (Odonata). *J. Insect Conserv.*, **12**: 23-36.
- Cairns, J. 1974. Indicator species vs the concept of community structure as an index of pollution. *Water Resources Bulletin*, **10**(2): 338-347.

- Calijuri, M. C., Santos, A. C. and Jati, S. 2002. Temporal changes in the phytoplankton community structure in a tropical and eutrophic reservoir (Barra Bonita, S.P. -Brazil). *J. Plankton Res.*, **24** (7): 617-634.
- Cameron, R. A. and Pokryszko, B. M. 2005. Estimating the species richness and composition of land mollusc communities. *J. Conchology*, **38**: 529-547.
- Cameron, R. A., Mylonas, M., Triantis, K., Parmakelis, A. and Vardinoyannis, K. 2003. Land snail diversity in a square kilometer of certain maquis: modest species richness, high density and local homogeneity. *J. Mollus. Stud.*, **69**: 93-99.
- Capin, T. G., Harrison, D. J. and Katnik, D. D. 1998. Influence of landscape pattern on habitat use by American magazine in an industrial forest. *Conservation Biology*, **12**: 1327-1337.
- Carchini, G., Solomini, A. G. and Ruggiero, A. 2005. Habitat characteristics and Odonate diversity in mountain ponds of central Italy. *Aquat. Conserv.: Mar Freshwater Ecosyst.*, **15**: 573-581.
- Carlson, R. 2001. Species-area relationships, water chemistry and species turnover of freshwater snails on the Aland Islands, southwestern Finland. *J. Mollus. Stud.*, **67**: 17 – 26.
- Carpenter, S. R. and Kitchell, J. F. 1993. *The trophic cascade in lakes*. Cambridge University Press, Cambridge, p.385.
- Carriack, J. H. and Schelske, L. C. 1997. Have we overlooked the importance of small phytoplankton in productive waters? *Limnology and Oceanography*, **42**: 1612-1613.
- Castri, Di. F., Robertson, V. J. and Younes, T. 1992. Inventorying and monitoring biodiversity. *Biology International Special issue* No. 2 IUBS, Paris.
- Cengiz Koc, C. P. 2008. The effect of the environment and ecology projects on Lake management and water quality. *Environment monitoring Assessment*, **146**:397–409.
- Chandrakar, M., Palekar, S. and Chandrakar, S. 2007. Butterfly fauna of Melghat Region, Maharashtra. *Zoos' Print Journal*, **22**(7): 2762 – 2764.
- Chandrasekhar, J. S., Babu, K. L. and Somasekar, R. K. 2003. Impact of urbanization on Bellandur Lake, Bangalore – A case study, *J. Environ. Biol.*, **24** (3): 223-27.

- Chapman, M. A. 1972. *Calamoeua lucasi* (Copepods : calanoida) and other zooplankters in two Rotatoria, New Zealand, lakes. *International Review der gesamten Hydrobiologie*, **58**: 79-104.
- Chauhan, R. 1993. Seasonal fluctuations of zooplankton in Renuka Lake, Himachal Pradesh, Uttar Pradesh. *J. Zoology*, **113**(1): 17-20.
- Clark, T. E. and Samways, M. J. 1996. Dragonflies (Odonata) as indicators of biotype quality in the Kruger National Park, South Africa. *J. Appl Ecol.*, **33**: 1001-1012.
- Clark, T. E., Wilson, K. H., Harvey, I. F., Thomas, C. J. and Sherratt, T. N. 1999. Dispersal characteristics of seven Odonate species in an agricultural landscape. *Ecography*, **22**: 524-531.
- Clarke, A. 2003. Costs and consequences of evolutionary temperature adaptations. *Trends Ecol. Evol.*, **18**:573-581.
- Clarke, A. and Gaston, K. J. 2006. Climate, energy and diversity. *Proc. R. Soc. London B.*, **273**:2257-2266.
- Clausnitzer, V. 2003. Dragonfly communities in coastal habitats of Kenya: indication of biotope quality and the need of conservation measures. *Biodiversity Conservation*, **12**: 333-356.
- Clausnitzer, V. and Jodicke, R. 2004. Guardians of the watershed. Global status of dragonflies: critical species, threat and conservation. *International J. Odonatology*, **7**: 385-398.
- Clausnitzer, V., Vincet J. K., Mala, R., Ben, C., Jonthan, E. M., Matjaz, B., William, R. T., Klaas, D. B., Rory, D., John, H., Haruki, K., Elena, M., Dennis, P., Kai, S., Frank, S., Reagan, J. V., Natalia, V. E. and Keith, W. 2009. Odonata enter the biodiversity crisis debate: The first global assessment of an insect group. *Biol. Conservation*, **142**: 1864-1869.
- Cody, M. L. 1985. *Habitat selection in birds*. Academic Press. Orlando, FL.
- Coker, R. F. 1954. *Streams Lakes and ponds*. The University of California, California U.S.A.
- Collen, B., Ram, M., Zamin, T. and McRae, L. 2008. The tropical biodiversity data gap: addressing disparity in global monitoring tropical conservation. *Science*, **1**: 75 -88.
- Connell, J. 1978. Diversity in tropical rain forest and coral reefs. *Science*, **199**: 1304-1310.

- Conrad, K. F., Willson, K. H., Harvey, I. F., Thomas, C. J. and Sherratt, T. N. 1999. Dispersal characteristics of seven Odonate species in an agricultural landscape. *Ecography*, **22**: 524-531.
- Constanti, S., Sergi, H. and Ferran, P. 2004. Butterfly species richness in the north-west Mediterranean Basin: the role of natural and human-induced factors. Blackwell Publishing Ltd. Butterfly Monitoring Scheme. *Museu de Granollers Ciencies Naturals, Francese, Macia*, 51: E-08400 Granollers, Spain.
- Corbet, P. S. 1993. Are Odonata useful as bioindicators? *Libellula*, **12**: 91-102.
- Corbet, P. S. 1999. *Dragonflies. Behavior and ecology of Odonata*. Cornell University Press, Ithaca, New York.
- Costa, H. H. and Silva, P. R. 1995. Limnological research and training in Sri Lanka: state of the art and future needs. In Gopal, B. and Wetzel, R. G. (eds). *Limnology in Developing Countries*. SIL., India. 1-39.
- Cowie, R., Nishida, G. M., Basset, Y. and Gon III, S. M. 1995. Patterns of land snail distribution in a montane habitat on the island of Hawaii. *Malacologia*, **36**: 123-136.
- Crowley, P. H. and Johnson, D. M. 1992. Variability and stability of a dragonfly assemblage. *Oecologia*, **90**: 260-269.
- Culin, J. D. 1997. Relationship of butterfly visitation with nectar qualities and flower colour in butterfly Bush, *Buddleia davidii*. *News of the Lepidopterists' Soc.*, **39**: 35-39.
- Culver, D. C. 1972. A niche analysis of Colorado. *Ecology*, **53**: 126-136.
- Currie, D. J. 1991. Energy and large scale patterns of animal and plant species richness. *American Naturalist*, **137**: 27-49.
- Currie, D., Gary, G. M., Howard, V. C., Richard, F., Jean, F. G., Bradford, A. H., Dawn, M. K., Jeremy, T. K., Thierry, O., Eileen, O. B. and Turner, J. R. 2004. Predictions and tests of climate-based hypotheses of broad-scale variation in taxonomic richness. *Ecology Letters*, **7**: 1121 – 1134.
- Dadhich, N. and Saxena, M. M. 1999. Zooplankton as indicators of trophic status of some desert waters of Bikaner (N-W Rajasthan). *J. Environ. Poll.*, **6**(4): 251-254.
- Daily, G. C. 2001. Ecological forecasts. *Nature*, **411**: 245.

- Darby, P. C., Bennetts, R. E., Miller, S. J. and Percival, H. F. 2002. Movements of Florida Apple Snails in Relation to Water Levels and Drying Events. *Wetlands*, **22**(3):489-498.
- Darwall, W. K., Smith, T. L. and Vie, J. C. 2005. The status and distribution of freshwater Biodiversity in eastern Africa. IUCN SSC Freshwater Assessment Programme. IUCN, Gland, Switzerland and Cambridge, UK.
- Das, P. K., Michael, R. G. and Gupta, A. 1996. Zooplankton community in lake Tasek a tectonic lake in Garo Hills, India. *Tropical Ecology*, **37**(2): 257-263.
- Dashpute, G. B. 1986. *Vanaspati aani Van Vigyan*. Continental Book Publishers, Pune. Pp 41-134.
- Davies, N. B. 1978. Territorial defense in the speckled wood butterfly (*Pararge aegeria*): the resident always wins. *Anim. Behav.*, **26**: 138 -147.
- Davies, O. A., Abowei, J. F. N. and Otene, B. B. 2009. Seasonal abundance and distribution of plankton of Minichinda stream, Niger Delta, Nigeria. *Amer. J. Sci. Res.*, **2**: 20-30.
- Dawson, D. G. 1981. Counting Birds for a relative Measure (index) of Density.
- De Marco, P. and Resende, D. C. 2002. Activity patterns and thermoregulation in a tropical dragonfly assemblage. *Odonatologica*, **31**(2): 129-138.
- De, A. K. 1999. *Environmental Chemistry*, New Age International (P) Ltd. Publishers, New Delhi, p.364.
- De, A. K. 2002. *Environmental Chemistry*, 4th Edition, New Age International Publishers, New Delhi, 245-252.
- Dempster, J. P. 1967. The control of *Pieris rupa* with DDT I. the natural mortality of the young stages of *Pieris*. *J. Appl. Ecol.*, **4**: 485-500.
- Dennis, R. L. H. 2010. A resource-based habitat view for conservation. *Butterflies in the British landscapes*. Oxford: Wiley-Blackwell West Sussex, UK.
- Dennis, R. L. H., Shreeve, T. G. and Van Dyck, H. 2003. Towards a resource-based concept for habitat: a butterfly biology viewpoint. *Oikos*, **102**: 417 – 426.
- Deshkar, S. L. 2008. *Avifaunal diversity and ecology of wetlands in semi arid zone of Central Gujarat with reference to their conservation and categorization*. Ph. D. Thesis submitted to the Maharaja Sayajirao University of Baroda, Vadodara, India.
- Devetter, M. and Sed'a, J. 2003. Rotifer fecundity in relation to components of microbial food web in a eutrophic reservoir. *Hydrobiologia*, **504** : 167-175.

- Didham, R. K. and Springate, N. D. 2003. Determinants of temporal variation in community structure. In: Basset, Y., Novotny, V., Miller, S. E. and Kitching, R. L. (Eds.). *Arthropods of Tropical Forests. Spatio-temporal Dynamics and Resource Use in the Canopy*. Cambridge University Press, Cambridge. Pp 28-39
- Dillon, R. T. 2000. *The Ecology of Freshwater Molluscs*. Cambridge University Press. Cambridge.
- Dixit, S. S., Smol, J. P., Kingston, J. C. and Charles, D. F. 1992. Diatoms: powerful indicators of environmental change. *Environmental Science and Technology*, **26** (1): 23-33.
- Djukic, N., Maletin, S., Pujin, V., Ivanc, A. and Milajonovic, B. 1994. Ecological assessment of water quality of Tisze by physicochemical and biological parameters. *Tisca Szeged*, **28**(1): 37-40.
- Dodson, S. I. and Frey, D. G. 2001. Cladocera and other Brachiopoda. In: Thorp, J. H. and Covich, A. P. (eds). *Ecology and classification of North American Freshwater Invertebrates*. 2nd edn. Academic Press, San Diego, San Francisco. pp 849-913.
- Dokulil, T. M. and Teubner, K. 2002. Cyanobacterial dominance in lakes. *Hydrobiologia*, **438**: 1-12.
- Dumming, J. B., Danielson, B. J. and Pullam, H. R. 1992. Ecological processes that affect populations in complex landscapes. *Oikos*, **65**: 169-175.
- Dunkle, S. W. 2000. *Dragonflies through binoculars: a field guide to dragonflies of North America*. Oxford University Press, New York.
- Durfor, C. N. and Becker, E. 1964. Public water supplies of the 100 largest cities in United States. *U. S. Geol. Survey Water Quality Paper*, **1812**: 1-364.
- Dussart, G. B. J. 1976. The ecology of freshwater molluscs in North West England in relation to water chemistry. *J. Mollu. Studies*, **12** : 181 – 198.
- Dwivedi, B. K. and Pandey, G. C. 2002. Physico-chemical factors and algal diversity of two ponds, (Girija Kund and Maqubara Pond), Faizabad. *Poll. Res.*, **21**: 361-370.
- Dwivedi, P. and Sonar, S. 2004. Evaluation of physico-chemical and biological characteristics of water samples in water reservoir around Rono Hills, Doimmukh (Dist. Papum Pare), Arunachal Pradesh. *Poll. Res.*, **23**(1): 101-104.

- Edmondson, W. T. 1946. Factors in the dynamics of rotifer populations. *Ecol.Monogr.*, **16**: 357-372.
- Edmondson, W. T. 1960. Water quality management and Lake Eutrophication, the Lake Washington case, *In OECD Report*. Sept. 1970. Paris.
- Edmondson, W. T. 1965. Reproductive rates of planktonic rotifers as related to food and temperature in nature. *Ecol. Monogr.*, **35** : 61 -111.
- Edmonson, W. T. 1963. *Freshwater biology*, 2nd edn. John Wiley and sons. New York, USA.
- Edward, J. B. and Ugwumba, A. A. 2010. Physico-chemical parameters and plankton community of Egbe Reservoir, Ekiti State, Nigeria. *Res. J. Biol. Sci.*, **5**(5): 356-367.
- Ehrlich, P. R., Murphy, D. D., Singer, M. C., Sherwood, C. B., White, R. R. and Brown, I. L. 1980. Extinction, reduction, stability and increase: the responses of checkerspot butterfly (*Euphydryas*) populations to the California drought. *Oecologia*, **46**: 101-105.
- Ekhande, A. P. 2010. *Hydrobiological studies of Yashwant Lake with special reference to selected biodiversity*. Ph. D. Thesis submitted to the Maharaja Sayajirao University of Baroda, Vadodara, India.
- Emberton, K. C. 1996. Conservation priorities for forest-floor invertebrates of the southeastern half of Madagascar: evidence from two land snails. *Biodiversity and conservation*, **5**: 729-741.
- Emberton, K. C., Pearce, T. A., Kasigwa, P. F., Tattersfield, P. and Habibu, Z. 1997. High diversity and regional endemism in land snails of eastern Tanzania. *Biodiversity and Conservation*, **6**: 1123-1136.
- Erhlich, P. R. 1961. Intrinsic barriers to dispersal in checkerspot butterfly. *Science*, **134**: 108-109.
- Erhlich, P. R. and Gilbert, L. E. 1973. Population structure and dynamics of the tropical butterfly *Heliconius ethilla*. *Biotropica*, **5**(2): 69-82.
- Erhlich, P. R., Breedlove, D. E., Brussard, P. F. and Sharp, M. A. 1972. Weather and the “regulation” of subalpine populations. *Ecology*, **53**: 243-247.
- Escaravage, V. and Prins, T. C. 2002. Silicate availability, vertical mixing and grazing control of phytoplankton blooms in mesocosms. *Hydrobiologia*, **484**:33-48.

- Evans, K. L., Greenwood, J. J. D. and Gaston, K. J. 2005. Dissecting the species-energy relationship. *Proc. R. Soc. London*, **272**:2155-2163.
- Evans, W. H. 1949. *The identification of Indian butterflies*. 2nd ed. Bombay Natural History Society, Bombay, pp 454.
- Fabio, A. L., Luis, M. B., Luis, F. M., Claudia, C. B., Erica, M. T. and Ludgero, C. G. 2008. Temporal coherence of zooplankton abundance in a tropical reservoir. *Hydrobiologia*, **596**:176-181.
- Fabricius, D. M. A., Maidana, N., Gomez, N. and Sabater, S. 2003. Distribution patterns of benthic diatoms in a Pampean river exposed to seasonal floods: the Cuarto River (Argentina). *Biodiversity and Conservation*, **12**: 2443-2454.
- Flemming, S. P., Holloway, G. L., Lawrence, P. S. 1999. Charecteristics of foraging trees selected by pied woodpeakers in New Brunswick. *J. Wildl. Manage.*, **63**: 461-469.
- Forro, L., Korovchinsky, N. M., Kotov, A. A. and Petrusek, A. 2007. Global diversity of cladocerans (Cladocera;Crustacea) in freshwater. *Hydrobiologia*, **595**:174-179.
- Fraser, E. C. 1933. *The fauna of British India including Ceylon and Burma, Odonata*. Vol. I. Taylor and Francis Ltd., London, pp 423.
- Fraser, E. C. 1934. *The fauna of British India including Ceylon and Burma, Odonata*. Vol. II. Taylor and Francis Ltd., London, pp 398.
- Fraser, E. C. 1936. *The fauna of British India including Ceylon and Burma, Odonata*. Vol. III. Taylor and Francis Ltd., London, pp 461.
- Frumhoff, P. 1995. Conserving wildlife in tropical forests managed for timber. *Bioscience*, **45**: 456-464.
- Fry, C. H., Fry, K. and Harris, A. 1996. *Kingfishers, Bee Eaters and Rollers*. Princeton, N. J., Princeton University Press, New Jersey.
- Gachter, R., Meyer, R. S. and Mares, A. 1988. Contribution of bacteria to release and fixation of phosphorus in lake sediments. *Limnology and Oceanography*, **33**: 1542-1558.
- Gadgil, M. 1996. Documenting diversity: An experiment. *Curr. Sci.*, **70**: 36-44.
- Gannon, J. E. and Stemberger, R. S. 1978. Zooplankton (Especially crustaceans and Rotifers) as indicators of water quality. *Trans. Amer. Micros. Soc.*, **97** (1): 16 – 35.

- Gaonkar, H. 1996. *Butterflies of Western Ghats with notes on those of Srilanka*. A report of Centre of Ecological Sciences, Indian Institute of Science, Bangalore, Zoological Museum, Copenhagen and Natural History Museum, London.
- Garg, R. K., Rao, R. J. and Saksena, D. N. 2009. Correlation of molluscan diversity with physico-chemical characteristics of water of Ramsagar reservoir, India. *Int. J. Biodiversity and Conservation*, **1**(6): 202-207.
- Gaston, K. J. 1996. *A biology of numbers and difference*. Ed. Gaston, K. J. Blackwell Science Ltd., Oxford, London.
- Gaston, K. J. 1988. Patterns in the local and regional dynamics of moth populations. *Oikos*, **53**: 49-57.
- Gaston, K. J. 1997. How many birds are there? *Biodiv. Con.*, **6**: 615-625.
- Gaston, K. J. and May, R. M. 1992. Taxonomy of taxonomists. *Nature*, **356**: 281-282.
- Gentry, J. B., Garten, C. T., Howell, F. G. and Smith, M. H. 1975. Thermal ecology of dragonflies in habitats receiving reactor effluent, pp 563-574. In: *Environmental Effect of Cooling Systems at Nuclear Power Plants*. International Atomic Energy Agency, Vienna.
- Geoff, A. B. and Danielle, D. 2007. Global diversity of Copepods (Crustacea:Copepoda) in freshwater. *Hydrobiologia*, **595**:145-164.
- Getz, L. L. and Uetz, G. W. 1994. Species diversity of terrestrial snails in the southern Appalachian mountains, USA. *Malcol. Rev.*, **27**: 61-74.
- Giani, A. 1994. Limnology in Pampulha Reservoir: some general observations with emphasis on the phytoplankton community. In: *Ecology and Human Impact on Lakes and reservoirs in Minas Gerais*. Ed. SEGRAC – Belo Horizonte: 151-164.
- Gibbons, L. K., Reed, J. M. and Chew, F. S. 2002. Habitat requirements and local persistence of three damselfly species (Odonata: Coenagrionidae). *J. Insect Conserv.*, **6**: 47-55.
- Gibbs, J. P. 1993. The importance of small wetlands for the persistence of local populations of wetland-associated animals. *Wetlands*, **13**: 25-31.
- Gilbert, J. J. 1995. Structure, development and induction of a new diapauses stage in rotifers. *Freshwat. Biol.*, **34**: 263-270.
- Gilbert, L. E. 1969. On the ecology of natural dispersal: *Dione moneta* in Texas (Nymphalidae). *J. Lepid. Soc.*, **23**: 177-185.

- Gillooly, J. F. 2000. Effect of body size and temperature on generation time in zooplankton. *J. Plankton Res.*, **22**(2): 241-251.
- Glowka, L., Burhenne, G. F. and Synge, H. 1994. *A guide to the Convention on Biological Diversity*. Environmental policy and Law Paper No. 30. IUCN, Gland and Cambridge.
- Goerck, J. M. 1997. Patterns of rarity in the birds of the Atlantic forest of Brazil. *Conservation Biology*, **11**: 112-118.
- Goher, M. E. M. 2002. *Chemical studies on the precipitation and dissolution of some chemical elements in Lake Qarun*, Ph.D. Thesis, submitted to Faculty of Science Al-Azhar University, Egypt.
- Goldman, C. R. and Horne, A. J. 1983. *Limnology*. McGraw Hill Book Co., New York, pp 464.
- Goldsmith, F. B. 1991. *Monitoring for Conservation and Ecology*. Chapman and Hall, London.
- Gopal, B. 1997. Biodiversity in inland aquatic ecosystem in India: An overview. *Int. J. Ecol Environ. Sci.*, **23**:305-313.
- Goswami, C. S. and Selvakumar, R. A. 1977. Plankton studies in the Eustarine system. *Geo Proc. Syarp. Warm water. Zoopl. Spl. Publ. UNESCO*: 226-241.
- Gowd, S. S., Sudheer, A. S. and Srinivasulu, S. 1998. Assessment of water quality for domestic and irrigation purposes in Peddavanka watershed, Anantapur District. *Indian J. Envntl. Protcn.*, **19** (9): 689-697.
- Green, J. 2003. Associations of planktonic and periphytic rotifers in a tropical swamp, the Okavango Delta, Southern Africa. *Hydrobiologia*, **490**: 197-209.
- Green, J., Corbet, S. A., Watts, E. and Lan, O. B. 1996. Comparative studies on Indonesian Lakes. In: Schiemer, F. and Boland, K. T. (eds). *Perspective in tropical Limnology*. Academic Publishing, Amsterdam: 101-111.
- Grillas, P. 1996. Identification of indicators. In: Vives, P. T. (ed). *Monitoring Mediterranean wetlands: a methodological guide*. Wetlands International, Slimbridge, pp 350-404.
- Grimmett, R., Inskipp, C. and Inskipp, T. 1998. *Birds of the Indian sub Continent*. Christopher Helm, London.
- Gude, G. K. 1914. *The fauna of British India-including Ceylon and Burma-Mollusca II*. Taylor and Francis, London.

- Gude, G. K. 1921. *The fauna of British India-including Ceylon and Burma-Mollusca* III. Taylor and Francis, London.
- Gulati, R. D. and Wurtz-Schulz, Z. 1980. Remarks on the present status of limnology in India based mainly on the Indian publications in hydrobiologia and suggestions for future approach. *Hydrobiologia*, **72**: 211-222.
- Gupta, B. S., Saraswati, M. L. and Purohit, M. L. 1998. Changing pattern of land and its efficiency in arid zone of Rajasthan. *National Geographical Journal of India*, **44**(1): 236-240.
- Gupta, I. J. and Mondal, D. K. 2005. *Red Data Book*, Part II: Butterflies of India., Kolkata.
- Hafsa, S. L. and Gupta, S. 2009. Phytoplankton diversity and dynamics of Chatla floodplain lake, Barak Valley, Assam, North East India- A seasonal study. *J. Environ. Biol.*, **30**(6): 1007-1012.
- Hampson, G. F. 1996. *The fauna of British India including Ceylon and Burma*. Taylor and Francis Ltd., London.
- Hampton, S. E. and Gilbert, J. J. 2001. Observations on insect predation on rotifers. *Hydrobiologia*, **446/447**: 115-121.
- Hansson, L., Nicolle, A., Bronmark, C., Hargeby, A., Lindstrom, A. and Anderson, G. 2010. Waterfowl, macrophytes, and the clear water state of shallow lakes. *Hydrobiologia*,
- Hart, R. C. 2004. Cladoceran periodicity patterns in relation to selected environmental factors in two cascading warm-water reservoirs over a decade. *Hydrobiologia*, **526**:99-117.
- Hawkins, A. A., Field, R., Cornell, H. V., Currie, D. J., Guegan, J. F., Kaufman, D. M., Kerr, J. T., Mittelbach, G. G., Oberdorff, T., O'Brien, E. M., Porter, E. E. and Turner, J. R. 2003. Energy, water and broad-scale geographic patterns of species richness. *Ecology*, **84**: 3105 -3117.
- He, F., Gaston, K. J., Connor, E. F. and Srivastava, D. S. 2005. *Ecology*, **86**(2):360-365.
- Heide, J. V. D. 1982. *Lake Brokopondo-Filling phase limnology of a man-made lake in the humid tropics*. Publ. at Biological Lab., Virje Univst., Postbus, Amsterdam, pp.151-153.

- Heino, J. 2000. Lentic macroinvertebrate assemblage structure along gradients in spatial heterogeneity, habitat size and water chemistry. *Hydrobiologia*, **418**(1): 229-242.
- Heino, J. and Muotka, T. 2006. Landscape position, local environmental factors and the structure of mollusc of Assen Lakes. *Landscape Ecology*, **21**(4): 499-507.
- Hensen, V. 1887. Ueber die Bestimmung des Planktons oder des in Meere trebenden Materials an Pflanzen und Thieren. *Ber. Kommn. Wiss. Unters. Dt. Meere*, **5**: 1-109.
- Heywood, V. H. and Stuart, S. N. 1992. Species extinction in tropical forests. *Tropical deforestation and species extinction*. Chapman and Hall, London.
- Heywood, V. H. and Watson, R. T. 1995. Global Biodiversity Assessment. Cambridge University Press, Cambridge.
- Hilbricht-Ilkowska, A. 1967. Attempt at evaluation of the production and turnover of plankton rotifers on the example of *Keratella cochlearis* (Gosse). *Bull. Akad. Pol. Sci.*, **25**: 35 -40.
- Hilden, O. 1965. Habitat selection in birds. *Ann. Zool. Fenn.*, **2**: 53-75.
- Hill, J. K. and Hammer, K. C. 2004. Determining impacts of habitat medication on diversity of tropical forest fauna: the importance of spatial scale. *J. Applied Biol.*, **41**: 744-754.
- Hill, J. K., Hamer, K. C., Dawood, M. M., Tangah, J. and Chey, K. 2003a. Rainfall but not selective logging affect changes in abundance of a tropical forest butterfly in Sabah, Borneo. *J. Tropical Ecology*, **19**(1): 35 -42.
- Hill, J. K., Thomas, C. D. and Huntley, B. 2003b. Modeling present and potential future ranges of European butterflies using climate response surfaces. In: Boggs, C. L., Watt, W. B. and Ehrlich, P. R. Eds. *Butterflies: Ecology and Evolution Taking flight* The University of Chicago Press, Chicago, IL, pp: 149-167.
- Holloway, J. D., Kirk-Springs, A. H. and Chey, V. K. 1992. The response of some rain forest insect groups to logging and conversion to plantation. *Philosophical Transactions of the Royal Society B.*, **335**: 425-436.
- Holmes, R. T. and Sturges, F. W. 1974. Bird community dynamics and energetic in a northern hardwood ecosystems. *J. Anim. Ecology*, **44**: 175-200.

- Horsak, M., Hajek, M., Dite, D. and Tichy, L. 2007. Modern distribution patterns of snails and plants in the western Carpathian spring fens: is it a result of historical development? *J. Mollu. Studies*, **73**(1): 53-60.
- Hosmani, S. P., Nagarathna, P. and Mahadev, J. 2002. Scale forming and corrosive tendencies of water in 20 lakes of Mandy district and its relation to phytoplankton. *IJEP*, **22** (8):852-857.
- Hrbacek, J. 1969. On the possibility of estimating predation pressure and nutrition level of populations of *Daphnia* (Crustacea, Cladocera) from their remains in sediments. *Mitt. Int. Ver. Limnol.*, **17**: 269 -274.
- Hujare, M. S. 2005. *Hydrobiological studies of some water reservoirs of Hatkanangale Tahsil (Maharashtra)*. PhD thesis submitted to Shivaji University, Kolhapur, India.
- Hulyal, S. B. and Kaliwal, B. B. 2009. Dynamics of phytoplankton in relation to physico-chemical factors of Almatti reservoir of Bijapur District, Karnataka State. *Environ. Monit. Assess.*, **153**: 45-59.
- Hurlbert, S. H. 1971. The non-concept of species diversity: a critique and alternative parameters. *Ecology*, **52**: 577-586.
- Hurley, M., Hernden, M. N. and Kay, B. H. 1995. Distribution of aquatic pulmonate snail species in contrasting habitats within the Ross River Reservoir (Stage 2a), tropical northern Australia. *Mar. Freshwat. Res.*, **46**: 1033-1038.
- Hussain, K. J., Ramesh, T., Satpathy, K. K. and Selvanayagam, M. 2011. Seasonal dynamics of butterfly population in DAE campus, Kalpakkam, Tamil Nadu, India. *J. Threatened Taxa*, **3**(1): 1401-1414.
- Hutchinson, G. E. 1957. *A Treatise on Limnology* (1 & 2), John Wiley and Sons, Inc, New York.
- Hutchinson, G. E. 1959. Homage to Santa Rosalia, or why are there so many kinds of animals? *Am. Nat.*, **93**:145-159.
- Hutchinson, G. E. 1967. *A treatise on Limnology (ii) Introduction to Lake Biology and the limnoplankton*. John Wiley and Sons, Inc. New York, London.
- ICMR, 1975. Manual of standards of quality for drinking water supplies, Special Report Series 44, 2nd Ed.
- Iga, L. and Adam, S. 2006. Rare, threatened and alien species of the gastropod communities in the clay pit ponds in relation to environmental factors. *Biodiversity Conservation*, **15**:3617-3635.

- Imevbore, A. M. A. 1970. Some preliminary observations on the ratios and fecundity of the fish in river Niger. *In: Visser (ed) Kainji Lake Studies. Ecology*, **1**: 87-88.
- Imoobe T.O.T. and Oboh, I. P. 2003. Physical and chemical hydrology of river Jamieson, Delta state, Nigeria. *Benin. Sci. Digest.*, **1**:105-119
- Iqbal, S. A. and Kataria, H. C. 1995. Physico-chemical analysis and water quality assessment of upper Lake of Bhopal. *Indian J. Envi. Protection*, **7**: 1-15.
- ISI, 1991. Indian standard specification for drinking water IS: 10500, ISI, New Delhi.
- IUCN. 2011 <http://www.iucnredlist.org/>
- IUCN, 2001. IUCN Red List categories and criteria: version 3.1 commission, ISS, IUCN, Gland, Switzerland and Cambridge UK.
- IUCN. 1994. *IUCN Red List of threatened animals*. IUCN Gland, Switzerland and Cambridge, UK.
- Izaguirre, I., O'Farrell, I., Unrein, F., Sinistro, R., Dos. M., Afonso, S. and Tell, G. 2004. Algal assemblages across a wetland, from a shallow lake to relictual oxbow lakes (Lower Parana River, South America). *Hydrobiologia*, **511**:25-36.
- Jackson, D. F. 1961. Comparative studies on phytoplankton photosynthesis in relation to total alkalinity. *Verhandl. Intern. Ver. Limnol.*, **14**: 125-133.
- James, F. C. 1971. Ordination of habitat relationships among breeding birds. *Wilson Bulletin*, **82**: 215-236.
- Jathar, G. A. and Rahmani, A. R. 2005. Ecological studies of Forest Spotted Owlet (*Heteroglaux bleurtti*). Final Report BNHS. Pp. 77.
- Jayaraman, P. R., Ganga, D. T. and Vasuena, N. T. 2003. Water quality studies on Kasmane river. Thiruvananthapuram, District South Kerela, India. *Poll Res.*, **32**(1): 89-100.
- Jhajhria, A. 2003. Prospectus of aquaculture in a freshwater pond at Jodhapur in relation to its limnology. *Eco. Env. Cons.*, **9**(4): 453-459.
- Jindal, R. and Kumar, R. 1993. Limnology of a freshwater pond at Nalgarh (Himachal Pradesh, India) 1. Physicochemical complexes. *In: Advances In Limnology*. Singh, H.R. Ed.. pp 107 – 112.
- Johnson, C. G. 1969. *Migration and dispersal of insects by flight*. Methuen. London Pp 763.

- Johnston, R. B. and Jacoby, J. M. 2003. Cyanobacterial toxicity and migration in a mesotrophic lake in western Washington, USA. *Hydrobiologia*, **495**: 79-91.
- Jorge, J. C., Sarma, S. S., Martin, M. and Nandini, S. 2009. Seasonal changes in the rotifer (Rotifera) diversity from a tropical high altitude reservoir (Valle de Bravo, Mexico). *J. Environ. Biol.*, **30**(2): 191-195.
- Joshi, P. C. and Singh, A. 2001. Analysis of certain physico-chemical parameters and planktons of fresh water hill stream at Nanda Devi biosphere reserve, Uttar Pradesh. *J. Zool.*, **21**: 177 -179.
- Junk, W. J. and Robertson, B. A. 1997. Aquatic invertebrates. In: Junk, W. ed. *The Central Amazon Floodplain Ecology of a Pulsing system*. Springer-verlag, Berlin. Pp 279-298.
- Kadiri, M.O. 2000. Seasonal trend in the chemical limnology of a shallow Nigerian man-made lake. *Acta. Hydrobiol.*, **421**(2) 29-40.
- Kadoya, T., Suda, S. and Washitani, I. 2004. Dragonfly species richness on man-made ponds: effects of pond size and pond age on newly established assemblages. *Ecol. Research*, **19**: 461-467.
- Kalkman, V. J., Clausnitzer, V., Dijkstra, K. D. B., Orr, A. G., Paulson, D. R. and Van, T. J. 2008. Global diversity of dragonflies (Odonata) in freshwater. *Hydrobiologia*, **595**: 351-363.
- Kamat, M. D. 1965. Ecological notes on Kolhapur. *J. Biol. Sci.*, **8**: 47-54.
- Kamenir, Y., Dubinsky, Z. and Zohary, T. 2004. Phytoplankton size and structure stability in a meso-eutrophic subtropical Lake. *Hydrobiologia*, **520**:89-104.
- Kannan, V. 1978. *The limnology of Sathiar: A fresh water impoundment*. Ph.D. Thesis, submitted to Madurai Kamaraj Univ., Madurai, India.
- Kant, S. and Raina, A. K. 1990. Limnological studies of two ponds in Jammu. II. Physico-chemical parameters. *J. Env. Biol.*, **11**: 137-144.
- Karr, J. R. and Brawn, J. D. 1990. Food resources of understory birds in central Panama: quantification and effects on avian populations. *Studies in Avian Biology*, **13**: 58-64.
- Karr, J. R. and Roth, R. R. 1971. Vegetation structure and avian diversity in several new world areas. *American Naturalist*, **105**: 423-435.
- Karr, J. R., Robinson, S. K., Blake, J. G. and Bierregaard, R. O. 1990. Birds of four neotropical forests. In: Gentry, A. H. (ed.), four neotropicalrain forests. Yale University Press, New Haven. Pp. 237-251.

- Kasprzak, P. and Koschel, R. 2000. Lake trophic state, community structure and biomass of crustacean plankton. *Verhandlungen der Internationalen Vereinigung fur Limnologie*, **27**: 773-777.
- Kataria, H. C., Iqbal, S. A. and Sandilya, A. K. 1995. Limno-chemical studies of Tawa Reservoir. *Indian J. of Envntl Prtcn.*, **16** (11): 841-846.
- Kaul, V. and J. K. Handoo, 1980. Physicochemical characteristics of Nilnag-a high altitude forest lake in Kashmir and its comparison with valley lakes. *Proc. Indian National Sci. Acad. B.*, **46**(4): 528-541.
- Kaur, S., Dhillon, S. S., Kaur, N. and Bath, K. S. 1995. Physicochemical characteristics of fresh water ecosystem prevailing in and around Patiala (Punjab). *J. Environ. Ecol.*, **13** (3): 523-528.
- Kearns, K. D. and Hunter, M. D. 2001. Toxin-producing *Anabaena flos-aquae* induces setting of *Chlamydomonas reinhardtii*, a competing motile alga. *Microbial Ecology*, **42**: 80-86.
- Kehimkar, I. 2008. *The Book of Indian Butterflies*. Bombay Natural History Society, Oxford University Press, Oxford, Mumbai, Delhi, Calcutta Chennai, INDIA.
- Kemp, D. J. and Wiklund, C. 2001. Fighting without weaponry: a review of male-male contest competition in butterflies. *Behav. Ecol. Sociobiol.*, **49**: 429-442.
- Khan, A. J. and Khan, A. A. 1985. Physicochemical condition in Seikha jheel at Aligarh. *Env. Eco.*, **5**: 269 – 274.
- King, W. 1981. *Endangered Birds of the World*. The ICBP Bird Red Data Book. Smithsonian Institution Press, Washington D. C.
- Kinvig, R. G. and Samways, M. J. 2000. Conserving dragonflies (Odonata) along streams running through commercial forestry. *Odonatologica*, **29**: 195-208.
- Kobbia, I. A., Zaki, M. Z. and Gad, Y. M. 1992. Ecology of phytoplankton in estuarine regions of Abu Tarfaia drain in Lake Qarun (Egypt). *Mansoura Sci., Bull. Egypt*, **19**: 141-165.
- Koshy, M. and Nayar, T. V. 1999. Water quality aspects of river Pampa, *Poll. Res.* **18**(4): 501-510.
- Kousar, H. and Puttaiah, E. T. 2008. Dynamics of certain physico-chemical and biological characteristics of Shanti Sagar Lake- The largest Lake in Karnataka State. Proceedings of Taal 2007: The 12th World Lake Conference : 1679-1686, Jaipur.

- Krebs, C. J. 1985. *Ecology: the experimental analysis of distribution and abundance*. Third edition, Harper and Row Publisher, New York.
- Kremen, C. 1992. Assessing the indicator properties of species assemblages for natural areas monitoring. *Ecological Applications*, **2**: 203-217.
- Kricher, J. C. 1972. Bird species diversity: the effect of species richness and equitability on the diversity index. *Ecology*, **53**: 278-282.
- Krishnan J., Ray, J. G. and Unni, K. S. 2003. A report on the ecology of Periyar Lake, Paper presented in the National level Seminar (Technofest-23rd to 25th July) held at CUSAT. Koshy, M. and Nayar, T. V. 1999. Water quality aspects of river Pampa. *Poll. Res.*, **18**(4): 501-510.
- Krishnan, J. R. 2008. *Investigation on hydrobiology and water Quality parameters of periyar lake, Thekkady, Kerala*. Ph. D. Thesis submitted to Mahatma Gandhi University, Kerala.
- Kubo, M., Takato, K., Kitahara, M. and Atsuko, H. 2008. Seasonal fluctuations in butterflies and nectar resources in a semi-natural grassland near Mt. Fuji, Central Japan. *Biodiversity Conservation*.
- Kuczynska-Kippen, N. 2000. Seasonal changes of the rotifer community in the littoral zone of a polymictic lake. *Verh. Internat. Verein. Limnol.*, **27**: 2964-2967.
- Kudari, V. A., Kadadevaru, G. G. and Kanamadi R. D. 2005. Zooplankton composition in some ponds of Haveri District, Karnataka. *Zoos' Print Journal*, **20**(12): 2094-2099.
- Kudesia, K. P., Verma, S. P., Sangh, K. P. and Sanjiv. R. B. 1986. Pollution studies of drinking water quality of environmentally degraded village Kamalpur (Dist. Meerut) and their remedial measures. *Indian J. Environ. Agric.* **1**(1): 38-44.
- Kumar, A., Qureshi, T. A., Parashar, A. and Patiyal, R. S. 2006. Seasonal variation in physico-chemical characteristics of Ranjit Sagar Reservoir, Jammu and Kashmir. The Academy of Environmental Biology, India. *J. Ecophysiol. Occup. Hlth.*
- Kumar, R., Singh, R. D. and Sharma, K. D. 2005. Water resources of India. *Current Science*, **89**(5): 794-811.
- Kunte, K. 1997. Seasonal patterns in butterfly abundance and species diversity in four tropical habitats in the northern Western Ghats. *J. Biosciences*, **22**:593-603.

- Kunte, K. 2000. *Butterflies of Peninsular India*. Universities Press (Hydrabad) and Indian Academy of Sciences (Banglore) India.
- Kunte, K. 2001. Butterfly diversity of Pune city along the human impact gradient. *J. Ecological Soc.*, **13 and 14**: 40-45.
- Kunte, K. 2005. Species composition, sex-ratios and movement patterns in Danaine butterfly migrations in southern India. *J. Bom. Nat. His. Soc.*, **102**(3): 280-286.
- Kurano, N. and Miyachi, S. 2004. Microalgal studies for the 21st century. *Hydrobiologia*, **512**:27-32.
- Lande, R. 1993. Risks of population extinction demographic and environmental stochasticity and random catastrophes. *Am. Nat.*, **142**:911-927.
- Landres, P. B., Verner, J., Thomas, J. W. 1988. Ecological uses of vertebrate indicator species: a critique. *Conservation Biology*, **2**: 316-328.
- Larsen, T. B. 1987. The butterflies of the Nilgiri Mountains of Southern India (Lepidoptera: Rhopalocera). *J. Bom. Nat. Hist. Soc.*, **84**(2): 560 -316.
- Laurance, W. F. 2007. Ecosystem decay of Amazonian forest fragments: implications for conservations. In: Tscharntke, T., Leuschner, C., Zeller, M., Guhadja, E. and Bidin, A. editors. The stability of tropical rainforest margins, linking ecological, economic and social constraints of land use and conservation. Springer, Environmental Science Series, New York, USA. Pp. 11-38.
- Lawler, S. P. 2001. Rice fields as temporary wetlands: a review. *Israel J. Zool.*, **47**: 513-528.
- Lee, L. E., Stassen, J., McDonald, A., Culshaw, C., Venosa, A. D. and Lee, K. 2002. Snails as biomonitors of oil-spill and bioremediation strategies. *Bioremediation Journal*, **6**: 373-386.
- Lee, P. Y. and Rotenberry, J. T. 2005. Relationships between bird species and tree species assemblages in forested habitats of eastern North America. *J. Biogeogr.*, **32**:1139-1150.
- Lees, A. D. 1962. Phonological aspects of diapauses. *Ann. Appl. Biol.*, **50**: 596-599.
- Lennon, J. J., Greenwood, J. J. D. and Turner, J. R. G. 2000. Bird diversity and environmental gradients in Britain: a test of the species-energy hypothesis. *J. Anim. Ecol.*, **69**: 581-598.
- Lentz-Cipollini, K. A. and Dunson, W. A. 2006. Abiotic features of Seasonal Pond habitat and Effects on Endangered Northeastern Bulrush, *Scirpus ancistrochaetus* Schuyler, in Central Pennsylvania. *Castanea*, **71**(4): 272-281.

- Levandowsky, M. 1972. An ordination of phytoplankton populations in ponds of varying salinity and temperature. *Ecology*, **53**(3): 398-407.
- Lewin, I. and Smolinski, A. 2006. Rare, threatened and alien species in the gastropod communities in the clay pit ponds in relation to environmental factors (The Ciechanowska Upland, Central Poland), *Biodiversity and Conservation*, **15**: 3617-3635.
- Lewis, W. M. 1983. Temperature, heat and mixing in Lake Valencia, Venezuela. *Limnol. Ocenogr.*, **28**: 273-286.
- Li, M., Gargett, A. and Denman, K. 2000. What determines seasonal and interannual variability of phytoplankton and zooplankton in strongly estuarine system? Application to the semi-enclosed estuary of Strait of Georgia and Juan de Fuca Strait, Estuarine. *Coastal and Shelf Science*, **50**: 467-488.
- Licandro, P. and Ibaney, F. 2000. Changes of zooplankton communities in the gulf of Tigullio (Ligurian sea, weastern Mediterranean) from 1985-1995. Influence of hydro climatic factors. *J. Plankton Res.*, **22**: 2225-2253.
- Lindholm, T., Vesterkvist, P., Spoof, L., Lundberg-Niinisto, C. and Meriluoto, J. 2003. Microcystin occurrence in lakes in Aland, SW Finland. *Hydrobiologia*, **505**:129-138.
- Lodge, D. M., Brown, K. M., Klosiewski, S. P. and Stein, A. P. 1987. Distribution of freshwater snails: spatial scale and the relative importance of physico-chemical and biotic factors. *American Malcological Bulletin*, **5**: 73-84.
- Lodge, D. M. and Kelly, P. 1985. Habitat distribution and the stability of freshwater gastropod population. *Oecologia*, **68**: 111-117.
- Luck, G. W. and Daily, G. G. 2003. Tropical countryside bird assemblages: richness, composition and foraging differ by landscape context. *Ecological Applications*, **13**:235-247.
- Lydeard, C., Cowie, R. H., Bogan, A. E., Bouchet, P., Cummings, K. S., Frest, T. J., Herbert, D. G., Hershelar, R., Gorgominy, O., Perez, K., Ponder, W. F., Roth, B., Seddon, M., Strong, E. E. and Thompson, F. G. 2004. The global decline of nonmarine molluscs. *Bioscience*, **54**: 321-330.
- Macan, T. T. 1958. *Ponds and Lakes*, George. Allen and Unwin Ltd. London, pp 148.
- MacArthur, R. H. 1964. Environmental factors affecting bird species diversity. *American Naturalist*, **98**: 387-396.

- Mackie, G. L. and Flippance, L. A. 1983. Relationships between Buffering Capacity of Water, the Size and Calcium Content of Freshwater Molluscs. *Fresh. Invert. Biol.*, **2**, (1): 48-55.
- Magare, S. R. 2007. Biodiversity of freshwater molluscs from Satpuda mountains and Tapi River with reference to vector snails. *Flora and Fauna*, **13(1)**: 161-164.
- Magurran, A. and Henderson, P. 2003. Explaining the excess of rare species in natural species abundance distributions. *Nature*, **422**: 714-716.
- Mahajan, C. L. 1981. Zooplankton as indicators for assessment of water pollution, WHO workshop on biological indicators as an indices of Environmental pollution. *Central Bd. Prew. Cont. poll.*, 135-148.
- Maier, G. 1994. Patterns of life history among cyclopoid copepods of central Europe. *Freshwater Biol.*, **31**: 77-86.
- Majagi, S. and Vijaykumar, K. 2009. Ecology and abundance of zooplankton in Karanja reservoir. *Environ. Monit. Assess.*, **152**: 451 – 458.
- Malhotra, S. K. and Zaroni A. E, 1970. Chloride interference in nitrate nitrogen determination. *J. Amer. Wat. Works Assoc.*, **62**: 568-571.
- Maltchik, L., Stenert, C., Kotzian, C. B. and Pereira, D. 2010. *Braz. J. Biol.*, **70(3)**: 473-482.
- Manikya Reddy, P. 1984. *Ecological studies in the river Tungabhadra (A.P.) with special reference to the effect of paper mill effluents on the river*. Ph.D. thesis submitted to Osmania University, Hyderabad, India.
- Manna, R. K. and Das, A. K. 2004. Impact of the river Moosi on river Krishna 1. Limno-chemistry. *Poll. Res.*, **23**: 29-38.
- Margalef, R. 1994. Diversity and biodiversity – their possible meaning in relation with the wish for sustainable development. *An Acad. Bras. Cienc.*, **66** (supl. 1): 3 -12.
- Maria, R. M. 1974. Niche structure in freshwater zooplankton: A principal component approach. *Ecology*, **55**: 1306-1316.
- Mason, F. F. 1970. Snail populations, beech litter production and the role of snails in litter decomposition. *Oecologia*, **5**: 215-239.
- Mathew, G. and Anto, M. 2007. In: Conservation of butterflies through establishment of butterfly gardens: A case study at Peechi, Kerala, India. *Current Sci.*, **93(3)**: 337-347.

- Mathur, P., Agarwal, S. and Nag, M. 2008. Assessment of physico-chemical characteristics and suggested restoration measures for Pushkar Lake, Ajmer Rajasthan, India. Proceedings of Taal 2007: The 12th World Lake Conference : 1518 – 1529, Jaipur.
- Mavinkurve, R. G., Shanbhag, S. P. and Madhyastha, N. A. 2004. Checklist of land snails of Karnataka. *Zoos' Print J.*, **19**: 1684-1686.
- May, M. L. 1976. Thermoregulation in adaptation to temperature in dragonflies (Odonata:Anisoptera). *Ecol. Monogr.*, **46**: 1-32.
- Mayers, N. and Knoll, A. H. 2001. The biotic crisis and the future of evolution. *Proc. Natl. Acad. Sci. USA*, **98**: 5389:5392.
- McCormick, P. V. and Cairns Jr. J., 1994. Algae as indicators of environmental change. *J. Appl. Phycol.*, **6**: 509-526.
- McPeck, M. A. 1998. The consequences of changing the top predator in a food web: a comparative experimental approach. *Ecol. Monogr.*, **68**: 1-23.
- Mehrotra, S. 1988. *Benthic studies on Lal Sagar reservoir with special reference to macrobenthic fauna*. Ph.D. thesis, submitted to University of Jodhpur, Rajasthan, India.
- Mercado, M. L. 2003. A comparative analysis of the phytoplankton from six Pampean lotic systems (Buenos Aires, Argentina). *Hydrobiologia*, **495**:103-117.
- Merck, E. (1980): “Complexmetric Assay Methods Titriplex”. Germany.
- Michael, P. 1984. *Ecological Methods for Field and Laboratory Investigations*. Tata McGraw-Hill Publishing Company Limited, New Delhi.
- Michael, R. G. 1969. Seasonal trend in physico-chemical factors and plankton of freshwater fish pond and their role in fish culture. *Hydrobiologia*, **33**: 144-160.
- Mischke, U. and Nixdorf, B. 2003. Equilibrium phase conditions in shallow German lakes: how Cyanoprokaryota species establish a steady state phase in late summer. *Hydrobiologia*, **502**: 123-132.
- Mitrofanova, E. Yu. 2000. *Phytoplankton of Teletskoye Lake* (Mountainous Altai, Russia) Extended abstract of Cand. Sci.(Biol.) Dissertation, Moscow.
- Mondal, D. K. 1998. *Faunal Diversity in India. Lepidoptera*. In: Faunal Diversity in India. Eds. Alfred, J. R. B., Das, A. K. and Sanyal, A. K. ENVIS Centre, Zoological Survey of India, Culcutta.
- Moore, N. W. and Corbet, P. S. 1990. Guidelines for monitoring dragonfly population. *J. British Dragonfly Soc.*, **6**(2): 21-23.

- Morrison, M. L., Marcot, B. G. and Mannan, R. W. 1992. *Wildlife-habitat relationships*. The University of Wisconsin Press, Madison, WI.
- Morrison, M. L., Marcot, B. G. and Mannan, R. W. 1998. *Wildlife-habitat Relationships : Concepts and Applications*. The University of Wisconsin Press Madison, Wisconsin.
- Mortensen, E., Jeppensen, E., Sondergaard, M. and Nielsen, L. K. 1992. Nutrient dynamics and Biological structure in shallow freshwater and brackish Lakes, Netherlands. *Developments in Hydrobiology*, **94**:580.
- Moss, B. 1994. Brackish and freshwater shallow wetlands- different systems or variations on the same theme. *Hydrobiologia*, **275/276**: 1-14.
- Moundiotiya, C., Sisodia, R., Kulshrestha, M. and Bhatia, A. L. 2004. A case study of the Jamwa Ramgarh wetland with special reference to physico-chemical properties of water and its environs. *J. of Environ. Hydro.*, **12**: 24.
- Munawar, M. 1974. Limnological studies of freshwater ponds of Hyderabad, India IV. The biocoenose, periodicity of species composition of unicellular and colonial phytoplankton in polluted and unpolluted environments. *Hydrobiologia*, **45**(1): 1-32.
- Munawar, M. 1970. Limnological studies of fresh water ponds of Hyderabad, India. The Biocenose Periodicity and species composition of unicellular and colonial phytoplankton in polluted environments. *Hydrobiologia*, **35**: 127-162.
- Murphy, D. D. and Stuart, B. W. 1988. A long term monitoring plan for a threatened Butterfly. *Conserv. Biol.*, **2**(4): 367-375.
- Murphy, D. D., Launer, A. E. and Ehrlich, P. R. 1983. The role of adult feeding in egg production and population dynamics of the chekerspot butterfly *Euphydryas editha*. *Oecologia*, **56**:257-263.
- Murugavel, P. and Pandian, T. J. 2000. Effect of altitude on hydrology, productivity and species richness in Kodyar – a tropical peninsular Indian aquatic system. *Hydrobiologia*, **430**: 33-57.
- Naik, U. G., Bhosale, S. H., Rathod, J. L. and Bhat, U. G. 2005. *Diversity of phytoplanktonic groups in the river Kali*. West Coast of India, Haveri.
- Naselli-Flores, L. and Barone, L. 1997. Importance of water level fluctuation on population dynamics of cladocerans in a hypertrophic reservoir, Italy. *Hydrobiol.*, **360**: 223-232.

- Naselli-Flores, L., 2000. Phytoplankton assemblages in twenty one Sicilian reservoirs: relationships between species composition and environmental factors. *Hydrobiologia*, **424**:1-11.
- Nekola, J. C. 2003. Large scale terrestrial gastropod community composition patterns in the Great Lakes region of North America. *Diversity and Distribution*, **9**: 55-71.
- Nico, S. 2003. Life strategies, dominance patterns and mechanisms promoting species coexistence in phytoplankton communities along complex environmental gradients. *Hydrobiologia*, **502**: 13-36.
- Nikolic, T. and Stamol, V. 1990. Coenological investigations of snails (Mollusca: Gastropoda) in some phytocoenoses of the Bijele Stijene (Velika Kapela, Croatia, Yugoslavia). *Biol. Vestnik*, **38**: 29-36.
- Norma-Rashid, Y., Mohd-Sofian, A. and Zakaria-Ismail, M. 2001. Diversity and distribution of Odonata (dragonflies and damselflies) in the freshwater swamp lake. Tasek Bera. Malaysia. *Hydrobiologia*, **459**: 135-146.
- O' Neil, G. and Paulson, D. R. 2001. An annotated list of Odonata collected in Ghana in 1997: a checklist of Ghana Odonata and comments on west African odonate biodiversity and biogeography. *Odonatologica*, **30**(1): 67-86.
- Odum, O. 1992. *The ecology and biology of the fishes of Ethiopie River, Nigeria*. Ph.D. Thesis submitted to University of Benin, Benin city.
- Oertli, B., Jaye, D. A., Castella, E., Juge, R., Cambin, D. and Lachavanne, J. B. 2002. Does size matter? The relationship between pond area and biodiversity. *Biodiversity Conservation*, **104**: 59 – 70.
- Ojha, P. and Mandloi, A. K. 2004. Diurnal variation of pH in freshwater fish culture pond. *Ecol., Env. Cons.*, **10** (1): 85-86.
- Okland, J. 1990. *Lakes and snails. Environment and Gastropoda in 1500 Norwegian lakes, ponds and rivers*. Universal Book Services/Dr. W. Backhuys. Oegstgeest, The Netherlands.
- Olberg, R. M., Worthington, A. H., Fox, J. L., Bessette, C. E. and Loosemore, M. P. 2005. Prey size selection and distance estimation in foraging adult dragonflies. *J. Comp. Physiol. Neural Behav. Physiol.*, **191**(9): 791-797.
- Olele, N. F. and Ekelemn, J. K. 2008. Physicochemical and periphyton/phytoplankton study of Onah Lake, Asaba, Nigeria. *African J. Genl. Agri.*, **4** (3): 183-193.

- Oppel, S. 2005. Habitat associations of an Odonata community in a lower montane rainforest in Papua New Guinea. *International J. Odonatology*, **8**: 243-257.
- Orr, A. G. 2004. Critical species of Odonata in Malaysia, Indonesia, Singapur and Brunei. In Clausnitzer, V. R. and Jodicke, R. (eds), *Guardians of the Watershed. Global status of dragonflies: Critical Species, Threat and conservation*. *International J. Odonatology*, **7**: 371-384.
- Orr, A. G. 2006. Odonata in Bornean tropical rain forest formations: diversity, endemicity and implications for conservation management. In: Cordero Rivera, A. (ed), *Forest and Dragonflies*. Pensoft Publishers, Sofia.
- Owen, D. F. 1959. Ecological segregation in buitterflies in Britain. *Entomol. Gaz.*, **10**: 27-38.
- Owen, R. B., Renaut, R. W., Hover, V. C., Ashley, G. M. and Muasya, A. M. 2004. Swamps, springs and diatoms: wetlands of the semi-arid Bogoria-Baringo Rift, Kenya. *Hydrobiologia*, **518**:59-78.
- Padhye, A. D., Dahanukar, N., Pangikar, M., Deshpande, M. and Deshpande, D. 2006. Season and landscape wise distribution of butterflies in Tamhini, northern Western Ghats, India. *Zoos 'Print Journal*, **21**(3): 2175-2181.
- Paerl, H. W. 1988. Nuisance phytoplankton blooms in coastal estuarine and inland waters. *Limnol. Oceanogr.*, **33**:823-847.
- Palmer, C. M. 1969. Composite rating of algae tolerating organic pollution. *British Phycology Bullettin*, **5**:78-92.
- Palmer, C. M. 1980. *Algae and water pollution*. Castle House Publication Ltd. New York, pp.4-110.
- Paracuellos, M. 2006. How can habitat selection affect the use of a wetland complex by water birds? *Biodiversity Conservation*, **15**: 4569-4582.
- Patil, S. G. and Panda, P. 2003. Limnological studies of freshwater fish tank in Bibinagar, Hyderabad, Part II. Rotifera. *Rec. Zool. Surv. India.*, **101**(1-2): 101 – 106.
- Patil, S. G. and Talmale, S. S. 2005. A checklist of land and freshwater mollusca of Maharashtra state. *Zoos' Print J.*, **20**(6): 1912-1913.
- Patricia, A. L. 1975. The dynamics of aquatic systems: A comparative study of the structure of four zooplankton communities. *Ecological Monographs*, **45**: 307-336.

- Patrick, R. 1970. Aquatic communities as indices of pollution: Indicators of Environmental Quality, Plenum Publishing Corporation, New York, pp. 93 - 100.
- Patrick, R. 1973. The effect of increasing light and temperature on the structure of diatom communities. *Limnology Ocenography*, **16**: 405-421.
- Peh, K. S. H., Sodhi, N. S., Jong, J., Sekercioglu, C. H., Yap, C. A. M. and Lim, L. H. 2006. Conservation value of degraded habitats for forest birds in southern Peninsular Malaysia. *Diversity Distribution*, **12**: 572-581.
- Pennak, R. W. 1966. Structure of zooplankton populations in the littoral macrophyte zone of some Colorado lakes. *Trans. Amer. Microsc. Soc.*, **85** (3): 329 -349.
- Pennak, R. W. 1989. *Freshwater invertebrates of the United states*. A Wiley Inter Science Publication, John Wiley and Sons Inc. P. 628.
- Perez Quintero, J. C. 2007. Diversity, habitat use and conservation of freshwater molluscs in the lower Guadiana River basin (SW Iberian Peninsula). *Aqua. Conserv.*, **17**: 485 – 501.
- Perfecto, I., Armbrrecht, I., Philpott, S. M., Soto-Pinto, L. and Dietsch, T. M. 2007. Shaded coffee and the stability of rainforest margins in northern Latin America: In: Tscharntke, T., Leuchner, C., Zeller, M., Guhadja, E. and Bidin, A. (editors). *The stability of tropical rainforest margins, linking ecological, economic and social constraints of land use and conservation*. Springer, Environmental Science Series, New York, USA. pp. 227-264.
- Peters, W. and Pasvol, G. 2001. Tropical Medicine and Parasitology, 5th eds. Elsevier.
- Philipose, M. T. 1967. *Chlorococcales*, ICAR, New Delhi, pp 356.
- Pimm, S. L. and Askins, R. A. 1995. Forest losses predict bird extinction in Eastern North America. *Proc. Nat. Acad. Sci. U.S.A.*, **92**: 9343-9347.
- Pip, E. 1986. A study of pond colonization by freshwater molluscs. *J. Mollu. Studies*, **52**: 214-224.
- Pip, E. 1987. Species richness of fresh water gastropod communities in central North America. *J. Mollus.Stud.*, **53**: 163 – 170.
- Pip, E. 2006. Littoral mollusc communities and water quality in southern Lake Winnipeg, Manitoba, Canada. *Biodiversity Conservation*, **15**: 3637-3652.
- Pollard, E. 1979. Population ecology and change in range of the White Admiral butterfly *Ladoga Camilla* L in England. *Ecol. Entam.*, **4**: 61-74.

- Pollard, E. 1988. Temperature, rainfall and butterfly numbers. *J. Applied Ecology*, **25**: 819-828.
- Pollard, E. 1991. Changes in the flight period of the Hedge Brown butterfly *Pyronia tithonus* during range expansion. *J. Ani.Ecol.*, **60**: 737-748.
- Pollard, E., Elias, D. O., Skelton, M. J. and Thomas, J. A. 1975. A method of assessing the abundance of butterflies. *Entomologist's Gaz.*, **26**: 79-88.
- Ponder, W. F., Walker, J. and Puslednik, L. 2006. Australian freshwater snails as intermediate hosts for trematodes. National Parasitology Symposium Proceedings. Centre for Infectious Diseases and Microbiology-Public Health ICPMR, Westmead Hospital, NSW: 57-94.
- Porter, K., Steel, C. A. and Thomas, J. A. 1992. Butterflies and communities. In: Dennis, R.L.H. (eds) *The ecology of butterflies in Britain*. Oxford University Press, U.K.pp 139 – 177.
- Poulton, E. B. 1917. Salt (chloride of sodium) probably sought by the Hesperidae. *Proc. Entomol. Soc.*, London, 1917-77.
- Prasad, M. and Varshney, R. K. 1995. A checklist of the Odonata of India including data on larval studies. *Oriental Insects*, **29**: 385-428.
- Purse, B. V., Hopkins, G. W., Day, K. J. and Thompson, D. J. 2003. Dispersal characteristics and management of a rare damselfly. *J. Appl. Ecol.*, **40**: 716-728.
- Rabalais, N. 2002. Nitrogen in Aquatic system. *Ambio.*, **31**(2):102-112.
- Radhika, C. G., Mini, I. and Gangadevi, T. 2004. Studies on abiotic parameters of a tropical fresh water lake – Vellayani Lake, Trivandrum, Kerala. *Poll. Res.*, **23**(1): 49-63.
- Rahman, S. and Hussain, A. F. 2008. A study on the abundance of zooplankton of a culture and non-culture pond of the Rajshahi University campus. *Univ. J. Zool. Rajshahi. Univ.*, **27**: 35-41.
- Rahmani, A. R. 2003. Important bird areas (IBA) programme. *Satish, Pande. 2003. Birds of Western Ghats, Kokan and Malabar (Including Birds of Goa)*, Bombay Natural History Society, Oxford University Press. Pp. 343.
- Ramakrishna Rao, S. 1990. Bioenergetics and methodology of energy flow on important wetlands and lake systems of Eastern Ghats. *Environ. Research.*, **1**: 42.

- Ramchandra, T. V., Kiran, A., Ahylaya, N. and Deepa, R. S. 2002. Status of wetlands of Bangalore. Technical Report 86. Indian Institute of Science, Bangalore.
- Ramchandra, T. V., Riahiram, R. and Karthick, B. 2006. Zooplankton as bioindicators: Hydrobiological Investigations. In: Selected Bangalore Lakes. Technical Report 115, June 2006. Indian Institute of Science, Bangalore.
- Ramchandra, T. V. and Solanki, M. 2007. Ecological Assesement of Lentic Water Bodies of Bangalore. *Envis Technical Report*: 25. Indian Institute of Science, Bangalore.
- Ramkrishna, R.T. and Mitra, S. C. 2002. Endemic land molluscs of India. Records of Zoological Survey of India. *Occasional Paper*, **196**: 1-65.
- Rathod, J. Y. 2009. *Avifauna of urban area: Its significance and implication under various human disturbances*. Ph. D. Thesis submitted to the M. S. University of Baroda, Vadodera, India.
- Raut, N.B. and Pendharkar, A. 2010. Butterfly (Rhopalocera) fauna of Maharashtra Nature Park, Mumbai, Maharashtra, India. *Journal of Species Lists and Distribution* **6** (1): 22-25.
- Reid, G. K. 1961. Ecology of inland waters and estuarines. Reinhold Publishing Corporation. New York, pp 375.
- Remsen, J. V. 1990. *Community ecology of neotropical kingfishers*. University of California. *Publication in Zoology*, **124**: 1-116.
- Renjifo, L. M. 2001. Effect of natural and anthropogenic landscape matrices on the abundance of subandean bird species. *Ecol. Appl.*, **11**:14-31.
- Rey, D. S., Macrina, T. Z. and Reiner E. 2011. Spatio-temporal variation of the zooplankton community in a tropical caldera lake with intensive aquaculture (Lake Taal, Philipines). *Hydrobiologia*, : in press
- Reynold, C. S. 1988. The concept of ecological succession applied to seasonal periodicity of freshwater phytoplankton. *Verh. Int. Ver. Limnol.*, **23**: 683 -691.
- Reynold, C. S. 2006. *The ecology of phytoplankton*. Cambridge University Press, Cambridge.
- Richards, O. W. and Davies, R. G. 1993. *IMMS' General Textbook of Entomology*. B. I. Publications Pvt. Ltd. New Delhi.
- Richardson, J. L. 1968. Diatoms and Lake Typology in East and central Africa. *Int.Revue. Ges. Hydrobiology*, **53**: 299-338.

- Riordan, J. O. 1993. Atmospheric water quality objectives for Yakoun and its Tributaries. Overview Report Water Quality Branch, Water Management Division, Ministry of Environment, Lands and Parks, , Govt. of British Columbia, Canada,
- Robinson, A. H. and Robinson, P. K. 1971. Seasonal distribution of zooplankton in the northern basin of Lake Chad. *J. Zool. Lond.*, **163**: 25-61.
- Rodgers, W. A. 1991. *Techniques for Wildlife census in India A field Manual*. Wildlife Institute of India, Deharadun, India.
- Rodolfo, N. G., and Jose, A. G. 2009. A comparative study of Odonata (Insecta) assemblages along an altitudinal gradient in the sierra de Coalcoman Mountains, Michoacan, Mexico. *Biodiversity Conservation*, **18**: 679-698.
- Rosenzweig, M. L. 1995. *Species diversity in space and time*. Cambridge University Press, Cambridge.
- Rosi-Marshall, E. J. and Wallace, J. B. 2002. Invertebrate food webs along a stream resource gradient. *Freshwater Biology*, **47**: 129-141.
- Roskam, J. C. and Brakefield, P. M. 1999. Seasonal polyphenism in *Bicyclus* (Lepidoptera : Satyridae) butterflies: different climates need different cues. *Biol. J. Linn. Soc.*, London, **66**: 345-356.
- Rotenbery, J., Fitzner, R. and Richard, W. 1979. Seasonal variation in avian community structure: differences in mechanisms regulating diversity. *Auk*, **96**: 499-505.
- Rotenburry, J. T. and Wiens, J. A. 1980. Temporal variation in habitat structure and shrubsteppe bird dynamics. *Oikologia* (Berr), **47**: 1-9.
- Roth, L. M. and Willis, E. R. 1951. The effects of desiccation and starvation on the humidity behavior and water balance of *Tribolium confusum* and *Tribolium castaneum*. *J. Exp. Zool.*, **118**: 337-361.
- Roth, R. R. 1976. Spatial heterogeneity and bird species diversity. *Ecology*, **57**: 773-782.
- Rott, E. 1984. Some results from phytoplankton counting intercalibrations. *Hydrobiology*, **43**(1):34-62.
- Round, F. E. 1985. *The Ecology of Algae*. Published by the Press Syndicate of the University of Cambridge, Cambridge.
- Roy, D. B. and Sparks, T. H. 2000. Phenology of British butterflies and climate change. *Global Change Biol.*, **6**: 407-416.

- Roy, D. B., Rothery, P., Moss, D., Pollard, E. and Thomas, J. A. 2001. Butterfly numbers and weather: predicting historical trends in abundance and the future effects of climate change. *J. Animal Ecology*, **70**: 201-217.
- Roy, S. and Chattopadhyay, J. 2007. Towards a resolution of the paradox of the plankton: a brief overview of the proposed mechanisms. *Ecological Complexity*, **4**: 26-33.
- Rutner-Kolisko, A. 1974. *Plankton rotifers Biology and taxonomy*. Suppl. Die Binnengewasser. Schweizerbart'sch Verlagsbuchhandlung, Stuttgart, Germany.
- Saha, S. S. 1998. *Faunal diversity in India*. ENVIS centre, Zoological Survey of India. Calcutta.
- Sahu, B. K. and Behera, S. K. 1995. Studies on some physico-chemical characteristics of Ganga river water (Rishikesh-Kanpur within twenty four Hour during winter). *Eco. Env. Con.*, **1**: 35 – 38.
- Saladia, P. K. 1997. *Hydrobiological studies of Jait Sagar Lake, Bunch (Rajasthan)*. Thesis submitted to MDS University, Ajmer, India.
- Sampaio, E. V., Rocha, O., Matsumura, T. T. and Tundisi, J. G. 2002. Composition and abundance of zooplankton in the limnetic zone of seven reservoirs of the Parana Panema river Brazil. *Brazilian J. Biol.*, **62**: 525-545.
- Samways, M. J. 1989. Taxon turnover in Odonata across a 3000 m altitudinal gradient in Southern Africa. *Odontologica*, **18**: 263-274.
- Samways, M. J. 1994. *Insect Conservation Biology*. Chapman and Hall. London. UK.
- Sangolkar, L. N., Chaudhari, P. R. and Shivaraman, N. 1999. Cyanobacterial toxins in water environment- review. *J. Ind. Assoc. Environ. Manage.*, **26**: 18-29.
- Sarode, P. T. and Kamat, N. D. 1984. *Freshwater diatoms of Maharashtra*. Saikrupa Prakashan, Aurangabad.
- Satpathy, K. K., Prasad, M. V. R., Sheela Shanta, A., Bhaskar, S., Jebakumar, K. E., Rajan, M. and Arulsamy, K. S. 2007. A Comparison of water quality of two fresh water sources at Kalpakkam. *Proce. NSL.*, pp 140-144.
- Saxena, S. 1998. Settling studies on pulp and paper mill waste waters. *Ind. J. Env. Hlth.*, **20** (3): 273-280.
- Schridde, P. and Suhling, F. 1994. Larval dragonfly communities in different habitats of a Mediterranean running water system. *Adv. Odonatol.*, **6**: 89-100.
- Schroder, T. 2005. Diapause in monogonont rotifers. *Hydrobiologia*, **546**: 291-306.

- Scott, J. A. 1973. Population biology and adult behavior of the circumpolar butterfly *Parnassius phoebus* F. Papilionidae. *Lep. Entomol. Scand.*, **4**: 161-168.
- Sculthrope, C. D. 1967. *Biology of aquatic vascular plants*. Edward Arnold Pub. Ltd. London.
- Sedamkar, E. and Angadi, S. B. 2003. Physico-Chemical parameters of two fresh water bodies of Gulbarga, India with special reference to phytoplankton. *Poll. Res.*, **22** (3):411-422.
- Seddon, M. 1998. Red listing for molluscs: a tool for conservation. *J. Conchology* (Special Publication), **2**: 27-44.
- Segers, H. 2007. A global checklist of the rotifers (phylum Rotifera). *Zootaxa*, **1564**: 1-104.
- Shanti, R., Hussain, K. J. and Sanjayan, K. P. 2009. Influence of weather on the incidence of sucking pest complex on summer-irrigated cotton crops of Tamil Nadu. *Hexapoda*, **16**(1): 89-92.
- Shapiro, A. M. 1976. Seasonal polyphenism. *Evol. Biol.*, **9**: 259-233.
- Shapiro, J. 1997. The role of carbon dioxide in the initiation and maintenance of bluegreen dominance in lakes. *Freshwater Biol.*, **37**:307-323.
- Sharma, R. C. 1986. Effect of physico-chemical factors on benthic fauna of Bhagirathi river, Garhwal Himalayas. *Ind. J. Ecol.*, **13**: 133-137.
- Sharma, R. M. and Radhakrishnan, C. 2004. Insect: Lepidoptera (Rhopalocera and Grypocera). Fauna of Melghat Tiger Reserve. Zoological Survey of India. *Conservation Area Series*, **24**: 377 – 400.
- Sharma, S., Dixit, S., Jain, P., Shah, K. W. and Vishwakarma, R. 2008. Statistical evaluation of hydrobiological parameters of Narmada River water at Hoshangabad city, India. *Environ. Monit. Assess.*, **143**: 195 – 202.
- Sheng, Y. P. and Lick, W. 1979. The transport and resuspension of sediments in a shallow lake, *J. Geophysiol. Res.*, **84**(C4): 1809-1826.
- Shurin, J. B., Havel, J. B., Leibold, M. A. and Pinel-Alloul, B. 2000. Local and regional zooplankton species richness: a scale-independent test for saturation. *Ecology*, **81**: 3062-3073.
- Siemann, E., Tilman, D., Haarstad, J. and Ritchie, M. 1998. Experimental tests of the dependence of arthropod diversity on plant diversity. *American Naturalist*, **152**: 738-750.

- Singer, M. C. 1972. Complex components of habitat suitability within a butterfly colony, *Science*, **173**: 75-77.
- Singh, D. N. 2000. Seasonal variation of zooplankton in a tropical lake. *Geobios.*, **27**(2-3): 97-100.
- Singh, R. P. and Mathur, P. 2005. Investigation of variations in physico-chemical characteristics of a fresh water reservoir of Ajmer city, Rajasthan. *Ind. J. Env. Sci.*, **9**: 57 -61.
- Singh, S. P. Pathak, D. and Singh, R. 2002. Hydrobiological studies of two ponds of satna (M. P.), India, *Eco. Evn. And Cons.*, **8**(3): 289-292.
- Singhai, S., Ramani, G. M. A. and Gupta, U. S. 1990. Seasonal variations and relationship of different physico-chemical characteristics in the newly made Tawa. *Limnologia* (Berlin), **21**(1): 293 – 301.
- Smith, G. R., Vaala, D. A. and Dingfelder, H. A. 2003. Distribution and abundance of macroinvertebrates within two temporary ponds. *Hydrobiologia*, **497**: 161-167.
- Smith, J., Samways, M. J. and Taylor, S. 2007. Assessing riparian quality using two complementary sets of bioindicators. *Biodiversity Conservation*, **16**: 2695-2713.
- Smyly, W. J. P. 1973. Bionomics of *Cyclops strenuous abyssorum* Sars (copepod: cyclopoida). *Oecologia*, **11**: 163-186.
- Sodhi, N. S. 2002. A Comparison of Bird Communities of two fragmented and two continuous southeast Asian rainforests. *Biodiversity Conservation*, **11**: 1105-1119.
- Sodhi, N. S., Liow, L. H. and Bazzaz, F. A. 2004. Avian Extinctions from tropical and subtropical forests. *Annu. Rev. Ecol. Syst.*, **35**: 323-345.
- Solem, A. and Yochelson, E. L. 1979. North American Paleozoic land snails with a summary of other Paleozoic nonmarine snails. *Geol. Survey Prof. Pap.*, **1072**: 1-42.
- Solman Raju, A. J. 2004. Nectar host plants of some butterfly species at Vishakhapatnam. *Sci. Culture*, **70**: 187-190.
- Sondergard, M., Kristensen, P. and Jeppesen, E. 1992. Phosphorus release from resuspended sediment in the shallow and wind-exposed Lake Arresoe. Denmark. *Hydrobiologia*, **228** (1): 91 - 99.

- Spence, D. H. N. 1964. The macrophytic vegetation of freshwater, In: *The vegetation of Scotland*. Ed. A.H. Burnell, Oliver and Boyd, Edinburgh and London. 306 – 425.
- Sreekumar, P. G. and Balakrishnan, M. 2001. Habitat and altitude preferences of butterflies in Aralam Wildlife Sanctuary, Kerala. *Tropical Ecology*, **42**(2): 277-281.
- Sreenivasan, A., Pillai, K. V. and Franklin, T. 1997. Limnological study of a shallow water body (Kolovoi Lake) in Tamilnadu. *Indian Hydrobiology*, **2**(2): 61-69.
- Srivastava, D. S. and Lawton, J. H. 1998. Why more productive sites have more species: An experimental test of theory using tree hole communities. *Am. Nat.*, **152**: 510-529.
- Stamol, V. 1993. The influence of the ecological characteristics of phytocoenoses on the percentage proportion of zoogeographical elements in the malacocoenoses of land snails (mollusca: Gastropoda terrestrial). *Vegetation*, **109**: 71-80.
- Stanczykowska, A., Zyska, P., Dombrowski, A., Kot, H. and Zyska, E. 1990. The distribution of waterfowl in relation to mollusc populations in the manmade Lake Zegrzynskie. *Hydrobiologia*, **191**: 233-240.
- Stanley, I. D., Richard, A. L. and Susan, W. W. 2005. Land use, water chemistry, aquatic vegetation and zooplankton community structure of shallow lakes. *Ecological Applications*, **15**(4): 1191-1198.
- Stenert, C., Bacca, R. C., Mostardeiro, C. C. and Maltchik, L. 2008. Environmental predictors of macroinvertebrate communities in coastal wetlands of southern Brazil. *Marine Freshwater Research*, **59**(6): 540-548.
- Stewart, D., Samways, M. J. 1998. Conserving dragonfly (Odonata) assemblages relative to river dynamics in an African savannah game reserve. *Conserv. Biol.*, **12**: 683-692.
- Steytler, N. S. and Samways, M. J. 1995. Biotope selection by adult male dragonflies (Odonata) at an artificial lake created for insect conservation in south Africa. *Biol. Conservation*, **72**: 381-386.
- Stockwell, J. D. and Johannsson, O. E. 1997. Temperature dependent allometric models to estimate zooplankton production in temperate freshwater lakes. *Can. J. Fish. Aqu. Sci.*, **54**: 2350-2360.

- Stork, N. E. and Samways, M. J. 1995. Inventorying and Monitoring in Global Biodiversity Assessment. Heywood, V. H. and Watson, R. T. eds. UNEP, Cambridge University Press, Cambridge.
- Stouffer, P. C. and Bierregaard, R. O. 1995. Effects of fragmentation on understory humming birds in Amazonian Brazil. *Conservation Biology*, **9**: 1085-1094.
- Strong, E. E., Gargominy, O., Ponder, W. F. and Bouchet, P. 2008. Global diversity of gastropods (Gastropoda; Mollusca) in freshwater. *Hydrobiologia*, **595**: 149-166.
- Subba Rao, N. V. 1989. *Handbook: Freshwater molluscs of India*. Zoological Survey of India, Calcutta.
- Subramanian, K. A. 2005. *Dragonflies and Damselflies of Peninsular India- A field guide*. A collaborative project of Centre for Ecological Sciences, Indian Institute of Science, Bangalore and Indian Academy of Sciences, Bangalore.
- Subramanian, K. A. 2009. A checklist of Odonata (Insecta) of India. Zoological Survey of India. Western Regional Station, Pune, Maharashtra, India.
- Subramanian, K. A., Samir, A., and Ramchandra, T. V. 2008. Odonata as an indicator of riparian ecosystem health a case study from south western Karnataka, India. *Fraseria*, **7**: 83-95.
- Sugunan, V. V. 2000. Ecology and fishery management of reservoirs in India. *Hydrobiologia*, **430**: 121-147.
- Suhling, F., Sahlen, G., Kasperski, J. and Gaedecke, D. 2005. Behavioural and life history traits in temporary and perennial waters: comparison among three pairs of sibling dragonfly species. *Oikos*, **108**: 609-617.
- Suhling, F., Schenk, K., Padeffke, T. and Martens, A. 2004. A field study of larval development in a dragonfly assemblage in African desert ponds (Odonata). *Hydrobiologia*, **528**: 75-85.
- Suryavanshi, U. P. 2008. *Environment, Land and Human Habitat, Ecosystem of Toranmal Plateau*. Ph.D. Thesis submitted to North Maharashtra University, Jalgaon. MS.
- Swar, D. B. and Fernando, C. H. 1980. Some studies on the ecology of limnetic crustacean zooplankton in lakes Begnas and Rupa, Pokhara Valley, Nepal. *Hydrobiologia*, **70**: 235 -245.
- Sway, C. A. M. 1990. An Assessment of the changes in butterfly abundance in the Netherlands during 20th Century. *Biol. Conserv.*, **52**: 287-302.

- Taheruzzaman, Q. and Kushari, D. P. 1995. Study of some physico-chemical properties of the different water bodies in Burdwan with special reference to effluents resulting from anthropogenic activities, *IJEP*, **15** (5): 344-349.
- Talling, J. F. 1987. The phytoplankton of Lake Victoria (East Africa). *Arch. Hydrobiol.*, **25**: 229 – 256.
- Talling, J. F. and Lemoalle, J. 1998. *Ecological dynamics of tropical inland waters*. Cambridge University Press, London.
- Tarr, T. L., Baber, M. J. and Babbitt, K. J. 2005. Macroinvertebrate community structure across a wetland hydroperiod gradient in southern New Hampshire, USA. *Wetlands Ecol. Management*, **13**(3): 321-334.
- Tasser, E. and Tappeiner, U. 2002. Impact of land use changes on mountain vegetation. *Appl. Veg. Sci.*, **5**: 173-184.
- Tattersfield, P., Warui, C. M., Seddon, M. B. and Kiringe, J. W. 2001. Land snail faunas of afro-montane forests of Mount Kenya, Kenya: ecology, diversity and distribution patterns. *J. Biogeography*, **28**: 843-861.
- Taylor, F.J., Taylor, N. J. and Walsbe, J. R. 2007. A bloom of planktonic diatom, *Cerataulina pelagica*, off the coast of North-eastern New Zealand in 1983, and its contribution to associated mortality of fish and benthic fauna. *Int. review Hydrobiol.: A J. covering all aspects of Limnology and Marine Biology*, **70**(6): 773-795.
- Teles, H. M. and Marques, C. C. 1989. Estivacao de *Biomphalaria Tenagophila* (Pulmonata, Planorbidae). *Revista de Saude Publica*, **23**(1): 76-78.
- Telford, R. J., Vandvik, V. and Birks, H. J. B. 2006. Dispersal limitations matter for microbial morphospecies. *Science*, **312**: 1015.
- Thery, M. 2001. Forest light and its influence on habitat selection. *Plant Ecol.*, **153**(1-2): 251-261.
- Thomas, J. A. 1984. The conservation of butterflies in temperate countries: past efforts and lessons for the future. In: eds. Vane-Wright, R. I. and Ackery, P. R. *The biology of butterflies*. Academic Press, London, pp 333-353.
- Thorpe, H. J. and Covich, P. A. 1991. *Ecology and classification of North American Invertebrates*. Academic Press, Inc. California, London.
- Tilamen, D. 2004. Nitch tradeoffs, neutrality and community structure: a stochastic theory of resources competition, invasion, and community assembly. *Proc. Nat. Acad. Sci. USA.*, **11**: 313-322.

- Tiple, A. D. 2011. Butterflies of Vidarbha region, Maharashtra State, Central India. *J. Threatened Taxa.*, **13**(1): 1466 -1474.
- Tiple, A. D. and Khurad, A. M. 2009. Butterfly species diversity, habitats and seasonal distribution in and around Nagpur City, Central India. *World J. Zool.*, **4**(3): 153 – 162.
- Tiple, A. D., Khurad, A. M. and Dennis, R. L. H. 2007. Butterfly diversity in relation to a human-impact gradient on an Indian university campus. *Nota Lepid.*, **30** (1): 9-188.
- Tiple, A. D., Padwad, S. V., Dapporto, L. and Dennis, L. H. 2010. Male mate location behavior and encounter sites in a community of tropical butterflies: taxonomic and site associations and distinctions. *J. Biosci.*, **35**(4): 629-646.
- Tiwari, A. and Chauhan, S. V. S. 2006. Seasonal phytoplanktonic diversity of Kitham lake, Agra. *J. Env. Biol.*, **27**(1): 35-38.
- Tiwari, D. D. and Srivastava, N. 2004. Distribution pattern of algal flora affected by the effluents released from rubber factory. *Poll. Res.*, **23** (1):65-68.
- Trivedy, R. K. and Goel, P. K. 1986. Chemical and biological methods for water pollution studies. *Environmental Publications*, Karad, India, pp-244.
- Tronstad, L. M., Tronstad, B. P. and Benke, A. C. 2005. Invertebrate responses to decreasing water levels in a subtropical river floodplain wetland. *Wetlands*, **25** (3): 583-593.
- Tscharntke, T., Cagan, H. S., Thomas, V. D., Sodhi, N. S., Patrick, H. and Jason, M. T. 2008. Landscape constraints on functional diversity of birds and insects in tropical agroecosystems. *Ecology*, **89**(4): 944-951.
- Tsuda, S. 2000. *A distributional list of world Odonata*. Private Publication, Osaka, pp 362.
- Tucker, C. S. and Loyd, S. W. 1984. Phytoplankton communities in channel cat fish ponds. *Hydrobiologia*, **112**: 137-141.
- Turner, A. M. and Chislock, M. F. 2007. Dragonfly predators influence biomass and density of pond snails. *Oecologia*, **153**: 407-415.
- Turner, J. R. G. 1971. Experiments on the demography of tropical butterflies. II Longevity and home-range. *Behavior in Heliconius erato*. *Biotropica*, **3**: 21-31.

- Turner, J. R. G., Gatehouse, C. M. and Corey, C. A. 1987. Does solar energy control organic diversity? Butterflies, moths and the British climate. *Oikos*, **48**:195-205.
- Unanam, A. E. and Akpan, A. W. 2006. Analysis of physicochemical characteristics of some freshwater bodies in Essien Udim Local Government area of Akwa Ibom State, Nigeria. In: Proceeding of the 21st Annual Conference of the Fisheries Society of Nigeria. (FI50N) Calabar, 13th – 17th November, 2006.
- UNEP. 2004. Report on the sixth meeting of the conference of the parties to the convention on Biological Diversity.
- Unni, K. S. and Pawar, S. 2000. The phytoplankton along a pollution gradient in the river Mahanadi (M. P. State) India-a multivariable approach. *Hydrobiologia*, **430**:87-96.
- USEPA (United States Environmental Protection Agency). 1991. Volunteer Lake monitoring: EPA 440/4-91-002. U.S Government Protection Agency, Washington DC.
- Valentine, L. E., Roberts, B. and Schwarzkopf, L. 2007. Mechanisms driving avoidance of non-native plants. *J. Appl. Ecol.*, **44**(1): 228-23.
- Van Someren, V. D. 1946. The habitats and tolerance ranges of *Lymnaea (Radix) caillaudi*, the intermediate snail host of liver fluke in east Africa. *J. Anim. Ecol.*, **15**: 170-197.
- Varshney, R. K. 1983. Index Rhopalocera indica part II. Common names of butterflies from India and neighboring countries. – Records of the Zoological Survey of India. *Occasional Paper*, **47**: 1-49.
- Verma, P. K. and Munshi, D. 1987. Plankton community structure of Badua reservoir, Bhagalpur (India). *Tropical Ecology*, **28**: 200-207.
- Vijayan, V. S. 1991. Keoladeo National Park Ecology Study – Summary Report 1980 – 1990. Bombay Natural History Society, Bombay.
- Von Humboldt, A. 1808. *Anschiten der natur mit wissenschaftli-chen erlauterungen*. Tubingen, Germany: Cotta, J. G.
- Wadatkar, J. S. and Kasambe, R. 2009. Butterflies of Melghat Tiger Reserve, Maharashtra with notes on their abundance, status and larval host plants. *The Ecoscan*, **2**: 165 -171.

- Wallace, R. L., Snell, T. W., Ricci, C. and Nogrady, T. 2006. Rotifer: Biology, Ecology and Systematic (2nd edition). In: Segers H., and Dumont, H. J. (eds). *Guides to the identification of the Microinvertebrates of the Continental waters of the world*, 23(1). Kenobi Productions. Gent, Belgium and Backhuys, Academic Publishing BV. The Hague, The Netherlands.
- Walpole, M. J. and Sheldon, P. R. 1999. Sampling butterflies in tropical rainforest: an evaluation of a transect walk method. *Biological Conservation*, **87**: 85-91.
- Walujkar, A. G. 2005. *Hydrobiological studies of Dam water from Pathardi, District: Ahmednagar (M.S.)*, PhD thesis submitted to Dr. Babasaheb Ambedkar Marathwada University, Aurangabad, India.
- Wareborn, I. 1970. Land Molluscs and Their Environments in an Oligotrophic Area in Southern Sweden. *Oikos*, **20** (2): 461-479.
- Watanabele, T., Ketajima, C. and Fujita, S. 1993. Nutritional values of five organism used in Japan for mass propagation of fish: A review. *Aquaculture*, **34**: 115-143.
- Weatherhead, M. A. and James, M. R. 2001. Distribution of macroinvertebrates in relation to physical and biological variables in the littoral zone of nine New Zeland lakes. *Hydrobiologia*, **462**: 115-129.
- Weins, J. A., Rotenburry, J. T. and Horne, B. 1987. Habitat occupancy patterns of North American shrubsteppe birds: the effects of spatial scale. *Oikos*, **48**: 132-147.
- Welch, E. B. 1952. *Limnology*, 2nd Eds., McGraw Hill Book Co. Inc., New York.
- Welch, E. B. 1986. *Ecological effects of waste water*. Published by the Press Syndicate of the University of Cambridge, Cambridge.
- Welch, E. B. 1992. *Ecological effects of wastewater*. Chapman and Hall, London, p.425.
- Welch, E. B., 1980. *Ecological effects of waste water*. Cambridge University Press, London.
- Wellborn, G. A., Skelly, D. K. and Werner, E. E. 1996. Mechanisms creating community structure across a freshwater habitat gradient. *Annual Review of Ecology and Systematic*, **27**: 337-363.
- Weller, M. W. 1981. *Freshwater marshes and wildlife management*. University of Minnesota Press. Minneapolis.
- Weller, M. W. 1999. *Wetland Birds*. Cambridge University Press, Cambridge.

- Welty, J. C. and Baptista, L. 1988. *The life of Birds*. 4th Eds. Saunders College Publishing by Saunders, W. B., New York.
- Wen, Y. H. 1992. Contribution of bacterioplankton, Phytoplankton, Zooplankton and Detritus to organic seston load in changing flood plain Lake, China. *Arch. Hydrobiol.*, **126** : 213-238.
- Westfall, M. J. and May, M. L. 1996. *Damselflies of North America*. Scientific Publishers, Gainesville, Florida.
- Wetzel, R. G. 2001. *Limnology: Lakes and Reservoir Ecosystem* (3rd eds.). Academic Press, Burlington. Pp.1006.
- Wetzel, R. G. 1990. Land-water interfaces: Metabolic and limnological regulators. *Verh. Internat. Verein. Limnol.*, **24**: 6 – 24.
- Wetzel, R. G. 2006. *Limnology. Lake and River Ecosystems*. Third edition original ISBN: 0-12-744760-1.
- Wetzel, R.G., 1983. Recommendations for future research on periphyton: Wetzel, R.G. (Ed), *Periphyton of freshwater ecosystems.*, pp. 339-346.
- Whitmore, T. C.1997. Tropical forest disturbance, disappearance and species loss. *Tropical forest remnants*. University of Chicago Press Chicago. 3-12.
- WHO, 1996. *Guidelines for drinking water quality*. World Health Organization, Geneva.
- Wiens, J. A. 1989. *The ecology of bird communities*. Vol 1 and 2. Cambridge University Press. Cambridge.
- Wigglesworth, V. B. 1972. *The Principles of Insect Physiology* (7th eds.) Chapman and Hall, London.
- Wilk-Wozniak, E. and Pocięcha, A. 2007. Dynamics of choosen species of phyto and zooplankton in a deep submontane dam reservoir in light of differing life strategies. *Hydrobiol. Stud.*, **36**: 35-48.
- William, A. D. and Joseph, T. 1991. The role of abiotic factors in community organization. *Am. Nat.*, **138**: 1067-109.
- Williams, C. B. 1930. *The migration of butterflies*. Oliver and Boyd, Edinburgh.
- Williams, J. D. H. and Mayer, T. 1972. Effects of sediment diagenesis and regeneration of phosphorus with special reference to lakes Eire and Ontario. In Allen, H. E. and Kramer, J. R. eds. *Nutrients in Natural Waters*. John Wiley and Sons, New York. Pp 281 – 315.

- Williams, P., Whitefield, M., Biggs, J., Bray, S., Fox, G., Nicolet, P. and Sear, D. 2004. Comparative biodiversity of rivers, streams, ditches and ponds in an agricultural landscape in southern England. *Biodiversity and Conservation*, **115**: 329-341.
- Wisniewski–Santos, M. J., Rocha, O., Guntzel, A. M. and Matsumura–Tundisi, T. 2002. Cladocera and Chydoridae at high altitude water bodies in Brazil. *Brazil J. Biology*, **62**(4b): 681-687.
- Wolda, H. 1977. Fluctuations in abundance of some Homoptera in a Neotropical forest. *Geo. Eco. Trop.*, **3**: 229-257.
- Wolda, H. 1989. Seasonal cues in tropical organisms. Rainfall? Not necessarily. *Oecologia*, **80**(4): 437-442.
- Wood, B. and Gillman, M. P. 1998. The effects of disturbance on forest butterflies using two methods of sampling in Trinidad. *Biodivers. Conserv.*, **7**: 597-616.
- Worthen, W. B. 2002. The structure of larval Odonate assemblages in the Enoree River basin of South Carolina. *Southeastern Nat.*, **1**: 205-216.
- Wright, D. H. 1983. Species-energy theory: an extension of species-area theory. *Oikos*, **41**: 496-506.
- Wu, J. 1999. A generic index of diatom assemblages as bioindicator of pollution in the Keelung river of Taiwan. *Hydrobiologia*, **397**: 79-87.
- Wynter-Blyth, M. A. 1957. *Butterflies of the Indian Region*. Bombay Natural History Society, Bombay, pp 523.
- Yang, L., Chang, H. T. and Huang, M. N. L. 2001. Nutrient removal in gravel and soil based wetland microorganisms with and without vegetation. *Ecol. Engineering*, **18**: 91 – 105.
- Yazdani, S. S. and Agarwal, M. L. 1997. *Elements of insect ecology*. Narosa Publishing House. New Delhi.
- Zafar, A. R. 1964. On the ecology of algae in certain fish pond of Hyderabad, India, physico-chemical complexes. *Hydrobiologia*, **23**: 179-195.
- Zealand, A. M. and Jeffries, M. J. 2009. The distribution of pond snail communities across a landscape: separating out the influence of spatial position from local habitat quality for ponds in south-east Northumberland, UK. *Hydrobiologia*, **632**: 177-187.

- Zimmer, K. D., Hanson, M. A. and Butler, M. G. 2000. Factors influencing invertebrate communities in prairie wetlands: a multivariate approach. *Canadian J. Fisheries and Aqua. Sci.*, **57**(1): 76-85.
- Zuykova, E. I., Sheveleva, N. G. and Evstigneeva, T. D. 2009. The seasonal and interannual dynamics of zooplankton in lake Teletskoye. *Inland Water Biol.*, **2**(3): 234-246.