

Bibliography

- Abbe R. (1915): Cancer of the mouth. N.Y. Med. J. 102: 1-2.
- Abe S. and Sasaki M. (1977): Chromosome aberrations and sister chromatid exchanges in Chinese hamster cells exposed to various chemicals. J. Natl. Cancer Inst. 58: 1635-1641.
- Abraham S.K., Goswami V. and Kesavan P.C. (1979): A preliminary assessment of possible mutagenicity of betel nut and ingredients of the betel quid when administered alone or in combinations to larvae of *Drosophila melanogaster*. Mutat. Res. 66: 261-266.
- Adhvaryu S.G., Bhatt R.G., Dayal P.K., Trivedi, A.H., Dave B.J., Vyas R.C. and Jani K.H. (1986): SCE frequencies in lymphocytes of tobacco/betel nut chewers and patients with oral submucous fibrosis. Br. J. Cancer 53: 141-143.
- Adhvaryu S.G., Dave B.J. and Trivedi A.H. (1989): An in vitro assessment of the genotoxic potential of pan masalas. Indian J. Med. Res. 90: 131-134.
- Adhvaryu S.G., Dave B.J. and Trivedi A.H. (1991): Cytogenetic surveillance of tobacco-areca nut (mava) chewers, including patients with oral cancers and premalignant conditions. Mutat. Res. 261: 41-49.
- Adhvaryu S.G., Dave B.J., Trivedi A.H., Vyas R.C. and Jérôme B.N. (1988a): Characteristics of SCE frequencies in lymphocytes of patients with oral cancer and precancerous conditions. In: O.S. Reddi and P.P. Reddy (ed.) Chemical carcinogenesis and Mutagenesis, Osmania University, Hyderabad, pp. 47-51.

- Adhvaryu S.G., Rawal U.M. and Patel J.V. (1988b): Elevated sister chromatid exchange frequencies in the lymphocytes of esophageal cancer patients. *Cancer* 61: 1867-1871.
- Adhvaryu S.G., Rawal U.M., Patel J.V. (1988c): Enhancement of lymphocytic SCE frequencies in patients with ovarian cancer. *Neoplasma* 35: 103-108.
- Adhvaryu S.G., Rawal U.M., Patel J.V., Patel D.D. and Balar D.B. (1988d): Increased frequency of sister chromatid exchanges in lymphocytes of breast cancer patients. *Int. J. Cancer* 41: 394-398.
- Adhvaryu S.G., Vyas R.C., Dave B.J., Trivedi A.H. and Parikh B.N. (1985): Spontaneous and induced sister chromatid exchange frequencies and cell cycle progression in lymphocytes of patients with carcinoma of the uterine cervix. *Cancer Genet. Cytogenet.* 14: 67-72.
- Advisory Committee to the Surgeon General (1986): Prevalence and trends of smokeless tobacco use in the United States. In: *The Health consequences of using smokeless tobacco - A report of the Advisory Committee to the Surgeon General*, N.I.H. Publication No. 86-2874, U.S. Dept. of Health and Human Services, Public Health Service, Bethesda, Maryland, pp. 1-47.
- Ahblom H.E. (1937): Predisposing factors for epitheliomas of the oral cavity, larynx, pharynx and esophagus. *Acta. Radiol.* 18: 163-185.
- Alaoui-Jamali M., Costonguay A. and Schuller M.H. (1988): In vitro genotoxicity of 4-(methylnitrosamino)-1-(3-pyridyl)-

1-butanone activated by hamster maternal and fetal tissues. *Carcinogenesis* 9: 2319-2324.

Andersen R.A., Burton H.R., Fleming P.D., Hamilton-kemp T.R. and Gay S.L. (1987): Air curing environment effects on alkaloid derived nitrosamines in Burley tobacco. In: H. Bartsch, I.K. O'Neil and R. Schulte-Hermann (eds.) *Relevance of N-nitroso compounds to human cancer: Exposures and mechanisms*. IARC scientific publication No.84, International Agency for Research on Cancer, Lyon, pp.451-455.

Andersen R.A. and Kemp T.R. (1985): Accumulation of 4-(N-methyl-N-nitrosamino)-1-(3-pyridyl)-1-butanone in alkaloid genotypes of Burley tobacco during post harvest processing: Comparisons with N'-nitrosonornicotine and probable nitrosamine precursors. *Cancer Res.* 45: 5287-5293.

Annual Report of National Cancer Registry Project of India (1982-1985): Indian Council of Medical Research, New Delhi.

Arena J.M. (1979): In: *Poisoning toxicology-symptoms-treatments*. Charles C. Thomas publisher, Springfield, IL.

Arjungi K.N. (1976): Areca nut. A review. *Arzneimittelforschung* 26: 951-956.

Ashby J., Styles J.A. and Boyland E. (1979): Betel nuts, arecaidine and oral cancer. *Lancet* i: 112.

Au W. and Hsu T.C. (1982): Assays for chromosome aberrations using Mammalian cells in culture. In: T.C. Hsu (ed.)

- Cytogenetic assays of environmental mutagens. Allanheld, Osmun (Totowa, N.J.), pp. 203-219.
- Bagwe, A.N., Ganu U.K., Gokhale S.V. and Bhisey R.A. (1990): Evaluation of the mutagenicity of 'pan masala', a chewing substitute widely used in India. *Mutat. Res.* **241**: 349-354.
- Barale R. (1991): The genetic toxicology of styrene and styrene oxide. *Mutat. Res.* **257**: 107-126.
- Batt T.R., Hsueh J.L., Chen H.H. and Huang C.C. (1980): Sister chromatid exchanges and chromosome aberrations in V79 cells induced by aflatoxin B₁, B₂, G₁ and G₂ with or without metabolic activation. *Carcinogenesis* **1**: 759-763.
- Bauchinger M., Schmid E., Dresch J., Kolin-Gerresheim J., Hauf R. and Suhr E. (1982): Chromosome changes in lymphocytes after occupational exposure to toluene. *Mutat. Res.* **102**: 439-445.
- Bazopoulou-Kyrkanidou E., Garas J. and Angelopoulos A.P. (1986): Sister chromatid exchanges in lymphocytes of patients with oral carcinoma. *Cancer Genet. Cytogenet.* **20**: 35-38.
- Bentall W.C. (1908): Cancer in Travancore, South India. A summary of 1700 cases. *Br. Med. J.* **ii**:1428-1431.
- Bhide S.V., Kulkarni J., Nair U.J., Spiegelhalder B. and Preussmann R. (1987a): Mutagenicity and carcinogenicity of masherī, a pyrolysed tobacco product, and its content of tobacco-specific nitrosamines. In: H. Bartsch, I. O'Neill and R. Schulte-Hermann (eds.) *Relevance of N-nitroso compounds to human cancer: exposures and mechanisms,*

I.A.R.C. scientific publication No:84, International Agency for Research on Cancer, Lyon, pp.460-462.

Bhide S.V., Kulkarni J.R., Padma P.R., Amonkar A.J., Maru G.B., Nair U.J. and Nair J. (1989): Studies on tobacco specific nitrosamines and other carcinogenic agents in smokeless tobacco products. In: L.D. Sanghvi and P. Notani (eds.) Tobacco and Health: the Indian Scene, UICC Workshop, Tata Memorial Centre, Bombay, India, UICC, Geneva, pp. 121-131.

Bhide S.V., Nair J., Maru G.B., Nair U.J., Kameshwar Rao B.V., Chakraborty M.K. and Brunnemann K.D. (1987b): Tobacco-specific N-nitrosamines [TSNA] in green mature and processed tobacco leaves from India. Beitrage Zur Tabakforschung International 14: 29-32.

Bhide S.V., Nair U.J., Nair J., Spiegelhalder B. and Preussmann R. (1986): N-nitrosamines in the saliva of tobacco chewers or masheri users. Food Chem. Toxicol. 24: 293-297.

Bhide S.V., Shah A.S., Nair J. and Nagarajrao D. (1984): Epidemiological and experimental studies on tobacco related oral cancer in India. In: I.K.O'Neill, R.C.Von Borstel, C.T.Miller, J.Long and H.Bartsch (eds.) N-nitrosocompounds: occurrence, biological effects and relevance to human cancer, IARC scientific publication No. 57, International Agency for Research on Cancer, Lyon, pp. 851-857.

- Bhide S.V., Shivapurkar N.M., Gothoskar S.V. and Ranadive K.J. (1979): Carcinogenicity of betel quid ingredients: Feeding mice with aqueous extract and the polyphenol fraction of betel nut. *Br. J. Cancer* **40**: 922-926.
- Bhonsle R.B., Murti P.R., Daftary D.K. and Mehta F.S. (1979): An oral lesion in tobacco-lime users in Maharashtra, India. *Indian J. Oral Pathol.* **8**: 47-52.
- Binnie W.H., Rankin K.V. and Mackenzie I.C. (1983): Etiology of oral squamous cell carcinoma. *J. Oral Pathol.* **12**: 11-29.
- Bishun N.P., Lloyd N., Raven R.W. and Williams D.C. (1972): The in vitro and in vivo cytogenetic effects of nicotine. *Acta Biol. Acad. Sci. (Hungary)* **23**: 175-180.
- Blakey D.H., Duncan A.M.V., Wargovich M.J., Goldberg M.T., Bruce W.R. and Heddle J.A. (1985): Detection of nuclear anomalies in the colonic epithelium of the mouse. *Cancer Res.* **45**: 242-249.
- Borle R.M. and Gupta D.S. (1987): Fungal contamination of Areca nut. *Indian J. Pathol. Microbiol.* **30**: 357-360.
- Boutwell R.K., Verma A.K., Ashendel C.L. and Astrup E. (1982): Mouse skin: A useful model for studying the mechanism of chemical carcinogenesis. *Carcinogenesis* **7**: 1-12.
- Boyland E. (1968): The possible carcinogenic action of alkaloids of tobacco and betel nut. *Planta Medica* **11**: 13-23.

- Boyland E. and Nery R. (1969): Mercapturic acid formation during the metabolism of arecoline and arecaidine in the rat. *Biochem. J.* 113: 123-130.
- Brown T., Dawson A.A., King D.J., Bullock I. and Watt J.L. (1986): Variation of SCE frequency in lymphocyte cultures from patients with Hodgkin's disease before, during and after treatment. *Cancer Genet. Cytogenet.* 20: 53-61.
- Bruce W.R. and Heddle J.A. (1979): The mutagenic activity of 61 agents as determined by the micronucleus, salmonella and sperm abnormality assays. *Canad. J. Genet. Cytol.* 21: 319-334.
- Brunnemann K.D., Genoble L. and Hoffmann D. (1985): N-nitrosamines in chewing tobacco: An international comparison. *J. Agric. Food Chem.* 33: 1178-1181.
- Brunnemann K.D., Hornby A.P. and Stich H.F. (1987): Tobacco-specific nitrosamines in the saliva of Inuit snuff dippers in the northwest territories of Canada. *Cancer Lett.* 37: 7-16.
- Brunnemann K.D., Prokopczyk B., Hoffmann D., Nair J., Ohshima H., Bartsch H. (1986): Laboratory studies on oral cancer and smokeless tobacco. In: D. Hoffmann and C.C. Harris (eds.) *Banbury Report 23: Mechanisms in Tobacco Carcinogenesis*, Cold Spring Harbor Laboratory, New York, pp.197-213.
- Carrano A.V. (1982): Sister chromatid exchange as an indicator of human exposure. In: B.A. Bridges, B.E. Butterworth and I.B. Weinstein (eds.) *Banbury Report 13:*

Indicators of Genotoxic Exposure. Cold Spring Harbor Laboratory, New York, pp. 307-318.

Carrano A.V. and Natarajan A.T. (1988): Considerations for population monitoring using cytogenetic techniques. *Mutat. Res.* 204: 379-406.

Carrano A.V., Thompson L.H., Lindl P.A. and Minkler J.L. (1978): sister chromatid exchanges as an indicator of mutagenesis. *Nature (London)* 271: 551-553.

Chacko M. and Gupta R.C. (1988): Evaluation of DNA damage in the oral mucosa of tobacco users and non-users by ³²P-adduct assay. *Carcinogenesis* 9: 2309-2313.

Chassin L., Presson C., Sherman S.J., McLanghlin L. and Gioia D. (1985): Psychological correlates of adolescent smokeless tobacco use. *Addict Behav.* 10: 431-435.

Christen A.G. (1985): The four most common alterations of the teeth, periodontium and oral soft tissues observed in smokeless tobacco users: A literature review. *Journal/Indiana Dent. Assoc.* 64: 15-18.

Christen A.G. and Glover E.D. (1981): Smokeless tobacco: seduction of youth. *World Smoking and Health* 6: 20-24.

Crowe M.W. (1978): Tobacco - A cause of congenital arthrogyriposis. In: R.F. Keeler, Van K.R. Kampen and L.F. James(eds.) *Effects of poisonous plants on livestock*, Academic Press, New York, pp.419-427.

Cullen J.W., Blot W., Henningfield J., Boyd G., Meckjenburg R. and Massey M.M. (1986): Health consequences of using smokeless tobacco: Summary of the Advisory Committee's

report to the Surgeon General, Public Health Reports 101:
355-373.

Curvall M., Romert L., Norlen E. and Enzell C.R. (1987):
Mutagen levels in urine from snuff users, cigarette
smokers and non tobacco users - A comparison. Mutat. Res.
188: 105-110.

Darlington C.D. and LaCour L.F. (1976): In: Handling of
chromosomes. Sixth Edition, George Allen and Unwin Ltd.,
London, pp. 133-134.

Das B.C. (1988): Factors that influence formation of sister
chromatid exchanges in human blood lymphocytes. CRC Crit.
Rev. 19: 43-86.

Dave B.J. (1990): A study on carcinogenic potentials of betel
(areca) nut. Ph.D. Thesis, The M.S. University of Baroda,
Baroda, India.

Dean B.J. (1985): Summary report on the performance of
cytogenetic assays in cultured mammalian cells. In: J.
Ashby, F.J. de Serres, M. Draper, M. Ishidate, Jr. B.
Margolin, B. Matter and M.D. Shelby (eds.) Evaluation of
short-term tests for carcinogens, (Progress in Mutation
Research, vol.5), Elsevier Science Publishers, Amsterdam,
Oxford, New York, pp. 69-83.

De Serres F.J. and Ashby J. (eds.) (1981): Evaluation of
short-term tests for carcinogens, (Progress in Mutation
Research vol.1), Elsevier Science Publishers, Amsterdam,
Oxford, New York.

Dipaolo J.A., Takano K. and Popescu N.C. (1972): Quantitation

- of chemically induced neoplastic transformation of Balb/3T3 cloned cell lines. *Cancer Res.* 32: 2686-2695.
- Dube M.F. and Green C.R. (1982): Methods of collection of smoke for analytical purposes. *Rec. Adv. Tobacco Sci.*, 8: 42-102.
- Dunham L.J. and Herrold K.M. (1962): Failure to produce tumors in the hamster cheek pouch by exposure to ingredients of betel quid; histopathological changes in the pouch and other organs by exposure to known carcinogens. *J. Natl. Cancer Inst.* 29: 1047-1067.
- Dunham L.J., Muir C.S. and Hamner, J.E. III (1966): Epithelial atypia in hamster cheek pouches treated repeatedly with calcium hydroxide. *Br. J. Cancer* 20: 588-593.
- Dunn B.P. and Stich H.F. (1986): ³²P-Postlabelling analysis of aromatic DNA adducts in human oral mucosal cells. *Carcinogenesis* 7: 1115-1120.
- Evans H.J. (1982): Cytogenetic studies on industrial populations exposed to mutagens. In: B.A. Bridges, B.E. Butterworth and I.B. Weinstein (eds.) *Banbury Report 13: Indicators of genotoxic exposure.* Cold Spring Harbor Laboratory, New York, pp. 325-340.
- Evans H.J. and Vijayalaxmi (1981): Induction of 8-azaguanine resistance and sister chromatid exchange in human lymphocytes exposed to mitomycin-C and x-rays in vitro. *Nature* 292: 601-605.
- Evans R.I. (1988): Smokeless tobacco vs. cigarette use among

- adolescents. *Cancer Bull.* **40**: 355-359.
- Evenson J.W. (1983): Oral premalignancy. *Cancer Surveys* **2**: 403-424.
- Fabry L. and Robertfroid M. (1981): Mutagenicity of aflatoxin B₁: observations in vivo and their relation to in vitro activation. *Toxicol Lett.* **7**: 759-763.
- Fells A. (1908): Cancer of the mouth in Southern India, with an analysis of 209 operations. *Br. Med. J.* **ii**: 1357-1358.
- Friedell H.L. and Rosenthal L.M. (1941): The etiologic role of chewing tobacco in cancer of the mouth. *JAMA* **116**: 2130-2135.
- Gebhart E. (1981): Sister chromatid exchange (SCE) and structural chromosome aberration in mutagenicity testing. *Hum. Genet.* **58**: 235-254.
- George Palladino L.T.C., Brunnemann K.D., Adams J.D., Haley N.J. and Hoffmann D. (1986): Snuff-dipping in college students: A clinical profile. *Military Med.* **151**: 324-346.
- Giri A.K., Banerjee T.S. and Talukder G. (1987): Induction of sister chromatid exchange and dominant lethal mutation by katha' (Catechu) in male mice. *Cancer Lett.* **36**: 189-196.
- Ghosh P.K. and Ghosh R. (1988): Effect of betel chewing on the frequency of sister chromatid exchanges in pregnant women and women using oral contraceptives. *Cancer Genet. Cytogenet.* **32**: 211-215.
- Ghosh R. and Ghosh P.K. (1984): Sister chromatid exchanges in betel and tobacco chewers. *Mutat. Res.* **139**: 79-81.

- Ghosh R. and Ghosh P.K. (1987): The effect of tobacco smoking on the frequency of sister chromatid exchanges in human lymphocyte chromosomes. *Cancer Genet. Cytogenet* 27: 15-19.
- Ghosh S.K., Parikh J.R., Gokani V.N., Rao N.M. and Doctor P.B. (1985): Occupational health problems among tobacco processing workers: A preliminary study. *Arch. Environ. Health* 40: 318-321.
- Ghosh S.K., Saiyed H.N., Gokani V.N. and Thakker M.U. (1986): Occupational health problems among workers handling Virginia tobacco. *Int. Arch. Occup. Environ. Health.* 58: 47-52.
- Glover E., Edwards S.W., Christen A.G. and Finnicum P. (1984): Smokeless tobacco research: An interdisciplinary approach. *Health Values* 8: 21-25.
- Gorrod J.W. and Jenner P. (1975): The metabolism of tobacco alkaloids. *Essays Toxicol.* 6: 35-78.
- Gothoskar S.V., Sant S.M. and Ranadive K.J. (1975): Effect of tobacco and lime on oral mucosa of rats fed on vitamin B deficient diet. *Indian J. Cancer* 12: 424-429.
- Gottsegen J.J. (1940): In: *Tobacco-A study of its consumption in the United States*, Pitman, New York, p.3.
- Govekar R.B. (1991): Biological studies on bidi rollers with special reference to genotoxic effects of occupational tobacco exposure. Ph. D. Thesis, The University of Bombay, Bombay, India.
- Guggenheimer J., Zullo T.G., Kruper D.C. and Verbin R.S. (1986): Changing trends of tobacco use in a teenage

population in Western Pennsylvania. Am. J. Public Health
76: 196-197.

Gupta P.C., Mehta F.S., Daftary D.K., Pindborg J.J., Bhonsle
R.B., Jalnawalla P.N., Sinor P.N., Pitkar V.K., Murti
P.R., Irani R.R., Shah H.T., Kadam P.M., Iyer K.S.S., Iyer
H.M., Hegde A.K., Chandrashekar G.K., Shroff B.C., Sahiar
B.E. and Mehta M.N. (1980): Incidence rates of oral cancer
and natural history of oral precancerous lesions in a 10
year follow-up study of Indian villagers. Commun. Dent.
Oral Epidemiol. 8: 287-333.

Gupta P.C., Pindborg J.J. and Mehta F.S. (1982): Comparison
of carcinogenicity of betel quid with and without tobacco:
an epidemiological review. Ecology of Dis. 1: 213-219.

Hanson W. Jr. (1984): Household products. In: W.Hanson Jr.
(ed.) Toxic emergencies. Churchill-Livingston, New York.

Hausermann M. and Waltz P. (1962): Quick spectrometric method
for determination of chlorogenic acid and rutin in tobacco
(Ger.). Beitr. Tabakforsch. 1: 275-284.

Hecht S.S., Chen C.B., Hirota N., Orna R.M., Tso T.C. and
Hoffmann D. (1978): Tobacco-specific nitrosamines -
Formation from nicotine in vitro and during tobacco curing
and carcinogenicity in strain A mice. J. Natl. Cancer
Inst. 60, 819-824.

Hecht S.S., Rivenson A., Braley J., DiBello J., Adams J.D.
and Hoffmann D. (1986): Induction of oral cavity tumors in
F344 rats by tobacco-specific nitrosamines and snuff.
Cancer Res. 46: 4162-4166.

- Heddle J.A. (1973): A rapid in vivo test for chromosomal damage. *Mutat. Res.* 18: 187-190.
- Heddle J.A., Raj A.S. and Krepinsky A.B. (1981): The micronucleus assay. II In vitro. In: H.F. Stich and R.H.C. San (eds.) Short-term tests for chemical carcinogens, Berlin, Heidelberg, Springer Verlag, New York, pp. 250-254.
- Heimann R.K. (1960): Tobacco and Americans, Mc-Groaw-Hill, New York, pp. 8, 65, 118-119, 236.
- Henningfield J.E. and Goldberg S.R. (1985): Stimulus properties of nicotine in animals and human volunteers. In: L.S. Sciden and R.L. Balster (eds.) Behavioral pharmacology: The current status, Alan R. Liss, New York, pp. 433-449.
- Hennings G. (1981): Biochemical, pharmacological and toxicological evaluation of (+) cyanidanol-3. In: H.O. Conn (ed.) International workshop on (+) cyanidanol-3 in diseases of the liver, The Royal Society of Medicine, International Congress and Symposium Series, No.47, p.79.
- Hirsch J.M. and Johansson S.L. (1983): Effect of long-term application of snuff on the oral mucosa - an experimental study in the rat. *J. Oral Pathol.* 12: 187-198.
- Hirsch J.M., Johansson S.L. and Vahlne A. (1984): Effect of snuff and herpes simplex virus-1 on rat oral mucosa: possible associations with the development of squamous cell carcinoma. *J. Oral Pathol.* 13: 52-62.
- Hoelt H. and Obe G. (1983): SCE-inducing congeners in alcoholic beverages. *Mutat. Res.* 121: 247-252.

- Hoffmann D. and Adams J.D. (1981): Carcinogenic tobacco-specific N-nitrosamines in snuff and in the saliva of snuff dippers. *Cancer Res.* **41**: 4305-4308.
- Hoffmann D., Adams J.D., Donald L., Fisenne I. and Brunnemann K.D. (1987): Toxic and carcinogenic agents in dry and moist snuff. *J. Natl. Cancer Inst.* **79**: 1281-1286.
- Hoffmann D., Brunnemann K.D., Adams J.D. and Hecht S.S. (1984): Formation and analysis of N-nitrosamines in tobacco products and their endogenous formation in consumers. In: I.K. O'Neill, R.C. von Borstel, C.T. Miller, J. Long and H. Bartsch (eds.) *N-Nitroso compounds: Occurrence, biological effects and relevance to human cancer*, IARC scientific publications No.57, International Agency for Research on Cancer, Lyon, pp. 743-762.
- Hoffmann D. and Hecht S.S. (1985): Nicotine-derived N-nitrosamines and tobacco-related cancer: current status and future directions. *Cancer Res.* **45**: 935-944.
- Hoffmann D., La Voie E.J. and Hecht S.S. (1985): Nicotine: a precursor for carcinogens. *Cancer Lett.* **26**: 67-75.
- Hogstedt B., Gullberg B., Hender K., Kolnig A., Mitelman F., Skerfving S. and Widegren B. (1983): Chromosome aberrations and micronuclei in bone marrow cells and peripheral blood lymphocytes in humans exposed to ethylene oxide. *Hereditas* **98**: 105-113.
- Hogstedt B., Gullberg B., Mark-Vendel E., Mitelman F. and Skerfving S. (1981): Micronuclei and chromosome aberrations in bone marrow cells and lymphocytes of humans

- exposed mainly to petroleum vapors. *Hereditas* **94**: 179-187.
- Hogstedt B. and Karlsson A. (1985): The size of micronuclei in human lymphocytes varies according to inducing agent used. *Mutat. Res.* **156**: 229-232.
- Homburger F., Hsueh S.-S, Russfield A.B., Laird C.W. and Van Dongen C.G. (1976): Absence of carcinogenic effects of chronic feeding of snuff in inbred Syrian hamsters. *Toxicol. Appl. Pharmacol.* **35**: 515-521.
- Hopkin J.M. and Evans H.J. (1980): Cigarette-smoke induced DNA damage and lung cancer risks. *Nature (London)* **283**: 388-390.
- Hunter S.M., Croft J.B., Burke G.L., Parker F.C., Webber L.S. and Berenson G.S. (1986): Longitudinal patterns of cigarette smoking and smokeless tobacco use in youth: The Bogalusa heart study. *Am. J. Public Health* **76**: 193-195.
- Husum B., Wulf H.C. and Niebuhr E. (1986): Sister chromatid exchange frequency correlates with age, sex and cigarette smoking in a 5-year material of 533 healthy adults. *Hereditas* **105**: 17-21.
- IARC (1976): Monographs on the Evaluations of the carcinogenic Risk of chemicals to Humans Vol.10. Some Naturally occurring substances. International Agency for Research on Cancer, Lyon.
- IARC (1982): Monographs on the Evaluation of the Carcinogenic Risk of chemicals to Humans. Suppl. 4, Chemicals, Industrial Processes and Industries Associated with Cancer

- in Humans (IARC Monographs Vol. 1 to 29), International Agency for Research on Cancer, Lyon.
- IARC (1983): Monographs on the Evaluation of the Carcinogenic Risk of chemicals to Humans. Vol. 31, Some Food Additives, Feed Additives and Naturally occurring substances. International Agency for Research on Cancer, Lyon. pp. 171-178, 213-219.
- IARC (1985): Monographs on the Evaluation of the Carcinogenic Risk of chemicals to Humans, Vol. 37, Betel-Quid and Areca nut chewing and some Nitrosamines. International Agency for Research on Cancer, Lyon.
- IARC (1987): Monographs on the Evaluation of the Carcinogenic Risk of chemicals to Humans, Suppl. 7. Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1 to 42: pp. 357-361.
- Ikushima T. and Wolff S. (1974): SCE induced by light flash to 5-Brdu and 5-IDUR substituted CHO-chromosome. Exp. Cell Res. 87: 15-19.
- Iskandar O. and Vijayalaxmi E.T. (1981): The enhancement of the effect of aflatoxin B₁ by metabolic activation with rat-liver microsomes on human lymphocytes assayed with the micronucleus test. Mutat. Res. 91: 63-66.
- Jaffe J.H. (1985): Drug addiction and drug abuse. In: A. G. Gilman, L.S. Goodman, T.W. Rall and F. Murad (eds.) Goodman and Gilman's pharmacological basis of therapeutics. Macmillan, New York, pp. 532-581.
- Jayant K. and Deo M.G. (1986): Oral cancer and cultural

- practices in relation to betel quid and tobacco chewing and smoking. *Cancer Detect. Prev.* **9**: 207-213.
- Jussawalla D.J. and Deshpande V.A. (1971): Evaluation of cancer risk in tobacco chewers and smokers: An epidemiologic assessment. *Cancer* **28**: 244-252.
- Kakati S., Abe S. and Sandberg A.A. (1978): Sister chromatid exchange in Philadelphia chromosome (Ph^1) - positive leukemia. *Cancer Res.* **38**: 2918-2921.
- Kandarkar S.V., Hasgekar N.N. and Sirsat S.M. (1981): Optical and ultrastructural pathology of vitamin A pretreated hamster cheek pouch exposed to lime [$Ca(OH)_2$] and tobacco over total life span. *Neoplasma* **28**: 729-737.
- Keeler R.F. (1979): Congenital defects in calves from maternal ingestion of *Nicotiana glauca* of high anabasine content. *Clin. Toxicol.* **15**: 417-426.
- Khanolkar V.R. (1944): Oral cancer in Bombay, India. *Cancer Res.* **4**: 313-319.
- Kiseleva N.S., Milievskaia I.L. and Caklin A.V. (1976): Development of tumours in Syrian hamsters during prolonged experimental exposure to nas. *Bull. WHO* **54**: 597-605.
- Kliesch U. and Adler I.D. (1983): Chromosome analysis and micronucleus test in mouse bone marrow are not equally sensitive as shown by results with 5 chemical mutagens. *Mutat. Res.* **113**: 340-346.
- Konno S., Chiago J.W. and Wu J.M. (1986): Effects of nicotine on cellular proliferation, cell cycle phase distribution and macromolecular synthesis in human promyelocytic HL-60

- leukemia cells. *Cancer Lett.* **33**: 91-97.
- Krishna K. (1978): Tobacco chewing in pregnancy. *Br. J. Obstet. Gynecol.* **85**: 726-728.
- Kulkarni J.R., Lalitha V.S. and Bhide S.V. (1988): Carcinogenicity studies of masheri, a pyrolysed product of tobacco. *Carcinogenesis* **9**: 2137-2138.
- Kulkarni J., Lalitha V.S. and Bhide S. (1989): Weak carcinogenic effect of macheri, a pyrolysed tobacco product, in mouse skin tumor models. *J. Cancer Res. Clin. Oncol.* **115**: 166-169.
- Lambert B., Lindblad A., Holmberg L. and Francesconi D. (1982): The use of sister chromatid exchange to monitor human populations for exposure to toxicologically harmful agents. In: *Sister chromatid exchange*. Wiley, New York, pp. 149-182.
- Lambert B., Lindblad A., Nordenskjold M., Werelius B. (1978): Increased frequency of sister chromatid exchanges in cigarette smokers. *Hereditas* **88**: 147-149.
- Landauer W. (1960): Nicotine-induced malformations of chicken embryos and their bearing on the phenocopy problem. *J. Exp. Zool.* **143**: 107-122.
- Lapis K., Jeney A., Divald A., Vajta G., Zalatnai A. and Schaff Z. (1986): Experimental studies on the effect of hepatoprotective compounds. *Tokai J. Exp. Clin. Med.* **11**: 135-145.
- Latt S.A. (1981): Sister chromatid exchange formation. *Ann. Rev. Genet.* **15**: 11-55.

- Leuchtenberger C., Leuchtenberger R. and Schneider A. (1973):
Effects of marijuana and tobacco smoke on human lung
physiology. *Nature* 241: 137-139.
- Livingston G.K., Cannon L.A., Bishop D.T., Johnson P. and
Fineman R.M. (1983): Sister chromatid exchange: variation
of age, sex, smoking and breast cancer status. *Cancer
Genet. Cytogenet.* 8: 289-299.
- Lucas R.B. (1964): In: *Pathology of tumours of the oral
tissues.* J. and A. Churchill, London. p. 113.
- Luthra U.K., Sreenivas V., Menon G.R., Prabhakar A.K. and
Chaudhry K. (1990): Tobacco control in India - Problems
and possible solutions (Abstract): In: *International
symposium on the control of tobacco related cancers and
other diseases, January 1990, Tata Institute of
Fundamental Research, Bombay, India.* pp. 13-14.
- Madhihassan S. (1981): *Aspergillus flavus* as the probable
carcinogen in betel nuts. *Hamdard Medicus* 24: 130-134.
- Mahdihassan S. and Rabia Z. (1988): Coloured illustrations of
betel nuts infected with a cancer producing fungus.
Hamdard Medicus 31: 35-36.
- Mahler H. (1988): Tobacco or Health: choose health. *World
Health Forum* 9: 78-83.
- Marty P.J., McDermott R.J. and Williams T. (1986): Patterns
of smokeless tobacco use in a population of high school
students. *Am. J. Public Health* 76: 190-192.
- McGurk M. and Craig G.T. (1984): Oral submucous fibrosis: Two
cases of malignant transformation in Asian immigrants to

the United Kingdom. Br. J. Oral Maxillofac. Surg. 22: 56-64.

Mehta F.S., Gupta P.C., Daftary D.K., Pindborg J.J. and Choksi S.K. (1972): An epidemiologic study of oral cancer and precancerous conditions among 101,761 villagers in Maharashtra, India. Int. J. Cancer 10: 134-141.

Mehta F.S., Pindborg J.J., Hamner J.E., Gupta P.C., Daftary D.K., Sahiar B.E., Shroff B.C., Sanghvi L.D., Bhonsle R.B., Choski S.K., Dandekar V.V., Mehta Y.N., Pitkar V.K., Sinor P.N., Shah N.C., Turner P.S. and Upadhyay S.A. (1971): Report on Investigations of oral cancer and precancerous conditions in Indian rural populations, 1966-1969, Copenhagen, Munksgaard, pp. 48, 68, 89, 107, 120.

Menon M.M. and Bhide S.V. (1984): Mutagenicity of urine in bidi and cigarette smokers and tobacco chewers. Carcinogenesis 5: 1523-1524.

Milievskaja I.L. and Keseleva N.S. (1976): Comparative study of the carcinogenic activities of nas and some chemical carcinogens when introduced into the buccal pouch of the Syrian Hamster. Bull. WHO 54: 607-614.

Moore G.E., Bissinger L.L. and Proehl E.C. (1952): Tobacco and intra-oral cancer. Surg. Forum 3: 685-688.

Moore G.E., Bissinger L.L. and Proehl E.C. (1953): Intra-oral cancer and the use of chewing tobacco. J. Am. Geriatr. Soc. 1: 497-506.

Murphy S.E. and Heiblum R. (1990): Effect of nicotine and tobacco-specific nitrosamines on the metabolism of N'-

- nitrosonornicotine and 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone by rat oral tissue. *Carcinogenesis* **11**: 1663-1666.
- Murty, V.V.V.S., Mitra A.B., Luthra U.K. (1985): Spontaneous chromosomal aberrations in patients with precancerous and cancerous lesions of the cervix uteri. *Cancer Genet. Cytogenet.* **17**: 347-354.
- Murty, V.V.V.S., Mitra A.B., Luthra U.K. and Singh I.P. (1986): Sister chromatid exchanges in patients with precancerous and cancerous lesions of cervix uteri. *Hum. Genet.* **72**: 37-42.
- Nagbhusan M., Amonkar A.J., Nair U.J., Santhanam U., Ammigan N., D'Souza A.V. and Bhide S.V. (1988): Catechin as an antimutagen: its mode of action. *J. Cancer Res. Clin. Oncol.* **114**: 177-182.
- Nagabhusan M. and Bhide S.V. (1988): Anti-mutagenicity of catechin against environmental mutagens. *Mutagenesis* **3**: 293-296.
- Nair J., Nair U.J., Ohshima H., Bhide S.V. and Bartsch H. (1987): Endogenous nitrosation in the oral cavity of chewers while chewing betel quid with or without tobacco. In: H. Bartsch, I. O'Neill and R. Schute-Hermann (eds.). *The relevance of N-nitrosocompounds to human cancer. Exposures and mechanisms.* IARC scientific publications No.84, Lyon, pp. 465-469.
- Nair J., Ohshima H., Friesen M., Croisy A., Bhide S.V. and Bartsch H. (1985): Tobacco specific and betel nut-specific

- N-nitroso compounds: Occurrence in saliva and urine of betel quid chewers and formation in vitro by nitrosation of betel quid. *Carcinogenesis* 6: 295-303.
- Nair J., Oshima H., Malaveille C., Friesen M., O'Neill I.K., Hautefeuille A. and Bartsch H. (1986): Identification, occurrence and mutagenicity in *Salmonella typhimurium* of two synthetic nitroarenes, musk ambrette and musk xylene, in Indian chewing tobacco and betel quid. *Food Chem. Toxicol.* 24: 27-31.
- Nair J., Pakhale S.S. and Bhide S.V. (1989): Carcinogenic tobacco-specific nitrosamines in Indian tobacco products. *Food Chem. Toxicol.* 27: 751-753.
- Natarajan A.T. and Obe G. (1980): Screening of Human populations for mutations induced by environmental pollutants: Use of human lymphocyte system. *Ecotoxicol. Environ. Safety* 4: 468-481.
- Natarajan A.T. and Obe G. (1982): Mutagenicity testing with cultured mammalian cells: Cytogenetic assays. In: J.A. Heddle (ed.) *Mutagenicity: New horizons in genetic toxicology*, Academic Press, New York, pp. 171-213.
- Niblock W.J. (1902): Cancer in India. *Indian Med. Gaz.* 37: 161-165.
- Nieschultz O. and Schmersahl P. (1968): On the pharmacology of the active principles of betel 2. Transformation of arecoline to arecaidine. *Arzneimittelforschung* 18: 222-225.
- Nishimura H. and Nakai K. (1958): Developmental anomalies in

- offspring of pregnant mice treated with nicotine. *Science* **127**: 877-878.
- Nishioka H., Hishi K. and Kyokane K. (1981): Human saliva inactivates mutagenicity of carcinogens. *Mutation Res.* **85**: 323-333.
- Notani P.N. (1990): Role of environmental factors/carcinogens in the commonly occurring cancer of the alimentary and respiratory tracts, in the country. In: P.S. Chauhan (ed.) *Environmental mutagenesis and carcinogenesis. Vol.1*, EMSI, BARC, Bombay, India. pp. 105-118.
- Obe G. and Beek B. (1982): The human leukocyte test system. In: F.J. de Serres and A. Hollaender (eds.) *Chemical Mutagens Vol.7*. Plenum Press, New York, pp. 337-400.
- Obe G., Gobel D., Engelen H., Herha J. and Natarajan A.T. (1980): Chromosomal aberrations in peripheral lymphocytes of alcoholics. *Mutat. Res.* **73**: 377-386.
- Obe G. and Herha J. (1978): Chromosomal aberrations in heavy smokers. *Hum. Genet.* **41**: 259-263.
- Orr I.M. (1933): Oral cancer in betel nut chewers in Travancore. Its aetiology, pathology and treatment. *Lancet* **ii**: 575-580.
- Padma P.R., Amonkar A.J. and Bhide S.V. (1989): Mutagenic and cytogenetic studies of N'-nitrosornicotine and 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone. *Cancer Lett.* **46**: 173-180.
- Panigrahi G.B. and Rao A.R. (1982): Chromosome-breaking ability of arecoline, a major betel-nut alkaloid, in mouse

- bone-marrow cells in vivo. *Mutat. Res.* 103: 197-204.
- Panigrahi G.B. and Rao A.R. (1986): Study of the genotoxicity of the total aqueous extract of betel nut and its tannin. *Carcinogenesis* 7: 37-39.
- Passey R.D., Blackmore M., Warbrick-Smith D. and Jones R. (1971): Smoking risks of different tobaccos. *Br. Med. J.* iv: 198-201.
- Paymaster J.C. (1956): Cancer of the buccal mucosa. A clinical study of 650 cases in Indian patients. *Cancer* 9: 431-435.
- Peacock Jr. E.E., Greenberg B.G. and Brawley B.W. (1960): The effect of snuff and tobacco on the production of oral carcinoma: An experimental and epidemiological study. *Ann. Surg.* 151: 542-550.
- Perry P. and Evans H.J. (1975): Cytological detection of mutagen-carcinogen exposure by sister chromatid exchange. *Nature (London)* 258: 121-125.
- Perry P., Henderson L. and Kirkland D. (1984): Sister chromatid exchange in cultured cell. In: B.J. Dean (ed.) Report of the UKEMS sub-committee on guidelines for mutagenicity testing. Part II, UKEMS, U.K., pp. 89-121.
- Pilotti A., Ancker K., Arrhenius E. and Enzell C. (1975): Effects of tobacco and tobacco smoke constituents on cell multiplication in vitro. *Toxicology* 5: 49-62.
- Pindborg J.J., Mehta F.S., Gupta P.C. and Daftary D.K. (1968): Prevalence of oral submucous fibrosis among 50,915 Indian villagers. *Br. J. Cancer* 22: 646-654.

- Popescu N.C., Amsbaugh S.C. and DiPaolo J.A. (1981):
Relationship of carcinogen induced sister chromatid
exchange and neoplastic cell transformation. *Int. J.
Cancer* 28: 71-77.
- Popescu N.C., Amsbaugh S.C. and DiPaolo J.A. (1984):
Correlation of morphological transformation to sister
chromatid exchanges induced by split doses of chemical or
physical carcinogens on cultured Syrian hamster cells.
Cancer Res. 44: 1933-1938.
- Preston R.J. (1982): The use of inhibitors of DNA repair in
the study of the mechanisms of induction of chromosomal
aberrations. *Cytogenet. Cell Genet.* 33: 20-26.
- Preussmann R. and Stewart B.W. (1984): N-nitroso compounds.
In: C.E. Searle (ed.) *Chemical carcinogens. Vol.2*, American
Chemical Society, Washington, DC, pp. 643-828.
- Prokopczyk B., Rivenson A., Bertinato P., Brunnemann K.D. and
Hoffmann D. (1987): 3-(Methyl-nitrosamino) propionitrile:
occurrence in saliva of betel quid chewers,
carcinogenicity and methylation in F344 rats. *Cancer Res.*
47: 467-471.
- Purchase I.F.H., Longstaf E., Ashby J., Styles J.A., Anderson
D., Lefevre P.A. and Westwood F.R. (1976): Evaluation of
six short term tests for detecting organic chemical
carcinogens and recommendations for their use. *Nature* 264:
624-627.
- Ranadive K.J. and Gothoskar S.V. (1978): Betel quid chewing
and oral cancer: Experimental studies. In: H.E. Nieburgs

- (ed.) Prevention and detection of cancer Part I - Prevention. Vol. 2 - Etiology - Prevention Methods. Marcel Dekker Inc., N.Y., pp. 1745-1766.
- Ranadive K.J., Gothoskar S.V., Rao A.R., Tezabwalla B.U. and Ambaye R.Y. (1976): Experimental studies on betel nut and tobacco carcinogenicity. *Int. J. Cancer* **17**: 469-476.
- Ranadive K.J., Ranadive S.N., Shivapurkar N.M. and Gothoskar S.V. (1979): Betel quid chewing and oral cancer: Experimental studies on hamsters. *Int. J. Cancer* **24**: 835-843.
- Rao A.R. (1984): Modifying influences of betel quid ingredients on B(a)P-induced carcinogenesis in the buccal pouch of hamster. *Int. J. Cancer* **33**: 581-586.
- Riebe M. and Westphal K. (1983): Studies on the induction of sister chromatid exchanges in Chinese hamster ovary cells by various tobacco alkaloids. *Mutat. Res.* **124**: 281-286.
- Riebe M., Westphal K. and Fortnagel P. (1982): Mutagenicity testing, in bacterial test systems, of some constituents of tobacco. *Mutat. Res.* **101**: 39-43.
- Roberts J.J. (1984): Mechanism of potentiation by caffeine of genotoxic damage induced by physical and chemical agents. In: A. Collins, C.S. Downes and R.T. Johnson (eds.) DNA repair and its inhibition, IRL Press, Oxford, pp. 193-216.
- Ronen A. and Heddle J.A. (1984): Site-specific induction of nuclear anomalies (apoptotic bodies and micronuclei) by carcinogens in mice. *Cancer Res.* **44**: 1536-1540.
- Rubio C.A., Sigurdson A. and Zajicek J. (1973): Viability

- tests in exfoliated cells from vaginal and oral epithelia.
Acta Cytol. 17: 32-36.
- Russell M.A.H., Jarvis M.J. and Feyerabend C. (1980): A new
age for snuff? Lancet i: 474-475.
- Russell M.A.H., Jarvis M.J., West R.J. and Feyerabend C.
(1985): Buccal absorption of nicotine from smokeless
tobacco sachets. Lancet ii: 1370.
- Sanghvi, L.D. (1981): Cancer epidemiology: The Indian scene.
J. Cancer Res. Clin. Oncol. 91: 1-14.
- Sankaranarayanan M., Mohideen N., Krishnan Nair M. and
Padmanabhan T.K. (1989): Aetiology of oral cancer in
patients \leq 30 years of age. Br. J. Cancer 59: 439-440.
- Sarto F., Finotto S., Giacomelli L., Mazzotti D., Tomanin R.
and Levis A.G. (1987): The micronucleus assay in
exfoliated cells of the human buccal mucosa. Mutagenesis
2: 11-17.
- Schaefer S.D., Anderson A.H., Glover E.D. and Christen A.G.
(1985): Pattern of use and incidence of smokeless tobacco
consumption in school-age children. Arch. Otolaryngol.
Head Neck Surg. 111: 639-642.
- Schmid W. (1976): The micronucleus test for cytogenetic
analysis. In: A. Hollaender (ed.) Chemical Mutagens Vol.4.
Plenum Publishing Corporation, New York, pp. 31-53.
- Schuman L.M., Bjelke E., Gibson R.W. and Watt G.D. (1982):
Cancer among chewers of snuff/tobacco: International
cohort comparisons for Norway and the United States. In:
Proceedings of the XIIIth International Cancer Congress,

- Seattle, Washington (Abstract No.1172) p. 207.
- Scott D., Sanford N., Dean B.J., Kirkland D. and Richardson C. (1983): In vitro chromosome aberration assays. In: B.J.^s Dean (ed.), Report of the UKEMS Subcommittee on the Guidelines for Mutagenicity Testing. The United Kingdom Environmental Mutagen Society, U.K. pp. 41-64.
- Segi M. and Kurihara M. (1972): Cancer mortality for selected sites in 24 countries. No. 6 (1966-1967), Japan Cancer Society.
- Shah A.S., Sarode A.V. and Bhide S.V. (1985): Experimental studies on mutagenic and carcinogenic effects of tobacco chewing. J. Cancer Res. Clin. Oncol. 109: 203-207.
- Shanta V. and Krishnamurthi S. (1963): Further study in aetiology of carcinomas of the upper alimentary tract. Br. J. Cancer 17: 8-23.
- Shirname L.P., Menon M.M. and Bhide S.V. (1984): Mutagenicity of betel-quid and its ingredients using mammalian test systems. Carcinogenesis 5: 501-503.
- Shirname L.P., Menon N.M., Nair J. and Bhide S.V. (1983): Correlation of mutagenicity and tumorigenicity of betel quid and its ingredients. Nutr. Cancer 5: 87-91.
- Shivapurkar N.M., D'Souza A.V. and Bhide S.V. (1980a): Effect of betel-quid chewing on nitrite levels in saliva. Food Cosmet. Toxicol. 18: 277-281.
- Shivapurkar N.M., Ranadive S.N., Gothoskar S.V., Bhide S.V. and Ranadive K.J. (1980b): Tumorigenic effect of aqueous and polyphenolic fractions of betel nut in Swiss strain

- mice. *Indian J. Exp. Biol.* **18**: 1159-1161.
- Silverberg E. and Lubera J.A. (1989): *Cancer Statistics*.
CA **39**: 3-20.
- Sinha R. (1984): Development of chewing, hookah and wrapper tobacco in India. In: *Proceedings of the 5th National Symposium on Tobacco*, pp. 29-33.
- Sipahimalani A.T., Chadha M.S., Bhide S.V., Pratap A.I. and Nair J. (1984): Detection of N-nitrosamines in the saliva of habitual chewers of tobacco. *Food Chem. Toxicol.* **22**: 261-264.
- Sirsat S.M. and Khanolkar V.L. (1962): The effect of Aracholin on the palatal and buccal mucosa of the Wistar rats, an optical and electron microscopic study. *Indian J. Med. Sci.* **16**: 198-202.
- Squires Jr. W.G., Brandon T.A., Zinkgraft S., Bonds D., Hartung G.H., Murray T., Jackson A.S. and Miller R.R. (1984): Hemodynamic effects of oral smokeless tobacco in dogs and young adults. *Prev. Med.* **13**: 195-206.
- Stanley K. and Stjernsward J. (1986): A survey on the control of oral cancer in India. *Indian J. Cancer* **23**: 105-111.
- Stich H.F. (1986): The use of micronuclei in tracing the genotoxic damage in the oral mucosa of tobacco users. In: D. Hoffmann and C.C. Harris (eds.) *Mechanisms in tobacco carcinogenesis*, Banbury Report No.23, Cold Spring Harbor Laboratory, New York, pp. 99-111.
- Stich H.F., Acton A.B. and Palcic B. (1990): Towards an automated micronucleus assay as an internal dosimeter for

- carcinogen-exposed human population groups. In: P. Band (ed.) Recent results in cancer research, vol. 120, Occupational cancer epidemiology, Springer-Verlag, Berlin, Heidelberg, New York, pp. 94-105.
- Stich H.F. and Anders F. (1989): The involvement of reactive oxygen species in oral cancers of betel quid/tobacco chewers. *Mutat. Res.* 214: 47-61.
- Stich H.F., Bohm B.A., Chatterjee K. and Sailo J. (1983): The role of saliva-borne mutagens and carcinogens in the etiology of oral and esophageal carcinomas of betel nut and tobacco chewers. In: H.F. Stich (ed.) Carcinogens and Mutagens in the Environment, Vol.3, Naturally Occurring Compounds: Epidemiology and Distribution, CRC Press, Boca Raton, FL, pp. 43-58.
- Stich H.F., Hornby A.P. and Dunn B.P. (1985): A pilot beta-carotene intervention trial with Inuits using smokeless tobacco. *Int. J. Cancer* 36: 321-327.
- Stich, H.F. and Rosin M.P. (1983a): Quantitating the synergistic effect of smoking and alcohol consumption with the micronucleus test on human buccal mucosa cells. *Int. J. Cancer* 31: 305-308.
- Stich H.F. and Rosin M.P. (1983b): Micronuclei in exfoliated human cells as an internal dosimeter for exposure to carcinogens. In H.F. Stich (ed.) Carcinogens and Mutagens in the Environment. CRC Press, FL pp. 17-25.
- Stich H.F. and Rosin M.P. (1984): Micronuclei in exfoliated human cells as a tool for studies in cancer risk and

- cancer intervention. *Cancer Lett.* **22**: 241-253.
- Stich H.F., Rosin M.P. and Vallejera M.O. (1984a): Reduction with vitamin A and beta-carotene administration of proportion of micronucleated buccal mucosal cells in Asian betel nut and tobacco chewers. *Lancet* **i**: 1204-1206.
- Stich H.F., Rosin M.P., Wu C.H. and Powrie W.D. (1981a): The action of transition metals on the genotoxicity of simple phenols, phenolic acids and cinnamic acids. *Cancer Lett.* **14**: 251-260.
- Stich H.F. and Stich W. (1982): Chromosome damaging activity of saliva of betel nut and tobacco chewers. *Cancer Lett.* **15**: 193-202.
- Stich H.F., Stich W. and Lam P.P.S. (1981b): Potentiation of genotoxicity by concurrent application of compounds found in betel quid: Arecoline, eugenol, quercetin, chlorogenic acid and Mn^{2+} . *Mutat. Res.* **90**: 355-363.
- Stich H.F., Stich W. and Parida B.B. (1982): Elevated frequency of micronucleated cells in the buccal mucosa of individuals at high risk from oral cancer: Betel quid chewers. *Cancer Lett.* **17**: 125-134.
- Stich H.F., Stich W., Rosin M.P. and Vallejera M.O. (1984b): Use of the micronucleus test to monitor the effect of vitamin A, betacarotene and canthaxanthin on the buccal mucosa of betel nut/tobacco chewers. *Int. J. Cancer* **34**: 745-750.
- Stich H.F. and Tsang S.S. (1989): Promoting activity of betel quid ingredients and their inhibition by retinol. *Cancer*

- Lett. 45: 71-77.
- Sugiyama T., Goto K. and Kano Y. (1976): Mechanism of differential Giemsa method for sister chromatids. Nature 259: 59-60.
- Sundqvist K., Liu Y., Nair J., Bartsch H., Arvidson K. and Graftstrom R.C. (1989): Cytotoxic and genotoxic effects of areca nut-related compounds on cultured human buccal epithelial cells. Cancer Res. 49: 5294-5298.
- Tabin C.J., Bradley S.M., Bargmann C.J., Weinberg R.A., Papageorge A.G., Scolnick E.M., Dhar R., Lowy D.R. and Chang E.H. (1982): Mechanisms of activation of a human oncogene. Nature 300: 143-149.
- Talaska G., Au W.W., Ward J.B., Randerath K. and Legator M.S. (1987): The correlation between DNA adducts and chromosomal aberrations in the target organ of benzidine exposed, partially-hepatectomized mice. Carcinogenesis 8: 1899-1905.
- Tennant R.W., Margolin B.H., Shelby M.D., Zeiger E., Haseman J.K., Spalding J., Caspary W., Resnick M., Stasiewicz S., Anderson B. and Minor R. (1987): Prediction of chemical carcinogenicity in rodents from in vitro genetic toxicity assays. Science 236: 933-941.
- Thelestam M., Curvall M. and Enzell C.R. (1980): Effect of tobacco smoke on the plasma membrane of cultured human lung fibroblasts. Toxicology 15: 203-217.
- Thomson V.E. and Evans H.J. (1979): Induction of sister-chromatid exchanges in human lymphocytes and Chinese

- hamster cells exposed to aflatoxin B₁ and N-methyl-N-nitrosourea. *Mutat. Res.* **67**: 47-53.
- Tricker A.R and Preussmann R. (1988): The occurrence of N-nitro compounds in zarda tobacco. *Cancer Lett.* **42**: 113-118.
- Tsukeda H., Mizuno S. and Nitta K. (1978): Susceptibilities of normal and malignant human lung cells in culture to the cytotoxic action of antitumor agents. *Cancer Res.* **38**: 2529-2532.
- Umezawa K., Fujie S., Sawamura M., Matsushima T., Kato Y., Tanaka M. and Takayama S. (1981): Morphological transformation, sister chromatid exchange and mutagenesis assay of betel constituents. *Toxicol Lett.* **8**: 17-22.
- Umezawa K., Takayama S., Fujie S., Matsushima T. and Sugimura T. (1978): In vitro transformation of hamster embryo cells by betel tobacco extracts. *Toxicol. Lett.* **2**: 243-246.
- United States Public Health Service (1982): The health consequences of smoking: cancer. A report of the Surgeon General, United States Department of Health and Human Services, Office on Smoking and Health, Washington.
- Van Duuren B.L. (1968): Tobacco carcinogenesis. *Cancer Res.* **28**: 2357-2362.
- Vara P. and Kinnunen O. (1951): The effect of nicotine on the female rabbit and developing foetus. *Ann. Med. Exp. Biol. Fenn.* **29**: 202-213.
- Verma R.C., Chansoriya M. and Kaul K.K. (1983): Effect of tobacco chewing by mothers on fetal outcome. *Indian*

- Pediatr. 20: 105-111.
- Vijayalaxmi and Evans H.J. (1982): In vivo and in vitro effects of cigarette smoke on chromosomal damage and sister chromatid exchanges in human peripheral blood lymphocytes. *Mutat. Res.* 92: 321-322.
- Vincent R.G. and Marehetta F. (1963): The relationship of the use of tobacco and alcohol to cancer of the oral cavity, pharynx and larynx. *Am. J. Surg.* 106: 501-505.
- Vogler W.R., Lloyd J.W. and Milmore B.K. (1962): A retrospective study of etiological factors in cancer of mouth, pharynx and larynx. *Cancer* 15: 246-258.
- Wahi P.N. (1976): Oral and pharyngeal tumours. *GANN Monogr. Cancer Res.* 18: 19-25.
- Wallenius K. (1966): Experimental oral cancer in rat, with special reference to the influence of saliva. *Acta Pathol. Microbiol. Scand.* 180: 1-91.
- Wallenius K. and Lekholm V. (1973): Influence of saliva on epidermal cancer in rats induced by water - or fat-soluble carcinogens. *Odontol. Revy* 24: 115-126.
- Wary, K.K. and Sharan R.N. (1988): Aqueous extract of betel-nut of North-East India induces DNA-strand breaks and enhances rate of cell proliferation in vitro. *J. Cancer Res. Clin. Oncol.* 114: 579-582.
- Watanabe T. and Endo A. (1984): The SCE test as a tool for cytogenetic monitoring of human exposure to occupational and environmental mutagens. In: R.R. Tice and A. Hollaender (eds.) *Sister chromatid exchange: 25 years of*

- experimental research, New York, Plenum Publishing Corporation, New York, pp. 939-955.
- Wenke G., Brunnemann K.D., Hoffmann D. and Bhide S.V. (1984a):
A study of betel quid carcinogenesis IV. Analysis of the saliva of betel chewers: A preliminary report. J. Cancer Res. Clin. Oncol. **108**: 110-113.
- Wenke G. and Hoffmann D. (1983): A study of betel quid carcinogenesis. 1. On the in vitro N-nitrosation of arecoline. Carcinogenesis **4**: 169-172.
- Wenke G., Rivenson A. and Hoffmann D. (1984b): A study of betel quid carcinogenesis. III. 3-(Methylnitrosamino)propionitrile, a powerful carcinogen in F344 rats. Carcinogenesis **5**: 1137-1140.
- WHO (1984): Control of oral cancer in developing countries. Bull. WHO **62**: 817-830.
- WHO (1985): Guide to short term tests for detecting mutagenic and carcinogenic chemicals. Environmental Health Criteria **51**, World Health Organization, Geneva.
- Whong W.Z., Ames R.G. and Ong T-M. (1984): Mutagenicity of tobacco snuff: possible health implications for coal miners. J. Toxicol. Environ. Health **14**: 491-496.
- Whong W-Z., Stewart J.D. and Ong T-M. (1985): Formation of bacterial mutagens from reaction of chewing tobacco with nitrite. Mutat. Res. **158**: 105-110.
- Williams R.R. and Horm J.W. (1977): Association of cancer sites with tobacco and alcohol consumption and socioeconomic status of patients: Interview study from the

- Third National Cancer Survey. J. Natl. Cancer Inst. 58: 525-547.
- Winn D.M., Blot W.J., Shy C.M., Pickle L.W., Toledo A. and Fraumeni Jr. J.F. (1981): Snuff-dipping and oral cancer among women in Southern United States. N. Eng. J. Med. 304: 745-749.
- Wolff S. (1977): Sister chromatid exchange. Ann. Rev. Genet. 11: 183-201.
- Wolff S. and Perry P. (1974): Differential Giemsa staining of sister chromatids and the study of sister chromatid exchanges without autoradiography. Chromosoma 48: 341-353.
- Wynder E.L., Bross I.J. and Feldman R.M. (1957): A study of the etiological factors in cancer of the mouth. Cancer 10: 1300-1323.
- Wynder E.L. and Hoffmann D. (1968): Experimental tobacco carcinogenesis. Science 162: 862-871.
- Wynder E.L. and Stellman S.D. (1977): Comparative epidemiology of tobacco-related cancers. Cancer Res. 37: 4608-4622.
- Yamamoto K.I. and Kikuchi Y. (1980): A comparison of diameters of micronuclei induced by clastogens and by spindle poisons. Mutat. Res. 71: 127-131.
- Yang J.A., Huber S.A. and Lucas Z.J. (1979): Inhibition of DNA synthesis in cultured lymphocytes and tumor cells by extracts of Betel Nut, Tobacco and Miang leaf, Plant substances associated with cancer of the oro-respiratory epithelium. Cancer Res. 39: 4802-4809.

Zaridze D.G., Blettner M., Trapeznikov N.N., Kuvshinov J.P.,
Matiakin E.G., Poljakov B.P., Poddubni B.K., Parshikova
S.M., Rottenberg V.I., Chamrakulov F.S., Chodjaeva M.C.,
Stich H.F., Rosin M.P., Thurnham D.I., Hoffmann D. and
Burnnemann K.D. (1985): Survey of a population with a high
incidence of oral and oesophageal cancer. *Int. J. Cancer*
36: 153-158.

Zimonjic D., Popescu N.C. and DiPaolo J.A. (1989):
Induction of sister chromatid exchanges by tobacco-specific
nitrosamine 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone
in human and hamster cells. *Carcinogenesis* 10: 753-755.