

B

I

B

L

I

O

G

R

A

P

H

Y

- Abe S. and Sasaki M. (1977): Chromosome aberrations and sister chromatid exchange in Chinese hamster cells exposed to various chemicals. *J. Natl. Cancer Inst.* 58: 1635-1641.
- Abe S. and Sasaki M. (1982): SCE as an index of mutagenesis and/or carcinogenesis. In: A.A. Sandberg (ed). *Sister Chromatid Exchange*. Alan R. Liss, New York: pp 461-515.
- Abraham S.K., Goswami V. and Keshavan P.C. (1979): A preliminary assessment of possible mutagenicity of betel nut and ingredients of betel quid when administered alone or in combinations to larvae of *Drosophila melanogaster*. *Mutat. Res.* 66: 261-266.
- Abrol B.M. (1977): Clinicopathological, biochemical and immunological studies in syndrome of idiopathic oral fibrosis. *Bombay Hospital J.* 19: 50-56.
- Adhvaryu S.G., Bhatt R.G., Dayal P.K., Trivedi A.H., Dave B.J., Vyas R.C. and Jani K.H. (1986): SCE frequencies in lymphocytes of tobacco/betel nut chewers and patients with oral submucous fibrosis. *Br. J. Cancer* 53: 141-143.
- Adhvaryu S.G., Dave B.J. and Trivedi A.H. (1989): An in vitro assessment of the genotoxic potential of pan masalas. *Indian J. Med. Res.* 90: 131-134.
- Adhvaryu S.G., Dave B.J., Trivedi A.H., Vyas R.C. and Jerome B.N. (1988a): Characteristics of SCE frequencies in lymphocytes of patients with oral cancer and precancerous conditions. In: O.S.Reddi and P.P.Reddy (ed). *Chemical Carcinogenesis and Mutagenesis*. Osmania University, Hyderabad: pp 47-51.
- Adhvaryu S.G., Rawal U.M. and Patel J.V. (1988b): Elevated frequencies in the lymphocytes of esophageal cancer patients. *Cancer* 61: 1867-1871.
- Adhvaryu S.G., Rawal U.M. and Patel J.V. (1988c): Enhancement of lymphocytic SCE frequencies in patients with ovarian cancer. *Neoplasma* 35: 103-108.
- Adhvaryu S.G., Rawal U.M., Patel J.V., Patel D.D. and Balar D.B. (1988d): Increased frequency of sister chromatid exchanges in lymphocytes of breast cancer patients. *Int. J. Cancer* 41: 394-398.

- Adhvaryu S.G., Vyas R.C., Dave B.J., Trivedi A.H. and Parikh B.N. (1985): Spontaneous and induced sister chromatid exchange frequencies and cell cycle progression in lymphocytes of patients with carcinoma of uterine cervix. *Cancer Genet. Cytogenet.* 14: 67-72.
- Agrawal R.C., Sarode A.V. and Bhide S.V. (1986): Histopathology of hamster cheek and liver following topical application of lime. *Indian J. Med. Res.* 84: 542-547.
- Ahluwalia H.S. and Duguid J.B. (1966): Malignant tumours in Malaya. *Br. J. Cancer* 20: 12-15.
- Ahluwalia H.S. and Ponnampalam J.T. (1968): The socio-economic aspects of betel-nut chewing. *J. Trop. Med. Hyg.* 71: 48-50.
- Arjungi K.N. (1976): Areca nut. A review. *Arzneimittelforschung* 26: 951-956.
- Ashby J., Styles J.A. and Boyland E. (1979): Betel nuts, Arecaidine and oral cancer. *Lancet* 1: 112.
- Atkin N.B. (1976): In: N.B. Atkin (ed). *Cytogenetic aspects of malignant transformation*. S. Krager, Basel, Switzerland.
- Atkinson L., Chester I.C., Smyth F.G. and Ten Seldam R.E.J. (1964): Oral cancer in New Guinea: A study in demography and etiology. *Cancer* 17: 1289-1298.
- Atkinson L., Purohit R., Reay-Young P. and Scott G.C. (1982): Cancer reporting in Papua New Guinea: 1958-70 and 1971-78. *Natl. Cancer Inst. Monogr.* 62: 65-71.
- Au W. and Hsu T.C. (1982): Assays for chromosome aberrations using mammalian cells in culture. In: T.C. Hsu (ed). *Cytogenetic assays of environmental mutagens*. Allanheld, Osmun (Totowa, N.J.): pp 203-219.
- Bala Ram A.P. (1902): The use of betel nut as a cause of cancer in Malabar. *Indian Med. Gaz.* 37: 414.

- Balendra W. (1949): Symposium on oral diseases in tropical countries. 1. The effect of betel chewing on dental and oral tissues and its possible relationship to buccal carcinoma. *Br. Dent. J.* 87: 83-87.
- Balendra W. (1965): The incidence of oral carcinoma in Ceylon. *Br. J. Oral Surg.* 3: 101-105.
- Bazopoulou-kyrkanidou E., Angelopoulos A.P., Garas J. and Zervou-valvi F. (1983): Lymphocytic reactivity in patients with cancer of the oral cavity measured by sister chromatid differential staining. *Cancer Genet Cytogenet.* 10: 43-49.
- Bazopoulou-kyrkanidou E., Garas J. and Angelopoulos A.P. (1986): Sister chromatid exchanges in lymphocytes of patients with oral carcinoma. *Cancer Genet. Cytogenet.* 20: 35-38.
- Bentall W.C. (1908): Cancer in Travancore, South India. A summary of 1700 cases. *Br. Med. J.* ii: 1428-1431.
- Bhargava K., Smith L.W., Mani N.J., Silverman S., Jr., Malaowalla A.M. and Bilimoria K.F. (1975): A follow up study of oral cancer and precancerous lesions in 57,518 industrial workers of Gujarat, India. *Indian J. Cancer* 12: 124-129.
- Bhide S.V., Gothoskar S.V. and Shivapurkar N.M. (1984): Arecoline tumorigenicity in swiss strain mice on normal and vitamin B deficient diet. *J. Cancer Res. Clin. Oncol.* 107: 169-171.
- Bhide S.V., Nair U.J., Nair J., Spiegelhalder B. and Preussmann R. (1986): N-nitrosamines in the saliva of tobacco chewers or masheri users. *Food Chem. Toxicol.* 24: 293-297.
- Bhide S.V., Shivapurkar N.M., Gothoskar S.V. and Ranadive K.J. (1979): Carcinogenicity of betel quid ingredients: Feeding mice with aqueous extract and the polyphenol fraction of betel nut. *Br. J. Cancer* 40: 922-926.
- Bishun N.P., Lloyd N., Raven R.W. and Williams D.C. (1972): The in vitro and in vivo cytogenetic effects of nicotine. *Acta Biol. Acad. Sci. (Hungary).* 23: 175-180.

- Boak S.D. (1906): Betel-nut chewing. *J. Dent. Sci.* 49: 1006-1010.
- Borle R.M. and Gupta D.S. (1987): Fungal contamination of areca nut. *Indian J. Pathol. Microbiol.* 30: 357-360.
- Boyland E. (1968): The possible carcinogenic action of alkaloids of tobacco and betel nut. *Planta Medica* 11: 13-23.
- Boyland E. and Nery R. (1969): Mercapturic acid formation during the metabolism of arecoline and arecaidine in the rat. *Biochem. J.* 113: 123-130.
- Brown J.P. (1980): A review of genetic effects of naturally occurring flavonoids anthraquinones and related compounds. *Mutat. Res.* 75: 243-277.
- Brunnemann K.D., Prokopczyk B., Hoffmann D., Nair J., Ohshima H. and Bartsch H. (1986): Laboratory studies on oral cancer and smokeless tobacco. In: D.Hoffmann and C.C.Harris (eds). *Banbury Report 23: Mechanisms in Tobacco Carcinogenesis*. Cold Spring Harbor Laboratory, New York: pp 197-213.
- Caniff J.P. and Harvey W. (1981): The aetiology of oral submucous fibrosis: The stimulation of collagen synthesis by extracts of areca nut. *Int. J. Oral Surg.* 10 (Suppl. 1): 163-167.
- Carrano A.V. (1982): Sister chromatid exchange as an indicator of human exposure. In: B.A.Bridges, B.E.Butterworth and I.B.Weinstein (eds). *Banbury Report 13: Indicators of Genotoxic Exposure*. Cold Spring Harbor Laboratory, New York, pp 307-318.
- Carrano A.V. and Natarajan A.T. (1988): Considerations for population monitoring using cytogenetic techniques. *Mutat. Res.* 204: 379-406. (ICPEMC Publ. No. 14).
- Carrano A.V. and Thompson L.H. (1982): Sister chromatid exchange and gene mutation. *Cytogenet. Cell Genet.* 33: 57-61.
- Carrano A.V., Thompson L.H., Lindl P.A. and Minkler J.L. (1978): Sister chromatid exchanges as an indicator of mutagenesis. *Nature (London)* 271: 551-553.

- Chandra A. (1962): *Different habits and their relation with cancer cheek*. Chittaranjan Cancer Hosp. Calcutta Natl. Cancer Res. Centre Bull: 33-36.
- Cheng W.S., Mulvihill J.J., Green M.H., Pickle L.W., Tsai S., Whang-Peng J. (1979): *Sister chromatid exchanges and chromosomes in chronic myelogenous leukemia and cancer families*. *Int. J. Cancer* 23: 8-13.
- Chin C.T. and Lee K.W. (1970): *The effects of betel-nut chewing on the buccal mucosa of 296 Indians and Malays in West Malasia. A clinical study*. *Br. J. Cancer* 24: 427-432.
- Christie J.E., Shering A., Ferguson J. and Glen A.I.M. (1981): *Physostigmine and arecoline: Effects of intravenous infusions in Alzheimer presenile dementia*. *Br. J. Psychiatr.* 138: 46-50.
- Cooke R.A. (1969): *Verrucous carcinoma of the oral mucosa in Papua New Guinea*. *Cancer* 24: 397-402.
- Council of Scientific and Industrial Research (1948): *The wealth of India*. Vol.I, CSIR, New Delhi.
- Craig-Holmes A.P. and Shaw M.W. (1976): *Cell cycle analysis of asynchronous cultures using the BUdR-Hoechst technique*. *Exp. Cell Res.* 99: 79-87.
- Crossen P.E., Fitzgerald P.H. and Colls B.M. (1981): *Normal sister chromatid exchange and cell cycle progression in cultured lymphocytes from patients with malignant lymphoma*. *J. Natl. Cancer Inst.* 67: 821-824.
- Crossen P.E. and Morgan W.F. (1977): *Analysis of human lymphocyte cell cycle time in culture measured by sister chromatid differential staining*. *Exp. Cell Res.* 104: 453-457.
- Darlington C.D. and LaCour L.F. (1976): *In: Handling of chromosomes*. Sixth Edition, George Allen and Unwin Ltd., London: pp 133-134.
- Das B.C. (1988): *Factors that influence formation of sister chromatid exchanges in human blood lymphocytes*. *CRC Crit. Rev.* 19: 43-86.

- Davis G.G. (1915): Bufo cheek cancer, with special reference to etiology. *J. Am. Med. Assoc.* 64: 711-718.
- Dayal P.K., Mani N.J. and Bhargava K. (1978): Prevalence of oral cancer and precancerous lesions in 'pan'/'supari' chewers. *Ind. J. Publ. Health* 22: 234-245.
- Dean B.J. and Danford N. (1984): Assays for the detection of chemically-induced chromosome damage in cultured mammalian cells. In: S.Venitt and J.M.Parry (eds). *Mutagenicity testing - a practical approach*. IRL Pres, Oxford, Washington D.C: pp 187-232.
- Domino E.F. (1967): Electroencephelographic and behavioral causal effects of small doses of nicotine: A neuropsychopharmacological study. *Ann. N.Y. Acad. Sci.* 142: 216-244.
- Dunham L.J. and Herrold K.M. (1962): Failure to produce tumors in the hamster cheek pouch by exposure to ingredients of betel quid: Histopathologic changes in the pouch and other organs by exposure to known carcinogens. *J. Natl. Cancer Inst.* 29: 1047-1067.
- Dunham L.J., Muir C.S. and Hamner J.E. (1966): Epithelial atypia in hamster cheek pouches treated repeatedly with calcium hydroxide. *Br. J. Cancer* 20: 588-593.
- Dunham L.J., Sheets R.H. and Morton J.F. (1974): Proliferative lesions in cheek pouch and esophagus of hamsters treated with plants from Curaco, Netherland Antilles. *J. Natl. Cancer Inst.* 53: 1259-1269.
- Dunham L.J., Snell K.C. and Stewart H.L. (1975): Argyrophillic carcinoids in two syrian hamsters (*Mesocricetus auratus*). *J. Natl. Cancer Inst.* 54: 507-513.
- Dunn B.P. and Stich H.F. (1986): ^{32}P -Postlabelling analysis of aromatic DNA adducts in human oral mucosal cells. *Carcinogenesis* 7: 1115-1120.
- Eisen M.J. (1946): Betel chewing among natives of the Southwest Pacific Islands. *Cancer Res.* 6: 139-141.

- Ernst H., Ohshima H., Bartsch H., Mohr U. and Reichart P. (1987): Tumorigenicity study in syrian hamsters fed areca nut together with nitrite. *Carcinogenesis* 8: 1843-1846.
- Euler U.S. and Domeji B. (1945): Nicotine-like actions of arecoline. *Acta Pharmacol.* 1: 263-269.
- Evans H.J. (1976): Cytological methods for detecting chemical mutagens. In: A.Hollaendar (ed) *Chemical Mutagens*, Vol.4, Plenum Publishing Corporation, New York: pp 1-27.
- Evans H.J. (1982): Cytogenetic studies on industrial populations exposed to mutagens. In: B.A. Bridges, B.E. Butterworth and I.B. Weinstein (eds). *Banbury Report 13: Indicators of Genotoxic Exposure*. Cold Spring Harbor Laboratory, New York, pp: 325-340.
- Evans H.J. (1988): Mutation cytogenetics: Past, present and future. *Mutat. Res.* 204: 355-363.
- Evans H.J. and O'Riardon M.L. (1975): Human peripheral blood lymphocytes for the analysis of chromosome aberrations in mutagen tests. *Mutat. Res.* 31: 135-148.
- Evenson J.W. (1983): Oral premalignancy. *Cancer Surveys* 2: 403-424.
- Farago C. (1963a): Review of 110 cases of cancer of oral cavity in Papua New Guinea. *Br. Med. J.* i: 1264-1266.
- Farago C. (1963b): Report of 1,160 registered tumour cases in Papua New Guinea. *Cancer* 16: 670-680.
- Fells A. (1908): Cancer of the mouth in Southern India, with an analysis of 209 operations. *Br. Med. J.* ii: 1357-1358.
- Florin L., Rutberg L., Curvall M. and Enzell C.R. (1980): Screening of tobacco smoke constituents for mutagenicity using the Ames Test. *Toxicology* 18: 219-232.

- Forlen H.P., Hornstein O. and Stuttgen G. (1965): Betel quid and leukoplakia. *Arch. klin. exp. Dermatol.* 221: 463-480.
- Fram R.J. and Kufe D.W. (1984): The effect of inhibitors of DNA synthesis on DNA repair. In: A.Collins, C.S. Downes and R.T. Johnson (eds). *DNA repair and its inhibition*. IRL Press, Oxford: pp 95-107.
- Gebhart E. (1981): Sister chromatid exchange (SCE) and structural chromosome aberration in mutagenicity testing. *Hum. Genet.* 58: 235-254.
- Gilman G.A., Goodman L.S. and Gilman A. (eds). (1980): *Goodman and Gilman's The Pharmacological Basis of Therapeutics*, 6th ed., McMillan, New York: pp 96-97.
- Giri A.K., Banerjee T.S. and Talukder G. (1987): Induction of sister chromatid exchange and dominant lethal mutation by 'katha' (catechu) in male mice. *Cancer letters* 36: 189-196.
- Ghosh P.K. and Ghosh R. (1988): Effect of betel chewing on the frequency of sister chromatid exchanges in pregnant women and women using oral contraceptives. *Cancer Genet. Cytogenet.* 32: 211-215.
- Ghosh R. and Ghosh P.K. (1984): Sister chromatid exchanges in betel and tobacco chewers. *Mutat. Res.* 139: 79-81.
- Ghosh R. and Ghosh P.K. (1987): The effect of tobacco smoking on the frequency of sister chromatid exchanges in human lymphocyte chromosomes. *Cancer Genet. Cytogenet.* 27: 15-19.
- Gode P.K. (1961): *Studies in Indian Cultural History*, Vol. 1, Vishveshvaranand Vedic Research Institute, Hoshiarpur, India: pp 113-114.
- Gupta P.C., Mehta F.S., Daftary D.K., Pindborg J.J., Bhonsle R.B., Jalnawalla P.N., Sinor P.N., Pitkar V.K., Murti P.R., Irani R.R., Shah H.T., Kadam P.M., Iyer K.S.S., Iyer H.M., Hegde A.K., Chandrashekar G.K., Shroff B.C., Sahiar B.E. and Mehta M.N. (1980): Incidence rates of oral cancer and natural history of oral precancerous lesions in a 10 year follow-up study of Indian villagers. *Commun. Dent. Oral Epidemiol.* 8: 287-333.

- Gupta P.C., Pindborg J.J. and Mehta F.S. (1982): Comparison of carcinogenicity of betel quid with and without tobacco: an epidemiological review. *Ecology of Dis.* 1: 213-219.
- Harvey W., Scutt A., Meghji S. and Caniff J.P. (1986): Stimulation of human buccal mucosa fibroblasts in vitro by betel-nut alkaloids. *Archs. Oral Biol.* 31: 45-49.
- Heddle J.A., Benz R.D. and Countryman P.I. (1978): Measurements of chromosomal breakage in cultured cells by the micronucleus technique. In H.J. Evans and D.E. Lloyd (eds). *Mutagen-induced Chromosome damage in Man*. Edinburgh University Press, U.K.: pp 191-200.
- Heddle J.A. and Carrano A.V. (1977): The DNA content of micronuclei induced in mouse bone marrow by γ -irradiation: evidence that micronuclei arise from acentric chromosomal fragments. *Mutat. Res.* 44: 63-69.
- Henderson B.E. and Aiken G.H. (1979): Cancer in Papua New Guinea. *Natl. Cancer Inst. Monogr.* 53: 67-72.
- Hirayama T. (1966): An epidemiological study of oral and pharyngeal cancer in Central and South-East Asia. *Bull. WHO.* 34: 41-69.
- Hirono I. (1981): Natural carcinogenic products of plant origin. *CRC Crit. Rev. Toxicol.* 11: 235-277.
- Hirono I. (1985): Recent advances in research on braken carcinogen and carcinogenicity of betel nut. *J. Environ. Sci. Health. C* 3: 145-187.
- Hoffman D. and Hecht S.S. (1985): Nicotine-derived N-nitrosamines and tobacco-related cancer: current status and future directions. *Cancer Res.* 45: 935-944.
- Hogstedt B., Akesson B., Axell K., Gullberg B., Mitelman F., Pero R.W., Skerfving S. and Welinder H. (1983a): Increased frequency of lymphocyte micronuclei in workers producing reinforced polyester resin with low exposure of styrene. *Scand. J. Work Environ. Health* 9: 241-246.

- Hogstedt B., Gullberg B., Hedner K., Kolnig A.M., Mitelman F., Skerfving S. and Widegren B. (1983b): Chromosome aberrations and micronuclei in bone marrow cells and peripheral blood lymphocytes in humans exposed to ethylene oxide. *Hereditas* 98: 105-113.
- Hogstedt B., Gullberg B., Mark-Vendel E., Mitelman F. and Skerfving S. (1981): Micronuclei and chromosome aberration in bone marrow cells and lymphocytes of humans exposed mainly to petroleum vapours. *Hereditas* 94: 179-187.
- Hogstedt B. and Karlsson A. (1985): The size of micronuclei in human lymphocytes varies according to inducing agent used. *Mutat. Res.* 156: 229-232.
- Hollander D.H., Tockman M.S., Liany Y.W., Borgaonkar D.S., Frost J.K. (1978): Sister chromatid exchanges in the peripheral blood of cigarette smokers and in lung cancer patients and the effect of chemotherapy. *Hum. Genet.* 44: 165-171.
- Holmstedt B. and Lundgren G. (1967): Arecoline, nicotine and related compounds. Tremorogenic activity and effect upon brain acetylcholine. *Ann. N.Y. Acad. Sci.* 142: 126-142.
- Hopkin J.M. and Evans H.J. (1980): Cigarette-smoke induced DNA damage and lung cancer risks. *Nature (London)* 283: 388-390.
- Husum B., Wulf H.C. and Niebuhr E. (1981): Sister chromatid exchanges in lymphocytes in women with cancer of breast. *Mutat. Res.* 85: 357-362.
- Husum B., Wulf H.C. and Niebuhr E. (1986): Sister chromatid exchange frequency correlates with age, sex and cigarette smoking in a 5-year material of 533 healthy adults. *Hereditas* 105: 17-21.
- Huq S.F. (1965): Some aspect of site distribution of cancer in East Pakistan. *J. Pakistan Med. Assoc.* 15: 237-245.
- IARC (1976): Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Vol.10, Some naturally occurring substances. International Agency for Research on Cancer, Lyon: pp 51.

- IARC (1982): *Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Suppl. 4, Chemicals, Industrial Processes and Industries Associated with Cancer in Humans (IARC Monographs Vol. 1 to 29), International Agency for Research on Cancer, Lyon: pp 31.*
- IARC (1983): *Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Vol. 31, Some Food Additives, Feed Additives and Naturally occurring substances. International Agency for Research on Cancer, Lyon: pp 171-178, 213-219.*
- IARC (1985): *Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. Vol. 37, Tobacco habits other than smoking; Betel-Quid and Areca nut chewing; and some related Nitrosamines. International Agency for Research on Cancer, Lyon.*
- IARC (1987): *Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Suppl. 7, Overall Evaluations of Carcinogenicity: An updating of IARC monographs volumes 1 to 42. International Agency for Research on Cancer, Lyon: pp 357-361.*
- ICPEMC (1988): *Testing for mutagens and carcinogens; the role of short-term genotoxicity assays. A report prepared by the International Commission for Protection against Environmental Mutagens and Carcinogens. Mutat. Res. 205: 3-12.*
- Ikushima T. and Wolff S. (1974): *SCE induced by light flash to 5-BrdU and 5-IDJR substituted CHO-chromosome. Exp. Cell Res. 87: 15-19.*
- Jafarey N.A., Mahmood Z. and Zaidi S.H.M. (1977): *Habits and dietary pattern of cases of carcinoma of the oral cavity and oropharynx. J. Pakistan Med. Assoc. 27: 340-343.*
- Jayant K. (1977): *Statistical appraisal of the association of smoking and chewing habits to oral and pharyngeal cancers. Indian J. Cancer 14: 293-299.*
- Jayant K., Balakrishnan V., Sanghvi L.D. and Jussawalla D.J. (1977): *Quantification of the role of smoking and chewing tobacco in oral, pharyngeal and esophageal cancers. Br. J. Cancer 35: 232-235.*

- Jayant K. and Deo M.G. (1986): Oral cancer and cultural practices in relation to betel quid and tobacco chewing and smoking. *Cancer Detect. Prev.* 9: 207-213.
- Jussawalla D.J. (1981): Oesophageal cancer in India. *J. Cancer Res. Clin. Oncol.* 99: 29-33.
- Jussawalla D.J. and Deshpande V.A. (1971): Evaluation of cancer risk in tobacco chewers and smokers: An epidemiologic assessment. *Cancer* 28: 244-252.
- Kapadia G.J., Chung E.B., Ghosh B., Shukla Y.N., Basak S.P., Morton J.F. and Pradhan S.N. (1978): Carcinogenicity of some folk medicinal herbs in rats. *J. Natl. Cancer Inst.* 60: 683-686.
- Khanolkar V.R. (1944): Oral cancer in Bombay, India. A review of 1,000 consecutive cases. *Cancer Res.* 4: 313-319.
- Khanolkar V.R. (1959): Oral cancer in India. *Unio. int. contra cancerum Acta.* 15: 67-77.
- Kihlman B.A. and Natarajan A.T. (1984): Potentiation of chromosomal alterations by inhibitors of DNA repair. In: A. Collins, C.S. Downes and R.T. Johnson (eds). *DNA repair and its inhibition*. IRL Press, Oxford: pp 319-340.
- Kirby K.S. (1960): Induction of tumors by tannin extracts. *Br. J. Cancer* 14: 147-150.
- Kliesch U. and Adler I.D. (1980): Sensitivity comparison of chromosome analysis and micronucleus test in mouse bone marrow. *Mutat. Res.* 74: 160 (Abstract).
- Konno S., Chiago J.W. and Wu J.M. (1986): Effects of nicotine on cellular proliferation, cell cycle phase distribution and macromolecular synthesis in human promyelocytic HL-60 leukemia cells. *Cancer lett.* 33: 91-97.
- Krenger W. (1942): History and culture of betel chewing. Synthesis and preparation of betel. *Ciba Z.* 84: 2922-2941.

- Kurvinik K., Bloomfield C.D., Keenan K.M., Levitt S. and Cervenka J. (1978): Sister chromatid exchanges in lymphocytes from patients with malignant lymphoma. *Hum. Genet.* 44: 137-144.
- Kutzing B.G. (ed) (1984): *Basic and Clinical Pharmacology*, 2nd ed., Lange Medical Publications, Los Altos, CA: pp 42-55.
- Kwan H.W. (1976): A statistical study on oral carcinomas in Taiwan with emphasis on the relationship with betel nut chewing: A preliminary report. *J. Formosa Med. Assoc.* 75: 497-505.
- Lalithakumari H., Sirsi M. and Govindarajan V.S. (1965): Antibacterial and antifungal activities of *Areca catechu* Linn. *Indian J. Exptl. Biol.* 3: 66-67.
- Lambert B., Lindblad A., Holmberg L. and Francesconi D. (1982): The use of sister chromatid exchange to monitor human populations for exposure to toxicologically harmful agents. In: S. Wolff (ed). *Sister Chromatid Exchange*. Wiley, New York: pp 149-182.
- Lambert B., Lindblad A., Nordenskjold M., Werelius B. (1978): Increased frequency of sister chromatid exchanges in cigarette smokers. *Hereditas* 88: 147-149.
- Latt S.A. (1981): Sister chromatid exchange formation. *Ann. Rev. Genet.* 15: 11-55.
- Latt S.A., Allen J., Bloom S.E., Carrano A., Falke E., Kram D., Schneider E., Schreck R., Tice R., Whitfield B. and Wolff S. (1981): Sister chromatid exchanges: A report of the Gene-Tox Program. *Mutat. Res.* 87: 17-62.
- Latt S.A. and Schreck R.R. (1980): Sister chromatid exchange analysis. *Am. J. Hum. Genet.* 32: 297-313.
- Lee K.W. and Chin C.T. (1970): The effects of betel-nut chewing on the buccal mucosa: A histological study. *Br. J. Cancer* 24: 433-441.

- Leslie G.B. (1965): Central stimulant properties of compounds with peripheral muscarinic properties. *Nature* 208: 1291-1293.
- Lijinsky W. and Taylor H.W. (1976): Carcinogenicity test of two unsaturated derivatives of N-nitrosopiperidine in Sprague-Dawley rats. *J. Natl. Cancer Inst.* 57: 1315-1317.
- Mahdihassan S. (1981): *Aspergillus flavus* as the probable carcinogen in Betel nuts. *Hamdard Medicus* 24: 130-134.
- Mahdihassan S. and Rabia Z. (1988): Coloured illustrations of Betel nuts infected with a cancer producing fungus. *Hamdard Medicus* 31: 35-36.
- Majumdar A.M., Kapadi A.H. and Pendse G.S. (1979): Chemistry and pharmacology of betel nut, *Areca catechu* Linn. *J. Plantation Crops*. 7: 69-72.
- Majumdar A.M., Kapadi A.H. and Pendse G.S. (1982): Pharmacological properties. In: K.V.A. Bavappa (ed). *The Areca Nut Palm, Central Plant Crop Research Institute Publication*: pp 245-261.
- Mandard A.M., Duigou F., Marnay J., Masson Ph., Qui-Song-Lang, Yi-Jing-Shu, Barrellier P. and Lebigot G. (1987): Analysis of the results of the micronucleus test in patients presenting upper digestive tract cancers and in non-cancerous subjects. *Int. J. Cancer* 39: 442-444.
- Marsden A.T.H. (1960): Betel cancer in Malaya. *Med. J. Malaya* 14: 162-165.
- Mathew A.G. and Govindarajan V.S. (1964): Polyphenolic substances of areca nut. II. *Phytochemistry* 3: 657-665.
- Mathew A.G., Parpiah B., Husain A.B. and Govindarajan V.S. (1969): Polyphenolic substances in areca nut. III. *Phytochemistry* 8: 1543-1547.
- Mathew A.G., Venkataramu S.D. and Govindarajan V.S. (1964): Studies on areca nut. Part I. Changes in chemical composition and physical characteristics of nuts with maturity. *Ind. J. Technol.* 2: 90-96.

- McGill M., Pathak S. and Hsu T.C. (1974): Effects of ethidium bromide on mitosis and chromosomes. A possible material basis of chromosome stickiness. *Chromosoma (Berl.)* 47: 157-167.
- McGurk M. and Craig G.T. (1984): Oral submucous fibrosis: Two cases of malignant transformation in Asian immigrants to the United Kingdom. *Br. J. Oral Maxillofac. Surg.* 22: 56-64.
- McKinney M. and Richelson E. (1984): The coupling of neuronal muscarinic receptors to responses. *Ann. Rev. Pharmacol. Toxicol.* 24: 121-146.
- Meghji S., Canniff J.P., Harvey W., Scutt A. and Phillipson J.D. (1982): Inhibition of collagenase activity by areca nut tannins: a mechanism of collagen accumulation in oral submucous fibrosis (OSF)? *J. Dent. Res.* 61: 545 (Abstract 89).
- Mehta F.S., Gupta P.C., Daftary D.K., Pindborg J.J. and Choksi S.K. (1972): An epidemiologic study of oral cancer and precancerous conditions among 101,761 villagers in Maharashtra, India. *Int. J. Cancer* 10: 134-141.
- Mehta F.S., Pindborg J.J., Hamner J.E., Gupta P.C., Daftary D.K., Sahiar B.E., Shroff B.C., Sanghvi L.D., Bhonsle R.B., Choksi S.K., Dandekar V.V., Mehta Y.N., Pitkar V.K., Sinor P.N., Shah N.C., Turner P.S. and Upadhyay S.A. (1971): Report on investigations of oral cancer and precancerous conditions in Indian rural populations, 1966-1969. Copenhagen, Munksgaard: pp 48, 68, 89, 107, 120.
- Meltzer L.T. and Rosecrans J.A. (1982): Tolerance to the disruptive effects of arecoline on schedule-controlled behaviour. *Psychopharmacology* 77: 85-93.
- Mendelson R.W. and Ellis A.G. (1924): Cancer as a public health problem in Siam. *J. Trop. Med. Hyg.* 27: 274-278.
- Menon M.M. and Bhide S.V. (1984): Mutagenicity of urine in bidi and cigarette smokers and tobacco chewers. *Carcinogenesis* 5: 1523-1524.
- Millot J. (1965): India and betel.. *Objets Mondes* 5: 73-88.

- Mitelman F. and Levan G. (1978): Clustering of aberrations to specific chromosomes in human neoplasms. III. Incidence and geographic distribution of chromosome aberrations in 856-cases. *Hereditas* 89: 207-232.
- Mitra A.B., Murty V.V.V.S. and Luthra U.K. (1982): Sister chromatid exchanges in leukocytes of patients with cancer of cervix uteri. *Hum. Genet.* 60: 214-215.
- Mori H. (1988): Betel Nut. In: I. Hirono (ed). Naturally occurring carcinogens of plant origin: Toxicology, pathology and biochemistry. Kodansha Ltd., Tokyo: pp 167-179.
- Mori H., Matsubara N., Ushimaru Y. and Hirono I. (1979): Carcinogenicity examination of betel nuts and piper betel leaves. *Experientia* 35: 384-385.
- Morimoto K. and Wolff S. (1980): Increase of sister-chromatid exchanges and perturbation of cell division kinetics in human lymphocytes of benzene metabolites. *Cancer Res.* 40: 1189-1193.
- Muir C.S. (1962): Cancer of the buccal cavity and nasopharynx in Singapore. *Br. J. Cancer* 16: 583-591.
- Muir C.S. and Kirk R. (1960): Betel, tobacco, and cancer of mouth. *Br. J. Cancer* 14: 597-608.
- Murty V.V.V.S., Mitra A.B., Das B.C., Murthy N.S. and Luthra U.K. (1988): Chromosomal phenotypes in patients with precancerous lesions of the uterine cervix progressed to cancer during follow-up. *Oncology* 45: 384-388.
- Murty V.V.V.S., Mitra A.B. and Luthra U.K. (1985): Spontaneous chromosomal aberrations in patients with precancerous and cancerous lesions of the cervix uteri. *Cancer Genet. Cytogenet.* 17: 347-354.
- Murty V.V.V.S., Mitra A.B., Luthra U.K. and Singh I.P. (1986): Sister chromatid exchanges in patients with precancerous and cancerous lesions of cervix uteri. *Hum. Genet.* 72: 37-42.

- Mutchinick O., Ruz L. and Casas L. (1980): Time of first-generation metaphases. I. The effects of various culture media and of fetal calf serum in human lymphocyte cultures. *Mutat. Res.* 72: 127-134.
- Nagabhushan M., Amonkar A.J., Nair U.J., Santhanam U., Ammigan N., D'Souza A.V. and Bhide S.V. (1988): Catechin as an antimutagen: its mode of action. *J. Cancer Res. Clin. Oncol.* 114: 177-182.
- Nagabhushan M. and Bhide S.V. (1988): Anti-mutagenicity of catechin against environmental mutagens. *Mutagenesis* 3: 293-296.
- Nair J., Nair U.J., Ohshima H., Bhide S.V. and Bartsch H. (1987): Endogenous nitrosation in the oral cavity of chewers while chewing betel quid with or without tobacco. In: H. Bartsch, I. O'Neill and R. Schute-Hermann (eds). *The relevance of N-nitrosocompounds to human cancer. Exposures and mechanisms.* IARC scientific publication No. 84, Lyon: pp 465-469.
- Nair J., Ohshima H., Friesen M., Croisy A., Bhide S.V. and Bartsch H. (1985): Tobacco-specific and betel nut-specific N-nitroso compounds: Occurrence in saliva and urine of betel quid chewers and formation in vitro by nitrosation of betel quid. *Carcinogenesis* 6: 295-303.
- Nair J., Ohshima H., Malaveille C., Friesen M., O'Neill I.K., Hautefeuille A. and Bartsch H. (1986): Identification, occurrence and mutagenicity in *Salmonella typhimurium* of two synthetic nitroarenes, musk ambrette and musk xylene in Indian chewing tobacco and betel quid. *Food Chem. Toxicol.* 24: 27-31.
- Nair P.N.M., Gangal S.G., Gothoskar B.P. and Rao R.S. (1978): Immunological studies in oral labelled antigen binding by lymphocytes and lymphocyte transformation in response to tumor associated antigens. *Indian J. Cancer* 15: 58-63.
- Natarajan A.T. (1984): Origin and significance of chromosomal alterations In: G. Obe (ed). *Mutations in Man.* Springer-Verlag, Berlin, Heidelberg: pp 156-175.

- Natarajan A.T., Csukas I. and van Zeeland A.A. (1981): Contribution of incorporated 5-bromodeoxyuridine in DNA to the frequencies of sister-chromatid exchanges induced by inhibitors of poly-(ADP-ribose)-polymerase. *Mutat. Res.* 84: 125-132.
- Natarajan A.T. and Obe G. (1980): Screening of human populations for mutations induced by environmental pollutants: Use of human lymphocyte system. *Ecotoxicol. Environ. Safety* 4: 468-481.
- Natarajan A.T. and Obe G. (1982): Mutagenicity testing with cultured mammalian cells: cytogenetic assays. In: J.A. Heddle (ed). *Mutagenicity: New Horizons in Genetic Toxicology*. Academic Press, New York: pp 171-213.
- Natarajan A.T. and Obe G. (1983): Influence of DNA-repair on radiation induced chromosomal aberrations in human peripheral lymphocytes. In: T. Ishihara and M.S. Sasaki (eds). *Radiation induced chromosome damage in Man*. Alan R. Liss, New York: pp 127-140.
- Nery R. (1971): The metabolic interconversion of arecoline and arecoline-1-oxide in the rat. *Biochem. J.* 122: 503-508.
- Niblock W.J. (1902): Cancer in India. *Indian Med. Gaz.* 37: 161-165.
- Nieschultz O. and Schmørsahl P. (1968): On the pharmacology of the active principles of betel. 2. Transformation of arecoline to arecaidine. *Arzneimittelforschung* 18: 222-225.
- Obe G. and Beek B. (1982): The human leukocyte test system. In: F.J. deSerres and A. Hollaender (eds). *Chemical Mutagens Vol. 7*, Plenum Press, New York: pp 337-400.
- Obe G., Gobel D., Engelen H., Herha J. and Natarajan A.T. (1980): Chromosomal aberrations in peripheral lymphocytes of alcoholics. *Mutat. Res.* 73: 377-386.
- Ohshima H., Friesen M. and Bartsch H. (1989): Identification in rats of N-nitrosonepepotic acid as a major urinary metabolite of the areca-nut alkaloid derived nitrosamines, N-nitrosoguvacoline and N-nitrosoguvacine. *Cancer Lett.* 44: 211-216.

- Orr I.M. (1933): Oral cancer in betel nut chewers in Travancore. Its aetiology, pathology and treatment. *Lancet* ii: 575-580.
- Pai S.R., Shirke A.J. and Gothoskar S.V. (1981): Long-term feeding study in C17 mice administered saccharin coated betel nut and 1,4-dinitrosopiperazine in combination. *Carcinogenesis* 2: 175-177.
- Panigrahi G.B. and Rao A.R. (1982): Chromosome-breaking ability of arecoline, a major betel-nut alkaloid, in mouse bone-marrow cells in vivo. *Mutat. Res.* 103: 197-204.
- Panigrahi G.B. and Rao A.R. (1983): Influence of caffeine on arecoline-induced SCE in mouse bone marrow cells in vivo. *Mutat. Res.* 122: 347-353.
- Panigrahi G.B. and Rao A.R. (1984): Induction of in vivo sister chromatid exchanges by arecaidine, a betel nut alkaloid, in mouse bone-marrow cells. *Cancer Lett.* 23: 189-192.
- Panigrahi G.B. and Rao A.R. (1986): Study of the genotoxicity of the total aqueous extract of betel nut and its tannin. *Carcinogenesis* 7: 37-39.
- Pathak S., McGill M. and Hsu T.C. (1975): Actinomycin D effects on mitosis and chromosomes. Sticky chromatids and localized lesions. *Chromosoma (Berl.)* 50: 79-88.
- Paymaster J.C. (1956): Cancer of the buccal mucosa. A clinical study of 650 cases in Indian patients. *Cancer* 9: 431-435.
- Perry P.E. (1980): Chemical mutagens and sister-chromatid exchange. In: F.J. deSerres and A. Hollaender (eds): *Chemical mutagens: Principles and Methods for their detection*. Vol. 6, Plenum Press, New York: 1-39.
- Perry P. and Evans H.J. (1975): Cytological detection of mutagen-carcinogen exposure by sister chromatid exchange. *Nature (London)* 258: 121-125.
- Perry P., Henderson L. and Kirkland D. (1984): Sister chromatid exchange in cultured cells. In: B.J. Dean (ed). *Report of the UKEMS Subcommittee on the guidelines for Mutagenicity Testing. Part II. The United Kingdom Environmental Mutagen Society, U.K.: pp 89-122.*

- Perry P. and Wolff S. (1974): New Giemsa method for the differential staining of sister chromatids. *Nature (London)* 251: 156-158.
- Pillai M.R., Balaram P., Abraham T. and Nair M.K. (1987): Lymphocyte populations in premalignant lesions and cancer of oral cavity. *Neoplasma* 34: 469-477.
- Pindborg J.J. (1980): In: *Oral Premalignancy*. 1st edition, University of Iowa Press, Iowa: pp 10.
- Pindborg J.J., Barmes D. and Roed-Petersen B. (1968): Epidemiology and histology of oral leukoplakia and leukoedema among Papuans and New Guineans. *Cancer* 22: 379-384.
- Pindborg J.J., Kiaer J., Gupta P.C. and Chawla T.N. (1967): Studies in oral leukoplakias. Prevalence of leukoplakia among 10,000 persons in Lucknow, India, with special reference to use of tobacco and betel nut. *Bull. WHO* 37: 109-116.
- Pindborg J.J., Murti P.R., Bhonsle R.B., Gupta P.C., Daftary D.K. and Mehta F.S. (1984b): Oral submucous fibrosis as a precancerous condition. *Scand. J. Dent. Res.* 92: 224-229.
- Pindborg J.J. and Sirsat S.M. (1966): Oral submucous fibrosis. *Oral Surg*, 22: 764-779.
- Pindborg J.J. and Zachariah J. (1965): Frequency of oral submucous fibrosis among 100 Indians with oral cancer. *Bull. WHO* 32: 750-753.
- Pindborg J.J., Zeng K.H., Kong C.R. and Lin F.X. (1984a): Pilot survey of oral mucosa in areca (betel) nut chewers on Hainan Island of the People's Republic of China. *Commun. Dent. Oral Epidemiol.* 12: 195-196.
- Piyaratna P. (1959): Relative incidence of malignant neoplasms in Thailand. *Cancer* 12: 693-696.
- Preston R.J. (1982): The use of inhibitors of DNA repair in the study of the mechanisms of induction of chromosomal aberrations. *Cytogenet. Cell Genet.* 33: 20-26.

- Prokopczyk B., Bertinato P. and Hoffmann D. (1988a): Betel quid carcinogenesis: Cyanoethylation studies and biological markers for human dosimetry. *Proc. 79th Ann. Meet. AACR* 29: pp 91 (abstract).
- Prokopczyk B., Bertinato P. and Hoffmann D. (1988b): Cyanoethylation of DNA in vivo by 3-(methylnitrosamino)propionitrile, an areca-derived carcinogen. *Cancer Res.* 48: 6780-6784.
- Prokopczyk B., Brunnemann K.D., Bertinato P. and Hoffmann D. (1987a): The role of N-(nitrosomethylamino)propionitrile in betel-quid carcinogenesis. In H. Bartsch, I O'Neill, R. Schulte-Hermann (eds). *The relevance of N-nitroso compounds to human cancer. Exposures and mechanisms.* IARC scientific publication No. 84, Lyon: pp 470-473.
- Prokopczyk B., Rivenson A., Bertinato P., Brunnemann K.D. and Hoffmann D. (1987b): 3-(Methylnitrosamino)propionitrile: occurrence in saliva of betel quid chewers, carcinogenicity, and DNA methylation in F344 rats. *Cancer Res.* 47: 467-471.
- Raafat M., El-Gerzawi S. and Stich H.F. (1984): Detection of mutagenicity in urothelial cells of bilharzial patients by 'the micronucleus test'. *J. Egypt. Natl. Cancer Inst.* 1: 63.
- Raghavan V. and Baruah H.K. (1958): Areca nut: India's popular masticator. *History, chemistry and utilization.* *Econ. Bot.* 12: 315-325.
- Ranadive K.J., Gothoskar S.V., Rao A.R., Tezabwalla B.U. and Ambaye R. (1976): Experimental studies on betel nut and tobacco carcinogenicity. *Int. J. Cancer* 17: 469-476.
- Ranadive K.J., Ranadive S.N., Shivapurkar N.M. and Gothoskar S.V. (1979): Betel quid chewing and oral cancer: Experimental studies on hamsters. *Int. J. Cancer* 24: 835-843.
- Rao A.R. (1984): Modifying influences of betel quid ingredients on B(a)P-induced carcinogenesis in the buccal pouch of hamster. *Int. J. Cancer* 33: 581-586.

- Rao A.R. and Das P. (1989): Evaluation of the carcinogenicity of different preparations of areca nut in mice. *Int. J. Cancer* 43: 728-732.
- Rao R.S., Fakih A.R., Nair C.N., Gangal S.G. and Naik S.L. (1985): Evaluation of cell-mediated immunity in oral cancer patients. *Indian J. Cancer* 21: 141-145.
- Rees E.D., Majumdar S.K. and Shuck A. (1970): Changes in chromosomes of bone marrow after intravenous injections of 7,12-dimethylbenz(a)anthracene and related compounds. *Proc. Natl. Acad. Sci. (U.S.A.)* 66: 1228-1235.
- Riebe M., Westphal K. and Fortnagel P. (1982): Mutagenicity testing, in bacterial test systems, of some constituents of tobacco. *Mutat. Res.* 101: 39-43.
- Riebe M. and Westphal K. (1983): Studies on the induction of sister chromatid exchanges in chinese hamster ovary cells by various tobacco alkaloids. *Mutat. Res.* 124: 281-286.
- Rivenson A., Hoffmann D., Prokopczyk B., Amin S. and Hecht S.S. (1988): Induction of lung and exocrine pancreas tumors in F344 rats by tobacco specific and areca-derived N-nitrosamines. *Cancer Res.* 48: 6912-6917.
- Roberts J.J. (1984): Mechanism of potentiation by caffeine of Genotoxic damage induced by physical and chemical agents. In: A.Collins, C.S. Downes and R.T. Johnson (eds) *DNA repair and its inhibition*. IRL Press, Oxford: pp 193-216.
- Rosin M.P. (1984): The influence of pH on the convertogenic activity of plant phenolics. *Mutat. Res.* 57: 183-185.
- Rowley J.D. (1977): Mapping of human chromosomal regions related to neoplasia: evidence from chromosome-1 and 17. *Proc. Natl. Acad. Sci. (U.S.A.)* 74: 5729-5733.
- Sandberg A.A. (1982): Sister chromatid exchange in human states. In: A.A.Sandberg (ed). *Sister Chromatid Exchange*. Alan R. Liss, New York: pp 619-651.
- Sanghvi L.D., Rao K.C.M. and Khanolkar V.R. (1955): Smoking and chewing of tobacco in relation to cancer of the upper alimentary tract. *Br. Med. J.* i: 1111-1114.

- Sankaranarayanan M., Mohindeen N., Krishnan Nair M. and Padmanabhan T.K. (1989): Aetiology of oral cancer in patients ≤ 30 years of age. *Br. J. Cancer* 59: 439-440.
- Sarma S.N. (1958): A study into the incidence and etiology of cancer of the larynx and adjacent parts in Assam. *Indian J. Med. Res.* 46: 525-533.
- Sarnath D., Mukhopadhyay R., Rao R.S., Fakih A.R., Naik S.L. and Gangal S.G. (1985): Cell mediated immune status in patients with squamous cell carcinoma of the oral cavity. *Cancer* 56: 1062-1070.
- Sarto F., Finotto S., Giacomelli L., Mazzotti D., Tomanin R. and Levis A.G. (1987): The micronucleus assay in exfoliated cells of the human buccal mucosa. *Mutagenesis* 2: 11-17.
- Schmid W. (1976): The micronucleus test for cytogenetic analysis. In: A.Hollaender (ed). *Chemical Mutagens. Vol.4*, Plenum Publishing Corporation, New York: pp 31-53.
- Schonland M. and Bradshaw E. (1969): Upper alimentary tract in 'Natal Indians with special reference to the betel-chewing habit. *Br. J. Cancer* 23: 670-682.
- Scott D. (1980): Molecular mechanisms of chromosome structural changes. *Toxicol. Environ. Sci.* 7: 101-113.
- Scott D., Danford N., Dean B.J., Kirkland D. and Richardson C. (1983): In vitro chromosome aberration assays. In: B.J. Dean (ed). *Report of the UKEMS sub-committee on the Guidelines for Mutagenicity Testing*. The United Kingdom Environmental Mutagen Society, U.K.: pp 41-64.
- Scully C. (1982): The immunology of cancer of the head and neck with particular reference to oral cancer. *Oral Pathol.* 53: 157-169.
- Seedat H.A. and VanWyk C.W. (1988): Betel chewing and dietary habits of chewers without and with concomitant oral cancer. *S. Afr. Med. J.* 74: 572-575.

- Selvan R.S. and Rao A.R. (1988): Modulation of immune response in mice by arecoline, a suspected carcinogen/cocarcinogen. Abstracts-III Biennial Conference of Indian Society of Oncology, Bangalore: pp 102. (abstract).
- Shah V.C., Adhvaryu S.G. and Vyas R.C. (1989): Genotoxic effects of anticancer drugs on mammalian cells. In: G.K. Manna and U. Sinha (eds) Perspectives in Cytology and Genetics. New Delhi 6: 541-547.
- Shah V.C., Vyas R.C. and Adhvaryu S.G. (1986): Cytogenetic effects of Me-CCNU on sister chromatid exchange frequency, cellular kinetics and chromosome aberrations. Neoplasma 33: 33-37.
- Shahabuddin S., Rao A.R. and Mustafa A.S. (1980): Effect of arecoline on the humoral and cell-mediated immune responses in mice. Indian J. Exptl. Biol. 18: 1493-1494.
- Shanta V. and Krishnamurthi S. (1959): A study of aetiological factors in oral squamous cell carcinoma. Br. J. Cancer 13: 381-388.
- Shanta V. and Krishnamurti S. (1963): Further study in aetiology of carcinoma of upper alimentary tract. Br. J. Cancer 17: 8-23.
- Sharma B.D., Gupta C.K., Elhence B.R., Haynga S.D. and Gupta H.C. (1983): Immunological status in patients of oral cancers - A clinico pathological study. Indian J. Cancer 20: 161-165.
- Shiau Y.Y. and Kwan H.W. (1979): Submucous fibrosis in Taiwan. Oral Surg. 47: 453-457.
- Shirname L.P., Menon M.M. and Bhide S.V. (1984): Mutagenicity of betel quid and its ingredients using mammalian test systems. Carcinogenesis 5: 501-503.
- Shirname L.P., Menon M.M., Nair J. and Bhide S.V. (1983): Correlation of mutagenicity and tumorigenicity of betel quid and its ingredients. Nutr. Cancer 5: 87-91.

- Shivshankar S., Dhanaraj S., Mathew A.G., Srinivasa Murthy S., Vyasamurthy M.N. and Govindarajan V.S. (1969): Physical and chemical characteristics of processed areca-nuts. *J. Food Sci. Technol.* 41: 113-116.
- Shivapurkar N.M. and Bhide S.V. (1978): Effect of betel nut constituents on sulphydryl metabolism. *Indian J. Pharmacol.* 10: 257-264.
- Shivapurkar N.M. and Bhide S.V. (1979): Effect of betel nut constituents on nucleic acid metabolism. *Indian J. Exptl. Biol.* 17: 1141-1144.
- Shivapurkar N.M., Bhide S.V. and Ranadive K.J. (1978): Biochemical studies on betel-nut constituents. *Indian J. Pharmacol.* 10: 191-200.
- Shivapurkar N.M., D'Souza A.V. and Bhide S.V. (1980a): Effect of betel-quid chewing on nitrite levels in saliva. *Food Cosmet. Toxicol.* 18: 277-281.
- Shivapurkar N.M., Ranadive S.N., Gothoskar S.V., Bhide S.V. and Ranadive K.J. (1980b): Tumorigenic effect of aqueous and polyphenolic fractions of betel nut in swiss strain mice. *Indian J. Exptl. Biol.* 18: 1159-1161.
- Sidiq Y., Rajagopalan K.R. and Krishnamurthy M.S. (1964): Aetiology and epidemiology of oral cavity cancers. *J. Indian Med. Assoc.* 43: 526-529.
- Silverberg E. and Lubera J.A. (1989): *Cancer Statistics*. CA. 39: 3-20.
- Sinha A. and Rao A.R. (1985a): Induction of shape abnormality and unscheduled DNA synthesis by arecoline in the germ cells of mice. *Mutat. Res.* 158: 189-192.
- Sinha A. and Rao A.R. (1985b): Transplacental micronucleus inducing ability of arecoline, a major betel nut alkaloid, in mice. *Mutat. Res.* 158: 193-194.
- Sinha A. and Rao A.R. (1985c): Embryotoxicity of betel nuts in mice. *Toxicology* 37: 315-326.
- Sinor P.N. (1989): Mava habit of Gujarat: Consequences of oral mucosal health. *Eighth Annual Convention of Indian Association for Cancer Research, Ahmedabad*: pp 106 (abstract).

- Sinor P.N. (1990): Mawa chewing and oral submucous fibrosis in Bhavnagar, Gujarat, India. International Symposium on the control of tobacco related cancers and other diseases, Bombay: pp 59. (abstract).
- Sipahimalani A.T., Chadha M.S., Bhide S.V., Pratap A.I. and Nair J. (1984): Detection of N-nitrosamines in the saliva of habitual chewers of tobacco. Food Chem. Toxicol. 22: 261-264.
- Sirsat S.M. and Khanolkar V.L. (1962): The effect of arecholin on the palatal and mucosa of the Wistar rats, an optical and electron microscopic study. Indian J. Med. Sci. 16: 198-202.
- Sitaram N. and Weingartner H. (1978): Human serial learning: Enhancement with arecholine and choline and impairment with scopolamine. Science 201: 274-276.
- Skolnick M., Livingston G.K., Fineman R.M., Johnson P., King M.C., McLellan T., Bishop D.T. (1980): Genetics of breast cancer: geneological clusters, major genes, linkage and sister chromatid exchange as a preclinical marker. Am. J. Hum. Genet. 32: 455, 151 A.
- Slavutsky I., Label de Vinuesa M., Larripa I., Mudry de Pargament M. and Brioux de Salum S. (1984): Sister chromatid exchange in malignant lymphomas. Cancer Genet. Cytogenet. 13: 153-158.
- Stanley K. and Stjernsward J. (1986): A survey on the control of oral cancer in India. Indian J. Cancer 23: 105-111.
- Stenstrand K. (1985): Effects of ionizing radiation on chromosome aberrations, sister chromatid exchanges and micronuclei in lymphocytes of smokers and nonsmokers. Hereditas 102: 71-76.
- Stich H.F. and Anders F. (1989): The involvement of reactive oxygen species in oral cancers of betel quid/tobacco chewers. Mutat. Res. 214: 47-61.

- Stich H.F., Bohm B.A., Chatterjee K. and Sailo J. (1983a): The role of saliva-borne mutagens and carcinogens in the etiology of oral and esophageal carcinomas of betel nut and tobacco chewers. In H.F. Stich (ed). *Carcinogens and Mutagens in the Environment*, Vol. 3, *Naturally Occurring Compounds: Epidemiology and Distribution*, CRC Press, Boca Raton, FL.: pp 43-58.
- Stich H.F., Dunn B.P., Pignatelli B., Ohshima H. and Bartsch H. (1984a): Dietary phenolics and betel nut extracts as modifiers of N-nitrosation in rat and man. In: I.K.O'Neill, R.C. von Borstel, C.T. Miller, J. Long and H. Barstch. (eds). *N-Nitroso Compounds: Occurrence, Biological Effects and relevance to Human Cancer*. IARC scientific publication No. 57, Lyon: pp 213-222.
- Stich H.F., Ohshima H., Pignatelli B., Michelon J. and Bartsch H. (1983b): Inhibitory effect of betel nut extracts on endogenous nitrosation in humans. *J. Natl. Cancer Inst.* 70: 1047-1050.
- Stich H.F. and Rosin M.P. (1983a): Quantitating the synergistic effect of smoking and alcohol consumption with the micronucleus test on human buccal mucosa cells. *Int. J. Cancer* 31: 305-308.
- Stich H.F. and Rosin M.P. (1983b): Micronuclei in exfoliated human cells as an internal dosimeter for exposure to carcinogens. In: H.F. Stich (ed). *Carcinogens and Mutagens in the Environment*. CRC Press, Boca Raton, FL.: pp 17-25.
- Stich H.F. and Rosin M.P. (1984): Micronuclei in exfoliated human cells as a tool for studies in cancer risk and cancer intervention. *Cancer Lett.* 22: 241-253.
- Stich H.F., Rosin M.P. and Brunnemann K.D. (1986): Oral lesions, genotoxicity and nitrosamines in betel quid chewers with no obvious increase in oral cancer risk. *Cancer Lett.* 31: 15-25.
- Stich H.F., Rosin M.P. and Vallejera M.O. (1984b): Reduction with vitamin A and beta-carotene administration of proportion of micronucleated buccal mucosal cells in Asian betel nut and tobacco chewers. *Lancet* i: 1204-1206.

- Stich H.F., San R.H.C. and Rosin M.P. (1983c): Adaptation of the DNA repair and micronucleus tests to human cell suspensions and exfoliated cells. *Ann. Y. Acad. Sci.* 407: 93-105.
- Stich H.F. and Stich W. (1982): Chromosome damaging activity of saliva of betel nut and tobacco chewers. *Cancer Lett.* 15: 193-202.
- Stich H.F., Stich W. and Lam P.P.S. (1981): Potentiation of genotoxicity by concurrent application of compounds found in betel quid: Arecoline, eugenol, quercetin, chlorogenic acid and MN^{2+} . *Mutat. Res.* 90: 355-363.
- Stich H.F., Stich W. and Parida B.B. (1982): Elevated frequency of micronucleated cells in the buccal mucosa of individuals at high risk from oral cancer: Betel quid chewers. *Cancer Lett.* 17: 125-134.
- Stich H. F., Stich W., Rosin M.P. and Vallejera M.O. (1984c): Use of the micronucleus test to monitor the effect of vitamin A, beta-carotene and canthaxanthin on the buccal mucosa of betel nut/tobacco chewers. *Int. J. Cancer* 34: 745-750.
- Stich H.F. and Tsang S.S. (1989): Promoting activity of betel quid ingredients and their inhibition by retinol. *Cancer Lett.* 45: 71-77.
- Sundquist K., Dyphukt M.J., Nair J., Bartsch H. and Grafstrom R.C. (1987): Effects of betel extract and related compounds in cultured human buccal cells. *Eur. J. Cancer Clin. Oncol.* 23: 1802. (abstract).
- Suraiya J.N. (1973): Medicine in ancient India with special reference to cancer. *Indian J. Cancer* 10: 391-402.
- Suri K., Goldman H.M. and Wells H. (1971): Carcinogenic effect of a dimethyl sulphoxide extract of betel nut on the mucosa of the hamster buccal pouch. *Nature* 230: 383-384.
- Tabin C.J., Bradley S.M., Bargmann C.J., Weinberg R.A., Papageorge A.G., Scolnick E.M., Dhar R., Lowy D.R. and Chang E.H. (1982): Mechanisms of activation of a human oncogene. *Nature* 300: 143-149.

- Takanashi H., Umeda M. and Hirono I. (1980): Chromosomal aberrations and mutation in cultured mammalian cells induced by pyrrolizidine alkaloids. *Mutat. Res.* 78: 67-77.
- Talaska G., Au W.W., Ward J.B., Randerath K. and Legator M.S. (1987): The correlation between DNA adducts and chromosomal aberrations in the target organ of benzidine exposed, partially-hepatectomized mice. *Carcinogenesis* 8: 1899-1905.
- Tanaka T., Kuniyasu T., Shima H., Sugie S., Mori H., Takahashi M. and Hirono I. (1986): Carcinogenicity of Betel Quid. III. Enhancement of 4-Nitroquinoline-1-oxide and N-2-Fluorenylacetamide-induced carcinogenesis in rats by subsequent administration of betel nut. *J. Natl. Cancer Inst.* 77: 777-781.
- Tanaka T., Mori H., Fujii M., Takahashi M. and Hirono I. (1983): Carcinogenicity examination of betel quid. II. Effect of vitamin A deficiency on rats fed semi-purified diet containing betel nut and calcium hydroxide. *Nutr. Cancer* 4: 260-266.
- Tice R.R. and Ivett J.L. (1985): Cytogenetic analysis of bone-marrow damage. In: D.R. Irons (ed): *Toxicology of the Blood and Bone-Marrow*. Raven Press, New York: pp 119-140.
- Tice R., Schneider E.L. and Rary J.M. (1976): The utilization of bromodeoxyuridine incorporation into DNA for the analysis of cellular kinetics. *Exp. Cell Res.* 102: 232-236.
- Tsukeda H., Mizuno S. and Nitta K. (1978): Susceptibilities of normal and malignant human lung cells in culture to the cytotoxic action of antitumor agents. *Cancer Res.* 38: 2529-2532.
- Umezawa K., Fujie S., Sawamura M., Matsushima T., Katoh Y., Tanaka M. and Takayama S. (1981): Morphological transformation, sister chromatid exchange and mutagenesis assay of betel constituents. *Toxicol Lett.* 8: 17-22.

- Varghese I., Rajendran R., Sugathan C.K. and Vijaykumar T. (1986): Prevalence of oral submucous fibrosis among the cashew workers of Kerala - South India. *Indian J. Cancer* 23: 101-104.
- Vijayalaxmi and Evans H.J. (1982): In vivo and in vitro effects of cigarette smoke on chromosomal damage and sister chromatid exchanges in human peripheral blood lymphocytes. *Mutat. Res.* 92: 321-322.
- Wahi P.N. (1968): The epidemiology of oral and oropharyngeal cancer. A report of the study in Mainpuri district, Uttar Pradesh, India. *Bull. WHO* 38: 495-521.
- Wary K.K. and Sharan R.N. (1988): Aqueous extract of betel-nut of North-East India induces DNA-strand breaks and enhances rate of cell proliferation in vitro. *J. Cancer Res. Clin. Oncol.* 114: 579-582.
- Watanabe T. and Endo A. (1984): The SCE test as a tool for cytogenetic monitoring of human exposure to occupational and environmental mutagens. In: R.R. Tice and A. Hollaender (eds). *Sister Chromatid Exchange: 25 years of experimental research*. Plenum Publishing Corporation, New York: pp 939-955.
- Wenke G., Brunnemann K.D., Hoffmann D. and Bhide S.V. (1984b): A study of betel quid carcinogenesis. IV. Analysis of the saliva of betel chewers: A preliminary report. *J. Cancer Res. Clin. Oncol.* 108: 110-113.
- Wenke G. and Hoffmann D. (1983): A study of betel quid carcinogenesis. 1. On the in vitro N-nitrosation of arecoline. *Carcinogenesis* 4: 169-172.
- Wenke G., Rivenston A. and Hoffmann D. (1984a): A study of betel quid carcinogenesis. III. 3-(methylnitrosamino)propionitrile, a powerful carcinogen in F344 rats. *Carcinogenesis* 5: 1137-1140.
- WHO (1977): *Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death*. Vol. I (Tabular list) and Vol. II (Index), 1975 Revision, World Health Organization, Geneva.
- WHO (1984): Control of oral cancer in developing countries. *Bull. WHO* 62: 817-830.

- WHO (1985a): *Guidelines for the study of genetic effects in human populations. Environmental Health Criteria 46*, World Health Organization, Geneva.
- WHO (1985b): *Guide to short-term tests for detecting mutagenic and carcinogenic chemicals. Environmental Health Criteria 51*, World Health Organization, Geneva.
- Wolff S. (1977): *Sister Chromatid Exchange. Ann. Rev. Genet. 11: 183-201.*
- Yamamoto K.I. and Kikuchi Y. (1980): *A comparison of diameters of micronuclei induced by clastogens and by spindle poisons. Mutat. Res. 71: 127-131.*
- Yamanaka H., Nagao M., Sugrimura T., Furuya T., Shira A. and Matsushima T. (1979): *Mutagenicity of pyrrolizidine alkaloids in the Salmonella/mammalian microsome test. Mutat. Res. 68: 211-216.*
- Yang J.A., Huber S.A. and Lucas Z.J. (1979): *Inhibition of DNA synthesis in cultured lymphocytes and tumor cells by extracts of betel nut, tobacco and miang leaf, plant substances associated with cancer of the oro-respiratory epithelium. Cancer Res. 39: 4802-4809.*
- Yunis J.J. (1983): *The chromosomal basis of human neoplasia. Science 221: 227-236.*
- Zaridze D.G., Blettner M., Trapeznikov N.N., Kushinov J.P., Matiakin E.G., Poljakov B.P., Poddubni B.K., Parshikova S.M., Rottenberg V.I., Chamrakulov F.S., Chodjaeva M.C., Stich H.F., Rosin M.P., Thurnham D.I., Hoffmann D. and Brunnemann K.D. (1985): *Survey of a population with a high incidence of oral and oesophageal cancer. Int. J. Cancer 36: 153-158.*