

6. BIBLIOGRAPHY

ADAMS-RAY, J., and NORLEN, G.: Bladder distension reflex with vasoconstriction in cutaneous venous capillaries.
Acta Physiol. Scand. 23, 95-109 (1951).

AGREST, A., and RONCORN, A.J.: Effects of bladder distension on pulmonary vascular bed.
Circ. Res. 8, 501-505 (1960).

AKHMEDOV, K.B., and PLAKHOTIN, N.P.: Change in the bioelectric activity in some nerves when the urinary bladder is stimulated in dogs.
Tr. Inst. Fiziol. Akad. Naukaz., SSR. 9, 96-102 (1966).

ARIEFF, A.J., RIGAY, E.I., and PYRIK, S.J.: Acute hypertension induced by urinary bladder distension.
Arch. Neurol. 2, 248-256 (1962).

BURCH, G.E., and DE PASQUALE : Effect of bladder distension on the venous system of man.
Proc. Soc. Biol. and Med. 105, 174-178 (1958).

BERMAN, L.B., and ROSE, J.C.: Cardiovascular responses to pressure alterations within the urinary tract of the dog.
Am. J. Physiol. 193, 260-262 (1958).

BORS, E., and FRENCH, J.D.: Management of paroxysmal hypertension following injuries to cervical and upper thoracic segments of the spinal cord.
A.M.A. Arch. Surg. 64, 803-812 (1952).

CARLSON, A.J., and LUCKHARDT, A.B.: Studies on visceral sensory nervous system.
Am. J. Physiol. 55, 31-35 (1921).

CARLSON, E., and GARSTEN, P.: Compression of the common iliac veins by dilatation of the bladder.
Act. Radiol. 53, 90-92 (1960).

COOTE, J.H., JOHNS, E.J., McLEOD, V.H., and SINGER B.: Effect of renal nerve stimulation, renal blood flow and adrenergic blockade on plasma renin activity in the cat.
J. Physiol. 226, 15-36 (1972).

CUNNINGHAM, D.J.C., GUTTMANN, L., WHITTERIDGE, D., and WYNDHAM, C.L.: Cardiovascular response to bladder distension in paraplegic patients.
J. Physiol., 121, 581-592 (1953).

DE GROAT, W.C., and LALLEY, P.M.: Reflex firing in the lumbar sympathetic outflow to activation of vesical afferent fibers.
J. Neurophysiol. 19, 452-467 (1972).

DIGHIERO, J.H., DE LEONE, G., and POMMERENCK, E.: Haemodynamic study of pulmonary and systemic circulation during urinary bladder distension.
Ann. Fac. Med. Montevideo 47, 300-304 (1962).

DOWNMAN, C.B.B. and McSWINEY, B.A.: Reflexes elicited by visceral stimulation in the acute spinal animal.
J. Physiol. 105, 80-94 (1946).

FELDBERG, W., and LEWIS, G.P.: The action of peptides on the adrenal medulla. Release of adrenaline by bradykinin and angiotensin.
J. Physiol., 171, 98-108 (1964).

FELDBERG, W., and LEWIS, G.P.: Further studies on the effects of peptides on the suprarenal medulla of cats.
J. Physiol. 178, 239-251 (1965).

FLOYD, K., HICK, V.E., and MORRISON, J.F.B.: Mechanosensitive afferent units in the hypogastric nerve of the cat.
J. Physiol. 259, 457-471 (1976).

GARRY, R.C., and GARVEN, H.S.D.: The ganglia, afferent nerve endings and musculature of the urethra in the cat.
J. Physiol., 139, 1P-2P (1957).

GARNIER, B., IMPOF, P., HEDIGER, F., and STEINMANN, B.: The behavior of blood pressure in paraplegics.
Cardiologia 42, 103-112 (1963).

GARNIER, B.J., GLOOR, P., GRANDJEAN, A., and STEINMANN, B.: Blood pressure and urine retention.
Helv. Med. Acta 34, 484-490 (1964).

GILMORE, N.J., and VANE, J.R.: Hormones released into circulation when the urinary bladder of the anaesthetized dog is distended.
Clin. Sci. 41, 69-83 (1971).

GOODMAN, L.S. and GILMAN, A.: The Pharmacological Basis of Therapeutics. 4th. ed., 664, (1970).

GUTTMANN, L., and WHITTERIDGE, D.: Effects of bladder distension on autonomic mechanisms after spinal cord injuries.
Brain 70, 366-404 (1947).

HEAD, H., and RIDDOCH, G.: The automatic bladder, excessive sweating and some other reflex conditions in gross injuries of the spinal cord.
Brain 40, 188-263 (1917).

HORWITZ, L.D., KIM, B.M., and GRAY, F.D. Jr.: Cardiopulmonary-effects of distension of the urinary bladder.
Am. Heart J. 71, 345-351 (1966).

HUGHES, J., and ROTH, R.H.: Enhanced release of transmitter during sympathetic nerve stimulation in the presence of angiotensin.
Brit. J. Pharmacol. 37, 516-517 (1969).

HUGHES, J., and ROTH, R.H.: Evidence that angiotensin enhances transmitter release during sympathetic nerve stimulation.
Brit. J. Pharmacol. 41, 239-255 (1971).

HUTCH, J.A.: A study of the hyperactive autonomic reflex initiated by bladder distension in patients with lesions of the cervical thoracic cord.
J. Urol. 73, 1019-1025 (1955).

IGGO, A.: Tension receptors in the stomach and urinary bladder.
J. Physiol. 128, 593-607 (1955).

IGGO, A.: Physiology of visceral afferent systems.
Acta Neuroveg. 28, 121-134 (1966).

KURNICK, N.B.: Autonomic hyperreflexia and its control in patients with spinal cord lesions.
Ann. Intern. Med. 44, 678-686 (1956).

ANGLEY, L.L., and KIMURA, K.: The afferent pathway of the vesico-renal reflex.
J. Urol. 82, 476-480 (1959).

LUTTMANN, A., and MÜCKENHOFF, K.: Ein digitales Verfahren zur Messung tiefer Frequenzen bei Stimmung des Frequenzwertes während des Ablaufes einer jeden Periode des Signals.
Deutsch. Gesell. f. Biomed. Techn., 3. Jahrestagung in Hannover, 41-42 (1974).

MILLS, E., and SAMPSON, S.R.: Respiratory responses to electrical stimulation of the cervical sympathetic nerves in decerebrate, unanaesthetized cats.
J. Physiol. 202, 272-282 (1969).

MUKHERJEE, S.R.: Effect of bladder distension on arterial blood pressure and renal circulation in acute spinal cats.
J. Physiol. 138, 300-306 (1957a).

MUKHERJEE, S.R.: Effect of bladder distension on arterial blood pressure and renal circulation: role of splanchnic and buffer nerves.
J. Physiol. 138, 307-325 (1957b).

MAY, R.D., and BARELARE, B.: A study of factors influencing urinary output: I. Increased intravesical pressure.
J. Urol. 80, 337-340 (1958).

O'CONOR, V.J.: Observations on blood pressure in cases of prostatic obstruction.
Arch. Surg. 1, 359,(1920).

PÄTAU, K.: Zur statistischen Beurteilung von Messungsreihen (eine neue t-Tafel).
Biol. Zbl. 63, 152-168 (1943).

REGOLI, D., PARK, W.K., and RIOUX, F.: Pharmacology of angiotensin.
Pharm. Rev. 26, 69-123 (1974).

ROBERTSON, H.A., and WOLF, H.G.: Studies on headache. Distension of the rectum, sigmoid colon, and bladder as a source of headache in intact human subjects.
Arch. Neurol. Psychiat., Chicago, 63, 52-55 (1950).

RUBINSTEN, E.H., and CARREA, R.: The effect of bladder distension on systemic and pulmonary arterial pressure in dogs with cervical medullary section.
Rev. Soc. Arg. Biol. 37, 56-62 (1961).

SAMONINA, G.E., and UDEL'NOV, M.G.: Electrophysiological analysis of activity in cardiac branches of vagus nerves in the course of viscero-cardiac reflexes.
Fed. Proc. (Trans. Suppl.) 24, T 1000-1002 (1965).

SHAH, R.C., BEST, E.M., and MAZUMDAR, B.N.: A study of the effect of pneumatic distension of the urinary bladder on blood pressure.

Ind. J. Physiol. and Pharmacol. 9, 39-44 (1965).

SHERRINGTON, C.S.: On the spinal animal (Marshall Hall Prize Address).

Med. Chir. Trans. 82, 449-477 (1899).

SMITH, C.A., GLUCK, M.C., and KALLEN, R.G.: Bladder distension causing iliac vein obstruction in the adult male.

New Eng. J. Med. 268, 1261-1265 (1963).

SCHUMACHER, G.A., and GUTHRIE, T.C.: Studies on headache.

Arch. Neurol. Psychiat. 65, 568-580 (1951).

STEELE, J.M. Jr., and LOWENSTEIN, J.: Differential effects of an angiotensin II analogue on pressor and adrenal receptors in the rabbit.

Circ. Res. 35, 592-600 (1974).

STOUTZ, H.L.: Massive edema of the lower extremities associated with overdistension of the bladder.

J. Urol. 86, 563-564 (1961).

SZASZ, J.J.G., and WHYTE, H.W.: Effect of distension of the bladder and contraction of the sphincter on blood pressure.

Br. Med. J. 2, 208-210 (1967).

TALAAT, M.: Afferent impulses in the nerves supplying the urinary bladder.

J. Physiol. 89, 1-13 (1937).

TANG, P.G.: Levels of brain stem and diencephalon controlling micturition reflex.

J. Neurophysiol. 18, 583-595 (1955).

TAYLOR, D.E.M.: Some effects of slow bladder distension on the arterial blood pressure of the cat.
J. Physiol. 166, 51-52 p (1963).

TAYLOR, D.E.M.: Reflex effects of slow bladder filling on the blood pressure in cats.
Q.J. Exp. Physiol. 50, 263-270 (1965).

TAYLOR, D.E.M.: Afferent pathways and efferent mechanisms in the bladder viscero-vascular reflex.
Q.J. Exp. Physiol. 53, 262-272 (1968).

TAYLOR, D.E.M.: Some observations on the effect of slow distension of the bladder and the rectum on cardiac output in the cat.
J. Physiol. 232, 100p-401p (1973).

TAYLOR, D.E.M.: Bladder viscero vascular reflexes.
J. Royal Coll. Surg. Edin. 19, 82-89 (1974).

TRIPPODO, N.C., COLEMAN, T.G., COWLEY, A.W., Jr., and GUYTON, A.C.: Angiotensin II antagonists in dehydrated rabbits without baroreceptor reflexes.
Am. J. Physiol. 232, H110-H113 (1977).

TULIN, N.T.: Effect of urinary bladder mechanoreceptor stimulation on the cerebral circulation.
Tr. Vol. Gogradskogo Med. Inst. 15, 168-170 (1964).

UEMURA, E., FLETCHER, T.F., and BRADLEY, W.E.: Distribution of lumbar and sacral afferent axons in submucosa of cat urinary bladder.
Anat. Record 183, 579-588 (1975).

VANDER, A.J., and MILLER, R.: Control of renin secretion in the anaesthetized dog.
Am. J. Physiol. 207, 537-546 (1964).

VANDER, A.J.: Effect of catecholamines and the renal nerves on renin secretion in anaesthetized dogs.
Am. J. Physiol. 209, 659-662 (1965).

VANDER, A.J.: Control of renin release.
Physiol. Rev. 47, 359-382 (1967).

WATKINS, A.L.: Reflex responses of the nictitating membrane and the blood pressure to distension of the bladder and rectum.
Am. J. Physiol. 121, 32-39 (1938).

WHITTERIDGE, D.: Cardiovascular reflexes initiated from afferent sites other than the cardiovascular system itself.
Physiol. Rev. Suppl. 4, 198-200 (1960).

WURSTER, R.D., and RANDALL, W.C.: Cardiovascular responses to bladder distension in patients with spinal transection.
Am. J. Physiol., 228, 1288-1292 (1975).

YAMAGUCHI, Y., TSUCHIYA, M., AKIBA, T., YASUDA, M., KIRYU, Y., HIGIWARA, J., FUJISHIRO, Y., and SUGAYA, E.: Nervous influences upon the heart due to overdistension of the urinary bladder. The relation of its mechanism to vagal reflex.
Keio J. Med. 13, 87-99 (1964).

ZANCHETTI, A., STELLA, A., LEONETTI, G., MORGANTI, A., TERZOLI, L.: Control of renin release: A review of experimental evidence and clinical implications.
Am. J. Cardiol. 37, 675-693 (1976).