

LITERATURE CITED.

1. Alexander, E.N., Deferred Cure Processes for Durable Press, Amer, Dyestuff Reptf. 55, No.4,602-605 (1966).
2. American Association of Textile Chemists and Colorists, Technical Manual, Howes publishing Co., inc; New York, 46 (1970).
3. American Association of Textile chemists and colorists, Technical manual, Howes publishing Co., inc, New York, (a) 66-1984, 107. (b) 96-1980 , 149 (c) 99-1983, 155 , (d) 128-1982, 222, 62 (1987).
4. ASTM, Standards of Textile Materials, 33rd ed., American Society for Testing and Materials, Philadelphia, (a) D 1388-64 T, 417, (b) D 1424-63 T, 435, (c) D 1682-64 T,475 (d) D 1775-64 T, 492, 24 (1965).
5. Bateup, B.O., Cook, J.R. Feldtman, H.D. and Fleischfresser, B.E., Surface Chemical Aspects of Polymer Spreading and Adhesion to Wool Fibres, Textile Res. J. 47, No.2, 97-102 (1977).
6. Bereck, A., Shrink Resist Treatment of Wool Fabric With Water Soluble Acrylic Copolymers, Textile Res. J. 49, No.4, 233-238 (1979).
7. Bereck, A. and Kamien,B., Shrink Resist Treatment of Wool Fabric With Water Soluble Acrylic Copolymers, Textile Res. J. 49, No.5, 247-250 (1979).

8. Bhalla, G.L. and Nigam, J.K., Grafting Methylmethacrylate on DC. Corona and Chemically Pretreated Wool Fabrics, Textile Res. J. 56, No.9, 585 - 586 (1979).
9. Bhargava, S., A Study of the Effect of Acrylamide Finish on Some of the Physical Properties of Cotton, Wool and Their Blend Fabrics, Unpublished Master's Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1987).
10. Black, D.H., Shrink Control for Cotton and Cotton Blend Knitted Fabrics, Textile Res. J. 44, No.8, 601-611 (1974).
11. Booth, J.E., Principles of Textile Testing, 3rd ed., Butterworths, London, 361 (1968).
12. Caldwell, J.B., Leach, S.J., Meschers, A. and Milligan, B., The Role of Thiol Groups in Setting of Wool, Textile Res. J. 34, No.7, 627-633 (1964).
13. Chance, L.H., Perkins, R.M. and Reeves, W.A., A Process for the Modification of Cotton with Formaldehyde, Textile Res. J. 31, No.1, 71-73 (1961).
14. Chaudhary, R., A Study of the Effects of Acrylic Finish on the Hygroscopicity, Appearance and Related properties of Cotton, Polyester and their Blend Fabrics, Unpublished Master's Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1987).

15. Collins, G.E., Fundamental Principles that Govern the Shrinkage of Cotton Goods by Washing, J. Textile Inst. 30, No.3, 46-61(1939).
16. Cook, J.R., Shrink -Resisting Wool With Aqueous Silicone Polymers - The Effect of Added Synthappret BAP, J. Textile Inst. 75, No.13, 191-195 (1984).
17. Cook,J.R. and Delmenico, J., Permanent-Press Effects in Wool - Methods of Stabilizing Set, J.Textile Inst. 62, No.1, 27-33 (1971).
18. Cook, J.R. and Delmenico, J., Permanent-Press Effect in Wool-The Reaction Sequence, J. Textile Inst. 62, No.8, 438-449, (1971).
19. Cook, J.R. and Fleischfresser, B.E., Shrink Resisting Reduced Wool with Synthappret LKF.- Evidence for Covalent Bonding Between Wool and polymer, Textile Res. J. 51, No.5 317-323 (1981).
20. Cook, J.R., Fleishfresser, B.E., Wemyss, A.M. and White, M.A., Shrink Resisting Wool Fabric with Silicone Polymers, J.Textile Inst. 76, No.2, 57-63 (1985).
21. Cook, J.R. and Riveet, D.E., Amine Pretreatments for Enhancing the Polymer Shrinkproof of Wool, Textile Res.J. 51, No.9, 596-600 (1981).

22. Cooper, S.A., Reeves, W.A., Walker, A.M., Hoffman, M.J. and Moore, H.B., Performance qualities of Cotton Fabrics Treated by Preferential Crosslinking Methods and Delayed Curing Processes, Amer. Dyestuff Reprtr. 54, No.19, 749-754 (1965).
23. Daniel, J.E. and Vincent, J.M., Low Energy Cure Polymers, Amer. Dyestuff Reprtr. 69, No.10, 19 (1980).
24. Das Gupta, S., Radiation Induced Grafting of Mixed Monomer on Cotton Fabrics, Amer. Dyestuff Reprtr. 55, No.6, 211 (1966).
25. De Boos, A.G., Non Cross-linking Cationic Polymers for the Shrink-Resist Treatments of Wool, J.Textile Inst. 75, No.3, 83-190 (1984).
26. De Boos, A.G., Delmenico, J. and White, M.A., Permanent-Press Effects in Wool - Stabilizing Set with Additives to the Wash Liquor, J.Textile Inst. 62, No.4, 198-209 (1971).
27. De Boos, A.G. and White, M.A., Permanent-Press Effects in Wool - The Effects of Laundering Conditions on Stability of Set, J.Textile Inst, 62, No.1, 73-82 (1971).
28. Delmenico, J. and Jones, F.W., Permanent-press Effects in Wool - Stabilization of Set and Inhibition of Felting with N-Methoxy-Methyl Nylon, J.Textile Inst. 61 No.1, 139-150 (1970).

29. Demint, R.J., Arthur, J.C. Jr. and Mcsherry, W.F., Radiation-Induced Interaction of Acrylonitrile with Cyanoethylated Cotton, *Textile Res.J.*, 31, No.9, 821-824 (1961).
30. Deshpande, S.D. and Chavan, R.B., In-Situ Polymerization - A Technique for Improving Printability and Soil Release Properties of Polyester Celulose Blends, Blended Textiles, M.L.Gulrajani (ed.), The Textile Association of India, 379-383 (1981).
31. Doshi, B.A. and Varghese, J., Studies on the Use of Acrylamide and its Methylol Derivatives as Finishing Agents for Cotton Textiles, *Colourage* 20, No.1, 27-33 (1974).
32. Ellis P, (ed.) Permanent Press - Pre - Post Cure ? The Textile Trade Press, England, 31-48 (1974).
33. Farnworth, A.J. and Delmenico, J., Permanent Setting of Wool, Merrow Publishing Co.Ltd., 3-21, 1971.
34. Federal Specifications, Textile Test Methods, CCC-T-191-b
(a) Method 5030, (b) Method 5041, (c) Method 5050,
General Service Administration Centre, Washington (1951).
35. Feldtman, H.D. and Fleishfresser, B.E., All Wool Permanent-press - Stabilizing Set by Crosslinking, *Textile Institute and Industries* 6, No.12, 334-335 (1968).

36. Feldtman, H.D. and Fleischfresser, B.E., Permanent-Press Effects in Wool -Stabilizing Set with Reactive Preformed Polymers, J. Textile Inst. 62, No.9, 471-481 (1971).
37. Feldtman, H.D. and Fleischfresser, B.E. Permanent-Press Effects in Wool - The Retention of Set in Polymer Treated Wool Under Various Washing Conditions, J. Textile Inst. 64, No.7, 398-405 (1973).
38. Feldtman, H.D. and Fleischfresser, B.E., Shrinkproofing Woollen Fabrics by the Application of Polyacrylates, J. Textile Inst. 66, No.9, 318-324 (1975).
39. Feldtman, H.D. and McPhee, J.R., The Spreading and Adhesion of Polymers on Wool, Textile Res. J. 34, No.7. 634-642 (1964).
40. Feldtman, H.D. and McPhee, J.R., The Treatment of Wool with a Water Soluble Polyamide - Epichlorohydrin Resin, Textile Res J. 34, No.11, 925-932 (1964).
41. Feldtman, H.D. and McPhee, J.R., The Treatment of Wool with Aqueous Dispersions of Self-Crosslinking Polyacrylates, Textile Res. J. 35, No.2, 150-159 (1965).
42. Fincher, K.W. and White, M.A. Sirolan BAP, A Pad-Dry Process for Minimum Iron Shrink Resist Wool Fabrics Without Prior Chlorination, CSIRO Division of Textile Industry, Australia. No.30, 1-7 (1977).

43. Fortess, F., Recent Developments in the Chemical Finishing of Textiles, Amer. Dyestuff Reprtr. 47, No.15, 513-522, (1958).
44. Freelend, G.N. and Guise, G.B., The Shrink-Resist Treatments of Wool by Exhaustion of Polymers, J.Textile Inst. 75, No.2, 127-134, 135-141 (1984).
45. Frick, J.G., Jr. and Harper, R.J.Jr., Adducts of Glyoxal and Amide as Finishing Agents for Cotton, Textile Res.J. 51, No.9, 601-606 (1981).
46. Frick, J.G. Jr. and Harper, R.J., Jr., Finishing Agents for Cotton from Acrylamide and Dialdehydes, Textile Res. J. 53, No.12, 758-762 (1983).
47. Frick, J.G., jr. and Verburg, G.B., Comparison of Treatments for Crosslinked Cotton and Cotton Blends, Textile Res.J. 46, No.3, 227-232 (1976).
48. Gardon, J.L. A Quantitative Study of Crosslinking Cotton With N-Methylol Acrylamide, J.Applied Polymer Science 5, No.18, 734-751 (1961).
49. Goldstein, H.S. and May, J.M., Permanent-Press: Finishing and Performance Evaluation, Amer, Dyestuff Reprtr. 54, No.19, 738-741 (1965).
50. Gonzales, E.J. and Guthrie. J. The Crosslinking of Cotton Cellulose with Gasueos Formaldehyde in the Presence of Various Compounds, Amer. Dyestuff Reprtr. No.9, 735, 765-767 (1965).

51. Gonzales, E.J. and Rowland, S.P., Recovery From Creasing and Mussing of Cotton Finished with Experimental and Conventional Durable Press Reagents, Textile Res.J. 51, No.10, 631(1981).
52. Grayson, M. (ed), Encyclopedia of Textiles, Fibres and Non-Woven Fabrics. John Wiley and Sons, New York, 99-117, 538 (1984).
53. Harper, C.A. (ed.), Handbook of Plastics and Elastomers, McGraw Hill Book Co., New York, 4-35 (1975).
54. Harper, R.J. Jr., Durable Press Cotton Goods, Merrow Publishing Co. Ltd. Great Britain, 14 (1971).
55. Harper, R.J. and Mehta, P., Finishing Cotton - Wool Blends, Textile Res.J. 55, No.12, 761-766 (1985).
56. Heiz, H., Shrink Resisting of Wool by the Chlorine Hercosett Process, J. Soc. Dyers and Colourists 97, No.10, 456 (1981).
57. Herman, F.M., Noramn, G.G. and Norbeet, T.C. (ed.), Encyclopedia of Polymer Science, 1 177-190 (1964) .
58. Hurwitz, M.D; The Evolution of Permanent Press, Textile Chemist and Colourist 19, No.2, 13-23, (1987).
59. Irvin, J.B., Performance Characteristics of Chemically Stabilized Cotton Knit-Goods, Textile Res.J. 30 No.3 222-223 (1960).

60. Jain, D., A Study of the Effect of Acrylamide Finish on Some of the Physical Properties of Cotton, Polyester and Their Blend fabrics, Unpublished Masters Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1985).
61. Jellinek, T., Shrink Resist Treatments of Wool with Epoxy Functional Acrylic Emulsion-Polyethylene Polyamine as Curing Agent, Textile Res. J. 53, No.12, 763-771 (1983).
62. Jones, F.W., Permanent-Press Effects in Wool, The Effect of Permanent-Press Treatments on Wrinkle recovery, J. Textile Inst. 62, No.11, 591-599 (1971).
63. Jones, F.W., Permanent-Press Effects in Wool, The Mechanism of Stabilization of Set to Machine Washing by Prolonged Steaming, J. Textiles Inst. 63, No.4, 142-149 (1972).
64. Jones, F.W. and White, M.A., Permanent-Press Effects in Wool - The Stabilization of Set by Polymer Formation, J. Textile Inst. 62, No.10, 532-544 (1971).
65. Kamath, Y.K., Weigmann, H.D. and Dansizer, C.J., Effects of Polymer Deposition and Washing Medium on the Felting Shrinkage of Chlorinated Wool Fabrics, Textile Res. J. 49 No.5, 292-302 (1979).
66. Kamogawa, H. and Sekiya, T., Graft Polymerization of Acrylamide onto Cotton Fabric for Further Treatments, Textile Res. J. 31, No.7, 585-591 (1961).

67. Kirk, R.E. and Othmer, D.F. (ed.), Encyclopedia of Chemical Technology, The Interscience Inc., New York, 1, 298-31 (1978).
68. Kullman, R.M.N., Reinhardt, R.M., Fenner, T.W. and Reid, J.D., Wash - Wear Finishing of Cotton Fabrics Using Deferred Curing, Amer. Dyestuff Reprtr, 51, No.8, 365 - 372 (1962).
69. Kunzru, V., Studies in Wash and Wear Finishing of Textiles, Unpublished Doctoral Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1988).
70. Lamba, S., Anthropometric Study of Three Hundred Girls of Seven, Eight and Nine Years of Age, Unpublished Master Dissertation, Faculty of Home science, Maharaja Sayajirao University of Baroda, India (1971).
71. Lamprinakos, J.W. and Sookman, G., Improving Abrasion Resistance of Durable Press Fabrics with Reactive vinyl Pyrrolidone Polymer, Amer, Dyestuff Reprtr. 58, No.6, 20-21 (1969).
72. Lipson, M. and Speakman, J.B., The Formation of Polymers in Wool, J. Soc. Dyers and Colourists 65, No.8, 390-401 (1949).
73. Makinson, K.R. Shrinkproofing of Wool, Marcel Dekker Inc., New York, 223-328 (1979).

74. Manly, R.H., Durable Press Treatments of Fabrics, Recent Developments, Noyes Data Corporation, New Jersey, 179-182 (1976).
75. Maresh, C. and Royer, G.L., Shrinkage Control in Wool by Melamine Resins, Textile Res J. 19, No.8, 449-457 (1949).
76. Marsh, J.T., Self Smoothening Fabrics, Textile Book Service, New York, 239 (1962).
77. Marsh, J.T. An Introduction to Textile Finishing, B.1. Publications, Delhi, 1-21 (1979).
78. McClearly, H.R. and Royer, G.L., Shrinkage Control of Wool by Melamine Resins -Tortional Rigidity and Elastic Properties of Single Fibres, Textile Res. J. 19, No.8, 457-461 (1949).
79. Metha, R.D., Durable Press Finishing of Cotton/Wool Blend Knitted Fabrics, Amer. Dyestuff Repr. 66, No. 4, 27 - 31 (1977).
80. Modi, J.K., A Study of the Abrasive Wear of Textiles Under Varying Conditions of Abrasion in presence of Acrylamide Finish and its Effect on Their Properties, Unpublished Doctoral Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1987).
81. Moulton, B., Garment-Cutting and Tailoring for Students, B.T.Batsford, Ltd., London, 72-73 (1967).
82. Nuessle, A.C., A Brief Look at Reactive Acrylics, Amer. Dyestuff Repr. 52, No.18, 692-695 (1963).

83. Nuessle, A.C. and Kine, B.B., Reactive Acrylics - A New Type of Textile Finishing Materials, Amer. Dyestuff Reprtr. 50, No.26, 1007-1014 (1961).
84. O'Connell, R.A., Pardo, C.E. and Fong, W., Preliminary Observations of Durable Press Wool Blend Fabrics, Amer. Dyestuff Reprtr, 57, No.8, 245-247 (1968).
85. Pardo, C.E., O'Connell,R.A. and Fong W., Woollen Blend Durable Press Fabrics, Amer. Dyestuff Reprtr. 57, No. 23, 894 - 899 (1968).
86. Patel, N.C., A Study of the Drape Characteristics of Textiles and Their Influence in Clothing Styles, Unpublished Doctoral Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1986).
87. Pensa, I.E., Tesoro G.C., Rau, R.O. and Egrie, P.H., Two Stage Curing in the Crosslinking of Cellulosic Fabrics, Amer.Dyestuff Reprtr. 55, No.12, 32-34 (1966).
88. Phadke, S., A Study of the Effect of Thermoplastic and Thermosetting Finishes on Some Physical Properties of Cotton and Polyester Blend Fabrics, Unpublished Doctoral Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1982).
89. Reid, J.D., Reinhardt, R.M. and Kullman, R.H.M., Durable Creasing of Wrinkle Resistance Cotton, Textile Res. J. 28, No.4, 242-251 (1958).

90. Remy, D.E., Whitfield, R.E. and Wasley, W.L., Wool Treatment With Reactive Polyethylene Finishes, *Textile Res. J.* 34, No.11, 939-944 (1964).
91. Rowland, S.P., Blouin, F.A. and Mason J.S., Polymerization Crosslinking of N-Methylolacrylamide in Cotton Fabric, *Textile Res. J.* 48, No.2 73-80 (1978)
92. Ryan, J.J., Wash and Wear Fabrics, Cited in Mark, H., Wooding N.S. and Atlas, S.N. (eds.) Chemical Aftertreatments of Textiles, John Wiley and Sons, New York, 235-424 (1970).
93. Saini, N. A Study of the Characteristics of Binders for Their Application of Cotton Fabric, Unpublished Master's Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1988).
94. Schildknecht, C.E., Vinyl and Related Polymers, John Wiley and Sons, Inc., New York, 317-322 (1952).
95. Sello, S.B. and Tesoro, G.C. Permanent-Setting of Washable Wool, *Textile Res. J.* 43, No.6, 309-315 (1973).
96. Shapiro, L., Emulsion Polymers for the Textile Industry, *Amer. Dyestuff Repr.* 43, No.4, 132-140 (1954).
97. Sharma, V.N. and Daruwalla, E.H., Crosslinking of Cotton Through Graft-Copolymerization, *Textile Res. J.* 46, No.6, 398 - 405 (1976).

98. Shaw, T. Development of Permanent Press Process for 100% Wool Woven Fabrics, Textile Manufacturer 99, No.1172, 32-36 (1972).
99. Shih, F.F., Bertoniere, N.R. and Rowland, S.R., Polymerization-Crosslinking of N-Methylolmethacrylamide in Cotton Fabrics, Textile Res. J. 50 No.7, 433 - 439 (1980).
100. Srivastava, M., A Study of the Effect of Acrylamide Finish on Some of the Physical Properties of Wool Fabric Under Controlled Swelling, Unpublished Master Dissertation, Faculty of Home Science, Maharaja Sayajirao University of Baroda, India (1988).
101. Stannett, V. and Hoffman, A.S., Radiation Techniques in the Textile Industry, Amer. Dyestuff Reprtr. 57, No.25, 91-100 (1968).
102. Stapler, I.W., Variations in Specific Surface Areas of Wool With Acid Chlorination and Various Scouring Treatments, J. Textile Inst. 75, No.2, 149-152 (1984).
103. Steiger, F.H., Reducing the Felting Shrinkage of Wool, Amer. Dyestuff Reprtr. 50, No.3, 37-44 (1961).
104. Stock, C.R. and Salley, D.J., Function of Methylated Melamine Formaldehyde Resin in Controlling Shrinkage of Woollens, Textile Res. J. 19, No.1, 41-43 (1949).
105. Stultz, R.L., Review of Durable Press Procedures, Amer, Dyestuff Reprtr. 54, No.19, 744-745 (1965).

106. Taylor, J.T. and Hurwitz, M.D., Application of Acrylic Resins in Relation to Their Physical Chemical Properties, Amer.Dyestuff Reprtr. 51, No.17, 636,643, (1962).
107. Thorsen, W.J. and Ash, J.F., Durable Press Wool/Cotton Blend Double-Knitted Fabrics, Shrink-Resisted with Ozone, Textile Res.J. 40, No.2, 65-71(1979).
108. Trotman, E.R., Dyeing and Chemical Technology of Textile Fibres, 5th ed., Charles Griffin and Company Ltd., London, 77 - 110, 268-315, (1975).
109. Walker, J.F., Formaldehyde, 3rd ed., Reinhold Publishing Corporation, New York, 59-67 (1964).
110. Warburton, C.E. Jr., Creaseproofing Cotton by In-Situ Polymerization of N-Methylol Acrylamide (NMA), Acrylamide (AM) and Tetrakis (Hydroxymethyl), Phosphonium Chloride (THPC), Textile Res. J. 40 No.1 68 - 74 (1970).
111. Welch, C.M., Durable Press Finishing of Cotton with N-methylol Acrylamide Using Non-Peroxidic Polymerization Initiators, Textile Res.J. 52, No.8, 529-537, (1982).
112. Wemyss, A.M. and White, M.A., Durable Setting of Creases and Pleats in Wool and Wool-polyester Blend Garments, CSIRO Division of Textile Industry, Australia, No.44, 1-4 (1982).
113. Whitfield, R.E., Miller, L.A. and Wasley, W.L., Wool Fabric Stabilization by Interfacial polymerization, Textile Res.J. 31, No.1 and 8, 74, 704-711 (1961).

114. Whitfield, R.E., Miller L.A. and Wasley, W.L., Wool Fabric Stabilization by Interfacial Polymerization, Textile Res. J. 33, No.6 440-443 (1963).
115. Yamamoto, K., Crease-Resistance Finishing of Cotton Fabrics with Acrylate Copolymers and Dihydroxydimethylethyleneurea, Textile Res. J. 52, No.6, 363-369 (1982).