

BIBLIOGRAPHY

- Acharya LD, Kareem S, Ashan FK, Mallayasamy S. (2014). Development and validation of quality of life assessment instruments for diabetic patients. *Asian J Pharm Health Sci*,4(4),1114-20.
- ADA (American Diabetes Association) (1996). Standardised methods in diabetic neuropathy. *Diabetes Care*,19(1S),72S-92S
- ADA (American Diabetes Association) (2012). Position statement- Standards of Medical Care in Diabetes. *Diabetes Care*, 35, S11–S63.
- ADA (American Diabetes Association) (2013). Standards of Medical Care in Diabetes. *Diabetes Care*, 36(Suppl. 1), S11-S66
- ADA (American Diabetes Association) (2017). Pharmacologic Approaches to Glycemic Treatment. *Diabetes Care*;40(Suppl. 1),S64–S74 . DOI: 10.2337/dc17-S011
- ADA (American Diabetes Association) (2018). Microvascular complications and foot care: standards of medical care in diabetes—2018. *Diabetes Care*,41(Supplement 1),S105–S118. doi: 10.2337/dc18-S010.
- ADA (American Diabetes Association) (2019). Standards of medical care in diabetes. *Diabetes Care* 2019 42 (Supplement 1) S34–S45. <https://doi.org/10.2337/dc19-S004>
- ADA (American Diabetes Association) (2020). Standards of Medical Care in Diabetes. *Diabetes Care*,43(Suppl. 1),S1-S212
- ADA (American Diabetes Association)(2017). Classification and Diagnosis of Diabetes. *Diabetes Care* 40(Supplement 1), S11-S24. DOI: <https://doi.org/10.2337/dc17-S005>
- ADA (American Diabetes Association)(2018). Summary of Revisions: Standards of Medical Care in Diabetes. *Diabetes Care*, 41(Supplement 1): S4-S6. <https://doi.org/10.2337/dc18-Srev01>
- Adams, J., Clark, J., Ireland, J., Kesson, C., & Watson, W. (1983). Malabsorption of vitamin B12 and intrinsic factor secretion during biguanide therapy. *Diabetologia*, 24(1). <https://doi.org/10.1007/bf00275941>
- Agarwal A. and Chauhan K. (2016). Vitamin B12 and Omega -3fatty acid intervention for cognition in elderly-A.V.O.I.C.E trial. PhD thesis(Unpublished). Department of Foods and Nutrition. The Maharaja Sayajirao University of Baroda. India.
- Ahmed, M. A., Muntingh, G. L., & Rheeder, P. (2017). Perspectives on Peripheral Neuropathy as a Consequence of Metformin-Induced Vitamin B12 Deficiency in T2DM. *International Journal of Endocrinology*, 2017, 1-6. <https://doi.org/10.1155/2017/2452853>

- Ahmed, M. A., Muntingh, G., & Rheeder, P. (2016). Vitamin B12 deficiency in metformin-treated type-2 diabetes patients, prevalence and association with peripheral neuropathy. *BMC Pharmacology and Toxicology*, 17(1). <https://doi.org/10.1186/s40360-016-0088-3>
- Akaza, M., Akaza, I., Kanouchi, T., Sasano, T., Sumi, Y., & Yokota, T. (2018). Nerve conduction study of the association between glycemic variability and diabetes neuropathy. *Diabetology & Metabolic Syndrome*, 10(1), 69. <https://doi.org/10.1186/s13098-018-0371-0>
- Akinlade, K.S., Agbebaku, S.O., Rahamon, S.K. and Balogun, W.O. (2015). Vitamin B12 levels in patients with type 2 diabetes mellitus on metformin. *Ann Ibd. Pg. Med*, 13, 279-83
- Albers, J. W., Herman, W. H., Pop-Busui, R., Martin, C. L., Cleary, P., & Waberski, B. (2007). Subclinical Neuropathy Among Diabetes Control and Complications Trial Participants Without Diagnosable Neuropathy at Trial Completion: Possible predictors of incident neuropathy? *Diabetes Care*, 30(10), 2613-2618. <https://doi.org/10.2337/dc07-0850>
- Al-Geffari, M. (2012). Comparison of Different Screening Tests for Diagnosis of Diabetic Peripheral Neuropathy in Primary Health Care Setting. *International Journal of Health Sciences*, 6(2), 127-134. <https://doi.org/10.12816/0005988>
- Al-Hamdi, A., Al-Gahhafi, M., Al-Roshdi, S., Jaju, S., Al-Mamari, A., & Al Mahrezi, A. M. (2020). Vitamin B12 Deficiency in Diabetic Patients on Metformin Therapy: A cross-sectional study from Oman. *Sultan Qaboos University Medical Journal [SQUMJ]*, 20(1), 90. <https://doi.org/10.18295/squmj.2020.20.01.013>
- Allen, R.H. (1975) Human vitamin B12 transport proteins. *Progress in Hematology* 9, 57-8474
- Alvarez, M., Sierra, O. R., Saavedra, G., & Moreno, S. (2019). Vitamin B12 deficiency and diabetic neuropathy in patients taking metformin: a cross-sectional study. *Endocrine connections*, 8(10), 1324–1329. <https://doi.org/10.1530/EC-19-0382>
- Andre's, E., Noel, E., Goichot, B wile (2002). Metformin-associated vitamin B12 deficiency. *Arch Intern Med*, 12,2251–2.
- Andres, E., & Serraj. (2012). Optimal management of pernicious anemia. *Journal of Blood Medicine*, 97. <https://doi.org/10.2147/jbm.s25620>
- Anjana, R. M., Deepa, M., Pradeepa, R., Mahanta, J., Narain, K., Das, H. K., Adhikari, P., Rao, P. V., Saboo, B., Kumar, A., Bhansali, A., John, M., Luaia, R., Reang, T., Ningombam, S., Jampa, L., Budnah, R. O., Elangovan, N., Subashini, R., (.....) Yajnik, C. S. (2017). Prevalence of diabetes and prediabetes in 15 states of India: results from the ICMR–INDIAB population-based cross-sectional study. *The*

- Lancet Diabetes & Endocrinology*, 5(8), 585-596. [https://doi.org/10.1016/s2213-8587\(17\)30174-2](https://doi.org/10.1016/s2213-8587(17)30174-2)
- Anjana, R. M., Pradeepa, R., Deepa, M., Datta, M., Sudha, V., Unnikrishnan, R., Bhansali, A., Joshi, S. R., Joshi, P. P., Yajnik, C. S., Dhandhan, V. K., Nath, L. M., Das, A. K., Rao, P. V., Madhu, S. V., Shukla, D. K., Kaur, T., Priya, M., Nirmal, E.(.....) Mohan, V. (2011). Prevalence of diabetes and prediabetes (impaired fasting glucose and/or impaired glucose tolerance) in urban and rural India: Phase I results of the Indian Council of Medical Research–India Diabetes (ICMR–INDIAB) study. *Diabetologia*, 54(12), 3022-3027. <https://doi.org/10.1007/s00125-011-2291-5>
- Armstrong, D. G. (2000). The 10-g monofilament: the diagnostic divining rod for the diabetic foot? *Diabetes Care*, 23(7), 887-887. <https://doi.org/10.2337/diacare.23.7.887>
- Armstrong, D. G., Lavery, L. A., Vela, S. A., Quebedeaux, T. L., & Fleischli, J. G. (1998). Choosing a Practical Screening Instrument to Identify Patients at Risk for Diabetic Foot Ulceration. *Archives of Internal Medicine*, 158(3), 289. <https://doi.org/10.1001/archinte.158.3.289>
- Aroda, V. R., Edelstein, S. L., Goldberg, R. B., Knowler, W. C., Marcovina, S. M., Orchard, T. J., Bray, G. A., Schade, D. S., Tempresa, M. G., White, N. H., & Crandall, J. P. (2016). Long-term Metformin Use and Vitamin B12 Deficiency in the Diabetes Prevention Program Outcomes Study. *The Journal of Clinical Endocrinology & Metabolism*, 101(4), 1754-1761. <https://doi.org/10.1210/jc.2015-3754>
- Aslinia, F., Mazza, J. J., & Yale, S. H. (2006). Megaloblastic Anemia and Other Causes of Macrocytosis. *Clinical Medicine & Research*, 4(3), 236-241. <https://doi.org/10.3121/cmr.4.3.236>
- Bailey, C. J. (2017). Metformin: historical overview. *Diabetologia*, 60(9), 1566-1576. <https://doi.org/10.1007/s00125-017-4318-z>
- Bailey, C. J., Wilcock, C., & Scarpello, J. H. B. (2008). Metformin and the intestine. *Diabetologia*, 51(8), 1552-1553. <https://doi.org/10.1007/s00125-008-1053-5>
- Bauman, W. A., Shaw, S., Jayatilleke, E., Spungen, A. M., & Herbert, V. (2000). Increased intake of calcium reverses vitamin B12 malabsorption induced by metformin. *Diabetes Care*, 23(9), 1227-1231. <https://doi.org/10.2337/diacare.23.9.1227>
- Bell, D. S. (2010). Metformin-Induced Vitamin B12 Deficiency Presenting as a Peripheral Neuropathy. *Southern Medical Journal*, 103(3), 265-267. <https://doi.org/10.1097/smj.0b013e3181ce0e4d>

- Benbow, S. (1998). Diabetic peripheral neuropathy and quality of life. *QJM*, 91(11), 733-737. <https://doi.org/10.1093/qjmed/91.11.733>
- Bennett H. P. and Knowler C William (2006). Definition, Diagnosis, and Classification of Diabetes Mellitus and Glucose Homeostasis In Joslin's Diabetes Mellitus, 14 ed (331-340).U.P. B.I Publications PVT. LTD.
- Berchtold, P., Bolli, P., Arbenz, U., & Keiser, G. (1969). Disturbance of intestinal absorption following metformin therapy (observations on the mode of action of biguanides). *Diabetologia*, 5(6), 405-412. <https://doi.org/10.1007/bf00427979>
- Beulens, J. W. J., Hart, H. E., Kuijs, R., Kooijman-Buiting, A. M. J., & Rutten, G. E. H. M. (2015). Influence of duration and dose of metformin on cobalamin deficiency in type 2 diabetes patients using metformin. *Acta Diabetologica*, 52(1), 47-53. <https://doi.org/10.1007/s00592-014-0597-8>
- Biemans, E., Hart, H. E., Rutten, G. E. H. M., Cuellar Renteria, V. G., Kooijman-Buiting, A. M. J., & Beulens, J. W. J. (2014). Cobalamin status and its relation with depression, cognition and neuropathy in patients with type 2 diabetes mellitus using metformin. *Acta Diabetologica*, 52(2), 383-393. <https://doi.org/10.1007/s00592-014-0661-4>
- Birke, J. A., & Sims, D. S. (1986). Plantar sensory threshold in the ulcerative foot. *Leprosy Review*, 57(3). <https://doi.org/10.5935/0305-7518.19860028>
- Bloom, S., Till, S., Sonksen, P., & Smith, S. (1984). Use of a biothesiometer to measure individual vibration thresholds and their variation in 519 non-diabetic subjects. *BMJ*, 288(6433), 1793-1795. <https://doi.org/10.1136/bmj.288.6433.1793>
- Bloomgarden, Z. T. (2008). Diabetic Neuropathy. *Diabetes Care*, 31(3), 616-621. <https://doi.org/10.2337/dc08-zb03>
- Bottiglieri, T. (2000). Homocysteine, folate, methylation, and monoamine metabolism in depression. *Journal of Neurology, Neurosurgery & Psychiatry*, 69(2), 228-232. <https://doi.org/10.1136/jnnp.69.2.228>
- Boulton, A. J., Vinik, A. I., Arezzo, J. C., Bril, V., Feldman, E. L., Freeman, R., Malik, R. A., Maser, R. E., Sosenko, J. M., & Ziegler, D. (2005). Diabetic Neuropathies: A statement by the American Diabetes Association. *Diabetes Care*, 28(4), 956-962. <https://doi.org/10.2337/diacare.28.4.956>
- Boulton, A.J., Gries, F., & Jervell, J. (1998). Guidelines for the diagnosis and outpatient management of diabetic peripheral neuropathy. *Diabetic Medicine*, 15(6), 508-514. [https://doi.org/10.1002/\(sici\)1096-9136\(199806\)15:6<508::aid-dia613>3.0.co;2-1](https://doi.org/10.1002/(sici)1096-9136(199806)15:6<508::aid-dia613>3.0.co;2-1)
- Boyko, E. J., Ahroni, J. H., Stensel, V., Forsberg, R. C., Davignon, D. R., & Smith, D. G. (1999). A prospective study of risk factors for diabetic foot ulcer. The Seattle Diabetic Foot Study. *Diabetes Care*, 22(7), 1036-1042. <https://doi.org/10.2337/diacare.22.7.1036>

- Brazier, J., Connell, J., Papaioannou, D., Mukuria, C., Mulhern, B., Peasgood, T., Lloyd Jones, M., Paisley, S., O’Cathain, A., Barkham, M., Knapp, M., Byford, S., Gilbody, S., & Parry, G. (2014). A systematic review, psychometric analysis and qualitative assessment of generic preference-based measures of health in mental health populations and the estimation of mapping functions from widely used specific measures. *Health Technology Assessment*, 18(34). <https://doi.org/10.3310/hta18340>
- Bril, V., Kojic, J., Ngo, M., & Clark, K. (1997). Comparison of a Neurothesiometer and Vibration in Measuring Vibration Perception Thresholds and Relationship to Nerve Conduction Studies. *Diabetes Care*, 20(9), 1360-1362. <https://doi.org/10.2337/diacare.20.9.1360>
- Bril, V., Nyunt, M., & Ngo, M. (2000). Limits of the sympathetic skin response in patients with diabetic polyneuropathy. *Muscle & Nerve*, 23(9), 1427-1430. [https://doi.org/10.1002/1097-4598\(200009\)23:9<1427::aid-mus15>3.0.co;2-p](https://doi.org/10.1002/1097-4598(200009)23:9<1427::aid-mus15>3.0.co;2-p)
- Brown, J. J., Pribesh, S. L., Baskette, K. G., Vinik, A. I., & Colberg, S. R. (2017). A Comparison of Screening Tools for the Early Detection of Peripheral Neuropathy in Adults with and without Type 2 Diabetes. *Journal of Diabetes Research*, 2017, 1-11. <https://doi.org/10.1155/2017/1467213>
- Burns, T. M., Taly, A., O’Brien, P. C., & Dyck, P. J. (2002). Clinical versus quantitative vibration assessment: improving clinical performance. *Journal of the Peripheral Nervous System*, 7(2), 112-117. <https://doi.org/10.1046/j.1529-8027.2002.02016.x>
- Calvo Romero, J. M., & Ramiro Lozano, J. M. (2012). Vitamin B12 in type 2 diabetic patients treated with metformin. *Endocrinología Y Nutrición (English Edition)*, 59(8), 487-490. <https://doi.org/10.1016/j.endoen.2012.06.005>
- Canadian Diabetes Association (2003). Clinical Practice Expert Committee. Clinical Practice Guidelines neuropathy. <http://www.diabetes.ca/cpg2003/download>
- Carr A, Higginson I, Robinson PG (2003). Quality of Life, Volume 13 (133). BMJ Books.
- Chanarin, I. (1987). Megaloblastic anaemia, cobalamin, and folate. *Journal of Clinical Pathology*, 40(9), 978-984. <https://doi.org/10.1136/jcp.40.9.978>
- Chandra, J., Jain, V., Narayan, S., Sharma, S, Singh, V, Kapoor, A.K., et al (2002). Folate and Cobalamin Deficiency in Megaloblastic Anemia in Children. *Indian Pediatr*, 39,453-7.
- Chapmana, L., Darling, A., & Brown, J. (2016). Association between metformin and vitamin B12 deficiency in patients with type 2 diabetes: A systematic review and meta-analysis. *Diabetes & Metabolism*, 42(5), 316-327. <https://doi.org/10.1016/j.diabet.2016.03.008>

- Chen, S., Lansdown, A. J., Moat, S. J., Ellis, R., Goringe, A., Dunstan, F. D., & Rees, J. A. E. (2012). An observational study of the effect of metformin on B12 status and peripheral neuropathy. *The British Journal of Diabetes & Vascular Disease*, 12(4), 189-193. <https://doi.org/10.1177/1474651412454924>
- Cheng, W.-Y., Jiang, Y.-D., Chuang, L.-M., Huang, C.-N., Heng, L.-T., Wu, H.-P., Tai, T.-Y., & Lin, B. J. (1999). Quantitative sensory testing and risk factors of diabetic sensory neuropathy. *Journal of Neurology*, 246(5), 394-398. <https://doi.org/10.1007/s004150050370>
- Cooper, B. A., & Rosenblatt, D. S. (1987). Inherited Defects of Vitamin B Metabolism. *Annual Review of Nutrition*, 7(1), 291-320. <https://doi.org/10.1146/annurev.nu.07.070187.001451>
- Cornblath, D. R. (2004). Diabetic neuropathy: Diagnostic methods. *Advanced Studies in Medicine*, 4(8 A), S650-S661.
- Damião, C. P., Rodrigues, A. O., Pinheiro, M. F. M. C., Cruz Filho, R. A. da, Cardoso, G. P., Taboada, G. F., & Lima, G. A. B. (2016). Prevalence of vitamin B12 deficiency in type 2 diabetic patients using metformin: a cross-sectional study. *Sao Paulo Medical Journal*, 134(6), 473-479. <https://doi.org/10.1590/1516-3180.2015.01382111>
- Darivemula Surendra, Khadervali Nagoor, Shakeer Khan Patan, N. Bayapa Reddy, C. Sravana Deepthi, Chandra Sekhar Chittooru (2019). Prevalence and its associated determinants of Diabetic Peripheral Neuropathym (DPN) in individuals having type-2 diabetes mellitus in Rural South India. *Indian J Community Med*. 2019 Apr-Jun; 44(2),88–91. PMCID: PMC6625262 PMID: 31333282
- Davis, E. A., Jones, T. W., Walsh, P., & Byrne, G. C. (1997). The Use of Biothesiometry to Detect Neuropathy in Children and Adolescents With IDDM. *Diabetes Care*, 20(9), 1448-1453. <https://doi.org/10.2337/diacare.20.9.1448>
- de Benoist, B. (2008). Conclusions of a WHO Technical Consultation on Folate and Vitamin B12 Deficiencies. *Food and Nutrition Bulletin*, 29(2). <https://doi.org/10.1177/15648265080292s129>
- de Groot-Kamphuis DM, van Dijk PR, Groenier KH, Houweling ST, Bilo HJ, Kleefstra N.(2013). Vitamin B12 deficiency and the lack of its consequences in type 2 diabetes patients using metformin. *Neth J Med*, 71(7), 386–390. PMID: 24038568.
- de Jager, J., Kooy, A., Lehert, P., Wulffele, M. G., van der Kolk, J., Bets, D., Verburg, J., Donker, A. J. M., & Stehouwer, C. D. A. (2010). Long term treatment with metformin in patients with type 2 diabetes and risk of vitamin B-12 deficiency: randomised placebo controlled trial. *BMJ*, 340. <https://doi.org/10.1136/bmj.c2181>
- DeFronzo, R. A., & Goodman, A. M. (1995). Efficacy of Metformin in Patients with Non-Insulin-Dependent Diabetes Mellitus. *New England Journal of Medicine*, 333(9), 541-549. <https://doi.org/10.1056/nejm199508313330902>

- Deli, G., Bosnyak, E., Pusch, G., Komoly, S., & Feher, G. (2013). Diabetic Neuropathies: Diagnosis and Management. *Neuroendocrinology*, 98(4), 267-280. <https://doi.org/10.1159/000358728>
- Deshpande, A. D., Harris-Hayes, M., & Schootman, M. (2008). Epidemiology of Diabetes and Diabetes-Related Complications. *Physical Therapy*, 88(11), 1254-1264. <https://doi.org/10.2522/ptj.20080020>
- Donnelly LA, Dennis JM, Coleman RL, Sattar N, Hattersley AT, Holman RR, Pearson ER. (2020) Risk of Anemia With Metformin Use in Type 2 Diabetes: A MASTERMIND Study. *Diabetes Care*, 43(10):2493-2499. doi: 10.2337/dc20-1104.
- Donofrio, P. D., & Albers, J. W. (1990). AAEM minimonograph #34: Polyneuropathy: Classification by nerve conduction studies and electromyography. *Muscle & Nerve*, 13(10), 889-903. <https://doi.org/10.1002/mus.880131002>
- Dyck, P. J., Karnes, J., O'Brien, P. C., & Swanson, C. J. (1986). Neuropathy Symptom Profile in health, motor neuron disease, diabetic neuropathy, and amyloidosis. *Neurology*, 36(10), 1300-1300. <https://doi.org/10.1212/wnl.36.10.1300>
- Dyck, P. J., Kratz, K. M., Karnes, J. L., Litchy, W. J., Klein, R., Pach, J. M., Wilson, D. M., O'Brien, P. C., & Melton, L. J. (1993). The prevalence by staged severity of various types of diabetic neuropathy, retinopathy, and nephropathy in a population-based cohort: The Rochester Diabetic Neuropathy Study. *Neurology*, 43(4), 817-824. <https://doi.org/10.1212/wnl.43.4.817>
- el Bahri-Ben Mrad F, Goulder R, Fredj M, Ben Becher S, Mrad- Mazigh, Mrabet A (2000). Childhood diabetic neuropathy: a clinical and electrophysiological study. *Funct Neurol*. 15(1), 35-40
- Ertuglu, L. A., Karacan, I., Yilmaz, G., & Türker, K. S. (2018). Standardization of the Jendrassik maneuver in Achilles tendon tap reflex. *Clinical Neurophysiology Practice*, 3, 1-5. <https://doi.org/10.1016/j.cnp.2017.10.003>
- Farheen, A., B S, M., & Arif, G. (2015). Nerve Conduction in Type 2 Diabetics and its Correlation with Glycosylated Haemoglobin. *Journal of Evolution of Medical and Dental Sciences*, 4(6), 1023-1034. <https://doi.org/10.14260/jemds/2015/143>
- Fedosov, S. N., Berglund, L., Fedosova, N. U., Nexø, E., & Petersen, T. E. (2002). Comparative Analysis of Cobalamin Binding Kinetics and Ligand Protection for Intrinsic Factor, Transcobalamin, and Haptocorrin. *Journal of Biological Chemistry*, 277(12), 9989-9996. <https://doi.org/10.1074/jbc.m111399200>
- Feldman, E. L., Stevens, M. J., Thomas, P. K., Brown, M. B., Canal, N., & Greene, D. A. (1994). A Practical Two-Step Quantitative Clinical and Electrophysiological Assessment for the Diagnosis and Staging of Diabetic Neuropathy. *Diabetes Care*, 17(11), 1281-1289. <https://doi.org/10.2337/diacare.17.11.1281>

- Fernandes-Costa, F., & Metz, J. (1982). A comparison of serum transcobalamin levels in white and Black subjects. *The American Journal of Clinical Nutrition*, 35(1), 83-86. <https://doi.org/10.1093/ajcn/35.1.83>
- Fowler, M. J. (2008). Microvascular and Macrovascular Complications of Diabetes. *Clinical Diabetes*, 26(2), 77-82. <https://doi.org/10.2337/diaclin.26.2.77>
- Fyfe, J. C., Madsen, M., Højrup, P., Christensen, E. I., Tanner, S. M., de la Chapelle, A., He, Q., & Moestrup, S. K. (2004). The functional cobalamin (vitamin B12)–intrinsic factor receptor is a novel complex of cubilin and amnionless. *Blood*, 103(5), 1573-1579. <https://doi.org/10.1182/blood-2003-08-2852>
- Gaur, Ajai S. and Gaur, Sanjay S. (2006). Statistical Methods for Practice and Research: A guide to data analysis using SPSS. Response Books, A division of SAGE Publications.
- Gill, H.K., Yadav, S.B., Ramesh, V., Bhatia, E. (2014). A prospective study of prevalence and association of peripheral neuropathy in Indian patients with newly diagnosed type 2 diabetes mellitus. *Journal of Postgraduate Medicine*, 60(3), 270 - 275. <https://doi.org/10.4103/0022-3859.138750>
- Girach, A., Manner, D., & Porta, M. (2006). Diabetic microvascular complications: can patients at risk be identified? A review. *International Journal of Clinical Practice*, 60(11), 1471-1483. <https://doi.org/10.1111/j.1742-1241.2006.01175.x>
- Hall, C. A., & Finkler, A. E. (1963). A second vitamin B12-binding substance in human plasma. *Biochimica Et Biophysica Acta*, 78(1), 234-236. [https://doi.org/10.1016/0006-3002\(63\)91633-0](https://doi.org/10.1016/0006-3002(63)91633-0)
- Herman, W. H., Pop-Busui, R., Braffett, B. H., Martin, C. L., Cleary, P. A., Albers, J. W., & Feldman, E. L. (2012). Use of the Michigan Neuropathy Screening Instrument as a measure of distal symmetrical peripheral neuropathy in Type 1 diabetes: results from the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications. *Diabetic Medicine*, 29(7), 937-944. <https://doi.org/10.1111/j.1464-5491.2012.03644.x>
- Herrmann, W., Schorr, H., Obeid, R., & Geisel, J. (2003). Vitamin B-12 status, particularly holotranscobalamin II and methylmalonic acid concentrations, and hyperhomocysteinemia in vegetarians. *The American Journal of Clinical Nutrition*, 78(1), 131-136. <https://doi.org/10.1093/ajcn/78.1.131>
- Hoffbrand, AV (1982). Vitamin B12 and folate metabolism: the megaloblastic anaemia and other nutritional anaemias. In *Blood and its disorders* (199-263). (Eds. Hardisty RM and Weatherall DJ). Blackwell Scientific Publications.
- <http://www.who.int/medicines/publications/essentialmedicines/en/index.html>

- Hvas A, Nexø E (2006). Diagnosis and treatment of vitamin B12 deficiency. *An update Hematologica*, 91(11), 1506-12. <https://doi.org/10.3324/%25x>
- IDF (International Diabetes Federation) (2015). *The Diabetes Atlas, 7th edition* https://icdm2017.diabetes.or.kr/file/slide/edu_1_1.pdf
- IDF (International Diabetes Federation) (2017). *The Diabetes Atlas, 8th edition*. https://www.diabetesatlas.org/upload/resources/previous/files/8/IDF_DA_8e-EN-final.pdf
- IDF (International Diabetes Federation) (2019). *The Diabetes Atlas, 9th edn*. Brussels, Belgium. doi: <https://www.diabetesatlas.org>
- Jayaprakash, P., Bhansali, A., Bhansali, S., Dutta, P., Anantharaman, R., Shanmugasundar, G., & Ravikiran, M. (2011). Validation of bedside methods in evaluation of diabetic peripheral neuropathy. *The Indian journal of medical research*, 133(6), 645–649.
- Kapadia, C. R., Serfilippi, D., Voloshin, K., & Donaldson, R. M. (1983). Intrinsic Factor-mediated Absorption of Cobalamin by Guinea Pig Ileal Cells. *Journal of Clinical Investigation*, 71(3), 440-448. <https://doi.org/10.1172/jci110788>
- Kapil, U., & Bhadoria, A. (2014). Prevalence of folate, ferritin and cobalamin deficiencies amongst adolescent in India. *Journal of Family Medicine and Primary Care*, 3(3), 247. <https://doi.org/10.4103/2249-4863.141619>
- Kapoor D, Agarwal KN, Sharma S, Kela K, Kaur I (2002). Iron status of children aged 9-36 months in an urban slum Integrated Child Development Services project in Delhi. *Indian Pediatr*, 39, 136-44.
- Karimi, M., & Brazier, J. (2016). Health, Health-Related Quality of Life, and Quality of Life: What is the Difference? *Pharmacoeconomics*, 34(7), 645-649. <https://doi.org/10.1007/s40273-016-0389-9>
- Kaveeshwar, S. A., & Cornwall, J. (2014). The current state of diabetes mellitus in India. *The Australasian medical journal*, 7(1), 45–48. <https://doi.org/10.4066/AMJ.2013.1979>
- Keenan, H. A., Costacou, T., Sun, J. K., Doria, A., Cavellerano, J., Coney, J., Orchard, T. J., Aiello, L. P., & King, G. L. (2007). Clinical Factors Associated With Resistance to Microvascular Complications in Diabetic Patients of Extreme Disease Duration: The 50-year Medalist Study. *Diabetes Care*, 30(8), 1995-1997. <https://doi.org/10.2337/dc06-2222>
- Kennedy, J. M., & Zochodne, D. W. (2005). Impaired peripheral nerve regeneration in diabetes mellitus. *Journal of the Peripheral Nervous System*, 10(2), 144-157. <https://doi.org/10.1111/j.1085-9489.2005.0010205.x>
- Khanal S., R.K. Sainju, P. Adhikari, R. Thapa (2007). Eliciting knee jerk—a new method of reinforcement. *Nepal Med. Coll. J.*, 9, 278-280

- Khanduri U, Sharma A, Joshi A (2005). Occult cobalamin and folate deficiency in Indians. *Nat Med J India*, 18 (4), 182-3.
- Kibirige, D., & Mwebaze, R. (2013). Vitamin B12 deficiency among patients with diabetes mellitus: is routine screening and supplementation justified? *Journal of Diabetes & Metabolic Disorders*, 12(1). <https://doi.org/10.1186/2251-6581-12-17>
- Ko, S.-H., Ko, S.-H., Ahn, Y.-B., Song, K.-H., Han, K.-D., Park, Y.-M., Ko, S.-H., & Kim, H.-S. (2014). Association of Vitamin B12 Deficiency and Metformin Use in Patients with Type 2 Diabetes. *Journal of Korean Medical Science*, 29(7), 965-972. <https://doi.org/10.3346/jkms.2014.29.7.965>
- Kocaçiftçi, Gökhan, Aydoğan, Ümit, Akbulut, Halil, Parildar, Hülya, Aydoğdu, Aydoğan, Yaman, Halil, Gök, Deniz Engin, Sağlam, Kenan (2013). The effects of metformin and Metformin plus calcium treatments on serum 2014 vitamin B12 levels. *Nobel medicus journal*, 9(3), 58
- Kos, E., Liszek, M., Emanuele, M., Durazo-Arvizu, R., & Camacho, P. (2012). Effect of Metformin Therapy on Vitamin D and Vitamin B12 Levels in Patients with Type 2 Diabetes Mellitus. *Endocrine Practice*, 18(2), 179-184. <https://doi.org/10.4158/ep11009.or>
- Kumar, D. R. A., Shetty, D. S. B., & Lalitha, D. R. (2017). Prevalence of vitamin B12 deficiency in Indian type 2 diabetes subjects on metformin therapy. *International Journal of Medical Research and Review*, 5(9), 845-850. <https://doi.org/10.17511/ijmrr.2017.i09.03>
- Kumar, S., Fernando, D., Veves, A., Knowles, E., Young, M., & Boulton, A. (1991). Semmes-Weinstein monofilaments: a simple, effective and inexpensive screening device for identifying diabetic patients at risk of foot ulceration. *Diabetes Research and Clinical Practice*, 13(1), 63-67. [https://doi.org/10.1016/0168-8227\(91\)90034-b](https://doi.org/10.1016/0168-8227(91)90034-b)
- Kumar, V., Abbas, A. K., & Aster, J. C. (2013). Endocrine System. In *Robbins Basic Pathology*, (9th ed , 715- 764). Elsevier Health Sciences
- Kumthekar A. A., Gidwani H, Kumthekar A. B. (2012). Metformin Associated B12 Deficiency. *Journal of the Association of Physicians of India*, 60, 58–9.
- Kuyken W, Group TW (1995). The World Health Organization Quality of Life assessment (WHOQOL): position paper from the World Health Organization. *Social science & medicine*, 41, 1403–9
- Langan Robert C., and Andrew J. Goodbred (2017). Vitamin B12 Deficiency: Recognition and Management. *Am Fam physicia*, 96(6):384-389.
- Lau C.Y., Qureshi A.k, S. G. Scott (2004). Association between glycaemic control and quality of life in diabetes mellitus. *J Postgrad Med*, 50(3), 189-93.
- Lawrence A. Lavery, David G. Armstrong and Andrew Boulton (2004). Screening for Diabetic Peripheral Neuropathy. *Diabetic Microvascular Complication Today*.

- Leishear, K., Boudreau, R. M., Studenski, S. A., Ferrucci, L., Rosano, C., Rekenire, N., Houston, D. K., Kritchevsky, S. B., Schwartz, A. V., Vinik, A. I., Hogervorst, E., Yaffe, K., Harris, T. B., Newman, A. B., & Strotmeyer, E. S. (2012). Relationship Between Vitamin B12 and Sensory and Motor Peripheral Nerve Function in Older Adults. *Journal of the American Geriatrics Society*, 60(6), 1057-1063. <https://doi.org/10.1111/j.1532-5415.2012.03998.x>
- Liew, J., Barlow, A., Lim, L.-L., Suastika, K., Yasahardja, Y., Chan, S. P., Soh, A., Li, L. S., & Tan, A. T. (2019). 2244-PUB: Role of B Vitamins (B1, B6, B12) in Managing Diabetic Peripheral Neuropathy (DPN): A Systematic Review. *Diabetes*, 68, 2244. <https://doi.org/10.2337/db19-2244-pub>
- Liu K.W., Dai DL, Ho W, Lau E, Woo J (2011). Metformin-associated vitamin B12 deficiency in the elderly. *Asian J Gerontol Geriatr*.6, 82–87.
- Liu, K. W., Dai, L. K., & Jean, W. (2006). Metformin-related vitamin B12 deficiency. *Age and Ageing*, 35(2), 200-201. <https://doi.org/10.1093/ageing/afj042>
- Loikas, S., Koskinen, P., Irjala, K., Lopponen, M., Isoaho, R., Kivela, S.-L., & Pelliniemi, T.-T. (2007). Vitamin B12 deficiency in the aged: a population-based study. *Age and Ageing*, 36(2), 177-183. <https://doi.org/10.1093/ageing/afl150>
- Malouf, R., & Areosa Sastre, A. (2003). Vitamin B12 for cognition. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.cd004394>
- Marin-Penalver, J.J., Martín-Timón, I., Sevillano-Collantes, C., Del Cañizo-Gómez, F.J. (2016). Update on the treatment of type 2 diabetes mellitus. *World J Diabetes*, 7(17), 354-395. doi:10.4239/wjd.v7.i17.354
- Maryniak O, Yaworski R (1987). H-reflex: optimum location of recording electrodes. *Arch Phys Med Rehabil*, 68, 798 – 802.
- Maser, R. E., Steenkiste, A. R., Dorman, J. S., Nielsen, V. K., Bass, E. B., Manjoo, Q., Drash, A. L., Becker, D. J., Kuller, L. H., Greene, D. A., & et, al. (1989). Epidemiological correlates of diabetic neuropathy. Report from Pittsburgh Epidemiology of Diabetes Complications Study. *Diabetes*, 38(11), 1456-1461. <https://doi.org/10.2337/diabetes.38.11.1456>
- Mayfield, JA., Sugarman R. (2000). The use of Semmes Weinstein monofilament and other threshold tests for preventing foot ulceration and amputation in persons with diabetes. *J Family Pract*, 49(11, supp), S17-S29.
- McCulloch DK. Evaluation of the diabetic foot. In: Rose BD, editor . UpToDate. 1. Vol. 12. Wellesley, MA: CD ROM; 2004. <http://www.uptodate.com>
- Meijer, J. W., Smit, A. J., Sonderen, E. V., Groothoff, J. W., Eisma, W. H., & Links, T. P. (2002). Symptom scoring systems to diagnose distal polyneuropathy in diabetes: the Diabetic Neuropathy Symptom score. *Diabetic Medicine*, 19(11), 962-965. <https://doi.org/10.1046/j.1464-5491.2002.00819.x>

- Melhem, A., Desai, A., & Hofmann, M. A. (2009). Acute myocardial infarction and pulmonary embolism in a young man with pernicious anemia-induced severe hyperhomocysteinemia. *Thrombosis Journal*, 7(1), 5. <https://doi.org/10.1186/1477-9560-7-5>
- Mete, T., Aydin, Y., Saka, M., Cinar Yavuz, H., Bilen, S., Yalcin, Y., Arli, B., Berker, D., & Guler, S. (2013). Comparison of Efficiencies of Michigan Neuropathy Screening Instrument, Neurothesiometer, and Electromyography for Diagnosis of Diabetic Neuropathy. *International Journal of Endocrinology*, 2013, 1-7. <https://doi.org/10.1155/2013/821745>
- Miyan Z and Waris N (2020). Association of vitamin B12 deficiency in people with type 2 diabetes on metformin and without metformin: a multicenter study, Karachi, Pakistan. *BMJ Open Diab Res Care*, 8, e001151. doi:10.1136/ bmjdr-2019-001151
- Moestrup, S. K., Kozyraki, R., Kristiansen, M., Kaysen, J. H., Rasmussen, H. H., Brault, D., Pontillon, F., Goda, F. O., Christensen, E. I., Hammond, T. G., & Verroust, P. J. (1998). The Intrinsic Factor-Vitamin B12 Receptor and Target of Teratogenic Antibodies Is a Megalin-binding Peripheral Membrane Protein with Homology to Developmental Proteins. *Journal of Biological Chemistry*, 273(9), 5235-5242. <https://doi.org/10.1074/jbc.273.9.5235>
- Moghtaderi, A., Bakhshipour, A., & Rashidi, H. (2006). Validation of Michigan neuropathy screening instrument for diabetic peripheral neuropathy. *Clinical Neurology and Neurosurgery*, 108(5), 477-481. <https://doi.org/10.1016/j.clineuro.2005.08.003>
- Mohan V, Pradeepa R & Anjana RM (2015). Diabetes in India - An Epidemiological Review: Current controversies and consensus in Diabetes Management, 1st ed (1-9). Bangalore, India, Micro Labs Limited.
- Morkbak, A. L., Hvas, A.-M., Lloyd-Wright, Z., Sanders, T. A., Bleie, Oyvind, Refsum, H., Nygaard, O. K., & Nexø, E. (2006). Effect of Vitamin B12 Treatment on Haptocorrin. *Clinical Chemistry*, 52(6), 1104-1111. <https://doi.org/10.1373/clinchem.2005.061549>
- Naik, S., Mahalle, N., & Bhide, V. (2018). Identification of vitamin B12 deficiency in vegetarian Indians. *British Journal of Nutrition*, 119(6), 629-635. <https://doi.org/10.1017/s0007114518000090>
- Nardone, A., & Schieppati, M. (2008). Inhibitory effect of the Jendrassik maneuver on the stretch reflex. *Neuroscience*, 156(3), 607-617. <https://doi.org/10.1016/j.neuroscience.2008.07.039>
- National committee for Clinical standards (1999). Approved guidelines- Procedures for the handling and processing of blood specimens. H18-A2

- Nejat S, Montazeri A, Holakouie Naieni K, Mohammad K, Majdzadeh SR. The World Health Organization Quality of Life (WHOQOLBREF) questionnaire (2006). Translation and validation study of the Iranian version. *Journal of School of public Health & Institute of Public Health Research*, 4, 1–12
- Nelson, DA and Davey, FR (1991). Erythrocytic disorders. In J.B.Henry (Ed.). *Clinical diagnosis and management of diagnosis methods* (627-635). W.B. Saunders Company.
- Nervo, M., Lubini, A., Raimundo, F. V., Moreira Faulhaber, G. A., Leite, C., Fischer, L. M., & Furlanetto, T. W. (2011). Vitamin B12 in metformin-treated diabetic patients: a cross-sectional study in Brazil. *Revista Da Associação Médica Brasileira (English Edition)*, 57(1), 46-49. [https://doi.org/10.1016/s2255-4823\(11\)70015-7](https://doi.org/10.1016/s2255-4823(11)70015-7)
- O'Neill, J., Mccann, S. M., & Lagan, K. M. (2005). Tuning fork (128 Hz) versus Neurothesiometer: a comparison of methods of assessing vibration sensation in patients with diabetes mellitus. *International Journal of Clinical Practice*, 60(2), 174-178. <https://doi.org/10.1111/j.1742-1241.2005.00650.x>
- Papathodorou, K., Banach, M., Bekiari, E., Rizzo, M., & Edmonds, M. (2018). Complications of Diabetes 2017. *Journal of Diabetes Research*, 2018, 1-4. <https://doi.org/10.1155/2018/3086167>
- Partanen, J., Niskanen, L., Lehtinen, J., Mervaala, E., Siitonen, O., & Uusitupa, M. (1995). Natural History of Peripheral Neuropathy in Patients with Non-Insulin-Dependent Diabetes Mellitus. *New England Journal of Medicine*, 333(2), 89-94. <https://doi.org/10.1056/nejm199507133330203>
- Paul UK, Sinharay K, Bhattacharyya AK, Pal SK (2012). Update in diabetic neuropathy with special reference to Indian scenario. *J Indian Med Assoc*, 110, 616-22.
- Perkins, B. A., & Bril, V. (2003). Diabetic neuropathy: a review emphasizing diagnostic methods. *Clinical Neurophysiology*, 114(7), 1167-1175. [https://doi.org/10.1016/s1388-2457\(03\)00025-7](https://doi.org/10.1016/s1388-2457(03)00025-7)
- Perkins, B. A., Olaleye, D., Zinman, B., & Bril, V. (2001). Simple Screening Tests for Peripheral Neuropathy in the Diabetes Clinic. *Diabetes Care*, 24(2), 250-256. <https://doi.org/10.2337/diacare.24.2.250>
- Pflipsen, M. C., Oh, R. C., Saguil, A., Seehusen, D. A., Seaquist, D., & Topolski, R. (2009). The Prevalence of Vitamin B12 Deficiency in Patients with Type 2 Diabetes: A Cross-Sectional Study. *The Journal of the American Board of Family Medicine*, 22(5), 528-534. <https://doi.org/10.3122/jabfm.2009.05.090044>
- Pham, H., Armstrong, D. G., Harvey, C., Harkless, L. B., Giurini, J. M., & Veves, A. (2000). Screening techniques to identify people at high risk for diabetic foot ulceration: a prospective multicenter trial. *Diabetes Care*, 23(5), 606-611. <https://doi.org/10.2337/diacare.23.5.606>

- Pichon-Riviere, A., Irazola, V., Beratarrechea, A., Alcaraz, A., & Carrara, C. (2015). Quality of life in type 2 diabetes mellitus patients requiring insulin treatment in Buenos Aires, Argentina: a cross-sectional study. *International Journal of Health Policy and Management*, 4(7), 475-480. <https://doi.org/10.15171/ijhpm.2015.80>
- Poncelet AN (1998). An algorithm for the evaluation of peripheral neuropathy. *Am Fam Physician* 1998, 57, 755 – 764.
- Pongchaidecha Manat, Vinida Srikusalanukul, Apisit Chattananon, Sompong Tanjariyaporn (2004). Effect of metformin on plasma homocysteine, vitamin B12 and folic acid: a cross-sectional study in patients with type 2 diabetes mellitus. *J Med Assoc Thai*, 87(7), 780-7 PMID: 15521233
- Pop-Busui, R., Boulton, A. J., Feldman, E. L., Bril, V., Freeman, R., Malik, R. A., Sosenko, J. M., & Ziegler, D. (2017). Diabetic Neuropathy: A Position Statement by the American Diabetes Association. *Diabetes Care*, 40(1), 136-154. <https://doi.org/10.2337/dc16-2042>
- Powers, C. A. (2012). Diabetes Mellitus. In *Harrison's Principles of Internal Medicine* (18th ed., 2968 - 3002). Mc Graw Hill
- Powers, C. A. (2012). Evaluation and Management of Obesity. In *Harrison's Principles of Internal Medicine* (18th ed., 2968 - 3002). Mc Graw Hill
- Powers, C.A. (2018). Diabetes Mellitus Diagnosis, Classification, and Pathophysiology. In *Harrison's Principles of Internal Medicine* (20th ed. 2850 - 2859). Mc Graw Hill.
- Powers, C.A., Niswender, K.D, Rickets, M.R. (2018) Diabetes Mellitus: Management and therapies In *Harrison's Principles of Internal Medicine*, (20th ed, 2968-3002). Mc Graw Hill
- Pradeepa, R., Rema, M., Vignesh, J., Deepa, M., Deepa, R., & Mohan, V. (2008). Prevalence and risk factors for diabetic neuropathy in an urban south Indian population: the Chennai Urban Rural Epidemiology Study (CURES-55). *Diabetic Medicine*, 25(4), 407-412. <https://doi.org/10.1111/j.1464-5491.2008.02397.x>
- Prajapati, V. B., Blake, R., Acharya, L. D., & Seshadri, S. (2017). Assessment of quality of life in type II diabetic patients using the modified diabetes quality of life (MDQoL)-17 questionnaire. *Brazilian Journal of Pharmaceutical Sciences*, 53(4). <https://doi.org/10.1590/s2175-97902017000417144>
- Quadros, E. V. (2010). Advances in the understanding of cobalamin assimilation and metabolism. *British Journal of Haematology*, 148(2), 195-204. <https://doi.org/10.1111/j.1365-2141.2009.07937.x>
- Qureshi, S., Ainsworth, A., & Winocour, P. (2011). Metformin therapy and assessment for vitamin B12 deficiency: is it necessary? *Practical Diabetes*, 28(7), 302-304. <https://doi.org/10.1002/pdi.1619>

- Raizada, N., Jyotsna, V., Sreenivas, V., & Tandon, N. (2017). Serum vitamin B12 levels in type 2 diabetes patients on metformin compared to those never on metformin: A cross-sectional study. *Indian Journal of Endocrinology and Metabolism*, 21(3), 424. https://doi.org/10.4103/ijem.ijem_529_16
- Ramachandran, A., Snehalatha, C., Kapur, A., Vijay, V., Mohan, V., Das, A. K., Rao, P. V., Yajnik, C. S., Prasanna Kumar, K. M., & Nair, J. D. (2001). High prevalence of diabetes and impaired glucose tolerance in India: National Urban Diabetes Survey. *Diabetologia*, 44(9), 1094-1101. <https://doi.org/10.1007/s001250100627>
- Ramachandran, A., Wan Ma, R. C., & Snehalatha, C. (2010). Diabetes in Asia. *The Lancet*, 375(9712), 408-418. [https://doi.org/10.1016/s0140-6736\(09\)60937-5](https://doi.org/10.1016/s0140-6736(09)60937-5)
- Rani, P. K., Raman, R., Rachapalli, S. R., Pal, S. S., Kulothungan, V., & Sharma, T. (2010). Prevalence and risk factors for severity of diabetic neuropathy in type 2 diabetes mellitus. *Indian journal of medical sciences*, 64(2), 51-57. <https://doi.org/10.4103/0019-5359.94400>
- Refsum, H., Yajnik, C. S., Gadkari, M., Schneede, J., Vollset, S. E., Örnning, L., Guttormsen, A. B., Joglekar, A., Sayyad, M. G., Ulvik, A., & Ueland, P. M. (2001). Hyperhomocysteinemia and elevated methylmalonic acid indicate a high prevalence of cobalamin deficiency in Asian Indians. *The American Journal of Clinical Nutrition*, 74(2), 233-241. <https://doi.org/10.1093/ajcn/74.2.233>
- Reinstatler, L., Qi, Y. P., Williamson, R. S., Garn, J. V., & Oakley, G. P. (2012). Association of Biochemical B12 Deficiency with Metformin Therapy and Vitamin B12 Supplements: The National Health and Nutrition Examination Survey, 1999-2006. *Diabetes Care*, 35(2), 327-333. <https://doi.org/10.2337/dc11-1582q>
- Rejeski, W. J., & Mihalko, S. L. (2001). Physical Activity and Quality of Life in Older Adults. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 56, 23-35. https://doi.org/10.1093/gerona/56.suppl_2.23
- Rena, G., Hardie, D. G., & Pearson, E. R. (2017). The mechanisms of action of metformin. *Diabetologia*, 60(9), 1577-1585. <https://doi.org/10.1007/s00125-017-4342-z>
- Rizzo, G., Laganà, A., Rapisarda, A., La Ferrera, G., Buscema, M., Rossetti, P., Nigro, A., Muscia, V., Valenti, G., Sapia, F., Sarpietro, G., Zigarelli, M., & Vitale, S. (2016). Vitamin B12 among Vegetarians: Status, Assessment and Supplementation. *Nutrients*, 8(12), 767. <https://doi.org/10.3390/nu8120767>
- Rogers, L. C., Frykberg, R. G., Armstrong, D. G., Boulton, A. J., Edmonds, M., Van, G. H., Hartemann, A., Game, F., Jeffcoate, W., Jirkovska, A., Jude, E., Morbach, S., Morrison, W. B., Pinzur, M., Pitocco, D., Sanders, L., Wukich, D. K., & Uccioli, L. (2011). The Charcot Foot in Diabetes. *Diabetes Care*, 34(9), 2123-2129. <https://doi.org/10.2337/dc11-0844>

- Rosenblatt, D.S. and Fenton, W.A. (2001) Inherited disorders of folate and cobalamin transport and metabolism. In C.R.Scriver, A.L.Beaudet, D. Valle and W.S. Sly (Eds). *The Metabolic and Molecular Bases of Inherited Disease*, (3897-3933). McGraw- Hill.
- Roy, R. P., Ghosh, K., Ghosh, M., Acharyya, A., Bhattacharya, A., Pal, M., Chakraborty, S., & Sengupta, N. (2016). Study of Vitamin B₁₂ deficiency and peripheral neuropathy in metformin-treated early Type 2 diabetes mellitus. *Indian journal of endocrinology and metabolism*, 20(5), 631–637. <https://doi.org/10.4103/2230-8210.190542>
- Russo, G. T., Giandalia, A., Romeo, E. L., Scarcella, C., Gambadoro, N., Zingale, R., Forte, F., Perdichizzi, G., Alibrandi, A., & Cucinotta, D. (2016). Diabetic neuropathy is not associated with homocysteine, folate, vitamin B12 levels, and MTHFR C677T mutation in type 2 diabetic outpatients taking metformin. *Journal of Endocrinological Investigation*, 39(3), 305-314. <https://doi.org/10.1007/s40618-015-0365-9>
- Sadeghian, S., Fallahi, F., Salarifar, M., Davoodi, G., Mahmoodian, M., Fallah, N., Darvish, S., & Karimi, A. (2006). Homocysteine, vitamin B12 and folate levels in premature coronary artery disease. *BMC Cardiovascular Disorders*, 6(1). <https://doi.org/10.1186/1471-2261-6-38>
- Sahin, M., Tutuncu, N. B., Ertugrul, D., Tanaci, N., & Guvener, N. D. (2007). Effects of metformin or rosiglitazone on serum concentrations of homocysteine, folate, and vitamin B12 in patients with type 2 diabetes mellitus. *Journal of Diabetes and Its Complications*, 21(2), 118-123. <https://doi.org/10.1016/j.jdiacomp.2005.10.005>
- Sato, Y., Ouchi, K., Funase, Y., Yamauchi, K., & Aizawa, T. (2013). Relationship between metformin use, vitamin B12 deficiency, hyperhomocysteinemia and vascular complications in patients with type 2 diabetes. *Endocrine Journal*, 60(12), 1275-1280. <https://doi.org/10.1507/endocrj.ej13-0332>
- Saxena, S., Chandiramani K., Bhargava R. (1998). WHOQOL-Hindi: a questionnaire for assessing quality of life in health care settings in India. World Health Organization Quality of Life. *Natl Med J India*, 11(4),160-5.
- Saxena, S., & Carmel, R. (1987). Racial Differences in Vitamin B12 Levels in the United States. *American Journal of Clinical Pathology*, 88(1), 95-97. <https://doi.org/10.1093/ajcp/88.1.95>
- Selhub, J. (2008). Public Health Significance of Elevated Homocysteine. *Food and Nutrition Bulletin*, 29(2). <https://doi.org/10.1177/15648265080292s116>
- Selhub, J., Morris, M. S., Jacques, P. F., & Rosenberg, I. H. (2009). Folate–vitamin B-12 interaction in relation to cognitive impairment, anemia, and biochemical indicators of vitamin B-12 deficiency. *The American Journal of Clinical Nutrition*, 89(2). <https://doi.org/10.3945/ajcn.2008.26947c>

- Shailendra, D., Kalani, R., Narayan, K. M. V., Prabhakaran, D., Tandon, N., & P. S., R. (2018). Prevalence of vitamin B12 deficiency among individuals with type 2 diabetes mellitus in a South Indian rural community. *International Journal of Basic & Clinical Pharmacology*, 7(2), 309-314. <https://doi.org/10.18203/2319-2003.ijbcp20180104>
- Sharma N. C. ,10th October 2019, Government survey found 11.8% prevalence of diabetes in India. *Mint*.<https://www.livemint.com/science/health/government-survey-found-11-8-prevalence-of-diabetes-in-india-11570702665713.html>
- Shim, Y. T., Lee, J., Toh, M. P. H. S., Tang, W. E., & Ko, Y. (2012). Health-related quality of life and glycaemic control in patients with Type 2 diabetes mellitus in Singapore. *Diabetic Medicine*, 29(8), 241-248. <https://doi.org/10.1111/j.1464-5491.2012.03689.x>
- Shobha V, Tarey SD, Singh RG, Shetty P, Unni US, Srinivasan K, et al (2011). Vitamin B12 deficiency & levels of metabolites in an apparently normal urban south Indian elderly population. *The Indian journal of medical research*, 134(4), 432.
- Shy, M., Frohman, E., So, Y., Arezzo, J., Cornblath, D., Giuliani, M., Kincaid, J., Ochoa, J., Parry, G., & Weimer, L. (2003). Quantitative sensory testing: Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology*, 60(6), 898-904. <https://doi.org/10.1212/01.wnl.0000058546.16985.11>
- Singh, A., Kumar, A., Karmakar, D., & Jha, R. (2013). Association of B12 deficiency and clinical neuropathy with metformin use in type 2 diabetes patients. *Journal of Postgraduate Medicine*, 59(4), 253. <https://doi.org/10.4103/0022-3859.123143>
- Singla, R., Garg, A., Surana, V., Aggarwal, S., Gupta, G., & Singla, S. (2019). Vitamin B12 deficiency is endemic in Indian population: A perspective from North India. *Indian Journal of Endocrinology and Metabolism*, 23(2), 211-214. https://doi.org/10.4103/ijem.ijem_122_19
- Smieja, M., Hunt, D. L., Edelman, D., Etchells, E., Cornuz, J., & Simel, D. L. (1999). Clinical examination for the detection of protective sensation in the feet of diabetic patients. *Journal of General Internal Medicine*, 14(7), 418-424. <https://doi.org/10.1046/j.1525-1497.1999.05208.x>
- Sparre Hermann, L., Nilsson, B., & Wettre, S. (2004). Vitamin B12 status of patients treated with metformin: a cross-sectional cohort study. *The British Journal of Diabetes & Vascular Disease*, 4(6), 401-406. <https://doi.org/10.1177/14746514040040060701>
- Stabler, S. P., Allen, R. H., Fried, L. P., Pahor, M., Kittner, S. J., Penninx, B. W., & Guralnik, J. M. (1999). Racial differences in prevalence of cobalamin and folate deficiencies in disabled elderly women. *The American Journal of Clinical Nutrition*, 70(5), 911-919. <https://doi.org/10.1093/ajcn/70.5.911>

- Stowers, J. M., & Smith, O. A. (1971). Vitamin B 12 and metformin. *BMJ*, 3(5768), 246-247. <https://doi.org/10.1136/bmj.3.5768.246-b>
- Suresh, K. (2011). An overview of randomization techniques: An unbiased assessment of outcome in clinical research. *Journal of Human Reproductive Sciences*, 4(1), 8. <https://doi.org/10.4103/0974-1208.82352>
- Svedbo Engström, M., Leksell, J., Johansson, U.-B., Borg, S., Palaszewski, B., Franzén, S., Gudbjörnsdóttir, S., & Eeg-Olofsson, K. (2019). Health-related quality of life and glycaemic control among adults with type 1 and type 2 diabetes – a nationwide cross-sectional study. *Health and Quality of Life Outcomes*, 17(1), 141. <https://doi.org/10.1186/s12955-019-1212-z>
- Ting, R. Z.-W, Cheuk Chun Szeto, Michael Ho-Ming Chan, FHKC Path; Kwok Kuen Ma, Kai Ming Chow (2006). Risk Factors of Vitamin B12 Deficiency in Patients Receiving Metformin. *Archives of Internal Medicine*, 166(18), 1975-1979. <https://doi.org/10.1001/archinte.166.18.1975>
- Tomkin, G. H. (1973). Malabsorption of Vitamin B12 in Diabetic Patients Treated with Phenformin: A Comparison with Metformin. *BMJ*, 3(5882), 673-675. <https://doi.org/10.1136/bmj.3.5882.673>
- Tomkin, G. H., Hadden, D. R., Weaver, J. A., & Montgomery, D. A. D. (1971). Vitamin-B12 Status of Patients on Long-term Metformin Therapy. *BMJ*, 2(5763), 685-687. <https://doi.org/10.1136/bmj.2.5763.685>
- Trikkalinou, A., Papazafiropoulou, A. K., & Melidonis, A. (2017). Type 2 diabetes and quality of life. *World Journal of Diabetes*, 8(4), 120-129. <https://doi.org/10.4239/wjd.v8.i4.120>
- Trujillo-Hernández, B., Huerta, M., Trujillo, X., Vásquez, C., Pérez-Vargas, D., & Millán-Guerrero, R. O. (2005). F-wave and H-reflex alterations in recently diagnosed diabetic patients. *Journal of Clinical Neuroscience*, 12(7), 763-766. <https://doi.org/10.1016/j.jocn.2004.09.018>
- Tung, M. L., & Tan, L. K. (2014). Long term use of metformin leading to vitamin B 12 deficiency. *Diabetes Research and Clinical Practice*, 104(3). <https://doi.org/10.1016/j.diabres.2013.12.054>
- Tuttolomondo, A., Maida, C., & Pinto, A. (2015). Diabetic Foot Syndrome as a Possible Cardiovascular Marker in Diabetic Patients. *Journal of Diabetes Research*, 2015, 1-12. <https://doi.org/10.1155/2015/268390>
- UK Prospective Diabetes Study Group. Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33). (1998). *The Lancet*, 352(9131), 837-853. [https://doi.org/10.1016/s0140-6736\(98\)07019-6](https://doi.org/10.1016/s0140-6736(98)07019-6)

- Upadhyay, T. R. (2016). Association Between Serum B12 and Serum Homocysteine Levels in Diabetic Patients on Metformin. *Journal of Clinical and Diagnostic Research*. <https://doi.org/10.7860/jcdr/2016/17604.7518>
- Vahedi Shahrumb (2010) . World Health Organization Quality-of-Life Scale (WHOQOL BREF): Analyses of Their Item Response Theory Properties Based on the Graded Responses Model. *Iran J Psychiatry*, 5(4), 140–153
- Vennu, V., Abdulrahman, T. A., & Bindawas, S. M. (2019). The Prevalence of Overweight, Obesity, Hypertension, and Diabetes in India: Analysis of the 2015–2016 National Family Health Survey. *International Journal of Environmental Research and Public Health*, 16(20), 3987. <https://doi.org/10.3390/ijerph16203987>
- Wang, F., Zhang, J., Yu, J., Liu, S., Zhang, R., Ma, X., Yang, Y., & Wang, P. (2017). Diagnostic Accuracy of Monofilament Tests for Detecting Diabetic Peripheral Neuropathy: A Systematic Review and Meta-Analysis. *Journal of Diabetes Research*, 2017, 1-12. <https://doi.org/10.1155/2017/8787261>
- Wang, Y.-W., He, S.-J., Feng, X., Cheng, J., Luo, Y.-T., Tian, L., & Huang, Q. (2017). Metformin: a review of its potential indications. *Drug Design, Development and Therapy*, 2421-2429. <https://doi.org/10.2147/dddt.s141675>
- WHO (World Health Organization) (1968) Nutritional Anemia: Report of a WHO Scientific Group. Tech Rep Ser. 405, 1-40.
- WHO (World Health Organization) (1993). Study protocol for the World Health Organization project to develop a Quality of Life assessment instrument (WHOQOL). (1993). *Quality of Life Research*, 2(2), 153-159. <https://doi.org/10.1007/bf00435734>
- WHO (World Health Organization) (2000). *Regional Office for the Western Pacific . The Asia-Pacific perspective: redefining obesity and its treatment*. Sydney: Health Communications Australia. WHO. <https://apps.who.int/iris/handle/10665/206936>
- WHO (World Health Organization) (2008, December 8-11). *Waist Circumference and Waist-Hip Ratio: Report of a WHO Expert Consultation*. WHO Geneva.
- WHO (World Health Organization) (2009). *WHO Model List of Essential Medicines*. World Health Organization
- WHO (World Health Organization) (2016). *Global Report on Diabetes*. World Health Organization. https://www.who.int/diabetes/action_online/basics/en/index3.html
- WHO (World Health Organization) (2017). *Essential Medicine List*. World Health Organization. www.who.int
- WHOQOL (2012). *User Manual Division on Mental Health and Prevention on Substance Abuse*. World Health Organization. <https://apps.who.int/iris/handle/10665/77932>

- WHOQOL Group (1992). *World Health Organization's Quality of Life group. Measuring Quality of Life. Development of the World Health Organization Quality of Life Instrument (WHOQOL)*. World Health Organization.
- WHOQOL Group (1994). Development of the WHOQOL: Rationale and Current Status. *International Journal of Mental Health*, 23(3), 24-56. <https://doi.org/10.1080/00207411.1994.11449286>
- WHOQOL GROUP. (1998). Development of the World Health Organization WHOQOL-BREF Quality of Life Assessment. *Psychological Medicine*, 28(3), 551-558. <https://doi.org/10.1017/s0033291798006667>
- WHOQOL Group. (1998). Development of the World Health Organization WHOQOL-BREF Quality of Life Assessment. *Psychological Medicine*, 28(3), 551-558. <https://doi.org/10.1017/s0033291798006667>
- WHOQOL Group. (1998). The World Health Organization quality of life assessment (WHOQOL): Development and general psychometric properties. *Social Science & Medicine*, 46(12), 1569-1585. [https://doi.org/10.1016/s0277-9536\(98\)00009-4](https://doi.org/10.1016/s0277-9536(98)00009-4)
- WHOQOL World Health Organization quality of life assessment. Position paper from the World Health Organization. (1995). *Social Science & Medicine*, 41(10), 1403-1409. [https://doi.org/10.1016/0277-9536\(95\)00112-k](https://doi.org/10.1016/0277-9536(95)00112-k)
- WHOQOL-BREF (1996). *Introduction, administration, scoring and generic version of the assessment*. WHO Geneva. https://www.who.int/mental_health/media/en/76.pdf
- WHOQOL-BREF (2004). The World Health Organization quality of life assessment. WHO Geneva.
- Wile, D. J., & Toth, C. (2010). Association of Metformin, Elevated Homocysteine, and Methylmalonic Acid Levels and Clinically Worsened Diabetic Peripheral Neuropathy. *Diabetes Care*, 33(1), 156-161. <https://doi.org/10.2337/dc09-0606>
- Wulffele, M. G., Kooy, A., Leher, P., Bets, D., Ogterop, J. C., Burg, B., Donker, A. J. M., & Stehouwer, C. D. A. (2003). Effects of short-term treatment with metformin on serum concentrations of homocysteine, folate and vitamin B12 in type 2 diabetes mellitus: a randomized, placebo-controlled trial. *Journal of Internal Medicine*, 254(5), 455-463. <https://doi.org/10.1046/j.1365-2796.2003.01213.x>
- Yajnik CS, Swapna S Deshpande, Himangi G Lubree, SS Naik, DS Bhat, Bhagyashree S Uradey, (...) Helga Refsum (2006). Vitamin B12 deficiency, Hyperhomocystenemia in Rural and Urban Indians. *JAPI*, 54, 775-782
- Yamada, Kazuhiro (2013). "Chapter 9. Cobalt: Its Role in Health and Disease". In Astrid Sigel, Helmut Sigel and Roland K. O. Sigel. *Interrelations between Essential Metal Ions and Human Diseases. Metal Ions in Life Sciences*. 13. Springer. pp. 295–320. doi:10.1007/978-94-007-7500-8_9

- Yang, W., Cai, X., Wu, H., & Ji, L. (2019). Associations between metformin use and vitamin B 12 levels, anemia, and neuropathy in patients with diabetes: a meta-analysis. *Journal of Diabetes*, 11(9), 729-743. <https://doi.org/10.1111/1753-0407.12900>
- Yasuda, H., Terada, M., Maeda, K., Kogawa, S., Sanada, M., Haneda, M., Kashiwagi, A., & Kikkawa, R. (2003). Diabetic neuropathy and nerve regeneration. *Progress in Neurobiology*, 69(4), 229-285. [https://doi.org/10.1016/s0301-0082\(03\)00034-0](https://doi.org/10.1016/s0301-0082(03)00034-0)
- Yin, S., Njai, R., Barker, L., Siegel, P. Z., & Liao, Y. (2016). Summarizing health-related quality of life (HRQOL): development and testing of a one-factor model. *Population Health Metrics*, 14(1). <https://doi.org/10.1186/s12963-016-0091-3>
- Yin, S., Njai, R., Barker, L., Siegel, P. Z., & Liao, Y. (2016). Summarizing health-related quality of life (HRQOL): development and testing of a one-factor model. *Population Health Metrics*, 14(1). <https://doi.org/10.1186/s12963-016-0091-3>
- Young, M. J., Boulton, A. J. M., Macleod, A. F., Williams, D. R. R., & Sonksen, P. H. (1993). A multicentre study of the prevalence of diabetic peripheral neuropathy in the United Kingdom hospital clinic population. *Diabetologia*, 36(2), 150-154. <https://doi.org/10.1007/bf00400697>
- Young, M. J., Breddy, J. L., Veves, A., & Boulton, A. J. M. (1994). The Prediction of Diabetic Neuropathic Foot Ulceration Using Vibration Perception Thresholds: A prospective study. *Diabetes Care*, 17(6), 557-560. <https://doi.org/10.2337/diacare.17.6.557>
- Young, M.J., Every, N., & Boulton, A. (1993). A comparison of the neurothesiometer and biothesiometer for measuring vibration perception in diabetic patients. *Diabetes Research and Clinical Practice*, 20(2), 129-131. [https://doi.org/10.1016/0168-8227\(93\)90006-q](https://doi.org/10.1016/0168-8227(93)90006-q)
- Youngdahl-Turner, P., Mellman, I., Allen, R., & Rosenberg, L. (1979). Protein mediated vitamin uptake. Adsorptive endocytosis of the transcobalamin II-cobalamin complex by cultured human fibroblasts. *Experimental Cell Research*, 118(1), 127-134. [https://doi.org/10.1016/0014-4827\(79\)90590-1](https://doi.org/10.1016/0014-4827(79)90590-1)
- Zehr, E. P., & Stein, R. B. (1999). Interaction of the Jendrassik maneuver with segmental presynaptic inhibition. *Experimental Brain Research*, 124(4), 474-480. <https://doi.org/10.1007/s002210050643>

WEBLIOGRAPHY

<https://lpi.oregonstate.edu/mic/vitamins/vitamin-B12>

<http://www.drrohans.com>

www.medicalnews.com

www.mayoclinic.org

www.medicalnews.com

www.podiatrygroupofgeorgia.com

www.healthinfo.org.nz

www.shutterstock.com

www.bofas.org.uk

www.care.diabetesjournal.org