

## LIST OF TABLES

Table No.	Title	Page No
2.1	Etiologic classification of disorders of glycaemia	17
2.2	Diagnostic criteria for diabetes mellitus	17
2.3	Drugs used in management of T2DM	31
2.4	Guidelines for diagnosis and outpatient management of DPN	59
2.5	Tests for neuropathy: advantage and disadvantage and the cost	67
2.6	Sensitivity and specificity for positive and negative likelihood ratios for 4 simple screening tests	69
2.7	Existing language versions of the WHOQOL	82
2.8	Centers included in development of the WHOQOL-BREF	85
2.9	WHO QOL BREF domains	86
3.1	Parameters and methods for data collection	98
3.2	Asia pacific cut-offs for body mass index (BMI) classification (WHO 2000)	104
3.3	JNC VIII cut-offs for blood pressure	106
3.4	Cut offs used for Hb for anaemia	110
3.5	Cut offs used for HbA1c	110
4.1	Socio demographic characteristics of T2DM subjects on metformin	129
4.2	Anthropometry, B.P. measurement, age and diabetes duration of T2DM adults on metformin: gender perspective (Mean $\pm$ S.D.)	133
4.3	Mean waist circumference & hip circumference in relation to their body mass index (Mean $\pm$ S.D.)	134
4.4	Prevalence of underweight, normal, overweight, obesity and morbid obesity among T2DM adults on metformin: Gender perspective	135

4.5	The Changing Trend in Prevalence of Hypertension by Nutritional Status	137
4.6	Distribution of side effects of metformin by present metformin dose	138
4.7	MNSI history questions related to DPN among T2DM adults on metformin: Gender perspective	141
4.8	Comparison of age, duration of diabetes and metformin dosage among those with DPN and those without DPN	148
4.9	Distribution of T2DM adults based on the duration of diabetes by the DPN grades of the T2DM adults on metformin	148
4.10	Distribution of T2DM adults based on the present drug therapy by the DPN grades of the T2DM adults on metformin	149
4.11	Association between DPN grades and metformin dosage	149
4.12	Prevalence of various stages of hypertension by the DPN grades of the T2DM adults on metformin	149
4.13	Overall quality of life among T2DM adults on metformin by gender	150
4.14	Satisfaction with health among T2DM adults on metformin by gender	150
4.15	Physical domain of QoL of T2DM adults on metformin by gender	152
4.16	Psychological domain of QoL of T2DM adults on Metformin cross tabulated by gender	153
4.17	Social relationship domain of QoL of T2DM adults on metformin by gender	154
4.18	Environment domain of QoL of T2DM adults on metformin by gender	155
4.19	Total mean scores and percent mean scores of domains of WHOQOL of T2DM adults	156
4.20	Comparison of the WHO BREF mean scores in four domains according to sex, age and Per Capita Income	160
4.21	Comparison of mean scores for overall quality of health,	161

	satisfaction of health and various facets of physical health domain, psychological health domain and environment domain across age	
4.22	Comparison of mean scores for overall quality of health, satisfaction of health and various facets of psychological health domain, social relationship and environment domain across PCI	162
4.23	Comparison of mean domain scores of various domains of WHOQOL-BREF in between those with DPN and without DPN	163
4.24	Comparison of mean domain scores of various domains of WHOQOL-BREF among T2DM adults with different nutritional status as measured by BMI	164
4.25	Biochemical profile of T2DM adults by gender (Mean±S.D.)	171
4.26	Prevalence of B12 deficiency, glycemic control and anemia among T2DM adults on metformin by gender	171
4.27	Prevalence of anemia among B12 deficient and those with normal B12	175
4.28	Comparison of means of several parameters in between B12 deficient and normal B12 levels	175
4.29	Association between B12 deficiency and diet	176
4.30	Comparison of serum B12 levels amongst various groups with different metformin dosage	178
4.31	Comparison of serum B12 levels amongst various groups with different metformin dosage after removing the outliers	179
4.32	Distribution of T2DM adults in various doses of present metformin dose across B12 deficiency	179
4.33	Association between serum B12 status and metformin side effects and past metformin dosage	181
4.34	Mean serum B12 of males and females and HbA1c levels of males and females in relation to their nutritional status by BMI	182
4.35	Prevalence of various stages of hypertension by serum B12 status in T2DM adults on metformin	184
4.36	Nutritional status (by BMI) of T2DM adults on metformin by their B12 status	184

4.37	Prevalence of abdominal obesity by W.C. and obesity by W.H.R. across serum B12 status	184
4.38	Distribution of T2DM adults on metformin based on duration of diabetes mellitus by serum B12 status	186
4.39	Comparison of median serum B12 in three groups with increasing duration of diabetes	187
4.40	Comparison of median serum B12 (without outliers) with increasing duration of diabetes	188
4.41	Distribution of T2DM adults on metformin based on HbA1c by serum B12 status	189
4.42	Distribution of T2DM adults on metformin based on the use of their present combination of drugs by serum B12 status	189
4.43	Prevalence of serum B12 status by DPN grades of the T2DM adults on metformin	191
4.44	Area under the curve for ROC curve analysis for diabetic peripheral neuropathy related to B12 deficiency	192
4.45	Coordinates of ROC curve analysis for diabetic peripheral neuropathy related to B12 deficiency	192
4.46	Distribution of T2DM adults based on the glycated haemoglobin levels by the DPN grades of the T2DM adults on metformin	195
4.47	Comparison of mean scores of various domains of WHOQOL-BREF in between B12 deficient and normal B12 groups	196
4.48	Comparison of mean scores of various domains of WHOQOL-BREF in between those with good glycemic control and those with poor glycemic control	199
4.49	Risk factor association for B12 deficiency among T2DM adults on metformin	200
4.50	Risk factor association for diabetes peripheral neuropathy (DPN scores $\geq 2.5$ ) among T2DM adults on metformin	201
4.51 (a.)	General profile of the supplementation groups of the T2DM adults (Mean $\pm$ S.D., n, %)	206
4.51 (b.)	Risk factor profile of the supplementation groups of the T2DM adults (Mean $\pm$ S.D., n, %)	206

4.52	Impact of supplementation on glycated Hb, serum B12, DPN scores and MNSI history total scores of T2DM adults	208
4.53	Impact of supplementation on prevalence of glycemic control	210
4.54	Post supplementation prevalence of B12 deficiency	211
4.55	Impact of supplementation on DPN prevalence	212
4.56	Comparison between calcium+B12 group and B12 group for pre supplementation MNSI history	214
4.57	Comparison between Ca+B12 and B12 group for post supplementation MNSI history	216
4.58	MNSI history total score between Ca+B12 and B12 group in pre and post supplementation stage	218
4.59	Comparison of MNSI physical assessment of right foot between Ca+B12 group and B12 group	221
4.60	Comparison of MNSI physical assessment of left foot between Ca+B12 group and B12 group	224
4.61	Impact of supplementation on MNSI physical assessment mean scores of right foot and left foot (Mean±S.D.)	229
4.62	Comparison of DPN score between Ca+B12 group and B12 group in pre and post supplementation stage	230
4.63	Impact of supplementation on mean scores of various domains of quality of life of T2DM adults as measured by WHO QOL BREF	232
4.64	Pre supplementation mean scores of 26 facets of QOL in WHOQOL BREF in Ca+B12 group and B12 group	233
4.65	Post supplementation mean scores of 26 facets of QOL in WHOQOL BREF by supplementation groups of T2DM adults	235
4.66	Differences in the post supplementation measure of perception between the two groups in post supplementation on ' <i>Physical pain and discomfort</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	237
4.67	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Dependence on medicinal substances and medical aids</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	237

4.68	Differences in the measure of perception between two groups in post supplementation stage on ' <i>Energy and fatigue</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	238
4.69	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Mobility</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	238
4.70	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Sleep and rest</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	239
4.71	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Activities of daily living</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	239
4.72	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Work capacity</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	240
4.73	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Positive feeling</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	240
4.74	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Personal beliefs</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	241
4.75	Differences in the measure of perception between the two groups in post supplementation on ' <i>Concentration</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	241
4.76	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Bodily image and appearance</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	242
4.77	Differences in the measure of perception between the two groups in post supplementation stage on ' <i>Self Esteem</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults	242

	as measured by WHOQOL BREF	
4.78	Differences in the measure of perception between the two groups of supplementation on ' <i>Negative Feelings</i> ' facet of 'Psychological' domain of quality of life of T2DM adults as measured by WHOQOL BREF	243
4.79	Differences in the measure of perception between the two groups in pre supplementation stage on Overall Quality facet of quality of life of T2DM adults as measured by WHOQOL BREF	245
4.80	Differences in the measure of perception between the two groups in pre supplementation stage on General health facet of quality of life of T2DM adults as measured by WHOQOL BREF	245
4.81	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Physical pain and discomfort</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	246
4.82	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Dependence on medicinal substances and medical aids</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	246
4.83	Differences in the measure of perception between two groups of supplementation on ' <i>Energy and fatigue</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	247
4.84	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Mobility</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	247
4.85	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Sleep and rest</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	248
4.86	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Activities of daily living</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	248
4.87	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Work capacity</i> ' facet of 'Physical Health' domain of quality of life of T2DM adults as	249

	measured by WHOQOL BREF	
4.88	Differences in the measure of perception between the two groups in pre supplementation on ' <i>Positive feeling</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	249
4.89	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Personal beliefs</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	250
4.90	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Concentration</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	250
4.91	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Self Esteem</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	251
4.92	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Bodily image and appearance</i> ' facet of 'Psychological Health' domain of quality of life of T2DM adults as measured by WHOQOL BREF	251
4.93	Differences in the measure of perception between the two groups in pre supplementation on ' <i>Negative Feelings</i> ' facet of 'Psychological' domain of quality of life of T2DM adults as measured by WHOQOL BREF	252
4.94	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Personal relationship</i> ' facet of 'Social Relationship' domain of quality of life of T2DM adults as measured by WHOQOL BREF	252
4.95	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Sexual Activity</i> ' facet of 'Social Relationship' domain of quality of life of T2DM adults as measured by WHOQOL BREF	253
4.96	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Social Support</i> ' facet of 'Social Relationship' domain of quality of life of T2DM adults as measured by WHOQOL BREF	253



4.97	Differences in the measure of perception between the two groups in pre supplementation on ' <i>Freedom, physical safety and personal beliefs</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	254
4.98	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Physical Environment</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	254
4.99	Differences in the measure of perception between the two groups in pre supplementation on ' <i>Financial resources</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	255
4.100	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Opportunities for acquiring new information and skill</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	255
4.101	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Leisure activities</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	256
4.102	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Home environment</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	256
4.103	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Health and social care: Accessibility and quality</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	257
4.104	Differences in the measure of perception between the two groups in pre supplementation stage on ' <i>Transport</i> ' facet of 'Environment' domain of quality of life of T2DM adults as measured by WHOQOL BREF	257
4.105	Comparison of impact of supplementation in mean difference (post-pre) of serum B12, HbA1c, DPN score, MNSI history score and four domains of QOL in between the two supplementation groups	259