
CHAPTER 10

REFERENCES

1. Aachary, A.A., Prapulla, S.G. (2009). Value addition to corncob: Production and characterization of xylooligosaccharides from alkali pre treated lignin-saccharide complex using *Aspergillus oryzae* MTCC 5154. *Bioresource Technology*. 100(2). pp. 991-995.
2. Aachary, A.A., Prapulla, S.G. (2011). Xylooligosaccharides (XOS) as an Emerging Prebiotic: Microbial Synthesis, Utilization, Structural Characterization, Bioactive Properties, and Applications. *Comprehensive Reviews in Food Science and Food Safety*. 10(1). pp. 2-16.
3. Aachary, A.A., Prapulla, S.G. (2009). Value addition to corncob: production and characterization of xylooligosaccharides from alkali pretreated lignin-saccharide complex using *Aspergillus oryzae* MTCC 5154. *Bioresource Technology*. 100(2). pp. 991-995.
4. Aachary, A.A., Prapulla, S.G. (2011). Xylooligosaccharides (XOS) as an emerging prebiotic: microbial synthesis, utilization, structural characterization, bioactive properties, and applications. *Comprehensive Reviews in Food Science and Food Safety*. 10(1). pp. 2-16.
5. Aachary, A.A., Prapulla, S.G. (2008). Corncob-induced endo-1, 4- β -D-xylanase of *Aspergillus oryzae* MTCC 5154: production and characterization of xylobiose from glucuronoxylan. *Journal of agricultural and food chemistry*, 56(11), 3981-3988.
6. Abdullah F. (2014). Production of Energy from Agricultural Waste. Press Information Bureau. Government of India. Ministry of New and Renewable Energy (MNRE).

7. Agricultural & Processed Food Products Export Development Authority, 2017.
http://apeda.gov.in/apedawebsite/six_head_product/PFV_OPF.htm
8. Agriculture and allied industries. Indian Brand Equity Foundation. (2020).
Retrieved from <https://www.ibef.org/industry/agriculture-india.aspx>
9. Akpinar O., Ozlem A.k., Kavas A., Bakir U., Yilmaz L. (2007). Enzymatic Production of Xylooligosaccharides from Cotton Stalks. *Journal of Agricultural and Food Chemistry*. 55(14), pp. 5544-5551.
10. Alonso, J.L., Domínguez, H., Garrote, G., Parajó, J.C., Vázquez, M.J. (2003). Xylooligosaccharides: properties and production technologies. *Electronic Journal of Environmental, Agricultural and Food Chemistry*, 2(1). pp. 230-232.
11. Al-Sheraji, S. H., Ismail, A., Manap, M. Y., Mustafa, S., Yusof, R. M., Hassan, F.A. (2013). Prebiotics as functional foods: A review. *Journal of functional foods*. 5(4). pp. 1542-1553.
12. APEDA Agri xchange. Source: FAO. Retrieved from
https://agriexchange.apeda.gov.in/International_Productions/International_Production.aspx?ProductCode=0486
13. APEDA Agri xchange. Source: National Horticulture Board. Retrieved from
http://agriexchange.apeda.gov.in/India%20Production/India_Productions.aspx?cat=fruit&hscode=1064
14. APEDA Agri xchange. Source: National Horticulture Board. Retrieved from
https://agriexchange.apeda.gov.in/India%20Production/India_Productions.aspx?cat=Vegetables&hscode=1082
15. Bindels, L. B., Delzenne, N. M., Cani, P. D., Walter, J. (2015). Towards a more comprehensive concept for prebiotics. *Nature reviews Gastroenterology & hepatology*. 12(5). pp. 303.

16. Broekaert, W.F., Courtin C.M., Verbeke K., Van de W.T., Verstraete W., Delocur, J.A. (2011). Prebiotic and other health-related effects of cereal-derived arabinoxylans, arabinoxylan-oligosaccharides, and xylooligosaccharides. *Crit. Rev. Food Sci. Nutr.* 51. 178-194.
17. Carlson, J.L., Erickson, J.M., Lloyd, B.B., Slavin, J.L. (2018). Health Effects and Sources of Prebiotic Dietary Fiber. *Current developments in nutrition.* 2(3). nzy005.
18. Chapla, D., Pandit, P., Shah, A. (2012). Production of xylooligosaccharides from corncob xylan by fungal xylanase and their utilization by probiotics. *Bioresource Technology.* 115. pp. 215-221.
19. Charalampopoulos, D., Rastall, R.A. (2012). Prebiotics in foods. *Current opinion in biotechnology.* 23(2). pp. 187-191.
20. Childs, C.E., Röytiö, H., Alhoniemi, E., Fekete, A.A., Forssten, S.D., Hudjec, N., Rastall, R.A. (2014). Xylo-oligosaccharides alone or in synbiotic combination with *Bifidobacterium animalis* subsp. *lactis* induce bifidogenesis and modulate markers of immune function in healthy adults: a double-blind, placebo-controlled, randomised, factorial cross-over study. *British Journal of Nutrition.* 111(11). pp. 1945-1956.
21. Chung, Y.C., Hsu, C.K., Ko, C.Y., Chan, Y.C. (2007). Dietary intake of xylooligosaccharides improves the intestinal microbiota, fecal moisture, and pH value in the elderly. *Nutrition Research.* 27(12). pp.756-761.
22. Courtin C.M., Swennen K., Verjans P., Delcour, J. (2009). Heat and pH stability of prebiotic arabinoxyloligosaccharides, xylooligosaccharides and fructooligosaccharides. *Food chemistry.* 112(4). pp. 831 – 837.
23. Cruz, A.G., Cavalcanti, R.N., Guerreiro, L.M.R., Sant’Ana, A.S., Nogueira, L.C., Oliveira, C.A.F., Deliza, R., Cunha, R.L., Faria, J.A.F. & Bolini, H.M.A. (2013). Developing a prebiotic yogurt: Rheological, physico-chemical and

- microbiological aspects and adequacy of survival analysis methodology. *Journal of food engineering*. 114(3). pp. 323-330.
24. Cummings, J.H., Macfarlane, G.T., Englyst, H.N. (2001). Prebiotic digestion and fermentation. *American Journal of Clinical Nutrition (Suppl.)* 73. pp. 415–420.
 25. Davani-Davari, D., Negahdaripour, M., Karimzadeh, I., Seifan, M., Mohkam, M., Masoumi, S. J., Berenjian, A., Ghasemi, Y. (2019). Prebiotics: definition, types, sources, mechanisms, and clinical applications. *Foods*. 8(3). pp. 92.
 26. de Souza Aquino, J., Batista, K.S., Menezes, F.N.D.D., Lins, P.P., de Sousa Gomes, J.A., da Silva, L.A. (2017). Models to evaluate the prebiotic potential of foods. *Functional Food: Improve Health Through Adequate Food*. pp. 235-256.
 27. Deshpande, T. (2017). State of Agriculture in India. pp. 1-29. Retrieved from https://www.prsindia.org/sites/default/files/parliament_or_policy_pdfs/State%20of%20Agriculture%20in%20India.pdf
 28. Duar, R.M. (2011). Adaptation and Validation of Food Product Specific Analytical Methods for Monitoring Prebiotics Present in Different Types of Processed Food Matrices Dissertations, Theses, & Student Research in Food Science and Technology. 21.pp.1-86. Retrieved from <http://digitalcommons.unl.edu/foodscidiss/21>.
 29. EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA), Turck, D., Bresson, J.L., Burlingame, B., Dean, T., Fairweather, T.S., Heinonen, M., Hirsch-Ernst, K.I., Mangelsdorf, I., McArdle, H.J., Naska, A., Berthold, M.N., Nowicka, G.Z., Pentieva, K., Sanz, Y., Siani, A., Sjödin, A., Stern, M., Tomé, D., Vinceti, M., Willatts, P., Engel, K.H., Marchelli, R., Pöting, A., Poulsen, M., Schlatter, J.R., Turla, E., Loveren, H.V. (2018). Safety of xylo-oligosaccharides (XOS) as a novel food pursuant to Regulation (EU) 2015/2283. *EFSA Journal*. 16(7). pp. 1-20.

-
30. Everard, A., Lazarevic, V., Derrien, M., Girard, M., Muccioli, G.M., Neyrinck, A.M., Possemiers, S., Holle, A.V., François, P., Willem M. de Vos., Delzenne, N.M., Schrenzel, J., Cani P.D. (2011). Responses of Gut Microbiota and Glucose and Lipid Metabolism to Prebiotics in Genetic Obese and Diet-Induced Leptin-Resistant Mice. *Diabetes*. 60(11). pp. 2775–2786.
31. FAOSTAT (2018). Peas, green, production quantity (tons) - for all countries.
32. Foster, C.N. (2015) *Agricultural Wastes: Characteristics, Types and Management*. Nova Science Publishers. ISBN: 978-1- 63482-359-3.
33. Gibson G.R, Probert H.M, Van Loo J.A.E, (2004). Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr Res Rev*.17. pp. 259–275.
34. Gibson, G.R., Scott, K.P., Rastall, R.A., Tuohy, K.M., Hotchkiss, A., Dubert-Ferrandon, A., Gareau, M., Murphy E.F., Saulnier, D., Loh, G., Macfarlane, S. (2010). Dietary prebiotics: current status and new definition. *Food Sci Technol Bull Funct Foods*. 7(1). pp. 1-19.
35. Gobinath, D., Arenahalli, M., Giribhattanavar, P., Krishnapura, S., Prapulla, S. (2010). Beneficial effect of xylo-oligosaccharides and fructo-oligosaccharides in streptozotocin-induced diabetic rats, *The British journal of nutrition*. 104. pp.40-7.
36. Goldman. (2009). Methods for optimizing enzymatic hydrolysis of xylan to improve xylooligosaccharides, MMG 445. *Basic Biotechnology*.5. pp. 31-36.
37. Gonzalez, N.J., Adhikari, K., Sancho-Madriz, M.F. (2011). Sensory characteristics of peach-flavored yogurt drinks containing prebiotics and synbiotics. *LWT-Food Science and Technology*. 44(1). pp. 158-163.
38. GRAS (Generally Recognised as Safe), 2013. GRN No. 458: Notification for Shangdong Longlive Biotechnology, Ltd.’s Xylooligosaccharides. Available on:

- <https://www.accessdata.fda.gov/scripts/fdcc/index.cfm?set=GRASNotices&id=458&sort=Substance&order=ASC&startrow=1&type=basic&search=458>
39. Grootaert, C., Delcour, J.A., Courtin, C.M., Broekaert, W.F., Verstraete, W., Van de W.T. (2007). Microbial metabolism and prebiotic potency of arabinoxylan oligosaccharides in the human intestine. *Trends in Food Science & Technology*. 18(2). pp. (64-71).
40. Gullon, P., Gullon, B., Moure, A., Alonso, J.L., Domínguez, H., Parajo, J.C. (2009). Manufacture of prebiotics from biomass sources. In: *Prebiotics and Probiotics: Science and Technology*, edited by Charalampopoulos, Dimitris, Rastall, Robert A. (Springer, New York). pp. 535.
41. Gullón, B., Yáñez, R., Alonso, J.L., Parajo, J.C. (2010). Production of oligosaccharides and sugars from rye straw: a kinetic approach. *Bioresource technology*. 101(17). pp. 6676-6684.
42. Gupta, P.K., Agrawal, P., Hegde, P. (2014-2015). Extraction of Xyloloigosaccharides by using *Aspergillus niger* from orange wastes. *International Journal of PharmTech Research*. 7(3), pp. 488-496.
43. Gupta, P.K., Agrawal, P., Hegde, P. (2014-2015). Extraction of Xyloloigosaccharides by using *Aspergillus niger* from orange wastes. *International Journal of PharmTech Research*. 7(3), pp. 488-496. ISSN: 0974-4304.
44. Gupta, P.K., Agrawal, P., Hegde, P. (2012). A review on xylooligosaccharides. *Int. Res. J. Pharm.* 3(8). pp. 71-74.
45. Homayouni, A., Amini, A., Keshtiban, A. K., Mortazavian, A. M., Esazadeh, K., Pourmoradian, S. (2014). Resistant starch in food industry: A changing outlook for consumer and producer. *Starch-Stärke*. 66(1-2). pp. 102-114.

46. Horticultural Statistics at a Glance 2015. Retrieved from http://nhb.gov.in/area-pro/horst_galance_2016.pdf
<http://www.factfish.com/statistic/peas%2C%20green%2C%20production%20quantity>
<http://www.worldagriculturalproduction.com/crops/corn.aspx>
<https://knoema.com/atlas/World/topics/Agriculture/Crops-Production-Quantitytonnes/Bananas-production#>
<https://www.statista.com/statistics/577398/world-orange-production/>.
47. Huebner, J., Wehling, R.L., Hutkins, R.L. (2007). Functional Activity of Commercial Prebiotics. *International Dairy Journal*. 17(7). pp. 770-775.
48. Jain, I., Kumar, V., Satyanarayana, T. (2015). Xylooligosaccharides: an economical prebiotic from agro residues and their health benefits. *Indian Journal of Experimental Biology*. 53. pp. 131-142.
49. Kabel, M.A., Kortenoeven, L, Schols, H.A., Voragen, A.G.J. (2002). In vitro fermentability of differently substituted xylooligosaccharides. *J Agric Food Chem*, 50 (21). 6205-6210.
50. Kazumitsu, S., Boseki, I., Norio, S., Yoshimasa, O. (1997). Production of food and drink. Japanese Patent JP, 9248153. Capturado em 20 Set. (2006).
51. Kazuyoshi, T., Yasuyuki, K., Norio, S., Shunzo, I. (1998). Production of monosaccharide, oligosaccharide and solubilized polysaccharide. Japanese Patent JP, 10117800.
52. Lecerf, J.M., Dépeint, F., Clerc, E., Dugenet, Y., Niamba, C.N., Rhazi, L., Cayzele, A., Abdelnour, G., Jaruga, A., Younes, H., Jacobs, H., Lambrey, G., Abdelnour, A.M., Pouillart, P.R. (2012). Xylo-oligosaccharide (XOS) in combination with inulin modulates both the intestinal environment and immune status in healthy subjects, while XOS alone only shows prebiotic properties. *British Journal of Nutrition*. 108(10). pp. 1847-58.

-
53. Lin, C.S., Chang, C.J., Lu, C.C., Martel, J., Ojcius, D.M., Ko, Y.F., Lai, H.C. (2014). Impact of the gut microbiota, prebiotics, and probiotics on human health and disease. *Biomed J*, 37(5). pp. 259-268.
54. Lin, S.H., Chou, L.M., Chien, Y.W., Chang, J.S., Lin, C.I. (2016). Prebiotic effects of xylooligosaccharides on the improvement of microbiota balance in human subjects. *Gastroenterology research and practice*. pp. 1-6.
55. Mäkeläinen, H., Forssten, S., Saarinen, M., Stowell, J., Rautonen, N., Ouwehand, A. (2010). Xylo-oligosaccharides enhance the growth of bifidobacteria and *Bifidobacterium lactis* in a simulated colon model. *Beneficial Microbes*. 1(1). pp 81-91.
56. Mandalari, G., Bennett, R., Kirby, A.R., Lo Curto, R.B., Bisignano, G., Waldron, K.W., Faulds, C.B. (2006). Enzymatic hydrolysis of flavonoids and pectic oligosaccharides from bergamot (*Citrus bergamia* Risso) peel. *Journal of Agricultural and Food Chemistry*. 54. pp. 8307-8313.
57. Manisseri, C., Gudipati, M. (2009). Bioactive xylo-oligosaccharides from wheat bran soluble polysaccharides. *LWT - Food Science and Technology*. 43. pp. 421–430.
58. Marketwatch (2019). At 4.1 % CAGR, Xylooligosaccharides (XOS) Market Size will reach 130 Million USD by 2025 retrieved from <https://www.marketwatch.com/press-release/at-41-cagr-xylooligosaccharides-xos-market-size-will-reach-130-million-usd-by-2025-2019-03-22> on 12th March, 2020.
59. Markowiak, P., Śliżewska, K. (2017). Effects of Probiotics, Prebiotics, and Synbiotics on Human Health. *Nutrients*. 9(9). 1021.
60. Montané, D., Nabarlantz, D., Martorell, A., Torné-Fernández, V., & Fierro, V. (2006). Removal of lignin and associated impurities from xylo-oligosaccharides

- by activated carbon adsorption. *Industrial & engineering chemistry research*. 45(7). pp. 2294-2302.
61. Morais, E.C., Morais, A.R., Cruz, A. G., Bolini, H.M.A. (2014). Development of chocolate dairy dessert with addition of prebiotics and replacement of sucrose with different high-intensity sweeteners. *Journal of Dairy Science*. 97(5). pp. 2600-2609.
62. Morris, C., Morris, G.A. (2012). The effect of inulin and fructo-oligosaccharide supplementation on the textural, rheological and sensory properties of bread and their role in weight management: A review. *Food chemistry*. 133(2). pp. 237-248.
63. Moura, P., Barata, R., Carvalheiro, F., Girio, F., Loureiro-Dias, M.C., Esteves, M.P. (2007). In vitro fermentation of xylo-oligosaccharides from corn cobs autohydrolysis by *Bifidobacterium* and *Lactobacillus* strains. *LWT Food Sci. Technol.* 40. pp. 963–972.
64. Moure, A., Gullón, P., Domínguez, H., Parajó, J. C. (2006). Advances in the manufacture, purification and applications of xylo-oligosaccharides as food additives and nutraceuticals. *Process Biochemistry*. 41(9). pp. 1913-1923.
65. Mumtaz, S., Rehman, S.U., Huma, N., Jamil, A., Nawaz, H. (2008). Xylooligosaccharide enriched yoghurt: physicochemical and sensory evaluation. *Pakistan Journal of Nutrition*, 7(4): 566-569.
66. Mussatto, S.I., Mancilha, I.M. (2007). Non-digestible oligosaccharides: a review. *Carbohydrate polymers*, 68(3), 587-597.
67. Garg, N., Sheth, M. (2011). Acceptability trials of fructooligosaccharides (FOS) added soup and beverages. *Asian Journal of Home Science*. 6(2). pp. 131-136.
68. Pal, M., Kumar, M., Gupta, G.R., Dwivedi, K.N. (2014). Utilization of Unused Bio-Waste for Agricultural Production-A Review. *Plant Archives*. 14(1). pp. 597-604.

-
69. Parnami, S., & Sheth, M. (2010). Inulin as prebiotic in bread and cookies-a feasibility study. *Inventi Impact: Nutraceuticals*. 1(3).
70. Pedraza Segura, L., Toribio, H., Romo, R., Arreola, S., Guevara, M. (2014). Prebiotic activity of xylooligosaccharides from corncob. *Journal of Chemical, Biological and Physical Sciences*. 4(5). pp. 1-5.
71. Penksza, P., Juhász, R., Szabó-Nótin, B., Sipos, L. (2019). Xylo-oligosaccharides as texture modifier compounds in aqueous media and in combination with food thickeners. *Food Science & Nutrition*. pp. 1-8.
72. Qing, Q., Wyman, C.E. (2011). Hydrolysis of different chain length xylooligomers by cellulase and hemicellulase. *Bioresource Technology*. 102(2). pp. 1359-1366.
73. Qing, Q., Li, H., Kumar, R., Wyman, C.E. (2013). Xylooligosaccharides production, quantification, and characterization in context of lignocellulosic biomass pretreatment. *Aqueous pretreatment of plant biomass for biological and chemical conversion to fuels and chemicals*. pp. 391-415.
74. Qing, Q., Yang, B., Wyman, C.E. (2010). Xylooligomers are strong inhibitors of cellulose hydrolysis by enzymes. *Bioresource technology*. 101(24). pp. 9624-9630.
75. Quigley, E.M. (2019). Prebiotics and probiotics in digestive health. *Clinical Gastroenterology and Hepatology*. 17(2). pp. 333-344.
Retrieved from <http://pib.nic.in/newsite/PrintRelease.aspx?relid=104199>.
76. Rolim, P.M. (2015). Development of prebiotic food products and health benefits. *Food Science and Technology*. 35(1). pp. 3-10.

-
77. Ruzene, D.S., Silva, D.P., Vicente, A.A., Gonçalves, A.R., Teixeira, J.A. (2008). An alternative application to the Portuguese agro-industrial residue: wheat straw. *Appl. Biochem. Biotechnol.* 147(1-3). pp. 85–96.
78. Sadh, P.K., Duhan, S., Duhan, J.S. (2018). Agro-industrial wastes and their utilization using solid state fermentation: a review. *Bioresources and Bioprocessing.* 5(1). pp. 1-15.
79. Sagar, N.A., Pareek, S., Sharma, S., Yahia, E.M., Lobo, M.G. (2018). Fruit and vegetable waste: bioactive compounds, their extraction, and possible utilization. *Comprehensive Reviews in Food Science and Food Safety.* 17(3). pp. 512-531.
80. Saha, B.C. (2003). Hemicellulose bioconversion. *Journal of Industrial Microbiology and Biotechnology.* 30 (5). pp. 279-291.
81. Samala, A., Srinivasan, R., Yadav, M. P., Kim, T. J., Prewitt, L. (2012). Xylo-oligosaccharides production by autohydrolysis of corn fiber separated from DDGS. *BioResources.* 7(3). pp. 3038-3050.
82. Samanta A.K., Jayapal, N., Kolte, A.P., Senani, S., Sridhar, M., Dhali, A., Suresh, K.P., Jayaram, C., Prasad, C.S. (2015). Process for enzymatic production of xylooligosaccharides from the xylan of corn cobs. *Journal of Food Processing and Preservation.* 39 (6). pp. 729-736.
83. Samanta A.K., Jayapal, N., Kolte, A.P., Senani, S., Sridhar, M., Suresh, K.P., Sampath, K.T. (2012). Enzymatic production of xylooligosaccharides from alkali solubilized xylan of natural grass (*Sehima nervosum*). *Bioresource technology.* 112. pp.199-205.
84. Samanta, A.K., Jayapal, N., Kolte, A.P., Senani, S., Sridhar, M., Dhali, A., Suresh, K.P., Jayaram, C., Prasad, C.S. (2015). Process for enzymatic production of xylooligosaccharides from the xylan of corn cobs. *Journal of Food Processing and Preservation.* 39(6). pp. 729-736.

-
85. Santos, A., San Mauro, M., Marquina Díaz, D. (2006). Prebiotics and their long-term influence on the microbial populations of the mouse bowel. *Food Microbiology*. 23 (5). pp. 498-503.
86. Saville, B.A., Saville, S. (2018). Xylooligosaccharides and arabinoxylan oligosaccharides and their application as prebiotics. *Applied Food Biotechnology*. 5(3). pp. 121-130.
87. Shahbandeh, M. (2019). Global orange production, retrieved from <https://www.statista.com/statistics/577398/world-orange-production/>
88. Sharif, Mian & Butt, Masood & Sharif, Hafiz & Nasir, Muhammad. (2017). Sensory Evaluation and Consumer Acceptability. In book: *Handbook of Food Science and Technology*, Chapter: Sensory Evaluation and Consumer. pp. 362-386.
89. Sheth, M., Khan, M.R., Dehingia, M., Thakuria, A., Chand, V. (2016). A comparative study of synbiotic and prebiotic supplementation on gut health, SCFA, hs-CRP and lipid profile of type 2 diabetic subjects with pre hypertension. *European Journal of Biomedical and Pharmaceutical sciences*. 3(1). pp. 148-155.
90. Sheth, M., Hirdyani, H. (2016). Development and sensory analysis of a buttermilk based fermented drink using barley and fructooligosaccharide as functional ingredients. *International Journal of Home Science*. 2(2). pp. 235-239.
91. Singh, P.D., Prabha, R. (2017). Bioconversion of Agricultural Wastes into High Value Biocompost: A Route to Livelihood Generation for Farmers. *Advances in Recycling and Waste Management*. 2(3).
92. Singla, V., Chakkaravarthi, S. (2017). Applications of prebiotics in food industry: A review. *Food Science and Technology International*. 23(8). pp. 649-667.

-
93. Sluiter, J.B., Ruiz, R.O., Scarlata, C.J., Sluiter, A.D., Templeton, D.W. (2010). Compositional analysis of lignocellulosic feedstocks. 1. Review and description of methods. *Journal of agricultural and food chemistry*. 58(16) pp. 9043-9053.
94. Srilakshmi, B. (2003). *Food Science* 3rd edition. New Age International. pp. 260-310.
95. Taeko, I., Koichi, N., Yasushi, N., Akira, K., Yoshinobu, K. (1998). Food and drink effective in anti-obesity. Japanese Patent JP, 10290681. Capturado em 15 Set. 2006.
96. Teng, C., Yan, Q., Jiang, Z., Fan, G., Shi, B. (2010). Production of xylooligosaccharides from the steam explosion liquor of corncobs coupled with enzymatic hydrolysis using a thermostable xylanase. *Bioresource technology*. 101(19). pp.7679-7682.
97. Thakuria A., Sheth M. (2018). Alkaline extraction of xylan from agro waste and determining xylooligosaccharide (XOS) using enzymatic hydrolysis. *Paripex-Indian Journal of Research*. 7(11). pp. 414-416.
98. Valdemiro Carlos, S. (2011). The importance of prebiotics in functional foods and clinical practice. *Food and Nutrition Sciences*. 2(2). pp. 4.
99. Vazquez, M.J., Alonso, J.L., Dominguez, H., Parajo, J.C. (2000). Xylooligosaccharides: manufacture and applications. *Trends in Food Science & Technology*, 11(11), 387-393.
100. World banana productions 1961-2019, retrieved from <https://knoema.com/atlas/World/topics/Agriculture/Crops-Production-Quantity-tonnes/Bananas-production>.

-
101. World corn production 2019/2020. (2020) retrieved from <https://knoema.com/atlas/topics/Agriculture/Crops-Production-Quantity-tonnes/Maize-production>.
 102. Xiao, X., Bian, J., Peng, X. P., Xu, H., Xiao, B., Sun, R.C. (2013). Autohydrolysis of bamboo (*Dendrocalamus giganteus* Munro) culm for the production of xylo-oligosaccharides. *Bioresource technology*. 138. pp. 63-70.
 103. Xiuhua, Y., Jianyuan, Y., Lin, L., Chang, L., Jian, Z., Chunfang, Z., Shengyu, L. (2015). Prebiotic Potential of Xylooligosaccharides Derived from Corn Cobs and Their In Vitro Antioxidant Activity When Combined with *Lactobacillus*. *Journal of Microbiology and Biotechnology*. 25(7). pp. 1084-1092.
 104. Yang, C.H., Yang, S.F., Liu, W.H. (2007). Production of Xylooligosaccharides from Xylans by Extracellular Xylanases from *Thermobifida fusca*. *Journal of Agricultural and Food Chemistry*. 55(10). pp. 3955-3959.
 105. Yen, Y.H., Chia, M.L., Ming, C.W. (2017). Evaluation of the prebiotic effects of citrus pectin hydrolysate. *Journal of Food and Drug Analysis*. 25(3). pp. 550-558.
 106. Yoo, J.Y., Kim, S.S. (2016). Probiotics and prebiotics: present status and future perspectives on metabolic disorders. *Nutrients*. 8(3). pp. 173.
 107. Zeng, H., Xue, Y., Peng, T., Shao, W. (2007). Properties of xylanolytic enzyme system in bifidobacteria and their effects on the utilization of xylooligosaccharides. *Food Chem.* 101. 1172-1177.
 108. Zhu, Y., Kim, T. H., Lee, Y. Y., Chen, R., Elander, R. (2006). Enzymatic production of xylooligosaccharides from corn stover and corn cobs treated with aqueous ammonia. *Applied Biochemistry and Biotechnology*. 130(1-3). pp. 586-598.