BIBLIOGRAPHY

CHAPTER IX

BIBLIOGRAPHY

Aarnisalo K, Tallavaara K, Wirtanen G, Maijala R and Raaska L (2006) The hygienic working practices of maintenance personnel and equipment hygiene in the Finnish food industry. Food Control. 17: 1001-1101.

Abdalla MA, Suliman SE and Bakhiet AO (2009) Food safety knowledge and practices of street food vendors in Atbara city (Naher Elneel state Sudan). African Journal of Biotechnology. 8(24): 6967-6971

Abdussalam M and Kaferstein FK (1993). Safety of street foods. World Health. Forum, 14:191-194.

Abelson P (2006) The cost of foodborne illness in Australia. Department of Health and Ageing, Canberra.

Adams MR, Hartley AD and Cox LJ (1989) Factors affecting the efficacy of washing procedures used in the production of prepared salads. Food Microbiol 6: 69–77.

Agarwal SC (1962) Chloramphenicol resistance of *Salmonella typhi* in India, 1956-61. Bull Wid Hith Orgn, 17:331-5.

Akinyele IO (1998) Street foods and their contribution to the food security and nutritional status of nigerians. West African J. Nutr. 1: 6- 20.

American Meat Institute (1996) Putting the food handling issue on the table: the pressing need for food safety education. Washington (DC): American Meat institute and Food marketing Institute.

American Society for Microbiology (1996) Americans get caught dirty handed. Fact sheets. Washington. In Emerging Infectious Diseases 3(4)

Anding JD, Boleman C and Thompson B (2007) Self-Reported Changes in Food safety behaviors among Foodservice Employees: Impact of a Retail Food Safety Education Program. Journal of Food Science Education:(6) Available on-line at: <u>www.ift.org</u>

Angelillo IF, Viggiana NMA, Rizzo L and Bianco A (2000) Food handler and Food borne diseases: Knowledge, attitude and reported behavior in Italy. Journal of Food Protection, 63 (3): 387-385

Angelillo IF, Viggiani MA, Greco RM and Rito DR (2001) HACCP and food hygiene in hospital: knowledge, attitudes and practices of food service staff in Calabria, Italy. Infection control and Hospital Epidemiology.22 (6): 1-7

Ashenafi M (1995) Bacteriological profile and holding temperature of ready-toserve food items in an open market in Awassa, Ethiopia. Trop. Geogr. Med. 47: 1-4.

Askarin M, Kabir G, Aminbaig M, Memish ZA and Jafari P (2004) Knowledge, attitudes and practices of food service staff regarding food hygiene in Shiraz, Iran. Infections Control Hospital Epidemiology. 25(1): 16-20.

Azana MPV, Gatechalian CF and Ortega MP (2000) Food safety knowledge and practices of street food vendors in a Philippines university campus. International Journal of Food Sciences and Nutrition. 51(4): 235-246

Baer JT, Vugia DJ and Reingold AL (1999) HIV Infection as a Risk Factor for Shigellosis. Emerg Inflect Dis. 5:820-23

Bagge-Ravn DNgY, Hjlem M, Christiansen JN, Johansen C and Gram L (2003) The microbial ecology of processing equipment in different fish industries-analysis of the microflora during processing and following cleaning and disinfection. International Journal of Food Microbiology. 87: 239-250.

Barro N, Ouattara CAT, Nikiéma P, Ouattara AS and Traoré AS (2002a) Assessment of microbiological quality of some street food in the city of Ouagadougou, BURKINA FASO. Cah Rech francoph study. / Health, 12 (4):369-374

Barro N, Nikiéma P, Ouattara CAT and Traoré AS (2002b) Health assessment of the microbiological quality of some street food and consumer characteristics in the cities of Ouagadougou and Bobo-Dioulasso (Burkina Faso) Rev. Sci Tech. Sci. Santé, 25: 7-21.

Barro N, Bello AR, Savadogo Aly, Ouattara CAT, Ilboudo AJ and Traoré AS (2006) Hygienic status assessment of dish washing waters, utensils, hands and pieces of money from street food processing sites in Ouagadougou (Burkina Faso). African Journal of Biotechnology. 5 (11): 1107-1112

Bas M, Ersun AS and Kivanc G (2006) The evaluation of food hygiene knowledge, attitudes and practices of food handlers in food businesses in Turkey. Food Control 17 (4): 317-322

Beniwal A and Khetarpaul N (1999) Knowledge of consumers during regarding the nature and extent of adulteration of Indian foods. Nutrition Health. 13(3): 153-160

Beuchat LR (1996) Pathogenic Microorganisms associated with fresh produce. Journal of Food Protection 59(2): 204-216

Beuchat LR (1998) Surface decontamination of fruits and vegetables eaten raw: A review. WHO/SF/FOS/98 2. Food Safety Unit, World Health Organization, Rome. p. 42

Beuchat LR and Ryu JH (1997) Produce handling and processing practices. Emerg Infect Dis 3: 459–465.

Bhaskar J, Usman M, Smitha S and Bhat GK (2004) Bacteriological profile of street foods in Mangalore. Indian J. Med. Microbiol. 22: 197-197.

Bidawid S, Farber J, and Sattar S (2000) Contamination of foods by food handlers: experiments on Hepatitis A virus transfer to food and its interruption. Applied and Environmental Microbiology. 66: 2759-2763.

Black RE, Lopez de Romana G, Brown KH, Bravo N, Bazalar OG and Kanashiro HC (1989) The incidence and etiology of infantile diarrhea and major routes of transmission in Huascar, Peru. Amer J. Epidemiol.189:785-799.

Bracket RE (1992) Shelf stability and safety of fresh produce as influenced by sanitation and disinfection. J. Food Protection. 55:808-814.

Brackett RE (1999) Incidence, contributing factors, and control of bacterial pathogens on produce. Postharvest Biol Technol 15: 305–311.

Bryan FL (2002) Where we are retail food safety, how we got to where we are and how to we get there? Journal of Environmental Health 65: 29-36

Bryan FL 1988. Risk associated with practices, procedures and processes that lead to outbreaks of foodborne diseases. J. Food Prot. 51: 663-673.

Bryan FL, Michanie SC, Alvarez P, Paniagua A (1988). Critical control points of street-vended foods in dominican republic. J. Food Prot. 51: 373-383.

Bryan FL, Teufel P, Riaz S, Roohi S, Qadar F and Malik Z (1992) Hazards and critical control points of vending operations at a railway station and a bus station in Pakistan. J. Food Protect. 55:334-541.

Bryan FL, Jermini M, Schmitt R, Chilufya EN, Mwanza M, Matoba A, Mfume E and Chibiya H (1997) Hazards associated with holding and reheating foods at vending sites in a small town in Zambia. Journal of Food Protection 60: 391-398.

Burnett SL and Beuchat LR (2001) Food-borne pathogens Human pathogens associated with raw produce and unpasteurized juices, and difficulties in decontamination. Journal of Industrial Microbiology & Biotechnology. 27:104–110.

Burt MB, Volel C and Finkel M (2003) Safety of vendor-prepared foods: Evaluation of 10 processing mobile food vendors in Manhattan. Public Health Rep. 118: 470-476.

Buzby JC, Roberts T, Jordan Lin CT and McDonald M (1996) Bacterial foodborne disease: Medical costs and productivity losses. (on line). Agricultural Economics Report No. (AER 741). Washington, D.C., Economic Research Service, U.S. Department of Agriculture.

Buzby JC and Roberts T (1997) Guillain-Barré syndrome increases foodborne disease cost.

Canet C and N'Diaye C (1996) Street foods in Africa. FNA/ANA 17/18: 4-13.

CDC (2000) Preliminary FoodNet data on the incidence of food borne illnesses- selected sites. United States. MMWR 2001:50:241-6.

CDC (2004) Centers for Disease Control and Prevention. Food and Drug Administration, Food Safety and Inspection Service, Healthy People 2010 Food Safety Data Progress Review. www.FoodSafety.gov

CDC (2005^a) Centre for Disease control and Prevention. 2005 Summary Statistics

CDC (2005^b) Centre for Disease control and Prevention. Food borne illnesses: Frequently asked questions: 1-13.

CDC (2006^a) Centers for Disease Control and Prevention Surveillance for food borne diseases outbreaks- United States, 1998-2002. Surveillance Summaries. MMWR 55(SS-10)

CDC (2006b) Centre for Disease Control and Prevention Preliminary FoodNet Data on the Incidence of Infection with Pathogens Transmitted Commonly Through Food -10 States, United States, 2005. MMWR 55(14); 392-395

CDC (2006^c) Centers for Disease Control and Prevention Ongoing multistate outbreak of Escherichia coli serotype O157:H7 infections associated with consumption of fresh spinach – United States, September. Morbidity and Mortality Weekly Report 2006; 55: 1045–1046.

CDC (2006^d) Centers for Disease Control and Prevention. United States Foodborne disease outbreaks. Centers for Disease Control and Prevention (Atlanta), Available at: http://www.cdc.gov/foodborneoutbreaks/out break_data.htm.

CDC (2007) Centers for Disease Control and Prevention Multistate Outbreaks of Salmonella Infections Associated with Raw Tomatoes Eaten in Restaurants - United States, 2005—2006. Morbidity and Mortality Weekly Report (MMWR): 56 (35); 909-911.

CDC (2008^a) Centers for Disease Control and Prevention Salmonellosis. Available online:

http://www.cdc.gov/nczved/dfbmd/disease_listing/salmonellosis_gi.html

CDC (2008^b) Centers for Disease Control and Prevention, 2006 Annual listing of food borne disease outbreaks – United states; <u>http://www.cdc.gov/foodborne_outbreaks/documents/2006-line-list/2006-line</u> CDC (2008^c) Centers for Disease Control and Prevention Outbreak of Salmonella serotype Saintpaul infections associated with multiple raw produce items – United States, 2008. Morbidity and Mortality Weekly Report . 57: 929–934.

Chakravarty I (2006) Capacity building to ensure safe and hygienic street foods – The Calcutta Model. Proc. Intl. Symp. Building leadership skills in food and nutrition essential for national development. CFTRI, Mysore (India)

Chakravorty I and Canet C (1996) Street foods in Calcutta: All India Institute of Hygiene and Public health.

Chang HJ, Lee JS and Kwak TK (2003) Effectiveness of HACCP based training on the food safety knowledge and behavior of hospital food service employees. Nutritional Science 6: 118-126

Chumber SK, Kaushik K and Savy S (2007) Bacteriological analysis of street foods in Pune, Indian J. Public Health 51(2): 114-116.

Clayton DA, Griyth DJ, Price P and Peters AC (2002) Food handlers' beliefs and self-reported practices. International Journal of Environmental Health Research. 12: 25–39.

Clayton D and Griffith C (2002) Commercial food handlers' knowledge, attitudes and implementation of food hygiene practices. J. Food Prot. 65 (Sup. A):109.

Clayton D and Griffith C (2004) Observation of food safety practices in catering using notational analysis. British Food J. 106: 211–227.

Code of hygienic practice for the preparation and sale of street foods (2001) CAC/RCP 43-1997: 1-10.

Codex alimentarius commission (2007) Joint FAO/WHO Food Standards Program. FAO/WHO coordinating committee for the near East; fourth session. Proposed draft code of practice for street vended foods at step 3.

Cogan TA, Slader J, BloomWeld SF and Humphrey TJ (2002) Achieving hygiene in the domestic kitchen: The effectiveness of commonly used cleaning procedures. Journal of Applied Microbiology, 92: 885–892.

Collins JE (1997) Impact of changing consumer lifestyles on the emergence/reemergence of food borne pathogens. Emerging Infectious Diseases. 3(4): 471-479

Collins JE (2001) Impact of changing consumer lifestyles on the emergence/re-emergence of food borne pathogens. Emerging Infectious Diseases. 3(4): 1–13.

Cools I, Uyttendaele M, Cerpentier J, D'Haese E, Nelis JH and Debevere J (2005) Persistence of Campylobacter jejuni on surfaces in a processing environment and on cutting boards. Letters in Applied Microbiology. 40: 418-423.

Deborah AC, Christopher JG, Pratricia P and Adrian CP (2002) Food handlers' beliefs and self reported practices. International Journal of Environmental Health Research. 12(1): 25-39

DeRoever C (1998) Microbiological safety evaluations and recommendations on fresh produce. Food Control. 9: 321–347.

DeVere E and Purchase D (2007) Effectiveness of domestic antibacterial products in decontaminating food contact surfaces. Food Microbiology. 24: 425-430.

Effler P, Leong MC, Kimura A, Nakata M, Burr R, Cremer E and Slutsker L (2001) Sporadic Campylobacter jejuni infections in Hawaii: associations with prior antibiotic use and commercially prepared chicken. The Journal of Infectious Diseases. 183: 1152-1155.

Egan MB (2007) A review of food safety and food hygiene training studies in the commercial sector. Food control. 18: 1180-1190

Ehiri JE, Azubuike MC, Ubbaonu CN, Anyanwu EC, Ibe KM and Ogbonna MO (2001) Critical control points of complementary food preparation and handling in Eastern Nigeria. Bulletin of the World Health Organization 79(5): 423-435.

El-Dars FM and WM Hassan (2005) A preliminary bacterial study of Egyptian paper money. International Journal of Environmental Health Research 15(3): 235-239.

El-Sherbeeny MR, Saddik MF and Bryan FZ (1985) Microbiological profiles of food served by street vendors in Egypt. Int. J. Food Microbiol. 2:355-362.

Emberland KE (2007) Outbreak of Salmonella Weltevreden infections in Norway, Denmark and Finland associated with alfalfa sprouts. Eurosurveillance 2007; 12: 3321.

Estrada-Garcia T, Lopez-Sancedo C, Zamarripa-Ayala B, Thompson MR and Gutierrez L (2004) Prevalence of Escherichia coli and Salmonella spp. in street vended food of open markets (tianguis) and general hygienic and trading practices in Mexico City. Epidemiol. Infect. 132:1181-1184.

European Commission (2002) Risk Profile on the Microbiological contamination of fruits and vegetables eaten raw. Report of the scientific committee on food. <u>http://europa.eu.int/comm/food/fs/sc/scf/index_en.html</u>

FAO (1988) Street foods. Report of an FAO expert consultation, Yogyakarta, Indonesia. FAO Rome, Food Nutrition Paper 1988 n° 46.

Sukul and Sheth 2011

Page 222

FAO (1997) Food and Agriculture Organization of the United Nations. Street food: small entrepreneurs, big business. News and Highlights. FAO maps out future activities in nutrition, hygiene.

FAO (2001) Street foods made safer. Food and Agriculture Organization of United Nations, News Highlights, National Restaurant Association. National industry fact sheet 2005. Washington, DC: National Restaurant Association, 2005. Available at:

http://www.restaurant.org/pdfs/research/2005factsheet.pdf.

FAO (United Nations Food Agriculture Organization, IT) n.d. Food: afundamentalhumanhumanright,(online).http://www.fao.org/FOCUS/E/rightfood/right1.htm

FAO (1979) Food and Nutrition Paper. Manual of Food Quality Control 4. Microbiological Analysis FAO of UN (Rome)

FAO (2003) Assuring Food Safety and Quality. Guidelines for Strengthening National Food Control Systems. FAO Food and Nutrition Paper 76. <u>http://ftp.fao.org/docrep/fao/006/v8705e/v8705e00.pdf</u>].

FAO / WHO 2004. Defining the responsibilities and tasks of different stakeholders within the framework of a national strategy for food control (Prepared by Canada). Second FAO / WHO global forum of food safety regulators. Bangkok, Thailand

FAO/WHO (2005) Regional Conference on Food Safety for Africa, Harare, Zimbabwe, 3-6 October 2005. Informal food distribution sector in Africa (Street foods): Importance and challenges (Paper prepared by Zimbabwe)

Food and Agriculture Organization (FAO) of the United Nations 1997. Street food: small entrepreneurs, big business. News and Highlights. FAO maps out future activities in nutrition, hygiene.

Fenton GD, LaBorde LK, Radhakrishna RB, Brown JL and Cutler CN (2006) Comparison of knowledge and attitudes using computer-based and face-toface personal hygiene training methods in food processing facilities. Journal of Food Science Education 5(3): 45-50

FAO/WHO (1996) Food and agriculture organization of the united Nations/world health organization. Street foods. Nutrition and agriculture, World Health Organization, Geneva, Switzerland, no. 17/18.

FDA (2004) Food and Drug Administration Report of the FDA retail food program database of foodborne illness risks factors.

FoodHACCP.com Information (2005) Source of article: <u>http://news.yahoo.com/news?tmpl=story&u=/kidshealth/2005021/hl_kidshelth/</u> <u>listeriosis</u>

Food Science Australia (FSA) (2000) Money handling in food service operations. Food Safety and Hygiene. A bulletin for the Australian Food Industry.

Friedman CR, Hoekstra M, Samuel R, Marcus J, Bender B, Shiferaw S, Reddy S, Ahuja D, Helfrick F, Hardnett M, Carter B, Anderson and Tauxe R (2004) For the Emerging Infections Program FoodNet Working Group. Risk factors for sporadic *Campylobacter* infection in the United States: a case-control study in FoodNet sites. Clin. Infect. Dis. 38(Suppl. 3): S285–296.

FSRIO (2003) Food safety Research Information Office – Food safety Research

Fuster-Valls N, Hernandez-Herrero M, Marin-de-Mateo M and Rodriguez-Jerez JJ (2008) Effect of different environmental conditions on the bacteria survival on stainless steel surfaces. Food Control. 19: 308-314.

Garman R, Jones TF and Kennedy MH (2002) Restaurant-associated behavior from the FoodNet population survey 1998–99 (abstract 89). In: Program and abstracts of the International Conference on Emerging Infectious Diseases (Atlanta). Atlanta: Centers for Disease Control and Prevention. 97.

Ghosh M, Wahi S and Ganguli KM (2007) Prevalence of enterotoxigenic Staphylococcus aureus and Shigella spp. in some raw street vended Indian foods. Int J Environ Health Res. 17(2): 151-156.

Gill CO, Bryant J and Badoni M (2001) Effects of hot water pasteurizing treatments on the microbiological condition of manufacturing beef used for hamburger patty manufacture. International Journal of Food Microbiology. 63: 243-256.

Glynn MK, Reddy V and Hutwagner L (2004) Prior antimicrobial agent use increases the risk of sporadic infections with multidrug-resistant *Salmonella enterica* serotype Typhimurium: a FoodNet case-control study, 1996–1997. Clin Infect Dis. 38(Suppl 3):S227–36.

Goh KY (1997) Information related to food and water-borne disease in Penang. Med J Penang Hosp; 2: 42-7.

Goktas P and Oktay G (1992) Bacteriological examination of paper money. Microbiological Bulletin 26(4): 344-8.

Gorman R, Bloomfield S and Adley C (2002) A study of cross contamination of food-borne pathogens in the domestic kitchen in the Republic of Ireland. International Journal of Food Microbiology. 76: 143-150.

Grassi MA, Osella E, Civera T, Bosca R, Golzio F and Rssignoli M (2008) Hygienic and safety control of mass catering establishments. Industrie Alimetari. 47 (480): 471-478.

Guzewich J and Ross M (1999) Evaluation of risks related to microbiological contamination of ready-to-eat food by food preparation workers and the effectiveness of interventions to minimize those risks. Available at: <u>http://www.cfsan.fda.gov/_ear/rterisk.html</u>.

Hedberg CW, MacDonald KL and Osterholm MT (1994) Changing epidemiology of food - borne diseases: a Minnesota perspective. Clinical Infectious Disease.18:671–682.

HiMedia Manual (2003) For microbiology and cell culture laboratory practice. HiMedia Laboratories Pvt. Limited. <u>www.himedialabs.com</u>

Howes MS, McEwen, Griffiths M and Harris L (1996) Food handler certification by home study: Measuring changes in knowledge and behavior. Dairy Food Env. Sanit. 16:737–744.

Hughes C, Gillespie I, and O'Brien S (2007) Food borne transmission of infectious intestinal disease in England and Wales, 1992-2003. Food Control. 18(7): 766-722.

Hurst WC and Schuler GA (1992) Fresh producing processing – and industry perspective. Journal of Food Protection. 55: 824-827.

Idowu OA and Rowland SA (2006) Oral fecal parasites and personal hygiene of food handlers in Abeokuta, Nigeria. African Health Sciences. 6(3): 160-164

Impact Reports (2003) Available at <u>www.lsuagcentre.com/impacts.asp</u>

Jacob M (1998) Safe food handling – A training manual for managers of food service establishments. WHO monograph series. 1-78.

Jaquette CB, Beuchat LR and Mahon BE (1996) Efficacy of chlorine and heat treatment in killing *Salmonella stanley* inoculated onto alfalfa seeds and growth and survival of the pathogen during sprouting and storage. *Appl. Environ. Microbiol.*, 62:2212-2215.

Jay LS Comar D and Gonenlock LD (1999) A National Australian Food Safety Telephone Survey. Journal of Food Protection 62(8): 921-928

Jevsnik M, Hlebec V and Raspor P (2008) Food safety knowledge and practices among food handlers in Slovenia. Food Control. 19: 1107-1118

Jiang X and Doyle MP (1999) Fate of Escherichia coli O157:H7 and Salmonella enteritidis on currency. Journal of Food Protection 62(7): 805-807.

Jones T, Imhoff B, Samuel M, Mshar P, McCombs K,Hawkins M, Deneen V, Cambridge M and Olsen S (2004) for the Emerging Infections Program FoodNet Working Group. Limitations to successful investigation and reporting of food borne outbreaks: An analysis of Food borne disease outbreaks in FoodNet catchment areas, 1998–99. Clin. Infect. Dis. 38:S297–S302.

Kassenborg H, Smith K, Vugia D, Rabatsky-Her T, Bates M, Carter M, Dumas N, Cassidy M, Marano N, Tauxe R, and Angulo F (2004) for the Emerging Infections Program FoodNet Working Group. Fluoroquinolone -resistant *Campylobacter* infections: eating poultry outside of the home and foreign travel are risk factors. Clin. Infect. Dis. 38(Suppl. 3):S279–S284.

Khin Nwe, O and Phyu Phyu W (1989) Contamination of currency notes with enteric bacterial pathogens. Journal of Diarrhoeal Diseases Research 7(3-4): 92-94.

Kim SJ, Yi NY, Chang NJ and Kwak TK (2008). Current status of sanitation management performance in Korean-Food restaurants and development of the sanitary training posters based on their risk factors. Journal o the Korean society of food culture 23: 582-594

Kimura A, Reddy V, Marcus R, Cieslak P, Mohle-Boetani J, Kassenborg H, Segler S, Hardnett F, Barrett T and Swerdlow D (2004) for the Emerging Infections Program FoodNet Working Group. Chicken consumption is a newly identified risk factor for sporadic *Salmonella* Enterica serotype Enteritidis infections in the United States: A case control study in FoodNet sites. Clin. Infect. Dis. 38:S244–S252.

King LK, Awumbila B, Canacoo EA and Ofosu-Amaah S (2000) An assessment of the safety of street foods in the Ga district of Ghana; implication for the spread of zoososes. Acta tropica 76: 39-43.

Kinton R and Ceserani V (1992) The theory of catering. Butler and Tanner Ltd, London: 440-476.

Kirk MD, Fullerton K and Gregory J (2008) Fresh produce outbreaks in Australia 2001–2006. Board 21. In: 2008 International Conference on Emerging Infectious Diseases Program and Abstracts Book. Atlanta, GA: Centers for Disease Control and Prevention. pp. 49–50.

Kudu S and Mishra AK (2003) Effective sanitation- Asset or Liability?: Indian Food Industry :22(1), 52-57

Kuria JKN, Wahome RG, Jobalamin M. and Kariuki SM (2009) Profile of bacteria and fungi on money coins. East African Medical Journal. 86(4): 151-155

Kusumaningrum HD, Asselt ED, Beumer RR and Zwietering MH (2003) A Quantitative Analysis of Cross Contamination of Salmonella and Campylobacter Spp. Via Domestic Kitchen Surfaces. Journal of Food Protection. 67(9): 1892-1903

Latham MC 1997. Human nutrition in tropical Africa. FAO, Rome. 329-437.

Lewis HC, Kirk M, Ethelberg S, Stafford R, Olsen KE, Nielsen EM, Lisby M, Madsen SB, and Mølbak K (2007) Outbreaks of shigellosis in Denmark and Australia associated with imported baby corn – final summary. Euro Surveill.2007;12(40):pii=3279.Available online:

http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=3279

Lindsay JA (1997) Chronic sequelae of foodborne disease. Emerging Infectious Diseases 3 (4)

Linton R (1995) Keeping food safe in Food Service and Food retail Establishments. US Department of Health and Human Services, Public Health Services, Food and Drug Administration

Lues JFR and Tonder IV (2007) The occurrence of indicator bacteria on hands and aprons of food handlers in the delicatessen sections of a retail group. Food Control. 18 (4): 326-332

Lund BM (1992) Ecosystems in vegetable foods. J Appl Bacteriol 13, (Symp Suppl): 115S– 126S.

Malhotra R, Lal P, Prakash SK, Daga MK and Kishore J (2008) Evaluation of a health Education Intervention on Knowledge and Attitudes of Food Handlers working in a medical college in Delhi, India: Asia – Pacific Journal of Public Health. 20 (4): 277-286.

Manning C and Snider S (1993) Temporary public eating places: Food safety knowledge, attitudes, and practices. J. Environ. Health. 56: 24–28.

Mathews Karl R, ed (2006) Microbiology of Fresh Produce: Emerging Issues in food safety. Washington, D.C.: ASM press. 239pgs.

McEvoy JM, Sheridan JJ, Blair IS and McDowell DA (2004) Microbiological contamination of beef carcasses in relation to hygiene assessment based on criteria used in EU Decision 2001/47/EC. International Journal of Food Microbiology. 92: 217-225.

Mead S, Slutsker L and Dietz V (1999) Food related illness and Death in the US, Emerging Infectious Disease. 607-625.

Mensah P, Yeboah-Manu D, Owusu-Darko K and Ablordey A (2002) Street foods in Accra, Ghana: how safe are they?. Bull. W. H. O. 80: 546- 554.

Mermin J, Hutwagner L and Vugia D (2004) Reptiles, amphibians, and human *Salmonella* infection: a population-based, case-control study. Clin Infect Dis. 38(Suppl 3):S253–61.

Michaels B (2002) Handling money and serving ready to eat food. Food Service Technology. 2(1):1-3

Ministry of Health (MOH). 2001. Pemeriksaan Premis Makanan. Kuala Lumpur: Food Quality Control Division, MOH.

Misra RN, Bawa KS, Magu SK, Bhandari S, Nagendra A, Menon PK (2005) Outbreak of Multi-drug Resistant Salmonella Typhi Enteric Fever in Mumbai Garrison. Med J Armed Forces India. 61(1):149-150

Mohan U, Mohan V and Raj K (2006) A study of carrier state of S. Typhi, intestinal parasites and personal hygiene amongst food handlers in Amritsar city. Indian journl of community medicine. 31(2): 60-61

Mohan V, Mohan U, Dass L and Lal M (2001) An evaluation of Health status of Food Handlers of eating Establishments in Various Educational and Health Institutions in Amritsar City. Indian Journal of Community Medicine. 26(2): 80-85

Mosupye FM, Van Holy A (2000). Microbiological hazard identification and exposure assessment of street food vending in Johannesburg, South Africa. Int. J. Food Microbiol. 61: 137-145.

Mosupye FM and Van Holy A (1999) Microbial quality and safety of ready toeat street-vended foods in Johannesburg, South Africa. J. Food Prot. 62: 1278-1284.

Muinde OK and Kuria E (2005) Hygenic and sanitary practices of vendors of street foods in Nairobi, Kenya. AJFAND online www.ajfand.net 5(1): 1-13.

Muleta and Ashenafi (2001) Salmonella, Shigella and Growth potential of other foodborne pathogens in Ethiopian street vended foods. East African Medical Journal. 78(11): 576-580.

Muñoz de Chavez M, Chavez V, Chavez Muñoz M and Vuskovic IE (2000) Street foods, world review of nutrition and Dietetics. 86: 138-154 (A.P. Simopoulous and R.V.Bhat, eds.) Karger, Basel, Switzerland.

NACMCF (National Advisory Committee on Microbiological Criteria for Foods) (1999) Microbiological safety evaluations and recommendations on fresh produce. Food Control 10, 117-143.

National Report (2007) Action research on street food safety. Sponsored by Ministry of Health and Family Welfare. Govt. of India, New Delhi. Under the World Bank Assisted Capacity Building Project on Food Safety: 1-213.

National Restaurant Association. National industry fact sheet (2005) Washington, DC: National Restaurant Association, 2005. Available at: <u>http://www.restaurant.org/pdfs/research/2005factsheet.pdf</u>

News DJ (1998) Add to the evils of money the fact it carries many germs.

Nguyen-the C, and Carlin F (1994) The microbiology of minimally processed fresh fruits and vegetables. Crit. Rev. Food Sci. Nutr. 34:371-401

Nygard K, et al. International outbreak of Salmonella Thompson caused by contaminated ruccola salad – update. Euro surveillance 2004; 8: 2602.

Ohiokpehai O (2003) Nutritional Aspects of street foods in Botswana. Pakistan J. Nutr. 2 (2): 76-81.

Oktem AB, Bayram G, Ceylan AE and Yentur G (2006) Prevalence of Listeria monocytogenes in some Turkish food stuffs. Journal of Food Quality: 29 (1): 76–86

Olliviera CB and Badre N (2006) Hygienic practices by vendors of the street food "doubles" and public perception of vending practices in Trinidad, West Indies. Journal of Food Safety. 27: 66-81

Olsen S, MacKinon L, Goulding J, Bean N and Slutsker L (2000) Surveillance for foodborne disease outbreaks- United States, 1993-1997. Morbidity and Mortality Weekly Report. 49: 1-51

Park SH, Kwak TK and Chang HJ (2010) Evaluation of the food safety training for food handlers in restaurant operations. Nutrition Research and Practice 4(1): 58-68

Paulson D (2000) Hand washing, gloving, and disease transmission by the food preparer. Dairy Food Environ. Sanit. 20:838–845.

Pezzoli L, et al (2007) Packed with Salmonella – investigation of an international outbreak of Salmonella Senftenberg infection linked to contamination of prepacked basil. Foodborne Pathogens and Disease 2008; 5: 661–668.

Podhajny MR (2004) How dirty is your money? Paper, Film & Foil Converter (PFFC). Penton Media, Inc. 330 N. Wabash, Suite 2300, Chicago, IL 60611-3698

Pomperayer RDMC and Gaylarde CC (2000). The influence of temperature on the adhesion of mixed culture of *Staphylococcus aureus* and *Escherichia coli* to propylene. Food microbiol. 17: 361-365.

Pope TM, Ender PT, Woelk WK, Koroscil MA and Koroscil TM (2002) Bacterial contamination of paper currency. Southern Medical Journal 95: 1408-1410.

Powell SC and Attwell RW (1997) The use of ATP-bioluminescence as an objective measure of food hygiene standards. International Journal of Environmental Health Research. 7: 47–53.

Rappaport F, Konforti N and Navon B (1956) A new enrichment medium for certain salmonellae. J. Clin. Pathol. 9:261-266.

Ravdin J (ed). (1988) Amoebiasis Human Infection by Entamoeba histolytica. John Wiley and Sons, New York; pp 105-109.

Rekha SU and Masali KA (2007). A study on the health status of food handlers employed in food establishments in Bijapur city. Indian Journal of Community Medicine 32(2): 131-132

Molins R (2007) The hidden costs of food-borne diseases. Agricultural health and food safety. Communica – First edition, Second stage

Richard LT, Tony TT, Reginald WB, Roger NM and Negash B (2002) microbial evaluation of selected fresh produce obtained at retail markets. Journal of Food Prot. Vol. 65. No. 4 – 677-682.

Roday S (1999) Hygiene and Sanitation in Food Industry, Second Edition, Mc Graw Hill Publishing Company Limited, New Delhi

Rodrigues LC, Cowden JM and Wheeler JG (2001) The study of infectious intestinal disease in England: risk factors for cases of infectious intestinal disease with *Campylobacter jejuni* infection. Epidemiol Infect. 127:185–93.

Rusin P, Orosz-Coughlin P and Gerba C (1998) Reduction of faecal coliform, coliform and heterotrophic plate count bacteria in the household kitchen and bathroom by disinfections with hypochlorite cleaners. Journal of Applied Microbiology. 85: 819-828.

Saddik MF, El-Sherbeeny MR, Mousa BM, El-Akkad A and Bryan FL (1985) Microbiological profile and storage temperatures of Egyptian fish and other sea foods. J. Food Protect. 48:403-406.

Sagoo SK, Little CL, GriYth CJ and Mitchell RT (2003) A study of cleaning standards and practices in food premises in the United Kingdom. CDR, 6(1): 6–17.

Sanlier N and Turkmen F (2010) Perceptions of hygiene among staff working in food companies. Research Journal of Medical sciences. 4(3): 231-237

Scott WG, Scott HM, Lake RJ and Maker MG (2000) Economic cost to New Zealand of food borne infectious disease. N Z Med J. 113(1113):281-284.

Sheen A and Hwang CA (2008) Modeling transfer of *Listeria monocytogenes* from slicer to deli meat during mechanical slicing. *Foodborne Pathogens and Disease*, 5 (2), 135-146.

Sheth M and Sukul S (2007) Impact of food Safety Education on knowledge and practices of canteen staff of a University girl's hostel. The Indian Journal of Nutrition and Dietetics 44(12), 551-596

Sheth M Jaju N and Sukul S (2007) Capacity Building Project for Street Food Vendors, of The Ministry Of Health and Family Welfare, Government of India. Project Report-Phase II, Vadodara Centre

Sheth M and Bhatnagar G (2003) Assessment of Hygiene and Sanitation in Food Service Department of Hospitals of Baroda, using HACCP Approach, Abstract Published in Proceedings of Regional Training-cum-workshop in Food Safety, Department of Foods and Nutrition and WHO collaborating centre, Faculty of home science, M.S. University of Baroda, Vadodara.

Sheth M and Mistry V (2000) Diarrhea Profile of Children (18-24 months) and Impact of Food Safety Education on "Safe feeding Practices" of Low income group of mothers residing in an urban slum of Baroda. M.Sc dissertation, Dept. of Foods and Nutrition, Faculty of Home Science, The Maharaja Sayajirao University of Baroda, Vadodara

Sheth M, Parnami S and Arora S (2007 a) Food safety Education through change agents to reduce diarrhoeal morbidities in young children 6 months-3 years of age residing in urban slum of Baroda, India. Asian Journal of Home Science 2 (1&2): 6-10

Sheth M, Sukul S and Patel R (2007b) Effectiveness of Food safety Education (FSE) to canteen staff in University Boy's Hostel. Asian Journal of Home Science: 2 (1&2):28-33

Sheth M and Obrah M (2004) Diarrhea prevention through food safety education. The Indian Journal of Pediatrics. 71(10) 879-882.

Sheth M, Gurudasani R and Mudbidri R (2005) Screening for pathogenic microorganisms in street-vended Bhelpuri in urban Vadodara: A HACCP approach. J. Food Sci. Technol., 42: 395-399.

Simopoulos AP (2000) Preface. In *street foods* (A.P. simopoulos and R.V. Bhat, eds.) Pp. Vii–x, karger, Basel, Switzerland.

Singh DV, Thakur K, Goel A (2002) Microbiological Surveillance of Currency. Indian Journal of Medical Microbiology. 20(1): 53.

Sivapalasingam S, Friedman CR, Cohen L and Tauxe RV (2004) Fresh produce: a growing cause of outbreaks of food borne illness in the United States, 1973 through 1997. Journal of Food Protection 67, 2342-2353

Sobel J, Hirshfeld A, McTigue K, Burnett C, Altekruse S, Brenner F, Malcolm G, Mottice S, Nichols C and Swerdlow D (2000) The pandemic of *Salmonella* Enteritidis phage type 4 reaches Utah: a complex investigation confirms the need for continuing rigorous control measures. Epidemiol. Infect. 125:1–8.

Soriano JM, Font G, Rico H, Molto JC and Manes J (2002) Incidence of enterotoxigenic Staphylococci and their toxins in foods. Journal of Food Protection. 65(5): 857-860

Soriano JM, Rico H, Molto JC, and Manes J (2000) Assessment of the Microbiological Quality and wash treatments of lettuce served in University restaurants. International Journal of Food Microbiology, 58(1-2), 123-128

Sridhar H, Macaden R, Laxmidevi ML and Bhat P (1983) Chloramphenicol resistance of *Salmonella typhi* in Bangalore. Ind J Med Res;78: 314-8.

Su Kyung OH, Nari Lee, Young Sun Cho, Dong-Bin Shin, Soon Young Choi and Minseon Koo (2007) Occurrence of Toxigenic Staphylococcus aureus in Ready-to-Eat Food in Korea. Journal of Food Protection: 70 (5): 1153-1158.

Subratty AH, Beeharry M and Chan Sun M (2004) A survey of hygiene practices among food vendors in rural areas in Mauritius. Nutrition and Food Science. 34(5): 203-205

Tambekar DH and Mundhaba RH (2006) bacteriological quality of salad vegetable sold in Amravat city (India). Journal of Biological Sciences. 6(1): 28-30

Tauxe VR (1997) Emerging Food borne Diseases: An evolving public health challenge. Emerging Infectious Disease.. 3(4): 425-434

Tivadar B (2003) Save money, waste love, ambivalence toward purchased convenience food. Annals, series Historia et Sociologia. 13(1):67-102

Tjoa WS, Dupont HL, Sullivan P, Pickering LK, Holguin A, Olate T, Evans DG, Evans DJJr (1977) Location of food consumption and travellers diarrhea. Amer. J. Epidemiol. 106: 61-66.

Tsalo E, Drosinos EH and Zoiopoulos P (2007) Impact of poultry slaughter house modernisation and updating of food safety Management Systems on the microbiological quality and safety of products. *Food Control*, 19, 423-431.

USDA U.S. Food and Drug Administration (2001) Centre for Food Safety and Applied Nutrition. Analysis and Evaluation of Preventive Control Measures for the Control and Reduction / Elimination of Microbial Hazards on Fresh and fresh-cut produce, pp1-10.

Udgiri RS and Masali KA (2007) A study of the health status of food handlers employed in food establishments in Bijapur city. Indian Jounal of Community Medicine. 32(2): 131-132

Ukuku DO and Gerald MS (2001) Effect of sanitizer treatments on *Salmonella Stanley* attached to the surface of cantaloupe and cell transfer to fresh cut tissues during cutting practices. Journal of Food Prot. 64 (9):1286-1291.

Umoh VJ Odoba MB (1999). Safety and quality evaluation of street foods sold in Zaria, Nigeria. Food Contr. 10: 9-14.

Unusan N (2007) Consumer food safety knowledge and practices in the home in Turkey. Food Control. 18: 45-51

Vassiliadis PD, Trichopoulos A, Kalandidi and Xirouchaki E (1978) Isolation of salmonellae from sewage with a new procedure of enrichment. J. Appl. Bacteriol. 44:233-239.

Vishwanathan P and Kaur R (2001) Prevalence and growth of pathogens on salad vegetables, fruits and sprouts. International Journal of Hygiene and Environmental Health. 203(3): 205-213.

Vorst KL Todd ECD and Ryser ET (2006) Transfer of *Listeria monocytogenes* during mechanical slicing of turkey breast, bologna and salami. Journal of Food Protection. 69 (3): 619-626.

Walker E, Pritchard C and Forsythe S (2003) Food handlers' hygiene knowledge in small food businesses. Food Control. 14(5): 339–343.

WHO (1993) Application of the Hazard Analysis Critical Control Point (HACCP) System for the improvement of food safety. WHO supported case studies on food prepared in homes, street vending operations, and in cottage industries.

WHO (2002). Food safety and food borne illness. Fact Sheet, n°237, 7p.

WHO (1996) Essential requirements for street-vended foods. Food safety Unit. Division of food and nutrition. WHO/FNU/FOS/96.7.

WHO (1997) E.coli Infections Appear to be Increasing. Press Release WHO/41

WHO (1984) World Health Organization The role of food safety in health and development. Report of a joint FAO/WHO expert committee on food safety technical report series no. 174. FAO, Rome, Italy.

WHO (1998) World Health Organization. Life in the 21st century. A vision for all. The World Health Report. Geneva: World Health Organization.

WHO (2005) World Health Organization. The present state of Food borne disease in OCED countries. ISBN: 92 4 159109 9.

Xu J and Moore JE (2005) Ribosomal DNA (rDNA) identification of the culturable bacterial flora on monetary coinage from 17th currencies. Journal of Environmental Health. 67(7): 51-55.

Zacarius I, Awad C, Brunser O and Kirschbaum A (1991) Health Education for food handlers: Review Med Chil. 119(11): 1334-1340.

Zain MM and Naing NN (2002) Socio demographic characteristics of food handlers and their knowledge, attitude and practice towards food sanitation: a preliminary report. Southeast Asian J Trop Med Public Health. 33(2): 410-417

Zepeda-Lopez H, Ortega-Rodriguez, Quinonez-Ramirez EI and Vazguez-Salnas C (1995) Isolation of Excherichia coli O157:H7 from vegetables. Annu. Mtg. Soc. Microbiol (abstracts). Washington, D.C.

Zhang S and Farber J M (1996) The effects of various sanitizers against Listeria monocytogenes on fresh-cut vegetables. Food Microbiology 13(4), 311-321

Zhuang RY, Beuchat LR and Angulo FJ (1995) Appl. Environ. Microbiol. 61:2127–2131.