

BIBLIOGRAPHY

Abegunde D and Stanicole A. 2006

An estimation of the economic impact of chronic non communicable diseases in selected countries (Working Paper). Geneva, World Health Organization.

Addington W. 1979

Patient compliance: The most serious remaining problem in the control of tuberculosis in the United States. Chest 76:741-743.

Aldana SG. 2001.

Financial impact of health promotion programs: a comprehensive review of the literature. Am J Health Promotion May-June; 15(5):296-320.

Alexy B. 1990

Workplace health promotion and the blue-collar worker. American Association of Occupational Health Nurses Journal 38(1):12-16.

Allain CC, Poon LS, Chan CS, Richmond W and Fu PC. 1974

Enzymatic Determination of Total Serum Cholesterol. Clin. Chem. 20(4): 470-475.

Allender A, Lacey B, Webster P, Rayner M, Deepa M, Scarborough P, Arambepola C, Datta M and Mohan V. 2010

Level of urbanization and non communicable disease risk factors in Tamil Nadu, India. Bulletin of the World Health Organization 88:297-304.

American Liver Foundation 2013

Available at: <http://www.liverfoundation.org/abouttheliver/liverhealth/>

Accessed on 01-10-2013.

Anderson JW, O'Neal DS, Riddell-Mason S, Floore TL, Dillon DW and Oeltgen PR. 1995
Postprandial serum glucose, insulin, and lipoprotein responses to high- and low-fibre diets. Metabolism 44:848-54.

Andrews RL and Franke GR. 1991

The determinants of cigarette consumption: A meta analysis. *Journal of Public Policy and Marketing*, 10; 81-100.

Ardern CI, Katzmarzyk PT, Janssen I and Ross R. 2003

Discrimination of health risk by combined body mass index and waist circumference. *Obes Res* 11(1):135-42.

Arora M, Aghi M and Reddy KS. 2001

Report on the results of the global youth tobacco survey in New Delhi, India 2001.

Available at: [http // www.cdc.gov / tobacco / global /GYTS/ reports / India_New Delhi-2001.Searo.htm](http://www.cdc.gov/tobacco/global/GYTS/reports/India_New_Delhi-2001.Searo.htm). Accessed on December 2, 2009.

Asaria P. 2007

Chronic disease prevention: health effects and financial costs of strategies to reduce salt intake and control tobacco use. *The Lancet* 370:2044–2053.

ATP III Guidelines – Adult Treatment Panel III 2002

Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III), September 2002. Available at: <http://www.nhlbi.nih.gov/guidelines/cholesterol/atp3full.pdf> Accessed on 02-01-2009.

B.K.Mahajan 1997

Methods in Biostatistics for Medical Students and Research Workers. Sixth Edition.

Baan R, Straif K, Grosse Y, Secretan B, El Ghissassi F, Bouvard V, Altieri A and Coglian V. 2007

WHO International Agency for Research on Cancer Monograph Working Group: Carcinogenicity of alcoholic beverages. *Lancet Oncol* 8:292-293.

Baicker, Cutler and Song 2010

Worksite Wellness Programs can generate savings. *Health Affairs* 29(2):304-311.

Baliunas D 2009

Alcohol consumption and risk of incident human immunodeficiency virus infection: a meta-analysis. *International Journal of Public Health* 55:159–166.

Bandura A and Cervone D. 1986.

Differential engagement of self-reactive influences in cognitive motivation. *Organisational Behaviour and Human Decision Processes*, 38, 92-113.

Banerji D. 2002

A social science approach to strengthening India's national tuberculosis programme. *Indian Journal of Tuberculosis* 40:61–82.

Barker David. 1995

Fetal origins of coronary heart disease. *BMJ* 15; 311(6998): 171–174.

Bayer R and Wilkinson D. 1995

Directly observed therapy for tuberculosis: history of an idea. *Lancet* 345:1545–1548.

Bazzano 2005.

Dietary intake of fruit and vegetables and risk of diabetes mellitus and cardiovascular diseases. WHO Library Cataloguing-in-publication Data. Background paper for the Joint FAO/WHO workshop on fruit and vegetables for Health 1-3 September 2004, Kobe, Japan.

Bazzano LA, He J, Ogden LG, Loria CM and Whelton PK 2003.

National Health and Nutrition Examination Survey I Epidemiologic Follow-up Study. Dietary fiber intake and reduced risk of coronary heart disease in US men and women: the National Health and Nutrition Examination Survey I Epidemiologic Follow-up Study. *Archives of Internal Medicine*, 2003, 163 (16):1897-904

Berry Leonard and Mirabito Ann. 2011

Partnering for Prevention with Workplace Health Promotion Programs. *Mayo Clin Proc.* 86(4): 335-337.

- Bonita R, de Courten M, Dwyer t, Jamrozik K and Winkelmann R. 2001
Surveillance of risk factors for non communicable diseases: The WHO STEPwise approach. Summary. Geneva, World Health Organization, 2001. Available at - <http://www.cdc.org.cn/pages/UploadFile/20061206014214468.pdf> Accessed on 21-05-2012.
- Bonu S, Rani M and Peters DH. 2005
Does use of tobacco or alcohol contribute to impoverishment from hospitalization costs in India? Health Policy and Planning 20:41–49.
- Brown IJ, Tzoulaki I, Cadeias V and Elliot P. 2009
Salt intakes around the world: implications for public health. International Journal of Epidemiology 38:791–813.
- Cameron A, Ewen M, Ross-Degnan D, Ball D and Laing R. 2009
Medicines prices, availability, and affordability in 36 developing and middle-income countries: a secondary analysis. The Lancet 373:240-49.
- Cecchini M, Sassi F and Lauer JA. 2010
Tackling unhealthy diets, physical inactivity, and obesity: health effects and cost effectiveness. The Lancet 376:1775-1784.
- Census of India 2011.
Office of the Registrar General & Census Commissioner of India. Available at www.censusindia.gov.in Accessed on 01.08.2013.
- Centres for Disease Control & Prevention, Morbidity and Mortality Weekly Report 2008.
Annual Smoking-Attributable Mortality, Years of Potential Life Lost, and Productivity Losses—United States, 2000–2004. Morbidity and Mortality Weekly Report 57(45):1226–8.
- Centre for Disease Control & Prevention, Physical Activity Guidelines for Americans 2008.
Available at - <http://www.health.gov/paguidelines/pdf/paguide.pdf>
Accessed on 21-05-2012.

Centre for Disease Control and Prevention, Dietary Guidelines for Americans 2010. Available at: <http://www.cnpp.usda.gov/Publications/DietaryGuidelines/2010/PolicyDoc/PolicyDoc.pdf>
Accessed on 21-05-2012.

Centres for Disease Control and Prevention Factsheet on Smoking & Tobacco use 2013. National Centre for Chronic Disease and Prevention and Health Promotion. Office on smoking and health. Accessed on 01.08.2013.

Centres for Disease Control & Prevention, Adolescent and School Health Factsheet 2013.
Global School-based Health Survey (SHS) Available at: www.cdc.gov/gshs/ Accessed on 01.08.2013

Chadha SL, Gopinath N and Ramchandran K. 1992
Epidemiological study of coronary heart disease in Gujaratis in Delhi (India). Indian J Med Res. 96:115-21.

Chadha SL, Gopinath N and Shekawat S. 1997
Urban–rural differences in the prevalence of coronary heart disease and its risk factors in Delhi. Bull World Health Organ 75:31-8.

Chaloupka FJ, Hu TW, Warner KE, Jacobs R and Yurekli A. 2000
The taxation of tobacco products. In: Jha P, Chaloupka FJ (eds). Tobacco control in developing countries. New York: Oxford University Press, World Bank 254.

Chan R and Woo J. 2010.
Prevention of overweight and obesity : How effective is the current public health approach. Int J Environ Res Public Health 7(3): 765-783.

Chandalia M, Abate N, Garg A, Stray-Gundersen J and Grundy SM. 1999
Relationship between generalized and upper body obesity to insulin resistance in Asian Indian men. J Clin Endocrinol Metab 84(7):2329-35.

Chapman LS. 2005

Meta-evaluation of worksite health promotion economic return studies: 2005 update. *Am J Health Promot.* 19(6):1-11.

Charlton A, While D. 1994

Smoking prevalence among 16- to 19-year-olds related to staff and student smoking policies in sixth forms and further education. *Health Education Journal* 53:28-39.

Chaturvedi S, Pant M; Neelam and Yadav G. 2007

Hypertension in Delhi: prevalence, awareness, treatment and control. *Trop Doct.* 37(3):142-5.

Conrad P. 1987

Wellness in the work place: Potentials and pitfalls of work-site health promotion. *Milbank Quarterly* 65(2):255-275.

Corsi DJ, Subramaniam S, Lear SA, Teo KK, Boyle MH, Raju PK, Joshi R, Neal B and Chow CK. 2013.

Tobacco use, smoking quit rates & socioeconomic patterning among men & women: a cross-sectional survey in rural Andhra Pradesh. *Eur J Prev Cardiol.* Epub ahead of print.

Danaei G, Finucane MM, Lu Y, Singh GM, Cowan MJ, Paciorek CJ 2011

National, regional, and global trends in fasting plasma glucose and diabetes prevalence since 1980: systematic analysis of health examination surveys and epidemiological studies with 370 country-years and 2.7 million participants. *Lancet* 378(9785):31-40.

Dariush Mozaffarian, Shiriki K Kumanyika, Rozenn N Lemaitre, Jean L Olson, Gregory L Burke and David S Siscovick. 2003

Cereal, fruit and vegetable fibre intake and the risk of CVD in elderly individuals. *Journal of the American Medical Association* 289(13):1659-66.

Davis MS. 1967

Predicting non-compliant behaviour. *Journal of Health & Social Behaviour* 8:265-271.

De Jong E, Visscher TL, HiraSing RA, Heymans MW, Seidell JC, Renders CM 2013. Association between TV viewing, computer use and overweight, determinants and competing activities of

screen time in 4-13 year old children. *Int J Obes (Lond)*. Jan; 37(1): 47-53. doi: 10.1038/ijo.2011.244. Epub 2011 Dec 13.

Deurenberg-Yap M, Chew SK, Lin VF, Tan BY, van Staveren WA and Deurenberg P. 2001
Relationships between indices of obesity and its comorbidities in multi-ethnic Singapore. *Int J Obes Relat Metab Disord* 25(10):1554-62.

Dietary Guidelines for Americans 2010

U.S. Department of Agriculture, U.S. Department of Health and Human Services. Available at www.dietaryguidelines.gov Accessed on 01.08.2013

Dick J and Lombard C. 1997

Shared vision – a health education project designed to enhance adherence to anti-tuberculosis treatment. *International Journal of Tuberculosis & Lung Disease* 1:181–186.

Dietary Guidelines for Americans 2010.

Available at: www.health.gov/dietaryguidelines/dga2010/dietaryguidelines2010.pdf Accessed on 02-02-2012.

Diwan VK and Thorson A. 1999

Sex, gender, and tuberculosis. *Lancet* 353:1000–1001.

Dixit S, Ansari M, Khan A and Khalique N. 2012.

Prevalence and Predictors of tobacco use; a cross-sectional household survey in Aligarh District of Uttar Pradesh. *Indian Journal of Community Health* 24(3); 203-208.

Eckel RH, York DA, Rossner S, Hubbard V, Caterson I, St Jeor ST, Hayman LL, Mullis RM, and Blair SN. 2004

American Heart Association. Prevention Conference VII: obesity, a worldwide epidemic related to heart disease and stroke: executive summary. *Circulation* 110: 2968–2975.

Enas EA, Mohan V, Deepa M, Farooq S, Pazhoor S and Chennikkara H. 2007

The metabolic syndrome and dyslipidaemia among Asian Indians: a population with high rates of diabetes and premature coronary artery disease. *J Cardiometab Syndr* 2(4):267-75.

- Eric B. Rimm, Alberto Ascherio, Edward Giovannucci, Donna Spiegelman, Meir J. Stampfer and Walter C. Willett. 1996
Vegetable, fruit and cereal fibre intake and risk of coronary heart disease among men, *Journal of the American Medical Association* 275: 447-451.
- Everhart JE, Pettitt DJ, Bennett PH and Knowler WC. 1992
Duration of obesity increases the incidence of NIDDM. *Diabetes*. 41(2):235–240.
- FAO - Food and Agricultural Organisation of the United Nations. Rome, 2006.
FAO Food and Nutrition Paper 84. The double burden of malnutrition; case studies from six developing countries. Available at: <ftp://ftp.fao.org/docrep/fao/009/a0442e/a0442e00.pdf>
Accessed on 12-03-2013
- Farmer P. 1996
Social inequalities and emerging infectious diseases. *Emerging Infectious Diseases* 2:259–269.
- Feskens EJ and Kromhout D. 1994
Diet and physical activity as determinants of hyperinsulinemia: the Zutphen Elderly Study. *Mercian Journal of Epidemiology* 140:350-360.
- Fichtenberg CM and Glantz SA. 2002
Effect of smoke-free workplaces on smoking behaviour: A systematic review. *British Medical Journal* 325:174.5.
- Finucane MM, Stevens GA, Cowan MJ, Danaei G, Lin JK, Paciorek CJ, Singh GM, Gutierrez HR, Lu Y, Bahalim AN, Farzadfar F, Riley LM and Ezzati M. 2011
Global Burden of Metabolic Risk Factors of Chronic Diseases Collaborating Group (Body Mass Index). National, regional, and global trends in body-mass index since 1980: systematic analysis of health examination surveys and epidemiological studies with 960 country-years and 9.1 million participants. *The Lancet* 337(9765):557–567.
- Fisher JD and Fisher WA. 1992
Changing AIDS-risk behaviour. *Psychological Bulletin* 111:455–474.

FAO - Food and Agricultural Organization of the United Nations, Rome 2002.

The State of Food Insecurity in the World. Available at: <ftp://ftp.fao.org/docrep/fao/005/y7352e/y7352e00.pdf> Accessed on 02-01-2012.

FAO - Food and Agricultural Organization of the United Nations, Rome 2006.

FAO Food and Nutrition Paper 84. The double burden of malnutrition, case studies from six developing countries. Available at: <ftp://ftp.fao.org/docrep/fao/009/a0442e/a0442e00.pdf> Accessed on 01-01-2013

FAO - Food and Agricultural Organization of the United Nations, Rome 2013.

The State of Food Insecurity in the World. Available at: <http://www.fao.org/docrep/018/i3434e/i3434e.pdf> Accessed on 03-10-2013.

Fox W, Gordon A and Mitchison D. 1999

Studies on the treatment of tuberculosis undertaken by the British Medical Research Council Tuberculosis Units, 1946–1986, with relevant publications. International Journal of Tuberculosis and Lung Diseases 3:S231–S270.

Fox W. 1958

The problem of self-administration of drugs: with particular reference to pulmonary tuberculosis. Tubercle 39:269–274.

Friedewald, Levy and Fredrickson. 1972

Estimation of the Concentration of Low-Density Lipoprotein Cholesterol in Plasma, Without Use of the Preparative Ultracentrifuge. Clin. Chem. 18(6): 499-502.

Fuster V and Kellz BB. 2010

Promoting cardiovascular health in the developing world. Washington, DC, Institute of Medicine, 2010. Available at: http://www.nap.edu/openbook.php?record_id=12815&page=R1 Accessed on: 01-02-2012.

Garg A, Singh MM, Gupta VK, Garg S, Daga MK and Saha R. 2012

Prevalence and correlates of tobacco smoking, awareness of hazards, and quitting behaviour among persons aged 30 years or above in a resettlement colony of Delhi, India. Lung India. 29(4):336-40. doi: 10.4103/0970-2113.102812.

GATS - Global Adult Tobacco Survey, India 2009-2010.

Ministry of Health and Family Welfare, Govt. of India, Centres for Disease Control & Prevention, World Health Organization, Global Tobacco Surveillance System and International Institute for Population Sciences. Available at http://www.who.int/tobacco/surveillance/en_tfi_india_gats_fact_sheet.pdf Accessed on 01.08.2013

Gebhardt DL and Crump C. 1990

Employee fitness and wellness programs in the workplace. American Psychology 45:262-272.

Gelders S, Ewen M, Noguchi N and Laing R. Price. 2006

Availability and affordability; An international comparison of chronic disease medicines. Background report prepared for the WHO Planning Meeting on the Global Initiative for Treatment of Chronic Diseases held in Cairo in December 2005. Cairo, World Health Organization Regional Office for the Eastern Mediterranean, 2006. <http://www.haiweb.org/medicineprices/08092008/EDB068final.pdf> Accessed 02.02.2012

Glanz K, Rimer BK and Viswanath K 2008.

Health behaviour and health education theory, research, and practice. Ed. Orleans, 4; 5-62.

Glasgow RE, McCaul KD and Fisher KJ. 1993

Participation in worksite health promotion: A critique of the literature and recommendations for future practice. Health Education Quarterly 20(3):391-408.

Global atlas on cardiovascular disease prevention and control. Geneva, World Health Organization, 2011. Available at: http://whqlibdoc.who.int/publications/2011/9789241564373_eng.pdf Accessed on 02-01-2012.

Gopalan C. Diet related non-communicable diseases in South and South East Asia. In: Shetty PS, McPherson K, eds. Diet, nutrition and chronic disease: lessons from contrasting worlds. London: John Wiley & Sons; 1997. pp. 10-23.

Goyal A and Singh NP. 2007

Consumer perception about fast food in India: an exploratory study. *Br Food J.* 109(2):182–195. doi: 10.1108/00070700710725536.

Guagnano MT, Ballone E, Colagrande V, Della Vecchia R, Manigrasso MR, Merlitti D, Riccioni G and Sensi S. 2001

Large waist circumference and risk of hypertension. *Int J Obes Relat Metab Disord.* 25(9):1360-4.

Guo X, Popkin BM, Mroz TA and Zhai F. 1999

Food price policy can favorably alter macronutrient intake in China. *Journal of Nutrition* 129:994–1001.

Gupta PC, Pindborg JJ, Bhonsle RB and Murti PR. 1986

Intervention study for primary prevention of oral cancer among 36,000 Indian tobacco users. *Lancet* 1:1235-39.

Gupta R, Gupta VP and Sarna M 2002

Prevalence of coronary heart disease and risk factors in an urban Indian population: Jaipur Heart Watch. *Indian Heart J* 54(1):59-66.

Gupta R and Misra A. 2007

Type 2 diabetes in india: Regional Disparities. *Br J Diabetes & Vascular Dis* 7:12-16.

Hall JE. 1994

Renal and cardiovascular mechanisms of hypertension in obesity. *Hypertension.* 23:381–394.

Hall JN, Moore S, Harper SB and Lynch JW. 2009

Global Variability in fruit and vegetable consumption. *Am J Prev Med* 36(5):402-409.e5. doi: 10.1016/j.amepre.2009.01.029.

Hamajima. 2002

Collaborative Group on Hormonal Factors in Breast Cancer. Alcohol, tobacco and breast cancer-collaborative reanalysis of individual data from 53 epidemiological studies, including 58,515 women with breast cancer and 95,067 women without the disease. *British Journal of Cancer*, 87:1234–1245.

Harden A, Peersman G, Oliver S, Mauthner M and Oakley A. 1999.

A systematic review of the effectiveness of health promotion interventions in the workplace. *Occup Med (Lond)* 49(8):540-548.

He FJ, MacGregor GA. 2004

Effect of longer-term modest salt reduction on blood pressure. *Cochrane Database Syst Rev*, 3:CD004937.

He FJ and MacGregor GA. 2003

How far should salt intake be reduced? *Hypertension*, 2003, 42:1093.

Heany C and English P. 1995.

Are employees who are at risk for cardiovascular disease joining worksite fitness centres? *Journal of Occupational and Environmental Medicine* 37(6):718-724.

Hu FB, Stamper MJ and Manson JE. 1997

Dietary fat intake and the risk of coronary heart disease in women. *New England Journal of Medicine* 337:1491–1499.

Hu FB and Willett WC.

Optimal Diets for Prevention of Coronary Heart Disease. *JAMA* 288:2569--2578.

Hudelson P. 1996

Gender differentials in tuberculosis: the role of socio-economic and cultural factors. *Tubercle & Lung Disease* 77:391–400.

INTERSALT Cooperative Group 1988.

INTERSALT: an international study of electrolyte excretion and blood pressure. Results for 24 hour urinary sodium and potassium excretion. *Br Med J*, 297:319–328.

Janiszewski PM, Janssen I and Ross R. 2007

Does waist circumference predict diabetes and cardiovascular disease beyond commonly evaluated cardiometabolic risk factors? *Diabetes Care* 30(12):3105-9.

Jha P and Chaloupka FJ. 2000

The economics of global tobacco control. *British Medical Journal* 321:358.61.

Jorge Salmerón, Frank B Hu, JoAnn E Manson, Meir J Stampfer, Graham A Colditz, Eric B Rimm, and Walter C Willett. 2001

Dietary fat intake and risk of type 2 diabetes in women. *American Journal of Clinical Nutrition* 73:1019–1026.

Joshi Urwish, Modi Bhavesh and Yadav Sudha. 2010

A study on prevalence of chewing form of tobacco and existing quitting patterns in urban population of Jamnagar, Gujarat. *Indian J Community Med*. 35(1): 105–108.

Joshi Pura, Hu, Manson, Stampfer, Rimm, Spelzer, Colditz, Ascherio, Rosner, Spiegelman and Willett. 2001

Ann Intern Med. 134:1106-1114.

Joubert J, Norman R, Lambert EV, Groenwald P, Schneider M, Bull F and Bradshaw D 2007

South African Comparative Risk Assessment Collaborating Group. Estimating the burden of disease attributable to physical inactivity in South Africa in 2000. *S Afr Med J*. 97:725-731.

Kahn EB, Ramsey LT, Brownson RC, Heath GW, Howze EH, Powell KE, Stone EJ, Rajab MW and Corso P. 2002

The effectiveness of interventions to increase physical activity. A systematic review by the US Task Force on Community Preventive Services. *American Journal of Preventive Medicine*, 22(4S):73–102.

Karki Y, Pant KD and Pande BR. 2003

A study on the economics of tobacco in Nepal. Washington, DC, The World Bank, 2003.

Kaur P, Rao TV, Sankarasubbaiyan S, Narayanan AM, Ezhil R, RaoSR and Gupte MD. 2007

Prevalence and distribution of cardiovascular risk factors in an urban industrial population in south India: a cross sectional study. JAPI 55: 771-775.

Ke Xu, David B. Evans, Guido Carrin, Ana Mylena Aguilar-Rivera, Philip Musgrove and Timothy Evans. 2007

Protecting households from catastrophic health spending. Health Affairs 26:972–983.

Kinra S, Bowen LJ, Lyngdoh T, Prabhakaran D, Redd yKS, Ramakrishnan L, Gupta R, Bharati AV, Vaz M, Kurpad AV, Smith GD, Ben-Shlomo Y and Ebrahim S. 2010. Sociodemographic patterning of non-communicable disease risk factors in rural India: a cross-sectional study. BMJ. 341:c4974. doi:10.1136/bmj/c4974.

Klein S, Burke LE, Bray GA, Blair S, Allison DB, Pi-Sunyer X, Hong Y and Eckel RH 2004 American Heart Association Council on Nutrition, Physical Activity, and Metabolism. Clinical implications of obesity with specific focus on cardiovascular disease: a statement for professionals from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: endorsed by the American College of Cardiology Foundation. Circulation. 110: 2952–2967.

Kodali V, Krishna P, Tripuravibhatla, Raghu Ramic, Kodavati MR, Eshwaran P and Krishnamurthy 1997

Abdominal obesity and Metabolic Alterations in hypertension – A case control study. Am J Clin Nutr 6(3):180-185.

Kotecha P.V., Patel Devesh and Pathak Avani 2006

Prevalence of Tobacco use in secondary school children of Vadodara city. Presented at The 13th World Conference on Tobacco OR Health Building capacity for a tobacco-free world. July 12-15, 2006, Washington, DC, USA.

Kruk ME, Goldmann E and Galea S. 2009

Borrowing and selling to pay for health care in low- and middle income countries. Health Affairs 28:1056–1066.

Kurian N 2007

Widening economic & social disparities: implications for India. The Indian journal of medical research 126:374. doi: 10.3329/jhpn.v27i3.3373.

Kuriyan R, Bhat S, Thomas T, Vaz M, Kurpad AV. 2007

Television viewing and sleep are associated with overweight among urban and semi-urban South Indian Children. Nutr J. 6: 25.

Laxmaiah A, Nagalla B, Vijayaraghavan K and Nair M. 2007

Factors affecting prevalence of overweight among 12- to 17-year-old urban adolescents in Hyderabad, India. Obesity 15(6):1384-90.

Lee IM, Shiroma EJ, Lobelo F, Puska P, Blair SN and Katzmarzyk PT 2012

Lancet Physical Activity Series Working Group. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. Lancet. 21;380(9838):219-29. doi: 10.1016/S0140-6736(12)61031-9.

Lim SS, Vos T, Flaxman AD, Danaei G, Shibuya K, Adair-Rohani H 2012

A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet 380(9859):2224-2260.

Line H 2007

Tobacco smoke, indoor air pollution and tuberculosis: a systematic review and meta analysis. PLoS Medicine 4:e20.

Linnan LA, Sorensen G and Colditz G. 2001

Using theory to understand the multiple determinants of low participation in worksite health promotion programs. Health Educ Behav 2001; 28 : 591.

Linnan Laura, Bowling Mike and Royall Penelope. 2008

Results of the 2004 National Worksite Health Promotion Survey. American Journal of Public Health. 98(8): 1503-1509). Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2446449/> Accessed on 01-02-2012.

- Liu S, Buring JE, Sesso HD, Rimm EB, Willett WC and Manson JE. 2002
A prospective study of Dietary fiber intake and risk of cardiovascular disease among women. *J Am Coll Card*, 39:49-56.
- Loeppke R, Taitel M, Haufle V, Parry T, Kessler R and Jinnett K. 2009
Health and productivity as a business strategy: a multiemployer study. *J Occup Environ Med*. 51(4):411-428.
- Lubree HG, Rege SS, Bhat DS, Raut KN, Panchanadikar AN and Joglekar CV. 2002
Body fat and cardiovascular risk factors in Indian men in three geographical locations. *Food Nutr Bull* 23:146-9. PMID:12362784.
- Macmohan S, Rogers A, Neal B and Chalmers J 1997.
Blood Pressure lowering for the secondary prevention of myocardial infarction and stroke. *Hypertension*. 29:537-538.
- Marshall JA and Hamman RF. 1997
High saturated fat and low starch and fiber are associated with hyperinsulinemia in a non-diabetic population: The San Luis Valley Diabetes Study. *Diabetologia* 40:430-438.
- Mathers CD and Loncar D. 2006
Projections of global mortality and burden of disease from 2002 to 2030. *PLoS Med*, 3(11):e442.
- McGowan MW, Artiss JD, Strandberg DR and Zak B. 1983
A Peroxidase-Coupled Method for the Colorimetric Determination of Triglycerides. *Clin. Chem*. 29(3): 538-542.
- McKeigue PM, Shah B and Marmot MG. 1991
Relation of central obesity and insulin resistance with high diabetes prevalence and cardiovascular risk in South Asians. *Lancet* 337(8738):382-6.
- McLellan, Mackenzie, Tilton, Dietrich, Comi and Feng. 2009
Impact of Workplace Sociocultural attributes on participation in health assessments. *J Occup Environ Med*. 51(7):797-803. doi: 10.1097/JOM.0b013e3181a4b9e8.

Mehan Meenakshi, Kantharia Neha and Surabhi Somila. 2007.

Risk Factor Profile of Non Communicable Diseases in an Industrial Productive (25-59 years) Population of Baroda. International Journal of diabetes in Developing Countries 27 (4); 116-121.

Mehan Meenakshi, Pandya Hetal, Bhalla Rachika, Kantharia Neha and Bhatt Trushna. 2009

Operational Research on Promoting Healthy Catering Services in an Industrial Setting near Baroda. Poster Presented at the 41st National Conference of Nutrition Society of India (19-21 November 2009).

Mehan Meenakshi, Raimalani Bharti and Bhatt Trushna. 2011

Efficacy and Compliance of Prescribing 9 days cyclic menus to selected stage 1 and stage 2 hypertensive subjects (40-70 years). International Journal of Applied Biology and Pharmaceutical Technology. 2(3):184-188.

Mehan Meenakshi, Srivastava Nadini and Pandya Hetal. 2006

Profile of Non Communicable Disease Risk Factors in an Industrial Setting. Journal of Postgraduate Medicine 52(3): 167-171.

Mehan Meenakshi, Surabhi Somila and Solanki Gautami. 2006

Risk factor profile of non-communicable diseases among middle-income (18-65 years) free-living urban population of India. Int J Diab Dev Ctries 26(4): 169-176.

Mehan Meenakshi, Shah Bhumi and Surabhi Somila. 2008

Non communicable disease risk factors in affluent productive population of urban Vadodara. J Indian Dietetic Association 33(1): 33-41.

Mehan Meenakshi, Srivastava Nandini and Pandya Hetal. 2006

Profile of non communicable disease risk factors in an industrial setting. J Postgrad Med 52(3): 167-171.

Mehta FS, Gupta MB, Pindborg JJ, Bhonsle RB, Jalnawalla PN and Sinor PN. 1982

An intervention study of oral cancer and precancer in rural Indian populations: A preliminary report. Bulletin of the World Health Organization 60:441-6.

- Meisinger C, Doring A, Thorand B, Heier M and Lowel H. 2006
Body fat distribution and risk of type 2 diabetes in the general population: are there differences between men and women? The MONICA/KORA Augsburg cohort study. *Am J Clin Nutr* 84(3):483-9.
- Meyer KA, Kushi LH, Jacobs DR Jr, Slavin J, Sellers TA and Folsom AR. 2000
Carbohydrates, dietary fibre and incident type 2 diabetes in older women. *American Journal of Clinical Nutrition* 71(4):921-30.
- Meyer Katie, Jacobs David, Kushi Lawrence and Folsom Aaron. 2001
Dietary fat and incidence of type 2 diabetes in older Iowa women. *Diabetes Care*, 24:1528–1535.
- Mikhail N, Golub MS and Tuck ML. 1999
Obesity and hypertension. *Prog Cardiovasc Dis* 42: 39-58.
- Milani RV and Lavie CJ. 2009
Impact of worksite wellness intervention on cardiac risk factors and one-year health care costs. *Am J Cardiol*. 104(10):1389-1392.
- Mishra Gauravi, Majmudar Parishii, Gupta Subhadra, Rane Pallavi, Uplap Pallavi and Shastri Surendra. 2009.
Workplace tobacco cessation program in India: A success story. *Indian J Occup Environ Med*. 13(3): 146–153.
- Misra A, Chowbey P, Makkar BM, Vikram NK, Wasir JS, Chadha D, Joshi SR, Sadikot S, Gupta R, Gulati S, Munjal YP, Consensus group. 2009
Consensus Statement for Diagnosis of Obesity, Abdominal obesity and the Metabolic Syndrome for Asian Indians and Recommendations for Physical Activity, Medical and Surgical Management. *JAPI* 57: 163-170.
- Misra A and Khurana L. 2008
Obesity and the metabolic syndrome in developing countries. *J Clin Endocrinol Metab* 93(11):S9-30.

Misra A and Vikram NK. 2004

Insulin resistance syndrome (metabolic syndrome) and obesity in Asian Indians: evidence and implications. *Nutrition* 20(5):482-91.

Misra A. 2003

Revision of limits of body mass index to define overweight and obesity are needed for the Asian ethnic groups. *Int J Obes & Relat Metab Disord* 27:1294-96.

Moafi, Rahgozar, Ghias, Vahdatahar, Borumand, Sabbaghim Sameti and Hashemi. 2011

A study on Body mass index , blood pressure and red blood cell indices in new entering student of the university if Isfahan. *Int J Prev Med.* 2(4): 280–285. PMID: PMC3237273

Mohan D, Raj D, Shanthirani CS, Datta M, Unwin NC, Kapur A and Mohan V. 2005

Awareness and Knowledge of Diabetes in Chennai- The Chennai Urban Rural Epidemiology Study (CURES-9). *J Assoc Physicians India.* 53:283-7.

Mohan V, Deepa M, Farooq S, Datta M and Deepa R. 2007

Prevalence, awareness and control of hypertension in Chennai - The Chennai Urban Rural Epidemiology Study. *J Assoc Physicians India.* 55:326-32.

Morrish NJ, Wang SL, Stevens LK, Fuller JH and Keen H. 2001

Mortality and causes of death in the WHO Multinational Study of Vascular Disease in Diabetes. *Diabetologia* 44(2):S14–S21.

Mungreiphy, Kapoor and Sinha. 2011.

Association between BMI, Blood pressure and Age: Study among Tangkhul Naga Tribal Males of Northeast India. *Journal of Anthropology.* Volume 2011, Article ID 748147, 6 pages. Available at: <http://dx.doi.org/10.1155/2011/748147> Accessed on 01-01-2013

Murray CJL, Lauer JA, Hutubessy RCW, Niessen L and Tomijima N 2003

Effectiveness and costs of interventions to lower systolic blood pressure and cholesterol: a global and regional analysis on reduction of cardiovascular-disease risk. *Lancet.* 361:717–725.

National Heart Lung and Blood Institute 2012.

Available at: <http://www.nhlbi.nih.gov/health/health-topics/topics/hbp/> Accessed on 02-01-2013.

National Institute of Nutrition, Hyderabad 2007.

Dietary Guidelines for Indians: A Manual -1998 (reprint 2007). Available at: <http://ninindia.org/DietaryguidelinesforIndians-Finaldraft.pdf>

Accessed on 01-02-2013

JNC VII - The Seventh Report of the Joint National Committee on Prevention Detection, Evaluation and Treatment of High Blood Pressure 2004. U.S. Department of Health and Human Services, National Institutes of Health, National Heart, Lung and Blood Institute & National High Blood Pressure Education Program. Available at - <http://www.nhlbi.nih.gov/guidelines/hypertension/jnc7full.pdf> Accessed on 13-07-2009.

Neel JV. 1962.

Diabetes mellitus: a „thrifty“ genotype rendered detrimental by “progress”. *Am J Hum Genet* , 14: 353 - 62.

Nishida Chizuru, Uauy Ricardo, Kumanyika Shiriki and Shetty Prakash. 2004

The Joint WHO/FAO Expert Consultation on diet, nutrition and the prevention of chronic diseases: process, product & policy implications. *Public Health Nutrition* 7(1A); 245-250.

Oguma Y, Sesso H, Paffenbarger R and Lee I. 2002

Physical activity and all cause mortality in women: a review of the evidence. *Br J Sports Med*. 36(3): 162–172.

Patel DR 1999.

Smoking and Children. *Indian J Pediatr*. 66(6):917-24.

Patel P and Patel V. 2011

Oral Mucosal Lesions among Residence of a Town in North Gujarat. *Natl J Med Res*. 1(1): 3-6.

Pelletier KR. 2005

A review and analysis of the clinical and cost-effectiveness studies of comprehensive health promotion and disease management programs at the worksite: update VI 2000-2004. *J Occup Environ Med.* 47(10):1051-1058.

Pentz MA, Dwyer JH, MacKinnon DP, Flay BR, Hansen WB and Wang EY 1989

A multi community trial for primary prevention of adolescent drug abuse. Effects on drug use prevalence. *Journal of the American Medical Association* 261:3259-66.

Pereira MA, O'Reilly E, Augustsson K, Fraser GE, Goldbourt U, Heitmann BL, Hallmans G, Knekt P, Liu S, Pietinen P, Spiegelman D, Stevens J, Virtamo J, Willett WC and Ascherio A. 2004

Dietary fibre and risk of coronary heart disease: a pooled analysis of cohort studies. *Archives of Internal Medicine* 164(4): 370-6.

Person Ashley, Colby Sarah and Whitehurst Janie. 2010

Barriers to Participation in a Worksite Wellness Programme. *Nutrition Research and Practice* 4(2): 149-154.

Poirier P and Eckel RH. 2002

Obesity and cardiovascular disease. *Curr Atheroscler Rep.* 4: 448–453.

Poirier P, Eckel RH. 2000

The heart and obesity. In: Fuster V, Alexander RW, King S, O'Rourke RA, Roberts R, Wellens HJJ, editors. *Hurst's The Heart*. New York: McGraw-Hill Companies, 2289–2303.

Popkin BM. 1994

The nutrition transition in low-income countries: an emerging crisis. *Nutr Rev* 52:285-98.

Prabhakaran D, Shah Pankaj, Chaturvedi Vivek, Ramakrishnan Lakshmy, Manhapra Ajay and Reddy Srinath. 2005

Cardiovascular risk factor prevalence among men in a large industry of northern India. *Natl Med J India* 18(2): 59-65.

Prasad, Kabir, Dash and Das. 2012.

Prevalence and risk factors for metabolic syndrome in Asian Indians: A community study from urban Eastern India. *Journal of Cardiovascular Disease Research*. 3(3):204-211.

Prochaska, J. and C. DiClemente 1984

The transtheoretical approach: Crossing traditional boundaries of therapy. Homewood, Ill., Dow Jones-Irwin.

Puska and Pekka. 2002

Successful prevention of non-communicable diseases: 25 year experiences with North Karelia Project in Finland. *Public Health Medicine* 4(1):5-7.

Qatanani M and Lazar MA 2007.

Mechanisms of obesity-associated insulin resistance: many choices on the menu. *Genes Dev*. 21: 1443-1455.

Quintilliani Lisa, Sattelmair and Sorenson Jacob. 2007

The Workplace as a Setting for Interventions to Improve Diet and Promote Physical Activity. Background paper prepared for the WHO/WEF Joint Event on Preventing Noncommunicable Diseases in the Workplace (Dalian/ China, September 2007). Available at: <http://www.who.int/dietphysicalactivity/Quintiliani-workplace-as-setting.pdf> Accessed on: 02-01-2013.

Qun W and Dobson AJ. 1992

Cigarette smoking and sick leave in an industrial population in Shanghai, China. *International Journal of Epidemiology* 21:293–297.

Radhika G, Sathya RM, Sudha V, Ganesan A and Mohan V. 2007

Dietary salt intake and hypertension in an urban south Indian population. *J Assoc Physicians India*. 5:405-11.

Raji A, Seely EW, Arky RA and 2001

Simonson DC. Body fat distribution and insulin resistance in healthy Asian Indians and Caucasians. *J Clin Endocrinol Metab* 86(11):5366-71.

Ramachandran A. 1998

Epidemiology of non insulin dependent diabetes mellitus in India. In: Shetty PS, Gopalan C, eds. Diet, nutrition & chronic disease: an Asian perspective. London: Smith Gordon 38-41.

Raviglione M and Pio A. 2002

Evolution of WHO policies for tuberculosis control, 1948–2001. *Lancet* 359:775–780.

Reddy KS, Arora M, Perry CL, Nair B, Kohli A and Lytle LA 2002

Tobacco and alcohol use outcomes of a school-based intervention in New Delhi. *American Journal of Health Behaviour* 26:173-81.

Reddy KS, Prabhakaran D, Chaturvedi V, Jeemon P, Thankappan KR, Ramakrishnan L, Mohan BVM, Pandav CS, Ahmed FU, Joshi PP, Meera R, Amin RB, Ahuja RC, Das MS, & Jaison TM on behalf of the Sentinel Surveillance System for Indian Industrial Populations Study Group Reddy et al. 2006

Methods for establishing a surveillance system for cardiovascular diseases in Indian industrial populations. *Bull World Health Organ.* 84 (6): 61-469.

Redon J 2001.

Hypertension in Obesity. *Nutr Metab Cardiovasc Dis.* 11(5):344-53.

Rehm J, Baliunas D, Borges GLG, Graham K, Irving H and Kehoe T 2010.

The relation between different dimensions of alcohol consumption and burden of disease: an overview. *Addiction.* 105:817–43.

Report on Tobacco Control in India 2004.

Jointly supported by the Ministry of Health & Family Welfare, Government of India, Centres for Disease Control and Prevention, USA & the World Health Organization. Available at: http://ctchp.org/index.php?option=com_content&view=article&id=168:report-on-tobacco-control-in-india&catid=228&Itemid=287 Accessed on 01-02-2010.

Robroek, Lenthe, Empelen and Burdorf. 2009

Determinants of participation in worksite health promotion: a systematic review. *International Journal of Behavioral Nutrition and Physical Activity* 6:26 doi:10.1186/1479-5868-6-26

Roerecke Michael and Rehm Jurgen 2011.

Ischemic heart disease mortality and morbidity rates in former drinkers: a meta-analysis. *Am. J. Epidemiol.* 173 (3): 245-258.

Room R, Jernigan D, Carlini-Cotrim B, Gureje O, Mäkelä K, Marshall M. 2002

Alcohol in developing societies: a public health approach. Helsinki: Finnish Foundation for Alcohol Studies; 2002.

Rosenstock IM. 1990

The health belief model: explaining health behaviour through expectancies. In: *Health behaviour and education. Theory, research, and practice.* San Francisco, Jossey-Bass Publishers, 1990:39–62.

Roth, Fihn, Mokdad, Aekplakorn, Hasegawa and Lim. 2011

Bull World Health Organ 89:92–101.

S P Fortmann, P T Williams, S B Hulley, W L Haskell, and J W Farquhar. 1981

Effect of health education on dietary behaviour: the Stanford Three Community Study. *Am J Clin Nutr* October 34(10): 2030-2038.

Salmeron J, Ascherio A, Rimm EB. 1997

Dietary fibre, glycaemic load, and risk of NIDDM in men. *Diabetes Care*, 20 (4): 545-50.

Salmeron J, Manson JE, Stampfer MJ, Colditz GA, Wing AL, Willett WC. 1997

Dietary fibre, glycaemic load, and risk of non-insulin-dependent diabetes mellitus in women. *JAMA* 277:472-7.

Sankhla M, Sharma T. K. and Mathur K. 2012

Relationship of oxidative stress with obesity and its role in obesity induced metabolic syndrome. *Clinical Laboratory*. 58; 385–392.

Sawant Apurva, Mankeshwar Ranjit, Shah Swarup, Raghvan Rani, Dhondge Gardi, Raje Himanshu, D'Souza Shoba, Subramaniam Aarti, Pandya Dhairyawan, Todur Seema and Ashavid Tester 2011

Prevalence of Metabolic Syndrome in Urban India. Cholesterol. Volume. Article ID 920983, 7 pages <http://dx.doi.org/10.1155/2011/920983>.

Sbarbaro JA and Sbarbaro JB. 1994

Compliance and supervision of chemotherapy of tuberculosis. Seminars in Respiratory Infections 9:120–127.

Shah Viral, Kamdar P and Shah Nishit. 2009

Assessing the Knowledge, Attitudes and Practice of Type 2 Diabetes among Patients of Saurashtra Region, Gujarat. Int J Diabetes Dev Ctries. 29(3): 118–122.

Shaikh Mumtaz, Yakta, Sadia and Kumar Raj. 2012

Hypertension Knowledge, Attitude and Practice in Adult Hypertensive Patients at LUMHS. Journal of Liaquat University of Medical & Health Sciences 11(2); 113-116.

Shetty PS. 2002

Nutrition transition in India. Public Health Nutr 5(1A);175-182. doi:10.1079/PHN2001291 PMID:12027282.

Siani A, Cappuccio FP, Barba G, Trevisan M, Farinaro E, Lacone R, Russo O, Russo P, Mancini M and Strazzullo P. 2002

The relationship of waist circumference to blood pressure: the Olivetti Heart Study. Am J Hypertens. 15(9):780-6.

Silson PW 1990.

High Density lipoprotein, low density lipoprotein and coronary artery disease. Am J Cardiol. 4;66(6):7A-10A.

Sjostrom L, Lindroos AK, Peltonen M, Torgerson J, Bouchard C, Carlsson B, Dahlgren S, Larsson B, Narbro K, Sjostrom CD, Sullivan M, Wedel H; Swedish Obese Subjects Study Scientific Group. 2004

Lifestyle, diabetes, and cardiovascular risk factors 10 years after bariatric surgery. *N Engl J Med.* 351: 2683–2693.

Spilman MA. 1988

Gender Differences in Worksite Health Promotion Activities. *Soc. Sci Med* 26: 525-535.

Stamler J, Wentworth DN and Neaton JD 1989.

Blood Pressure (systolic and diastolic) and risk of fatal coronary heart disease. *Hypertension* 13 (5):12-112.

Stamler J. 1991

Epidemiologic findings on body mass and blood pressure in adults. *Ann Epidemiol.* 1:347–362.

Stamler R, Stamler J, Riedlinger WF, Algera G and Roberts RH. 1978

Weight and blood pressure: findings in hypertension screening of 1 million Americans. *JAMA.* 240: 1607–1610.

Stevens J, Ahn K, Juhaeri, Houston D, Steffan L, Couper D. 2002

Dietary fibre intake and glycaemic index and incidence of diabetes in African-American and white adults: the ARIC study. *Diabetes Care* 25(10):1715-21.

Stuckler D. 2008

Population causes and consequences of leading chronic diseases: a comparative analysis of prevailing explanations. *Milbank Quarterly* 86:273–326.

Suhrcke M., Rocco L., McKee M., Mazzucco S., Urban D. and Steinherr A. 2007

Economic consequences of non communicable diseases and injuries in the Russian Federation. Geneva. World Health Organization, 2007 on behalf of the European Observatory on Health Systems and Policies. ISBN 9 789289 021906 Printed in the United Kingdom by The Cromwell Press, Trowbridge, Wilts.

Tataranni PA 2002.

Pathophysiology of obesity-induced insulin resistance and type 2 diabetes mellitus. *European Review for Medical and Pharmacological Sciences.* 6: 27-32.

Tauras JA. 2004

Public policy and smoking cessation among young adults in the United States. *Health Policy* 68:321-32.

Texas Department of State Health Services 2004

Worksite Wellness Index for Cardiovascular Health - developed by Cardiovascular Health and Wellness Program. Texas Department of State Health Services. Revised September 2004. Available at -<http://www.dshs.state.tx.us/wellness/worksiteresources.shtm> Accessed on 16-07-2008.

Tremblay MS, LeBlanc AG, Kho ME, Saunders TJ, Larouche R, Colley RC, Goldfield G, Connor Gorber S. 2011

Systematic review of sedentary behaviour and health indicators in school-aged children and youth. *Int J Behav Nutr Phys Act.* 21;8:98. doi: 10.1186/1479-5868-8-98.

Tsai S, Wen C, Hu S, Cheng T and Huang S. 2005

Workplace smoking related absenteeism and productivity costs in Taiwan. *Tobacco Control*, 14:i33-37.

U.S. Department of Health and Human Services. 2000

Healthy People 2010: Understanding and improving health and objectives for health, 2nd ed. Washington, DC: U.S. Government Printing Office, 2000. Available at: http://www.cdc.gov/nchs/data/hpdata2010/hp2010_final_review.pdf Accessed on 01-02-2009.

Urquhart J. 1992

Ascertaining how much compliance is enough with outpatient anti-biotic regimens. *Postgraduate Medical Journal*, 68:49-59.

Urquhart J. 1996

Patient non-compliance with drug regimens: measurement, clinical correlates, economic impact. *European Heart Journal*, 17(A):8-15.

- Vaidya Abhinav, Aryal Umesh and Kretekk Alexandra. 2013
Cardiovascular health knowledge, attitude and practice/behaviour in an urbanising community of Nepal: a population-based cross-sectional study from Jhaukhel-Duwakot Health Demographic Surveillance Site. *BMJ Open* 3:e002976 doi:10.1136/bmjopen-2013-002976.
- Van den Heuvel SG, Boshuizen HC, Hildebrandt VH , Blatter BM, Ariëns GA and Bongers PM. 2005
Effect of sporting activity on absenteeism in a working population. *Br J Sports Med* 39:e15.
- Vikram NK, Pandey RM, Misra A, Sharma R, Devi JR, Khanna N. 2003
Non-obese (body mass index < 25 kg/m²) Asian Indians with normal waist circumference have high cardiovascular risk. *Nutrition* 19(6):503-9.
- Vitale. Marazzi, Volterrani, Aloisio, Rosano and Fini 2006.
Metabolic Syndrome. *Minerva Med.* 97(3):219-29.
- Volmink J, Garner P. Interventions for promoting adherence to tuberculosis management. Reprint of a Cochrane review, prepared and maintained by The Cochrane Collaboration and published in The Cochrane Library 2000, Issue 4. Available at: <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD000010/pdf> Accessed on 01-02-2009
- Wagenaar Alexander, Salois Mathew and Komro Kelli 2009
Effects of beverage alcohol price and tax levels on drinking: a meta-analysis of 1003 estimates from 112 studies. *Addiction.* 104(2); 179-190.
- Wakefield MA, Chaloupka FJ, Kaufman NJ, Orleans CT, Barker DC, Ruel EE 2009.
Effect of restrictions on smoking at home, at school, and in public places on teenage smoking: Cross sectional study. *British Medical Journal* 321:333.
- Wang J, Rimm EB, Stampfer MJ, Willett WC and Hu FB, 2005
Comparison of abdominal adiposity and overall obesity in predicting the risk of Type 2 diabetes among men. *J Clin Nutr* 81(3):555-63.

World Health Organization 1988.

International Conference on Health Promotion, Adelaide, South Australia, 5-9 April 1988 (2nd : 1988 : Adelaide, S. Aust.) & World Health Organization & Australia. Dept. of Community Services and Health (1988). Healthy public policy: the Adelaide recommendations. WHO and the Department of Community Services & Health, Adelaide.

World Health Organization, Global Status Report on NCDs 2011.

Available at: http://www.who.int/nmh/publications/ncd_report_full_en.pdf Accessed on 03-02-2012.

World Health Organization, Country Profile Publications and Documents on Substance Abuse 2011.

Available at:
http://www.who.int/substance_abuse/publications/global_alcohol_report/profiles/en/index.html#I Accessed on 02-01-2013.

World Health Organization, Expert Meeting on Population Sodium Reduction Strategies 2012

Available at:
http://www.searo.who.int/entity/noncommunicable_diseases/documents/salt_meeting_report_2012.pdf Accessed on 20-01-2013.

World Health Organization, Factsheet on Cancer 2013.

Available at: <http://www.who.int/topics/cancer/en/index.html> Accessed on 02-01-2013

World Health Organization, Factsheet on Cardiovascular Disease 2013.

Available at: <http://www.who.int/mediacentre/factsheets/fs317/en/index.html> Accessed on 03-01-2013.

World Health Organization, Factsheet on Chronic Disease 2013.

Available at: http://www.who.int/topics/chronic_diseases/en/ Accessed on 02-01-2013

World Health Organization, Factsheet on Overweight & Obesity 2013

Available at: <http://www.who.int/mediacentre/factsheets/fs311/en/index.html> Accessed on 01-12-2013.

World Health Organization, Factsheet on Tobacco 2013.

Available at: <http://www.who.int/mediacentre/factsheets/fs339/en/index.html> Accessed on 01-10-2013.

World Health Organization, Global Atlas on Cardiovascular Disease Prevention and Control 2011.

Available at: <http://www.world-heart-federation.org/publications/books/global-atlas-on-cvd-prevention-and-control/> Accessed on 02-01-2013.

World Health Organization, Global Burden of Disease update 2004.

Available at: http://www.who.int/healthinfo/global_burden_disease/GBD_report_2004update_full.pdf Accessed on 05-01-2013.

World Health Organization, Global Health Observatory on Non Communicable Diseases 2013.

Available at: <http://www.who.int/gho/ncd/en/index.html> Accessed on 01-10-2013.

World Health Organization, Global Health Observatory on Premature NCD Deaths 2013.

Available at: http://www.who.int/gho/ncd/mortality_morbidity/ncd_premature/en/index.html Accessed on 02-10-2013.

World Health Organization, Global Health Observatory on Prevalence of Insufficient Physical Activity 2013.

Available at: http://www.who.int/gho/ncd/risk_factors/physical_activity_text/en/index.html Accessed on 01-10-2013.

World Health Organization, Global Strategy on Diet Physical Activity and Health 2004. Available at: <http://www.who.int/nmh/Actionplan-PC-NCD-2008.pdf> Accessed on 02-01-2012 .

World Health Organization, Global Strategy on Diet, Physical Activity and Health 2013.

Available at: <http://www.who.int/dietphysicalactivity/pa/en/index.html> Accessed on 01-12-2013.

World Health Organization, Guidelines: Sodium Intake for Adults and Children 2012. Available at: http://apps.who.int/iris/bitstream/10665/77985/1/9789241504836_eng.pdf Accessed on 02-01-2013.

World Health Organization, International Agency for Research on Cancer 2010.

International Agency for Research on Cancer. Available at: <http://www.iarc.fr/en/media-centre/iarcnews/2010/globocan2008.php> Accessed on 04-02-2013.

World Health Organization, Review of Best Practice in Interventions to Promote Physical Activity in Developing Countries 2005

Background Document prepared for the WHO Workshop on Physical Activity and Public Health. 24–27 October 2005 Beijing, People's Republic of China Available at: <http://www.who.int/dietphysicalactivity/bestpracticePA2008.pdf> Accessed on 03-12-2008.

World Health Organization, World Health Report 2000.

Health Systems: Improving Performance. Available at: http://www.who.int/whr/2000/en/whr00_en.pdf Accessed on 02-01-2009/

World Health Organization/Food & Agriculture Organization - Expert consultation on Diet, Nutrition and Prevention of Chronic Diseases 2003.

WHO Technical Report Series 916. Report of a Joint WHO/FAO Expert Consultation, Geneva, 28 January – 1 February 2002. Available at - http://whqlibdoc.who.int/trs/who_trs_916.pdf Accessed on 02-04-2009.

Willett WC, Dietz WH and Colditz GA. 1999

Guidelines for healthy weight. N Engl J Med 341(6):427-34.

World Diabetes Foundation 2009

A Report from the Diabetes Summit for South-East Asia, Chennai, India. November 28th-30th, 2008. Pract Diab Int Supplement 2009. Available at - <http://www.worlddiabetesfoundation.org/media%287196,1033%29/Report.Summit.India.pdf> Accessed on 21-05-2012.

World Health Organization, NCD Country Profiles, 2011

Available at - http://www.who.int/nmh/countries/ind_en.pdf Accessed on 21-05-2012.

World Health Organization 1986

World Health Organization & Canadian Public Health Association, Health and Welfare Canada 1986. Ottawa Charter for Health Promotion, adopted at First International Conference on Health Promotion on November 17-21, 1986, Ontario, Canada.

World Health Organization 1979

Resolution WHA32.40. Development of the WHO programme on alcohol-related problems. In: Thirty-ninth World Health Assembly, Geneva, 25 May 1979. Geneva

World Health Organization 1983

Resolution WHA36.12. Alcohol consumption and alcohol-related problems: development of national policies and programmes. In: Thirty sixth World Health Assembly, Geneva, 13 May 1983. Geneva.

World Health Organization 1997

Jakarta Declaration on Leading Health Promotion into the 21st Century. The Fourth International Conference on Health Promotion: New Players for a New Era - Leading Health Promotion into the 21st Century held at Jakarta from 21-25 July 1997.

World Health Organization 1997

Obesity: preventing and managing the global epidemic. Report of a WHO consultation presented at: the World Health Organization; June 3-5, 1997; Geneva, Switzerland. Publication WHO/NUT/NCD/98.1.

World Health Organization 2000.

The Fifth Global Conference on Health Promotion Health Promotion: Bridging the Equity Gap 5-9th June 2000, Mexico City.

World Health Organization 2005.

Bangkok Charter for Health Promotion in a Globalized World 11 August 2005.

World Health Organization 2010.

Report of the 2010 Global Survey. Assessing National Capacity for the Prevention and Control of NCDs. Available at:

http://www.who.int/cancer/publications/national_capacity_prevention_ncds.pdf Accessed on 01-02-2013.

World Health Organization 2013.

WHO Report on the Global Tobacco Epidemic, 2013. Enforcing Bans on Tobacco Advertising, Promotion and Sponsorship. Available at:

http://apps.who.int/iris/bitstream/10665/85380/1/9789241505871_eng.pdf Accessed on 01-12-2013

World Health Organization Factsheet on Right to Health 2013.

Available at: <http://www.who.int/mediacentre/factsheets/fs323/en/> Accessed on 02-10-2013.

World Health Organization Factsheet on Workplace Health Promotion 2013.

Available at: http://www.who.int/occupational_health/topics/workplace/en/index1.html

Accessed on 02-01-2013.

World Health Organization Framework Convention on Tobacco Control 2003.

Available at: http://www.who.int/fctc/text_download/en/ Accessed on 01-02-2010.

World Health Organization, Global Plan of Action on Worker's Health (2008-2071) 2013 WHO Global Plan of Action on Worker's Health (2008-2071): Baseline for Implementation. Available at: http://www.who.int/occupational_health/who_workers_health_web.pdf Accessed on 02-01-2010.

World Health Organization, Global Burden of Diseases, Health Statistics & Health Information Systems 2013. Available at:

http://www.who.int/healthinfo/global_burden_disease/estimates_country/en/index.html

Accessed on 02-10-2013.

World Health Organization, Global Plan of Action 2007

Sixtieth World Health Assembly. Worker's health: global plan of action 2007. Available at - http://www.who.int/occupational_health/WHO_health_assembly_en_web.pdf

Accessed on 21-05-2012.

World Health Organization. 10 facts on non communicable diseases, 2012.

Available

at:

http://www.who.int/features/factfiles/noncommunicable_diseases/facts/en/index.html

Accessed on 21-05-2012.

World Health Organization. Fact sheet on Chronic Diseases, 2012.

Available at - http://www.who.int/topics/chronic_diseases/en/ Accessed on 21-05-2012.

World Health Organization. WHO STEPS instrument (Core and Expanded).

The WHO STEPwise approach to chronic disease risk factor surveillance (STEPS).

Last Updated: 14 November 2008 Available at -

<http://www.who.int/chp/steps/instrument/en/index.html> Accessed on 16-07-2008.

Xu K. 2003

Household catastrophic health expenditure: a multi-country analysis. The Lancet, 362:111–117.

Yusuf s, Hawken S, Ounoun S, Bautista L, Franzosi MG, Comerford P, Lang CC, Rumboltd Z, Onen CL, Lisheng L, Tanomsup S, Wangai P, Sharma AM and Anand SS. INTERHEART study investigators 2005

Obesity and the risk of myocardial infarction in 27,000 participants from 52 countries: a case control study. Lancet 366: 1640-1649.

Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, McQueen M, Budaj A, Pais P, Varigos J and Lisheng L. 2004

Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. Lancet. 364(9438):937-952.