

## CHAPTER 8

### BIBLIOGRAPHY

1. Aarts, T. (1998). The dietary supplements industry: A Market Analysis. Dietary Supplements conference. *Nutritional Business International*. 1, 45-5.
2. Abbot, N.C., and Ernst, E. (1997). Patients' opinions about complimentary medicine. *Forschende Komplementarmedizin*. 4, 164-168.
3. Abdullah, A.H., Mohammed, A.S., Abdullah, R., Mirghani, M.E.S., and Al-Qubaisi, M. (2014). Cytotoxic effects of *Mangifera indica* L. kernel extract on human breast cancer (MCF-7 and MDA-MB-231 cell lines) and bioactive constituents in the crude extract. *BMC Complementary and Alternative Medicine*. 14(199), 1-10.
4. Aberoumand, A. (2009). Nutritional evaluation of edible *Portulaca oleracea* as plant food. *Food Analytical Methods*. 2(3), 204-207.
5. Aberoumand, A., and Deokule, S. (2009). Studies on nutritional values of some wild edible plants from Iran and India. *Pakistan Journal of Nutrition*. 8(1), 26-31.
6. Addis, G., Urga K., and Dikasso, D. (2005). Ethnobotanical study of edible wild plants in some selected districts of Ethiopia. *Human Ecology*. 33(1), 83-118.
7. Adera, T.D. (2013). Beliefs and traditional treatment of malaria in Kische settlement area, southwest Ethiopia. *Ethiopian Medical Journal*. 41, 25-34.
8. Afolayan, A., and Jimoh, F. (2009). Nutritional quality of some wild leafy vegetables in South Africa. *International Journal of Food Science and Nutrition*. 60(5), 424-431.

9. Agarwal, A. (2005). Current issues in quality control of natural products. *Pharma Times*. 37(6), 9-11.
10. Ahmed, Z.U., Bithi, S.S., Khan, M.R., Hossain, M., Sharmin, S., and Rony, S.R. (2014). Phytochemical screening, antioxidant and cytotoxic activity of fruit extracts of *Calamus tenuis* Roxb. *Journal of Coastal Life Medicine*. 2(8), 645-650.
11. Ajayi, I.A., Ajibade, O., and Oderinde, R.A. (2011) Preliminary Phytochemical Analysis of some Plant Seeds. *Research Journal of Chemical Sciences*. 1(3), 58-62.
12. Alencar, N.L., Junior, W.S.F., and Albuquerque, U.P. (2014). Medicinal Plant Knowledge Richness and Sharing in Northeastern Brazil. *Economic Botany*. 68(4), 371-382.
13. Ali, I., Wani, W.A., and Saleem, K. (2011). Cancer Scenario in India with Future Perspectives. *Cancer Therapy*. 8(8), 56-70.
14. Ali, M.A., Farah, M.A., Al-Hemaid, F.M. and Abou-Tarboush, F.M. (2014). *In vitro* cytotoxicity screening of wild plant extracts from Saudi Arabia on human breast adenocarcinoma cells. *Genetics and Molecular Research*, 13(2), 3981-3990.
15. Ali-Shtayeh, M.S., Jamous, R.M., Al-Shafie, J.H., Elgharabah, W.A., Kherfan, F.A., Qarariah, K.H., ... and Nasrallah, H.A. (2008). Traditional knowledge of wild edible plants used in Palestine (Northern West Bank): a comparative study. *Journal of Ethnobiology and Ethnomedicine*. 4, 1-13.
16. Alkofahi, A., Batshoun, R., Owais, W. and Najib, N. (1997). Biological activity of some Jordanian medicinal plant extracts. Part 11. *Fitoterapia*. 68(2), 163-168.

17. Andriamparany, J.N., Brinkmann, K., Jeannoda, V. and Buerkert, A. (2014). Effects of socio-economic household characteristics on traditional knowledge and usage of wild yams and medicinal plants in the Mahafaly region of south-western Madagascar. *Journal of Ethnobiology and Ethnomedicine*. 10(82), 1-20.
18. Anuradha, U., Kumbhojkar, M.S., and Vartak, V.D. (1986). Observations on wild plants used in folk medicine in the rural areas of the Kolhapur district. *Ancient Science of Life*. 6, 119-121.
19. Arias-Toledo, B., Colantonio, S.E., and Galetto, L. (2007). Knowledge and use of food and medicinal plants in two populations from the Chaco, Cordoba province, Argentina. *Journal of Ethnobiology*. 27, 218-232.
20. Asfaw, Z. and M. Tadesse. (2001). Prospects for sustainable use and development of wild food plants in Ethiopia. *Economic Botany*. 55(1), 47–62.
21. Asfaw, Z. (2009). The future of wild food plants in southern Ethiopia: Ecosystem conservation coupled with enhancement of the roles of key social groups. *Acta Horticulturae*. 806, 701-707.
22. Ashidi, J.S., Houghton, P.J., Hylands, P.J., and Efferth, T. (2010). Ethnobotanical survey and cytotoxicity testing of plants of South-western Nigeria used to treat cancer, with isolation of cytotoxic constituents from *Cajanus cajan* Millsp. leaves. *Journal of Ethnopharmacology*. 128(2), 501-512.
23. Auricchio, S., De-Ritis, G., De-Vincenzi, M., and Silano, V. (1985). Toxicity mechanisms of wheat and other cereals in celiac disease and related enteropathies. *Journal of Pediatric Gastroenterology and Nutrition*. 4, 923-930.
24. Ayantunde, A., Briejer, M., Hiernaux, P., Udo, H., and Tabo, R. (2008). Botanical knowledge and its Differentiation by age, gender and Ethnicity in Southwestern Niger. *Journal of Human Ecology*. 36, 881-889.

25. Bahuchet, S., Garine, I.D., and McKey, D. (1991). Wild yams revisited: is independence from agriculture possible for rain forest hunter-gatherers? *Journal of Human Ecology*. 19, 213-43.
26. Banana, A.Y., and Turiho-Habwe, W. (1997). A socio-economic analysis of forest foods consumption: the local community use of forests of Hoima and Masindi districts, western Uganda. *African Crop Science Journal*. 3, 1435-1442.
27. Bardhan, P., and Dayton-Johnson, J. (2000) *Heterogeneity and Commons Management*. Bloomington, Indiana: *Proceedings of the 8th International Conference on Common Property*. IASCO.
28. Barua, U., Hore, D.K., and Sarma, R. (2007). Wild edible plants of Majuli island and Darrang districts of Assam. *Indian Journal of Traditional Knowledge*. 6(1), 191-194.
29. Batal, M. and Hunter, E. (2007) Traditional Lebanese recipes based on wild plants. *Food Nutrition Bulletin*. 28(Suppl.), S303-S311.
30. Becker, B. (1983). The contribution of wild plants to human nutrition in the Ferlo (North Senegal). *Agroforestry Systems*. 1, 257-267.
31. Belcher, B., Ruiz-Perez, M. and Achidiawan, R. (2005). Global patterns and trends in the use and management of commercial NTFPs. *World Development*. 33, 1435-1452.
32. Bell, J. (1995, October). The hidden harvest. *Seedling, The Quarterly Newsletter of Genetic Resources International (GRAIN)*. Retrieved from the GRAIN website:  
<https://www.grain.org/entries?utf8=%E2%9C%93&q=The+hidden+harvest.+Seedling>.

33. Beltran-Rodriguez, L., Ortiz-Sanchez, A., Mariano, N.A., Maldonado-Almanza, B., and Reyes-Garcia, V. (2014). Factors affecting ethnobotanical knowledge in a mestizo community of the Sierra de Huautla Biosphere Reserve Mexico. *Journal of Ethnobiology and Ethnomedicine*. 10, 14.
34. Beluhan, S. and Ranogajec, A. (2010). Chemical composition and non-volatile components of Croatian wild edible mushrooms. *Food Chemistry*. 124, 1076-1082.
35. Bharucha, Z. and Pretty, J. (2010). The roles and values of wild foods in agricultural systems. *Philosophical Transactions of the Royal Society B*. 365, 2913-2926.
36. Bhuyan, A. (2015). Ethnomedicinal plants used by the Sonowal Kacharis of Dibrugarh District, Assam, India. *International Journal of Applied Research*. 1(9), 87-90.
37. Boa, E. (2004). *Wild edible fungi: a global overview of their use and importance to people*. Non-Wood Forest Products, No. 17, FAO, Forestry Department, Rome, Italy. Retrieved from the FAO Corporate Document Repository website: <http://www.fao.org/docrep/007/y5489e/y5489e00.htm>.
38. Boonsermsuk, S., Pattanavibool, R., and Sombun, K. (2007). *Rattan in Thailand; Promotion of Sustainable Utilization of Rattan from Plantations*. Aksorniam Printing Bangkok. 65.
39. Borah, S., Das, A.K., Saikia, D., and Borah J. (2009). A Note on the Use of Ethnomedicine in Treatment of Diabetes by Mishing Communities. *Ethnobotanical Leaflets*. 13, 984-88.
40. Borah, S., Kakoti, B.B., Mahato, K., and Kumar, M. (2013). Investigation of *in-vitro* Anthelmintic Activity of *Calamus leptospadix* Griff. shoot in Indian Adult

- Earthworm (*Pheretima posthuma*). *Journal of Applied Pharmaceutical Science*. 3(6), 156-159.
41. Bortolotto, I.M., Amorozo, M.C.M., Neto, G.G., Oldeland, J., and Damasceno-Junior, G.A. (2015). Knowledge and use of wild edible plants in rural communities along Paraguay River, Pantanal, Brazil. *Journal of Ethnobiology and Ethnomedicine*. 11(46), 1-14.
42. Brito, A.R.M.S., and Nunes, D.S. (1997). Ethnopharmacology and the sustainable development of new plant-derived drugs. *Cienciae Cultura. Journal of the Brazilian Association for the Advancement of Science*. 49 (5/6), 402–408.
43. Byron, E. (2003). *Market integration and health: morbidity, diet and nutritional status in the Tsimane' Ameridians of Lowland Bolivia*. PhD thesis, University of Florida, Gainesville.
44. Campbell, R. (2009). *The economic potential of rattan shoot production as a food crop in Lao PDR*. Technical Report. Vientiane, Laos: WWF.
45. Chabner, B.A., and Howitz, T.L. (1990). Plant Alkaloids In: Pinedo H.M., Chabner B.A., Longo D.L. Eds: *Cancer Chemotherapy Biology Responses*. 66, 627-637.
46. Chang, C.L., Zhang, L.J., Chen, R.Y., Wua, C.C., Huang, H.C., Roy, M.C., ... and Kuo, Y.H. (2010). Quiquelignan A–H, eight new lignoids from the rattan palm *Calamus quiquesetinervius* and their antiradical, anti-inflammatory and antiplatelet aggregation activities. *Bioorganic & Medicinal Chemistry*. 18, 518-525.
47. Chatterjee, I. Chakravarty, A.K. and Gomesa, A. (2006). *Daboia russellii* and *Naja kaouthia* venom neutralization by lupeol acetate isolated from the root

- extract of Indian sarsaparilla *Hemidesmus indicus* R.Br. *Journal of Ethnopharmacology*. 106(1), 38-43.
48. Chopra, R.N., Nayar, S.L. and Chopra, I.C. (1956). In Glossary of Indian medicinal plants. *Council of Scientific and Industrial Research, New Delhi*.1, 197.
49. Chou, F.P., Chu, Y.C., Hsu, J.D., Chiang, H.C., and Wang, C.J. (2000). Specific induction of glutathione S-transferase GSTM2 subunit expression by epigallocatechin gallate in rat liver. *Biochemical Pharmacology*. 60, 643-650.
50. Ciba Foundation Symposium 185. (1994). *Ethnobotany and the Search for New Drugs*. Chichester, John Wiley and Sons.
51. Costa, M. (1979). Levels of ornithine decarboxylase activation used as a simple marker of metal induced growth arrest in tissue culture. *Life Sciences*. 24, 705-714.
52. Cox, P.A. and Balick, M.J. (1994). The ethnobotanical approach to drug discovery. *Scientific American*. 270(6), 82-87.
53. Deb, D., Sarkar, A., Barma, B.D., Datta, B.K., and Majumdar, K. (2013). Wild Edible Plants and their Utilization in Traditional Recipes of Tripura, Northeast India. *Advances in Biological Research*. 7(5), 203-211.
54. De-Caluwe, E., Halamova, K., and Van-Damme, P. (2010a). *Adansonia digitata* L. – A review of traditional uses, phytochemistry and pharmacology. *Afrika Focus*. 23(1), 11-51.
55. De-Caluwe, E., Halamova, K., and Van-Damme, P. (2010b). *Tamarindus indica* L. – A review of traditional uses, phytochemistry and pharmacology. *Afrika Focus*. 23(1), 53-83.

56. Dembele, U., Lykke, A.M., Kone, Y., Teme, B., and Kouyate, A.M. (2015). Use-value and importance of socio-cultural knowledge on *Carapa procera* trees in the Sudanian zone in Mali. *Journal of Ethnobiology and Ethnomedicine*. 11(14), 1-10.
57. De-Smet, P.A.G.M. (1995). Should herbal medicine-like products be licensed as medicines? *British Medical Journal*. 310, 1023–1024.
58. Dhar, M.L., Dhar, M.M., Dhawan, B.N., Mehrotra, B.N. and Ray, C. (1973). Screening of Indian plants for biological activity. *Indian Journal of Experimental Biology*. 7, 232-247.
59. Dibrugarh district census. (2001). Dibrugarh district at a glance. Retrieved from the Dibrugarh District website: <http://dibrugarh.gov.in/at%20a%20glance.html>.
60. Dibrugarh district. (2015, 25<sup>th</sup> December). Dibrugarh district. Retrieved from the Dibrugarh District, Assam website: <http://dibrugarh.gov.in/>.
61. Dransfield, J., and Manokaran, N. (1994). *Plant Resources of South-East Asia no 6; Rattans*. Prosea Foundation, Bogor, Indonesia.137.
62. Dransfield, J., Tesoro, F.O., and Manokaran, N. (2002). *Rattan: Current research issues and prospects for conservation and sustainable development*. Rome. Food and Agriculture Organization of the United Nations.
63. Dubey, N.K., Kumar, R., and Tripathi, P. (2004). Global promotion of herbal medicine: India's opportunity. *Current Science*. 86(1), 37-41.
64. Durst, P.B., Ulrich, W., and Kashio, M. (1994). *Non-wood forest products in Asia*. Bangkok. Rapa Publication.
65. Ekpenyong, C.E., Akpan, E.E., and Daniel, N.E. (2014). Phytochemical Constituents, Therapeutic Applications and Toxicological Profile of

- Cymbopogon citratus* Stapf (DC) Leaf Extract. *Journal of Pharmacognosy and Phytochemistry*. 3(1), 133-141.
66. Erikson, M., Fang, J., and Dekens, J. (2008). How does climate change affect human health in the Hindu Kush-Himalaya region? *Regional Health Forum*. 12, 11–15.
67. Evans, A.M. (2000). Influence of dietary components on the gastrointestinal metabolism and transport of drugs. *Therapeutic Drug Monitoring*. 22, 131-136.
68. Fabricant, D.S. and Farnsworth, N.R. (2001). The value of plants used in traditional medicine for drug discovery. *Environmental Health Perspectives*. 109, 69-75.
69. Farnsworth, N.R., and Bingel, A.S. (1977). Problems and prospects of discovery new drugs from higher plants by pharmacological screening. *Springer Verlag, Berlin*.1-22.
70. Farnsworth, N.R., and Soejarto, D.D. (1985). Potential consequence of plant extinction in the United State on the current and future availability of prescription drugs. *Economic Botany*. 39, 231-240.
71. Farnsworth, N.R., Blowster, R.N., Darmratoski, D., Meer, W.A., and Cammarato, L.V. (1967). Studies on *Catharanthus* alkaloids IV Evaluation by means of TLC and ceric ammonium sulphate spray reagent. *Lloydia*. 27, 302-314.
72. Fatope, M.O., Audu, O.T., Takeda, Y., Zeng, L., Shi, G., Shimada, H., and McLaughlin, J.L. (1996). Bioactive ent-kaurene diterpenoids from *Annona senegalensis*. *Journal of Natural Products*. 59(3), 301-303.

73. Ferlay, J., Soerjomataram, I., Dikshit, R., Eser, S., Mathers, C., Rebelo, M., ... and Bray, F. (2015). Cancer incidence and mortality worldwide: Sources, methods and major patterns in GLOBOCAN 2012. *International Journal of Cancer*. 136, E359–E386.
74. Ferlay, J., Soerjomataram, I., Ervik, M., Dikshit, R., Eser, S., Mathers, C., ... and Bray, F. (2013). *GLOBOCAN 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC Cancer Base No. 11*. Retrieved from the Lyon, France: International Agency for Research on Cancer website: <http://globocan.iarc.fr/Default.aspx>
75. Fluck, H. (1973). *Medicinal plants and their uses*. W. Feulshom and comp. Ltd, New York, 7-15.
76. Foster, D.F., Phillips, R.S., Hamel, M.B., and Eisenberg, D.M. (2000). Alternative medicine use in older Americans. *Journal of the American Geriatrics Society*. 48, 1560-1565.
77. Freiburger, C., Vanderjagt, D., Pastuszyn, A., Glew, R.S, Mounkaila, G., Millson, M., and Glew, R.H. (1998). Nutrient content of the edible leaves of seven wild plants from Niger. *Plant Foods for Human Nutrition*. 53, 57-69.
78. Galvez, M., Martin-Cordero, C., Lopez-Lazaro, M., Cortes, F., and Ayuso, M.J. (2003). Cytotoxic effect of *Plantago* spp. on cancer cell lines. *Journal of Ethnopharmacology*. 88, 125-130.
79. Gemedo-Dalle, T., Maass, B.L., Isselstein, J. (2005). Plant biodiversity and ethnobotany of Borana pastoralists in Southern Oromia, Ethiopia. *Economic Botany*. 59(1), 43-65
80. Geography of Dibrugarh district. (2015, December). Retrieved from the Geography website: <http://dibrugarh.nic.in/geography.html>.

81. Ghani, A. (2005). *Practical Phytochemistry*. Dhaka: Parash Publishers.
82. Glew, R., Kramer, J., Hernandez, M., Pastuszyn, A., Ernst, J., Djmodi, N., and Vanderjagt, D. (2010). The amino acid, mineral and fatty acid content of three species of human plant foods in Cameroon. *Food*. 4(1), 1-6.
83. Glew, S., Vanderjagt, D., Chuang, L., Huang, Y., Millson, M., and Glew, R. (2005). Nutrient content of four edible wild plants from West Africa. *Plant Foods for Human Nutrition*. 60(4), 187-193.
84. Gopinath, P., Sundara, V.D., Kamatchiammal, S., and Saroja, V. (2013). Anti-Cancerous Activity of *Albizia Amara* (Roxb.) Boivin using Human Breast Cancer Cells (MCF-7) by *In Vitro* Methods. *International Journal of Pharma Research & Review*. 2(8), 23-32.
85. Govaerts, R. (2001). How many species of seed plants are there? *Taxon*. 50, 1085-1090.
86. Gowooni, P., Lee, E., Min, H.Y., Choi, H.Y., Han, A., Lee, S. and Seo, E.Y. (2002). Evaluation of cytotoxic potential of Indonesian medicinal plants in cultured human cancer cells. *Natural Product Sciences*. 8(4), 165-169.
87. Gracia, F.Y., Mulabagal, V., Diyabalanage, T., Hurtada, W.A., DeWitt, W.L., and Nair, M.G. (2008). Non-nutritive functional agents in rattan-shoots, a food consumed by native people in the Philippines. *Food Chemistry*. 110, 991-996.
88. Graidist, P., Martla, M., and Sukpondma, Y. (2015). Cytotoxic Activity of *Piper cubeba* Extract in Breast Cancer Cell Lines. *Nutrients*. 7, 2707-2718.
89. Greenwald, P. (2002). Science, medicine, and the future of cancer chemoprevention. *British Medical Journal*. 324, 714-718.

90. Grivetti, L. and Ogle, B. (2000). Value of traditional foods in meeting macro and micronutrient needs: the wild plant connection. *Nutrition Research Reviews*. 13, 31-46.
91. Guess, W.L., Rosenbluth, S.A., Schmidt, B., and Autian, J. (1965). Agar diffusion method for toxicity screening of plastics on cultured cell monolayers. *Journal of Pharmaceutical Sciences*. 54, 1545-1547.
92. Guijt, I., Hinchcliffe, F. and Melnek, M. (1995). *The Hidden Harvest: The value of wild resources in agricultural systems - A summary*. International Institute of Environment and Development, London, U.K.
93. Guill-Guerrero, J. and Rodriguez-Garcia, I. (1999). Lipids classes, fatty acids and carotenes of the leaves of six edible wild plants. *European Food Research and Technology*. 209, 313-316.
94. Gunatilake, H. (1998). The role of rural development in protecting tropical rainforests: evidence from Sri Lanka. *Journal of Environmental Management*. 53, 273-292.
95. Guy-Alain, A., and Francois, M. (2003). How Ivory Coast's Malinke ethnic group select most beneficial wild fruits. *Agroforestry Today*. 13(1-2), 2-6.
96. Hamburger, M., and Hostettmann, K. (1991). Bioactivity in plants: the link between phytochemistry and medicine. *Phytochemistry*. 30(12), 3864-3874.
97. Harborne, J.B. (1973). *Phytochemical methods*. In: A guide to modern techniques of plant analysis. J.B. Harborne (ed.), Chapman and Hall, London. 279.
98. Harsha, V.H., Hebbar, S.S., Hedge, G.R., and Shripathi, V. (2002). Ethnomedical knowledge of plants used by Kunabi tribe of Karnataka in India. *Fitoterapia*. 73, 281-287.

99. Haslam, E. (1996). Natural polyphenols (vegetable tannins) as drugs: possible modes of action. *Journal of Natural Products*. 59, 205-215.
100. Hecht, S.S., Carmella, S.G., Kenney, P.M., Low, S.H., Arakawa, K. and Yu, M.C. (2004). Effects of cruciferous vegetable consumption on urinary metabolites of the tobacco-specific lung carcinogen 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone in Singapore Chinese. *Cancer Epidemiology, Biomarkers and Prevention*. 13, 997-1004.
101. Hecht, S.S., Chung, F.L., Richie, J.P., Akerkar, S.A., Borukhova, A., Skowronski, L., and Carmella, S.G. (1995). Effects of watercress consumption on metabolism of a tobacco-specific lung carcinogen in smokers. *Cancer Epidemiology, Biomarkers and Prevention*. 4, 877-884.
102. Hecht, S.S., Trushin, N., Rigotty, J., Carmella, S.G., Borukhova, A., Akerkar, S., and Rivenson, A. (1996) Complete inhibition of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone-induced rat lung tumorigenesis and favorable modification of biomarkers by phenethyl isothiocyanate. *Cancer Epidemiology, Biomarkers and Prevention*. 5, 645-652.
103. Henderson, A. (2009). *Palms of Southern Asia*. Princeton field guide, U.S.A: Princeton University Press. 88.
104. Hertog, M.G., Hollman, P.C.H., and Katan, M.B. (1993). Intake of potentially anticarcinogenic flavonoids and their determinants in adults in the Netherlands. *Nutrition and Cancer*. 20, 21-29.
105. History of food plants. (2015, December). Retrieved from the History of food plants and discussion website: <http://www.faculty.ucr.edu/~legneref/botany/foodhist.htm>.

- 
106. Hladik, C.M., and Hladik, A. (1990). *Food resources of the rain forest*. In: Hladik CM, Bahuchet S, Garine ID, editors. Food and Nutrition in the African Rain Forest. Paris: UNESCO. 14-18.
107. Ho, W.Y., Yeap, S.K., Ho, C.L., Raha, A.R., Suraini, A.A., and Alitheen, N.B. (2011). *Elephantopus scaber* induces cytotoxicity in MCF-7 human breast cancer cells via p53-induced apoptosis. *Journal of Medicinal Plants Research*. 5(24), 5741-5749.
108. Holden, H.T., Lichter, W., and Siegel, M.M. (1973). *Quantitative methods for measuring cell growth and death*. In: Kruse, P. Jr., and Patterson, M.K. Jr. (Eds), *Tissue Culture: Methods and Applications*, Academic Press, New York. 408-411.
109. Hoshyar, R., Bathaie, S.Z., and Sadeghizadeh, M. (2013). Crocin triggers the apoptosis through increasing the Bax/Bcl-2 ratio and caspase activation in human gastric adenocarcinoma, AGS, cells. *DNA Cell Biology*. 32, 50-57.
110. Hossain, M.S. (2013). Analgesic and Neuropharmacological activity of methanolic extract of *Calamus tenuis* Roxb. Fruits. *Journal of Scientific and Innovative Research*. 2(6), 1067-1072.
111. Hour, S.S., Ahmed, E.M., and Carter, R.D. (1980). Concentration of watermelon juice. *Journal of Food Science*. 45(3), 718-719.
112. Hu, Z., Yang, X., Ho, P.C., Chan, S.Y., Heng, P.W., Chan, E., ... and Zhou, S. (2005). Herb-drug interactions: a literature review. *Drugs*. 65, 1239-1282.
113. Huxtable, R.J. (1990). The harmful potential of herbal and other plant products. *Drug Safety*. 5, 126-136.
114. Inamdar, N., Edalat, S., Kotwal, V.B., and Pawar, S. (2008). Herbal drugs in milieu of modern drugs. *International Journal of Green Pharmacy*. 2(1), 2-8.
-

115. Ioannides, C. (2002). Pharmacokinetic interactions between herbal remedies and medicinal drugs. *Xenobiotica*. 32, 451-478.
116. Itoh, K., Chiba, T., Takahashi, S., Ishii, T., Igarashi, K., Katoh, Y., ... and Nabeshima, Y. (1997). An Nrf2/small Maf heterodimer mediates the induction of phase II detoxifying enzyme genes through antioxidant response elements. *Biochemical and Biophysical Research Communications*. 236, 313-322.
117. Izzo, A.A., and Ernst, E. (2009). Interactions between herbal medicines and prescribed drugs: an updated systematic review. *Drugs*. 69, 1777-1798.
118. Jadeja, R.N., Thounaojam, M.C., Singh, T.B., Devkar, R.V., and Ramachandran, A.V. (2012). Traditional uses, phytochemistry and pharmacology of *Clerodendron glandulosum* Coleb - a review. *Asian Pacific Journal of Tropical Medicine*. 5, 1-6.
119. Jaenicke, H. and Hoschle-Zeledon, I. (2006). *Strategic framework for underutilized plant species research and development*. Rome, Italy: ICUC, Colombo and Global Facilitation Unit for Underutilized Species.
120. Jain, M., Kapadia, R., Jadeja, R.N., Thounaojam, M.C., Devkar, R.V., and Mishra, S.H. (2012). Hepatoprotective potential of *Tecomella undulata* stem bark is partially due to the presence of betulinic acid. *Journal of Ethnopharmacology*. 143, 194-200.
121. Jannathul, F.M., and Lalitha, P. (2015). Apoptotic efficacy of biogenic silver nanoparticles on human breast cancer MCF-7 cell lines. *Progress in Biomaterials*. 4, 113-121.

122. Jayakumar, S., Haridass, S., and Krishnamurthy, V. (2012). Anticancer activity of *Punica granatum* rind extracts against human lung cancer cell line. *Asian Journal of Pharmaceutical and Clinical Research*. 5(Suppl 2), 204-210.
123. Jemal, A., Bray, F., Melissa, M., Ferlay, J., Ward, E., and Forman, D. (2011). Global Cancer Statistics. *CA: A Cancer Journal for Clinicians*. 61, 69-90.
124. John, D. (1984). One hundred useful raw drugs of the Kani tribes of Trivandrum forest division, Kerala. *International Journal of Crude Drug Research*. 22, 17-39.
125. Johns, T. and Maundu, P. (2006). Forest biodiversity, nutrition and population health in market-oriented food systems. *Unasylva*. 224, 34-40.
126. Johns, T. (2006). *Agrobiodiversity, diet and human health*. In D.I. Jarvis, C. Padoch and D. Cooper, eds. *Managing biodiversity in agricultural ecosystems*. New York, USA, Columbia University Press.
127. Johns, T., Mohoro, E.B. and Sanaya, P. (1996). Food plants and masticants of the Batemi of Ngorongoro District, Tanzania. *Economic Botany*. 50, 115-121.
128. Johnson, I., Williamson, G. and Musk, S. (1994). Anticarcinogenic factors in plant foods: a new class of nutrients? *Nutrition Research Reviews*. 7, 175-204.
129. Johnson, I.T. (2007). Phytochemicals and cancer. *Proceedings of the Nutrition Society*. 66, 207-215.
130. Kaido, T.L., Veale, D.J.H., Havlik, I., and Rama, D.B.K. (1997). Preliminary screening of plants used in South Africa as traditional herbal remedies during pregnancy and labour. *Journal of Ethnopharmacology*. 55, 185-191.
131. Kala, C.P., Dhyani, P.P. and Sajwan, B.S. (2006). Developing the medicinal plants sector in northern India: challenges and opportunities. *Journal of Ethnobiology and Ethnomedicine*. 2(32), 1-15.

132. Kamboj, V.P. (2000). Herbal Medicine. *Current Science*. 78(1), 35-39.
133. Kant, S. (2000). A dynamic approach to forest regimes in developing economies. *Ecological Economics*. 32, 287-300.
134. Kasilo, O.M.J., and Trapsida, J.M. (2011). Decade of African traditional medicine, 2001–2010. *African Health Monitor Issue #13 (Special Issue)*. 14, 25-31.
135. Kayombo, E.J., Uiso, F.C. and Mahunnah, R.L.A. (2012). Experience on healthcare utilization in seven administrative regions of Tanzania. *Journal of Ethnobiology and Ethnomedicine*. 8(5), 1-8.
136. Kebede, B., Urga, K. and Nigatu, A. (1995). Effect of processing methods on the trypsin inhibitor, tannins, phytic acid and ODAP contents of grass pea seeds. *Ethiopian Journal of Health Development*. 9(1), 97-103.
137. Khaghani, S., Razi, F., Yajloo, M.M., Paknejad, M., Sharifabrizi, A., and Pasalar, P. (2011). Selective Cytotoxicity and Apoptogenic Activity of Hibiscus Sabdariffa Aqueous Extract against MCF-7 Human Breast Cancer Cell Line. *Journal of Cancer Therapy*. 2, 394-400.
138. Khanal, K.P. (2001). *Economic evaluation of community forestry in Nepal and its equity distribution effect*. In M.Sc. Thesis. Copenhagen, Denmark: The Royal Veterinary and Agricultural University.
139. Khare, C.P. (2007). *Indian Medicinal Plants*. Berlin, Germany: Springer Science and Business Media.
140. Klaassen, C.D., and Stacey, N.H. (1982). *Use of isolated hepatocytes in toxicity assessment*. In: Plaa, G., and Hewitt, W.R. (Eds), *Toxicology of the Liver*, Raven Press, New York. 147-79.

141. Kofi-Tsekpo, W.M. (1997). *Pharmaceutical Applications of Ethnobotany: Conservation and utilization of indigenous medicinal plants and wild relatives of food crops*. Nairobi. United Nations Educational, Scientific and Cultural Organisation (UNESCO), 57-63.
142. Kong, J.M., Goh, N.K., Chia, L.S., and Chia, T.F. (2003). Recent advances in traditional plant drugs and orchids. *Acta Pharmacologica Sinica*. 24(1), 7-21.
143. Kumar, A., and Sastry, C.B. (2014, July). The International Network for Bamboo and Rattan. Retrieved from the FAO Corporate Document Repository website: [http://www.fao.org/docrep/x2450e/x2450e0a.htm#the\\_international\\_network\\_for\\_bamboo\\_and\\_rattan](http://www.fao.org/docrep/x2450e/x2450e0a.htm#the_international_network_for_bamboo_and_rattan).
144. Ladio, A.H., and Lozada, M. (2003). Comparison of wild edible plant diversity and foraging strategies in two aboriginal communities of northwestern Patagonia. *Biodiversity and Conservation*. 12(5), 937-951.
145. Ladio, A.H., and Lozada, M. (2004). Patterns of use and knowledge of wild edible plants in distinct ecological environments: a case study of a Mapuche community from Northwestern Patagonia. *Biodiversity and Conservation*. 13(6), 1153-1173.
146. Lambrix, V., Reichelt, M., Mitchell-Olds, T., Kliebenstein, D.J. and Gershenzon, J. (2001). The Arabidopsis epithiospecifier protein promotes the hydrolysis of glucosinolates to nitriles and influences *Trichoplusia ni* herbivory. *Plant Cell*. 13, 2793-2807.
147. Lee, C.C., and Peter, H. (2005). Cytotoxicity of plants from Malaysia and Thailand used traditionally to treat cancer. *Journal of Ethnopharmacology*. 100, 237-243.

148. Lee, S.H., Jaganath, I.B., Wang, S.M., and Sekaran, S.D. (2011). Antimetastatic Effects of Phyllanthus on Human LungM (A549) and Breast (MCF-7) Cancer Cell Lines. *PLoS ONE*. 6(6), 1-14.
149. Lim, M.K., Sadarangani, P., Chan, H.L., and Heng, J.Y. (2005). Complementary and alternative medicine use in multiracial Singapore. *Complementary Therapies in Medicine*. 13, 16-24.
150. Lockett, C. and Grivetti, L. (2000). Food related behaviours during drought: a study of rural Fulani, North-eastern Nigeria. *International Journal of Food Science and Nutrition*. 51, 91-107.
151. Lopez-Garcia, S. and Basurto-Pena, F. (2007). Content of nutrient and Antinutrient in Edible Flowers of Wild Plants in Mexico. *Plant Foods for Human Nutrition*. 62, 133-138.
152. Luczaj, L. (2010). Changes in the utilization of wild green vegetables in Poland since 19th century: A comparison of four ethnobotanical surveys. *Journal of Ethnopharmacology*. 128, 395-404.
153. Lulekal, E., Asfaw, Z., Kelbessa, E., and Damme, P.V. (2011). Wild edible plants in Ethiopia: A review on their potential to combat food insecurity. *Afrika Focus*. 24(2), 71-121.
154. Luo, X., Oyugi, A.D., Lin, C., Izevbogie, B.E., and Lee, S.K. (2010a). Isolation and characterization of the antibreast carcinoma cell growth components of *Vernonia amygdalina* extracts. *Experimental Biology and Medicine*. 235, 1472-1478.
155. Mahani, E.S., Falahi, F., and Yaghoobi, M.M. (2014). Proapoptotic and Antiproliferative Effects of *Thymus caramanicus* on Human Breast Cancer Cell

- Line (MCF-7) and Its Interaction with Anticancer Drug Vincristine. *Evidence-Based Complementary and Alternative Medicine*. 1-7.
156. Manandhar, N.P. (1987). Traditional medicinal plants used by tribals of Lamjung district, Nepal. *International journal of crude drug research*. 25(4), 236-240.
157. Maneenoon, K., Sirirugsa, P., and Sridith, K. (2008). Ethnobotany of *Dioscorea L.*(*Dioscoreaceae*), a major food plant of the Sakai tribe at Banthad Range, Peninsular Thailand. *Ethnobotany Research and Applications*. 6, 385-394.
158. Manohara, T.N. (2013). Nutritional Evaluation of Shoots of Two Rattans of Northeast India-*Calamus flagellum* Griff. ex Mart. and *C. floribundus* Griff. (Arecaceae). *Economic Botany*. 67(3), 263-268.
159. Masood, E. (1997). Medicinal plants threatened by over-use. *Nature*. 385(6617), 570.
160. Mazhar, F., Buckles, D., Satheesh, P.V., and Akhter, F. (2007). *Food sovereignty and uncultivated biodiversity in South Asia*. Academic Foundation. New Delhi, India. 84.
161. McDanell, R., McLean, A.E., Hanley, A.B., Heaney, R.K., and Fenwick, G.R. (1988). Chemical and biological properties of indole glucosinolates (glucobrassicins): a review. *Food and Chemical Toxicology*. 26, 59-70.
162. McWalter, G.K., Higgins, L.G., McLellan, L.I., Henderson, C.J., Song, L., Thornalley, P.J., ... and Hayes, J.D. (2004). Transcription factor Nrf2 is essential for induction of NAD(P)H:quinone oxidoreductase 1, glutathione S-transferases, and glutamate cysteine ligase by broccoli seeds and isothiocyanates. *Journal of Nutrition*. 134, 3499S-3506S.

163. Metha, R.G., and Pezzuto, J.M. (2002). Discovery of cancer preventive agents from natural products: from plants to prevention. *Current Oncology Reports*. 4, 478-486.
164. Miao, W., Hu, L., Scrivens, P.J. and Batist, G. (2005). Transcriptional regulation of NF-E2 p45-related factor (NRF2) expression by the aryl hydrocarbon receptor-xenobiotic response element signaling pathway: direct cross-talk between phase I and II drug-metabolizing enzymes. *Journal of Biological Chemistry*. 280, 20340-20348.
165. Mithen, R.F., Dekker, M., Verkerk, R., Rabot, S., and Johnson, I.T. (2000). The nutritional significance, biosynthesis and bioavailability of glucosinolates in human foods. *Journal of the Science of Food and Agriculture*. 80, 967-984.
166. Mohanta, B., Chakraborty, A., Sudarsha, M., Dutta, R., and Baruah, M. (2003). Elemental profile in some common medicinal plants of India. Its correlation with traditional therapeutic usage. *Journal of Radioanalytical Nuclear Chemistry*. 258(1), 175-179.
167. Morse, M.A., LaGreca, S.D., Amin, S.G., and Chung, F.L. (1990). Effects of indole-3-carbinol on lung tumorigenesis and DNA methylation induced by 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK) and on the metabolism and disposition of NNK in A/J mice. *Cancer Research*. 50, 2613-2617.
168. Mukherjee, P.K. (2002). *Quality control herbal drugs: An approach to evaluation of botanicals*. Business Horizons, New Delhi, 800.
169. Nardone, R.M. (1977). *Toxicity testing in vitro*. In: Rothblat, G.H., and Cristofalo, J. (Eds), *Growth, Nutrition and Metabolism of Cell in Culture*, volume III, Academic Press, New York, San Francisco, London. 471-495.

170. Nascimento, V.T., Vasconcelos, M.A.S., Maciel, M.S., and Albuquerque, U.P. (2012). Famine foods of Brazil's seasonal dry forests: ethnobotanical and nutritional aspects. *Economic Botany*. 66(1), 22-34.
171. Nelson, D.R., Kamataki, T., Waxman, D.J., Guengerich, F.P., Estabrook, R.W., Feyereisen, R., ... and Nebert, D.W. (1993). The P450 superfamily: update on new sequences, gene mapping, accession numbers, early trivial names of enzymes, and nomenclature. *DNA and Cell Biology*. 12, 1-51
172. Neudeck, L., Avelino, L., Bareetseng, P., Ngwenya, B.N., Teketay, D., and Motsholapheko, M.R. (2012). The contribution of edible wild plants to food security, dietary diversity and income of households in Shorobe Village, northern Botswana. *Ethnobotanical Research and Applications*. 10, 449–462.
173. Noble, R.L. (1990). The discovery of vinca alkaloids chemotherapeutic agents against cancer. *Biochemistry and Cell Biology*. 68(12), 1544-1551.
174. Ogle, B.M. and Grivetti, L.E. (1985). Legacy of the chameleon: Edible wild plants in the Kingdom of Swaziland, Southern Africa. A cultural, ecological, nutritional study, part IV-Nutritional analysis and conclusions. *Ecology of Food and Nutrition*. 17(1), 41-64.
175. Ogle, B.M., Tuyet, H.T., Duyet, H.N., and Dung, N.N.X. (2003). Food, feed or medicine: the multiple functions of edible wild plants in Vietnam. *Economic Botany*. 57(1), 103-117.
176. Okwu, D.E and Okwu, M.E. (2004). Chemical composition of *Spondias mombin* Linn. Plant parts. *Journal of Sustainable Agriculture and the Environment*. 6(2), 140-147.

177. Okwu, D.E. (2004). Phytochemicals and vitamin content of indigenous spices of South Eastern Nigeria. *Journal of Sustainable Agriculture and the Environment*. 6, 30-34.
178. Pandey, S.K. and Shukla, R.P. (2003). Plant diversity in managed sal (*Shorea robusta* Gaertn.) forests of Gorakhpur, India: species composition, regeneration and conservation. *Biodiversity and Conservation*. 12(11), 2295-2319.
179. Parinitha, M., Srinivasa, B.H., and Shivanna, M.B. (2005). Medicinal plant wealth of local communities in some villages in Shimoga District of Karnataka, India. *Journal of Ethnopharmacology*. 98, 307-312.
180. Patel, R.M. and Patel, S.K. (2011). Cytotoxic activity of methanolic extract of *Artocarpus heterophyllus* against A549, Hela and MCF-7 cell lines. *Journal of Applied Pharmaceutical Science*. 1(7), 167-171.
181. Patel, S. (2014). The Importance of Ethno Medicinal Plants amongst the Iraq in the Karatu District: Cultural and Conservation Implications. *Undergraduate Research Journal for the Human Sciences*. 13, 1-19.
182. Patro, B.K., Jeyashree, K., and Gupta, P.K. (2012). Kuppuswamy's socio economic status scale 2010-the need for periodic revision. *Indian Journal of Pediatrics*. 79(3), 395-396.
183. Payyappallimana, U. (2006). Role of traditional medicine in primary health care: An overview of perspectives and challenges World Health Report. *Yokohama Journal of Social Sciences*. 14(6), 57-78.
184. Perumal, S.R., Ignacimuthu, S., and Sen, A. (1998). Screening of 34 Indian medicinal plants for antibacterial properties. *Journal of Ethnopharmacology*. 62; 173-181.

185. Pfander, F.A. (1984). *Colour Atlas of Poisonous Plants: A handbook for Pharmacists, Doctors, Toxicologists and Biologists*. London. Wolfe Publishing Limited, 10-222.
186. Pfoze, N.L., Kumar, Y., Sheikh, N., and Myrboh, B. (2012). Assessment of local dependency on selected wild edible plants and fruits from senapati district, Manipur, Northeast India. *Ethnobotany Research and Application*. 10, 357-367.
187. Poonamand, K., and Singh, G.S. (2009). Ethnobotanical study of medicinal plants used by the Taungya community in Terai Arc Landscape, India. *Journal of Ethnopharmacology*. 123(1), 167-176.
188. Popkin, B. M. (1998). The nutrition transition and its health implications in lower-income countries. *Public Health Nutrition*. 1, 5-21.
189. Prochaska, H.J., and Talalay, P. (1988). Regulatory mechanisms of monofunctional and bifunctional anticarcinogenic enzyme inducers in murine liver. *Cancer Research*. 48, 4776-4782.
190. Pushpangadan, P., Atal, C.K. (1984). Ethnomedico-botanical investigation in Kerala. I: Some primitive tribals of Western Ghats and their herbal medicine. *Journal of Ethnopharmacology*. 11, 59-77.
191. Pushpangdan, P. (1995). *Ethnobiology of India*. A Status Report. GOI, New Delhi, India.
192. Rabe, T. and Staden, J.V. (1997). Antibacterial activity of South African plants used for medicinal purposes. *Journal of Ethnopharmacology*. 56, 81-87.
193. Rai, R., and Nath, V. (2016, January). The Role of Ethnic and Indigenous People of India and their Culture in the Conservation of Biodiversity. Retrieved from the FAO website: <http://www.fao.org/docrep/article/wfc/xii/0186a1.htm>.

194. Rashid, A., Anand, V.K. and Serwar, J. (2008). Less known wild edible plants used by the Gujjar tribe of district Rajouri, Jammu and Kashmir State. *International Journal of Botany*. 4, 219-224.
195. Rathore, M. (2009). Nutrient content of important fruit trees from arid zone of Rajasthan. *Journal of Horticulture and Forestry*. 1, 103-108.
196. Raynor, D.K., Dickinson, R., Knapp, P., Long, A.F., and Nicolson, D.J. (2011). Buyer beware? Does the information provided with herbal products available over the counter enable safe use? *BMC Medicine*. 9, 94.
197. Reddy, S.R.C., and Chakravarty, S.P. (1999). Forest dependence and income distribution in a subsistence economy: Evidence from India. *World Development*. 27, 1141-1149.
198. Reyes-Garcia, V., Vadez, V., Huanca, T., Leonard, W. and Wilkie, D. (2005). Knowledge and consumption of wild plants: A comparative study in two Tsimane villages in the Bolivian Amazon. *Ethnobotany Research and Applications*. 3, 201-207.
199. Roslen, N.A., Alewi, N.A.M., Ahamada, H., and Rasad, M.S.B.A. (2014). Cytotoxicity screening of *Melastoma malabathricum* extracts on human breast cancer cell lines in vitro. *Asian Pacific Journal of Tropical Biomedicine*. 4(7), 545-548.
200. Routledge, P.A. (2008). The European Herbal Medicines directive: could it have saved the lives of Romeo and Juliet? *Drug Safety*. 31, 416-418.
201. Rouzaud, G., Rabot, S., Ratcliffe, B., and Duncan, A.J. (2003). Influence of plant and bacterial myrosinase activity on the metabolic fate of glucosinolates in gnotobiotic rats. *British Journal of Nutrition*. 90, 395-404.

202. Rouzaud, G., Young, S.A., and Duncan, A.J. (2004). Hydrolysis of glucosinolates to isothiocyanates after ingestion of raw or microwaved cabbage by human volunteers. *Cancer Epidemiology, Biomarkers and Prevention*. 13, 125-131.
203. Ryeong, H.E., Park, S., and Yang, C. (2003). 7,8-Dihydroxyflavanone as an inhibitor for Jun-Fos-DNA complex formation and its cytotoxic effect on cultured human cancer cells. *Natural Product Research*. 17(6), 431-436.
204. Saikia, P., and Khan, M.L. (2011). Diversity of Medicinal Plants and their uses in home gardens of upper Assam, Northeast India. *Asian Journal of Pharmaceutical and Biological Research*. 1(3), 296-309.
205. Sajem, A. and Gosai, K. (2006). Traditional use of medicinal plants by the Jaintia tribes in North Cachar Hills district of Assam, northeast India. *Journal of Ethnobiology and Ethnomedicine*. 2, 33.
206. Samarakoon, S.R., Shanmuganathan, C., Ediriweera, M.K., Tennekoon, K.H., Piyathilaka, P., Thabrew, I., and De-Silva, E. (2016). *In vitro* Cytotoxic and Antioxidant Activity of Leaf Extracts of Mangrove Plant, *Phoenix paludosa* Roxb. *Tropical Journal of Pharmaceutical Research*. 15(1), 127-132.
207. Sane, R.T. (2002). Standardization, Quality Control and GMP for Herbal drugs. *Indian Drugs*. 39(3), 184-190.
208. Sangiliyandi, G., Jae-Kyo, J., Jae, W.H., Xi-Feng, Z., Jung, H.P. and Jin-Hoi, K. (2015). Multidimensional effects of biologically synthesized silver nanoparticles in *Helicobacter pylori*, *Helicobacter felis*, and human lung (L132) and lung carcinoma A549 cells. *Nanoscale Research Letters*. 10(35), 1-17.
209. Sapkota, I.P., Oden, P.C. (2008). Household characteristics and dependency on community forests. *International Journal of Social Forestry*. 1, 123-144.

210. Sasi, R., and Rajendran, A. (2012). Diversity of wild fruits in nilgiri hills of the southern Western Ghats ethnobotanical aspects. *The International Journal of Applied Biology and Pharmaceutical Technology*. 3(1), 83-87.
211. Schippmann, U., Leaman, D.J., and Cunningham, A.B. (2002). *Impact of cultivation and gathering of medicinal plants on Biodiversity: Global trends and issues*. In (FAO). *Biodiversity and Ecosystem Approach in Agriculture, Forestry and Fisheries*. Satellite Event on the Occasion of the Ninth Regular Session of the Commission on Genetic Resources for food and Agriculture. Rome.
212. Seham, M.A.M., Bassem, M.M., Gamila, M.W., Khaled, M., and Marwa, M.M. (2014). Screening of some Plants in Egypt for their Cytotoxicity against four Human Cancer cell lines. *International Journal of PharmTech Research*. 6(3), 1074-1084.
213. Semwal, R.L. (2005). *The terai arc landscape in India in Securing Protected Areas in the Face of Global Change*, Worldwide Fund for Nature, New Delhi, India.
214. Shaanker, R.U., Ganeshaiah, K.N., Srinivasan, K., Rao, V.R., and Hong, L.T. (2004). *Bamboos and Rattans of the Western Ghats: Population biology, Socio-economic and Conservation Strategies*. Bangalore. University of Agricultural Sciences.
215. Sharma, A., Shanker C, Tyagi L.K, Singh, M., and Rao C.V. (2008). Herbal medicine for market potential in India: an overview. *Academic Journal of Plant Sciences*.1(2), 26-36.

216. Shrestha, P.M. and Dhillon, S.S. (2003). Medicinal plant diversity and use in the highlands of Dolakha district, Nepal. *Journal of Ethnopharmacology*. 86(1), 81-96.
217. Shrestha, P.M. and Dhillon, S.S. (2006). Diversity and traditional knowledge concerning wild food species in a locally managed forest in Nepal. *Agroforestry System*. 66, 55-63.
218. Shrivastava, K.S. (2014). About 1.6 billion people of the world depend on forests for living. Retrieved from the Down to Earth website: <http://www.downtoearth.org.in/news/about16billionpeopleoftheworlddependonforestsforliving44647>.
219. Si-Yuan, P., Gerhard, L., Si-Hua, G., Shu-Feng, Z., Zhi-Ling, Y., Hou-Qi, ... and Kam-Ming, K. (2014). Historical Perspective of Traditional Indigenous Medical Practices: The Current Renaissance and Conservation of Herbal Resources. *Evidence-Based Complementary and Alternative Medicine*. 1-20.
220. Sodipo, O.A., Akanji, M.A., Kolawole, F.B. and Odutuga, A.A. (1991). Saponin is the active antifungal principle in *Garcinia kola*, heckle seed. *Bioscience Research Communication*. 3, 171.
221. Soejarto, D.D., and Farnsworth, N.R. (1989). Tropical rain forests: potential source of new drugs? *Perspectives in Biology and Medicine*. 32, 244-256.
222. Somnasang, P. and Moreno-Black, G. (2000). Knowing, gathering and eating: knowledge and attribute about wild food in an Asian village in North-eastern Thailand. *Journal of Ethnobiology*. 20, 197-216.
223. Souza-Brito, A.R.M. (1996). How to study the pharmacology of medicinal plants in underdeveloped countries? *Journal of Ethnopharmacology*. 54, 131-138.

224. Sricharatchanya, H. (2000). Retrieved from the Bangkok Post: Rattan - an able cane website: [www.ecologyasia.com/news-archives/2000/nov-/bangkokpost\\_191\\_100\\_Outlook01.htm](http://www.ecologyasia.com/news-archives/2000/nov-/bangkokpost_191_100_Outlook01.htm).
225. Srisawat, T., Chumkaew, P., Heed-Chim, W., Sukpondma, Y., and Kanokwiroon, K. (2013). Phytochemical Screening and Cytotoxicity of Crude Extracts of *Vatica diospyroides* Symington Type LS. *Tropical Journal of Pharmaceutical Research*. 12(1), 71-76.
226. Srithi, K., Balslev, H., Wangpakapattanawong, P., Srisanga, P., and Trisonthi, C. (2009). Medicinal plant knowledge and its erosion among the Mien (Yao) in northern Thailand. *Journal of Ethnopharmacology*. 123(2), 335-342.
227. Stone, S.C., Vasconcellos, F.A., Lenardao, E.J., Amaral, R.C., Jacob, R.G., and Leivas, L.F.P. (2013). Evaluation of potential use of *Cymbopogon* sp. essential oils, (R)-citronellal and N-citronellylamine in cancer chemotherapy. *International Journal of Applied Research in Natural Products*. 6(4), 11-15.
228. Stray, F. (1998). *The National guide to medicinal herbs and plants*. Tiger Books International: London. 12-16.
229. SuLaMa (Sustainable Land management in south-western Madagascar: Recherche participative pour appuyer la gestion durable des terres du Plateau Mahafaly dans le sud-ouest de Madagascar. In Diagnostic participatif de la gestion des ressources naturelles sur le plateau Mahafaly Commune Rurale de Beheloka, Toliara. Madagascar: Rapport Final. Project SuLaMa; 2011.
230. Sundara, V.D., Gopinath, P., Jayakar, S.D., and Balakumaran, P. (2013). Anti-Cancerous Activity of Leaves of *Cadaba fruticosa*, Druce using Human Lung Cancerous Cell Line A549 by *In Vitro* Methods. *International Journal of Pharma Research & Review*. 2(11), 6-17.

231. Sundryal, M., Sundryal, R.C., Sharma, E., and Porohit, A.N. (1998). Wild edible and other useful plants from the Sikkim Himalaya, India. *Oecologia Montana*. 7, 43-54.
232. Sutaryadi, H. (1986). *Traditional medicine in Indonesia: differences and similarities in basic concepts compared to Chinese traditional medicine*. Paper presented at the Second World Congress on Chinese Medicine and Pharmacy, Taipei.
233. Swarnkar, S., and Katewa, S.S. (2008). Ethnobotanical observation on tuberous plants from tribal area of Rajasthan (India). *Ethnobotanical Leaflets*. 12, 647-666.
234. Tabuti, J.R.S., Lye, K.A., and Dhillion, S.S. (2002). Traditional herbal drugs of Bulamogi, Uganda: Plants, use and administration. *Journal of Ethnopharmacology*. 88, 19-44.
235. Tag, H., Kalita, P., Dwivedi, P., Das, A.K., and Namsa, N.D. (2012). Herbal medicines used in the treatment of diabetes mellitus in Arunachal Himalaya, northeast, India. *Journal of Ethnopharmacology*. 141(3), 786-95.
236. Takashi, O., Masaaki, S., Takashi, K., Thaworn, K., Nobuo, K., Yukihiro, G., and Masami, I. (2006). Steroidal saponins from *Calamus insignis*, and their cell growth and cell cycle inhibitory activities. *Bioorganic & Medicinal Chemistry*. 14, 659-665.
237. Talalay, P. and Fahey, J.W. (2001). Phytochemicals from cruciferous plants protect against cancer by modulating carcinogen metabolism. *Journal of Nutrition*. 131, 3027S–3033S.

238. Tardio, J., Pardo-de-Santayana, M., and Morales, R. (2006). Ethnobotanical review of wild edible plants in Spain. *Botanical Journal of the Linnean Society*. 152, 27-71.
239. Teketay, D., Senbeta, F., Maclachlan, M., Bekele, M., and Barklund, P. (2010). *Edible Wild Plants in Ethiopia*. Addis Ababa University Press, Addis Ababa, Ethiopia.
240. Thakore, S.I., Nagar, P.S., Jadeja, R.N., Thounaojam, M., Devkar, R.V., and Rathore, P.S. (2015). Sapota fruit latex mediated synthesis of Ag, Cu mono and bimetallic nanoparticles and their in vitro toxicity studies. *Arabian Journal of Chemistry*. 1-7.
241. The Indian Cancer Society: side-effects. (2014, 18<sup>th</sup> January). Retrieved from the Indian Cancer Society website: <http://www.indiancancersocietydelhi.in/side-effects.php>.
242. Thounaojam, M.C., Jadeja, R.N., Valodkar, M., Nagar, P.S., Devkar, R.V., and Thakore, S. (2011). Oxidative stress induced apoptosis of human lung carcinoma (A549) cells by a novel copper nanorod formulation. *Food and Chemical Toxicology*. 49, 2990-2996.
243. Tsao, T.S., Kim, E.S., and Hong, W.K. (2004). Chemoprevention of cancer. *CA: A Cancer Journal for Clinicians*. 54, 150-180.
244. Tyler, V.E. (1999). Pyhtomedicines: back to the future. *Journal of Natural Products*. 62, 1589-1592.
245. Uddin, N., Islam, R., Hasan, N., Hossain, M.S., Roy, A., Hossain, M.M., and Rana, M.S. (2013). DPPH Scavenging Assay of Eighty Four Bangladeshi Medicinal Plants. *IOSR Journal of Pharmacy and Biological Sciences*. 6(5), 66-73.

246. Urquiaga, I. and Leighton, F. (2000). Plant polyphenol, antioxidants and Oxidative stress. *Biological Research*. 33,159-165.
247. Verma, S., and Singh S.P. (2008). Current and future status of herbal medicines. *Veterinary World*. 1(11), 347-350.
248. Verpoorte, R., (1989). Some phytochemical aspects of medicinal plant research. *Journal of Ethnopharmacology*. 25, 43-59.
249. Vincent, A.S. (1985). Plant foods in savanna environments: a preliminary report of tubers eaten by the Hadza of northern Tanzania. *World Archaeology*. 17, 131-147.
250. Wattenberg, L.W. (1985). Chemoprevention of cancer. *Cancer Research*. 45, 1-8.
251. Wehi, P.M. and Wehi, W.L. (2010). Traditional plant harvesting in contemporary fragmented and urban landscapes. *Conservation Biology*. 24, 594-604.
252. WHO. (2002b). *Traditional Medicine Strategy (2002–2005)*. WHO/EDM/TRM/2002.1. Geneva, Switzerland: World Health Organization.
253. WHO. (2014, July). World cancer factsheet. Retrieved from the International Agency for research on cancer website: <http://www.cruk.org/cancerstats>.
254. Williamson, E., Okpako, D.T., and Evans, F.J. (1996). *Selection, Preparation and Pharmacological Evaluation of Plant Material*. Wiley, Chichester.
255. World Bank (2001, August). *Ethiopia: Traditional Medicine and the Bridge to Better Health*. IK Notes 35. 1-4.
256. World Health Organization TRM-Traditional Medicine. (1998). *Regulatory Situation of Herbal Medicines. A Worldwide Review*, WHO, Geneva, Switzerland. 1-5.

257. World Health Organization-Traditional Medicine. (1999). *WHO Monographs on Selected Medicinal Plants*. Vol. I. WHO, Geneva, Switzerland.
258. WRI (World Resources Institute). (2005). *The Wealth of the poor: Managing ecosystems to fight poverty*. Washington, DC.
259. Yabesh, J.E.M., Prabhu, S., and Vijayakumar, S. (2014). An ethnobotanical study of medicinal plants used by traditional healers in silent valley of Kerala, India. *Journal of Ethnopharmacology*. 154, 774-789.
260. Yadav, B., Taurin, S., Rosengren, R.J., Schumacher, M., Diederich, M., Somers-Edgar, T.J., and Larsen, L. (2010). Synthesis and cytotoxic potential of heterocyclic cyclohexanone analogues of curcumin. *Bioorganic and Medicinal Chemistry*. 18, 6701-6707.
261. Yu, G.F., Mulabagal, V., Diyabalanage, T., Hurtada, W.A., DeWitt D.L., Muraleedharan, G., and Nair, M.G. (2008). Non-nutritive functional agents in rattan-shoots, a food consumed by native people in the Philippines. *Food Chemistry*. 110, 991-996.
262. Zaeoung, S., Anuchit, P., and Niwat, K. (2005). Cytotoxic and free radical scavenging activities of zingiberaceous rhizomes. *Songklanakarin Journal of Science and Technology*. 27(4), 799-812.
263. Zhou, S., Gao, Y., Jiang, W., Huang, M., Xu, A., and Paxton, J.W. (2003). Interactions of herbs with cytochrome P450. *Drug Metabolism Reviews*. 35, 35-98.
264. Trautmann, N., and Richard, T. (1996). Moisture content. Retrieved from Cornell Composting Science and Engineering website: [http://compost.css.cornell.edu/calc/moisture\\_content.html](http://compost.css.cornell.edu/calc/moisture_content.html)

265. McCauley, J., Zivanovic, A., and Skropeta, D. (2013). Bioassays for anticancer activities. *Methods in Molecular Biology*. 1055, 191-205.