
CHAPTER 9

BIBLIOGRAPHY

- Agrawal A, Ilango K, Singh PK, Karmakar D, Singh GP, Kumari R, Dubey GP. Age dependent levels of plasma homocysteine and cognitive performance. *Behav Brain Res*. 2015, Apr 15; 283:139-144.
- Ahn DH, Lutz S and Sim JS. Effects of dietary α -linolenic acid on the fatty acid composition, storage stability and sensory characteristics of pork loin. *Meat Sci*. 1996; 43: 291–299.
- Akesson B, Fehling C, Jagerstad M, Stenram U. Effect of experimental folate deficiency on lipid metabolism in liver and brain. *Br J Nutr*. 1982; 47:505–520.
- Alexopoulos P. et al. Validation of the German revised Addenbrooke's Cognitive Examination for detecting mild cognitive impairment, mild dementia in Alzheimer's disease and frontotemporal lobar degeneration. *Dementia and Geriatric Cognitive Disorders*. 2010; 29(5):448–456.
- Aliani M, Ryland D, Pierce GN. Effect of flax addition on the flavor profile and acceptability of bagels. *J Food Sci*. 2012; 77:S62–70.
- Al-Okbi SY. Highlights on functional foods, with special reference to flaxseed. *Journal of Natural Fibers*. 2005; 2(3): 63-68.
- Alpaslan M, Hayta M. The effects of flaxseed, soy and corn flours on the textural and sensory properties of a bakery product. *J Food Qual*. 2006; 29:617–27.
- Alzheimer Disease International. The Global Impact of Dementia. An analysis of prevalence, incidence, cost and trends. World Alzheimer Report October, 2015.
- Alzheimer's & Related Disorders Society of India. The Dementia India Report: prevalence, impact, costs and services for Dementia. Shaji KS, Jotheeswaran AT, Girish N, Srikala Bharath, Amit Dias, Meera Pattabiraman and Mathew Varghese, eds. New Delhi: ARDSI, 2010; 1-92.
- Alzheimer's Association. Types of dementia. Washington DC: Alzheimer's Association, 2014. www.alz.org/dementia/types-ofdementia.asp. Accessed August 20, 2014.
- Alzheimer's Disease International. Dementia and Risk Reduction: An analysis of protective and modifiable factors. World Alzheimer Report. London: Alzheimer's Disease International (ADI), 2014; 1.
- Alzheimer's Disease International. World Alzheimer Report 2009. London: Alzheimer's Disease International; 2009.

-
- American Diabetes Association (ADA). Standards of medical care in diabetes-2007. *Diab Care*. 2007 Jan; 30(suppl 1): S4-S41.
- American Psychiatric Association. Practice guideline for the treatment of patients with Alzheimer's disease and other dementias. *Amer Jour Psych*. 2007 Dec; 164(suppl.):1–56.
- AOCS (American Oil Chemists Society). "Fatty Acid Composition by Gas Chromatography" AOCS Method Ce 1-62, *AOCS Official Methods*. 2005,
- Apostolova LG, Dinov ID, Dutton RA, Hayashi KM, Toga AW, Cummings JL, Thompson PM. 3D comparison of hippocampal atrophy in amnestic mild cognitive impairment and Alzheimer's disease. *Brain*. 2006; 129:2867–2873.
- Arai H, Ishiguro K, Ohno H, Moriyama M, Itoh N, Okamura N, Matsui T, Morikawa Y, Horikawa E, Kohno H, Sasaki H, Imahori K. CSF phosphorylated tau protein and mild cognitive impairment: a prospective study. *Exp Neurol*. 2000; 166:201–203.
- Artero S, Ancelin ML, Portet F, et al. Risk profiles for mild cognitive impairment and progression to dementia are gender specific. *J Neurol Neurosurg Psychiatry*. 2008; 79:979–984.
- Arumugam M, Raes J, Pelletier E, lePaslier D, Yamada T, Mende DR, Fernandes GR, Tap J, Bruls T, Batto JM et al. Enterotypes of the human gut microbiome. *Nature* 2011; 473: 174–180.
- Avasthi A, Sharan P, Kulhara P, Malhotra S, Varma VK. Psychiatric profiles in medical surgical populations: need for a focussed approach to consultation –liaison psychiatry in developing countries. *Indian J Psychiatry* 1998; 40: 224-230.
- Baierle M, Vencato PH, Oldenburg L, Bordignon S, Zibetti M, Trentini CM, Duarte MM, Veit JC, Somacal S, Emanuelli T, Grune T, Breusing N, Garcia SC. Fatty acid status and its relationship to cognitive decline and homocysteine levels in the elderly. *Nutrients* 2014, Sep 12; 6(9):3624-40.
- Baik HW and Russell RM. Vitamin B12 deficiency in the elderly. *Annu Rev Nutr*. 1999; 19:357-377.
- Bailes JE, Patel V. The potential for DHA to mitigate mild traumatic brain injury. *Mil Med*. 2014 Nov; 179 (11 Suppl):112-116.
- Balaswamy K, Jyothirmayi T, Rao DG. Studies on preparation of curry leaf (*Murraya koenigii* L.) chutney powder. *Foodserv Res Int*. 2004; 14:175–187.
-

-
- Balaswamy K, Satyanarayana A, Rao DG. Studies on preparation and storage characteristics of onion (*Allium cepa* L)–chilly (*Capsicum annum*) chutney. *Foodserv Res Int*. 2005; 15 (3–4):140–146.
- Banerjee TK, Mukherjee CS, Dutta A, Shekhar A, Hazra A. Cognitive dysfunction in an urban Indian population- some observations. *Neuroepidemiology* 2008; 31:109-14.
- Bartkiene E, Juodeikiene G, Vidmantiene D. Nutritional quality of fermented defatted soya and flaxseed flours and their effect on texture and sensory characteristics of wheat sourdough bread. *Intl J Food Sci Nutr*. 2012; 63:722–729.
- Bauer, H. C., Krizbai, I. A., Bauer, H., and Traweger, A. “You shall not pass”-tight junctions of the blood brain barrier. *Front Neurosci*. 2014; 8:392.
- Baumgartner J, Smuts CM, Zimmermann MB. Providing male rats deficient in iron and n-3 fatty acids with iron and alpha-linolenic acid alone affects brain serotonin and cognition differently from combined provision. *Lipids Health Dis*. 2014 Jun 13; 13:97.
- Bays HE, Tighe AP, Sadovsky R, Davidson MH. Prescription omega-3 fatty acids and their lipid effects: Physiologic mechanisms of action and clinical implications. *Expert Rev Cardiovasc Ther*. 2008; 6:391-409.
- Bell IR, Edman JS, Marby DW, Satlin A, Dreier T, Liptzin B, et al. Vitamin B12 and folate status in acute psychogeriatric inpatients: Affective and cognitive characteristics of a vitamin nondeficient population. *Biol Psychiatry* 1998; 27:125-37.
- Benedict RH, Brandt J. Limitation of the Mini-Mental State Examination for the detection of amnesia. *J Geriatr Psychiatry Neurol*. 1992; 5(4): 233–237.
- Bernacchia R, Preti R, Vinci G. Chemical composition and health benefits of flaxseed. *Austin J Nutri Food Sci*. 2014; 2:1045.
- Beydoun MA, Beydoun HA, Gamaldo AA, Teel A, Zonderman AB, Wang Y. Epidemiologic studies of modifiable factors associated with cognition and dementia: systematic review and meta-analysis. *BMC Public Health* 2014; 14:643.
- Biagi E, Nylund L, Candela M, Ostan R, Bucci L, Pini E, Nikkila J, Monti D, Satokari R, Franceschi C et al. Through ageing, and beyond: Gut microbiota and inflammatory status in seniors and centenarians. *PLoS ONE* 2010; 5: e10667.
- Blasko I, Hinterberger M, Kemmler G, Jungwirth S, Krampla W, Leitha T, Heinz Tragl K, Fischer P. Conversion from mild cognitive impairment to dementia: influence of folic acid and vitamin B12 use in the VITA cohort. *J Nutr Health Aging*. 2012 Aug; 16 (8): 687-694.
- Blass JP. Alzheimer's disease and Alzheimer's dementia: distinct but overlapping entities. *Neurobiol Aging*. 2002; 23:1077–1084.
-

-
- Blennow K, de Leon MF, Zetterberg H. Alzheimer's disease. *Lancet*. 2006; 368(9533):387-403.
- Blennow K, Hampel H. CSF markers for incipient Alzheimer's disease. *Lancet Neurol*. 2003; 2:605–613.
- Bloedon LT, Balikai S, Chittams J, Cunnane SC et al. Flaxseed and cardiovascular risk factors: results from a double blind, randomized, controlled clinical trial. *J Am Coll Nutr*. 2008; 27:65–74.
- Blok W, Katan M, Van der Meer J. Modulation of inflammation and cytokine production by dietary (n-3) fatty acids. *Journal of Nutrition*. 1996; 126(6):1515-33.
- Blondeau N. The nutraceutical potential of omega-3 alpha-linolenic acid in reducing the consequences of stroke. *Biochimie*. 2016 Jan; 120:49-55.
- Bolaman Z, Kadikoylu G, Yukselen V, Yavasoglu I, Barutca S, Senturk T. Oral versus intramuscular cobalamin treatment in megaloblastic anemia: a single-center, prospective, randomized, open-label study. *Clin Ther*. 2003; 25:3124–3134.
- Bos DJ, van Montfort SJ, Oranje B, Durston S and Smeets PA. Effects of omega-3 polyunsaturated fatty acids on human brain morphology and function: What is the evidence? *Eur Neuropsychopharmacol*. 2016 Mar; 26(3):546-561.
- Bottiglieri T, Laundy M, Crellin R. Homocysteine, folate, methylation, and monoamine metabolism in depression. *J Neurol Neurosurg Psychiatry*. 2000; 69:228–232.
- Bourourou M, Heurteaux C, Blondeau N. Alpha-linolenic acid given as enteral or parenteral nutritional intervention against sensorimotor and cognitive deficits in a mouse model of ischemic stroke. *Neuropharmacol*. 2016 Apr 29; 108:60-72.
- Bourre JM, Dumont O, Piciotti M et al. Essentiality of omega-3 fatty acids for brain structure and function. In: Simopoulos AP, Kifer RR, Martin RE, Barlow SM, eds. Health effects of omega-3 polyunsaturated fatty acids in seafoods. Vol. 66. Basel, Karger: *World Rev Nutr Diet*. 1991; 103-117.
- Bourre JM. J, Effects of nutrients (in food) on the structure and function of the nervous system: update on dietary requirements for brain. Part 1: micronutrients. *Nutr Health Aging*. 2006 Sep-Oct; 10(5):377-385.
- Bowman GL, Shannon J, Ho E, et al. Reliability and validity of food frequency questionnaire and nutrient biomarkers in elders with and without mild cognitive impairment. *Alzheimer Dis Assoc Disord*. 2011; 25:49–57.
- Bracco L, Amaducci L, Pedone D, Bino G, Lazzaro MP, Carella F, D'Antona R, Gallato R, Denes G. Italian Multicentre Study on Dementia (SMID): a neuropsychological test battery for assessing Alzheimer's disease. *J Psychiatr Res*. 1990; 24(3):213-26.
-

-
- Bradford GS, Taylor CT. Omeprazole and vitamin B12 deficiency. *Ann Pharmacother* 1999; 33:641-3.
- Brandt, M. Vitamins and Coenzymes. 2011. <http://www.rose-hulman.edu/~brandt/Chem330/Vitamin.pdf>.
- Braniste, V., Al-Asmakh, M., Kowal, C., Anuar, F., Abbaspour, A., Tóth, M., et al. The gut microbiota influences blood-brain barrier permeability in mice. *Sci. Transl. Med.* 2014; 6, 263ra158.
- Bravo JA, Forsythe P, Chew MV, Escaravage E, Savignac HM, Dinan TG, Bienenstock J, Cryan JF. Ingestion of Lactobacillus strain regulates emotional behavior and central GABA receptor expression in a mouse via the vagus nerve. *Proc. Natl. Acad. Sci. USA* 2011, 108, 16050–16055.
- Bretler M. Vascular risk factors for Alzheimer's disease: an epidemiologic perspective. *Neurobiol Aging* 2003; 21:153-60.
- Brocklehurst JC. Bowel management in the neurologically disabled. The problems of old age. *Proc. R. Soc. Med.* 1972; 65: 66–69.
- Bruscoli M, Lovestone S. Is MCI really just early dementia? A systematic review of conversion studies. *Int Psychogeriatr.* 2004; 16:129–140.
- Bryan J, Calvaresi E. Associations between dietary intake of folate and vitamins B-12 and B-6 and self-reported cognitive function and psychological well-being in Australian men and women in midlife. *J Nutr Health Aging* 2004; 8:226–232.
- Bulliyya G. Influence of fish consumption on the distribution of serum cholesterol in lipoprotein fractions: comparative study among fish-consuming and no-fish consuming populations. *Asia Pac J Clin Nutr.* 2002; 11, 104-111.
- Busatto GF, Diniz BS, Zanetti MV. Voxel-based morphometry in Alzheimer's disease. *Expert Rev Neurother.* 2008; 8:1691–1702.
- Busse A, Bischof J, Riedel-Heller SG, et al. Mild cognitive impairment: prevalence and incidence according to different diagnostic criteria. Results of the Leipzig Longitudinal Study of the Aged (LEILA75+) *Br J Psychiatry.* 2003; 182:449–454.
- Busse A, Hansel A, Gühne U, Angermeyer MC, Riedel-Heller SG. Mild cognitive impairment: long-term course of four clinical subtypes. *Neurology.* 2006; 67:2176–2185.
- Butler CC, Vidal-Alaball J, Cannings-John R, et al. Oral vitamin B12 versus intramuscular vitamin B12 for vitamin B12 deficiency: a systematic review of randomized controlled trials. *Fam Pract.* 2006; 23(3):279-285.
-

-
- Caligiuri SP, Aukema HM, Ravandi A, Pierce GN. Elevated levels of pro-inflammatory oxylipins in older subjects are normalized by flaxseed consumption. *Exp Gerontol.* 2014 Nov; 59:51-57.
- Calon F, Lim G, Yang F et al. Docosahexaenoic acid protects from dendritic pathology in an Alzheimer's disease mouse model. *Neuron* 2004; 43:633-645.
- Campbell NL, Unverzagt F, LaMantia MA, Khan BA, Boustani MA. Risk factors for the progression of Mild Cognitive Impairment to Dementia. *Clin Geriatr Med.* 2013 Nov; 29(4):873-93.
- Carmel R, Sinow RM, Karnaze DS. Atypical cobalamin deficiency. Subtle biochemical evidence of deficiency is commonly demonstrable in patients without megaloblastic anemia and is often associated with protein-bound cobalamin malabsorption. *Journal of Laboratory and Clinical Medicine.* 1987; 109:454-463.
- Carriere I, Delcourt C, Lacroux A, Gerber M. Nutrient intake in an elderly population in southern France (POLANUT): deficiency in some vitamins, minerals and omega-3PUFA. *Int J Vitam Nutr Res.* 2007; 77:57-65.
- Carter JF, Potential of flaxseed and flaxseed oil in baked goods and other products in human nutrition. *Cereal Food World.* 1996; 38(10):753-775.
- Castle WB. Observations of the etiologic relationship of achylia gastrica to pernicious anaemia. The effect of the administration to patients with pernicious anaemia of the contents of the normal human stomach recovered after the ingestion of beef muscle. *Am. J. Med. Sci.* 1929; 178:748-763.
- Chandra V, Ganguli M, Pandav R, Johnston J, Belle S, DeKosky ST. Prevalence of Alzheimer's disease and other dementias in rural India: The Indo-US study. *Neurology* 1998; 51:1000-1008.
- Chandra V, Pandav R, Dodge HH, Johnston JM, Belle SH, DeKosky ST, et al. Incidence of Alzheimer's disease in a rural community in India: The Indo-US Study. *Neurology* 2001s; 57:985-989.
- Chandrashekar CR, Isaac MK. Development of psychiatric epidemiology in India. *NIMHANS Journal* 1999; 17:297-306.
- Chao J, Li H, Cheng KW, Yu MS, Chang RC, Wang M. Protective effects of pinostilbene, a resveratrol methylated derivative, against 6-hydroxydopamine-induced neurotoxicity in SH-SY5Y cells. *J Nutr Biochem* 2010;21: 482-489.
- Chauhan K and Tinwala S. Assessment of diet, nutrition and disease profile of Muslim elderly women of urban Vadodara in relation to Mild Cognitive Impairment: impact of vitamin B₁₂ supplementation among Muslim elderly women with Mild Cognitive Impairment. Masters dissertation (Unpublished). 2013; Department of Foods and Nutrition, The Maharaja Sayajirao University of Baroda, India.
-

Chauhan K and Thakkar R. A study on lifestyle pattern, nutritional status, dietary profile and morbidity profile of an elderly population of urban Vadodara in relation to mild cognitive impairment: impact of vitamin B12 supplementation among elderly women with mild cognitive impairment (MCI). Masters dissertation (Unpublished). 2012; Department of Foods and Nutrition, The Maharaja Sayajirao University of Baroda, India.

Chauhan K and Kansara K. Impact of flaxseeds supplementation on cognitive impairment among Institutionalized elderly of urban Vadodara. Masters dissertation (Unpublished). 2012; Department of Foods and Nutrition, The Maharaja Sayajirao University of Baroda, India.

Chauhan K and Mehta P. Health promotion for the aged through intervention with suitable foods and nutrient supplementation. 2007. Phd Dissertation (Unpublished). 2007; Department of Foods and Nutrition, The Maharaja Sayajirao University of Baroda, India.

Chauhan K and Patil V. Impact of Ashwagandha (*Withaniasomnifera*) on mental health of elderly women. Masters Dissertation (Unpublished). 2007; Department of Foods and Nutrition, The Maharaja Sayajirao University of Baroda, India.

Chen B, Jin X, Guo R, Chen Z, Hou X, Gao F, Zhang Y, Zheng S, Fu C, Xue F, Niu H, Zhang Y. Metabolic Syndrome and Cognitive Performance Among Chinese ≥ 50 Years: A Cross-Sectional Study with 3988 Participants. *Metab Syndr Relat Disord*. 2016 May; 14(4):222-227.

Cherian G and Sim JS. Dietary α -linolenic acid alters the fatty acid composition of lipid classes in swine tissues. *J. Agric. Food Chem*. 1995;43: 2911–2916.

Chetana R, Sunkireddy YR. Preparation and quality evaluation of peanut chikki incorporated with flaxseeds. *J. Food Sci. Technol*. 2011; 48(6), 745–749.

Chiu S, Woodbury-Fariña MA, Shad MU, Husni M, Copen J, Bureau Y, Cernovsky Z, Hou JJ, Raheb H, Terpstra K, Sanchez V, Hategan A, Kaushal M, Campbell R. The role of nutrient based epigenetic changes in buffering against stress, aging, and Alzheimer's disease. *Psychiatr Clin North Am*. 2014 Dec; 37(4):591-623.

Chopra S, Jacob JJ, Peter S. A fish a day, keeps the cardiologist away! - A review of the effect of omega-3 fatty acids in the cardiovascular system. *Ind J Endo Metab* 2013 May-June; 17(3): 422-429.

Chowdhury A, Rasania SK. A community based study of psychiatric disorders among the elderly living in Delhi. *The Internet Journal of Health* 2008; 7(1). Available from: <http://archive.ispub.com/journal/the-internet-journal-of-health/volume-7-number-1/a-community-based-study-of-psychiatric-disorders-among-the-elderly-living-in-delhi.html#sthash>, accessed on September 19, 2013.

-
- Chrischilles EA, Foley DJ, Wallace RB, Lemke JH, Semla TP, Hanlon JT, Glynn RJ, Ostfeld AM, Guralnik JM. Use of medications by persons 65 and over: Data from the established populations for epidemiologic studies of the elderly. *J. Gerontol.* 1992; 47, M137–M144.
- Claesson MJ, Jeffery IB, Conde S, Power SE, O'Connor EM, Cusack S, Harris HMB, Coakley M, Lakshminarayanan B, O'Sullivan O et al. Gut microbiota composition correlates with diet and health in the elderly. *Nature* 2012; 488: 178–184.
- Claesson, M. J., Cusack, S., O'Sullivan, O., Greene-Diniz, R., de Weerd, H., Flannery, E., et al. Composition, variability, and temporal stability of the intestinal microbiota of the elderly. *Proc. Natl. Acad. Sci. U.S.A.* 2011; 108(Suppl. 1): 4586–4591.
- Coley N, Andrieu S, Gardette V, et al. Dementia prevention: methodological explanations for inconsistent results. *Epidemiol Rev* 2008; 30: 35–66.
- Conforti FD, Davis SF. 2006. The effect of soya flour and flaxseed as a partial replacement for bread flour in yeast bread. *Intl J Food Sci Technol.* 41(Suppl. 2):95–101.
- Cooper JL. Dietary lipids in the aetiology of Alzheimer's disease: implications for therapy. *Drugs & Aging.* 2003; 20(6):399-418.
- Cornutiu G. The Epidemiological Scale of Alzheimer's Disease. *J Clin Med Res* .2015, Sep; 7(9):657-66.
- Corrada MM, Kawas CH, Hallfrisch J, et al. Reduced risk of Alzheimer's disease with high folate intake: the Baltimore Longitudinal Study of Aging. *Alzheimers Dement* 2005; 1:11–18.
- Couderc AL , Camalet J, Schneider S, Turpin JM, Bereder I, Boulahssass R, Gonfrier S, Bayer P, Guerin O, Brocker P. Cobalamin deficiency in the elderly: aetiology and management: a study of 125 patients in a geriatric hospital. *J Nutr Health Aging.* 2015 Feb;19 (2): 234-239.
- Coulter WH. High speed automatic blood cell counter and cell size analyzer. Paper presented at National Electronics Conference, Chicago, IL, 1956, October 3.
- Crook T, Larrabee GJ. Age-associated memory impairment: diagnostic criteria and treatment strategies. *Psychopharmacol Bull.* 1988; 24:509-514.
- Crupi R, Marino A, Cuzzocrea S. n-3 fatty acids: role in neurogenesis and neuroplasticity. *Curr Med Chem.* 2013; 20 (24):2953-2963.
- Cummings JL. Treatment of Alzheimer's disease: current and future therapeutic approaches. *Rev Neurol Dis* 2004; 1: 60–69.
- Cunha UG, Rocha FL, Peixoto JM, Motta MF, Barbosa MT. Vitamin B12 deficiency and dementia. *Int Psychogeriatr.* 1995 Spring; 7 (1): 85-88
-

-
- Cunnane SC, Ganguli S, Menard C, High α -linolenic acid flaxseed (*Linum usitatissimum*): Some nutritional properties in humans. *Brit J Nutr.* 1993; 69(2): 443–453.
- Cunnane SC, Stitt PA, Ganguli S, and Armstrong JK. Raised omega-3 fatty acid levels in pigs fed flax. *Can. J. Anim. Sci.* 1990; 70: 251–254.
- da Silva RP, Kelly KB, Al Rajabi A, Jacobs RL. Novel insights on interactions between folate and lipid metabolism. *Biofactors* 2014; 40: 277–283.
- Dal Bello B, Torri L, Piochi M, Zeppa G. Healthy yogurt fortified with n-3 fatty acids from vegetable sources. *J Dairy Sci.* 2015 Dec; 98(12):8375-8385.
- Daneman, R., and Rescigno, M. The gut immune barrier and the blood-brain barrier: are they so different? *Immunity.* 2009; 31:722–735.
- Das SK, Biswas A, Roy J, Bose P, Roy T, Banerjee TK, *et al.* Prevalence of major neurological disorders among geriatric population in the metropolitan city of Kolkata. *J Assoc Physic Ind.* 2008; 56:175-181.
- Das SK, Bose P, Biswas A, *et al.* An epidemiologic study of mild cognitive impairment in Kolkata, India. *Neurology.* 2007; 68:2019–2026.
- Davey DA. Alzheimer's disease and vascular dementia: one potentially preventable and modifiable disease? Part II: Management, prevention and future perspective. *Neurodegener Dis Manag.* 2014; 4(3): 261–270.
- Daviglus ML, Plassman BL, Pirzada A, *et al.* Risk factors and preventive interventions for Alzheimer disease: state of the science. *Arch Neurol.* 2011; 68, 1185–1190.
- de Jager CA, Oulhaj A, Jacoby R, Refsum H, Smith AD. Cognitive and clinical outcomes of homocysteine-lowering B-vitamin treatment in mild cognitive impairment: a randomized controlled trial. *Int J Geriatr Psych.* 2012 Jun; 27(6): 592-600.
- de la Torre JC. Alzheimer's disease is incurable but preventable. *J Alzheimers Dis* 2010; 20: 861–870.
- deLeiris J, de Lorgeril M, Boucher F. Fish oil and heart health. *J Cardiovasc Pharmacol* 2009; 54:378-384.
- Demark-Wahnefried W, Polascik TJ, George SL *et al.* Flaxseed supplementation (not dietary fat restriction) reduces prostate cancer proliferation rates in men presurgery. *Cancer Epidemiol Biomark Prev.* 2008; 17: 3577–3587.
- Deng W, Aimone JB, Gage FH: New neurons and new memories. How does adult hippocampal neurogenesis affect learning and memory? *Nat Rev Neurosci.* 2010; 11:339–350.
-

-
- Denise Evans et al Impact of nutritional supplementation on immune response, body mass index and bioelectrical impedance in HIV-positive patients starting antiretroviral therapy. *Nutrition Journal*. 2013 August; 12(1):111.
- Devore EE, Kang JH, Stampfer MJ, Grodstein F. The association of antioxidants and cognition in the Nurses' Health Study. *Am J Epidemiol*. 2013 Jan 1; 177(1):33-41.
- Dewailly E, Blanchet C, Gingras S, Lemieux S and Holum BJ. Fish consumption and blood lipids in three ethnic groups of Quebec (Canada). *Lipids* 2003; 38:359-365.
- Dhikav V, Chandra M, Anand KS, Lokesh Sharma L, Sharma N. Serum vitamin B12 levels in Mild Cognitive Impairment and dementias at a tertiary care center in India - A Three Years Longitudinal Study. *Asian J Cognitive Neurobiol* 2014; 2(2):47 – 49.
- Diniz BS, Nunes PV, Yassuda MS, Forlenza O. Diagnosis of mild cognitive impairment revisited after one year. Preliminary results of a prospective study. *Dement Geriatr Cogn Disord*. 2009; 27:224–231.
- Di Minno MN, Tremoli E, Tufano A, Russolillo A, Lupoli R, Di Minno G. Exploring newer cardioprotective strategies: ω -3 fatty acids in perspective. *Thromb Haemost*. 2010; 104:664-680.
- Din JN, Harding SA, Valerio CJ, Sarma J, Lyall K, Riemersma RA, et al. Dietary intervention with oil rich fish reduces platelet-monocyte aggregation in man. *Atherosclerosis*. 2008; 197:290-296.
- Dlugaj M, Winkler A, Weimar C, Dürig J, Broecker-Preuss M, Dragano N, Moebus S, Jöckel KH, Erbel R, Eisele L; Heinz Nixdorf Recall Study Investigative Group. *Anemia and Mild Cognitive Impairment in the German General Population*. *J Alzheimers Dis*. 2015; 49(4):1031-1042.
- Doran, K. S., Banerjee, A., Disson, O., and Lecuit, M. Concepts and mechanisms: crossing host barriers. *Cold Spring Harbor Perspect. Med*. 2013; 3.
- Douaud G, Refsum H, de Jager CA, Jacoby R, Nichols TE, Smith SM, Smith AD. Preventing Alzheimer's disease-related gray matter atrophy by B-vitamin treatment. *Proc Natl Acad Sci USA* 2013; 110: 9523–9528.
- Du H, Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. *Am J Clin Nutr*. 2010; 91:329–336.
- Du J, Zhu M, Bao H, Li B, Dong Y, Xiao C, Zhang GY, Henter I, Rudorfer M, Vitiello B. The Role of Nutrients in Protecting Mitochondrial Function and Neurotransmitter Signaling: Implications for the Treatment of Depression, PTSD, and Suicidal Behaviors. *Crit Rev Food Sci Nutr*. 2014 Nov; 3: 0.
-

-
- Durga J, van Boxtel MP, Schouten EG, et al. Effect of 3-year folic acid supplementation on cognitive function in older adults in the FACIT trial: a randomised, double blind, controlled trial. *Lancet*. 2007; 369:208–216.
- Dyall SC, Michael-Titus AT. Neurological benefits of omega-3 fatty acids. *NeuroMolecular Medicine*. 2008; 10(4):219–235.
- Eastley R, Wilcock GK, Bucks RS. Vitamin B12 deficiency in dementia and cognitive impairment: the effects of treatment on neuropsychological function. *Int J Geriatr Psychiatry*. 2000; 15:226–233.
- Ebly EM, Hogan DB, Parhad IM. Cognitive impairment in the nondemented elderly. Results from the Canadian Study of Health and Aging. *Arch Neurol*. 1995; 52:612–619.
- Ebrahimi A, Schluesener H: Natural polyphenols against neurodegenerative disorders: potentials and pitfalls. *Ageing Res Rev*. 2012; 11: 329–345.
- Ehrenpreis E.D. Absorption of vitamin B12. In Herbert V., ed. Vitamin B12 deficiency, pp 15-8. London: Royal Society of Medicine Press, 2002.
- Elia M. Oral or parenteral therapy for B12 deficiency. *Lancet* .1998; 352:1721-1722.
- Elina L, Vijay G. Incorporation of ground flaxseed into bakery products and its effect on sensory and nutritional characteristics – a pilot study. *J Foodserv*. 2009; 20:52–59.
- Engelborghs S, Gilles C, Ivanoiu A, Vandewoude M. Rationale and clinical data supporting nutritional intervention in Alzheimer's disease. *Acta Clin Belg*. 2014 Jan-Feb; 69(1):17-24.
- Etgen T, Sander D, Bickel H, Förstl H. Mild cognitive impairment and dementia: the importance of modifiable risk factors. *Dtsch Arztebl Int*. 2011 Nov; 108(44):743-750.
- European Union Joint Programme- Neurodegenerative Disease Research available from <http://www.neurodegenerationresearch.eu/about/what/> access on 2014.
- Eussen SJ, de Groot LC, Clarke R, et al. Oral cyanocobalamin supplementation in older people with vitamin B12 deficiency: a dose-finding trial. *Arch Intern Med*. 2005; 165(10):1167-1172.
- Fagan AM, Mintun MA, Mach RH, Lee SY, Dence CS, Shah AR, LaRossa GN, Spinner ML, Klunk WE, Mathis CA, DeKosky ST, Morris JC, Holtzman DM. Inverse relation between *in vivo* amyloid imaging load and cerebrospinal fluid A β 42 in humans. *Ann Neurol*. 2006; 59:512–519.
- Fagan AM, Mintun MA, Shah AR, Aldea P, Roe CM, Mach RH, Marcus D, Morris JC, Holtzman DM. Cerebrospinal fluid tau and ptau (181) increase with cortical amyloid deposition in cognitively normal individuals: implications for future clinical trials of Alzheimer's disease. *EMBO Mol Med*. 2009; 1:371–380.
-

-
- Faux NG, Rembach A, Wiley J, Ellis KA, Ames D, Fowler CJ, Martins RN, Pertile KK, Rumble RL, Trounson B, Masters CL; AIBL Research Group, Bush AI. An anemia of Alzheimer's disease. *Mol Psych*. 2014 Nov; 19(11):1227-1234.
- Faux NG, Ellis KA, Porter L, Fowler CJ, Laws SM, Martins RN, Pertile KK, et al.. Homocysteine, vitamin B12, and folic acid levels in Alzheimer's disease, mild cognitive impairment, and healthy elderly: baseline characteristics in subjects of the Australian Imaging Biomarker Lifestyle study. *J Alzheimers Dis*. 2011; 27(4): 909-922.
- Fernstrom JD and FernstromMH. Nutrition and the brain. In Gibney MJ, Macdonald IA and Roche HM. Blackwell Publishing Co. USA. 2004; 145-167.
- Ferri CP, Prince M, Brayne C, et al: Global prevalence of dementia: a Delphi consensus study. *Lancet* .2005; 366:2112–2117.
- Fiala M, Halder RC, Sagong B, Ross O, Sayre J, Porter V, Bredesen DE. ω 3 Supplementation increases amyloid β phagocytosis and resolvin D1 in patients with minor cognitive impairment. *FASEB J*. 2015 Jul; 29 (7): 2681-2689
- Fields JA, Ferman TJ, Boeve BF, Smith GE. Neuropsychological assessment of patients with dementing illness. *Nat Rev Neurol*. 2011, 7:677–687.
- Fischer P, Jungwirth S, Zehetmayer S, Weiss-gram S, Hoenigschnabl S, Gelpi E, Krampla W, Tragl KH. Conversion of subtypes of mild cognitive impairment to Alzheimer dementia. *Neurol*. 2007; 68:288–291.
- Fleisher AS, Sowell BB, Taylor C, Gamst AC, Petersen RC, Thal LJ: Clinical predictors of progression to Alzheimer disease in amnesic mild cognitive impairment. *Neurol*. 2007; 68:1588-1595.
- Flock MR, Harris WS, Kris-Etherton PM. Long –chain omega-3 fatty acids: time to establish a dietary reference intake. *Nutr Rev*. 2013; 71(10):692-707.
- Folstein MF, Folstein SE, McHugh PR. “Mini-mental state”. A practical method for grading the cognitive state of patients for the clinician. *J Psychiatr Res*. 1975; 12(3):189–198.
- Forlenza OV, Diniz BS, Gattaz WF. Diagnosis and biomarkers of predementia in Alzheimer’s disease. *BMC Medicine*. 2010; 8:89.
- Forlenza OV, Diniz BS, Stella F, Teixeira AL, Gattaz WL. Mild cognitive impairment (part 1): clinical characteristics and predictors of dementia. *Revista Brasileira de Psiquiatria*. 2013; 35:178–185.
- Forrester SN, Gallo JJ, Smith GS, Leoutsakos JS. Patterns of Neuropsychiatric Symptoms in Mild Cognitive Impairment and Risk of Dementia. *Am J Geriatr Psych*. 2015, May 16; Pii: S1064-7481(15)00165-7.
-

-
- Forsythe P, Bienenstock J. Immunomodulation by commensal and probiotic bacteria. *Immunol. Invest.* 2010; 39:429–448.
- Frasca D and Blomberg BB. Inflammaging decreases adaptive and innate immune responses in mice and humans. *Biogerontology*. 2015. doi: 10.1007/s10522-015-9578-8. [Epub ahead of print].
- Frautschy SA, Cole GM. What was lost in translation in the DHA trial is whom you should intend to treat. *Alzheimers Res Ther.* 2011; 3:2.
- Freemantle E, Vandal M, Tremblay-Mercier J, Tremblay S, Blachère JC, Bégin ME, Brenna JT, Windust A, Cunnane SC. Omega-3 fatty acids, energy substrates, and brain function during aging. *Prostaglandins Leukot Essent Fatty Acids*. 2006 Sep; 75(3):213-220.
- Frenkel EP, Yardley DA. Clinical and laboratory features and sequelae of deficiency of folic acid (folate) and vitamin B12 (cobalamin) in pregnancy and gynecology. *Hematol Oncol Clin North Am.* 2000; 14:1079-1100.
- Frisardi V, Panza F, Seripa D, Imbimbo BP, Vendemiale G, Pilotto A, Solfrizzi V. Nutraceutical properties of Mediterranean diet and cognitive decline: possible underlying mechanisms. *J Alzheimers Dis.* 2010; 22 (3): 715-740.
- Frost G, Sleeth ML, Sahuri-Arisoylu M, Lizarbe B, Cerdan, S., Brody, L., et al. The short-chain fatty acid acetate reduces appetite via a central homeostatic mechanism. *Nat. Commun.* 2014; 5:3611.
- Ganguli M, Chang CC, Snitz BE, et al. Prevalence of mild cognitive impairment by multiple classifications: The Monongahela-Youghiogheny Healthy Aging Team (MYHAT) project. *Am J Geriatr Psych.* 2010; 18:674–683.
- Ganorkar PM. and Jain RK. Effect of flaxseed incorporation on physical, sensorial, textural and chemical attributes of cookies. *Intl Food Res J.* 2014; 21(4): 1515-1521.
- Gao H, Yan P, Zhang S, Huang H, Huang F, Sun T, Deng Q, Huang Q, Chen S, Ye K, Xu J, Liu L. Long-Term Dietary Alpha-Linolenic Acid Supplement Alleviates Cognitive Impairment Correlate with Activating Hippocampal CREB Signaling in Natural Aging Rats. *Mol Neurobiol.* 2015 Sep 2. [Epub ahead of print].
- Gareau MG. Microbiota-gut-brain axis and cognitive function. *Adv Exp Med Biol.* 2014;817: 357–371.
- Gebauer SK, Psota TL, Harris WS, Kris-Etherton PM. n-3 fatty acid dietary recommendations and food sources to achieve essentiality and cardiovascular benefits. *Am J Clin Nutr.* 2006;83: 1526S–1535S.
- Geistanger A, Arends S, Berding C, Hoshino T, Jeppsson J-O, Little R, Siebelder C and Weykamp C, on behalf of the IFCC Working Group on Standardization of HbA1c: Statistical
-

Methods for Monitoring the Relationship between the IFCC Reference Measurement Procedure for Hemoglobin A1c and the Designated Comparison Methods in the United States, Japan and Sweden. *Clin Chem*. 2008; 54(8): 1379-1388.

Gill SR, Pop M, DeBoy RT, Eckburg PB, Turnbaugh PJ, Samuel BS, Gordon JI, Relman DA, Fraser-Liggett CM, Nelson KE. Metagenomic analysis of the human distal gut microbiome. *Science*. 2006; 312, 1355–1359.

Gogus U, Smith C. n-3 Omega fatty acids: a review of current knowledge. *Int J Food Sci Technol*. 2010. 45: 417–436.

Goldstein FC, Levey AI, Steenland NK. High blood pressure and cognitive decline in mild cognitive impairment. *J Am Geriatr Soc*. 2013 Jan; 61(1):67-73.

Gómez-Pinilla F, Feng C. Molecular mechanisms for the ability of exercise supporting cognitive abilities and counteracting neurological disorders. *Functional Neuroimaging in Exercise and Sport Sciences*. 2012; 25–43.

Gourie-Devi M. Epidemiology of neurological disorders in India: Review of background, prevalence and incidence of epilepsy, stroke, Parkinson's disease and tremors. *Neurol India*. 2014; 62:588-598.

Graham JE, Rockwood K, Beattie BL, et al. Prevalence and severity of cognitive impairment with and without dementia in an elderly population. *Lancet*. 1997; 349:1793–1796.

Grande G, Vanacore N, Maggiore L, Cucumo V, Ghirelli R, Galimberti D, Scarpini E, Mariani C, Clerici F. Physical activity reduces the risk of dementia in mild cognitive impairment subjects: a cohort study. *J Alzheimers Dis*. 2014; 39(4):833-839.

Greenwald P, Clifford CK, Milner JA, Diet and cancer prevention. *Eur J Cancer*. 2001; 37: 948–965.

Grenham S, Clarke G, Cryan JF, and Dinan TG. Brain-gut-microbe communication in health and disease. *Front Physiol*. 2011; 2:94.

Griffin WST. Inflammation and neurodegenerative disease. *Am J Clin Nutr*. 2006; 83: 472S-474S.

Gu Y, Nieves JW, Stern Y, et al. Food combination and Alzheimer disease risk: a protective diet. *Arch Neurol*. 2010; 67:699–706.

Gu Y, Schupf N, Cosentino SA, et al. Nutrient intake and plasma beta-amyloid. *Neurology*. 2012; 78:1832–1840.

Guimaraes RDCA, Macedo MLR, Munhoz CL, Filiu W, Viana LH, Nozaki VT, Hiane PA. Sesame and flaxseed oil: nutritional quality and effects on serum lipids and glucose in rats. *Food Sci Technol (Campinas)*. 2013; 33(1): 209–217.

-
- Gunstone FD, Harwood J and Padley FB. The lipid handbook, 2nd ed. 1994. Chapman and Hall, London, U.K.
- Gururaj G, Shastry KVR, Chandramouli AB, Subbakrishna DK, Kraus JF. Traumatic brain injury. National Institute of Mental Health and Neuro Sciences, Publication no. 61, 2005.
- Gustafson D. A life course of adiposity and dementia. *Eur J Pharmacol.* 2008 May 6; 585(1):163-175.
- Hamer M, Chida Y. Physical activity and the risk of neurodegenerative disease: a systematic review of prospective evidence. *Psychol Med.* 2009; 39:3-11.
- Hampel H, Teipel SJ, Fuchsberger T, Andreasen N, Wiltfang J, Otto M, Shen Y, Dodel R, Du Y, Farlow M, Möller HJ, Blennow K, Buerger K. Value of CSF beta-amyloid1-42 and tau as predictors of Alzheimer's disease in patients with mild cognitive impairment. *Mol Psych.* 2004; 9:705–710.
- Hanninen T, Hallikainen M, Tuomainen S, et al. Prevalence of mild cognitive impairment: a population-based study in elderly subjects. *Acta Neurol Scand.* 2002; 106:148–154.
- Hansson O, Zetterberg H, Buchhave P, Londos E, Blennow K, Minthon L. Association between CSF biomarkers and incipient Alzheimer's disease in patients with mild cognitive impairment: a follow-up study. *Lancet Neurol.* 2006; 5:228–234.
- Harrington DJ. Biolab Medical Unit. Nutritional and Environmental Medicine. England, London 2012. <http://www.biolab.co.uk/docs/vitaminB12.pdf>.
- Harrington DJ. Laboratory assessment of vitamin B12 status. *J Clin Pathol.* 2016 May 11;pii: jclinpath-2015-203502.
- Harris WS. Omega-3 fatty acids and cardiovascular disease: A case for omega-3 index as a new risk factor. *Pharmacol Res* 2007; 55:217-223.
- Harry GJ. Microglia during development and aging. *Pharmacol Ther.* 2013; 139: 313–326.
- Harvan JR, Cotter V. An evaluation of dementia screening in the primary care setting. *J Am Acad Nurse Pract.* 2006; 18 (8): 351 – 360.
- Hashimoto M, Hossain S, Shimada T et al. Docosahexaenoic acid provides protection from impairment of learning ability in Alzheimer's disease model rats. *J Neurochem* 2002; 81(5):1084-1091.
- Hassan-Zadeh A, Sahari MA and Barzegar M. Optimization of the x-3 extraction as a functional food from flaxseed. *Int. J. Food Sci. Nutr.* 2008; 59: 526–534.
- Hawkins BT and Davis TP. The blood-brain barrier/neurovascular unit in health and disease. *Pharmacol Rev.* 2005; 57:173–185.
- Health Quality Ontario. Vitamin B12 and cognitive function: an evidence-based analysis. Ont Health Tech Assess Ser [Internet]. 2013 November 1; 13(23):1–45. Available from
-

<http://www.hqontario.ca/evidence/publications-and-ohtac-recommendations/ontario-health-technology-assessment-series/B12-cognitive-function>.

Henry RJ, Cannon DC and Winkelman JW. *Clinical Chemistry, Principles and Techniques*, 2nd edition, Harper and Row. 1974; 525.

Henry CJ. Basal metabolic rate studies in humans: measurement and development of new equations. *Public Health Nutr* 2005; 8(7A):1133-1152.

Herchi W , Arráez-Román D, Trabelsi H, Bouali I, Boukhchina S, Kallel H, Segura-Carretero A and Fernández-Gutierrez A. Phenolic Compounds in Flaxseed: a Review of Their Properties and Analytical Methods. An Overview of the Last Decade. *J. Oleo Sci.* 2014; 63(1): 7-14.

Hin H, Clarke R, Sherliker P et al. Clinical relevance of low serum vitamin B12 concentrations in older people: the Banbury B12 study. *Age Aging*. 2006; 35(4):416- 422.

Ho PI, Collins SC, Dhitavat S, Ortiz D, Ashline D, Rogers E, Shea TB: Homocysteine potentiates beta-amyloid neurotoxicity: role of oxidative stress. *J Neurochem*. 2001; 78:249–253.

Ho V, Zainal NH, Lim L, Ng A, Silva E, Kandiah N. Voluntary cognitive screening: characteristics of participants in an Asian setting. *Clin Interv Aging*. 2015 Apr 20; 10:771-780.

Hodgkin DC, Kamper J, Mackay M, Pickworth J. et al. Structure of vitamin B12. *Nature* 1956; 178: 64–66.

Holub BJ. Omega- 3 fatty acids in cardiovascular care. *CMAJ*. 2002; 166:608-615.

Horwitz C, Walker ARP, Lignans-Additional benefits from fiber? *Nutr Cancer*. 6, 1984; 73-76.

Howieson DB, Carlson NE, Moore MM, Wasserman D, Abendroth CD, Payne-Murphy J, Kaye JA. Trajectory of mild cognitive impairment onset. *J Int Neuropsychol Soc*. 2008; 14:192-198.

Huang TL. Omega-3 fatty acids, cognitive decline, and Alzheimer’s disease: a critical review and evaluation of the literature. *J Alzheimers Dis*. 2010; 21:673–690.

Huang P, Wang F, Kumar BS, Jiang J, Ni Z, Jentso Wang J and Sun X. Homocysteine and the risk of age-related macular degeneration: a systematic review and meta-analysis. *Sci Rep*. 2015; 5: 10585.

Hunderfund AL, Roberts RO, Slusser TC, Leibson CL, Geda YE, et al. Mortality in amnesic mild cognitive impairment: a prospective community study. *Neurology* 2006; 67: 1764–1768.

Hussain S, Anjum FM, Alamri MS. 2011. Fortification of pan bread with healthy flaxseed. *Aus J Basic Appl Sci*. 2011; 5:978–983.

-
- Hussain, S., Anjum F. M., Butt M. S., Khan M. I. and Asghar A. Physical and sensory attributes of flaxseed flour supplemented cookies. *Turk J Biol.* 2006; 30: 87-92.
- Hutchins AM, Brown BD, Cunnane SC, Domitrovich SG, Adams ER, Bobowiec CE. Daily flaxseed consumption improves glycemic control in obese men and women with pre-diabetes: a randomized study. *J Nutr Res.* 2013 May; 33(5): 367-375.
- Hutto BR: Folate and cobalamin in psychiatric illness. *Compr Psych.* 1997; 38:305–314.
- Hvas AM, Nexø E. Diagnosis and treatment of vitamin B12 deficiency: an update. *Haematologica.* 2006; 91(11):1506-1512.
- ICSH (International Committee for Standardization in Haematology) Standard. Recommendations for reference method for haemoglobinometry in human blood (ICSH Standard EP 6/2: 1977) and specifications for international haemoglobinocyanide reference preparation (ICSH Standard EP 6/3: 1977). *J Clin Path.* 1978; 31(2):139-143.
- IFCC (International Federation of Clinical Chemistry and Laboratory Medicine) *J Clin Chem Biochem.* 1986 a. 24: 481.
- Imran M, Anjum FM, Ahmad N, Khan MK, Mushtaq Z, Nadeem M, Hussain S. Impact of extrusion processin gconditons on lipid peroxidation and storage stability of full-fat flaxseed meal. *Lipids Health Dis.* 2015 Aug 19; 14:92.
- Imtiaz B, Tolppanen AM, Kivipelto M, Soininen H. Future directions in Alzheimer's disease from risk factors to prevention. *Biochem Pharmacol.* 2014; 88(4):661–670.
- Issac TG, Chandra SR, Rajeswaran J, Christopher R, Philip M. Demographic features and neuropsychological correlates in a cohort of 200 patients with vascular cognitive decline due to cerebral small vessel disease. *Ind J Psychol Med.* 2016 Mar-Apr; 38(2):127-132.
- Jack CR, Knopman DS, Jagust WJ, Shaw LM, Aisen PS, Weiner MW, Petersen RC, Trojanowski JQ. Hypothetical model of dynamic biomarkers of the Alzheimer's pathological cascade. *Lancet Neurol.* 2010; 9:119–128.
- Jenab M, Thompson LU. The influence of flaxseed and lignans on colon carcinogenesis and β -glucuronidase activity. *Carcinogenesis.* 1996; 17: 1343–1348.
- Jendrassik L. and Grof P. Colorimetric Method of Determination of bilirubin. *Biochem. Z.* 1938; 297: 81-82.
- Jenkins DJZ, Kendall CWC, Vidgen E, Health aspects of partially defatted flaxseed, including effects on serum lipids, oxidative measures, and ex vivo androgen and progestin activity: A controlled crossover trial. *Am J Clin Nutr.* 1999; 69(3): 395–402.
- Joint National Committee (JNC). James AJ, Oparil S, Carter BL, Cushman WC et al. JNC 8 Guidelines for the Management of Hypertension in Adults. *Am Fam Physician.* 2014 Oct 1; 90(7):503-504.
-

-
- Jonker C, Hooyer C. The Amstel project: design and first findings. The course of mild cognitive impairment of the aged; a longitudinal 4-year study. *Psychiatr J Univ Ott*. 1990 Nov; 15(4):207-211.
- Jotheeswaran A, Williams JD, Prince MJ. The predictive validity of the 10/66 Dementia diagnosis in Chennai, India – a three year follow-up study of cases identified at baseline. *Alzheimer Disease Assoc Disord*. 2010; 24(3):296-302.
- Jura E. Clinical and differential diagnosis of multi-infarct dementia and Alzheimer's disease. *Neurol Neurochir Pol*. 1992; Jan-Feb; 26(1):9-18.
- Jyothirmayi T, Narsing Rao G, Rao DG. Studies on instant raw tamarind chutney powder. *J Foodserv*. 2006; 17:119–123.
- Kaduszkiewicz H, Zimmermann T, Beck-Bornholdt HP, van den Bussche H. Cholinesterase inhibitors for patients with Alzheimer's disease: systematic review of randomised clinical trials. *BMJ*. 2005; 331: 321–327.
- Kalbe E, Kessler J, Calabrese P, et al. DemTect: a new, sensitive cognitive screening test to support the diagnosis of mild cognitive impairment and early dementia. *Int J Geriatr Psych*. 2004; 19(2):136-143.
- Kamphuis PJ, Scheltens P. Can nutrients prevent or delay onset of Alzheimer's disease? *J Alzheimers Dis*. 2010; 20 (3):765-775.
- Kaur S, Das M. Nutritional and functional characterization of barley flaxseed based functional dry soup mix. *J Food Sci. Technol*. 2015; 52(9): 5510-5521.
- Kelly JR, Kennedy PJ, Cryan JF, Dinan TG, Clarke G and Hyland NP. Breaking down the barriers: the gut microbiome, intestinal permeability and stress-related psychiatric disorders. *Front Cell Neurosci*. 2015; 392(9): 1-20.
- Khalesi S, Irwin C, Schubert M. Flaxseed consumption may reduce blood pressure: a systematic review and meta-analysis of controlled trials. *J Nutr*. 2015 Apr; 145(4): 758-765.
- Khalesi S, Jamaluddin R, Ismail A. Effect of raw and heated flaxseed (*Linum usitatissimum* L.) on blood lipid profiles in rats. *Intl J Appli Sc Tech*. 2011 July; 1(4):84-89.
- Kidd PM. Omega-3 DHA and EPA for cognition, behavior, and mood: clinical findings and structural-functional synergies with cell membrane phospholipids. *Altern Med Rev*. 2007 Sep; 12(3):207-227.
- Kim G, Kim H, Kim KN, Son JI, Kim SY, Tamura T, Chang N: Relationship of cognitive function with B vitamin status, homocysteine, and tissue factor pathway inhibitor in cognitively impaired elderly: a cross-sectional survey. *J Alzheimers Dis*. 2013; 33:853–862.
-

-
- Kim H, Kim G, Jang W, Kim SY, Chang N. Association between intake of B vitamins and cognitive function in elderly Koreans with cognitive impairment. *Nutr J*. 2014 Dec 17; 13(1):118.
- Kim SJ, Zhang Z, Saha A, Sarkar C, Zhao Z, Xu Y et al. Omega-3 and omega-6 fatty acids suppress ER- and oxidative stress in cultured neurons and neuronal progenitor cells from mice lacking PPT1. *Neurosci. Lett*. 2010; 479(10): 292–296.
- Klek S. Omega-3 fatty acids in modern parenteral nutrition: a review of the current evidence. *J Clin Med*. 2016 Mar 7; 5(3): pii E34.
- Klunk WE, Engler H, Nordberg A, Wang Y, Blomqvist G, Holt DP, Bergström M, Savitcheva I, Huang GF, Estrada S, Ausén B, Debnath ML, Barletta J, Price JC, Sandell J, Lopresti BJ, Wall A, Koivisto P, Antoni G, Mathis CA, Långström B. Imaging brain amyloid in Alzheimer's disease with Pittsburgh Compound-B. *Ann Neurol*. 2004; 55: 306–319.
- Knapp M, Prince M, Albanese E, Banerjee S, Dhanasiri S, Fernandez JL, Ferri C, McCrone P, Snell T, Stewart R. Dementia UK, Dementia UK - A report into the prevalence and cost of dementia prepared by the Personal Social Services Research Unit (PSSRU) at the London School of Economics and the Institute of Psychiatry at King's College London, for the Alzheimer's Society Report: Alzheimer's Society, London. 2007.
- Knopman DS, Parisi JE, Salviati A, Floriach-Robert M, Boeve BF, Ivnik RJ, Smith GE, Dickson DW, Johnson KA, Petersen LE, McDonald WC, Braak H, Petersen RC. Neuropathology of cognitively normal elderly. *J Neuropathol Exp Neurol*. 2003; 62: 1087–1095.
- Köbe T, Witte AV, Schnelle A, Grittner U, Tesky VA, Pantel J, Schuchardt JP, Hahn A, Bohlken J, Rujescu D, Flöel A. Vitamin B-12 concentration, memory performance, and hippocampal structure in patients with mild cognitive impairment. *Am J Clin Nutr*. 2016 Apr; 103(4): 1045-1054.
- Koca AF, Anil M. 2007. Effect of flaxseed and wheat flour blends on dough rheology and bread quality. *J Sci Food Agric* 87: 1172–1175.
- Korczyn AD. Parkinson's and Alzheimer's diseases: Focus on mild cognitive impairment. *Parkinsonism Relat Disord*. 2016 Jan; 22(Suppl 1): S159-161.
- Koshy AS, Kumari SJ, Ayyar V and Kumar P. Evaluation of serum vitamin B12 levels in type 1 diabetics attending a tertiary care hospital: A preliminary cross-sectional study. *Ind J Endocrinol Metab*. 2012; 16(7): 79-82.
- Kral VA. Senescent forgetfulness: benign and malignant. *Can Med Assoc J*. 1962; 86:257-260.
-

-
- Kral VA. Senescent memory decline and senile amnestic syndrome. *Am J Psychiatry*. 1958; 115:361-362.
- Kremer JM. n-3 fatty acid supplements in rheumatoid arthritis. *Am J Clin Nutr*. 2000; 71: 349–351.
- Kris-Etherton PM et al. Polyunsaturated fatty acids in the food chain in the United States. *Am J Clin Nutr*. 2000; 71: 179-188.
- Kromhout D, Yasuda S, Geleijnse JM, Shimokawa H. Fish oil and omega-3 fatty acids in cardiovascular disease: Do they really work? *Eur Heart J*. 2012; 33: 436-443.
- Kunst A, Draeger B, Ziegenhorn J. D-Glucose: UV-methods with hexokinase and glucose-6-phosphate dehydrogenase. In: Bergmeyer HU, editor. *Methods of Enzymatic Analysis*. Verlag Chemie : Weinheim, Germany. 1984; 6:163–172.
- La Rue A, Koehler KM, Wayne SJ, et al. Nutritional status and cognitive functioning in a normally aging sample: a 6-y reassessment. *Am J Clin Nutr*. 1997; 65: 20–29.
- Lacruz ME, Tiller D, Kluttig A, Greiser KH, Nuding S, Werdan K, Haerting J. Association of late-life changes in blood pressure and cognitive status. *J Geriatr Cardiol*. 2016 Jan; 13(1): 37-43.
- Lahiri DK, Farlow MR, Sambamurti K. The secretion of amyloid β -peptides is inhibited in the tacrine-treated human neuroblastoma cells. *Brain Res Mol Brain Res*. 1998; 62:131-140.
- Langan RC, Zawistoski KJ. Update on vitamin B12 deficiency. *Am Fam Physic*. 2011 Jun 15; 83(12):1425-1430.
- Lara E, Koyanagi A, Olaya B, Lobo A, Miret M, Tyrovolas S, Ayuso-Mateos JL, Haro JM. Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. *Int J Geriatr Psych*. 2016 Feb 28; doi: 10.1002/gps.4398. [Epub ahead of print].
- Lauritzen L, Hansen HS, Jorgensen MH, Michaelsen KF. The essentiality of long chain n-3 fatty acids in relation to development and function of the brain and retina. *Progress in Lipid Res*. 2001; 40(1-2):1-94.
- Lautenschlager NT, Cox KL, Flicker L, Foster JK, van Bockxmeer FM, Xiao J, Greenop KR, Almeida OP. Effect of physical activity on cognitive function in older adults at risk of Alzheimer's disease: a randomised trial. *JAMA*. 2008; 300: 1027-1037.
- Lautenschlager NT, Cox KL. Can participation in mental and physical activity protect cognition in old age? *JAMA Intern Med*. 2013; 173(9): 805-806.
- Lee GR. Pernicious anemia and other causes of vitamin B12 (cobalamin) deficiency. In: Lee GR, et al., eds. *Wintrobe's Clinical hematology*. 10th ed. Baltimore: Williams & Wilkins. 1999; 941-964.
-

-
- Lee SH, Han JH, Jin YY, Lee IH, Hong HR, Kang HS. Poor physical fitness is independently associated with mild cognitive impairment in elderly Koreans. *Biol Sport*. 2016 Mar; 33(1): 57-62.
- Lenhert PG, Hodgkin DC. Structure of the 5,6-dimethylbenzimidazolylcobamide coenzyme. *Nature*. 1961; 192: 937–938.
- Levy R. Aging-associated cognitive decline. Working Party of the International Psychogeriatric Association in collaboration with the World Health Organization. *Int Psychogeriatr*. 1994; 6: 63-68.
- Li X, Ma C, Zhang J, Liang Y, Chen Y, Chen K, Wang J, Zhang Z, Wang Y; Beijing Ageing Brain Rejuvenation Initiative. Prevalence of and potential risk factors for mild cognitive impairment in community-dwelling residents of Beijing. *J Am Geriatr Soc*. 2013 Dec; 61(12): 2111-2119.
- Lim ML, Gomez R, Koopman C. A review of amnesic MCI screening in east/southeast Asian older adults with low education: implications for early informant-clinician collaboration. *Int J Geriatr Psychiatry*. 2015 Feb; 30(2):144-55.
- Lindenbaum J, Heaton EB, Savage DG, Brust JC, Garrett TJ, Poddell ER, et al. Neuropsychiatric disorders caused by cobalamin deficiency in the absence of anemia or macrocytosis. *NEJM*. 1988; 318:1720-1728.
- Lindenbaum J, Savage DG, Stabler SP, Allen RH. Diagnosis of cobalamin deficiency: II. Relative sensitivities of serum cobalamin, methylmalonic acid, and total homocysteine concentrations. *Am J Hematol*. 1990; 34: 99-107.
- Lipton SA, Kim WK, Choi YB, Kumar S, D’Emilia DM, Rayudu PV, et al. Neurotoxicity associated with dual actions of homocysteine at the N-methyl-D-aspartate receptor. *Proc Natl Acad Sci*. 1997; 94: 5923-5928.
- Lloyd-Sherlock P, McKee M, Ebrahim S, Gorman M, Greengross S, Prince M, et al. Population ageing and health. *Lancet*. 2012; 379:1295–1296.
- Loewenstein DA, Acevedo A, Agron J, Duara R. Stability of neurocognitive impairment in different subtypes of mild cognitive impairment. *Dement Geriatr Cogn Disord*. 2007; 23: 82–86.
- Lonie JA, Tierney KM, Ebmeier KP. Screening for mild cognitive impairment: a systematic review. *Int J Geriatr Psychiatry*. 2009; 24(9): 902–915.
- Lopez OL, Jagust WJ, DeKosky ST, et al. Prevalence and classification of mild cognitive impairment in the Cardiovascular Health Study Cognition Study: part 1. *Arch Neurol*. 2003; 60:1385–1389.
-

-
- Lopez OL. Mild Cognitive Impairment. *Continuum : Lifelong Learning in Neurology*. 2013; 19(2 Dementia): 411-424.
- Lovat LB. Age related changes in gut physiology and nutritional status. *Gut* 1996; 38: 306–309.
- Lucas EA, Wild RD, Hammond LJ, Khalil DA, et al. Flaxseed improves lipid profile without altering biomarkers of bone metabolism in postmenopausal women. *J Clin Endocrinol Metab*. 2002 Apr; 87(4): 1527–1532.
- Luchsinger JA, Tang MX, Miller J, et al. Relation of higher folate intake to lower risk of Alzheimer disease in the elderly. *Arch Neurol*. 2007; 64: 86–92.
- Luck T, Riedel-Heller SG, Kaduszkiewicz H, et al. Mild cognitive impairment in general practice: age-specific prevalence and correlate results from the German study on ageing, cognition and dementia in primary care patients (AgeCoDe). *Dement Geriatr Cogn Disord*. 2007; 24: 307–316.
- Macfabe, D. F. Short-chain fatty acid fermentation products of the gut microbiome: implications in autism spectrum disorders. *Microb. Ecol. Health Dis*. 2012; 23.
- MacFabe, D. F., Cain, D. P., Rodriguez-Capote, K., Franklin, A. E., Hoffman, J. E., Boon, F., et al. Neurobiological effects of intraventricular propionic acid in rats: possible role of short chain fatty acids on the pathogenesis and characteristics of autism spectrum disorders. *Behav Brain Res*. 2007; 176:149–169.
- Macfarlane GT and Macfarlane S. Bacteria, colonic fermentation and gastrointestinal health. *J AOAC Int*. 2012; 95: 50–60.
- Mahajan BK. Methods in Biostatistics for Medical Students and Research Workers, 7th edn., New Delhi, ,Jaypee Brothers Medical Publishers (P) Ltd. 2010;84.
- Maher P, Akaishi T and Abe K. Flavonoid fisetin promotes ERK-dependent long-term potentiation and enhances memory. *Proc Natl Acad Sci USA*. 2006 Oct 31; 103(44): 16568–16573.
- Malouf R, et al. Folate with or without vitamin B12 for the prevention and treatment of healthy elderly and demented people. *Cochrane Rev*. 2008: CD004514.
- Malouf R, Saster A. Vitamin B12 for cognition. (CD004326). *Cochr Datab Syst Rev*. 2003; 3.
- Manly JJ, Bell-McGinty S, Tang MX, et al. Implementing diagnostic criteria and estimating frequency of mild cognitive impairment in an urban community. *Arch Neurol*. 2005; 62:1739–1746.
- Mao P. Oxidative Stress and Its Clinical Applications in Dementia. *J Neurodegen Dis*. 2013; 2013:1-15.
-

-
- Marcuard SP, Albernaz L, Khazanie PG. Omeprazole therapy causes malabsorption of cyanocobalamin (vitamin B12). *Ann Intern Med.* 1994; 120:211-215.
- Mariat D, Firmesse O, Levenez F, Guimarães VD, Sokol H, Doré J, Corthier G, Furet JP. The Firmicutes/Bacteroidetes ratio of the human microbiota changes with age. *BMC Microbiology.* 2009; 9.
- Martin DC. B12 and folate deficiency dementia. *Clin Geriatr Med.* 1988; 4:841-852.
- Martínez-Lapiscina EH, Clavero P, Toledo E, San Julián B, Sanchez-Tainta A, Corella D, Lamuela-Raventós RM, Martínez JA, Martínez-Gonzalez MÁ. Virgin olive oil supplementation and long term cognition: the PREDIMEDNAVARRA randomized trial. *J Nutr Health Aging.* 2013; 17 (6): 544-552.
- Mathis C, Wang Y, Holt DP, Huang GF, Debnath ML, Klunk W. Synthesis and evaluation of ¹¹C-labeled 6-substituted 2-arylbenzothiazoles as amyloid imaging agents. *J Med Chem.* 2003; 46: 2740–2754.
- Mathuranath PS, Nestor PJ, Berrios GE, Rakowicz W and Hodges JR. A brief cognitive test battery to differentiate Alzheimer's disease and frontotemporal dementia. *Neurol.* 2000; 55: 1613–1620.
- Mayer EA, Knight R, Mazmanian SK, Cryan JF, Tillisch K. Gut microbes and the brain: Paradigm shift in neuroscience. *J Neurosci.* 2014; 34: 15490–15496.
- McCracken C, Hudson P, Ellis R, McCaddon A. Medical Research Council Cognitive Function and Ageing Study. Methylmalonic acid and cognitive function in the Medical Research Council Cognitive Function and Ageing Study. *Am J Clin Nutr.* 2006; 84: 1406–1411.
- McGeer PL, Schulzer M, McGeer EG. Arthritis and anti-inflammatory agents as possible protective factors for Alzheimer's disease: a review of 17 epidemiologic studies. *Neurol.* 1996; 47: 425-432.
- McNamara RK and Carlson SE. 2006. Role of omega-3 fatty acids in brain development and function: Potential implications for the pathogenesis and prevention of psychopathology. *Prostaglan Leukot Essent Fatty Acids.* 75: 329–349.
- Mehta P and Shah S. A study on nutrition and health of depressed adult and older women of Baroda city: Impact of herbal intervention (Brahmi) on depression in elderly women with impaired mental function. 2006. (Unpublished) Masters. Dissertation. The Maharaja Sayajirao University of Baroda.
- Mehta P, Sharma M and Chauhan K. A study on health and nutritional status of very old elderly (85+years) and centenarians. *Ind J Geron.* 2009; 23(3):277-284.
-

-
- Mente O. Effect of the use of ground flaxseed on quality and chemical composition of bread. *Food Sci Technol Int.* 2008; 14(4): 299–306.
- Mervat ED, Mahmoud KF, Gamil F, Bareh GF and Albadawy W. Effect of fortification by full fat and defatted flaxseed Flour sensory properties of wheat bread and lipid profile taste. *Int J Curr Microbiol App Sci.* 2015; 4(4): 581-598.
- Middleton LE & Yaffe K. Promising strategies for the prevention of dementia. *Arch Neurol* 2009; 66: 1210–1215.
- Minot G, Murphy W. Treatment of pernicious anaemia by a special diet. *J Am Med Assoc.* 1926; 87:470-476.
- Mioshi E, Dawson K, Mitchell J, Arnold R and Hodges JR. The Addenbrooke's Cognitive Examination Revised (ACE-R): a brief cognitive test battery for dementia screening. *Intl J Geriatr Psych.* 2006; 21:1078–1085.
- Mistridisa P, Krumma S, Monscha AU, Berresc M and Taylor KI. The 12 Years Preceding Mild Cognitive Impairment Due to Alzheimer's Disease: The Temporal Emergence of Cognitive Decline. *J Alz Dis.* 2015; 48:1095–1107.
- Mitchell A, Shiri-Feshki M. Rate of progression of mild cognitive impairment to dementia - meta-analysis of 41 robust inception cohort studies. *Acta Psychiatr Scand.* 2009; 119: 252–265.
- Mitchell J, Arnold R, Dawson K, Nestor P J and Hodges JR. Outcome in subgroups of mild cognitive impairment (MCI) is highly predictable using a simple algorithm. *J Neurol.* 2009; 256: 1500–1509.
- Mizrahi EH, Jacobsen DW, Debanne SM, Traore F, Lerner AJ, Friedland RP, Petot GJ: Plasma total homocysteine levels, dietary vitamin B6 and folate intake in AD and healthy aging. *J Nutr Health Aging.* 2003, 7:160–165.
- Mohajeri MH, Troesch B and Weber P. Inadequate supply of vitamins and DHA in the elderly: Implications for brain aging and Alzheimer-type dementia. *Nutr.* 2015; 31: 261–275.
- Moore E, Mander A, Ames D, Carne R, Sanders K, Watters D. Cognitive impairment and vitamin B12: a review. *Int Psychogeriatr.* 2012; 6:1–16.
- Moraes, E. A., Dantas M. I. S., Morais D. C., Silva C. O., Castro F. A. F., Martino H. S. D. and Ribeiro S. M. R. Sensory evaluation and nutritional value of cakes prepared with whole flaxseed flour. *Cien Tec Ali.* 2010; 30: 974-979.
- Moretti R, Torre P, Antonello RM, Cazzato G. Is isolated vitamin B12 deficiency a sufficient causative factor of dementia? *Eur J Neurol.* 2001; 8: 87-88.
-

-
- Moriya J, Chen R, Yamakawa J, Sasaki K, Ishigaki Y, Takahashi T. Resveratrol improves hippocampal atrophy in chronic fatigue mice by enhancing neurogenesis and inhibiting apoptosis of granular cells. *Biol Pharm Bull* . 2011; 34: 354–359.
- Morris DH. Flax – A Health and Nutrition Primer, 4th ed. Winnipeg, MB: Flax Council of Canada, 2007.
- Morris JC, Roe CM, Grant EA, Head D, Storandt M, Goate AM, Fagan AM, Holtzman DM, Mintun MA. Pittsburgh compound B imaging and prediction of progression from cognitive normality to symptomatic Alzheimer disease. *Arch Neurol*. 2009; 66: 1469–1475.
- Morris JC. The Clinical Dementia Rating (CDR): current version and scoring rules. *Neurol*. 1993; 43: 2412-2414.
- Morris MC, Evans DA, Bienias JL, et al. Consumption of fish and n-3 fatty acids and risk of incident Alzheimer disease. *Arch Neurol*. 2003; 60: 940–946.
- Morris MC, Evans DA, Bienias JL, Tangney CC, Bennett DA, Wilson RS. Dietary fat intake and 6-year cognitive change in an older biracial community population. *Neurol*. 2004; 62:1573–1579.
- Morris MC, Evans DA, Bienias JL, et al. Dietary folate and vitamin B12 intake and cognitive decline among community-dwelling older persons. *Arch Neurol* .2005; 62: 641–645.
- Morris MC, Schneider JA, Tangney CC. Thoughts on B-vitamins and dementia. *J Alzheimers Dis*. 2006; 9: 429–433.
- Morris MC, Evans DA, Tangney CC, Bienias JL, Wilson RS, Aggarwal NT, Scherr PA. Relation of the tocopherol forms to incident Alzheimer disease and to cognitive change. *Am J Clin Nutr*. 2005 Feb; 81(2): 508-514.
- Morris MC. Symposium 1: Vitamins and cognitive development and performance Nutritional determinants of cognitive aging and dementia. *P Nutr Soc*. 2012 Feb; 71(1): 1-13.
- Mortimer JA, Borenstein AR, Ding D, Decarli C, Zhao Q, Copenhaver C, Guo Q, Chu S, Galasko D, Salmon DP, Dai Q, Wu Y, Petersen R, Hong Z. High normal fasting blood glucose is associated with dementia in Chinese elderly. *Alzheimers Dement*. 2010 Nov; 6(6): 440-477.
- Mortimer JA. Brain reserve and the clinical expression of Alzheimer's disease. *Geriatr*. 1997 Sep; 52 (Suppl 2): S50-53.
- Mosconi L, Murray J, Davies M, et al. Nutrient intake and brain biomarkers of Alzheimer's disease in atrisk cognitively normal individuals: a cross-sectional neuroimaging pilot study. *BMJ Open*. 2014; 4: e004850.
-

-
- Mozaffarian D, Wu JH. Omega-3 fatty acids and cardiovascular disease: Effects on risk factors, molecular pathways, and clinical events. *J Am Coll Cardiol*. 2011; 58: 2047-2067.
- Mridula D, Singh KK, Barnwal P. Development of omega-3 rich energy bar with flaxseed. *J Food Sci Technol*. 2013; 50(5): 950–957.
- Mufson EJ, Chen EY, Cochran EJ, Beckett LA, Bennett DA, Kordower JH. Entorhinal cortex β -amyloid load in individuals with mild cognitive impairment. *Exp Neurol*. 1999; 158: 469-490.
- Nandi DN, Banerjee G, Mukherjee SP, Ghosh A, Nandi S, Nandi DN. Psychiatric morbidity of a rural Indian community. Changes over a 20 -year interval. *Br J Psychiatry*. 2000; 176: 351-356.
- Narsing Rao G, Prabhakara Rao PG, Jyothirmayi T, Rao DG. Chemical composition, standardisation and storage studies on raw mango chutney powder. *J Food Sci Technol*. 2008; 45(5): 436–438.
- Nation U. World population ageing. New York: Department of Economic and Social Affairs; 2009. <http://www.un.org/en/development/desa/publications/world-population-ageing-2009.html>
- National Institute on Aging (NIA). Types of dementia. <http://www.nia.nih.gov/alzheimers/publication/dementias/types-dementia>. Publication date: September 2013.
- National Institutes of Health (NIH). Office of Dietary Supplements. Vitamin B12 Fact Sheet for Consumers. <https://ods.od.nih.gov/pdf/factsheets/Vitaminb12-Consumer.pdf>. Updated: 2016 Feb 17.
- Nelson PT, Braak H, Markesbery WR. Neuropathology and cognitive impairment in Alzheimer disease: a complex but coherent relationship. *J Neuropathol Exp Neurol*. 2009; 68: 1–14.
- Nilsson Ehle H. Age-related changes in cobalamin handling, Implications for therapy. *Drugs Aging*. 1998; 12: 277-292.
- Nygard O, Nordrehaug JE, Refsum H, Ueland PM, Farstad M, Vollset SE. Plasma homocysteine levels and mortality in patients with coronary artery disease. *N Engl J Med*. 1997; 337: 230-236.
- Nyholm E, Turpin P, Swain D, et al. Oral vitamin B12 can change our practice. *Postgrad Med J*. 2003; 79(930): 218-220.
- Nys GM, van Zandvoort MJ, de Kort PL, et al. Restrictions of the Mini-Mental State Examination in acute stroke. *Arch Clin Neuropsychol*. 2005; 20(5): 623–629.
-

-
- Obeid R, Fedosov SN and Nexo E. Cobalamin coenzyme forms are not likely to be superior to cyano- and hydroxyl-cobalamin in prevention or treatment of cobalamin deficiency. *Mol Nutr Food Res*. 2015, 59:1364–1372.
- O'Bryant SE, Humphreys JD, Smith GE, et al. Detecting dementia with the mini-mental state examination in highly educated individuals. *Arch Neurol*. 2008; 65 (7): 963–967.
- O'Callaghan N, Parletta N, Milte CM, Benassi-Evans B, Fenech M, Howe PR. Telomere shortening in elderly individuals with mild cognitive impairment may be attenuated with ω -3 fatty acid supplementation: a randomized controlled pilot study. *Nutr*. 2014 Apr; 30(4): 489-491.
- Ochei J and Kolhatkar A. Medical laboratory science, theory and practice. Tata Mc Graw – Hill Publishing Company limited edition. 2000. 11: 663 –748.
- Ogawa S. Nutritional management of older adults with cognitive decline and dementia. *Geriatr Gerontol Int*. 2014, 14 (Suppl 2): 17–22.
- Robert O, Brown DL. Vitamin B12 deficiency. *Am Fam Physician*. 2003; 67(5): 979-986.
- Ohland, C. L., and Macnaughton, W. K. Probiotic bacteria and intestinal epithelial barrier function. *Am. J. Physiol. Gastrointest. Liver Physiol*. 2010; 298: G807–G819.
- Okello A, Koivunen J, Edison P, Archer HA, Turkheimer FE, Nagren K, Bullock R, Walker Z, Kennedy A, Fox NC, Rossor MN, Rinne JO, Brooks DJ. Conversion of amyloid positive and negative MCI to AD over 3 years: an 11C-PIB PET study. *Neurol*. 2009; 73: 754–760.
- Olanow CW. Oxidation reactions in Parkinson's disease. *Neurol*. 1990 Oct; 40(10 Suppl 3):suppl 32-37; discussion 37-39.
- Olle, B. Medicines from microbiota. *Nat Biotechnol*. 2013; 31: 309–315.
- Oomah BD, Mazza G. Flaxseed proteins—a review. *Food Chem*. 1993; 48(2):109–114.
- Oomah BD. Flaxseed as a functional food source. *J Sci Food Agric* 2001; 81(9): 889- 894.
- Ortega, R.M., Requejo, A.M., Andres, P., Lopez-Sobaler, AM., Quintas, M.E., Redondo, M.R., Navia, B., and Rivas, T. Dietary intake and cognitive function in a group of elderly people. *Am J Clin Nutr*. 1997; 66: 803–809.
- Ostrosky-Solis F, Lopez-Arango G, Ardila A. Sensitivity and specificity of the Mini-Mental State Examination in a Spanish-speaking population . *Appl Neuropsychol*. 2000; 7 (1): 25 – 31.
- Otaegui-Arrazola A , Amiano P, Elbusto A, Urdaneta E, Martínez-Lage P. Diet, cognition, and Alzheimer's disease: food for thought. *Eur J Nutr*. 2014 Feb; 53(1):1-23.
- Palmer K, Wang HX, Bäckman L, Winblad B, Fratiglioni L. Differential evolution of cognitive impairment in nondemented older persons: results from the Kungsholmen project. *Am J Psych*. 2002; 159:436–442.
-

-
- Pamidighantam Prabhakara Rao & Galla Narsing Rao & Kripanand Sathiya Mala & Karakala Balaswamy & Akula Satyanarayana. Preparation and storage stability of flaxseed chutney powder, a functional food adjunct. *J Food Sci Technol*. 2013 (Jan-Feb); 50(1):129–134.
- Pan H, Piermartiri TC, Chen J, McDonough J, Oppel C, Driwech W al. Repeated systemic administration of the nutraceutical alpha-linolenic acid exerts neuroprotective efficacy, an antidepressant effect and improves cognitive performance when given after soman exposure. *Neurotoxicol*. 2015 Dec; 51:38-50.
- Pantelic S, Randelovic N et al. Physical activity of elderly women in terms of age. *Physical Education and Sport* 10 (4) Sp Is 2012; 289 – 296.
- Panza F, Frisardi V, Capurso C, D'Introno A, Colacicco AM, Vendemiale G, Capurso A, Solfrizzi V. Possible role of S-adenosylmethionine, S-adenosylhomocysteine, and polyunsaturated fatty acids in predementia syndromes and Alzheimer's disease. *J Alzheimers Dis*. 2009; 16(3): 467-70.
- Parnowski T, Kaluza B. Metabolic syndrome and cognitive dysfunction in the old age. *Psychiatr Pol*. 2013 Nov-Dec; 47(6):1087-1099.
- Pauwels EK, Kostkiewicz M. Fatty acid facts, Part III: Cardiovascular disease or, a fish diet is not fishy. *Drug News Perspect*. 2008; 21:552-561.
- Pellizzon MA, Billheimer JT, Bloedon LT, Szapary PO, Rader DJ. Flaxseed reduces plasma cholesterol levels in Hypercholesterolemic mouse models. *J Am Coll Nutr*. 2007; 26(1): 66–75.
- Pereira AF, do Couto SF, de Mendonça A. The use of laboratory tests in patients with mild cognitive impairment. *J Alzheimers Dis*. 2006; 10: 53–58.
- Perry IJ, Refsum H, Morris RW, Ebrahim SB, Ueland PM, Shaper AG. Prospective study of serum total homocysteine concentration and risk of stroke in middle-aged British men. *Lancet*. 1995; 346:1395-1398.
- Petersen R, Negash S. Mild cognitive impairment: an overview. *CNS Spectr*. 2008; 13 (1): 45-53.
- Petersen RC, Caracciolo B, Brayne C, Gauthier S, Jelic V, Fratiglioni L. Mild cognitive impairment: a concept in evolution. *J Intern Med*. 2014; 275 (3): 214–228.
- Petersen RC, Knopman DS. MCI is a clinically useful concept. *Int Psychogeriatr*. 2006; 18: 394-402; discussion 409-14.
- Petersen RC, Parisi JE, Dickson DW, Johnson KA, Knopman DS, Boeve BF, Jicha GA, Ivnik RJ, Smith GE, Tangalos EG, Braak H, Kokmen E. Neuropathologic features of amnesic mild cognitive impairment. *Arch Neurol*. 2006a; 63:665–672.
- Petersen RC, Roberts RO, Knopman DS, et al. Mild cognitive impairment: ten years later. *Arch Neurol*. 2009; 66:1447–1455.
-

-
- Petersen RC, Roberts RO, Knopman DS, et al. Prevalence of mild cognitive impairment is higher in men. The Mayo Clinic Study of Aging. *Neurol.* 2010; 75: 889–897.
- Petersen RC, Smith GE, Waring SC, Ivnik RJ, Tangalos EG, Kokmen E. Mild cognitive impairment: clinical characterization and outcome. *Arch Neurol.* 1999; 56:303-308.
- Petersen RC, Stevens JC, Ganguli M, Tangalos EG, Cummings JL, et al. Practice parameter: early detection of dementia: mild cognitive impairment (an evidence-based review). Report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurol.* 2001; 56: 1133–1142.
- Petersen RC. Mild cognitive impairment as a diagnostic entity. *J Intern Med.* 2004; 256:183–194.
- Pickering TG, Hall JE, Appel LJ, Falkner BE, Graves J, Hill MN, et al. Subcommittee of Professional and Public Education of the American Heart Association Council on High Blood Pressure Research. Recommendations for blood pressure measurement in humans and experimental animals. Part 1: blood pressure measurement in humans. *Hypertension* 2005. 45:142–161.
- Plassman BL, Langa KM, Fisher GG, et al. Prevalence of cognitive impairment without dementia in the United States. *Ann Intern Med.* 2008; 148: 427–434.
- Plassman BL, Williams JW Jr, Burke JR, et al. Systematic review: factors associated with risk for and possible prevention of cognitive decline in later life. *Ann Intern Med* 2010; 153, 182–193.
- Panza F, Frisardi V, Capurso C, D'Introno A, Colacicco AM, Vendemiale G, Capurso A, Solfrizzi V. Possible role of S-adenosylmethionine, S-adenosylhomocysteine, and polyunsaturated fatty acids in predementia syndromes and Alzheimer's disease. *J Alzheimers Dis.* 2009; 16(3): 467-470.
- Pottala JV, Yaffe K, Robinson JG, Espeland MA, Wallace R, Harris WS. Higher RBC EPA + DHA corresponds with larger total brain and hippocampal volumes: WHIMS-MRI Study. *Neurol.* 2014; 82: 435–442.
- Prabhakara Rao PG, Narsing Rao G, Satyanarayana A, Rao DG. Studies on chutney powders based on tamarind (*Tamarindus indica* L) leaves. *Foodserv Res Int.* 2005; 15(1):13–24.
- Prabhakara Rao P, Narsing Rao G, Mala Sathiya K, Balaswamy K, Satyanarayana A. Preparation and storage stability of flaxseed chutney powder, a functional food adjunct. *J. Food. Sci. Technol.* 2013; 50(1): 129–134.
- Pradeepa R, Anjana RM, Joshi SR, Bhansali A, Deepa M, Joshi PP, Dhandania VK, Madhu SV, Rao PV, Geetha L, Subashini R, Unnikrishnan R, Shukla DK, Kaur T, Mohan V, Das AK; ICMR-INDIAB Collaborative Study Group. Prevalence of generalized & abdominal
-

obesity in urban & rural India--the ICMR-INDIAB Study (Phase-I) [ICMR- NDIAB-3]. *Ind J Med Res*. 2015Aug; 142(2): 139-150.

Prenderville, J. A., Kennedy, P. J., Dinan, T. G., and Cryan, J. F. Adding fuel to the fire: the impact of stress on the ageing brain. *Trends Neurosci*. 2015; 38: 13–25.

Prince M, Acosta D, Chiu H, Scazufca M, Varghese M. Dementia diagnosis in developing countries: a cross-cultural validation study. *Lancet*. 2003; 361: 909–917.

Purser JL, Fillenbaum GG, Pieper CF, Wallace RB. Mild cognitive impairment and 10-year trajectories of disability in the Iowa Established Populations for Epidemiologic Studies of the Elderly cohort. *J Am Geriatr Soc*. 2005; 53: 1966–1972.

Qin J, Li R, Raes J, Arumugam M, Burgdorf KS, Manichanh C, Nielsen T, Pons N, Levenez F, Yamada T et al. A human gut microbial gene catalogue established by metagenomic sequencing. *Nature*. 2010; 464: 59–65.

Rabetafika HN, Remoortel VV, Danthine S, Paquot M, Blecker C, Flaxseed proteins: food uses and health benefits. *Int J Food Sci Tech*. 2011; 46: 221–228.

Raina SK, Pandita KK, Razdan S. Incidence of dementia in a Kashmiri migrant population. *Ann Indian Acad Neurol*. 2009; 12: 154-156.

Raina SK, Razdan S, Pandita KK. Prevalence of dementia in ethnic Dogra population of Jammu district, North India: A comparison survey. *Neurol Asia*. 2010; 15: 65-69.

Rajiv J, Dasappa I, Prabhasankar P, Rao GV. Rheology, fatty acid profile and storage characteristics of cookies as influenced by flax seed (*Linum usitatissimum*). *J Food Sci Technol*. 2012; 49(5): 587–593.

Rajkumar S, Kumar S, Thara R. Prevalence of dementia in a rural setting: A report from India. *Int J Geriatr Psych*. 1997; 12: 702-707.

Reaven GM, Brand RJ, Chen YDI, Mathur AK, Goldfine I. Insulin resistance and insulin secretion are determinants of oral glucose tolerance in normal individuals. *Diab*. 1999; 42(9), 1324–1332.

Reiber H. Dynamics of brain-derived proteins in cerebrospinal fluid. *Clin Chim Acta*. 2001; 310: 173–186.

Reisberg B, Ferris SH, de Leon MJ, Crook T. The Global Deterioration Scale for assessment of primary degenerative dementia. *Am J Psych*. 1982; 139:1136-1139.

Rhee SH, Pothoulakis C, Mayer EA. Principles and clinical implications of the brain-gut-enteric microbiota axis. *Nat Rev Gastroenterol Hepatol*. 2009; 6: 306–314.

Ribas SA, Grando RL, Zago L, Carvajal E, Fierro IM. Overview of Flaxseed Patent Applications for the Reduction of Cholesterol Levels. *Recent Pat Food Nutr Agric*. 2016 Mar; 21. [Epub ahead of print].

-
- Riediger ND, Othman R, Fitz E, Pierce GN, Suh M, Moghadasian MH, Low n6:n3 fatty acid ratio, with fish or flaxseed oil, in high fat diet improves plasma lipids and beneficially alters tissue fatty acid composition in mice. *Eur J Nutr.* 2009; 47:153– 160.
- Riemenschneider M, Lautenschlager N, Wagenpfeil S, Diehl J, Drzezga A, Kurz A. Cerebrospinal fluid tau and β -amyloid 42 proteins identify Alzheimer disease in subjects with mild cognitive impairment. *Arch Neurol.* 2002; 59: 1729–1734.
- Riggs KM, Spiro A 3rd, Tucker K, Rush D. Relations of vitamin B-12, vitamin B-6, folate, and homocysteine to cognitive performance in the Normative Aging Study. *Am J Clin Nutr.* 1996; 63: 306–314.
- Ritchie K, et al. Designing prevention programmes to reduce the incidence of dementia: prospective cohort study of modifiable risk factors. *BMJ.* 2010; 341: c3885.
- Robert C, Brown DL. Vitamin B12 deficiency. *Am Fam Phy.* 2003; 67(5): 979-986.
- Roberts R, Knopman DS. Classification and Epidemiology of MCI. *Clin Geriatr Med.* 2013; 29(4):10.
- Robins Wahlin TB, Wahlin Å, Winblad B, Bäckman L. The influence of serum vitamin B12 and folate status on cognitive functioning in very old age. *Biol Psychol.* 2001; 56: 247–265.
- Romans JR, Johnson RC, Wulf DM, Libal GW and Costello WJ. Effects of ground flaxseed in swine diets on pig performance and on physical and sensory characteristics of n3 fatty acid content of pork. I. Dietary level of flaxseed. *J Anim Sci.* 1995; 73: 1982–1986.
- Rondanelli M, Faliva MA, Peroni G, Moncaglieri F, Infantino V, Naso M and Perna S. Focus on Pivotal Role of Dietary Intake (Diet and Supplement) and Blood Levels of Tocopherols and Tocotrienols in Obtaining Successful Aging. *Int J Mol Sci.* 2015; 16: 23227-23249.
- Rondanelli M, Opizzi A, Faliva M, Mozzoni M, Antonietto N, Cazzola R, Savarè R, Cerutti R, Grossi E, Cestaro B. Effects of a diet integration with an oily emulsion of DHA-phospholipids containing melatonin and tryptophan in elderly patients suffering from mild cognitive impairment. *Nutr Neurosci.* 2012 Mar; 15(2): 46-54.
- Roозegar MH, Shahedi M, Keramet J, Hamdami N, Roshanak S. Effect of coated and uncoated ground flaxseed addition on rheological, physical and sensory properties of Taftoon bread. *J Food Sci Technol.* 2015 Aug; 52(8): 5102-5110.
- Rozzini L, Chilovi BV, Conti M, Bertolotti E, Delrio I, Trabucchi M, Padovani A: Conversion of amnesic Mild Cognitive Impairment to dementia of Alzheimer type is independent to memory deterioration. *Int J Geriatr Psychiatry* 2007; 22:1217-1222.
- Ruan Q, D'Onofrio G, Sancarolo D, Bao Z, Greco A, Yu Z. Potential neuroimaging biomarkers of pathologic brain changes in Mild Cognitive Impairment and Alzheimer's disease: a systematic review. *BMC Geriatr.* 2016 May 2016; 16:104.
-

-
- Rubenstein LZ, Harker JO, Salva A, Guigoz Y, Vellas B. Screening for undernutrition in geriatric practice: developing the short-form mini-nutritional assessment (MNA-SF). *J Gerontol A Biol Sci Med Sci*. 2001; 56(6): M366-M372.
- Russell, W. R., Hoyles, L., Flint, H. J., and Dumas, M. E. Colonic bacterial metabolites and human health. *Curr Opin Microbiol*. 2013; 16, 246–254.
- Rustan AC and Dreven CA. Fatty acids: Structures and properties. Encyclopedia of life sciences. John Wiley & Sons, Ltd. 2005:1-7.
- Ruxton CHS, Reed SC, Simpson MJA and Millington KJ. The health benefits of omega-3 polyunsaturated fatty acids: a review of the evidence. *J Hum Nutr Dietet*. 2004; 17: 449-459.
- Sachdev PS, Lipnicki DM, Crawford J, et al. Risk profiles for mild cognitive impairment vary by age and sex: the sydney memory and ageing study. *Am J Geriatr Psych*. 2012; 20: 854–865.
- Saldanha D, Mani R, Srivastav K, Goyal S, Bhattacharya D. An epidemiological study of dementia under the aegis of mental health program, Maharashtra, Pune Chapter. *Ind J Psych*. 2010; 52: 131-139.
- Samieri C, Maillard P, Crivello F, Proust-Lima C, Peuchant E, Helmer C, Amieva H, Allard M, Dartigues JF, Cunnane SC, et al. Plasma longchain omega-3 fatty acids and atrophy of the medial temporal lobe. *Neurol*. 2012; 79: 642–650.
- Samuel Mercier, S'ébastien Villeneuve, Christine Moresoli, Martin Mondor, Bernard Marcos, and Krista A. Power. Flaxseed-Enriched Cereal-Based Products: A Review of the Impact of Processing Conditions. *Compr Rev Food Sci Food Safety*. 2014; 13: 400-412.
- Sanchez-Villegas A, Galbete C, Martinez-Gonzalez MA, et al. The effect of the Mediterranean diet on plasma brain-derived neurotrophic factor (BDNF) levels: the PREDIMED-NAVARRA randomized trial. *Nutr Neurosc*. 2011Sep; 14(5): 195- 201.
- Sano M, Ernesto C, Thomas RG, et al, for The Alzheimer's Disease Cooperative Study. A controlled trial of selegiline, alpha-tocopherol, or both as treatment for Alzheimer's disease. *N Engl J Med*. 1997; 336:1216-1222.
- Santacruz KS and Swagerty D. Early diagnosis of dementia. *Amer Fam Phys*. 2001; 63(4): 703–717.
- Satyanarayana A, Giridhar N, Balaswamy K, Shivaswamy R, Rao DG. Studies on development of instant chutneys from Pudina (Mint, *Mentha spicata*) and Gongura (*Hibiscus sp*). *J Food Sci Tech*. 2001; 38(5): 512–514.
- Savage DG, Lindenbaum J, Stabler SP, Allen RH. Sensitivity of serum methylmalonic acid and total homocysteine determinations for diagnosing cobalamin and folate deficiencies. *Am J Med*. 1994; 96: 239-246.
-

-
- Savage DG, Lindenbaum J. Neurological complications of acquired cobalamin deficiency: clinical aspects. *Baillieres Clin Haematol*. 1995 Sep; 8(3): 657-678.
- Scarmeas N, et al. Mediterranean diet and Alzheimer's disease mortality. *Neurol*. 2007; 69(11): 1084-1093.
- Scarmeas N, Stern Y, Mayeux R, Luchsinger JA. Mediterranean diet, Alzheimer disease, and vascular mediation. *Arch Neurol*. 2006 Dec; 63(12): 1709-1717.
- Schaffer S, Asseburg H, Kuntz S, Muller WE, Eckert GP: Effects of polyphenols on brain ageing and Alzheimer's disease: focus on mitochondria. *Mol Neurobiol*. 2012 Aug; 46 (1): 161-178.
- Schjonsby H. Vitamin B12 absorption and malabsorption. *Gut* 1989; 30:1686-1691.
- Schlosser GE, Covell GE, Hoffman-Snyder CR, Wellik KE, Woodruff BK, Geda YE, Caselli RJ, Demaerschalk BM, Wingerchuk DM. Physical activity level and future risk of mild cognitive impairment or dementia: a critically appraised topic. *Neurologist*. 2015 Feb; 19(3): 89-91.
- Schneider A, Biernat J, von Bergen M, Mandelkow E, Mandelkow EM. Phosphorylation that detaches tau protein from microtubules (Ser262, Ser214) also protects it against aggregation into Alzheimer paired helical filaments. *Biochem*. 1999; 38: 3549-3558.
- Seo SW, Im K, Lee JM, Kim YH, Kim ST, Kim SY, Yang DW, Kim SI, Cho YS, Na DL. Cortical thickness in single-versus multiple-domain amnesic mild cognitive impairment. *NeuroImage*. 2007; 36: 289-297.
- Serna A, Contador I, Bermejo-Pareja F, Mitchell AJ, Fernández-Calvo B, Ramos F, Villarejo A, Benito-León J. Accuracy of a Brief Neuropsychological Battery for the Diagnosis of Dementia and Mild Cognitive Impairment: An Analysis of the NEDICES Cohort. *J Alzheimers Dis*. 2015; 48(1): 163-173.
- Shaji S, Bose S, Verghese A. Prevalence of dementia in an urban population in Kerala, India. *Br J Psych*. 2005; 186: 136-140.
- Shaji, S., Promodu, K., Abraham, T., Roy K.J., Verghese A. An epidemiological study of dementia in a rural community in Kerala, India. *Br J Psych*. 1996; 168: 745-749.
- Shakir Faseehuddin KA, Madhusudhan B. Effects of flaxseed (*linum usitatissimum*) chutney on gamma-glutamyl transpeptidase and micronuclei profile in azoxymethane treated rats. *Ind J Clin. Biochem*. 2007; 22(2): 129-131.
- Shatsky M. Evidence for the Use of Intramuscular Injections in Outpatient Practice. *Am Fam Phys*. 2009; 79(4): 297-300.
- Shaw LM, Vanderstichele H, Knapik-Czajka M, Clark CM, Aisen PS, Petersen RC, Blennow K, Soares H, Simon A, Lewczuk P, Dean R, Siemers E, Potter W, Lee VM, Trojanowski JQ.
-

Alzheimer's Disease Neuroimaging Initiative. Cerebrospinal fluid biomarker signature in Alzheimer's disease neuroimaging initiative subjects. *Ann Neurol*. 2009; 65: 403–413.

Shibuya K1, Misawa S, Nasu S, et al. Safety and efficacy of intravenous ultra-high dose methylcobalamin treatment for peripheral neuropathy: a phase I/II open label clinical trial. *Intern Med*. 2014; 53(17):1927-1931.

Shifrin, D. A. Jr., McConnell, R. E., Nambiar, R., Higginbotham, J. N., Coffey, R. J., and Tyska, M. J. Enterocyte microvillus-derived vesicles detoxify bacterial products and regulate epithelial-microbial interactions. *Curr Biol*. 2012; 22:627–631.

Silva D, Albers U, Santana I et al. Do MCI patients with vitamin B12 deficiency have distinctive cognitive deficits? *BMC Research Notes*. 2013; 6:357.

Simopoulos AP. Human requirement for omega-3 polyunsaturated fatty acids. *Poul Sci* 2000. 79: 961–970.

Singh KK, Jhamb SA, Kumar R, Effect of pretreatments on performance of screw pressing for flaxseed. *J Food Process Eng*. 2012; 35: 543–556.

Singh V, Chertkow H, Lerch JP, Evans AC, Dorr AE, Kabani NJ. Spatial patterns of cortical thinning in mild cognitive impairment and Alzheimer's disease. *Brain*. 2006; 129: 2885–2893.

Singh Veer Bahadur. The prevalence of mild cognitive impairment in a north Indian elderly population: correlation with diabetes mellitus and socio-economic status. *Alzheimer's & Dementia*. 2014 July; 10(4) Suppl: P526.

Siuda J, Gorzkowska A, Patalong-Ogiewa M, Krzystanek E, Czech E, Wiechuła B, Garczorz W, Danch A, Jasińska-Myga B, Opala G From mild cognitive impairment to Alzheimer's disease - influence of homocysteine, vitamin B12 and folate on cognition over time: results from one-year follow-up. *Neurol Neurochir Pol*. 2009 Jul-Aug; 43(4):321-329.

Smith AD, Smith SM, de Jager CA, Whitbread P, Johnston C, Agacinski G, Oulhaj A, Bradley KM, Jacoby R, Refsum H. Homocysteine-lowering by B-vitamins slows the rate of accelerated brain atrophy in mild cognitive impairment: a randomized controlled trial. *PLoS ONE* 2010; 5:e12244.

Smith E. Purification of anti-pernicious anaemia factor from liver. *Nature*. 1948; 161:638.

Smith P. Vitamin B12 Deficiency: Causes, Evaluation and Treatment. *TSMJ*. 2008; 9:36-38.

Sniderman AD, Bhopal R, Prabhakaran D, Sarrafzadegan N and Tchernof A. Why might South Asians be so susceptible to central obesity and its atherogenic consequences? The adipose tissue overflow hypothesis. *Int J Epidemiol*. 2007; 36(1): 220-225.

Snow CF. Laboratory diagnosis of vitamin B12 and folate deficiency: a guide for the primary care physician. *Arch Intern Med*. 1999; 159(12): 1289-1298.

-
- Solfrizzi V, Frisardi V, Capurso C, D'Introno A, Colacicco AM, Vendemiale G, Capurso A, Panza F. Dietary fatty acids in dementia and predementia syndromes: epidemiological evidence and possible underlying mechanisms. *Ageing Res Rev.* 2010 Apr; 9(2): 184-199.
- Solfrizzi V, Capurso C, D'Introno A, Colacicco AM, Frisardi V, Santamato A, Ranieri M, Fiore P, Vendemiale G, Seripa D, Pilotto A, Capurso A, Panza F. Dietary fatty acids, age-related cognitive decline, and mild cognitive impairment. *J Nutr Health Aging.* 2008 Jun-Jul; 12(6): 382-386.
- Sood A, Singh P, Gargi PD. Psychiatric morbidity in non- psychiatric geriatric inpatients. *Indian J Psychiatry* 2006; 48: 56-61.
- Sosa AL, Albanese E, Stephan BC, Dewey M, Acosta D, Ferri CP, et al. Prevalence, distribution, and impact of mild cognitive impairment in Latin America, China, and India: a 10/66 population based study. *PLoS Med.* 2012 (b) ; 9 (2): e1001170.
- Sosa-Ortiz AL, Acosta-Castillo I, Prince MJ. Epidemiology of dementias and Alzheimer's disease. *Arch Med Res.* 2012 (a) Nov; 43(8): 600-608.
- Spaan PE, Raaijmakers JG, Jonker C. Early assessment of dementia: the contribution of different memory components. *Neuropsych.* 2005; 19(5): 629-640.
- Speisman R, Kumar A, Rani A, Foster TC, Ormerod BK. Environmental enrichment restores neurogenesis and rapid acquisition in aged rats. *Neurobiol Aging.* 2013 Jan; 34 (1): 263-274.
- Spencer RJ, Wendell CR, Giggey PP, Katzel LI, Lefkowitz DM, Siegel EL, et al. Psychometric limitations of the Mini-mental State Examination among nondemented older adults: an evaluation of neurocognitive and magnetic resonance imaging correlates. *Exp Aging Res.* 2013; 39(4): 382-397.
- Sperling RA, Aisen PS, Beckett LA, David A. Bennett DA, Craft S, Fagan AM et al. Toward defining the preclinical stages of Alzheimer's disease: Recommendations from the National Institute on Aging and the Alzheimer's Association workgroup. *Alzheimer's & Dementia* 2011; 1-13.
- Stabler SP, Marcell PD, Podell ER, Allen RH, Lindenbaum J. Assay of methylmalonic acid in the serum of patients with cobalamin deficiency using capillary gas chromatography-mass spectrometry. *J Clin Invest.* 1986; 77: 1606-1612.
- Stabler SP, Marcell PD, Podell ER, Allen RH, Savage DG, Lindenbaum J. Elevation of total homocysteine in the serum of patients with cobalamin or folate deficiency detected by capillary gas chromatography-mass spectrometry. *J Clin Invest.* 1988; 81: 466-474.
- Stabler SP. Screening the older population for cobalamin (vitamin B12) deficiency. *J Am Geriatr Soc.* 1995; 43:1290-1297.
-

-
- Steele RD. Blood-brain barrier transport of the alpha-keto acid analogs of amino acids. *Fed Proc.* 1986; 45: 2060–2064.
- Steenbergen L, Sellaro R, van Hemert S, Bosch JA, Colzato LS. A randomized controlled trial to test the effect of multispecies probiotics on cognitive reactivity to sad mood. *Brain Behav Immun.* 2015 Aug; 48: 258-264.
- Stilling RM, Dinan TG, Cryan JF. Microbial genes, brain & behaviour-epigenetic regulation of the gut-brain axis. *Genes Brain Behav.* 2014, 13, 69–86.
- Storandt M, Grant EA, Miller J, Morris JC. Longitudinal course and neuropathologic outcomes in original vs revised MCI and in pre-MCI. *Neurol.* 2006; 67: 467-473.
- Strachan RW, Henderson JG. Psychiatric syndromes due to avitaminosis B12 with normal blood and marrow. *Q J Med.* 1965 Jul; 34(135): 303-317.
- Sugino H, Watanabe A, Amada N, Yamamoto M, Ohgi Y, Kostic D, Sanchez R. Global Trends in Alzheimer Disease Clinical Development: Increasing the Probability of Success. *Clin Ther.* 2015 Aug 1; Pii: S0149-2918(15)00934-0.
- Sumner AE, Chin MM, Abrahm JL, Berry GT, Gracely EJ, Allen RH, et al. Elevated methylmalonic acid and total homocysteine levels show high prevalence of vitamin B12 deficiency after gastric surgery. *Ann Intern Med.* 1996; 124: 469-476.
- Susheelamma NS (1989) Functional role of linseed (*Linum usitatissimum* L.) polysaccharide in steamed pudding (idly). *J Food Sci Technol.* 26(1):16–20.
- Swanson, P. A. II, Kumar, A., Samarin, S., Vijay-Kumar, M., Kundu, K., Murthy, N., et al. Enteric commensal bacteria potentiate epithelial restitution via reactive oxygen species-mediated inactivation of focal adhesion kinase phosphatases. *Proc Natl Acad Sci USA.* 2011; 108: 8803–8808.
- Sydenham E, Dangour AD, Lim WS. Omega 3 fatty acid for the prevention of cognitive decline and dementia. *Cochr Datab Syst Rev.* 2012; 6:CD005379.
- Synofzik M, Maetzler W. Successful aging: what can neurology and geriatrics contribute? *Nervenarzt.* 2015 Apr; 86(4): 475-480.
- Taha AY, Chang L, Chen M. Threshold changes in rat brain docosahexaenoic acid incorporation and concentration following graded reductions in dietary alpha-linolenic acid. *Prostag Leukot Essen Fatty Acids.* 2016 Feb; 105: 26-34.
- Tamai Y et al, Dietary intake of vitamin B12 and folic acid is associated with lower blood pressure in Japanese preschool children. *Am J Health.* 2011Nov; 24(11):1215-1221.
- Tan ZS, Harris WS, Beiser AS, Au R, Himali JJ, Debette S, Pikula A, Decarli C, Wolf PA, Vasan RS, et al. Red blood cell omega-3 fatty acid levels and markers of accelerated brain aging. *Neurol.* 2012; 78: 658–664.
-

-
- Tanamas SK, Ng WL, Backholer K, Hodge A, Zimmet PZ, Peeters A. Quantifying the proportion of deaths due to body mass index- and waist circumference-defined obesity. *Obesity* (Silver Spring). 2016 Mar; 24(3): 735-742.
- Tao Huang et al. DNA Methylation Variants at HIF3A Locus, B-Vitamin Intake, and Long-term Weight Change: Gene-Diet Interactions in Two U.S. Cohorts *Diab.* 2015; 64: 3146–3154.
- Termanini B, Gibril F, Sutliff VE, Yu F, Venzon DJ, Jensen RT. Effect of long-term gastric acid suppressive therapy on serum vitamin B12 levels in patients with Zollinger-Ellison syndrome. *Am J Med.* 1998; 104: 422-430.
- Thakkar K, Billa, G. Treatment of vitamin B12 deficiency Methylcobalamine? Cyancobalamine? Hydroxocobalamin? - clearing the confusion. *Eur J Clin Nutr.* 2015; 69: 1–2.
- Thal DR, Rüb U, Orantes M, Braak H. Phases of A β -deposition in the human brain and its relevance for the development of AD. *Neurol.* 2002; 58: 1791–1800.
- Thal DR, Rüb U, Schultz C, Sassin I, Ghebremedhin E, Del Tredici K, Braak E, Braak H. Sequence of A β -protein deposition in the human medial temporal lobe. *J Neuropathol Exp Neurol.* 2000; 59:733–748.
- Thompson LU, Rickard SE, Orcheson LJ, Seidl MM, Flaxseed and its lignan and its oil components reduce mammary tumor growth at a late stage of carcinogenesis, *Carcinogenesis.* 1996; 17: 1373–1376.
- Tierney MC, Szalai JP, Snow WG, et al. Prediction of probable Alzheimer's disease in memory-impaired patients: a prospective longitudinal study. *Neurol.* 1996; 46: 661-665.
- Tietz. Reference Information for the Clinical Laboratory. In *Textbook of Clinical Chemistry*, 3rd Ed. Burtis, C.A., Ashwood, R.A. W.B. Saunders: Philadelphia, 1999; 1831.
- Tiffany T, Jansen JM, Burtis JB and Scott CD. *Clin Chem.* 1972; 18: 829.
- Tiwari S, Tripathi R. Neuro-psychiatric morbidity amongst urban and rural elderlies in Northern India: Report from a community based epidemiological study. *Int Psychogeriatr.* 2009; 21 (Suppl 2): S136.
- Tiwari SC. Geriatric psychiatric morbidity in rural northern India: implications for the future. *Int Psychogeriatr.* 2000;12:35-48.
- Tomova A, Pivovarciová A, Babinská K, Mravec B. Intestinal microbiota and the brain: multilevel interactions in health and disease. *Cesk Fysiol.* 2015; 64(1): 23-34.
- Tonon RV, Grosso CRF, Hubinger MD. Influence of emulsion composition and inlet air temperature on the microencapsulation of flaxseed oil by spray drying. *Food Res Int.* 2011; 44: 282–289.
-

-
- Torpy, J. M., C. Lynm, and R. M. Glass. Eating fish: Health benefits and risks. *JAMA*. 2006; 296:1926.
- Tripathi R, Kumar K, Balachandar R, Marimuthu P, Varghese M and Bharath S. Neuropsychological markers of mild cognitive impairment: A clinic based study from urban India. *Ann Indian Acad Neurol*. 2015 Apr-Jun; 18(2): 177–180.
- Tucker K, Qiao N, Scott T, Rosenberg I, Spiro A: High homocysteine and low B vitamins predict cognitive decline in aging men: the Veterans affairs normative aging study. *Am J Clin Nutr*. 2005; 82: 627–635.
- Tucker KL, Mahnken B, Wilson PW, Jacques P, Selhub J. Folic acid fortification of the food supply. Potential benefits and risks for the elderly population. *JAMA*. 1996; 276: 1879-1885.
- Tuorila H, Cardello AV. Consumer responses to an off-flavor in juice in the presence of specific health claims. *Food Qual Prefer*. 2002; 13: 561–569.
- Ueland PM, Hustad S, Schneede J, Refsum H, Vollset SE: Biological and clinical implications of the MTHFR C677T polymorphism. *Trends Pharmacol Sci*. 2001; 22: 195–201.
- United Nations, Department of Economic and Social Affairs, Population Division 2015. World Population Ageing 2015 (ST/ESA/SER.A/390). 1-126
- Unverzagt FW, Gao S, Baiyewu O, et al. Prevalence of cognitive impairment: data from the Indianapolis Study of Health and Aging. *Neurol*. 2001; 57:1655–1662.
- Upadhyay P, Panjwani D, Yadav AK. Neuropathology staging and treatment strategies of Alzheimer's disease: an update. *Intl J Nutr, Pharm, Neurol Dis*. 2014; 4: 28–42
- Ursoniu S , Sahebkar A , Andrica F , Serban C , Banach M ; Lipid and Blood Pressure Meta analysis Collaboration (LBPMC) Group. Effects of flaxseed supplements on blood pressure: A systematic review and meta-analysis of controlled clinical trial. *Clin Nutr*. 2015 May 29; pii: S02615614(15) 00144-00152.
- USDA. Omega-3 fatty acid dietary supplement study. Dietary Supplement Ingredient Database Release 3.0 (DSID-3). 2015 Mar. Available from: [http:// dsid.uda.nih.gov](http://dsid.uda.nih.gov).
- USDA Nutrient Data Laboratory. Seeds, flaxseed. National Nutrient Database for Standard Reference Release 24 [Internet]; [cited 2011 Oct 5]. Available from: <http://ndb.nal.usda.gov/ndb/foods/list>.
- Van Dyck CH, Lyness JM, Rohrbaugh RM and Siegal AP. Cognitive and psychiatric effects of vitamin B12 replacement in dementia with low serum B12 levels: a nursing home study. *Int Psychogeriatr* . 2009 February; 21(1):138–147.
-

-
- van Gelder BM, Tijhuis M, Kalmijn S, Kromhout D. Fish consumption, n-3 fatty acids, and subsequent 5-y cognitive decline in elderly men: the Zutphen Elderly Study. *American Journal of Clinical Nutrition*. 2007; 85(4):1142–1147.
- Vas CJ, Pinto C, Panikker D, Noronha S, Deshpande N, Kulkarni L, *et al.* Prevalence of dementia in an urban Indian population. *Int Psychogeriatr*. 2001; 13: 439-50.
- Vasavda T and Mehta M. Mental and physical health profile of older women with reference to depression: interventional studies on folic acid and brahmi supplementation in depressed women. PhD thesis (Unpublished). 2010; Department of Foods and Nutrition. The Maharaja Sayajirao University of Baroda, India.
- Verbeke W. Functional foods: consumer willingness to compromise on taste for health? *Food Qual Prefer*. 2006; 17:126–131.
- Vertesi A, Lever JA, Molloy DW, Sanderson B, Tuttle I, Pokoradi L, *et al.* Standardized Mini-Mental State Examination: use and interpretation. *Can Fam Phys*. 2001; 47:2018–2023.
- Vidal-Alaball J, Butler CC, Cannings-John R, Goringe A, Hood K, McCaddon A, McDowell I, Papaioannou A. Oral vitamin B12 versus intramuscular vitamin B12 for vitamin B12 deficiency. *Cochr DatabSyst Rev*. 2005 Jul; 20(3): CD004655.
- Vijay, N., and Morris, M. E. Role of monocarboxylate transporters in drug delivery to the brain. *Curr. Pharm. Des*. 2014; 20:1487–1498.
- Virtanen JK, Siscovick DS, Lemaitre RN, Longstreth WT, Spiegelman D, Rimm EB, King IB, Mozaffarian D. Circulating omega-3 polyunsaturated fatty acids and subclinical brain abnormalities on MRI in older adults: the cardiovascular health study. *J Am Heart Assoc*. 2013; 2: e000305.
- Vogiatzoglou A, Refsum H, Johnston C, Smith SM, Bradley KM, de Jager C, Budge MM, Smith AD. Vitamin B12 status and rate of brain volume loss in community-dwelling elderly. *Neurol*. 2008; 71: 826–832.
- von Arnim CA, Dismar S, Ott-Renzer CS, Noeth N, Ludolph AC, Biesalski HK. Micronutrients supplementation and nutritional status in cognitively impaired elderly persons: a two-month open label pilot study. *Nutr J*. 2013 Nov 15; 12(1):148.
- Wagner JA. Biomarkers: principles, policies, and practice. *Clin Pharmacol Ther*. 2009; 86: 3–7.
- Waitzberg DL, Garla P. Contribution of omega-3 fatty acids for memory and cognitive function. *Nutr Hosp*. 2014 Sep 1; 30(3):467-477.
- Walker JG, Batterham PJ, Mackinnon AJ, Jorm AF, Hickie I, Fenech M, Kljakovic M, Crisp D, Christensen H. Oral folic acid and vitamin B-12 supplementation to prevent cognitive
-

decline in community-dwelling older adults with depressive symptoms--the Beyond Ageing Project: a randomized controlled trial. *Am J Clin Nutr*. 2012 Jan; 95(1): 194-203.

Wang HX, Wahlin A, Basun H, Fastbom J, Winblad B, Fratiglioni L. Vitamin B12 and folate in relation to the development of Alzheimer's disease. *Neurol*. 2001; 56: 1188-1194.

Wang J, Rosell CM, Benedito DE, Barber C, Effect of the addition of different fibers on wheat dough performance and bread quality. *Food Chem*. 2002; 79(2): 221-226.

Wang Y, Song M, Yu L, Wang L, An C, Xun S, Zhao X, Gao Y, Wang X. Mild cognitive impairment: vascular risk factors in community elderly in four cities of Hebei Province, China. *PLoS One*. 2015 May 11; 10 (5): e0124566.

Ward A, Arrighi HM, Michels S, Cedarbaum JM. Mild cognitive impairment: disparity of incidence and prevalence estimates. *Alzheimers Dement*. 2012; 8 (1):14–21.

Waring SC, Rocca WA, Petersen RC, O'Brien PC, Tangalos EG, Kokmen E. Postmenopausal estrogen replacement therapy and risk of AD: a population-based study. *Neurol*. 1999; 52: 965-970.

Wellmer J, Sturm KU, Herrmann W, Hoever J, Klockgether T, Linnebank M. Oral treatment of vitamin B12 deficiency in sub-acute combined degeneration. *Nervenarzt*. 2006 Oct; 77 (10): 1228-1231.

Westcott ND, Muir AD, Variation in flax seed lignan concentration with variety, location and year, Proceedings of the 56th flax institute of the United States. Double wood Inn, Fargo, North Dakota. 1996b 20-22 Mar; 77-85.

Whiteford HA, Ferrari AJ, Degenhardt L, Feigin V, Vos T. The Global Burden of Mental, Neurological and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. *PLoS One*. 2015 Feb 6; 10(2): e0116820

Whitmer RA, Gustafson DR, Barrett-Connor E, Haan MN, Gunderson EP, Yaffe K. Central obesity and increased risk of dementia more than three decades later. *Neurol*. 2008 Sep 30; 71(14): 1057-1064.

WHO expert consultation. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*. 2004; 363: 157–163.

WHO (World Health Organisation). Dementia cases set to triple by 2050 but still largely ignored. News release. 2012 11 April; Geneva. Available from http://www.who.int/mediacentre/news/releases/2012/dementia_20120411/en/ access on 2016.

WHO.Dementia Fact sheet available from <http://www.who.int/mediacentre/factsheets/fs362/en/> accessed on April 2016.

WHO.Dementia Fact sheet N°362. March 2015; 1-4.

-
- WHO. February 2014. <http://www.who.int/features/qa/55/en/>
- WHO. Global recommendations on physical activity on health. 2011. <http://www.who.int/dietphysicalactivity/pa/en/index.html>
- WHO. Nutritional anemias. Report of a Scientific Group. *World Health Organ Tech Rep Ser.* 1968; 405: 9-10.
- WHO. World Report on Ageing and Health. 2015;26,43-45.
- Whyte EM, Mulsant BH, Butters MA, Qayyum M, Towers A, Sweet RA, et al. Cognitive and behavioural correlates of low vitamin B12 levels in elderly patients with progressive dementia. *Am J Geriatr Psychiatry.* 2002; 10: 321-327.
- Wilcock GK. Primary prevention of dementia. *Psychiatry.* 2004, 3: 35–36.
- Williams CM and Burdge G. Long-chain n-3 PUFA: plant v. marine sources. *Proc Nutr Soc.* 2006; 65:42-50.
- Williams RJ, Spencer JP. Flavonoids, cognition, and dementia: actions, mechanisms, and potential therapeutic utility for Alzheimer disease. *Free Radic Biol Med.* 2012 Jan 1; 52(1): 35-45.
- Wilson RS, Leurgans SE, Boyle PA, Bennett DA .Cognitive decline in prodromal Alzheimer disease and mild cognitive impairment. *Arch Neurol.* 2011; 68: 351-356.
- Wiltfang J, Lewczuk P, Riederer P, Grünblatt E, Hock C, Scheltens P, Hampel H, Vanderstichele H, Iqbal K, Galasko D, Lannfelt L, Otto M, Esselmann H, Henkel AW, Kornhuber J, Blennow K. Consensus paper of the WFSBP Task Force on Biological Markers of Dementia: the role of CSF and blood analysis in the early and differential diagnosis of dementia. *World J Biol Psychiatry.* 2005; 6: 69–84.
- Winblad B, Palmer K, Kivipelto M, Jelic V, Fratiglioni L, Wahlund LO, Nordberg A, Bäckman L, Albert M, Almkvist O, Arai H, Basun H, Blennow K, de Leon M, DeCarli C, Erkinjuntti T, Giacobini E, Graff C, Hardy J, Jack C, Jorm A, Ritchie K, van Duijn C, Visser P, Petersen RC. Mild cognitive impairment--beyond controversies, towards a consensus: report of the International Working Group on Mild Cognitive Impairment. *J Intern Med.* 2004; 256: 240–246.
- Witte AV, Kerti L, Hermannstadter HM, Fiebach JB, Schreiber SJ, Schuchardt JP, Hahn A, Floel A. Long-chain omega-3 fatty acids improve brain function and structure in older adults. *Cereb Cortex.* 2014 Nov; 24(11): 3059–3068.
- Wolfe MS. Secretase targets for Alzheimer's disease: identification and therapeutic potential. *J Med Chem.* 2001; 44: 2039-2060.
-

-
- Wurtman RJ, Cansev M, Sakamoto T, Ulus I. Nutritional modifiers of aging brain function: use of uridine and other phosphatide precursors to increase formation of brain synapses. *Nutr Rev.* 2010; 68(2): S88–S101.
- Wysoczański T, Sokoła-Wysoczańska E, Pękala J, Lochyński S, Czyż K, Bodkowski R, Herbinger G, Patkowska-Sokoła B, Librowski T. Omega-3 Fatty Acids and their Role in Central Nervous System - A Review. *Curr Med Chem.* 2016; 23(8): 816-831.
- Xu Y, Ku B, Cui L, Li X, Barish PA, Foster TC, Ogle WO: Curcumin reverses impaired hippocampal neurogenesis and increases serotonin receptor 1a mRNA and brain-derived neurotrophic factor expression in chronically stressed rats. *Brain Res.* 2007; 1162: 9–18.
- Yamada K. Cobalt: Its Role in Health and Disease. In Astrid Sigel, Helmut Sigel and Roland K. O. Sigel. Interrelations between Essential Metal Ions and Human Diseases. *Metal Ions in Life Sciences.* Springer. 2013; 295–320.
- Yamaguchi H, Maki Y, Yamagami T. Yamaguchi Fox-Pigeon Imitation Test: A Rapid Test for Dementia. *Dement Geriatr Cogn Disord.* 2010; 29: 254–258.
- Yang F, Zhu L, Meng W and Liu R. Novel artificial antigen synthesis for antibody production and development of an indirect competitive ELISA of cyanocobalamin. *Anal. Methods.* 2015; 7: 5275-5281.
- Yao Q, Jiang GX, Zhou ZM, Chen JM, Cheng Q. Metabolic syndrome and Mild Cognitive Impairment: a case-control study among elderly in a Shanghai suburb. *J Alzheimers Dis.* 2016 Feb 25; 51(4): 1175-82.
- Yehuda S, Rabinovitz S, Mostofsky DI. Essential fatty acids are mediators of brain biochemistry and cognitive functions. *J Neurosc Res.* 1999; 56(6): 565-570.
- Yin J, Li H, Meng C, Chen D, Chen Z, Wang Y, Wang Z, Chen G. Inhibitory effects of omega-3 fatty acids on early brain injury after subarachnoid hemorrhage in rats: Possible involvement of G protein-coupled receptor 120/ β -arrestin2/TGF- β activated kinase-1 binding protein-1 signaling pathway. *Int J Biochem Cell Biol.* 2016 Jun; 75:11-22.
- Yogendra Narayanrao Keche et al. Effect of vitamin B12 supplementation on glycemic control in poorly controlled hyperhomocysteinemic type 2 diabetic patients. *J Bangladesh PharmacSoc (BDPS).* doi: 10.3329/bjp.v11i1.241
- Yoshida H, Terada S, Honda H, Ata T, Takeda N, Kishimoto Y, Oshima E, Ishihara T, Kuroda S. Validation of Addenbrooke's cognitive examination for detecting early dementia in a Japanese population. *Psychiatry Res.* 2011 Jan 30; 185(1-2): 211-214.
- Younes L, Albert M, Miller MI, et al. Inferring changepoint times of medial temporal lobe morphometric change in preclinical Alzheimer's disease. *Neuroimage Clin* 2014; 5: 178–187.
-

-
- Yurko-Mauro K, McCarthy D, Rom D, Nelson EB, Ryan AS, Blackwell A, Salem N Jr, Stedman M; MIDAS Investigators. Beneficial effects of docosahexaenoic acid on cognition in age-related cognitive decline. *Alzheimers Dement*. 2010 Nov; 6(6): 456-464.
- Zamora A. Fats, oils, fatty acids, triglycerides. <http://www.scientificpsychic.com/fitness/fattyacids.html>.
- Zhang YF, Ning G. Mecobalamin. *Expert Opin Investig Drugs* 2008; 17: 953–964.
- Zhao C, Deng W, Gage FH. Mechanisms and functional implications of adult neurogenesis. *Cell*. 2008; 132: 645–660.
- Zhao X, Yuan L, Feng L, Xi Y, Yu H, Ma W, Zhang D, Xiao R. Association of dietary intake and lifestyle pattern with mild cognitive impairment in the elderly. *J Nutr Health Aging*. 2015 Feb; 19(2): 164-168.
- Zhao C, Deng W, Gage FH. Mechanisms and functional implications of adult neurogenesis. *Cell*. 2008; 132: 645–660.
- Zou Y, Zhu Q, Deng Y, Duan J, Pan L, Tu Q, Dai R, Zhang X, Chu LW, Lü Y. Vascular risk factors and mild cognitive impairment in the elderly population in Southwest China. *Am J Alzheimers Dis Other Dement*. 2014 May; 29(3): 242-247.