

## BIBLIOGRAPHY

1. Aburto N, Abudou M, Candeias V, Wu T. (2014). Effect and safety of salt iodization to prevent iodine deficiency disorders: a systematic review with meta-analyses. WHO eLibrary of Evidence for Nutrition Actions (eLENA). Geneva: World Health Organization.
2. Abuye C, Berhane Y, Akalu G, Getahun Z, Ersumo T. (2007). Prevalence of goitre in children 6-12 years of age in Ethiopia. *Food Nutr Bull*;28(4):391-8.
3. Agarwal J and Nair S. (2011). Screening Of Thyroid Disorders For Early Prevention. (PhD. Dissertation Thesis, Department of Foods And Nutrition, The M.S.University, Baroda).
4. Agarwal J, Pandav CS, Karmarkar MG, Nair S. (2011). Community monitoring of the National Iodine Deficiency Disorders Control Programme in the National Capital Region of Delhi. *Public Health Nutr*; 14(5):754-7.
5. Agarwal KN, Agarwal DK. (1983). Current status of Endemi Goiter in some Areas of sub Himalyan Belt. *Indian Pediatr*; 20: 471-7
6. Ahmed M, Zama SY, Nagarajarao V, Khan MA. (2014). Iodine deficiency in children: A comparative study in two districts of south-interior Karnataka, India. *J Family Community Med*; 21(1):48-52.
7. Ainy E, Ordookhani A, Hedayati M, Azizi F. (2007). Assessment of intertrimester and seasonal variations of urinary iodine concentration during pregnancy in an iodine-replete area. *Clin Endocrinol (Oxf)*; 67:577–81.
8. Alas C, Keller A, Minder C, Haldimann M, Gerber H. (2000b). Age and gender dependent urinary iodine concentration in an area- covering population sample from the Bernese region in Switzerland. *European Journal of Endocrinology/ European Federation of Endocrine Societies*; 143(5): 629-637.
9. Ali O, Tan TT, Sakinah O, Khalid BA, Wu LL, Wan Nazaimoon WM, et al. (1994). Thyroid function and pubertal development in malnutrition. *Ann Acad Med Singapore*; 23: 852–5.
10. Alikasifoglu A, Ozon A, Yordam N. (2002). Serum insulin-like growth factor-I (IGF-I) and IGF-binding protein-3 levels in severe iodine deficiency. *Turk J Pediatr*; 44:215–8.
11. American Academy of Pediatrics (ACP), Rose SR, Section on Endocrinology and Committee on Genetics, American Thyroid Association, Brown RS, Public Health Committee, Lawson Wilkins Pediatric Endocrine Society, Foley T, et al. Update of newborn screening and therapy for congenital hypothyroidism. *Pediatrics* 2006;117:2290-303.
12. Andersson M, Karumbunathan V, Zimmermann MB. (2012). Global iodine status in 2011 and trends over the past decade. *J Nutr*; 142:744–50.
13. Andersson M, Takkouche B, Egli I, Allen H, de Benoist B. (2005). Current global iodine status and progress over the last decade towards the elimination of iodine deficiency. *Bull. WHO*; 83(7); 518-525.
14. Andersson M, Thankachan P, Muthayya S, Goud RB, Kurpad AV, Hurrell RF et al. (2008). Dual fortification of salt with iodine and iron: a randomized, double-blind, controlled trial of micronized ferric pyrophosphate and encapsulated ferrous fumarate in southern India. *American Journal of Clinical Nutrition*; 88(5): 1378–1387.
15. Angerva M, Tovionen J, Leinonen P, Valimaki M, Seppala M. (1993). Thyroxine withdrawal is accompanied by decreased circulating levels of insulin-like growth factor binding protein-1 in thyroidectomized patients. *J Clin Endocrinol Metab*; 76: 1199–201.
16. Annual Report of Salt Department 2008-2009. Jaipur: Salt Department Press; pp. 23–39. Salt Commissioner, Post Box No 139, Lavan Bhawan, Lavan Marg, Jaipur.
17. Anseimo J, Cao D, Karrison T, Weiss RE, Fefetoff S. (2004). Fetal loss associated with excess thyroid hormone exposure. *JAMA*; 292: 691-5.
18. Antonangeli L, Maccherini D, Cavaliere R, Di Giulio C, Reinhardt B, Pinchera A et al. (2002). Comparison of two different doses of iodide in the prevention of gestational goiter in marginal iodine deficiency: a longitudinal study. *Eur. J. Endocrinol*; 147: 29-34.
19. Ara G, Boonstra AM, Roy SK, Alam N, Ahmed S, Khatun UH et al. (2010) Sub-clinical iodine deficiency still prevalent in Bangladesh adolescent girls and pregnant women. *Asia Journal of Clin Nutr*; 2(1): 1-12.

20. Arlappa N, Laxmaiah A, Balakrishna N, Harikumar R, Kodavanti MR, Gal Reddy Ch et al. (2011). Micronutrient deficiency disorders among the rural children of West Bengal, India. *Ann Hum Biol*; 38(3):281-9.
21. Armanian AM, Hashemipour M, Esnaashari A, Kelishadi R, Farajzadegan Z. (2013). Influence of perinatal factors on thyroid stimulating hormone level in cord blood. *Adv Biomed Res*; 2: 48.
22. Arrobas-Velilla T, González-Rodríguez C, Barco-Sánchez A, Castaño-López M, Perea-Carrasco R, Pascual-Salvador E, et al. (2011). Nutrition iodine status in pregnant women in the sanitary district Sierra de Huelva-Andévalo, South of Spain. *Rev Invest Clin*;63 : 467-74.
23. Arthur JR & Beckett GJ. (1999). Thyroid function. *British Medical Bulletin*; 55(3): 658–668.
24. Arthur JR, Beckett GJ, Mitchell JH. (1999). The interactions between selenium and iodine deficiencies in man and animals. *Nutrition Research Reviews*; 12: 55-73.
25. Arthur JR, Brown KM, Fairweather-Tait SJ, Crews HM. (1997). Dietary selenium: why do we need it and how much is enough? *Nutrition Food Science*; 6: 225–228.
26. Ategbo EZ, Sankar R, Schultink W, Vander Haar F, Pandav CS. (2008). An assessment of progress towards salt iodization in Rajasthan , India, suing iodine nutrition indicators in school aged children and pregnant women from the same household. *Asia Pac J Clin Nutr*; 17(1): 56-62.
27. Aus´ o E, Lavado-Autric R, Cuevas E, Escobar F del Rey, Escobar G. Morreale de, E et al. (2004). A moderate and transient deficiency of maternal thyroid function at the beginning of fetal neocortico genesis alters neuronal migration. *Endocrinology*; 145 (9): 4037–4047.
28. Aydin K, Bideci A, Kendirci M, Cinaz P, Kurtoglu S. (2002). Insulin-like growth factor-I and insulin-like growth factor binding protein-3 levels of children living in an iodine- and selenium-deficient endemic goiter area. *Biol Trace Elem Res*; 90:25-30.
29. Azizi F, Aminorryo A, Hedayatin M, Rezvanian H, Amini M, Mirmiran P. (2002). Urinary Iodine excretion in Pregnant Women residing in areas with adequate iodine intake. *Public Health Nutrition*; 6: 95-98.
30. Azizi F, Kalani H, Kimiagar M, Ghazi A, Sarshar A, Nafarabadi M, et al. (1995). Physical, neuromotor and intellectual impairment in non-cretinous schoolchildren with iodine deficiency. *Int J Vitam Nutr Res*; 65:199–205.
31. Azizi F, Mirmiran P, Sheikholeslam R, Hedayati M & Rastmanesh R. (2002). The relation between serum ferritin and goiter, urinary iodine and thyroid hormone concentration. *International Journal for Vitamin and Nutrition Research*; 72: 296-299.
32. Azizi F, Sarshar A, Nafarabadi M, Gazi A, Kimiagar M, Noohi S et al. (1993). Impairment of neuromotor and cognitive development in iodine-deficient school children with normal physical growth. *Acta Endocrinol. Copenh*, 129: 501-504.
33. Bakshi D, Seth A, Narula MK, Shankar R. (2003). Ultrasonographic assessment of thyroid volume in Delhi children. *J Pediatr Endocrinol Metab*; 16(6):843-9.
34. **Mockute** SC, Steer CD, Golding J, Emmett P, Rayman MP. (2013). Effect of inadequate iodine status in UK pregnant women on cognitive outcomes in their children: results from the Avon Longitudinal Study of Parents and Children (ALSPAC). *Lancet*; 382: 331-337.
35. Bath SC, Walter A, Taylor A and Rayman M. (2008). Iodine status of UK women of child-bearing age. *J Hum Nutr Diet*; 21: 379–380.
36. Bautista A, Barker Nair PA, Dunn JT, Sanchez M, Kaiser DL. (1982). The effects of oral iodized oil on intelligence, thyroid status, and somatic growth in school-age children from an area of endemic goiter. *Am J Clin Nutr*; 35: 127–34.
37. Bautista A, Barker PA, Dunn JT, Sanchez M. (1977). Lack of correlation between thyroid size and body growth in an area of endemic goiter. *Am J Clin Nutr*; 30: 275–9.
38. Beard JL, Borel MJ & Derr J. (1990). Impaired thermoregulation and thyroid function in iron-deficiency anemia. *American Journal of Clinical Nutrition*; 52: 813-819.
39. Beard JL, Brigham DE, Kelley SK, Green MH. (1998). Plasma thyroid hormone kinetics are altered in iron-deficient rats. *Journal of Nutrition*; 128(8): 1401–1408.
40. Becks GP, Burrow GN. (2000). *Thyroid Disorders and Pregnancy*. Thyroid Foundation of Canada, Ontario.
41. Benmiloud M, Chaouki ML, Gutekunst R, Teichert HM, Wood WG & Dunn JT. (1994). Oral iodized oil for correcting iodine deficiency: optimal dosing and outcome indicator selection. *Journal of Clinical Endocrinology and Metabolism*; 79: 20-24.
42. Berbel P, Mestre JL, Santamaria A, Palazon I, Franco A, Graells M, et al. (2009). Delayed neurobehavioral development in children born to pregnant women with mild hypothyroxinemia

- during the first month of gestation: the importance of early iodine supplementation. *Thyroid*; 19; 511-519.
43. Bėrontienė R. Vaikų skydliaukės struktūriniai ir funkciniai pokyčiai jodo trūkumo sąlygomis: daktaro disertacija. Kaunas: Kauno Medicinos Universitetas; 2002.
44. Betendorff M. (2002). Thyroid disorder in children from birth to adolescence. *European Journal of Nuclear Medicine*; 29: 439-446.
45. Bhat IA, Pandit IM, Mudassar S. (2008). Study on Prevalence of Iodine deficiency disorder and salt consumption patterns in Jammu Region. *Indian J Community Med*; 33:11-4.
46. Bhowal K, Mukherjee I, Chaudhari D. (2014). Association of iodine status with IQ level and academic achievement of rural primary school children in West Bengal, India. *Indian Journal of Community Health*; 26: 2016-222.
47. Biswas AB, Chakraborty I, Das DK, Biswas S, Nandy S, Mitra J. (2002). Iodine deficiency disorders among school children of Malda, West Bengal, India. *J Health Popul Nutr*; 20(2):180-3.
48. Biswas AB, Chakraborty I, Das DK, Chakraborty A, Ray D, Mitra K. (2008). Elimination of iodine deficiency disorders--current status in Purba Medinipur district of West Bengal, India. *Indian J Public Health*; 52(3):130-5.
49. Biswas AB, Chakraborty I, Das DK, Roy RN, Ray S, Kunti SK. (2006). Assessment of iodine deficiency disorders in Purulia district, West Bengal, India. *J Trop Pediatr*; 52(4):288-92.
50. Biswas AB, Das DK, Chakraborty I, Biswas AK, Sharma PK, Biswas R. (2014). Goiter prevalence, urinary iodine, and salt iodization level in sub-Himalayan Darjeeling district of West Bengal, India. *Indian J Public Health*; 58(2):129-33.
51. Bleichrodt N, Born MP. (1994). A metaanalysis of research on iodine and its relationship to cognitive development. In: Stanbury JB, ed. *The damaged brain of iodine deficiency : Cognitive, Behavioral, Neuromotor, and Educative Aspects..* New York; Cognizant Communications; 195-200.
52. Bleichroft N, Shrestha RM, West CE et al. (1996). The benefits of adequate iodine intake. *Nutr Rev*; 54 (4 part 2):S72-8.
53. Blount BC, Pirkle JL, Osterloh JD, Valentin-Blasini L, Caldwell KL. (2006). Urinary perchlorate and thyroid hormone levels in adolescent and adult men and women living in the United States. *Environ Health Perspect*; 114:1865-1871.
54. Boas M, Hegedüs L, Feldt-Rasmussen U. (2009). Association of Thyroid Gland Volume, Serum Insulin-Like Growth Factor-I, and Anthropometric Variables in Euthyroid Prepubertal Children. *The Journal of Clinical Endocrinology & Metabolism*; 94: 4031-4035.
55. Borrajo GJ. (2007). Newborn screening in Latin America at the beginning of the 21st century. *J Inherit Metab Dis*; 30:466-81.
56. Botler J, Camacho LA, Cruz MM. (2012). Phenylketonuria, congenital hypothyroidism and haemoglobinopathies: Public health issues for a Brazilian newborn screening program. *Cad Public Health, Rio J*; 28 : 1623-31.
57. Boyages SC. (1993). Clinical review: iodine deficiency disorders. *J Clin Endocrinol Metab*; 77:587-591.
58. Brander L, Als C, Buess H, Haldimann F, Harder M, Hänggi W, et al. (2003). Urinary iodine concentration during pregnancy in an area of unstable dietary iodine intake in Switzerland. *J Endocrinol Invest*; 26:389-96.
59. Bremner WF & Fell GS. (1977). Zinc metabolism and thyroid status. *Postgraduate Medical Journal*; 53:143-145.
60. Broadhead G D, Pearson IB. & Wilson GM. (1965). Seasonal changes in iodine metabolism. *Br. Med J*; 1:343- 345.
61. Brown KH, Rivera JA, Bhutta Z, Gibson RS, King JC, Lonnerdal B et al. (2004). International Zinc Nutrition Consultative Group (IZiNCG) technical document #1. Assessment of the risk of zinc deficiency in populations and options for its control. *Food and Nutrition Bulletin*; 25(1 Suppl. 2): S99-203.
62. Bulliyya G, Dwibedi B, Mallick G, Sethy PG, Kar SK. (2008). Determination of iodine nutrition and community knowledge regarding iodine deficiency disorders in selected tribal blocks of Orissa, India. *J Pediatr Endocrinol Metab*; 21(1):79-87.
63. Bürgi H & Helbling B. (1996). Methods of iodine supplementation. What is best where? In *The thyroid and iodine*, pp. 51-61 [J Nauman, D Glinioer, LE Braverman and U Hostales, editors]. Stuttgart: Schattauer.

64. B rger H, Supersaxo Z, Selz B. (1990). Iodine deficiency diseases in Switzerland one hundred years after Theodor Kocher's survey: a historical review with some new goiter prevalence data. *Acta Endocrinologica*; 123: 577-590.
65. Burrow GN, Fisher DA, Larsen PR. (1994). Maternal and fetal thyroid function. *N Engl J Med*; 331:1072-1078.
66. Burstein PJ, Draznin B, Johnson CJ, Schalch DS. (1979). Effect of hypo-thyroidism on growth, serum growth-hormone, the growth hormone-dependent somatomedin, insulin-like growth-factor, and its carrier protein in rats. *Endocrinology*; 104:1107-11.
67. Butfield IH and Hetzel BS. (1967). Endemic goitre in Eastern New Guinea. With special reference to the use of iodized oil in prophylaxis and treatment. *Bull WHO*; 36:243.
68. Cao XY, Jiang XM, Kareem A, Dou ZH, Rakeman MA, Zhang ML et al. (1994). Iodination of irrigation water as a method of supplying iodine to a severely iodine-deficient population in Xinjiang, China. *Lancet*; 344: 107-110.
69. Caron P, Hoff M, Bazzi S, Dufor A. (1997). Urinary Iodine excretion during normal pregnancy in healthy women living in the South West of France: correlation with maternal thyroid parameters. *Thyroid*; 7(5): 749-54.
70. Castillo-Duran C, Vial P & Uauy R. (1988). Trace mineral balance during acute diarrhea in infants. *Journal of Pediatrics*; 113(3): 452-457.
71. Coughley J E & Follis RHJr. (1965). Endemic goiter and iodine malnutrition in Iraq. *Lancet*; i: 1032-1034.
72. Ceda GP, Fielder PJ, Donovan SM, Rosenfeld RG, Hoffman AR. (1992). Regulation of insulin-like growth factor-binding protein expression by thyroid-hormone in rat Gh3 pituitary-tumor cells. *Endocrinology*; 130:1483-9.
73. Chakraborty I, Chatterjee S, Bhadra D, Mukhopadhyaya B, Dasgupta A, Purkait B. (2006). Iodine deficiency disorders among the pregnant women in a rural hospital of West Bengal. *Indian J Med Res*; 123:825-9.
74. Chan LY, Chiu PY, Lau TK. (2003). Cord blood thyroidstimulating hormone level in high-risk pregnancies. *Eur J Obstet Gynecol Reprod Biol*; 108:142-145.
75. Chan LY, Fok WY, Sahota D, Lau TK. (2006). Cord blood thyroid-stimulating hormone level and risk of acidosis at birth. *European Journal of Obstet and Gyne and Reproductive Biol*;124 :173-77.
76. Chan LY, Leung TN, Lau TK. (2001). Influences of perinatal factors on cord blood thyroid stimulating hormone level. *Acta Obstetricia et Gynecologica Scandinavica*; 80: 1014-18.
77. Chan LYS, Lau TK, Chiu PY, Wing-KinWong G, Leung TN. (2001). Levels of cord blood thyroid stimulating hormone after external cephalic version. *BJOG*; 108:1076-1080.
78. Chan S, Kilby MD. (2000). Thyroid hormone and central nervous system development. *J Endocrinol*; 165:1-8.
79. Chander S, Kapil U, Jain V, Sareen N. (2013). Iodine deficiency disorders in school age children in Kullu District, Himachal Pradesh. *Indian Pediatr*; 50(9):883-4.
80. Chandra AK, Bhattacharjee A, Malik T, Ghosh S. (2008). Goiter prevalence and iodine nutritional status of school children in a sub-Himalayan Tarai region of Eastern Uttar Pradesh. *Ind Pediatr*; 45: 469-74.
81. Chandra AK, Tripathy S, Ghosh D, Debnath A, Mukhopdhyay S. (2005). Iodine nutritional status and prevalence of goiter in sunderban delta of south 24-Parganas, West Bengal. *Indian J Med Res*; 122: 419-424.
82. Chandra AK, Bhattacharjee A, Malik T, Ghosh S. (2009). Etiological factors for the persistence of endemic goiter in selected areas of Siddharthnagar district in Eastern Uttar Pradesh, India. *J Pediatr Endocrinol Metab*; 22(4):317-25.
83. Chandra AK, Debnath A, Tripathy S. (2008). Iodine nutritional status among school children in selected areas of Howrah District in West Bengal, India. *J Trop Pediatr*; 54(1):54-7.
84. Chandra AK, Ray I, Ray P. (1997). Iodine nutritional status of the school-age children in South Tripura, North East India. *Indian J Physiol Pharmacol*; 41(3):263-8.
85. Chandra AK, Ray I. (2001). Dietary supplies of iodine and thiocyanate in the etiology of endemic goiter in Tripura. *Indian J Pediatr*; 68(5):399-404.
86. Chandra AK, Singh LH, Debnath A, Tripathy S, Khanam J. (2006). Dietary supplies of iodine & thiocyanate in the aetiology of endemic goitre in Imphal East district of Manipur, north east India. *Indian J Med Res*; 128(5):601-5.

87. Chandra AK, Singh LH, Tripathy S, Debnath A, Khanam J. (2006). Iodine nutritional status of children in North East India. *Indian J Pediatr*; 73(9):795-8.
88. Chandra AK, Tripathy S, Debnath A, Ghosh D. (2007). Bioavailability of iodine and hardness (magnesium and calcium salt) in drinking water in the etiology of endemic goitre in Sundarban delta of West Bengal (India). *J Environ Sci Eng*; 49(2):139-42.
89. Chandra AK, Tripathy S, Ghosh D, Debnath A, Mukhopadhyay S. (2006). Goitre prevalence and the state of iodine nutrition in the sundarban delta of north 24-parganas in West Bengal. *Asia Pac J Clin Nutr*; 15:357-61.
90. Chandra AK, Tripathy S, Lahari D, Mukhopadhyay S. (2004). Iodine nutritional status of school children in a rural area of Howrah district in the Gangetic West Bengal. *Indian J Physiol Pharmacol*; 48(2):219-24.
91. Chandwani HR, Shroff BD. (2012). Prevalence of goiter and urinary iodine status in six-twelve-year-old rural primary school children of bharuch district, Gujarat, India. *Int J Prev Med*; 3(1):54-9.
92. Charoo BA, Sofi RA, Nisar S, Shah PA, Taing S, Jeelani H et al. (2013). Universal salt iodization is successful in Kashmiri population as iodine deficiency no longer exists in pregnant mothers and their neonates: Data from a tertiary care hospital in North India. *Indian J Endocrinol Metab*; 17(2):310-7.
93. Chaturvedi S, Gupta P, Tripathi V. (1996). Endemic goitre in rural South Delhi. *J Indian Med Assoc*; 94(3):99-100.
94. Chaudhary C, Pathak R, Ahluwalia SK, Goel RKD, Devgan S. (2013). Iodine deficiency disorder in children aged 6-12 years of Ambala, Haryana. *Indian Pediatrics*; 50: 587-589.
95. Chudasama R, Patel UV, R R, Verma PH. (2011). Iodine deficiency disorders in 6-12 years old rural primary school children in Kutch district, Gujarat. *Indian Pediatr*; 48(6):453-6.
96. Clements W, Gibson HB, and Coy JF. (1970). Goiter prophylaxis by addition of potassium iodate to bread. *Lancet*; i: 489-501.
97. Combs Jr. GF. (2001). Selenium in global food systems. *British Journal of Nutrition*; 85(5): 517–547.
98. Contempre ´ B, Duale NL, Dumont JE, Ngo B, Diplock AT, Vanderpas J. (1992). Effect of selenium supplementation on thyroid hormone metabolism in an iodine and selenium deficient population. *Clinical Endocrinology*; 36(6): 579–583.
99. Contempre ´ B, Dumont JE, Ngo B, Thilly CH, Diplock AT, Vanderpas J. (1991). Effect of selenium supplementation in hypothyroid subjects of an iodine and selenium deficient area: the possible danger of indiscriminate supplementation of iodine-deficient subjects with selenium. *Journal of Clinical Endocrinology and Metabolism*; 73(1): 213–215.
100. Contempre ´ B, Jauniaux E, Calvo R, Jurkovic D, Campbell S, Morreale de Escobar G. (1993). Detection of thyroid hormones in human embryonic cavities during the first trimester of pregnancy. *J Clin Endocrinol Metab*; 77 (6), 1719–1722.
101. Copeland D, Sullivan K, Houston R, May W, Mendoza I, Salamatullah Q. et al. (2002). Comparison of neonatal thyroid-stimulating hormone levels and indicators of iodine deficiency in school children *Public Health Nutrition*; 5(1): 81-87.
102. Corbetta C, Weber G, Cortinovis F, Calebiro D, Passoni A, Vigone MC, et al. (2009). A 7-year experience with low blood TSH cutoff levels for neonatal screening reveals an unsuspected frequency of congenital hypothyroidism (CH). *Clin Endocrinol (Oxf)*; 71:739-45.
103. Costante G, Grasso L, Ludovico O, Marasco MF, Nocera M, Schifino E et al. (1997). The statistical analysis of neonatal TSH results from congenital hypothyroidism screening programs provides a useful tool for the characterization of moderate iodine deficiency regions. *J Endocrinol Invest*; 20:251–6.
104. Crew MD, Spindler SR. (1986). Thyroid hormone regulation of the transacted rat growth hormone promoter. *J Biol Chem*; 261:5018-5022.
105. Dabbaghmanesh MH, Sadegholvaad A, Zarei F, Omrani G. (2008). Zinc status and relation to thyroid hormone profile in Iranian schoolchildren. *Journal of Tropical Pediatrics*; 54(1): 58–61.
106. Damor JR, Padhiyar NG, Ninama GL. (2013). Urinary Iodine Excretion in Urine Samples among Children in Dahod District, Gujarat. *Indian Journal of Clinical Practice*; 23(9): 560-564.
107. Das DK, Chakraborty I, Biswas AB, Saha I, Mazumder P, Saha S. (2008). Goitre prevalence, urinary iodine and salt iodisation level in a district of West Bengal, India. *J Am Coll Nutr*; 27(3):401-5.

108. Das DK, Chakraborty I, Biswas AB, Sarkar GN, Shrivastava P, Sen S. (2005). Iodine deficiency disorders among school children of Dakshin Dinajpur District, West Bengal. *Indian J Public Health*; 49(2):68-72.
109. Das KC, Mukherjee M, Sarkar TK, Dash RJ & Rastogi GK.(1975). Erythropoiesis and erythropoietin in hypo- and hyperthyroidism. *Journal of Clinical Endocrinology and Metabolism*; 40: 211-220.
110. Das SC, Isichei VP, Egbuta JO & Banwo AI. (1989). Cations and anions in drinking water as putative contributory factors to endemic goitre in plateau state, Nigeria. *Trop Geog Med*: 41: 346-352.
111. de Benoist B, Darnton-Hill I, Davidsson L, Fontaine O, Hotz C. (2007). Conclusions of the joint WHO/UNICEF/IAEA/IZiNCG interagency meeting on zinc status indicators. *Food and Nutrition Bulletin*; 28(3 Suppl.): S480–S484.
112. de Benoist B, McLean E, Andersson M, Rogers L. (2008). Iodine deficiency in 2007: global progress since 2003. *Food Nutr Bull*; 29:195-202.
113. Delange F, Bourdoux P, Ermans AM. (1985). Transient disorders of thyroid function and regulation in preterm infants. In: Delange F, Fisher D, Malvaux P, eds. *Pediatric Thyroidology*. Basel, S. Karger: 369–393
114. Delange F, de Benoist B, Pretell E, Dunn JT. (2001). Iodine deficiency in the world: where do we stand at the turn of the century? *Thyroid*; 11:437-447.
115. Delange F. (1999). Neonatal thyroid screening as a monitoring tool for the control of iodine deficiency. *Acta Paediatr Suppl*; 88(432):21-4.
116. Delange F, Lecomte P. (2000). Iodine supplementation: benefits outweigh risks. *Drug Saf* ;22(2):89-95.
117. Delange F. (1979). Neonatal screening for congenital hypothyroidism in Europe. Report of the newborn Committee of the European Thyroid Association. *Acta Endocrinol Suppl (Copenh)*;223:3-29.
118. Delange F. (1989). Endemic cretinism. An overview. In: DeLong GR, Robbins J, Condliffe PG (eds) *Iodine and the Brain*. Plenum Press, pp 219-230.
119. Delange F. (1994). The disorders induced by iodine deficiency. *Thyroid*; 4:107-28.
120. Delange F. (1995). Iodine deficiency in Europe; *Cas-Lek-Cesk*; 134: 35-43.
121. Delange F. (1997). Neonatal screening for congenital hypothyroidism: results and perspectives. *Horm Res*;48: 51–61.
122. Delange F. (2000). Endemic cretinism. In: Braverman LE, Utiger RD, eds. *The thyroid. A fundamental and clinical text*. Philadelphia, Lippincott, 2000:743-54.
123. DeLong GR, Leslie PW, Wang SH, Jiang XM, Zhang ML, Rakeman M et al. (1997). Effect on infant mortality of iodination of irrigation water in a severely iodine-deficient area of China. *Lancet*; 350: 771-773.
124. DeLong GR, Xue YC, Xin MJ, et al. (1998). Iodine supplementation of a cross-section of iodine-deficient pregnant women: does the human fetal brain undergo meta- morphosis? In: Stanbury JB, Delange F, Dunn JT, Pandav CS, editors. *Iodine in pregnancy*. Delhi: Oxford University Press; 1998. p. 55–78.
125. DeLong GR. (1989). Observations on the neurology of endemic cretinism. In: DeLong GR, Robbins J, Condliffe PG, eds. *Iodine and the brain*. New York, Plenum Press: 231.
126. DeLong R. (1987). Neurological involvement in iodine deficiency disorders. In Hetzel BS, Dunn JT, Stanbury JB, eds. *The Prevention and control of iodine deficiency disorders*. Elsevier Science Publisher; 49-64.
127. Department of Health and Family Welfare. Annual Report 2010-2011. New Delhi: Ministry of Health and Family Welfare, Government of India; 2011. Available from: <http://www.mohfw.nic.in/showfile.php?lid=767>, accessed on March 25, 2016.
128. Desai MP, Colaco MP, Ajgoankar AR, Mahadik CV, Vas FE, Rege C, et al. (1987). Neonatal screening for congenital hypothyroidism in a developing country: Problems and strategies. *Indian J Pediatr*; 54:571-81.
129. Desai MP, Upadhye P, Colaco MP, Mehre M, Naik SP, Vaz FE, et al. (1994). Neonatal screening for congenital hypothyroidism using the filter paper thyroxine technique. *Indian J Med Res*; 100: 36-42.
130. Dillon JC, Milliez J. (2000). Reproductive failure in women living in iodine deficient areas of West Africa. *Int J Obstet Gynaecol*;107(5):631–6.

131. Diosady L, Alberti J, Mannar M, & FitzGerald S. (1998). Stability of iodine in iodized salt used for correction of iodine-deficiency disorders. *Food and Nutrition Bulletin*; 19(3): 240-250.
132. Dodd NS and Madan J. (1993). Iodine status in Pregnancy. *Asia Pacific J Clin Nutr*; 12: 624-29.
133. Donati RM, Fletcher JW, Warnecke MA & Gallagher NI. (1973). Erythropoiesis in hypothyroidism. *Proceedings of the Society for Experimental Biology and Medicine*; 144: 78-82.
134. Dood NS, Godhia ML. (1992). Prevalence of iodine deficiency disorders In adolescent. *Indian Journal of Pediatrics*; 59(5): 585-591.
135. Dood NS, Samuel AM. (1993). Iodine deficiency in adolescents from Bombay slums. *Natl Med J India*; 6(3): 110-113.
136. Dube W, Nyadzayo. (2014). Progress in elimination of iodine deficiency disorders in Zimbabwe-A program coverage. *MN Forum preceedings. Ethiopia*.
137. Duffield AJ, Thomson CD, Hill KE, Williams S. (1999). An estimation of selenium requirements for New Zealanders. *American Journal of Clinical Nutrition*; 70(5): 896-903.
138. Dumont JE, Corvilain B, Contempré B. (1994a). The biochemistry of endemic cretinism: roles of iodine and selenium deficiency and goitrogens. *Molecular and Cellular Endocrinology*; 100: 163-166.
139. Dunn JT, Crutchfield HE, Gutekunst R, Dunn D. (1993). Methods for measuring iodine in urine. A joint publication of WHO/ UNICEF/ICCIDD; p.18-23.
140. Dunn JT, Delange F. (2011). Damaged reproduction: the most important consequence of iodine deficiency. *J Clin Endocrinol Metab*; 86(6):2360.
141. Dunn JT. (1996). The use of iodized oil and other alternatives for the elimination of Iodine Deficiency Disorders. In S.O.S. for a billion. The conquest of Iodine Deficiency Disorders. B.S. Hetzel, and C.S. Pandav, editors. New Delhi: Oxford University Press publ. 119-128.
142. Dunn JT. (1998). what's happening to our Iodine. *J Clin Endocrinol Metab*; 83: 3398-400.
143. Duntas LH, Papanastasiou L, Mantzou E, Koutras DA. (1999). Incidence of sideropenia and effects iron repletion treatment in women with subclinical hypothyroidism. *Experimental and Clinical Endocrinology and Diabetes*; 107: 356-360.
144. Durkin MS, Khan NZ, Davidson LL, Huq S, Munir S, Rasul E et al. (2000). Prenatal and postnatal risk factors for mental retardation among children in Bangladesh. *Am J Epidemiol*. 152(11):1024-1033.
145. Dworkin HJ, Jacquez JA, Beierwaltes WH. (1966). Relationship of iodine ingestion to iodine excretion in pregnancy. *J Clin Endocrinol Metab*; 26:1329-1342.
146. Eastman CJ, Li M, Cavalli Sforza, LT. (2008). Iodine nutritional status in Tibet. *Lancet*; 372:887-888.
147. Eftekhari MH, Simondon KB, Jalali M, Keshavarz SA, Elquero E, Eshraghian MR. (2006). Effects of administration of iron, iodine and simultaneous iron-plus-iodine on the thyroid hormone profile in iron-deficient adolescent Iranian girls. *European Journal of Clinical Nutrition*; 60(4):545-552.
148. Ehrenkranz J, Fualal J, Ndizihiwe A, Clarke I, Alder S. (2011). Neonatal age and point of care TSH testing in the monitoring of iodine deficiency disorders: findings from western Uganda. *Thyroid*; 21:183-8.
149. Elnagar B, Eltom M, Karlsson FA, Ermans AM, Gebre-Medhin M, Bourdoux PP. (1995). The effects of different doses of oral iodized oil on goiter size, urinary iodine, and thyroid-related hormones. *Journal of Clinical Endocrinology and Metabolism*; 80: 891-897.
150. Eltom A, Eltom M, Elnagor B, Elbagir M, Gebre- Medhim M. (2000). Changes in Iodine metabolism during late pregnancy and lactation: a longitudinal study among Sudanese women. *Europ J Clin Nutr*; 54(5): 429-33.
151. Engle PL, Black MM, Behrman JR, Cabral De Mello M, Gertler PJ, Kapiriri L. et al. (2007). Strategies to avoid the loss of developmental potential in more than 200 million children in the developing world. *Lancet*; 369: 229-242.
152. Erdogan MF, Erdogan G, Sav H, Gullu S, Kamel N. (2001). Endemic goiter, thiocyanate overload, and selenium status in school-age children. *Biological Trace Element Research*; 79: 121-130.
153. Erenberg A. (1978). The effect of perinatal factors on cord thyroxine concentration. *Early Hum Dev*; 2:283-289.
154. Ericsson UB, Ivarsson SA, Persson PH. (1987). Thyroglobulin in cord blood. The influence of the mode of delivery and the smoking habits of the mother. *Eur J Pediatr*; 146:44-47.

155. Ermans AM, Delange F, Van der Velden M, Kinthaert J. (1972). Possible role of cyanide and thiocyanate in the etiology of endemic cretinism. *Adv Exp Med Biol*; 30:455-486.
156. Escobar GMD, Obregon MJ, Rey FD Del. (2007). Iodine deficiency and brain development in the first half of pregnancy. *Public Health Nutrition*; 10(12A): 1554–1570.
157. Ezzat S, Laks D, Oster J, Melmed S. (1991). Growth-hormone regulation in primary fetal and neonatal rat pituitary cell-cultures—the role of thyroid-hormone. *Endocrinology*; 128:937–43.
158. FAO. (2001). Human Vitamin and Mineral Requirements. Report of a joint FAO/WHO expert consultation Bangkok, Thailand. Chapter 12: Iodine.
159. Fecher PA, GoldmannI, Nagengast A. (1998). Determination of iodine in food samples by inductively coupled plasma mass spectrometry after alkaline extraction. *Journal of Analytical Atomic Spectrometry*; 13: 977-982.
160. Ferry RJ, Cerri RW, Cohen P. (1999). Insulin-like growth factor binding proteins: new proteins, new functions. *Horm Res*; 51:53–67.
161. Ficher KD & Carr CJ. (1974). Iodine in Foods: Chemical Methodology and Sources of Iodine in Human Diet. Bethesda M. D. Life Sciences Research. Federation of American Societies for Experimental Biology under FDA contract 71-294.
162. Fierro-Benitez R, Cazar R, Stanbury JB, Rodriquez P, Garces F, Fierro-Renoy F et al. (1988). Effects on school children of prophylaxis of mothers with iodized oil in an area of iodine deficiency. *J Endocrinol Invest*; 11:327-35.
163. Fisch A, Pichard E, Prazuck T, Sebbag R, Torres G, Gernez G, et al. (1993). A new approach to combatting iodine deficiency in developing countries: the controlled release of iodine in water by a silicone elastomer. *Am J Publ Health*; 83: 540-545.
164. Fisher DA, Dussault JH, Foley TP Jr, Klein AH, LaFranchi S, Larsen PR, et al. (1979). Screening for congenital hypothyroidism .Results of screening one million North American infants. *J Pediatr*; 94:700-5.
165. Fisher DA, Klein AH. (1981). Thyroid development and disorders of thyroid function in the newborn. *N Engl J Med*; 304:702–712.
166. Fisher DA. (1983). Second international conference on neonatal thyroid screening: Progress report. *J Pediatr*; 102:653-4.
167. Florentino RF, Tanchoco CC, Rodriguez MP, Cruz AJ, Molano WL. (1996). Interactions among micronutrient deficiencies and undernutrition in the Philippines. *Biomedical and Environmental Sciences*; 9: 348-357.
168. Flueury Y, Melle GV, Woringer V, Gaillard RC, Potmann L. (2001). Sex-dependent variations and timings of thyroid growth during puberty. *The journal of clinical endocrinology and Metabolism*; 86: 750-754.
169. Foo LC, Zainab T, Goh SY, Letchuman GR, Nafikudin M, Doraisingam P, et al. (1996). Iodization of village water supply in the control of endemic iodine deficiency in rural Sarawak, Malaysia. *Biomed Environ Sci*; 9: 236-241.
170. Fordyce FM, Johnson CC, Navaratna URB, Appleton JD, Dissanayake CB. (2000). Selenium and iodine in soil, rice and drinking water in relation to endemic goitre in Sri Lanka. *The Science of the Total Environment*; 263:127-141.
171. Frank JE, Faix JE, Hermos R, Mullaney DM, Rojan DA, Mitchell ML. (1996). Thyroid function in very low birth weight infants: effects on neonatal hypothyroid screening. *J Pediatr*; 128:548–554.
172. Franklin RC, Carpenter LM, Grady CM. (1985). Neonatal thyroid function: influence of perinatal factors. *Arch Dis Child*; 60:141–144.
173. Fuse Y, Wakae E, Nemoto Y, Uga N, Tanaka M, Maeda M, et al. (1991). Influence of perinatal factors and sampling methods on TSH and thyroid hormone levels in cord blood. *Endocrinol Jpn*; 38:297–302.
174. Gaitan E. (1989). Environmental goitrogenesis. Boca Raton, FL: CRC Press.
175. Gakkhar RK, Bhardwaj VK, Chansoria M, Jain S, Visnoi R. (2001). Prevalence of goitre in school-going children in Jabalpur. *Indian J Pediatr*; 68(3):229-33.
176. Ganapathy S & Volpe SL. (1999). Zinc, exercise, and thyroid hormone function. *Critical Reviews in Food Science and Nutrition*; 39(4): 369–390.
177. Geary ES, Lim M, Ceda GP, Ro S, Rosenfeld RG, Hoffman AR. (1989). Triiodothyronine regulates insulin-like growth factor-I binding to cultured rat pituitary-cells. *J Neuroendocrinol*; 1:179–84.

178. Gerasimov G, Shishkina A, Mayorova N, Sviridenko N, Nzarou A, Alexandrova G, et al. (1997). Bread iodization for iodine deficient regions of Russia and other Newly Independent States. *IDD Newsletter*; 13:12-13.
179. Gibson RS. (2006). Zinc: the missing link in combating micronutrient malnutrition in developing countries. *Proceedings of the Nutrition Society*; 65(1): 51–60.
180. Giray B, Hincal F, Tezic T, Okten A , Gedik Y. (2001). Status of selenium and antioxidant enzymes of goitrous children is lower than healthy controls and nongoitrous children with high iodine deficiency. *Biological Trace Element Research*; 82: 35-52.
181. Glinoe D, de Nayer P, Bourdoux P, Lemone M, Robyn C, Van Steirteghem et al. (1990). Regulation of maternal thyroid during pregnancy. *J Clin Endocrinol Metab*; 71; 276-287.
182. Glinoe D, Delange F. (2000). The potential repercussions of maternal, fetal, and neonatal hypothyroxinemia on the progeny. *Thyroid*; 10(10): 871-87.
183. Glinoe D, De-Nayer P, Delange F. (1995). A randomized trial for The treatment of Thyroid Stimulation in pregnancy: maternal and neonatal effects. *J cli Endocrinal Metab*; 80: 258-69.
184. Glinoe D. (1995). The Thyroid in pregnancy: a European Prespective. *Thyroid Today*; 58: 1-11.
185. Glinoe D. (1997). Maternal and fetal impact of chronic iodine deficiency. *Clin Obstet gynecol*;40:102.
186. Glinoe D. (1997). The regulation of thyroid function in pregnancy;pathways of endocrine adaptations from physiology to pathology. *Endocrin Rev*;18:404-433.
187. Glinoe D. (2001). Pregnancy and iodine. *Thyroid*; 11:471–481.
188. Glinoe D. (2007). Clinical and biological consequences of iodine deficiency during pregnancy. *Endocr Dev*; 10: 62–85.
189. Glinoe D. (2007). The importance of iodine nutrition during pregnancy. *Public Health Nutrition*; 10(12A), 1542–1546.
190. Global Iodine score card. (2015). ([http://www.ign.org/cm\\_data/Global\\_map\\_2014-2015\\_2.png](http://www.ign.org/cm_data/Global_map_2014-2015_2.png)) accessed on March 21, 2016.
191. Gopalakrishnan V, Joshi K, Phadke S, Dabadghao P, Agarwal M, Das V, et al. (2014). Newborn screening for congenital hypothyroidism, galactosemia and biotinidase deficiency in Uttar Pradesh,India. *Indian Pediatr* ; 51(9):701-5.
192. Gopalan C. (1981). The National Goitre Control Programme - A Sad Story, *Bulletin of Nutrition Foundation of India*.
193. Gordon RC, Rose MC, Skeaff SA, Gray AR, Morgan KMD, Ruffman T. (2009). Iodine supplementation improves cognition in mildly iodine deficient children. *American Journal of Clinical Nutrition*; 90(5): 1264-71.
194. Goswami UC & Choudhury S (1999). The status of retinoids in women suffering from hyper- and hypothyroidism: interrelationship between vitamin A, beta-carotene and thyroid hormones. *International Journal for Vitamin and Nutrition Research*; 69: 132-135.
195. Goyens P, Golstein J, Nsombola B, Vis H, Dumont JE. (1987). Selenium deficiency as a possible factor in the pathogenesis of myxoedematous endemic cretinism. *Acta Endocrinologica*; 114(4): 497–502.
196. Goyle A, Prakash S. (2011). Efficacy of multi-micronutrient fortified biscuits on urinary iodine levels of adolescent girls from Jaipur, India. *Malays J Nutr*;17(2):143-50.
197. Greenspan FS. (2004). The thyroid gland. in: Greenspan, FS, Gardner, DG (eds), *Basic and clinical endocrinology*; 215-294.
198. Grewal E, Khadgawat R, Gupta N, Desai A, Tandon N. (2013). Assessment of iodine nutrition in pregnant north Indian subjects in three trimesters. *Indian J Endocrinol Metab*; 17(2):289-9
199. Gupta A, Srivastava S, Bhatnagar A. (2014). Cord Blood Thyroid Stimulating Hormone Level – Interpretation in Light of Perinatal Factors. *Indian Pediatrics*; 51: 32-36.
200. Haddow JE, Palomaki GE, Allan WC, Williams JR, Knight GJ, Ganhnnon J, et al. (1999). Maternal thyroid deficiency during pregnancy and subsequent neuropsychological development of the child. *N Engl J Med*; 341:549-555.
201. Hall SK, Hutchesson AC, Kirk JM. (1999). Congenital hypothyroidism, seasonality and consanguinity in the West Midlands, England. *Acta Paediatr*;88:212-5.
202. Hanna CE & Lafranchi SH. (2002). Adolescent thyroid disorder. *Adolescent medicine*; 13: 13-35.
203. Hannigan JH, Martier SS, Naber JM. (1995). Independent associations among maternal alcohol consumption and infant thyroxine levels and pregnancy outcome. *Alcohol Clin Exp Res*; 19:135–141.

204. Harris KB, Pass KA. (2007). Increase in congenital hypothyroidism in New York State and in the United States. *Mol Genet Metab*; 91:268-77.
205. Hartoma RT, Sotaniemi EA, Maattanen J. (1979). Effect of zinc on some biochemical indices of metabolism. *Nutrition and Metabolism*; 23: 294-300.
206. Hawkes WC, Keim NL, Diane Richter B, Gustafson MB, Gale B, Mackey BE, et al. (2008). High-selenium yeast supplementation in free-living North American men: no effect on thyroid hormone metabolism or body composition. *Journal of Trace Elements in Medicine and Biology*; 22(2): 131-142.
207. Hazi G, Gozariu L, Dragotoiu Gh, Duncea I, Diudea M. (2008). Urinary iodine excretion in pregnant women residing in a former goitrogenic area. *Acta Endocrinologica-Bucharest*; 4(2): 225-230.
208. Health Information of India. (1993). Central Bureau of Health Intelligence, Ministry of Health and Family Welfare, Govt. of India New Delhi: 1-52.
209. Henrichs J, Bongers-Schokking JJ, Schenk JJ, Ghassabian A, Schmidt HG, Visser TG et al. (2010). Maternal thyroid function during early pregnancy and cognitive functioning in early childhood: the generation R study. *Journal of Clinical Endocrinology & Metabolism*; 95(9): 4227-4234.
210. Herbstman J, Apelberg BJ, Witter FR, Panny S, Goldman LR. (2008). Maternal, infant, and delivery factors associated with neonatal thyroid hormone status. *Thyroid*; 18(1):67-76.
211. Herbstman JB, Sjodin A, Apelberg BJ, Witter FR, Patterson DG, Halden RU, et al. (2007). Determinants of prenatal exposure to polychlorinated biphenyls (PCBs) and polybrominated diphenyl ethers (PBDEs) in an urban population. *Environ Health Perspect* 115:1794-1800.
212. Hernandez JT, Hoffman L, Weavil S, Cvejic S, Prange AJ Jr. (1992). The effect of drug exposure on thyroid hormone levels of newborns. *Biochem Med Metab Biol*; 48:255-262.
213. Hernandez CC, Cure CC, Lopez JP. (1995). Effect of thyroid replacement therapy on the stature of Colombian children with minimal thyroid dysfunction. *Eur J Clin Invest*; 25:454-6.
214. Hess SY & Zimmermann MB. (2004). The effect of micronutrient deficiencies on iodine nutrition and thyroid metabolism. *International Journal for Vitamin and Nutrition Research*; 74(2): 103-115.
215. Hess SY, Zimmermann MB, Adou P, Torresani T, Hurrell RF. (2002). Treatment of iron deficiency in goitrous children improves the efficacy of iodized salt in Côte d'Ivoire. *American Journal of Clinical Nutrition*; 75(4): 743-748.
216. Hess SY, Zimmermann MB, Arnold M, Langhans W, Hurrell RF. (2002). Iron deficiency anemia reduces thyroid peroxidase activity in rats. *Journal of Nutrition*; 132(7): 1951-1955.
217. Hess SY, Zimmermann MB, Torresani T, Burgi H, Hurrell RF. (2001). Monitoring the adequacy of salt iodization in Switzerland: a national study of school children and pregnant women. *Eur J Clin Nutr*; 55: 162-166.
218. Hetzel BS and Mano MT. (1989). A Review of Experimental Studies of Iodine Deficiency During Fetal Development. *Nutr*; 119: 2: 145-15.
219. Hetzel BS, Maberly GF. (1986). Iodine. In: Mertz W, ed., *Trace elements in human and animal nutrition*, 5th ed. New York, NY, Academic Press:139-208.
220. Hetzel BS. (1983). Iodine deficiency disorders (IDD) and their eradication. *Lancet*; 2:1126-1129.
221. Hetzel BS. (1997). SOS for a billion - the nature and magnitude of iodine deficiency disorders. In: Hetzel BS and Pandav CV, eds. *SOS for a billion - the conquest of iodine deficiency disorders*. 2nd Ed. New Delhi: Oxford University Press, p. 1-29.
222. Hetzel S, Pandav CS. (1996). S.O.S. for a billion. *The conquest of Iodine Deficiency Disorders*. 2nd Ed. Delhi: Oxford University Press publ. 1-466 pp.
223. Hochberg Z, Bick T, Harel Z. (1990). Alterations of human growth hormone binding by rat liver membranes during hypo- and hyperthyroidism. *Endocrinology*; 126:325-329.
224. Hollingsworth D, Fisher DA, Pretell EA. (1985). The fetal maternal relationship with respect to the thyroid. In: *Endemic goiter and endemic cretinism*. Eds. JB Stanbury, BS Hetzel. Wiley Eastern Limited; pp 423 - 444.
225. Hollowell JG, Staehling NW, Hannon WH, Flanders DW, Gunter EW, Maberly GF et al. (1998). Iodine nutrition in the United States. Trends and public health implications: iodine excretion data from National Health and Nutrition Examination Surveys I and III (1971-1974 and 1988-1994). *J Clin Endocrinol Metab*;83(10):3401-8.

226. Horton L, Coburn RJ, England JM, Himsworth RL. (1976). The haematology of hypothyroidism. *Quarterly Journal of Medicine*; 45: 101-123.
227. Huda SN, Grantham-McGregor SM, Tomkins A. (2001). Cognitive and motor functions of iodine-deficient but euthyroid children in Bangladesh do not benefit from iodized poppy seed oil (Lipiodol). *J Nutr*;131:72-7.
228. ICCIDD. (2015). India moves one step closer to achieving Universal Salt Iodization. *IQ Jagriti*; 12(4): 1-5.
229. ICMR (1989). Epidemiological Survey of Endemic Goitre and Endemic cretinism. An ICMR Task Force Study. New Delhi, Indian Council of Medical Research.
230. ICMR. (2001). Report of an ICMR Task Force Study-District Nutrition Project Indian Council of Medical Research. Part 1. New Delhi: Gowardsons Publishers Private Limited. Micronutrient Deficiency disorders in 16 Districts of India; pp. 16-8.
231. Iglesias P, Bayon C, Mendez J, Gancedo PG, Grande C, Diez JJ. (2001). Serum insulinlike growth factor type 1, insulin-like growth factor-binding protein-1, and insulin-like growth factor-binding protein-3 concentrations in patients with thyroid dysfunction. *Thyroid*; 11:1043-8.
232. Ingenbleek Y & De Visscher M. (1979). Hormonal and nutritional status: critical conditions for endemic goiter epidemiology? *Metabolism: Clinical and Experimental*; 28: 9-19.
233. Ingenbleek Y & Young V (1994). Transthyretin (prealbumin) in health and disease: nutritional implications. *Annual Review of Nutrition*; 14: 495-533.
234. Ingenbleek Y, Jung L, Ferard G, Bordet F, Goncalves AM & Dechoux L. (1997). Iodised rapeseed oil for eradication of severe endemic goitre. *Lancet*; 350: 1542-1545.
235. Ingrida M, Eimantas Š, Nijolė R, Narseta M, Robertas B. (2010). The newborn thyroid stimulating hormone levels in relation to maternal age and gestation at birth. *Rugsėjis*;13(3).
236. International Council for Control of Iodine deficiency Disorders (ICCIDD). (2006). Tracking Progress Towards Sustaining Elimination of IDD in Seven States 1999-2005. New Delhi: ICCIDD. Available from: [http://www.iqplusin.org/ Reports.htm](http://www.iqplusin.org/Reports.htm), accessed on March 25, 2016.
237. IDD Newsletter. (2015). Global Scorecard 2014: Number of iodine deficient countries more than halved in past decade. *IDD Newsletter*; 43(1): 5-7.
238. International Zinc Nutrition Consultative Group (IZiNCG). (2007). Quantifying the risk of zinc deficiency: recommended indicators. IZiNCG Technical Brief No. 1. Davis, CA: IZiNCG.
239. Jaiswal N, Melse-Boonstra A, Sharma SK, Srinivasan K, Zimmermann MB. (2015). The iodized salt programme in Bangalore, India provides adequate iodine intakes in pregnant women and more-than-adequate iodine intakes in their children. *Public Health Nutr*; 18(3):403-13.
240. Jamal R. (2011). A study of iodine status and consumed household salt and urinary iodine. *ISP Poster*.
241. Jameson JL, Degroot JL. (2010). *Endocrinology Adult and Pediatric*. 6th ed., Vol. 2. Saunders; 2010. p. 1729.
242. Jaruratanasirikul S, Sangsupawanich P, Koranantakul O, Chanvitan P, Ruaengrairatanaroj P, Sriplung H. (2009). Maternal iodine status and neonatal thyroid-stimulating hormone concentration: a community survey in Songkhla, southern Thailand. *Public Health Nutr*; 12: 2279-84.
243. Jones JL, Clemmons DR. (1995). Insulin-like growth factors and their binding proteins: biological actions. *Endocr Rev*; 16:3-34.
244. Joshi K and Nair S (2012). Efficacy trial of Double Fortified salt supplementation amongst vulnerable population and feasibility assessment for production (PhD. Dissertation Thesis, Department Of Foods And Nutrition, The M.S.University, Baroda).
245. Joshi K, Nair S, Khade C, Rajan MG. (2014). Early gestation screening of pregnant women for iodine deficiency disorders and iron deficiency in urban centre in Vadodara, Gujarat, India. *J Dev Orig Health Di*; 5(1):63-8.
246. Kamath R, Bhat V, Rao R, Das A, Ks G, Kamath A. (2009). Prevalence of goiter in rural area of Belgaum district, Karnataka. *Indian J Community Med*; 34:48-51.
247. Kamath R, Bhat V, Rao RS, Acharya D, Kapil U, Kotian MS, et al (2009). Prevalence of goitre among school children in Belgaum district. *Indian J Pediatr*; 76(8):825-8.
248. Kant S, Misra P, Baridalyne N, Goswami A, Pandav CS, Kumarkar M. (2003). Iodine status of pregnant women residing in an urban resettlement colony of Delhi. *Obstet Gyneco*; 53: 554-7.
249. Kapil U, Kabra M, Sareen N, Khenduja P, Pande S. (2014). Iodine nutrition status amongst neonates in Kangra district, Himachal Pradesh. *J Trace Elem Med Biol*; 28(3):351-353.

250. Kapil U, Pandey RM, Jain V, Kabra M, Sareen N, Bhadoria AS, et al. (2013b). Increase in iodine deficiency disorder due to inadequate sustainability of supply of iodized salt in District Solan, Himachal Pradesh. *J Trop Pediatr*; 59: 514–515.
251. Kapil U, Pandey RM, Jain V, Kabra M, Sareen N, Bhadoria AS, et al. (2013). Increase in iodine deficiency disorder due to inadequate sustainability of supply of iodized salt in District Solan, Himachal Pradesh. *J Trop Pediatr*; 59: 514–515.
252. Kapil U, Pandey RM, Kabra M, Jain V, Sareen N, Bhadoria AS, et al. (2013a). Status of iodine deficiency in district Kangra, Himachal Pradesh after 60 years of salt iodization. *Eur J Clin Nutr*; 67: 827–828.
253. Kapil U, Pandey RM, Kabra M, Jain V, Sareen N, Bhadoria AS, et al. (2013). Status of iodine deficiency in district Kangra, Himachal Pradesh after 60 years of salt iodization. *Eur J Clin Nutr*; 67: 827–828.
254. Kapil U, Pathak P, Singh C, Tandon M, Pradhan R. (1999). Micronutrient deficiency disorder amongst pregnant women in three urban slum communities of Delhi. *Indian Pediatr*; 1999; 36: 983-9.
255. Kapil U, Prakash S, Sareen N, Bhadoria AS, Khenduja P, Nigam S, et al. (2014). Status of iodine deficiency among pregnant mothers in Himachal Pradesh, India. *Public Health Nutr*; 6:1-4.
256. Kapil U, Saxena N, Ramachandran S, Balamurugan A, Nayar D, Prakash S. (1996). Assessment of iodine deficiency disorders using the 30 cluster approach in the National Capital Territory of Delhi. *Indian Pediatr*; 33:1013–7.
257. Kapil U, Sethi V, Goindi G, Pathak P, Singh P. (2004). Elimination of iodine deficiency disorders in Delhi. *Indian J Pediatr*; 71:211-2.
258. Kapil U, Sharma TD, Singh P, Dwivedi SN, Kaur S. (2005). Thirty years of a ban on the sale of noniodized salt: Impact on iodine nutrition in children in Himachal Pradesh, India. *Food Nutr Bull*; 26:255-8.
259. Kapil U, Singh P, Pathak P, Singh C. (2003). Assessment of iodine deficiency disorders in district Bharatpur Rajasthan. *Indian Pediatrics*; 40(2):147-149.
260. Kapil U, Tandon M, Pathak P, Pradhan R. (2001). Assessment of current status of salt iodization at the beneficiary level in selected districts of Uttar Pradesh, India. *India Pediatrics*; 38: 654–657.
261. Kapil U, Tandon M, Pradhan R. (1999). Status of iodine deficiency in hill districts of Uttar Pradesh. *Indian J Matern Child Health*; 10:24-7.
262. Kapil U, Jayakumar PR, Singh P, Aneja B, Pathak P. (2002). Assessment of iodine deficiency in Kottayam district, Kerala State: a pilot study. *Asia Pac J Clin Nutr*; 11(1):33-5.
263. Kapil U, Kabra M, Prakash S, Sareen N, Khenduja P. (2014). Iodine Nutritional Status among Neonates in the Solan District, Himachal Pradesh, India. *J Community Health*; 39: 987-989.
264. Kapil U, Pathak P, Tandon M, Singh C, Pradhan R, Dwivedi SN. (1999). Micronutrient deficiency disorders amongst pregnant women in three urban slum communities of Delhi. *Indian Pediatr*; 36(10):983-9.
265. Kapil U, Sareen N, Bhadoria AS. (2013). Status of iodine deficiency among children in national capital territory Of Delhi--a cross-sectional study. *J Trop Pediatr*; 59(4):331-2.
266. Kapil U, Saxena N, Nayar D, Ramachandran S. (1999). Assessment of status of salt iodization in Delhi. *Indian J Pediatr*; 66(2):185-7.
267. Kapil U, Saxena N, Ramachandran S, Balamurugan A, Nayar D, Prakash S. (1996). Assessment of iodine deficiency disorders using the 30 cluster approach in the National Capital Territory of Delhi. *Indian Pediatr*; 33(12):1013-7.
268. Kapil U, Sethi V, Goindi G, Pathak P, Singh P. (2004). Elimination of iodine deficiency disorders in Delhi. *Indian J Pediatr* ;71(3):211-2.
269. Kapil U, Sharma NC, Ramachandran S, Nayar D, Vashisht M. (1998). Iodine deficiency in district Kinnaur, Himachal Pradesh. *Indian J Pediatr*; 65(3):451-3.
270. Kapil U, Sharma TD, Singh P, Dwivedi SN, Kaur S. (2005). Thirty years of a ban on the sale of noniodized salt: impact on iodine nutrition in children in Himachal Pradesh, India. *Food Nutr Bull*; 26(3):255-8.
271. Kapil U, Sharma TD, Singh P. (2007). Iodine status and goiter prevalence after 40 years of salt iodisation in the Kangra District, India. *Indian J Pediatr*; 74(2):135-7.

272. Kapil U, Singh J, Prakash R, Sundaresan S, Ramachandran S, Tandon M. (1997). Assessment of iodine deficiency in selected blocks of east and west Champaran districts of Bihar. *Indian Pediatr*; 34(12):1087-91.
273. Kapil U, Singh JV, Tandon M, Pathak P, Singh C, Yadav R. (2000). Assessment of iodine deficiency disorders in Meerut district, Uttar Pradesh. *Asia Pac J Clin Nutr*; 9(2):99-101.
274. Kapil U, Singh P, Dwivedi SN, Pathak P. (2004). Profile of iodine content of salt and urinary iodine excretion levels in selected districts of Tamil Nadu. *Indian J Pediatr*; 71(9):785-7.
275. Kapil U, Singh P, Pathak P. (2004). Current status of iodine nutriture and iodine content of salt in Andhra Pradesh. *Indian Pediatr*; 41(2):165-9.
276. Kapil U, Sohal KS, Sharma TD, Tandon M, Pathak P. (2000). Assessment of iodine deficiency disorders using the 30 cluster approach in district Kangra, Himachal Pradesh, India. *J Trop Pediatr*; 46(5):264-6.
277. Kapil U. (1991). National nutrition programmes in India. In: Mehta MN, Kulkarni M, editors. *Child Nutrition – The Indian Scene*. Bombay: Sai Creation and Advertising Co. Printing Press. p. 78-107.
278. Kapil U. (2007). Health consequences of iodine deficiency. *Sultan Qaboos Univ Med J*. 2007 Dec; 7(3): 267–272.
279. Kapil U. (2010). Successful Efforts Toward Elimination Iodine Deficiency Disorders in India. *Indian Journal of Community Medicine*; 35(4): 455-468.
280. Kapil U, Saxena N, Ramachandran S, Nayar D. (1997). Iodine status of pregnant women residing in a district of endemic iodine deficiency in the state of Himachal Pradesh, India. *Asia Pacific J Clin Nutr*; 6: 224-5.
281. Karabinas CD, Tolis GJ. (1998). Thyroid disorders & pregnancy. *J Obstet Gynaecol*; 18: 509-15.
282. Karmarkar MG, Pandav CS, Krishnamachari KAVR. (1986). Principle and procedure for iodine estimation- a laboratory manual. New Delhi: Indian Council of Medical Research. ICMR Press. p.1-17.
283. Kibatu G, Kibret E, Gedefaw M. (2014). The status of iodine nutrition and iodine deficiency disorders among school age children in Metekel Zone, North West Ethiopia. *MN Forum, Ethiopia*.
284. Kemp WN, Que H. (1939). Iodine deficiency in relation to the stillbirth problem. *Can Med Assoc J*; 41(4):356–61.
285. Khan SM, Mahjabeen R, Masoodi MA, Kauser J, Nabi S. (2014). Prevalence of Goiter among Primary School Children of Kulgam District, Jammu & Kashmir, India. *Academic Medical Journal of India*; 2(1):18-21.
286. Kibiridge MS, Hutchison S, Owen CJ, Delves HT. (2004). Prevalence of maternal dietary iodine insufficiency in the north east of England: implications for the fetus. *Arch Dis Child Fetal Neonatal Ed*; 89: 436–439.
287. Kim EU, Park SK, Song CH, Lim SH. (2005). Perinatal factors affecting thyroid stimulating hormone (TSH) and thyroid hormone levels in cord blood. *Korean journal pediatrics*; 48:143–7.
288. Kirsten D. (2000). The thyroid gland: physiology and pathophysiology." *Neonatal network: NN* 19(8): 11-26.
289. Klein AH, Oddie TH, Parslow M, Foley TP Jr, Fisher DA. (1982). Developmental changes in pituitary-thyroid function in the human fetus and newborn. *Early Hum Dev*; 6: 321–330.
290. Klein R. (1979). History of Congenital Hypothyroidism, Neonatal Thyroid Screening. New York: Raven Press. p. 51.
291. Klein RZ. (1979). Neonatal screening for hypothyroidism. *Adv Paediatr*; 26:417-40.
292. Klett M. (1997). Epidemiology of congenital hypothyroidism. *Exp Clin Endocrinol Diabetes*; 105:19-23.
293. Kohrle J, Jakob F, Contempre B, Dumont JE. (2005). Selenium, the thyroid, and the endocrine system. *Endocrine Reviews*; 26(7): 944–984.
294. Kochupillai N, Godbole MM, Pandav CS, Ahuja MMS. (1984). Neonatal thyroid status in iodine deficient environments of the sub- Himalayan region. *Indian J Med Res*; 80:293-299
295. Kochupillai N. (1983). Environmental iodine deficiency of neonatal hypothyroidism in India. *Indian Pediatr*; 20:467-9.
296. Kochupillai N. (1983). In: *Iodine Deficiency Disorders in Bhutan*. New Delhi: A UNICEF – WHO Publication.
297. Kochupillai N, Pandav CS, Godbole MM, Mehta M, Ahuja MM. (1986). Iodine deficiency and neonatal hypothyroidism. *Bull World Health Organ*; 64 : 547-51.

298. Kochupillai N. (1993). Neonatal chemical hypothyroidism of nutritional origin. In: Gopalan C, editor. *Recent Trends in Nutrition*. Delhi: Oxford University Press. p. 181-93.
299. Koibuchi N, Chin WW. (2000). Thyroid hormone action and brain development. *Trends Endocrinol Metab* ;4:123-8.
300. Korada M, Pearce MS, Avis E, Turner S, Cheetham T. (2009). TSH levels in relation to gestation, birth weight and sex. *Horm Res*; 72(2):120-3.
301. Kotwal A. (2010). Iodine deficiency disorders: A health policy and planning perspective. *Indian Journal of Public Health*; 54(4): 175-178.
302. Kousar J, Hamid S, Nazki SG, Bashir A, Dangroo S, Khan M, et al (2013). Assessment of the magnitude of goiter in the age group of 6-12 years children in district Kargil region (Jammu & Kashmir). *Sch. J. App. Med. Sci*; 1(5):406-414.
303. Koutras DA, Christakis G, Trichopoulos D, Dakou-Voutetaki A, Kyriakopoulos V, Fontanares P, et al. (1973). Endemic goiter in Greece: nutritional status, growth, and skeletal development of goitrous and non goitrous populations. *Am J Clin Nutr*; 26:1360-8.
304. Koutras DA, Papapetrou PD, Yataganas X, Malamos B. (1970). Dietary sources of iodine in areas with and without iodine deficiency goiter. *The American Journal of Clinical Nutrition*; 23(7): 870-874.
305. Krishnamachari KA. (1974). Endemic goitre: a public health problem in Maharashtra. *Trop Geog Med*; 26:147-151.
306. Kung AW, Lao TT, Chau MT, Tam SC, Low LC. (2000). Goitrogenesis during pregnancy and neonatal hypothyroxinaemia in a borderline iodine sufficient area. *Clin Endocrinol (Oxf)*;53:725-31.
307. LaFranchi S. (1999). Thyroid function in the preterm infant. *Thyroid*; 9:71-78.
308. Lal RB, Srivastava VK, Chandra R. (1996). A study of spectrum of iodine deficiency disorders in rural area of Uttar Pradesh. *Indian J Publ Health*; 40:10-2.
309. Lamberg BA, Haikonen M, Makela M, Jukkara A, Axelson E & Welin MG. (1981). Further decrease in thyroidal uptake and disappearance of endemic goitre in children after 30 years of iodine prophylaxis in the east of Finland. *Acta Endocrinologica*; 98: 205-209.
310. Lao TT, Lee CP. (2002). Gestational diabetes mellitus and neonatal hyperthyrotropinemia. *Gynecol Obstet Invest*; 53:135-139.
311. Lao TT, Li CY, Panesar NS. (1992). Transient neonatal hyperthyrotropinaemia. *Early Hum Dev*; 28:19-25.
312. Lao TT, Panesar NS. (1989). Neonatal thyrotrophin and mode of delivery. *Br J Obstet Gynaecol*; 96:1224-1227.
313. Larsen PR, Davis TF, Hay ID. (1998). The thyroid gland: In Wilson JD, Foster DW, Kronenberg H.M, Larsen P.R. (eds). *William textbook of endocrinology*. Philadelphia: WB Saunders.
314. Laxmaiah A, Arlappa N, Balakrishna N, Mallikarjuna Rao K, Galreddy C, Kumar S, et al. (2013). Prevalence and determinants of micronutrient deficiencies among rural children of eight states in India. *Ann Nutr Metab*; 62(3):231-41.
315. Lazarus J. (2014). Thyroid Regulation and Dysfunction in the Pregnant Patient. (<http://www.thyroidmanager.org/chapter/thyroid-regulation-and-dysfunction-in-the-pregnant-patient/>)
316. Lazarus JH, Kokandi A. (2000). Thyroid disease in relation to pregnancy. *Clin Endocrinol*; 53: 265-78.
317. Lazarus JH, Premawardhana LD. (2005). Screening for thyroid disease in pregnancy. *J Clin Pathol*; 58: 449-52.
318. Levander OA, Whanger PD. (1996). Deliberations and evaluations of the approaches, endpoints and paradigms for selenium and iodine dietary recommendations. *J Nutr*; 126(9 Suppl):2427S-2434S.
319. Leverge R, Bergmann J, Simoneau G, Tillet Y, Bonnemain B. (2003). Bioavailability of oral vs intramuscular iodinated oil (Lipiodol ® UF) in healthy subjects. *J Endocrinol Invest*; 26: 20-26.
320. Li M, Eastman CJ, Ma G. (2014). Fortification of bread with iodised salt has corrected iodine deficiency in Australian schoolchildren but not in pregnant and breastfeeding women. *Med J Aust*; ICCIDD Newsletter Feb.
321. Li Mu, Creswell J. Eastman, Gary Ma. (2014). Iodized salt in bread improves iodine nutrition in Australia. *IDD Newsletter February*.
322. Liesenkotter KP, Gopel W, Bogner U, Stach B, Gruters A. (1996). Earliest prevention of endemic goiter by iodine supplementation during pregnancy. *Eur J Endocrinol*; 134: 443-8.

323. Lindsay AH and Stuart RG. (2001). Preventing and treating iodine deficiency. In: What works? A Review of Efficacy and Effectiveness of Nutrition Intervention. UN ACC Sub Committee on Nutrition, pp 55 – 59.
324. Liu H, Momotani N, Noh JY, Ishikawa N, Takebe K, Ito K. (1994). Maternal hypothyroidism during early pregnancy and intellectual development of the progeny. *Arch Intern Med*; 154(7):785-7.
325. Lombamo GE, Tadele Henok, Bogale A, Abuye C, Stoecker B. (2014). Clinical Assessment of Goiter and low urinary iodine concentration depict presence of severe iodine deficiency in pregnant Ethiopian women; a cross sectional study in rural sidama, Southern Ethiopia. Conference preceedings, MN Forum, Ethiopia.
326. Lofti M, Mason J. (1993). Introduction. In: Hetzel BS. The prevention and control of iodine deficiency disorders. ACC/SCN State-of-the-Art Series Nutrition Policy Discussion paper Noe.3. Geneva: Administrative Coordinating Committee/Sub committee on Nutrition in 1988. Reprinted 1993:2-25.
327. Longvah T & Deosthale YG. (1998). Iodine content of commonly consumed foods and water from the goitre-endemic northeast region of India. *Food Chemistry*; 61(3): 327-331.
328. Longvah T, Toteja GS, Bulliyya G, Raghuvanshi RS, Jain S, Rao V. (2012). Stability of added iodine in different Indian cooking processes. *Food Chemistry*; 130: 953:959.
329. Low LC, Lin HJ, Cheung PT, Lee FT, Chu SY, Kwok TL, et al. (1986). Screening for congenital hypothyroidism in Hong Kong. *Aust Paediatr J*; 22:53–56.
330. Lukaski HC, Hall CB, Nielsen FH. (1990). Thermogenesis and thermoregulatory function of irondeficient women without anemia. *Aviation Space and Environmental Medicine*; 61: 913-920.
331. Ma T, Guo J, Wang F (1993). The epidemiology of iodine-deficiency diseases in China. *American Journal of Clinical Nutrition*; 57: 264S-266S.
332. Maberly GF, Eastman CJ, Corcoran JM. (1981). Effect of iodination of a village water-supply on goitre size and thyroid function. *Lancet*; ii:1270-1272.
333. Mahesh DL, Deosthale YG, Narasinga Rao BS. (1989). Iodine content of foods and water from goitre endemic and non endemic areas. In *Environment, Genetics and Thyroid Diseases. Proceedings of the International symposium, New Delhi*, pp. 127-132.
334. Majumder A, Jaiswal A, Chatterjee S. (2014). Prevalence of iodine deficiency among pregnant and lactating women: Experience in Kolkata. *Indian J Endocrinol Metab*; 18(4):486-90.
335. Makwana NR, Shah VR, Unadkat S, Shah HD, Yadav S. (2012). Goiter prevalence and current iodine deficiency status among school age children years after the universal salt iodization in Jamnagar district, India. *Thyroid Res Pract*; 9:40-4
336. Mallik AK, Pandav CS, Achar DP, Anand K, Lobo J, Karmarkar MG, et al. (1998). Iodine deficiency disorders in Car Nicobar (Andaman and Nicobar Islands). *Natl Med J India*. 1998; 11(1):9-11.
337. Manglik AK, Chatterjee N, Ghosh G.(2005). Umbilical cord blood TSH levels in term neonates:a screening tool for congenital hypothyroidism. *Indian Pediatr*; 42(10):1029-32.
338. Mannar V and Dunn JT. (1995). Salt iodization for the elimination of iodine deficiency. The Netherlands, International Council for Control of Iodine Deficiency Disorders.
339. Mansourian AR, Ahmadi AR. (2010). Correlation between Inverse Age And Serum Thyroxin Levels Among Children And Adolescents *Journal of Clinical and Diagnostic Research*; 4:3196-3200.
340. Marqusee E & Mandel SJ. (2000). The blood in hypothyroidism. In *The thyroid. A fundamental and clinical text*, pp. 800-802 [LE Braverman and RD Utiger, editors]. Philadelphia: Lippincott.
341. Martinez-Torres C, Cubeddu L, Dillmann E, Brengelmann GL, Leets I, Layrisse M, et al. (1984). Effect of exposure to low temperature on normal and iron-deficient subjects. *American Journal of Physiology*; 246: R380-383.
342. Mason JB, Deitchler M, Gilman A, Gillenwater K, Shuaib M, Hotchkiss D, et al. (2002). Iodine fortification is related to increased weight-for-age and birthweight in children in Asia. *Food Nutr Bull*; 23(3):292–308.
343. Masoodi SR, Ali A, Wani AI, Bashir MI, Bhat JA, Mudassar S, et al. (2014). Goitre and urinary iodine excretion survey in schoolchildren of Kashmir Valley. *ClinEndocrinol (Oxf)*; 80(1): 141-7.
344. Mathew J. (2008). Burden of Thyroid Diseases in India. Need for aggressive diagnosis. *Med Update*;18:334-41.

345. McCullagh SF. (1963). The Huon Peninsula endemic: I. The effectiveness of an intramuscular depot of iodized oil in the control of endemic goitre. *Med J Aust*; 1:769-777.
346. McElduff A, McElduff P, Wiley V, Wilcken B. (2005). Neonatal thyrotropin as measured in a congenital hypothyroidism screening program: influence of the mode of delivery. *J Clin Endocrinol Metab*; 90(12):6361-3.
347. McElduff A, McElduff P, Gunton JE, Hams G, Wiley V, Wilcken BM. (2002). Neonatal thyroid-stimulating hormone concentrations in northern Sydney: further indications of mild iodine deficiency? *Med J Aust*; 176:317-320.
348. McLaren DS & Frigg M. (2001). Sight and life guidebook on vitamin A in health and disease. Basel: Task Force Sight and Life.
349. Medda E, Olivieri A, Stazi MA, Grandolfo ME, Fazzini C, Baserga M, et al. (2005). Risk factors for congenital hypothyroidism: results of a population case-control study (1997-2003). *Eur J Endocrinol*; 153(6):765-73.
350. Medical Research Council Goitre Subcommittee. (1944). Endemic goitre in England. Argument for preventative action. *Lancet*; 243: 107-109.
351. Mehdi T, Hoque M, Nasreen Z. (2009). Maternal iodine status and thyroid function during pregnancy. *J medicine*; 10: 56-59.
352. Mehta M, Pandav CS, Kochupillai N. (1987). Intellectual assessment of school children from severely iodine deficient villages. *Indian Pediatr*; 24:467-473.
353. Mekonnen Y, Hawariat GH, Chamiso B, Raue F. (2003). Thyroid stimulating hormone values from cord blood in neonates. *Ethiop J Health Dev*; 17:125-30.
354. Melse-Boonstra A, Gowachirapant S, Jaiswal N, Winichagoon P, Srinivasan K, Zimmermann MB. (2012). Iodine supplementation in pregnancy and its effect on child cognition. *J Trace Elem Med Biol*; 26:134-6.
355. Menon KC, Skeaff SA, Thomson CD, Gray AR, Ferguson EL, Zodpey S, Saraf A, et al. (2011). The effect of maternal iodine status on infant outcomes in an iodine-deficient Indian population. *Thyroid*; 21(12):1373-80.
356. Messina M, Redmond G. (2006). Effects of soy protein and soybean isoflavones on thyroid function in healthy adults and hypothyroid patients: a review of the relevant literature. *Thyroid*; 16:249-258.
357. Meunier N, Beattie JH, Ciarapica D, O Connor JM, Andriollo Sanchez Z, Taras A et al. (2005). Basal metabolic rate and thyroid hormones of late-middle-aged and older human subjects: the ZENITH study. *European Journal of Clinical Nutrition*; 59(Suppl. 2): S53-S57.
358. Mezosi E, Molnar I, Jakab A, Balogh E, Karanyi Z, Pakozdy Z, et al. (2000). Prevalence of iodine deficiency and goitre during pregnancy in east Hungary. *Eur J Endocrinol*; 143: 479-483.
359. Miell JP, Taylor AM, Zini M, Maheshwari HG, Ross RJM, Valcavi R. (1993). Effects of hypothyroidism and hyperthyroidism on insulin-like growth-factors (IGFs) and growth hormone-binding and IGF-binding proteins. *J Clin Endocr Metab*; 76:950-5.
360. Miell JP, Zini M, Quin JD, Jones J, Portioli I, Valcavi R. (1994). Reversible effects of cessation and recommencement of thyroxine treatment on insulin-like growth factors (IGFs) and IGF-binding proteins in patients with total thyroidectomy. *J Clin Endocrinol Metab*; 79:1507-1512.
361. Mikelsaar RV, Viikmaa M. (1999). Neonatal thyroid stimulating hormone screening as an indirect method for the assessment of iodine deficiency in Estonia. *Horm Res*; 52:284-6.
362. MOHFW.(2004-2005). Ministry of Health and Family Welfare, GOI, Annual Report.
363. Ministry of Health and Family Welfare. (2000). Notification on amendment to the PFA Rules, 1955. *Gazette of India, Extraordinary, September 13, Part II, Section 3.*
364. Ministry of Health and Family Welfare. (2006). Revised Policy Guidelines on National Iodine Deficiency Disorders Control Programme. Available at: [http://www.mohfw.nic.in/NRHM/Documents/revised\\_guidelines.pdf](http://www.mohfw.nic.in/NRHM/Documents/revised_guidelines.pdf).
365. Ministry of Railways. (2003). Concession in Freight Rates of Ordinary Non-Refined Salt Meant for Human Consumption. Available at: [http://www.indianrailways.gov.in/railwayboard/uploads/directorate/traffic\\_comm/rate\\_inst\\_11-20-2k3.jsp](http://www.indianrailways.gov.in/railwayboard/uploads/directorate/traffic_comm/rate_inst_11-20-2k3.jsp) (Accessed on March 10 2015).
366. Misra S, Kantharia SL, Damor JR. (2007). Prevalence of goiter in 6-12 years school going children of Panchmahal district in Gujarat, India. *Indian J Med Res*; 126:475-9.
367. Mittal M, Tandon M, Raghuvanshi RS. (2000). Iodine status of children and use of iodized salt in Tarai region of North India. *J Trop Pediatr*; 46(5):300-2.

- 
368. Miyamoto N, Tsuji M, Imataki T, Nagamachi N, Hirose S, Hamada Y. (1991). Influence of mode of delivery on fetal pituitary-thyroid axis. *Acta Paediatr Jpn*; 33(3):363-8.
369. Mocan MZ, Erem C, Telatar M & Mocan H. (1995). Urinary iodine levels in pregnant women with and without goiter in the Eastern Black Sea part of Turkey. *Trace Element Electrolyte*; 12: 195-197.
370. Mockute I, Svedas E, Kusminskas L, Raskauskiene N. (2010). Iodine deficiency assessed by the newborn thyrotropin concentrations. *Lietuvos akuserija ir ginekologija*; 13(2):131-2.
371. MOHFW. (2006). IDD & Nutrition Cell, Directorate General of Health Services, Ministry of Health & Family Welfare, Government of India, New Delhi.
372. Momotani M, Iwama S, Momotani K. (2012). Neurodevelopment in children born to hypothyroid mothers restored to normal thyroxine (T4) by late pregnancy in Japan: No apparent influence of maternal T4 deficiency. *J Clin Endocrinol Metab*, in press.
373. Moorthy D, Patro BK, Das BC, Sankar R, Karmakar MG, Pandav CS. (2007). Tracking progress towards sustainable elimination of iodine deficiency disorders in Orissa. *Indian J Public Health*; 51(4):211-5.
374. Moreno-Reyes R, Mathieu F, Boelaert M, Bequaes F, Suetens C, Rivera MT, et al. (2003). Selenium and iodine supplementation of rural Tibetan children affected by Kashin-Beck osteoarthropathy. *American Journal of Clinical Nutrition*; 78(1): 137-144.
375. Morkou KB, Tsekouras A, Anastasiou E, Vlassopoulou B, Koukkou E, Vagenakis GA, et al. (2008). Treating iodine deficiency : long term effect of iodine repletion on growth and pubertal development in school age children. *Thyroid*; 18(4): 449-454.
376. Morley JE, Russell RM, Reed A, Carney EA, Hershman JM. (1981). The interrelationship of thyroid hormones with vitamin A and zinc nutritional status in patients with chronic hepatic and gastrointestinal disorders. *American Journal of Clinical Nutrition*; 34: 1489-1495.
377. Murphy N, Hume R, van Toor H, Matthews TG, Ogston SA, Wu SY, et al. (2004). The hypothalamic-pituitary- thyroid axis in preterm infants; changes in the first 24 hours of postnatal life. *J Clin Endocrinol Metab*; 89(6):2824-31.
378. Mussa GC, Zaffaroni M, Mussa F. (1990). Thyroid hormones and development of the nervous system. *Minerva-Pediatr*; 42:321-329.
379. Nadiger HA, Krishnamachari KAVR, Nadamuni Naidu A, Narasinga Rao BS, Srikantia SG. (1980). The use of common salt (sodium chloride) fortified with iron to control anaemia-results of a preliminary study. *British Journal of Nutrition*; 43:45-51.
380. Nair S and Sarraju P. (2008). Screening of pregnant women for hypothyroidism in Vadodara (M.sc. Dissertation Thesis, Department Of Foods And Nutrition, The M.S.University, Baroda).
381. Najafi M, Khodae GH, Bahari M, Sabah M, Farsi MM, Kiani F. (2008). Neonatal thyroid screening in a mild iodine deficiency endemic area in Iran. *Indian J Med Sci*; 62:113-6.
382. Nanto-Salonen K, Muller HL, Hoffman AR, Vu TH, Rosenfeld RG. (1993). Mechanisms of thyroid hormone action on the insulin-like growth factor system: all thyroid hormone effects are not growth hormone mediated. *Endocrinology*; 132:781-8.
383. National Academy of Sciences. (1980). Drinking water and health. Vol. 3. Washington, DC, National Academy Press.
384. NGCP (2004). National Goitre Control Programme. Prevalence rate of goitre according to survey conducted in areas during 1981-2004. Available from: [http://cbhid\\_ghs.nic.in/writereaddata/linkimages/10176695673813.pdf](http://cbhid_ghs.nic.in/writereaddata/linkimages/10176695673813.pdf).
385. National Health and Nutrition Examination Survey (NHANES I) (1971-1974). National Health and Nutrition Examination Survey, conducted by the National Center for Health Statistics of the Centers for Disease Control and Prevention.
386. National Health and Nutrition Examination Survey (NHANES II) (1976-1980). National Health and Nutrition Examination Survey, conducted by the National Center for Health Statistics of the Centers for Disease Control and Prevention.
387. National Health and Nutrition Examination Survey (NHANES III) (1988-1994). National Health and Nutrition Examination Survey, conducted by the National Center for Health Statistics of the Centers for Disease Control and Prevention.
388. National Institute of Nutrition (NIN). 1987. Annual Report, Indian Council of Medical Research, Avon Printing Works, Hyderabad, pp: 67-68.
389. National Institute of Nutrition. (2003). Current status of iodine deficiency disorders in selected districts of different regions of country. NIN Press; 2003. p. 11-28.
-

390. National Nutrition Monitoring Bureau. (2003). Prevalence of Micronutrient Deficiencies. Hyderabad: NNMB Technical Report No.22. ICMR, National Institute of Nutrition; 2003. <http://www.nnmbindia.org/NNMB%20MND%20REPORT%202004-Web.pdf>, accessed on March 25, 2016.
391. National Research Council. (1989). Recommended dietary allowances. Washington, DC, National Academy Press:214.
392. National Rural Health Mission. (2013). National Iodine Deficiency disorder control programme. Gujarat
393. NFHS-3 (2007). International Institute for Population Sciences (IIPS) and Macro International. National Family Health Survey (NFHS-3), 2005–06: India: Volume II. Mumbai: IIPS.
394. NFHS-2 (2000). International Institute for Population Sciences (IIPS) and ORC Macro. National Family Health Survey (NFHS-2), 1998–99: India. Mumbai: IIPS.
395. Nawoor Z, Burns R, Smith DF, Sheehan S, O'Herlihy C, Smyth PP. (2006). Iodine intake in pregnancy in Ireland—a cause for concern?. *Ir J Med Sci*; 175: 21–24.
396. Negro R, Greco G, Mangieri T, Pezzarossa A, Dazzi D, Hassan H. (2007). The influence of selenium supplementation on postpartum thyroid status in pregnant women with thyroid peroxidase autoantibodies. *Journal of Clinical Endocrinology and Metabolism*; 92(4): 1263–1268.
397. Neumann CG, Harrison GG. (1994). Onset and evolution of stunting in infants and children. Examples from the Human Nutrition Collaborative Research Support Program. Kenya and Egypt studies. *Eur J Clin Nutr*;48 (Suppl. 1):S90–102.
398. Newborn Committee of the European Thyroid Association (NCTEA). (1979). Neonatal screening for congenital hypothyroidism in Europe. *Acta Endocrinol Suppl*; 223:1-29.
399. Ng SM, Wong SC, Paize F, Chakkarapani E, Newland P, Isherwood D, et al. (2011). Multivariate analyses of factors that affect neonatal screening thyroid stimulating hormone. *J Pediatr Endocrinol Metab*; 24(9-10):727-32.
400. NGCP. (2004). Prevalence rate of goitre according to survey conducted in areas during 1981-2004. National Goitre Control Program- me.; Available from: <http://cbhidghs.nic.in/writereaddata/linkimages/10176695673813.pdf>.
401. Ngo DB, Dikassa L, Okitolonda W, Kashala TD, Gervy C, Dumont J et al. (1997). Selenium status in pregnant women of a rural population (Zaire) in relationship to iodine deficiency. *Tropical Medicine and International Health*; 2: 572-581.
402. Nilsson A, Ohlsson C, Isaksson OGP, Lindahl A, Isgaard J. (1994). Hormonal regulation of longitudinal bone-growth. *Eur J Clin Nutr*; 48:S150–60.
403. NIN. (2003). Current status of IDD in select districts of different regions of the country. National Institute of Nutrition, Hyderabad.
404. Nishi Y, Kawate R, Usui T (1980). Zinc metabolism in thyroid disease. *Postgraduate Medical Journal*; 56: 833-837.
405. Nohr SB, Laurberg P, Borlum KG, Pedersen KM, Johannesen PL, Damm P, et al. (1993). Iodine deficiency in pregnancy in Denmark. Regional variations and frequency of individual iodine supplementation. *Acta Obstet. Gynecol Scand*; 72: 350-353.
406. Odile O, Emmanuelle PC, Odile R, Caroline W. (2006). Goitre and iodine deficiency in Afghanistan: a case –control study. *British Journal of Nutrition*; 95: 196–203.
407. Ojule AC, Osotimehin BO. (1998). Maternal and neonatal thyroid status in Saki, Nigeria. *Afr J Med Sci*; 27:57-61.
408. Olivieri O, Girelli D, Azzini M, Stanzial AM, Russo C, Ferroni M, et al. (1995). Low selenium status in the elderly influences thyroid hormones. *Clinical Science (London)*; 89(6): 637–642.
409. Olney RS, Grosse SD, Vogt RF Jr. (2010). Prevalence of congenital hypothyroidism – current trends and future directions: Workshop summary. *Pediatrics*; 125(2):S31-6.
410. Oltarzewski M, Szyborski J. (2003). Neonatal hypothyroid screening in monitoring of iodine deficiency and iodine supplementation in Poland. *J Endocrinol Invest*; 26:27–31.
411. Ordoorkhani A, Mirmiran P, Najafi R, Hedayati M, Azizi F. (2003). Congenital hypothyroidism in Iran. *Indian J Pediatr*; 70:625-8.
412. Ozata M, Salk M, Aydin A, Sayin S, Oktenli C, Beyhan Z, et al. (1999). Iodine and zinc, but not selenium and copper, deficiency exists in a male Turkish population with endemic goiter. *Biological Trace Element Research*; 69: 211-216.
413. Ozon A, Alikasifoglu A, Yordam N. (2004). Influence of iodine supplementation on serum insulin-like growth factor-I (IGF-I) and IGF-binding protein-3 (IGFBP3) levels in severe iodine deficiency. *Turk J Pediatr*; 46:303–8.

414. P V S, C S K.(2014). Iodine status and prevalence of goitre in school going children in rural area. *J Clin Diagn Res*;8(8):PC15-7.
415. Pal GK. (2007). Textbook of Medical Physiology. India: Ahuja Publishing House; 2007. Endocrine Physiology; p. 346.
416. Pandav CS, Moorthy D, Sankar R, Anand K, Karmarkar MG, Prakash R. (2003). National iodine deficiency disorders control programme, National health programme series 5. National Institute of Health and Family Welfare: New Delhi.
417. Pandav CS, Mallik A, Anand K, Pandav S, Karmarkar MG. (1997). Prevalence of iodine deficiency disorders among school children of Delhi. *Natl Med J India*;10(3):112-4.
418. Pandav CS, Rasheed M, Solih I, Saeed M, Shaheed M, Awai A, et al. (1999). Iodine deficiency disorders in the Maldives: A public health problem. *Asia Pac J Clin Nutr* 9; 8(1):9-12.
419. Pandav CS. (2016). Transcript. (<http://docslide.us/documents/edited-by-dr-chandrakant-s-pandav-aiims-dr-ma-ansari-salt-commissioner.html>) last accessed on March 25, 2016.
420. Pandav CS, Kochupillai N. (1982). Endemic goitre in India; Prevalence, etiology, attendant disabilities and control measures. *Indian J Pediatr*; 50: 259-271.
421. Pardede L, Hardjowasito W, Gross R. (2003). Iodine deficiency and goiter in schoolchildren in Indonesia. *J Nutr*; 178:159-62.
422. Pathak P, Singh P, Kapil U, Raghuvanshi RS. (2003). Prevalence of iron, vit A, and iodine deficiencies amongst adolescent pregnant mothers. *Indian J Pediatr*; 70: 299-301.
423. Pawloski LR, Shier NW, Fernandez XE, Jamison PL. (2004). Examination of urinary iodine status from a sample of Malian Adolescent girls. *African Journal of Food, Agriculture, Nutrition and Development*.
424. Pearce EN. (2009). "What do we know about iodine supplementation in pregnancy?" *The Journal of Clinical Endocrinology & Metabolism*; 94(9): 3188-3190.
425. Pedersen KM, Laurberg P, Iversen E, Knudsen PR. (1993). Amelioration of some Pregnancy associated Variations in Thyroid function by Iodine supplementation. *Clin Endocrinol Metab*; 77: 1078-83.
426. Perez-Lopez FR. (2007). Iodine and thyroid hormones during pregnancy and postpartum. *Gynecological Endocrinology*; 23(7); 414-428
427. Peris Roig B, Calvo Rigual F, Tenias Burillo JM, Merchante Alfaro A, Presencia Rubio G, Miralles DF. (2009). Iodine deficiency and pregnancy. Current situation. *Endocrinol Nutr*; 56:9-12.
428. Pharoah POD, Connolly KJ. (1994). Iodine deficiency in Papua, New Guinea. In: Stanbury JB, editor. *The damaged brain of iodine deficiency*. New York: Cognizant Communication; p. 299-305.
429. Pharoah POD, Delange F, Fierro-Benitez R, Stanbury JB. (1980) Endemic cretinism. In: Stanbury JB, Hetzel BS (eds) *Endemic Goiter and Endemic Cretinism*. Iodine Nutrition in Health and Disease. John Wiley, New York, pp 395-421.
430. Pharoah POD, Ellis SM, Ekins RP, Williams ES. (1976). Maternal thyroid function, iodine deficiency and fetal development. *Clin Endocrinology*; 5: 159 - 166
431. Pop VJ, Brouwers EP, Vader HAL, Vulsma T, van Baar AL, de Vijlder JJ. (2003). Maternal hypothyroxinaemia during early pregnancy and subsequent child development: a 3-year follow-up study. *Clin Endocrinol (Oxf)*; 59: 282-288.
432. Pop VJ, Kuijpers JL, van Baar AL, Verkerk G, van Son MM, de Vijlder JJ, et al. (1999). Low maternal free thyroxine concentrations during early pregnancy are associated with impaired psychomotor development in infancy. *Clinical Endocrinology*; 50(2); 147-148.
433. Potter JD, Mc-Michael AJ, Hetzel BS. (1979). Iodination and thyroid status in relation to still birth & congenital anomalies. *Int J Epidemiol*; 8:137-44.
434. Pradhan R and Choudhry M. (2002). Assessment of iodine deficiency amongst urban area of Udaipur district Rajasthan. *Indian Pediatrics*; 40:406-409.
435. Preziosi P, Prual A, Galan P, Daouda H, Boureima H, Hercberg S. (1997). Effect of iron supplementation on the iron status of pregnant women: consequences for newborns. *Am J Clin Nutr*; 66:1178-82.
436. Pulger T, Sankar R, Bimal R, Rai BM. (1992). Iodine deficiency disorders in Sikkim. *Thyroid Centre, Namchi, Sikkim*; 1-67.

437. Qian M, Wang D, Watkins WE, Gebiski V, Yan YQ, Li M, et al. (2005). The effects of iodine on intelligence in children: a meta-analysis of studies conducted in China, *Asia Pacific Journal of Clinical Nutrition*; 14(1): 32-42
438. Rahman A, Savige GS, Deacon NJ, Francis I, Chesters JE. (2010). Increased iodine deficiency in Victoria, Australia: analysis of neonatal thyroid-stimulating hormone data, 2001 to 2006. *Med J Aust*;193:503-5.
439. Raj S, Baburaj S, George J, Abraham B, Singh S. (2014). Cord Blood TSH Level Variations in Newborn – Experience from A Rural Centre in Southern India. *Journal of Clinical and Diagnostic Research*; 8(7): PC18-PC20.
440. Rajatnavin R. (2007). Iodine deficiency in pregnant women and neonates in Thailand. *Public Health Nutrition*; 10(12A): 1602-1605.
441. Rama Devi AR, Naushad SM. (2004). Newborn screening in India. *Indian J Pediatr*; 71:157-60.
442. Ramalingaswamy V. (1973). Endemic goitre in southeast Asia, New Clothes on an old body. *Ann Int. Med*; 78: 277-283.
443. Ramesh, Parameshwari P, Manjula VD, Shobha A, Ajith R. (2013). Prevalence of goitre among school children in Kottayam, Kerala. *Int J Med Health Sci*; 2:331-6.
444. Ramie A, Rabie A. (1988). Effect of thyroid deficiency on the development of glia in the hippocampal formation of the rat: an immunocytochemical study. *Glia*; 1:337-345.
445. Ramji S. (1994). Iodine deficiency disorders – Epidemiology, clinical profile and diagnosis. India, Conveners: National update on nutrition in children. In: Sachdev HP, Choudhary P, editors. *Nutrition in Children: Developing Country Concerns*. New Delhi; p. 248-9.
446. Rana R and Nair S. (2012). Efficacy trial of Double Fortified salt supplementation amongst vulnerable population and feasibility assessment for production (PhD. Dissertation Thesis, Department Of Foods And Nutrition, The M.S.University, Baroda).
447. Ranganathan S, Karmarkar MG. (2006). Estimation of iodine in salt fortified with iodine and iron. *Indian J Med Res*; 123: 531-540.
448. Rao RSP, Kamath R, Das A, Nair NS, Keshavamurthy. (2002). Prevalence of goiter among school children in coastal Karnataka. *Indian J Pediatr*; 69 : 477-479.
449. Rao TV, Vijay T. (2003). Iodine nutritional status of adolescents. *Indian J Pediatr* ;70(10):787-8.
450. Rapozo VY, Berendonk J, Savignon T, Manhaes AC, Barradas PC. (2006). Thyroid hormone deficiency changes the distribution of oligodendrocyte/myelin markers during oligodendroglial differentiation in vitro. *International Journal of Developmental Neuroscience*; 24(7):445-453.
451. Rashid HO, Khatun UF, Yoshida Y, Morita S, Chowdhury N, Sakamoto J. (2009). Iron and iodine deficiencies among under 2 children, adolescent girls and pregnant women of Bangladesh: association with common disease. *Journal of Med. Sci*; 71: 39-49.
452. Rashmi, Seth A, Sekhri T, Agarwal A. (2007). Effect of perinatal factors on cord blood thyroid stimulating hormone levels. *J Pediatr Endocrinol Metab*; 20:59- 64.
453. Rasmussen LB, Larsen EH, Ovesen L. (2000). Iodine content in drinking water and other beverages in Denmark. *European Journal of Clinical Nutrition*; 54(1):57-60.
454. Ray A, Biswas U, Mukherjee A, Sarker KC, Samajdar K, Mukherjee G.(2009). Assessment of iodine and non-iodine deficiency hypothyroidism in women of reproductive ages in the sub-Himalayan plains of West Bengal. *Indian J Physiol Pharmacol* ; 53(4):359-64.
455. Rayman MP, Thompson AJ, Bekaert B, Catterick J, Galassini R, Hall E, et al. (2008). Randomized controlled trial of the effect of selenium supplementation on thyroid function in the elderly in the United Kingdom. *American Journal of Clinical Nutrition*; 87(2): 370-378.
456. Rayman MP. (2002). The argument for increasing selenium intake. *Proceedings of the Nutrition Society*; 61: 203-215.
457. Ren Q, Gr D, Cao X, Wang S, Jiang X, Jiang J, et al. (2002). Effect of environmental supplementation of iodine on infant mortality and growth in children in Xinjiang, China. *Zhonghua Liu Xing Bing Xue Za Zhi*;23:198-202.
458. Rivera JA, Gonzalez-Cossio T, Flores M, Romero M, Rivera M, Tellez-Rojo MM, et al. (2001). Multiple micronutrient supplementation increases the growth of Mexican infants. *Am J Clin Nutr*; 74:657-63.
459. RMRC Dibrugarh Annual Report (1991±1992). Regional Medical Research Centre, North-east Region, Dibrugarh, Assam.
460. Robson H, Siebler T, Shalet SM, Williams GR. (2002). Interactions between GH, IGF-I glucocorticoids, and thyroid hormones during skeletal growth. *Pediatr Res*; 52:137-47.

461. Rodien P, Coutant R, Vasseur C, Bourdelot A, Laboureau S, Rohmer V. (2005). Thyroid dysfunction & pregnancy. *Rev Prat*; 55: 174-9.
462. Rosenthal M, Addison GM, Price DA. (1988). Congenital hypothyroidism: Increased incidence in Asian families. *Arch Dis Child*; 63:790-3.
463. Sack J. (2003). Thyroid function in pregnancy – maternal–fetal relationship in health and disease. *Pediatr Endocrinol Rev*;1(Suppl. 2):170–6.
464. Safran M, Farwell AP, Leonard JL. (1991). Evidence that type II 5'-deiodinase is not a selenoprotein. *Journal of Biological Chemistry*; 266: 13477-13480.
465. Sahu MT, Das V, Mittal S, Agarwal A, Sahu M. (2010). Overt and subclinical thyroid dysfunction among Indian pregnant women and its effect on maternal and fetal outcome. *Arch Gynecol Obstet*; 281(2):215-20.
466. Sahu T, Sarani NC, Satpathy DM, Behorar TR. (2005). Prevalence of Goitre in 6-12 year old children of Kandhamal district in Orissa. *Indian J Community Med*; 30: 51-2.
467. Saira S, Khattak RM, Rehman AU, Khan AA, Khattak MNK. (2014). Prevalence of goiter and iodine status in 6-12 years school children and pregnant women of district Charsadda, Pakistan. *Acta Endocrinologica (Buc)*; 10(1): 65-75.
468. Salim FA, Varma SK. (2014). Congenital hypothyroidism and the importance of universal newborn screening. *Indian J Pediatr*; 81:53-7.
469. Samuels MH, Wierman ME, Wang C, Ridgway EC. (1989). The effect of altered thyroid status on pituitary-hormone messenger ribonucleic-acid concentrations in the rat. *Endocrinology*;124:2277–82.
470. Sandstead HH, Prasad AS, Schulert AR, Farid Z, Miale A, Jr., Bassilly S, et al. (1967). Human zinc deficiency, endocrine manifestations and response to treatment. *American Journal of Clinical Nutrition*; 20: 422-442.
471. Sanghvi U, Diwakar KK. (2008). Universal Newborn Screening for Congenital Hypothyroidism. *Indian Pediatrics*; 45:331-332.
472. Sankar R, Moorthy D, Pandav CS, Tiwari JS, Karmarkar MG. (2006). Tracking progress towards sustainable elimination of iodine deficiency in Bihar. *Indian Journal of Pediatrics*; 73: 799–802.
473. Sankar R, Pulger T, Rai B, Gomathi S, Pandav CS. (1995). Thyroid function in a goitre endemia. *J Assoc Physicians India*; 43(11):751-3
474. Santiago-Fernandez P, Torres-Barahona R, Muela-Martinez JA, Rozo Martinez G, Garcia Fuentes E, Garriga MJ, et al. (2004). Intelligence quotient and iodine intake: a cross-sectional study in children. *J Clin Endocrinol Metab*; 89:3851–7.
475. Sareen N, Pradhan R. (2015). Need for neonatal screening program in India: A national priority. *Indian J Endocrinol Metab*. 2015; 19(2): 204–220.
476. Sarkar S, Mohanty B, Basu S. (2007). Iodine deficiency in school going children of Pondicherry. *Indian J Pediatr*;74(8):731-4.
477. Sava L, Delange F, Belfiore A, Purrello F, Vigneri R. (1984). Transient impairment of thyroid function in newborn from an area of endemic goiter. *J Clin Endocrinol Metab*; 59:90-5.
478. Seino Y, Matsukura S, Inoue Y, Kadowaki S, Mori K, Imura H. (1978). Hypogastrinemia in hypothyroidism. *American Journal of Digestive Diseases*; 23: 189-191.
479. Sethy PG, Bulliyya G, Mallick G, Swain BK, Kar SK. (2007). Iodine deficiency in urban slums of Bhubaneswar. *Indian J Pediatr*; 74:917-21.
480. Shahid A, Siddiqui FR, Bhatti MA, Ahmed M, Khan MW. (2009). Assessment of Nutritional Status of Adolescent College girls at Rawalpindi. *Journal of Annals*; 15(1): 11-16.
481. Shamim AA, Christian P, Schulze KJ, Ali H, Kabir A, Rashid M, et al. (2012). Iodine status in pregnancy and household salt iodine content in rural Bangladesh. *Matern Child Nutr*; 8: 162–173
482. Shapiro LE, Samuels HH, Yaffe BM. (1978). Thyroid and glucocorticoid hormones synergistically control growth-hormone messenger-Rna in cultured Gh1 cells. *Proc Natl Acad Sci USA*; 75:45–9.
483. Sharma SK, Chelleng PK, Gogoi S, Mahanta J. (1999). Iodine status of food and drinking water of sub-Himalayan zone of India. *International journal of food science and Nutrition*; 50: 95-98.
484. Sharma SK, Phukan RK, Chelleng PK, Gogoi S, Yadav RNS. (1994). Preliminary study of iodine nutritional status in a sub-Himalayan zone of Assam. *Ind J Physiol and Allied Sciences*; 48(3): 123-127.
485. Shengmin L, Jun Zhao, Dong Xu, Zhengshui Chong, Lihui Jia, Yonggui Du et al. (2012). An epidemiological survey of children's iodine nutrition and goitre status in regions with mildly

- excessive iodine in drinking water in Hebei Province, China. *Public Health Nutrition*; 15(7): 1168–1173.
486. Shields BM, Knight BA, Hill A, Hattersley AT, Vaidya B. (2011). Fetal thyroid hormone level at birth is associated with fetal growth. *J Clin Endocrinol Metab*; 96(6):E934–8.
  487. Shrestha RM. (1994). Effect of iodine and iron supplementation on physical, psychomotor and mental development in primary school children in Malawi. Doctoral thesis, Wageningen Agricultural University, Wageningen, The Netherlands.
  488. Singh MB, Fotedar R, Lakshminarayan J. (2009). Micronutrient deficiency status among women of desert areas of western Rajasthan, India. *Public Health Nutrition*; 12:624–9
  489. Sinha A, Tripathi S, Gandhi N, Singh A. (2011). Iodine deficiency disorder control programme impact in pregnant women and status of universal salt iodization. *Iran J Public Health*; 40(3):19–26.
  490. Sinha AK, Pickard MR, Ekins RP. (1992). Maternal hypo thyroxinemia and brain development: A hypothetical control system governing fetal exposure to maternal thyroid hormones; *Acta-Med-Austriaca*; 19: 40s–48s.
  491. Siraj-ul-Haq Mahmud. (1986). Current status of endemic goitre and control measures in Pakistan. In *Towards Eradication of Endemic Goitre, Cretinism and Iodine Deficiency*, ed. J. T. Dunn et al. PAHO, pp. 358–365.
  492. Sivakumar B, Brahman GNV, Nair MK, Ranganathan S, Rao MV, Vijayaraghavan K, et al. (2001). Prospects of Fortification of Salt with Iron and Iodine. *British Journal of Nutrition*; 81: S167–S173.
  493. Sjogren K, Jansson JO, Isaksson OG, Ohlsson C. (2002). A model for tissue-specific inducible insulin-like growth factor-I (IGF-I) inactivation to determine the physiological role of liver-derived IGF-I. *Endocrine*; 19:249–56.
  494. Skeaff SA. (2011). Iodine deficiency in pregnancy: the effect on neurodevelopment in the child. *Nutrients*; 3:265–273.
  495. Slazyk, W. E., & Hannon, W. H. (1993). Laboratory methods for neonatal screening. In B. L. Therrell (Ed.), *Quality assurance in the newborn screening laboratory*. Washington, DC: American Public Health Association, p. 23.
  496. Smallridge RC, Glinoe D, Hollowell JG, Brent G. (2005). *Thyroid*; 15(1): 54–59.
  497. Smith SM, Johnson PE, Lukaski HC. (1993). In vitro hepatic thyroid hormone deiodination in iron-deficient rats: effect of dietary fat. *Life Sciences*; 53(8): 603–609.
  498. Smyth PP. (2006). Dietary iodine intake in pregnancy, *Irish Medical Journal*; 99(4): 103.
  499. Smyth PPA, Hetherto AMT, Smith DF, Radcliff M, OHerlihy C. (1997). Maternal iodine status and thyroid volume during pregnancy: correlation with neonatal iodine intake. *J Clin Endocrinol Metab*; 82: 2840–2843.
  500. Smyth PPA. (1999). Variation in iodine handling during normal pregnancy. *Thyroid*; 9: 637–642.
  501. Sohal KS, Sharma TD, Kapil U, Tandon M. (1999) Current status of prevalence of goiter and iodine content of salt consumed in District Solan, Himachal Pradesh. *Indian Pediatr*; 36:1253–6.
  502. Sommer A & West Jr. KP. (1996). *Vitamin A deficiency: health, survival and vision*. New York, NY: Oxford University Press.
  503. Sooch SS & Ramalingaswami V. (1965). Preliminary report of an experiment in the Kangra valley for the prevention of Himalayan endemic goitre with iodized salt. *Bulletin of the World Health Organization*; 32: 299–315.
  504. Sooch SS, Deo MG, Karmarkar MG, Kochupillai N, Ramachandran K, Ramalingaswami V. (1973). The Kangra valley experiment: prevention of Himalayan endemic goitre with iodinated salt. *Acta Endocrinologica. Supplementum*; 179: 110.
  505. Spencer CA, Takeuchi M, Kazarosyan M, MacKenzie F, Beckett GJ, Wilkinson E. (1995). Inter laboratory/intermethod differences in functional sensitivity of immuno-metric assays of thyrotropin (TSH) and impact on reliability of measurement of subnormal concentrations of TSH. *Clin Chem*; 41: 367–74.
  506. Squatrito S, Vigneri R, Runello F, Ermans AM, Polley RD, Ingbar SH. (1986). Prevention and treatment of endemic iodine deficiency goiter by iodization of a municipal water supply. *J Clin Endocr Metab*; 63: 368–375.
  507. Srinath S. (2004). Iodine status of pregnant women attending antenatal care clinic at comprehensive rural health services project (C.R.H.S.P) Ballabgarh, Haryana, North India. (MD dissertation submitted to AIIMS, India , approved in June 2004).

508. Stagnaro-Green A, Abalovich M, Alexander E, Azizi F, Mestman J, Negro R et al. (2011). Guidelines of the American Thyroid Association for the diagnosis and management of thyroid disease during pregnancy and postpartum. *Thyroid*; 21: 1081–125.
509. Stanbury JB. (1987). The iodine deficiency disorders: Introduction and general aspects. In: Hetzel BS, Dunn JT and Stanbury JB, eds. *The prevention and control of iodine deficiency disorders*. Amsterdam: Elsevier Science Publishers, p. 35–48.
510. Stilwell G, Reynolds PJ, Parameswaran V, Blizzard L, Greenaway TM, Burgess JR. (2008). The influence of gestational stage on urinary iodine excretion in pregnancy. *J Clin Endocrinol Metab*; 93:1737–42.
511. Story M. (1992). Nutritional requirements during adolescence. In: McAnarney ER, Kreipe RE, Orr DE, Comerici GD, eds. *Textbook of adolescent medicine*. Philadelphia: WB Saunders; 75–84.
512. Sullivan KM, May W, Nordenberg D, Houston R, Maberly GF. (1997). Use of thyroid stimulating hormone testing in newborns to identify iodine deficiency. *J Nutr*; 127:55–58.
513. Sundaresan S. (2009). Towards universal salt iodization in India by 2010. A strategy for the final push. Salt Department, Government of India: Jaipur.
514. Surks MI. (1969). Effect of thyrotropin on thyroidal iodine metabolism during hypoxia. *American Journal of Physiology*; 216(2): 436–439.
515. Taga I, Agbor GA, Djountsop S, Moshin ZA, Oumbé VA, Altosaar I, et al. (2009). Iodine deficiency in children 7–19 years old in Eastern Province of Cameroon. *Trop Med Int Health*; 14(3):311–5.
516. Tahrim M, Mozammel H, Nasreen ZA, Shirin F, Khan MH. (2009). Maternal iodine status and thyroid function during pregnancy. *J medicine*; 10 : 56–59.
517. Tessema M, Belay A, Zerfu D, Tekle A, Kebede A, Samuel A, et al. (2014). The prevalence of iodine deficiency (IDD) amongst vulnerable populations in Ethiopia. Conference preceedings: MN Forum, Ethiopia.
518. Tehrani RF, Aghaee M, Asefzadeh S. (2003). The comparison of thyroid function tests in cord blood following cesarean section or vaginal delivery. *Int J Endocrin Metab*; 1:22–26.
519. The Government of India (1994) Report on advocacy policy meeting on iodine deficiency disorders. Ministry of Health and Family Welfare, Government of India: New Delhi.
520. The Government of India (2008) Eleventh Five Year Plan: 2007–12. Oxford University Press: New Delhi.
521. The Salt Department (1994) Universalization of access to iodized salt. Ministry of Industry, Government of India: Jaipur.
522. The Salt Department (2007) Quality of Salt under PFA Act. Available at: <http://saltcomindia.gov.in/>
523. Therrell Bradford L, David-Padilla C. (2005). Screening of Newborns for Congenital Hypothyroidism: Guidance for Developing Programmes. Vienna: International Atomic Energy Agency.
524. Thilly C, Delange F, Standbury JB. (1980). Epidemiologic surveys in endemic goitre and cretinism. In: Standbury JB, Hetzel, editors. *Endemic goitre and cretinism*. New York: John Wiley. p. 157–79.
525. Thilly CH, Delange F, Lagasse R, Bourdoux P, Ramioul L, Berquist H, et al. (1978). Fetal hypothyroidism and maternal thyroid status in severe endemic goiter. *J Clin Endocrinol Metab*; 47:354–60.
526. Thilly CH, Vanderpas JB, Bourdoux P, Lagasse R, Lody D, Smits J, et al. (1983) Prevention of myxedematous cretinism with iodized oil during pregnancy. In: Ui N, Torizuka K, Nagataki S, Miyai K (eds) *Current Problems in Thyroid Research*. Excerpta Medica, Amsterdam, pp 386–389.
527. Thomson CD, McLachlan SK, Grant AM, Paterson E, Lillico AJ. (2005). The effect of selenium on thyroid status in a population with marginal selenium and iodine status. *British Journal of Nutrition*; 94(6): 962–968.
528. Thurlow RA, Winichagoon P, Pongcharoen T, Gowachirapant S, Boonpradern A, Manger MS, et al. (2006). Risk of zinc, iodine and other micronutrient deficiencies among school children in North East Thailand. *Eur J Clin Nutr*; 60:623–32.
529. Tiwari B, Godbole M, Chattopadhyay N, Mandal A, Mithal A. (1996). Learning disabilities and poor motivation to achieve due to prolonged iodine deficiency. *Am J Clin Nutr*; 782–6.
530. Tiwari BK, Kundu AK, Bansal RD. (1995). National iodine deficiency disorders control programme in India. *Indian Journal of Public Health*; 39: 148–151.

531. Tonglet R, Bourdoux P, Minga T, Ermans AM. (1992). Efficacy of low oral doses of iodized oil in the control of iodine deficiency in Zaire. *New Engl J Med*; 326:236-241.
532. Toteja GS, Singh P. (2004). Micronutrient Profile of Indian population. ICMR publication. (Available from <http://www.poshan.nic.in/jspui/handle/DL/734>).
533. Toteja GS, Singh P, Dhillon BS, Saxena BN. (2004). Iodine deficiency disorders in 15 districts of India. *Indian J Pediatr*;71(1):25-8.
534. Travers CA, Guttikonda K, Norton CA, Lewis PR, Mollart LJ, Wiley V, et al. (2006). Iodine status in pregnant women and their newborns: are our babies at risk of iodine deficiency? *Med J Aust*;184(12):617-20.
535. Trumpff C, Schepper J De, Vanderfaeillie J, Vercruysse N, Oyen HV, Reyes RM, et al. (2015). Thyroid-Stimulating Hormone (TSH) Concentration at Birth in Belgian Neonates and Cognitive Development at Preschool Age. *Nutrients*; 7(11): 9018–9032.
536. Tulpule PG. (1969). Iodine and fluorine in drinking water. *Ind J Nutr Dietet*; 6: 229-233.
537. UNICEF (1990). Strategy for improved Nutrition of Children and Women in developing countries. UNICEF, New York.
538. UNICEF. (2009). Coverage Evaluation Survey 2009, All India Report. Ministry of Health and Family Welfare, Government of India, New Delhi; 2010. Available from: <http://www.unicef.org/india/health.html>, accessed on July 1, 2014.)
539. UNICEF. (2015). UNICEF Data: Monitoring the situation of children and women. <http://data.unicef.org/nutrition/>. New York, United Nations Children's Fund (Accessed on 22<sup>nd</sup> March 2015).
540. UNICEF. (2008). Sustainable Elimination of Iodine Deficiency: Progress Since the World Summit for Children. Global Report. UNICEF: New York
541. Institute of Medicine, USA. (2000). Dietary reference intakes for vitamin C, vitamin E, selenium and carotenoids. Washington, D.C.: National Academy Press, 2000.
542. Utiger RD. (1998). Kashin-Beck disease - expanding the spectrum of iodine-deficiency disorders. *New England Journal of Medicine*; 339(16): 1156–1158.
543. Van den Briel T, West CE, Bleichrodt N, van de Vijver FJ, Ategbo EA, Hautvast JG. (2000). Improved iodine status is associated with improved mental performance of schoolchildren in Benin. *Am J Clin Nutr*; 72:1179.
544. van Stuijvenberg ME, Kvalsvig JD, Faber M, Kruger M, Kenoyer DG, Benade AJ.(1999). Effect of iron-, iodine-, and beta-carotene-fortified biscuits on the micronutrient status of primary school children: a randomized controlled trial. *Am J Clin Nutr*; 69:497–503.
545. Vanderpas JB, Contempre B, Duale NL, Goossens W, Bebe N, Thorpe R, et al. (1990). Iodine and selenium deficiency associated with cretinism in northern Zaire. *American Journal of Clinical Nutrition*; 52(6): 1087–1093.
546. Vanderpump MPJ, Lazarus JH, Smyth PP, Laurberg P, Holder RL, Boelaert K, et al. (2011). Iodine status of UK schoolgirls: a cross sectional survey. *The Lancet*; 377: 2007-2012.
547. Velasco I, Carreira M, Santiago P, Muel JA, Garcia-Fuentes E, Sanchez Munoz B, et al. (2009). Effect of iodine prophylaxis during pregnancy on neurocognitive development of children during the first two years of life. *J. Clin. Endocrinol. Metab*; 94: 3234-3241.
548. Vermiglio F, Lo Presti P, Moleti M, Sidoti M, Tortorella G, Scaffidi G, et al. (2004). Attention Deficit and Hyperactivity Disorders in the Offspring of Mothers Exposed to Mild- Moderate Iodine Deficiency: A Possible Novel Iodine Deficiency Disorder in Developed Countries, *The Journal of Clinical Endocrinology and Metabolism*; 89(12): 6054-6060.
549. Vernon PE. (1976). The development of cognitive process. In: V. Hamilton & P. Vernon (eds). *Development of Intelligence*. London academic press Inc. pp 507-541.
550. Vinodkumar M, Rajagopalan S, Bhagwat IP, Singh S, Parmar BS, Mishra OP, et al. (2007). A multicenter community study on the efficacy of double-fortified salt. *Food and Nutrition Bulletin*; 28(1): 100–108.
551. Vir SC. (2002). Current Status of Iodine Deficiency Disorders (IDD) and Strategy for Its Control in India. *Indian Journal of Pediatrics*; 69: 589-596.
552. Wada L & King JC. (1986). Effect of low zinc intakes on basal metabolic rate, thyroid hormones and protein utilization in adult men. *Journal of Nutrition*; 116(6): 1045–1053.
553. Wan Nazaimoon WM, Osman A, Wu LL, Khalid BA. (1996). Effects of iodine deficiency on insulin-like growth factor-I, insulin-like growth factor-binding protein-3 levels and height attainment in malnourished children. *Clin Endocrinol (Oxf)*; 45:79–83.

554. Wang YL, Ge PF, Ma QY, Cao YQ, Li HB, Zheng J, et al. (2012). Study on the relationship between iodine status and growth in infants at the key period of brain development. *Zhonghua Liu Xing Bing Xue Za Zhi*;33:164-7.
555. Ward LS, Kunii IS, de Barros Maciel RM. (2000). Thyroid stimulating hormone levels in cord blood are not influenced by non-thyroidal mothers diseases. *Sao Paulo Med J*; 118: 144–147.
556. Watutantrige Fernando S, Cavedon E, Nacamulli D, Pozza D, Ermolao A, Zaccaria M, et al (2015). Iodine status from childhood to adulthood in females living in North-East Italy: Iodine deficiency is still an issue. *Eur J Nutr.* Feb 8. [Epub ahead of print]
557. Wegmueller R, Camara F, Zimmermann MB, Adou P, Hurrell RF. (2006). Salt dual-fortified with iodine and micronized ground ferric pyrophosphate affects iron status but not hemoglobin in children in Cote d'Ivoire. *Journal of Nutrition*; 136(7): 1814–1820.
558. Wei J & Li J. (1985). Metabolism of iodized oil after oral administration in guinea pigs. *Nutrition Reports International*; 31: 1085-1092.
559. West CE & Castenmiller JJ. (1998). Quantification of the “SLAMENGHI” factors for carotenoid bioavailability and bioconversion. *International Journal for Vitamin and Nutrition Research*; 68(6): 371–377.
560. West Jr. KP. (2002). Extent of vitamin A deficiency among preschool children and women of reproductive age. *Journal of Nutrition*; 132(9 Suppl.): 2857S–2866S.
561. Westgard JO, & Klee GG. (1999). Tietz textbook of clinical chemistry. In C. A. Burtis & R. Ashwood (Eds.), *Quality management* (3rd ed., pp. 384–388). Philadelphia, PA: W.B. Saunders Co.
562. Westgard JO, Barry PL & Hunt MR. (1981). A multi-rule Shewhart chart for quality control in clinical chemistry. *Clin Chem*; 27: 493–501.
563. WHO. (1991). Evaluation of certain food additives and contaminants. Thirty-seventh report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization. (WHO Technical Series No. 806).
564. WHO. (1994). World Health Organization. Geneva: WHO Press. Indicators for assessing Iodine Deficiency Disorders and their control through salt iodization; pp. 12–16. WHO-UNICEF-ICCIDD.
565. WHO. (1995). Edited by Mannar V and Dunn JT. Salt Iodization for the Elimination of Iodine Deficiency.
566. WHO. (2008). Elimination of Iodine Deficiency Disorders in South-East Asia Report of an expert consultative meeting Bangkok, Thailand, 25–26 June 2007.
567. WHO. (2014). Sodium intake and iodized salt in the South-East Asia Region. Report of a regional workshop New Delhi, India, 29–30 September 2014.
568. WHO. (1995). World Health Organization. Physical status: the use and interpretation of anthropometry. Report of WHO expert committee. Technical Report Series, No 854. Geneva: World Health Organization.
569. WHO. (1996). World Health Organization, United Nations Children's Fund & International Council for Control of Iodine Deficiency Disorders. Recommended iodine levels in salt and guidelines for monitoring their adequacy and effectiveness. WHO, Geneva; WHO/NUT/96.13.
570. WHO. (1999). World Health Organization, United Nations Children's Fund & International Council for Control of Iodine Deficiency Disorders. Progress towards the elimination of iodine deficiency disorders (IDD). WHO, Geneva; WHO/NHD/99.4
571. WHO. (2001). World Health Organization/International Council for the Control of the Iodine Deficiency Disorders/United Nations Children's Fund (WHO/ICCIDD/UNICEF). Assessment of the iodine deficiency disorders and monitoring their elimination. WHO/NHD/01.1. Geneva: World Health Organization, 2001.
572. WHO. (2005). Chlorite and Chlorate in Drinking Water – WHO Guidelines for Drinking-water Quality. Iodine Mineral Deficiency and Toxicity: Merck Manual Professional, [http://www.merckmanuals.com/professional/nutritional\\_disorders/mineral\\_deficiency\\_and\\_toxicity/iodine.html](http://www.merckmanuals.com/professional/nutritional_disorders/mineral_deficiency_and_toxicity/iodine.html)
573. WHO. (2007). World Health Organization, United Nations Children's Fund, and International Council for the Control of Iodine Deficiency Disorders, Assessment of Iodine Deficiency Disorders and Monitoring their Elimination, WHO, Geneva, Switzerland, 3<sup>rd</sup> edition, 2007.
574. WHO/FAO. (2004). World Health Organization/Food and Agriculture Organization (2004) Vitamin and Mineral Requirements in Human Nutrition, 2<sup>nd</sup> edn, WHO: Geneva.

575. WHO. (2003). Iodine in drinking Water. Background document for development of WHO guidelines for drinking water quality, Vol 2. Geneva, Switzerland, 2<sup>nd</sup> edition.
576. Wilker RE, Fleischman AR, Saenger P, Pan C, Surks MI. (1984). Thyroid hormone levels in diabetic mothers and their neonates. *Am J Perinatol*; 1:259–262.
577. Williams FL, Mires GJ, Barnett C, Oqston SA, van Toor H, Visser TJ, et al. (2005). Transient hypothyroxinemia in preterm infants: the role of cord sera thyroid hormone levels adjusted for prenatal and intrapartum factors. *J Clin Endocrinol Metab*; 90:4599–4606.
578. Wolde-Gebriel Z, Gebru H, Fisseha T, West CE. (1993a). Severe vitamin A deficiency in a rural village in the Hararge region of Ethiopia. *European Journal of Clinical Nutrition*; 47: 104-114.
579. Wolde-Gebriel Z, West CE, Gebru H, Tadesse AS, Fisseha T, Gabre P, et al. (1993b). Interrelationship between vitamin A, iodine and iron status in schoolchildren in Shoa Region, central Ethiopia. *British Journal of Nutrition*; 70: 593-607.
580. Wolff J. (2001). Physiology and pharmacology of iodized oil in goiter prophylaxis. *Medicine*; 80:20-36.
581. Wong EM, Sullivan KM, Perrine CG, Rogers LM, Peña-Rosas JP. (2011). Comparison of median urinary iodine concentration as an indicator of iodine status among pregnant women, school-age children, and nonpregnant women. *Food Nutr Bull*; 32:206-12.
582. World Health Organization. The database on iodine deficiency includes data by country on goitre prevalence and/or urinary iodine concentration. [cited 2013/4/2]; Available from: [who.int/vmnis/iodine/data/database/countries/ind\\_idd.pdf](http://who.int/vmnis/iodine/data/database/countries/ind_idd.pdf)
583. Yadav K, Srivastava R, Badhal S, Palanivel C, Pandav CS, Karmarkar MG. (2012). Review of iodine nutrition of pregnant women in India: evidence of significant iodine deficiency. *Indian J Med Specialties*; 3:49–54.
584. Yin JZ, Feng YM, Wu SX, Zhang XH, Wang SM, Wang Q, et al. (2014). Assessment of the iodine status of the Wa national boarding schoolstudents in Southwest China. *Biol Trace Elem Res*; 160(3):316-20.
585. Zagrodzki P, Szmigiel H, Ratajczak R, Szybinski Z, Zachwieja Z. (2000). The role of selenium in iodine metabolism in children with goiter. *Environmental Health Perspectives*; 108: 67-71.
586. Zama SY, Ahmed M, N V. (2013). Prevalence of goitre in school children of chamarajanagar district, karnataka, India. *J Clin Diagn Res*; 7(12):2807-9.
587. Zargar AH, Shah JA, Masoodi SR, Laway BA, Shah NA, Mir MM. (1997). Prevalence of goiter in school children in Baramulla (Kashmir valley), India. *Indian Journal of Pediatrics*; 64(22): 225-30.
588. Zargar AH, Shah JA, Mir MM, Laway BA. (1995). Prevalence of goiter in school children in Kashmir valley, India. *American Journal of Nutrition*; 62(5): 1020-1021.
589. Zein AZ, Al-Haithamy S, Obadi Q, Nouredin S. (2009). The epidemiology of iodine deficiency disorders in Yemen. *Pub Health Nutr*; 3:245–52.
590. Zimmerman M and Delange F. (2004). Iodine supplementation of pregnant women in Europe: a review and recommendation. *Eur J Clin. Nutr*; 58: 979-984.
591. Zimmerman M. (2009). Iodine deficiency in pregnancy and the effects of maternal iodine supplementation on the offspring: a review. *Am J Clin Nutr*; 89(suppl): 668S-72S.
592. Zimmerman M. (2009). Iodine deficiency. *Endocrine Reviews*; 30(4): 376-408.
593. Zimmermann M, Adou P, Torresani T, Zedar C, Hurrell R. (2000). Iron supplementation in goitrous, iron-deficient children improves their response to oral iodized oil. *European Journal of Endocrinology/European Federation of Endocrine Societies*; 142(3): 217–223.
594. Zimmermann M, Adou P, Torresani T, Zedar C, Hurrell R. (2000). Persistence of goiter despite oral iodine supplementation in goitrous children with iron deficiency anemia in Côte d'Ivoire. *American Journal of Clinical Nutrition*; 71(1): 88–93.
595. Zimmermann M, Adou P, Torresani T, Zedar C, Hurrell R. (2000). Low dose oral iodized oil for control of iodine deficiency in children. *Brit J Nutr*; 84:139-141.
596. Zimmermann M. (2011). The role of iodine in human growth and development. *Seminars in Cell & Developmental Biology*; 22: 645–652.
597. Zimmermann MB, Aeberli I, Torresani T, Burqi H. (2005). Increasing the iodine concentration in the Swiss iodized salt program markedly improved iodine status in pregnant women and children: a 5-y prospective national study. *American Journal of Clinical Nutrition*; 82:388–392.
598. Zimmermann MB, Hess SY, Adou P, Torresani T, Wegmüller R, Hurrell RF. (2003). Thyroid size and goiter prevalence after introduction of iodized salt: a 5-yr prospective study in schoolchildren in Côte d'Ivoire. *Am J Clin Nutr*; 77:663–7.

599. Zimmermann MB, Jooste PL, Mabapa NS, Mbhenyane X, Schoeman S, Biebinger R, et al. (2007). Treatment of iodine deficiency in school-age children increases IGF-1 and IGFBP-3 concentration and improves somatic growth. *J Clin Endocrinol Metab*; 92:437-442.
600. Zimmermann MB, Jooste PL, Mabapa NS, Schoeman S, Biebinger R, Mushaphi LF, et al. (2007). Vitamin A supplementation in iodine-deficient African children decreases thyrotropin stimulation of the thyroid and reduces the goiter rate. *American Journal of Clinical Nutrition*; 86(4): 1040–1044.
601. Zimmermann MB, Jooste PL, Pandav CS. (2008). Iodine deficiency disorders. *Lancet*; 372: 1251–1262.
602. Zimmermann MB, Wegmüller R, Zeder C, Chaouki N, Torresani T. (2004). The effects of vitamin A deficiency and vitamin A supplementation on thyroid function in goitrous children. *Journal of Clinical Endocrinology and Metabolism*; 89(11): 5441–5447.
603. Zimmermann MB, Wegmüller R, Zeder C, Chaouki N, Rohner F, Saïssi M, et al. (2004). Dual fortification of salt with iodine and micronized ferric pyrophosphate: a randomized, double-blind, controlled trial. *American Journal of Clinical Nutrition*; 80(4): 952–959.
604. Zimmermann MB, Zeder C, Chaouki N, Saad A, Torresani T, Hurrell RF. (2003). Dual fortification of salt with iodine and microencapsulated iron: a randomized, double-blind, controlled trial in Moroccan schoolchildren. *American Journal of Clinical Nutrition*; 77(2): 425–432.
605. Zimmermann MB, Zeder C, Chaouki N, Torresani T, Saad A, Hurrell RF. (2002). Addition of microencapsulated iron to iodized salt improves the efficacy of iodine in goitrous, iron-deficient children: a randomized, double-blind, controlled trial. *European Journal of Endocrinology/European Federation of Endocrine Societies*; 147(6): 747–753.
606. Zimmermann MB, Andersson M. (2012). Update on iodine status worldwide. *Curr Opin Endocrinol Diabetes Obes*; 19(5):382-7.
607. Zimmermann MB, Hess SY, Molinari L, De Benoist B, Delange F, Braverman LE, et al. (2004). New reference values for thyroid volume by ultrasound in iodine-sufficient schoolchildren: a World Health Organization/Nutrition for Health and Development Iodine Deficiency Study Group Report. *Am J Clin Nutr* ;79(2):231-7.
608. Zimmermann MB. (2007). Interactions of vitamin A and iodine deficiencies: effects on the pituitary-thyroid axis. *International Journal for Vitamin and Nutrition Research*; 77(3): 236–240.
609. Zimmermann MB. (2007). The adverse effects of mild-to-moderate iodine deficiency during pregnancy and childhood: a review. *Thyroid*; 17: 829–35.
610. Zimmermann MB. (2009). Iodine deficiency. *Endocr Rev*; 30: 376–408.
611. Zimmermann MB. (2012). Iodine and iodine deficiency disorders. In: Erdman JWJ, Macdonald IA, Zeisel SH, eds. *Present Knowledge in Nutrition*. 10<sup>th</sup> ed: John Wiley & Sons:554-567.

### **Webliography**

1. <http://nrhm.gov.in/nrhm-components/national-disease-control-programmes-ndcps/iodine-deficiency-disorders.html>
2. <https://courses.washington.edu/conj/bess/thyroid/thyroid.html>
3. <https://en.wikipedia.org/wiki/Thyroid>
4. Iodine deficiency disease control programme; Available from: [mohfw.nic.in/NRHM/PIP\\_09\\_10/Utta\\_rakhand/NIDDCP\\_Text.pdf](http://mohfw.nic.in/NRHM/PIP_09_10/Utta_rakhand/NIDDCP_Text.pdf) 9.