

LIST OF FIGURES

Sr. No	Title of Figures	Page No.
	Introduction	
1.	Thyroid system	2
2.	Iodine metabolism	2
3.	Global status of iodine deficiency in 2015	7
4.	Number of iodine deficient countries	7
5.	Trends in Household adequately iodized salt coverage in India	15
	Review of Literature	
6.	Synthesis of Thyroid Hormones	27
7.	Iodine deficiency disorders conceptual framework	29
8.	Graphical representation of sufficient and insufficient dietary iodine intake	30
9.	The adverse effects of iodine deficiency	32
10.	Goiter in school age child	33
11.	Goiter in an adult female	33
12.	Percentage of households consuming adequately iodized salt, 2009–2013	36
13.	Number of newborns unprotected and protected from iodine deficiency disorders (IDDs) as assessed through household consumption of adequately iodized salt (millions), 2013	36
14.	Conceptual model of iodine nutrition and thyroid function when iodine store are adequate (upper diagram) and not adequate (lower diagram)	44
15.	Proportion of school age children with insufficient iodine intake (UIC <100µg/L), by WHO regions in 2003, 2007 and 2011.	65
16.	The top 10 iodine deficient countries (based on national median UIC level <100µ g/L) with the greatest number of school age children with insufficient iodine intake in 2011.	65
	Methods and Materials	
17.	Uttarakhand state and three districts selected	98
18.	Clusters selected in district Udham Singh Nagar	100
19.	Clusters selected in district Nainital	101
20.	Clusters selected in district Pauri Garhwal	102
	Results and Discussion	
	Part 1: Iodine Nutritional Status amongst Pregnant Mothers	
21.	Distribution of pregnant mothers as per the different age groups in three districts of Uttarakhand	125
22.	Total goiter rate amongst pregnant mothers	127
23.	Total goiter rate amongst pregnant mothers according to	129

	trimester of pregnancy	
24.	Median UIC level amongst pregnant mothers	132
25.	Urinary Iodine Concentration level in different trimesters of pregnancy combining all the three districts of Uttarakhand	137
26.	Iodine content of salt amongst the household of pregnant mothers enrolled from Udham Singh Nagar district	139
27.	Iodine content of salt amongst the household of pregnant mothers enrolled from district Nainital	140
28.	Iodine content of salt amongst the household of pregnant mothers enrolled from district Pauri Garhwal	140
29.	Summary of iodine nutritional status amongst pregnant mothers in districts Udham Singh Nagar, Nainital and Pauri Garhwal	158
30.	Comparison of TGR of pregnant mothers of the present with that reported by other investigators	161
31.	Comparison of median UIC level of pregnant mothers of the present with that reported by other investigators	165

Part 2: Iodine Nutritional Status amongst Neonates

32.	Neonates as per duration of pregnancy in the three districts of Uttarakhand	175
33.	Distribution of neonates as per gender in all the three districts selected	176
34.	Percentage of Neonates with TSH level >5mIU/L in all the three districts	178
35.	Summary of iodine nutritional status amongst neonates in districts Udham Singh Nagar, Nainital and Pauri Garhwal	193
36.	Comparison of TSH level of >5mIU/L amongst neonates in the present study with other studies	195

Part 3: Iodine Nutritional Status amongst School Age Children

37.	Distribution of children according to gender in all the three districts	211
38.	Prevalence of TGR amongst school age children in all the three districts	213
39.	Prevalence of goiter as per age of children in all the three districts	216
40.	Median UIC level amongst school age children	220
41.	Combined UIC level of male and female in three districts of Uttarakhand	223
42.	Summary of iodine nutritional status amongst school age children in districts Udham Singh Nagar, Nainital and Pauri Garhwal	243

43.	Comparison of TGR amongst school age children of present study with other investigators	245
44.	Trends in median UIC levels of school age children in Uttarakhand state	251
45.	Median urinary iodine concentration levels amongst school children residing in plain and hilly areas of India	252
46.	Trends in consumption of adequately iodized salt (>15ppm) in Uttarakhand state	255

Part 4: Iodine Nutritional Status amongst Adolescent Girls

47.	Total goiter rate amongst adolescent girls of all the three districts	267
48.	Prevalence of goiter as per age of adolescent girls in all the districts	269
49.	Total goiter rate according to age groups combining all the three districts	269
50.	Median UIC of adolescent girls studied in all the three district	272
51.	Summary of iodine nutritional status amongst adolescent girls in districts Udham Singh Nagar, Nainital and Pauri Garhwal	285
52.	Comparison of total goiter rate in adolescent girls in the present study with other studies conducted in India	287
53.	Comparison of median urinary iodine concentration levels amongst adolescent girls in the present study with other studies	289

Part 5: Environmental Influences

54.	Iodine content of water samples from all the three districts	298
55.	Comparison of present study results on iodine content of water with other studies	300
56.	Iodine content of commonly consumed cereals and pulses in Uttarakhand state	303
57.	Comparison of present study results (iodine content in food samples) with other similar studies	305

LIST OF TABLES

Sr. No	Title of Tables	Page No.
	Introduction	
1.	Consequences of Iodine Deficiency in Humans	4
2.	Daily iodine requirement at different age group	5
3.	Recommendations for iodine supplementation in pregnancy and infancy in areas where <90% of households are using iodized salt and the median UI is <100 µg/L in schoolchildren	18
	Review of Literature	
4.	Countries, proportion of population, and number of individuals with insufficient iodine intake in school age children and the general population, by WHO region, 2011	35
5.	Iodine deficiency status in South East Asia	37
6.	Status of Iodine Deficiency Disorder in India	40
7.	Iodine Nutritional status amongst pregnant women worldwide	46
8.	Comparison of iodine deficiency in Pregnant Mothers of Gujarat and Uttarakhand	48
9.	Studies on iodine deficiency in children worldwide	66
10.	Comparison of iodine deficiency in school age children (6-12 years) of Gujarat and Uttarakhand	69
11.	Dietary Goitrogens	82
	Methods and Materials	
12.	Summary of sample size of major indicators	119
	Results and Discussion	
	Part 1: Iodine Nutritional Status amongst Pregnant Mothers	
13.	Distribution of pregnant mothers according to clusters studied in three districts of Uttarakhand	124
14.	Distribution of pregnant mothers as per different trimester of pregnancy in all the three districts of Uttarakhand	125
15.	Prevalence of Goiter in all the three districts of Uttarakhand	126
16.	Prevalence of goiter as per age groups of pregnant mothers in three districts of Uttarakhand	128
17.	Iodine deficiency status amongst pregnant mothers as per urinary iodine concentration level	132

18.	Iodine deficiency status amongst pregnant mothers as per urinary iodine concentration level in different age groups	134
19.	Iodine deficiency status as per urinary iodine concentration level in different trimesters of pregnancy in all the three districts of Uttarakhand	136
20.	Iodized Salt Intake by pregnant mothers studied in all the three districts	139
21.	Iodized salt intake in different age groups of pregnant mothers in all the three districts	142
22.	Iodized salt intake in different trimesters of pregnancy in all the three districts	143
23.	Prevalence of iodine deficiency disorder based on urinary iodine concentration level and iodized salt intake in different age groups in all the three districts	146
24.	Prevalence of iodine deficiency based on Total Goiter Rate, Urinary Iodine Concentration levels and salt intake different age groups in all the three districts	148
25.	Prevalence of Iodine deficiency disorder based on Urinary iodine Concentration level and salt intake in different trimesters of pregnancy in all the three districts	150
26.	Relationship between Goiter grade and Urinary Iodine Concentration levels of pregnant mothers in all the three districts	151
27.	Relationship between iodized salt intake and Urinary Iodine Concentration levels of pregnant mothers in districts Udham Singh Nagar, Nainital and Pauri Garhwal	152
28.	Blockwise distribution of Total Goiter Rate, Urinary Iodine Concentration and salt intake in district Udham Singh Nagar	155
29.	Blockwise distribution of Total Goiter Rate, Urinary Iodine Concentration and salt intake in district Nainital	156
30.	Block wise distribution of Total Goiter Rate, Urinary Iodine Concentration and salt intake in district Pauri Garhwal	157
31.	Summary of iodine nutritional status amongst pregnant mothers in districts Udham Singh Nagar, Nainital and Pauri Garhwal	158
32.	Comparison of results of the present study with other similar studies conducted in India	172
 Part 2: Iodine Nutritional Status amongst Neonates		
33.	Health institutions included in districts Udham Singh Nagar, Nainital and Pauri Garhwal	174
34.	Distribution of neonates according to birth weight in	177

	districts Udham Singh Nagar, Nainital and Pauri Garhwal	
35.	Iodine status of neonates according to TSH levels in all the three districts	178
36.	Block wise prevalence of iodine deficiency amongst neonates using TSH levels	180
37.	Relationship between gestational age and TSH levels of neonates in all the three districts	182
38.	TSH levels of neonates according to gestational age and gender in all the three districts	183
39.	Relationship between gender and TSH levels of neonates in all the three districts	186
40.	Mean TSH levels according to gender of neonates in all the three districts	187
41.	Relationship of birth weight with TSH levels of neonates in all the three districts	189
42.	TSH levels according to birth weight and gender in all the three districts	190
43.	Summary of parameters affecting TSH levels on screening of neonates in all the three districts	191
44.	Neonates according to repeat TSH levels of neonates in all the three districts	192
45.	Summary of iodine nutritional status amongst neonates in districts Udham Singh Nagar, Nainital and Pauri Garhwal	193

Part 3: Iodine Nutritional Status amongst School Age Children

46.	Distribution of school age children according to clusters in all the three districts	210
47.	Distribution of school age children according to age and gender in all the three districts	211
48.	Distribution of children according to various grades of goiter in districts Udham Singh Nagar, Nainital, Pauri Garhwal	213
49.	Prevalence of goiter according to gender in all the three districts	215
50.	Prevalence of goiter as per different age groups of children in all the three districts	217
51.	Iodine deficiency amongst school age children according to Urinary Iodine Concentration levels in all the three districts	220
52.	Urinary Iodine Concentration levels amongst school age children according to gender in all the three districts	222
53.	Age wise distribution of UIC level of children in all the districts studied	224
54.	Urinary iodine concentration levels amongst school age	225

	children according to different age groups in all the three districts	
55.	Iodized salt intake amongst school age children in all the three districts	227
56.	Iodized salt intake as per gender in all the three districts	228
57.	Consumption of iodized salt according to different age groups in all the districts	229
58.	School age children according to iodized salt intake and Urinary Iodine Concentration levels in different age groups in all the three districts	233
59.	Age wise distribution of total goiter rate, urinary iodine concentration levels and iodized salt intake in all the three districts	234
60.	Gender wise distribution of total goiter rate, urinary iodine concentration level and iodized salt intake in all the three districts	235
61.	Relationship between Goiter grade and urinary iodine concentration levels of school age children in all the three districts	236
62.	Relationship between urinary iodine concentration levels and iodized salt intake of school age children in all the three districts	237
63.	Blockwise distribution of school age children according to total goiter rate, urinary iodine concentration level and iodized salt intake in district Udham Singh Nagar	240
64.	Blockwise distribution of school age children according to total goiter rate, urinary iodine concentration level and iodized salt intake in district Nainital	241
65.	Block wise distribution of school age children according to total goiter rate, urinary iodine concentration level and iodized salt intake in district Pauri Garhwal	242
66.	Summary of iodine nutritional status amongst school age children in districts Udham Singh Nagar, Nainital and Pauri Garhwal	243
67.	Comparison of results of the present study (school age children) with other studies conducted in India	259-260

Part 4: Iodine Nutritional Status amongst Adolescent Girls

68.	Distribution of adolescent girls (12-18yrs) according to clusters in all the three districts	263-264
69.	Distribution of adolescent girls according to age in all the three districts	265

70.	Prevalence of total goiter rate amongst adolescent girls in all the three districts	266
71.	Prevalence of goiter as per age groups of adolescent girls in all the three districts	268
72.	Distribution of adolescent girls according to urinary iodine concentration levels in all the districts	271
73.	Urinary iodine concentration levels according to different age groups of adolescent girls in all the three districts	273
74.	Iodized salt intake amongst adolescent girls in all the three districts	275
75.	Consumption of iodized salt according to different age groups adolescent girls in all the districts	276
76.	Distribution of adolescent girls according to age group and iodine intake and Urinary Iodine Concentration levels in districts Udham Singh Nagar, Nainital, Pauri Garhwal	278
77.	Age wise distribution of total goiter rate, urinary iodine concentration level and salt intake in all the three districts	279
78.	Goiter grade and urinary iodine concentration levels of adolescent girls in districts Udham Singh Nagar, Nainital and Pauri Garhwal	280
79.	Iodized salt intake and urinary iodine concentration levels of adolescent girls in districts Udham Singh Nagar, Nainital and Pauri Garhwal	281
80.	Blockwise distribution of total goiter rate urinary iodine concentration levels and iodized salt intake in district Udham Singh Nagar	283
81.	Blockwise distribution of total goiter rate, urinary iodine concentration levels and iodized salt intake in district Nainital	283
82.	Block wise distribution of total goiter rate, urinary iodine concentration levels and iodized salt intake in district Pauri Garhwal	284
83.	Summary of iodine nutritional status amongst adolescent girls in districts Udham Singh Nagar, Nainital and Pauri Garhwal	285
84.	Comparison of results of the present study (adolescent girls) with other studies conducted in India	295
 Part 5: Environmental Influences (Iodine Content in Water and Food Samples)		
85.	Comparison of present study results on iodine content in water samples with other studies from different regions of the world	301-302

LIST OF PICTURES

Sr. No	Title of Picture	Page No.
1.	Training of Paramedical Staff	109
2.	Collection of Water samples from ShallowTube Wells	109
3.	Collection of locally grown food samples	109
4.	Presence of Goiter amongst Pregnant Mothers	296
5.	Presence of Goiter amongst School Age Children	296
6.	Presence of Goiter amongst Adolescent Girls	296
7.	Steps in Cord Blood Sample Collection (For Iodine Status in neonates)	364
8.	Steps in Collection of Blood Sample on Filter Paper by Heel Prick Method (For Neonatal Hypothyroidism)	365