

BIBLIOGRAPHY

1. A.O.A.C. Official methods of analysis. Association of official analytical chemists. Inc.17th ed. Arlington, Virginia. USA. 2000.
2. Aarun K and Balasubramaniam U . Comparative study on hepatoprotective activity of *Aegle marmelos* and *Eclipta alba* against alcohol induced Albino rats. International Journal of Environmental Sciences.2012;2(2):389-402.
3. Abate N, Chandalia M. Ethnicity and type 2 diabetes: focus on Asian Indians. J Diabetes Complications.2001;15(6):320-327.
4. Abdul-Ghani MA, Tripathy D, DeFronzo RA . Contributions of beta-cell dysfunction and insulin resistance to the pathogenesis of impaired glucose tolerance and impaired fasting glucose. Diabetes Care.2006;29:1130-1139.
5. Abolaji O. A., Adebayo A. H and Odesanmi, O. S. Nutritional Qualities of Three Medicinal Plant Parts (*Xylopia aethiopica*, *Blighia sapida* and *Parinari polyandra*) commonly used by Pregnant Women in the Western Part of Nigeria. Pak. J Nut. 2007;6(6):665-668.
6. Agrawal P, Rai V, Singh RB. Randomized placebo-controlled, single blind trial of holy basil leaves in patients with NIDDM. Int J Pharmacol Ther.1996;34(9):406-409.
7. Agrawal VS. Rural economics of medicinal plants: Vegetation in the forest. In: Drugs plants of India. New Delhi, Kalyani publishers, 1997: pp1,6,44,45,102,103,129,160.
8. Ahmad N., Hassan M.R., Halder, H., Bennoor, K.S., Effect of *Momordica charantia* (Karolla) extracts on fasting and postprandial serum glucose levels in NIDDM patients. Bangladesh Medical Research Council Bulletin.1999;25:11-13.
9. Ahmed I, Lakhani MS, Gillett M, John A & Raza H. Hypotriglyceridemic and hypocholesterolemic effects of anti-diabetic *Momordica charantia* (Karela) fruit extract in streptozotocin-induced diabetic rats. Diabetes Res Clin Pract.2001;51:155-161.
10. Ahuja MM. Epidemiology studies on diabetes mellitus in India. In: Ahuja MM, editor. Epidemiology of diabetes in developing countries. New Delhi: Interprint; 1979. pp. 29-38.

11. Airy shaw H.K. A dictionary of the flowering plants and ferns 8th edition, Cambridge university press ,Cambridge, 1973.
12. Aiyer V.N ,Narayanan V , Seshadri I.R and Vyadeeswaran S. Chemical components of some Indian medicinal plants.Indian journal of Chemistry.1973;20:89-90.
13. Ajgaonkar S.S., Herbal drugs in the treatment of diabetes. International Diabetes Federation Bulletin.1979;24:10-17.
14. Akbar M, Masoodia M, Walia A, Mira M, Shapoor N. Antioxidant potential of methanol Root extract of *Mentha arvensis* L from Kashmir Region. Journal of Applied Pharmaceutical Science.2014;4(03):50-57.
15. Akhtar MS, Shah MV. Elemental constituents of antidiabetic screening of a folklore medicinal plant prescription. Ind J Toxicology, Occupational and Envt Health.1993; 2(1):46-49.
16. Alam, M.M., Siddiqui M.B. and Husain W. Treatment of diabetes through herbal drug in rural India. Filoterapia.1990;61:240-242.
17. Alarcon-Aguilar F.J., Roman-Ramos R., Perez-Gutierrez S., Aguilar-Contreras A., Contreras-Weber C.C and Flores-Saenz J.L., Study of the anti-hyperglycemic effect of plants used as anti-diabetics., J. Ethnopharmacol.1998;61:101-110.
18. Ali H, Houghton PJ, Soumyanath A. α -amylase inhibitory activity of some Malaysian plants used to treat diabetes with particular reference to *Phyllanthus amarus*. J Ethnopharmacol.2006;107:449-55.
19. Ali M.S. and Pervez M.K: Analgesic properties of the leaves of *Aegle marmelos*. Journal of Ethanopharmacology.2004;96(1-2):159-163.
20. Ali M.S., Pervez M.K., Marmenol: A 7-geranyloxy coumarin from the leaves of *Aegle marmelos* Corr Nat. Prod.2004;18(2):141-146.
21. Amanda M. Fretts, Barbara V. Howard, Andrea M. Kriska, Nicolas L. Smith, Thomas Lumley, Elisa T. Lee, Marie Russell, and David Siscovick. Physical Activity and Incident Diabetes in American Indians -The Strong Heart Study.; American Journal of Epidemiology.2009: DOI: 10.1093/aje/kwp181
22. Ambica and M Rao. Studies on a phytoesterolin from the bark of *Ficus religiosa*, The Indian Journal of Pharmacy.1967;29:91-94.

23. American Diabetes Association Standards Of Medical Care In Diabetes The Journal Of Clinical And Applied Research And Education www.Diabetes.Org/Diabetescare January 2016 Volume 39 | Supplement 1
24. American Diabetes Association, Standards of medical care in diabetes—2011. Diabetes Care 2011;34(Suppl. 1):S11–S61.
25. American Diabetes Association. Clinical Practice recommendations. Diabetes Care, 2001;24 (Suppl 1):S1-145.
26. American Diabetes Association. Diagnosis and classification of diabetes mellitus. Diabetes Care; 2005; 28: S37-42.
27. American Diabetes Association. Standards of medical care in diabetes - 2007. Diabetes Care 2007;30 Suppl 1: S4-S41.
28. American Diabetes Association. Standards of medical care in diabetes—2016. Diabetes Care 2016; 39 (suppl1): S1-S106.
29. American Diabetes Association. Standards of medical care in diabetes—2014. Diabetes Care 2014;37(Suppl. 1):S14-S80.
30. American Diabetic Association. Standards of Medical Care in Diabetes-2015: Summary of Revisions. Diabetes Care. 2015;38:4-9.
31. Ames B. DNA damage from micronutrient deficiencies is likely to be the major cause of cancer. Mut Res.2001;475:7-20.
32. Aminuddin and Girach R.D. Observations on ethanobotany of the Bhunjiya- A tribe of Sonabera plateau. Ethanobotany.1993;5:83-86.
33. Anandjiwala S, Bagul MS, Parabia M, Rajani M. Evaluation of free radical scavenging activity of an Ayurvedic formulation, panchvalkala. Indian J Pharm Sci. 2008;70:31-35.
34. Aderon R.A., Recent advances in the clinical and biochemical manifestation of chromium deficiency in human and animal nutrition, J. Trace Elements Exp. Med. 1998;11:241-250.
35. Anjana RM, Pradeepa R, Deepa M, et al; ICMR-INDIAB Collaborative Study Group. Prevalence of diabetes and prediabetes (impaired fasting glucose and/or impaired glucose tolerance) in urban and rural India: Phase I results of the Indian

- Council of Medical Research-INDIADIABETES (ICMR- INDIAB) study. *Diabetologia*.2011;54:3022-3027.
- 36.** Annan K, Dickson A., Amponsah I and Noon I. K. The Heavy metal contents of some selected medicinal plants sampled from different geographical location. *Pharmacognosy Res*.2013;5(2):103-108.
- 37.** Annan K, Kojo AI, Cindy A, Samuel AN, Tunkumgnen BM. Profile of heavy metals in some medicinal plants from Ghana commonly used as components of herbal formulations. *Pharmacognosy Res*.2010;2:41-44.
- 38.** Antarkar DS, Vaidya AB, Joshi BS. Clinical screening for hypoglycemic action of 14 Ayurvedic plants-Third National Congress on Diabetes, Mumbai. 1975.
- 39.** Ariharan V.N and Nagendra Prasad P. Mahavilva - a sacred tree with immense medicinal secrets: a mini review, *Rasayan J Chemistry*.2013;6(4):342-352.
- 40.** Ariharan. V. N., Nagendra Prasad. P, Quantitative phytochemical analysis on leaf extract of *Aegle marmelos* *Journal of Chemical and Pharmaceutical Research*.2014; 6(3):1100-1104.
- 41.** Aritajat S, Kawewat K, Manosroi J, and Manosroi A. Dominant lethal test in rats treated with some plant extracts. *Southeast Asian J. Trop. Med. Public Health*.2000; 31:171-173.
- 42.** Arul V, Miyazaki S, Dhanjaya R . Studies on the anti-inflammatory and anti-pyretic, analgesic properties of the leaves of *Aegle marmelos*. *Journal of Ethanopharmacology*.2005;96(1):159-163.
- 43.** Arul V, Miyazaki S and Dhananjayan R. Mechanisms of the contractile effect of the alcoholic extract of *Aegle marmelos* Corr. On isolated guinea pig ileum and tracheal chain, *Phytomedicine*.2004;11:679-682.
- 44.** Arumugam S, Kavimani S, Kadalmali B, Ahmed ABA, Akbarsha MA, Rao MV. Antidiabetic activity of leaf and callus extracts of *Aegle marmelos* in rabbit. *Sci Asia*. 2008;34:317-321.
- 45.** Arvigo R., Balick, M. Rainforest Remedies: One Hundred Healing Herbs of Belize. Lotus Press, Twin Lakes, 1993.

46. Ayodhya S., Kusum S., and Singh A. Hypoglycaemic activity of different extracts of herbal plants. International Journal of Ayurveda and Research in Pharmacy.2010;1: 212-224.
47. Ayurvedic pharmacopeia of India-Part I, Vol (II) , Dept of Ayush, Ministry of health and family welfare, Govt. Of India, New Delhi, 2000:80-88.
48. Badam L, Bedekar S, Sonawane KB, Joshi SP. In vitro antiviral activity of bael (*Aegle marmelos* Corr) upon human coxsackieviruses B1-B6. J Commun Dis.2002; 34(2):88-99.
49. Bahijri SM, Mufti AM. Beneficial effects of chromium in people with type 2 diabetes, and urinary chromium response to glucose load as a possible indicator of status. Biol Trace Elem Res.2002;85(2):97-109.
50. Bailey CJ, Day C. Traditional plant medicines as treatments for diabetes. Diabetes Care.1989;12:553-564.
51. Balakumar S., Rajan S., Thirunala Sundari T., Jeeva S., Antifungal activity of *Aegle marmelos* (L.) Correa (Rutaceae) leaf extract on dermatophytes, Asian Pacific Journal of Tropical Biomedicine.2011;1:309-312.
52. Baliga MS, Bhat HP, Pereira MM, Mathias N, Venkatesh P. Radioprotective effects of *Aegle marmelos* (L.) Correa (Bael): a concise review. J Altern Complement Med. 2010;16(10):1109-1116.
53. Bandopadhyay U, Biswas K, Chatterjee R, Bandopadhyay D, Banerjee K and Banerjee R.k. Gastroprotective effect of Neem (*Azadirachta indica*) bark extract. Possible involvement of H (+)-K(+)-ATPase inhibition and scavenging of hydroxyl radical, Life Sci.2002;71:2845-2850.
54. Bandyopadhyay D, Chattopadhyay A, Ghosh G, Datta AG. Oxidative stress-induced ischemic heart disease: protection by antioxidants. Curr Med Chem.2004;11:369-387.
55. Banerji N, Kumar R. Study of endophytic fungal community from different parts of *Aegle marmelos* Correae (Rutaceae) from Varanasi (India). J. Inst. Chem. Soc.1949; 71:606-610.
56. Banerji, A.K. and Nigam S.S. Chemical, microbial and anthelmintic examination of the seeds of *A. marmelos*. Indian Drugs.1984;21:217-218.

57. Barker DJP. Mothers, Babies and Health in Later Life. 2nd ed. Edinburgh, Scotland: Churchill Livingstone;1998.
58. Barret K.M. Ganong's review of medical physiology. (24th ed.). New York: McGraw-Hill Medical;2012.
59. Basak RK, Mandal PK and Mukherjee AK. Investigations on the structure of a hemicelluloses fraction isolated from the trunk of a young bael (*Aegle Marmelos*) tree. Carbohydr Res.1982;104(2):309-317.
60. Baskaran K, Kizar AB, Shanmugasundaram, Radha K, Shanmugsundaram ERB. Antidiabetic effect of a leaf extract from *gymnema sylvestre* in NIDDM patients. J Ethnopharmacol.1990;30:296-305.
61. Baslas K.K., Deshpandey S.S. Essential oils from leaves, twigs and fruits of *Aegle Marmelos*. J Indian Chem Soc.1951;28:19-22.
62. Bassiounny SS, Hassanien FR, El-Razik Ali F, El- Kayati S. Efficiency of antioxidants from natural sources in bakery products. Food Chem.1990;37:297-305.
63. Baxi AJ, Shukla VJ, Bhatt UB. Guidelines- Monograph on Testing of Some Ayurvedic Formulations. Jamnagar: Gujarat Ayurveda University.2002. p. 5-15.
64. Bayraktutan U., "Free radicals, diabetes and endothelial dysfunction," Diabetes, Obesity and Metabolism.2002;4(4):224-238.
65. Behera Bashidhar and Yadav D. Current Researches on Plants Having Antidiabetic Potential: An Overview. Research and Reviews: Journal of Botanical Sciences RRJBS.2013;2(2):4-18.
66. Benzie FF, Strain JJ. Ferric reducing ability of plasma (FRAP) as a measure of antioxidant power: The FRAP assay. Anal Biochem.1996;239:70-76.
67. Benzie FF, Strain JJ: Ferric reducing/antioxidant power assay: Direct measure of total antioxidant activity of biological fluids and modified version of simultaneous measurement of total antioxidant power and ascorbic acid concentration. Methods Enzymol.1999;299:15-18.
68. Benzie IF. Evolution of dietary antioxidants. Comp Biochem Physiol. 2003;136:113-26.

69. Bhalla S, Verma M. and Rawal S: Invitro Antioxidant Activity of the Methanolic Extract of *Aegle Marmelos* Leaf, International Journal of Natural Product Science. 2012;Spl Issue1:185-190.
70. Bhansali A, Dhandania VK, Deepa M, Anjana RM, Joshi SR, Joshi PP et al., Madhu SV, Rao PV, Subashini R, Sudha V, Unnikrishnan R, Das AK, Shukla DK, Kaur T, Mohan V, Pradeepa R. Prevalence of and risk factors for hypertension in urban and rural India: the ICMR-INDIAB study. J Hum Hypertens.2015;29(3):204-209.
71. Bhatti R., Singh J., Saxena A.K., Suri N. and Ishar M.P.S. Pharmacognostic standardisation and antiproliferative activity of (L.) Correa leaves in various human cancer cell lines. Ind J Pharm Sci.2013;75(6):628-634.
72. Bhavpriya V and Govindasamy S. Biochemical impact on the hypoglycemic effect of *A. marmelos* in streptozotocin induced diabetes rats. Indian Drugs.2000;37:474-77.
73. Bhushan MS, Rao CHV, Ojha SK, Vijayakumar M, Verma A. An analytical review of plants for anti diabetic activity with their phytoconstituent & mechanism of action. Int J Pharm Sci Res.2010;1(1):29-46.
74. Blois MS. Antioxidant determinations by the use of a stable free radical. Nature. 1958;181:1199-1150.
75. Boden G, Chen X, Ruiz J, van Rossum GD, Turco S. Effects of vanadyl sulfate on carbohydrate and lipid metabolism in patients with noninsulin dependent diabetes mellitus. Metabolism.1996;45:1130–5.
76. Bolen S, Feldman L, Vassy J, Wilson L, Yeh HC, Marinopoulos S, Wiley C, Selvin E, Wilson R, Bass EB, Brancati FL. Systematic review: comparative effectiveness and safety of oral medications for type 2 diabetes mellitus. Ann Intern Med.2007; 147(6):386-99.
77. Borde VU, Pangrikar PP, Wadikar MS, Tekale SU. Extraction and thin layer chromatography of alkaloids from bael (*Aegle marmelos*) leaves. J Ecobiotechnol. 2011;3:1-4.
78. Braca A, Sortino C, Politi M, Morelli I, Mendez J. Antioxidant Activity of flavonoids from *Licania licaniae* flora. J Ethnopharmacol.2002;79:379-381.

79. Brahmachari PV and Reddy K. Phytochemical examination, Antioxidant and radical scavenging activity of *Aegle Marmelos* (L.) Correa extracts. J Pharm Res.2010;3(12): 3023-3025.
80. Brand-Miller J1, Hayne S, Petocz P, Colagiuri S. Low-glycemic index diets in the management of diabetes: a meta-analysis of randomized controlled trials. Diabetes Care.2003;26(8):2261-7.
81. Brand-Williams W, Cuvelier ME, Berset C . Use of free radical method to evaluate antioxidant activity. Lebensen Wiss Technology.1995;28:25-30.
82. Brinkworth GD, Noakes M, Parker B, Foster P, Clifton PM. Low-fat diet, rather than a conventional weight-loss diet, in obese adults with type 2 diabetes: one-year follow-up of a randomised trial.2004;47(10):1677-1686.
83. Brown CD, Higgins M, Donato KA, Rohde FC, Garrison R, Obarzanek E, Ernst ND, Horan M. Body mass index and the prevalence of hypertension and dyslipidemia. Obes Res.2000;8(9):605-611.
84. Budhe PD, Sharma LK, Sharma BN, Pandey VK. Some significant medicinal uses of palash and lata palash. Bulletin of Medico-Ethno-Botanical Res.1996;17(3-4):107-113.
85. Burroughs TE, Pontious SL, Santiago JV: The intercorrelates of psychosocial domains and metabolic control in adolescents with IDDM. Diabetes Educ.1993; 19:396-402.
86. Cao G, Russell RM, Lischner N, Prior RL. Serum antioxidant capacity is increased by consumption of strawberries, spinach, red wine or vitamin C in elderly women. J Nutr.1998;128(12):2383-2390.
87. Ceriello A, "Oxidative stress and diabetes-associated complications," Endocrine Practice.2006;12(1):60-62.
88. Chakrabarti B, Mallick C, Bhattacharya S. Studies on the effect of green leaves of *Aegle marmelos* and *piper nigrum* on the glucose and cholesterol levels of blood in diabetes mellitus. Ind. Med. Forum.1960;9:285-290.
89. Chakravarti R.N., Dasgupta B. γ -Sitosterol from the leaves of *Aegle marmelos* Correa. J. Proc. Inst. Chem.1958;30:208-214.
90. Chakravarti RN, Chakravarti DS, Itty MI. Crystalline saponin from *gymnema sylvestre*. Bulletin Calcutta Sch Trop Med.1996;14:126-130.

91. Chakravarty and Kalita. An Investigation on Anti Diabetic Medicinal Plants used by Villagers in Nalbari District of Assam. IJPSR.2012;3(6):1693-1697.
92. Chakravarty S, Mohanty A, Sudha TN, Upadhyay AK, Konar J. Removal of Pb(II) ions from aqueous solution by adsorption using bael leaves (*Aegle marmelos*). J Haz Mat.2010;173:502-509.
93. Chanda R, Ghosh A, Mitra T, Mohanty JP, Bhuyan N, Pawankar G. Phytochemical and pharmacological activity of *Aegle marmelos* as a potential medicinal plant: An overview. The Internet J Pharm.2008;12(2):62-69.
94. Chanda S and Dave R. In Vitro models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: An Overview. African Journal of Microbiology Research.2009;3(13):981-996.
95. Chandalia M, Abate N, Garg A, Stray-Gundersen J, Grundy SM. Relationship between generalized and upper body obesity to insulin resistance in Asian Indian men. J Clin Endocrinol Metab.1999;84:2329-2335.
96. Chandalia Manisha, Garg Abhimanyu, Lutjohann Dieter., Bergmann Klaus von. Beneficial Effects of High Dietary Fiber Intake in Patients with Type 2 Diabetes Mellitus, N Engl J Med.2000;342:1392-1398.
97. Chandola HM, Tripathi SN, Udupa KN. Hypoglycemic response of Cinnamomum tamala in patients of maturity onset (NIDDM) diabetes. J Res Ayurv Sidha.1980;1(2) :275-90.
98. Chandorkar S and Shah Anthropometric Indices, Lipid Profile and hs CRP Levels in Adults (25-60 Years) in an Urban Setting International Journal of Applied Biology and pharmaceutical Technology.2011;2(3):424-430.
99. Chandra K, Pandey B.N and Pandey P. Ethanobotany of Santhal Pargana district Dumka (Bihar) Bull. Med. Ethanobot Res.1987;8:134-146.
100. Chandra Prakash Kala. Traditional Ecological Knowledge, Sacred Groves and Conservation of Biodiversity in the Pachmarhi Biosphere Reserve of India. Scientific Research.2011;2(7):65-72.
101. Charaka-Samhita, (Ed.) G.S. Pandeya, Chowkhamba Sanaskrit Sansthan, Varanasi, 1983.
102. Chen W, Bergerot I, Elliott JF, Harrison LC, Abiru N, Eisenbarth GS, Delovitch TL. Evidence that a peptide spanning the B-C junction of proinsulin is an early

- autoantigen epitope in the pathogenesis of type 1 diabetes. *J Immunol.* 2001;167: 4926-4935.
103. Chopra R.N.; Indigenous Drugs of India; Academic Publishers, Calcutta, 1982.
104. Chopra RN, Chopra IC. A review of work on Indian medical plants, ICMR, New Delhi, 1955.
105. Choudhary Mahendra Singh and Upadhyay Ravi. A study on indigenous herbal remedies used to cure jaundice by tribals from central Narmada valley of Madhya Pradesh Life Sciences leaflets. 2012;1:1-5.
106. Chow CK, Raju PK, Raju R, Reddy KS, Cardona M, Celermajer DS, Neal BC. The prevalence and management of diabetes in rural India. *Diabetes Care.* 2006;29:1717-1718.
107. Chowdhury TA, Lasker SS. Complications and cardiovascular risk factors in South Asians and Europeans with early-onset type 2 diabetes. *QJM.* 2002;95(4):241-246.
108. Cohen N, Halberstam M, Shlimovich P, Chang CJ, Shamoon H, Rossetti L. Oral vanadyl sulfate improves hepatic and peripheral insulin sensitivity in patients with non-insulin-dependent diabetes mellitus. *J Clin Invest.* 1995;95:2501-2509.
109. Cragg, G.M., Newman and Snader DJ. Drugs used in orthodox medicine. *J. Nat. Prod.* 1997;60:52-60.
110. Dama GY and Tare H L. Comparative cardiotonic activity *aegle marmelos* juice with digoxin on isolated frog heart. *Int J. Drug Develop Res.* 2010;4:806-809.
111. Dani S, Vadivale, Joshi S and Saboo B. The Screening India's Twin Epidemic: Study design and methodology (SITE-1). *Indian J Endocrinol Metab.* 2011;15:389-394.
112. Daniel M. Medicinal Plants-Chemistry and properties of Medicinal Plants, IBH publication; 2006: 147.
113. Das AV, Padayatti PS, Paulose CS. Effect of leaf extract of *Aegle Marmelos* (L.) Correa ex Roxb. on histological and ultra structural changes in tissues of streptozotocin induced diabetic rats. *Indian J Exp Biol.* 1996;34(4):341-345.
114. Das S and Chaudhary M. Ethnomedicinal uses of some traditional medicinal plants found in Tripura, India. *Journal of Medicinal Plants Research.* 2012;6(35):4908-4914.
115. Das UK, Maiti R, Jana D, Ghosh D. Effect of aqueous extract of leaf of *Aegle marmelos* on testicular activities in rats. *Iran J Pharmacol Ther.* 2006;5:21-25.

116. Day AP, Kemp HJ, Bolton C, Hartog M, Stansbie D. Effect of concentrated red grape juice consumption on serum antioxidant capacity and low-density lipoprotein oxidation. *Ann Nutr Metab.*1997;41(6):353-357.
 117. DeFronzo RA, Bonadonna RC, Ferrannini E. Pathogenesis of NIDDM. A balanced overview. *Diabetes Care.*1992;15(3):318-368.
 118. DeFronzo RA, Abdul-Ghani M. Type 2 diabetes can be prevented with early pharmacological intervention. *Diabetes Care.*2011;34(2):202-209.
 119. Demmig-Adams B, Adams WW. Antioxidants in photosynthesis and human nutrition. *Science.*2002;298:2149-2153.
 120. Deshmukh VK. Isolation of a hypoglycemic principle from the bark of *Ficus bengalensis*. *Ind J Physio and Pharmacol.*1960;4:182-188.
 121. Devi K. et al., Hypolipidemic effect of *Aegle marmelos* leaf extract in streptozotocin (stz) induced diabetic male albino rats. *International Journal of Pharm Tech Research.* 2010;2(1):259-265.
 122. Devi P. Assam University Journal of Science & Technology : Biological and Environmental Sciences.2011;7(I):23-30.
 123. Dhan P, Upadhyay G, Pushpangadan P, Gupta C. Antioxidant and free radical scavenging activities of some fruits. *J Compl Integ Med.*2011;8:30-35.
 124. Dhandapani R and Sabna B: Phytochemical constituents of some medicinal plants *Anc Sci Life.*2008;27(4):1-8.
 125. Dhankar S. *Aegle Marmelos (Linn.) Correa*: A Source of Phytomedicine. *J Medi Plants Res.*2010;5(9):1497-1507.
 126. Dhankhar S, Ruhil S, Balhara M, Dhankhar S, Chhillar AK. *Aegle marmelos* (Linn.) Correa: A potential source of Phytomedicine. *J. Med. Plants Res.*2011;5(9):1497-1507.
 127. Dhiman AK. Discussion of plants, sacred plants and their medicinal uses. New Delhi, Daya Publication House: 18-19, 2003.
 128. Dhuley JN. Investigation on the gastroprotective and antidiarrhoeal properties of *Aegle marmelos* unripe fruit extract. *Hindustan Antibiot Bull.*2003;45:41-46.
 129. Diabetes Prevention Program Research Group: Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med.*2002;346:393-403.
-

- 130.** Diabetes Prevention Program Research Group: The Diabetes Prevention Program: design and methods for a clinical trial in the prevention of type 2 diabetes. *Diabetes Care.*1999;22:623-634.
- 131.** Digiesi, M. Lenuzza S, and Digiesi G, "Prospects for the use of antioxidant therapy in hypertension," *Annali Italiani di Medicina Interna.*2001;16(2):93-100.
- 132.** Dubois M., Giller K. A., Rebers P. A. and Smith F. Colorimetric method for determination of sugars and related substances. *Anal. Chem.*1956;28:350-356.
- 133.** Duke JA. *Handbook of biologically active phytochemicals and their activities* (CRC press), 1992.
- 134.** Eddouks M, Lemhadri A and Michel JB: Caraway & caper potential antihyperglycemic plants in diabetic rats. *Journal of Ethnopharmacology.*2004; 94(1):143-148.
- 135.** Ekoé M, Zimmet P, Williams R. The Epidemiology of Diabetes Mellitus: An International Perspective. *International Journal of Epidemiology.*2001;31(4):878-885.
- 136.** Esmaeili MA, Yazdanparast R. Hypoglycaemic effect of Teucrium polium: studies with rat pancreatic islets. *J Ethnopharmacol.*2004;95(1):27-30.
- 137.** Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults. Executive Summary of The Third Report of The National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, And Treatment of High Blood Cholesterol In Adults (Adult Treatment Panel III). *JAMA.*2001 ;285(19):2486-2497.
- 138.** FAO/WHO. Food additives and contaminants, Joint Codex Alimentarius Commission, FAO/WHO. Food standards Programme, ALINORM 01/12A., 2001.
- 139.** Farjou I.B., Al-Anna M. and Guirgues S.Y., Lowering of blood glucose in diabetic rabbits by Artemisia extract, *J. Faculty of Medicine, Baghdad.*1987;92:137-141.
- 140.** Farooq S. Medicinal Plants. Field and laboratory manual, International book distributors, Dehradun. 40-42, 2005.
- 141.** Franz Marion J, Meta-Analysis of Low-Glycemic Index Diets in the Management of Diabetes. *Diabetes Care* ; 2003; 3364-3365.
- 142.** Gandek B, Sinclair SJ, Kosinski M, Ware JE., Jr Psychometric evaluation of the SF-36 health survey in Medicare managed care. *Health Care Financ Rev.*; 2004;25:5–25.

143. Gannon M, Nuttall Q, Saeed A, Jordan K, and Hoover H. An increase in dietary protein improves the blood glucose response in persons with type 2 diabetes. *Am J Clin Nutr.*2003;78(4):734-741.
144. Garg S.N, Siddiqui M.S, and Agarwal S.K: *J Essential Oil Research.*1995;7:283-286.
145. Gaur RD. Flora of the district Garhwal North West, Trans Media, Srinagar Garhwal: 1999: 811.
146. Gavimath C.C, Ramachandra Y.L., Rai S.P., Sudeep H.V., Ganapathy P.S.S., Kavitha B.T. 2008. *Asian Journal of Bio Science.*2008;3:333-336.
147. Geetha T and Varalakshmi P. Antimalarial activity of lupeol and lupeol linoleate in rats. *J Ethnopharmacol.*2001;32:76-82.
148. Gendler S., Kaplan L.A. and pesce. A.J., Eds. Mosby C.V. In *Clinical Chemistry Theory, Analysis and co-relating Proteins* Toronto, 1984, P1268-1327.
149. Ghalap S and Kar A. Effect of *Innula racemosa* root and *Gymnema sylvestre* leaf extract in the regulation of corticosteroid induced diabetes mellitus: involvement of thyroid hormone. *Pharmazie.*2003;58:413-415.
150. Ghiselli A, Natella F, Guidi A, Montanari L, Fantozzi P, Scaccini C. Beer increases plasma antioxidant capacity in humans *J Nutr Biochem.*2000;11(2):76-80.
151. Ghosh A. A preliminary report on the ethanobotanical survey of Cooch Bihar district, West Bengal. *J Bengal Nat Hist Soc.*1986;5:69-73.
152. Goldfine AB, Patti ME, Zuberi L, Goldstein BJ, LeBlanc R, Landaker EJ, Jiang ZY, Willsky GR, Kahn CR. Metabolic effects of vanadyl sulfate in humans with non-insulin-dependent diabetes mellitus: in vivo and in vitro studies. *Metabolism.* 2000;49:400-410.
153. Government of India Department of Ayurveda, Yoga & Naturopathy, Unani, Siddha & Homoeopathy (AYUSH) The Ayurvedic Pharmacopoeia of India, Part I. 1st edition. Vol. 5. New Delhi, India: The Controller of Publications; 2006. Mesasrngi; pp. 110-114.
154. Govindachari, TR; Premila MS. "Some alkaloids from *Aegle marmelos*.". *Phytochem.* 1983;22(3):755-757.

- 155.** Graham JE, Stoebner-May DG, Ostir GV, Al Snihi S, Peek MK, Markides K, et al. Health related quality of life in older Mexican Americans with diabetes: A cross-sectional study. *Health Qual Life Outcomes*.2007;5:39-45.
- 156.** Gress T Nieto FJ, Shahar E, Wofford MR, Brancati FL. Hypertension and antihypertensive therapy as risk factors for type 2 diabetes mellitus. *Atherosclerosis Risk in Communities Study*. *N Engl J Med*.2000;342(13):905-912.
- 157.** Griendling KK, Fitzgerald GA. Oxidative stress and cardiovascular injury: part II: animal and human studies. *Circulation*.2003;108:2034-2040.
- 158.** Grover JK, Yadav S, Vats V. Medicinal plants of India with anti-diabetic potential. *J Ethnopharmacol*.2002;81(1):81-100.
- 159.** Gupta A K and Tandon N. Reviews On Indian Medicinal Plants. Volume I (Indian Council Of Medicinal Research, New Delhi) 2004, 312.
- 160.** Gupta A, Gupta R, Sarna M, Rastogi S, Gupta VP, Kothari K. Prevalence of diabetes, impaired fasting glucose and insulin resistance syndrome in an urban Indian population. *Diabetes Res Clin Pract*.2003;61:69-76.
- 161.** Gupta A, Gupta R, Lal B. Effect of Trigonella foenum-graecum (fenugreek) seeds on glycaemic control and insulin resistance in type 2 diabetes mellitus: a double blind placebo controlled study. *J Assoc Physicians India*.2001;49:1057-1061.
- 162.** Gupta LN, Jha CB, Sharma RK. Bilva, chemical constituents and medicinal properties. *Sacchitra Ayurveda*.2006;23:290-294.
- 163.** Gupta R, Bajpai K.G., John S. and Saxena A.M: An overview of Indian novel traditional medicinal plants with antidiabetic potentials. *African J Trad Comp Alt Med*.2008;5(1):1-17.
- 164.** Gupta R, Gupta VP. Urban-rural differences in coronary risk factors do not fully explain greater urban coronary heart disease prevalence. *J Assoc Physicians India*. 1997;45:683-686.
- 165.** Gupta R, Kaul V, Bhagat N, Agrawal M, Gupta VP, Misra A, Vikram NK. Trends in prevalence of coronary risk factors in an urban Indian population: Jaipur Heart Watch-4. *Indian Heart J*.2007;59(4):346-353.
- 166.** Gupta RC, Sharma V, Sharma N, Kumar N, Singh B. In vitro antioxidant activity from leaves of *Oroxylum indicum* (L.) Vent. - A North Indian highly threatened and vulnerable medicinal plant. *Journal of Pharmacy Research*.2008;1(1):65-72.

- 167.** Gupta SS, Variyar MC. Experimental studies on pituitary diabetes, Part IV, effect of Gymnema sylvestre and Coccinia indica W and A against hypoglycemic response of somatotropin and corticotrophin hormones. *Ind J Med Res.*1964;52:200-204.
- 168.** Gupta SS. Effect of gymnema sylvestre and pterocarpus marsupium on glucose tolerance in albino rats. *Ind J Med Res.*1983;7:501-506.
- 169.** Gupta R, Sharma KK, Gupta BK. Education status related disparities in awareness, treatment and control of cardiovascular risk factors in India. *BMJ Heart Asia.*2015;7:1–6.
- 170.** Halberstam M, Cohen N, Shlimovich P, Rossetti L, Shamoon H. Oral vanadyl sulfate improves insulin sensitivity in NIDDM but not in obese nondiabetic subjects. *Diabetes.*1996;45:659–666.
- 171.** Halvorsen BL, Holte K, Myhrstad MCW, Barikmo I, Hvattum E, Remberg SF, et al. A systematic screening of total antioxidants in dietary plants. *J. Nutr.*2002;132:461-471.
- 172.** Harder T, Rodekamp E, Schellong K, Joachim W. and Plagemann D. Birth Weight and Subsequent Risk of Type 2 Diabetes: A Meta-Analysis, *American Jnl of Epidemiology.*2006;165(8):849-857.
- 173.** Hema C.G., Lalithakumari K., “Screening of Pharmacological actions of *Aegle marmelos*”, *Indian Journal of Pharmacology.*1999;20(2):80-85.
- 174.** Heyliger C.E., Tahiliani A.G., and McNeill J.H., Effect of vanadate on elevated bloodglucose and depressed cardiac performance of diabetic rats, *Science.*1985;227: 1474-1479.
- 175.** Higashi Y, Sasaki S, Nakagawa K, Matsuura H, Oshima T, and Chayama K, “Endothelial function and oxidative stress in renovascular hypertension,” *The New England Journal of Medicine.*2002;346(25):1954-1962.
- 176.** Hill-Briggs F, Gary TL, Hill MN, Bone LR, Brancatti FL. Health related quality of life in urban African-Americans with type 2 diabetes mellitus. *J Gen Intern Med.* 2002;17:412-419.
- 177.** Hodgson JM, Watts GF, Playford DA, Burke V, Croft KD. Coenzyme Q10 improves blood pressure and glycaemic control: a controlled trial in subjects with type 2 diabetes. *Eur J Clin Nutr.*2002;56:1137-1142.

178. Hoskote SS, Joshi SR. Are Indians Destined to be Diabetic? Journal of Associations of Physicians of India.2008;56:225-226.
179. Hossein et al. American-Eurasian Journal of Sustainable Agriculture.2012;6(4):281-291.
180. Hsia SH, Bazargan M, Davidson MB. Effect of Pancrease Tonic (an Ayurvedic herbal supplement) in type 2 diabetes mellitus. Metabolism.2004;53(9): 1166-1173.
181. Hu FB, Stampfer MJ, Solomon C, Liu S, Colditz GA, Speizer FE, Willett WC, Manson JE. Physical activity and risk for cardiovascular events in diabetic women. Ann Intern Med.2001;134:96-105.
182. Huizinga M M, Rothman R L . Addressing the diabetes pandemic: A comprehensive approach. Indian J. Med. Res.2006;124:481-484.
183. Ismail M, Yaheya M. Clinical evaluation of antidiabetic activity of Trigonella seeds and *Aegle marmelos* leaves. World Applied Sciences Journal.2009;7(10):1231-1234.
184. Iyer U and Mani U. Studies on the effect of curry leaves supplementation (*Murraya koenigi*) on lipid profile, glycated proteins and amino acids in non-insulin-dependent diabetic patient. Plant Foods for Human Nutrition.1990;40(4):275-282.
185. Iyer U, Dhruv S., Elayath N and Khalsa A. Development, acceptability, physico-chemical properties and tolerance studies on an antioxidant rich health drink enriched with wheatgrass (*triticum aestivum* grass) and indian gooseberry (*emblica officinalis*). Inveni Impact: Nutraceuticals.2011;3:120-123.
186. Iyer U, Elayath N and Desai P. Comparative Prevalence Of Non-Communicable Diseases In The Adult Population Of Vadodara And Godhra In Gujarat And Determinants Of Diabetes Mellitus In The Population. IJABPT.2001;2(1):346-352.
187. Iyer U, Joshi A and Dhruv S. Impact of Amla (*Embilica Officinalis*) supplementation on the glycemic and lipidemic status of type 2 diabetes mellitus diabetic subjects. J Herbal Med Toxicol.2009;3:15-21.
188. Iyer U, Pandit N and Venugopal S. Garden Cress Seeds (*Lepidium sativum*) Khakhra as a Functional Food in the Management of Type 2 Diabetes Mellitus. Souvenir of the National seminar on Functional Foods: 2005 M.Sc Dissertation work, Department of Foods and Nutrition, M.S. University, Vadodara, Gujarat.
189. Iyer U, Sharma M, Dhruv S, Mani UV. Glycemic and Lipemic reponse of wheat grass incorporated recipes. Journal of Herbal Medicine and Toxicology.2010;4(1):161-164.

190. Iyer UM, Mani V, Parikh P, Sadliwala A. Effect of spirulina supplementation on blood hemoglobin levels of anemic girls. Journal of Food Science and Technology.2000;37:642-647.
191. Iyer UM, Mehta NC, Mani I and Mani UV. Studies on the effect of sundakai (*Solanum torvum*) powder supplementation on lipid profile, glycated proteins and amino acids in NIDDM patients. Plant Fd Hum Nutr.1992;42:175-182.
192. Iyer UM, Parikh PM, Mani U. Role of spirulina in control of glycemia and lipedema in type 2 diabetes mellitus. J Med Food.2001;4:193–199.
193. Iyer UM, Sophia A, Mani UV. Glycemic and lipemic responses of selected spirulina supplemented rice-based recipes in normal subjects. Int J Diab Dev Countries.1999; 19:120-126.
194. Iyer Uma, Desai Pallavi, Venugopal Shonima. Impact of Panchratna juice in the management of diabetes mellitus: Fresh vs. processed product. International Journal of Green Pharmacy.2008;4(2):122-128.
195. Jacob S, Streeper RS, Fogt DL, Hokama JY, Tritschler HJ, Dietze GJ, Henriksen EJ.. The antioxidant alpha-lipoic acid enhances insulin-stimulated glucose metabolism in insulin-resistant rat skeletal muscle. Diabetes.1996;45(8):1024-1029.
196. Jagetia G C, Venkatesh P and Baliga M S, *Aegle marmelos* (L.) Correa inhibits the proliferation of transplanted Ehrlich ascites carcinoma in mice. Biol Pharm Bull. 2005;28:58-63.
197. Jagetia G, Venkatesh P, Baliga M. Evaluation of the radioprotective effect of bael leaf (*Aegle marmelos*) extract in mice. Int J Radiat Biol.2004;80(4):281-290.
198. Jagetia GC and Venkatesh P. Radioprotection by oral administration of *Aegle marmelos* (L.) Correa in vivo. J. Environ. Pathol. Toxicol. Oncol.2005;24:315-332.
199. Jagetia GC, Venkatesh P, Baliga MS. *Aegle marmelos* (L.) Correa inhibits proliferation of transplanted ehrlrich ascites carcinoma in mice. Biol Pharm Bull. 2005;28:58-64.
200. Jagetia GC, Venkatesh P, Baliga MS. Fruit extract of *Aegle marmelos* protects mice against radiation-induced lethality. Integr. Cancer Ther.2004;3:323-327.
201. Jagetia GC, Venkatesh P, Baliga. Evaluation of the radioprotective effect of *Aegle marmelos* (L.) Correa in cultured human peripheral blood lymphocytes exposed

- to different doses of γ - radiation: a micronucleus study. Mutagenesis. 2003;18(4):387-393.
202. Jain N.K. Anti-fungal activity of essential oil of *Aegle marmelos* Correa (Rutaceae). Ind Drugs Pharmaceut Ind.1977;12:55-60.
203. Jain S K. Dictionary of Indian folk medicine and Ethanobotany, Deep Publications, New Delhi: 1991.
204. Jain SK. Medicinal Plants. National Book Trust, New Delhi, India, 1968.
205. Janarthanan U., Varadharajan V. and, Krishnamurthy V. Phytonutrients in *aegle marmelos* (L.) Leaves World journal of pharmacy and pharmaceutical sciences.2012; 1(2):799-809.
206. Janarthanan U., Varadharajan V. and Krishnamurthy V. Physicochemical Evaluation, Phytochemical Screening and Chromatographic Fingerprint profile of Aegle marmelos (L.) Leaf extracts. World Journal of Pharmaceutical Research.2012;1(3): 813-837.
207. Jayanthi P, Lalitha P. reducing power of the solvent extracts of *Eichhornia crassipes* (Mart.) Solms. Int J Pharm Pharm Sci.2011;3(3):126-128.
208. Jia W., Gao W.J., and Xiao P.G., Anti-diabetic drugs of plant origin used in China, Composition, pharmacology, and hypoglycemic mechanisms.2003;28:108-113.
209. Jiang L, Beals J, Whitesell NR, Roubideaux Y, Manson SM. AI-SUPERPFP Team. Health-related quality of life and help seeking among American Indians with diabetes and hypertension. Qual Life Res.2009;18:709-718.
210. Joglekar GV. Further studies on *ficus bengalensis* Linn. I toxicity tests. Ind J Med Res.1962;50:747-752.
211. Joshi A, Bhugra P, Lakhani J, Desai S. "Body mass index and central obesity in Hypertensive patients." Guj Med Jr.2004;61(3):33-36.
212. Joshi CG and Magar NG. Antibiotic activity of some Indian medicinal plants, J Sci Ind Res.1952;11B:261-270.
213. Joshi M.C and Mehta P.J. Some folk medicines of Dangs, Gujarat state. Bull Med Ethanobot res. 1, 8-24.
214. Joshi, S.R. and Parikh, R.M. India - diabetes capital of the world: now heading towards hypertension. J. Assoc. Physicians India.2007;55:323-324.

- 215.** Jouard H., Eddouks M., Lacaille-Dubois M.A. and Lyoussi B., Hypoglycemic effect of the water extracts of *Spergularia purpurea* in normal and streptozotocin-induced diabetes rats, *J. Ethnopharmacol.*2000;71:169-177.
- 216.** Jungner I, Sniderman AD, Furberg C, Aastveit AH, Holme I, Walldius G. Does low-density lipoprotein size add to atherogenic particle number in predicting the risk of fatal myocardial infarction? *Am J Cardiol.*2006;97(7):943-946.
- 217.** Kahn SE. The relative contributions of insulin resistance and beta-cell dysfunction to the pathophysiology of type 2 diabetes. *Diabetologia.*2003;46:3-19.
- 218.** Kakiuchi N. Effects of constituents of bael on spontaneous beating and calcium paradox of myocardial cells. *Plant Medica.*1991;57(1):43-46.
- 219.** Kamalakkanan N, Rajadurai M, Prince PS. Effect of *Aegle marmelos* fruits on normal and Streptozotocin diabetic Wistar rats. *J. Med. Food.*2003;6:93-96.
- 220.** Kamalakkannan N, Prince PSM. Antihyperlipidaemic effect of *Aegle marmelos* fruit extract in streptozotocin-induced diabetes in rats. *Journal of the Science of Food and Agriculture.*2005;85:569-73.
- 221.** Kamalakkannan N, Stanely M, Prince PS. Effect of *Aegle marmelos* Correa (Bael) fruit extract on tissue antioxidants in Streptozotocin diabetic rats. *Indian J. Exp. Biol.* 2003;41:1285-1288.
- 222.** Kamalakkannan, N, and Prince, P S. Hypoglycaemic effect of water extracts of *Aegle marmelos* fruits in streptozotocin diabetic rats. *J. Ethnopharmacol.*2003;87:207-210.
- 223.** Kamble SM, Jyotishi GS, Kamalakar PL, Vaidya SM. Efficacy of *Coccina indica* W and A in diabetes mellitus. *J Res Ayur Sidha.*1996;17(1-2):77-84.
- 224.** Kamble, SM; Kamlakar, PL; Vaidya, S and Bambole, VD, "Influence of *Coccinia indica* on certain enzymes in glycolytic and lipolytic pathway in human diabetes", *Indian journal of medical sciences.*1998;52(4):143-146.
- 225.** Kapur A. Economic analysis of diabetes care. *Indian J Med Res.*2007;125:473-482.
- 226.** Kar A, Choudhary B.K and Bandyopadhyay N.G. Comparative evaluation of hypoglycaemic activity of some Indian medicinal plants in alloxan diabetic rats. *J Ethnopharmacol.*2003;84:105-108.
- 227.** Kar A, Panda S, Bharti S. Relative efficacy of three medicinal plant extracts in the alteration of thyroid hormone concentration in male mice. *J. Ethnopharmacol.*2003; 84:105-108.

- 228.** Karunanayake E. H., Welihinda J., Sirimanne S. R. and Sinnadorai G. (1984), "Oral hypoglycemic activity of some medicinal plants of Sri Lanka" *J Ethnopharmacol.* 1984;11:223-231.
- 229.** Kaur C. and Kapoor H C. Antioxidants in fruits and vegetables the millenium's health. *International Journal of Food Science and Technology.*2000;36:703-725.
- 230.** Kaur H. P., Garg S. N., Sashidhara K. V., Yadav A., Naqvi A. A. and Khanuja S. P. S: Chemical composition of the essential oil of the twigs and leaves of *Aegle marmelos* (L.) Correa *The Journal of essential oil* 2006;18: 288-289.
- 231.** Kaushik P and Dhiman A Medicinal plants and raw drugs of India. pp149-151.published in Dehradun. 2005.
- 232.** Kavikumar S, Ilango R, Gupta M, Majumdar UK. Hypoglycemic action of momordica charantia in normal and diabetic mice. *Ancient Sc Life.*1997;17(1):32-35.
- 233.** Kay CD, Holub BJ. The effect of wild blueberry (*Vaccinium angustifolium*) consumption on postprandial serum antioxidant status in human subjects., *J Nutr.*.2002;88(4):389-398.
- 234.** Kazi T. G., Afzidi H. I., Kazi N., et al. Copper, chromium, manganese, iron, nickel, and zinc levels in biological samples of diabetes mellitus patients. *Biological Trace Element Research.*2008;122(1):1-18.
- 235.** Kesari AN, Gupta RK, Singh SKR, Diwakar S, Watal G Hypoglycemic and antihyperglycemic activity of *Aegle marmelos* seed extract in normal and diabetic rats. *J Ethno.*2006;107(3):11374-11379.
- 236.** Kettawan et al., Antioxidant and antiplasmodial activities of *curcuma longa* and *aegle marmelos* on malaria infeced mice (in vitro and in vivo). *Siriraj Med J.*2012;64(1): 78-81.
- 237.** Khalaf NA, Shakya Ashok K, Othman Atif Al, Farah Husni. Antioxidant activity of some common plants. *Turkish Journal of Biology.*2008;32(1):51-55.
- 238.** Khan AK; Akhtar, S and Mahtab H, "Treatment of diabetes mellitus with *Coccinia indica*", *British medical journal.*1980;280(6220):1044-1051.
- 239.** Khan Alam, Safdar Mahpara, Khan Mohammad, Khan Nawaz, and Anderson Richard, Cinnamon Improves Glucose and Lipids of People With Type 2 Diabetes. *DiabetesCare.*2003;26(12):3215-3218.

- 240.** Khan I., Ali J., Tullah H. Heavy metals determination in medicinal plant *Withania somnifera* growing in various areas of peshawar, NWFP, Pakistan. Journal of the Chemical Society of Pakistan.2008;30(1):69-74.
- 241.** Khan MA, Ahmad I, Rahman I. Effect of environmental pollution on heavy metals content of *Withania somnifera*. Journal of the Chinese Chemical Society.2007;54:339-43.
- 242.** Khan SA, Ahmad I And Mohatir N.S. Evaluation of mineral contents of some edible medicinal plants. Pak J Pharm Sci.2006;19(2):148-152.
- 243.** Khare AK, Tondon RN, Tewari JP. Hypoglycemic activity of an indigenous drug : *gymnema sylvestre* in normal and diabetic persons. Ind J Physiol Pharmacol.2004;27(3):257-258.
- 244.** Khokhani K., Ram V, Bhatt J, Khatri T, Joshi H. International Journal of ChemTech Research (IJCTR).2012;4:389-392.
- 245.** Kim K, Kim HY. Korean red ginseng stimulates insulin release from isolated rat pancreatic islets. J Ethnopharmacol.2008;120(2):190-195.
- 246.** Knowler WC, Barrett-Connor E, Fowler SE, et al. Diabetes Prevention Program Research Group Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. N Engl J Med.2002;346(6):393-403.
- 247.** Kochhar A, Sharma N, Sachdeva R. Effect of supplementation of Tulsi (*Ocimum sanctum*) and Neem (*Azadirachtaindica*) Leaf Powder on Diabetic symptoms, anthropometric parameters and Blood pressure of Non Insulin Dependent Male Diabetics. Ethno-Med.2009;3(1):5-9.
- 248.** Kodama Satoru et al. Influence of Fat and Carbohydrate Proportions on the Metabolic Profile in Patients With Type 2 Diabetes: A Meta-Analysis Diabetes Care.2009; 32(5):959-965.
- 249.** Kohli KR, Singh RH. A clinical trial of in NIDDM. J Res Ayur Sidha.1993;14(3-4): 89-97.
- 250.** Kohli KR. A study of ‘kriyakala’ of diabetes mellitus and its treatment with an indigenous drug - eugena jambolana, MD (Ay.) Thesis IMS, BHU, Varanasi. 1983.
- 251.** Kohli KR. Clinical evaluation of a few herbal extracts in prameha vis-a-vis diabetes mellitus. Thesis submitted for Doctor of Philosophy in Ayurveda, to the University of Mumbai.1994.

252. Kolahdouz Mohammadi R, Hosseinzadeh-Attar MJ, Eshraghian MR, Nakhjavani M, Khorami E, Esteghamati A. The effect of coenzyme Q10 supplementation on metabolic status of type 2 diabetic patients. *Minerva Gastroenterol Dietol.*2013;59(2):231-236.
253. Koller A., Proteins, In Clinical Chemistry: Theory, Analysis and Co-relation, Kaplan L.A., Pesce A.J., Eds. C.V. Mosby, Toronto, 1984 P 1268-1327.
254. Koller D.Y., Halmerbauer G., Mueller J., Frischer T. & Schierl M. Major basic protein, but not eosinophil cationic protein or eosinophil protein X, is related to atopy in cystic fibrosis. *Allergy.*1999;54:1094-1099.
255. Kothari S Mishra V, Bharat S, Tonpay SD. Antimicrobial activity and phytochemical screening of serial extracts from leaves of *Aegle marmelos* (Linn.). *Acta Pol Pharm.* 2011;68(5):687-692.
256. Krauss RM, Eckel HR, Howard B, Appel LJ, Daniels SR, Deckelbaum RJ, Erdman JW, Kris-Etherton P, Goldberg IJ, Kotchen TA, Lichtenstein AH, Mitch WE, Mullis R, Robinson K, Wylie-Rosett J, Jeor SS, Suttie J, Tribble DL & Bazzarre TL: AHA dietary guidelines. Revision 2000: a statement for healthcare professionals from the Nutrition Committee of the American Heart Association. *Circulation* 102, 2284–2299.
257. Krishnan SH. A preliminary communication of the action of *Aegle marmelos* (Bael) on heart. *Ind J Med Res.*1968;56:327-331.
258. Kumar A., Kumar N, Sannd B.N. and Hakim A. The folk-lore medicines used by Gujjar and Bakarwal communities of Jammu region. *Bull Med Ethanobot Res.*1993; 14:98-104.
259. Kumar R., Kumar A., Prasad C.S., Dubey N.K., Samant R., Internet Journal of Food Safety.2008;10:39-49.
260. Kumar, A.; Goel, M.K.; Jain, R.B.; Khanna, P. and Chaudhary, V. (2013). India towards diabetes control: Key issues. *Australias Med. J.*2013;6(10):524-531.
261. Kurian JC. Plants that heal. Oriental Publishing House, 1992; p 26-27.
262. Kuriyan, Rebecca; Rajendran, Ramaswamy; Bantwal, Ganapathi; Kurpad, Anura V, “Effect of supplementation of *Coccinia cordifolia* extract on newly detected diabetic patients”, *Diabetes care.*2008;31(2):216-220.

- 263.** Lal BN, Chaudhary KD. Observation on *Momordica charantia* (Kavellaka) and Jamboo (*eugenia jambolana*) as antidiabetic remedies. *J Res Ind Med.*1968;2(2):161-164.
- 264.** Lambertini E, Piva R, Khan MT, Lampronti I, Bianchi N, Borgatti M and Gambari R. Effects of extracts from Bangladeshi medicinal plants on in vitro proliferation of human breast cancer cell lines and expression of estrogen receptor alpha gene, *Int J Oncol.*2004;24:419-424.
- 265.** Lambole V.B, Murti K., Kumar U., Sandipkumar P.B., Gajera V 2010 International Journal of Pharmaceutical Sciences Review and Research.2010;5:67-72.
- 266.** Lampronti D, Martello N, Bianchi M, Borgatti E, Lambertini R, Piva S, Jabbar M. In vitro antiproliferative effects on human tumor cell lines of extracts from the Bangladeshi medicinal plant *Aegle marmelos* Correa. *Phytomedicine.*2003; 10(4):300-308.
- 267.** Lanjhiyana, S; Patra KC; Ahirwar D; et al. "A validated HPTLC method for simultaneous estimation of two marker compounds in *Aegle marmelos* (L.) Corr., (Rutaceae) root bark.". *Der Pharm Lett.*2012;41:92-97.
- 268.** Larsson SC, Wolk A. Magnesium intake and risk of type 2 diabetes: a meta-analysis. *J Intern Med.*2007;262(2):208-214.
- 269.** Lee A, Thurnham DI, Chopra M. Consumption of tomato products with olive oil but not sunflower oil increases the antioxidant activity of plasma. *Free Radic Biol Med.* 2000;29(10):1051-1055.
- 270.** Lee WJ, Song KH, Noh JH, Choi YJ, Jo MW. Health-related quality of life using the EuroQol 5D questionnaire in Korean Patients with Type 2 Diabetes. *J Korean Med Sci.*2012;27:255-260.
- 271.** Li G, Zhang P, Wang J, Gregg EW, Yang W, Gong Q, Li H, Li H, Jiang Y, et al. The long-term effect of lifestyle interventions to prevent diabetes in the China Da Qing Diabetes Prevention Study: a 20-year follow-up study. *Lancet.*2008;371:1783-1789.
- 272.** Li WL, Zheng HC, Bukuru J, De N. Natural medicines used in the traditional Chinese medical system for therapy of diabetes mellitus. *J. Ethnopharm.*2004;92:1-5.
- 273.** Lindström J1, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, Uusitupa M, Tuomilehto J; Finnish Diabetes Prevention Study Group. The Finnish

- Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes care.*2003;26(12):3230-3236.
- 274.** Liu Y, Zhou D, , Zhang D, Chen Z, Zhao T, Zhang, Z., Ning, M ., Zhang, L. Yu,L., Xu H. Variants in *KCNQ1* are associated with susceptibility to type 2 diabetes in the population of mainland China. *Diabetologia.*2009;52(7):1315-1321.
- 275.** Lowry O. W., Rosebrough N. J., Farr A. C. and Randall R. J. "Protein measurements with folinphenol reagent". *J. Biol. Chem.*1951;193:255-257.
- 276.** Lowry O.W., Rosebrough N.J., FarrA.C. and Randall R.J.(1951)."Protein measurements with folin-phenol reagent". *J.Biol.Chem.*1951;193:255-257.
- 277.** Ludvik B, Neuffer B, Pacini G. Efficacy of Ipomoea batatas (Caiapo) on diabetes control in type 2 diabetic subjects treated with diet. *Diabetes Care.*2004;27(2):436-440.
- 278.** Mahapatra B. Hypoglycemic activity of coscinium fenestratus (gaertn) colber. *J Res Ayurv and Sidha.*1997;18(3):89-96.
- 279.** Maheshwari J.K, Singh K.K and Saha S. Ethanobotanical uses of plants by the Tharus of Kheri district, U.P.*Bull Med Ethanobot Res.*1980;1:318-337.
- 280.** Maity P, Hansda D., Bandyopadhyay and Mishra D.K. Biological Activity of crude extracts and chemical constituents of bael, *Aegle marmelos* (L.) Corr., Ind J Experimental Biology.2009;47:849-861.
- 281.** Majumdar SK. Alternative medicine: Complimentary to modern medicine. Everyman's Science. XL: 105-110.
- 282.** Malik C.P. and Singh S.P. Plantenzymology and histoenzymology. Kalyani Publishers, Ludhiana. 1980. pp54-56, 71-72.
- 283.** Malviya N, Jain S, Malviya S. Antidiabetic potential of medicinal plants. *Acta Pol Pharm.*2010;67(2):113-118.
- 284.** Malviya Rishabha, Kumar Ajay, Singh Anupama, Kulkarni GT "Pharmacological Screening, Ayurvedic values and Commercial Utility of *Aegle Marmelos*", *Int. J. Drug Dev. & Res.*2012;4(1):28-37.
- 285.** Manandhar MD, Shoeb A, Kapil RS, Popli SP. New alkaloids from *Aegle marmelos*. *Phytochemistry.*1978;17:1814-1815.

- 286.** Mani I and Mani UV. Effect of wheat bran supplementation on serum glycosylated proteins and serum lipid profile in maturity onset diabetic patients. Plant Fds Hum Nutr.1987;37:184-189.
- 287.** Mani U, Gujarati D. Mapping the prevalence of chronic degenerative diseases among free living adult population of urban Vidyanagar, M.Sc Dissertation thesis, Department of Foods and Nutrition, M.S. University of Baroda, Vadodara, 2002.
- 288.** Mani UV, Biswas M, Mani I & Nanda Kumar S. An Open Label study on the effect of Flax Seed powder (*Linum usitatissimum*) Supplementation in the Management of Diabetes Mellitus. Journal of Dietary Supplements. 2011;15:1-8.
- 289.** Mani UV, Desai S and Iyer UM. Studies on the long-term effect of spirulina supplementation on serum lipid profile and glycated proteins in NIDDM patients. J Nutraceuticals Functional Med Fds.2000;2(3):25-32.
- 290.** Mani UV, Iyer UM, Desai SA, & Mani IU . Spirulina and its therapeutic implication as a Food Product in Chapter 3 in Book on Spirulina in Human Nutrition & Health Ed. by M.E. Gershwin & Ambe Behla. CRC Press USA 51 -70. 2007.
- 291.** Marles R and Farnsworth NR. Antidiabetic plants and their active constituents. Phytomedicine.1995;2:137-189.
- 292.** Marles R, Farnsworth NR. Plants as sources of antidiabetic agents. In: Wagner H, Farnsworth NR, editors. Economic and Medicinal Plant Research. UK: Academic Press Ltd; 1994. p149–187.
- 293.** Matheka D and Alkizim F. Complementary and alternative medicine for type 2 diabetes mellitus: Role of medicinal herbs. Journal of Diabetes and Endocrinology. 2012;3(4):44-56.
- 294.** Mathur Garima : Nutritional Determinants of Non-Communicable Diseases in an Industrial Set up of Vadodara. M.Sc Dissertation work, Department of Foods and Nutrition, 2007; M.S. University, Vadodara, Gujarat.
- 295.** Maxwell SR. Prospects for the use of antioxidant therapies. Drugs.1995;49:345-361.
- 296.** McCord JM. The evolution of free radicals and oxidative stress. Am J Med. 2000;108:652-659.
- 297.** Md. Rafiqul islam khan, Md. Ariful islam, Md. Sarowar hossain , Md. Asaduzzaman, Mir imam ibne wahed, Bytul Mokaddesur rahman, Asm anisuzzaman, Maruf ahmed.

- Antidiabetic activity of partitionates of *Aegle marmelos* linn. (rutaceae) leaves ethanolic extracts in normal and alloxan induced diabetic rats. Journal of Pharmacy. 2012;2(5):12-18.
- 298.** Mehan M and Shah B. Risk factor profile of the non-communicable diseases among high income (18-65 year) free living population of urban Baroda. Unpublished dissertation thesis, Department of Foods and Nutrition, 2006. M.S. University of Baroda, Vadodara, India.
- 299.** Mehan MB, Srivastava N, Pandya H. Profile of non communicable disease risk factors in an industrial setting. J Postgrad Med.2006;52(3):167-171.
- 300.** Menon VU, Kumar KV, Gilchrist A, Sugathan TN, Sundaram KR, Nair V, Kumar H. Prevalence of known and undetected diabetes and associated risk factors in central Kerala–ADEPS. Diabetes Res Clin Pract. 2006;74:289–294.
- 301.** Meyer KA, Kushi LH, Jacobs Jr DR, Slavin J, Sellers TA & Folsom AR: Carbohydrates, dietary fiber, and incident type 2 diabetes in older women. Am. J. Clin. Nutr.2000;71:921-930.
- 302.** Mihucz V.G, Tatar E., Kmethyl B., Zaray G., and Cseh E., Investigation of transported heavy metal ions in xylem sap of cucumber plants by size exclusion chromatographyand atomic absorption spectrometry, J. Inorg. Biochem.2000;81:81-87.
- 303.** Miliauskas G., Venskutonics PR and Van Beck. Screening of radical scavenging activity of some medicinal and aromatic plant extracts. Food Chemistry.2004;85: 231-237.
- 304.** Miller Victoria, Yusuf Salim, Chow Clara, Mahshid Dehghan, Daniel J Corsi, Karen Lock, Barry Popkin et al Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. Published online August 23, 2016 [http://dx.doi.org/10.1016/S2214-109X\(16\)30186-3](http://dx.doi.org/10.1016/S2214-109X(16)30186-3).
- 305.** Mishra A. Khurana L. "Obesity and metabolic syndrome in developing countries." J Clin Endocrinol Metab.2008;93:59-30.

- 306.** Misra A, Pandey RM, Devi JR, Sharma R, Vikram NK, Khanna N. High prevalence of diabetes, obesity and dyslipidaemia in urban slum population in northern India. *Int J Obes Relat Metab Disord.*2001;25:1722-1729.
- 307.** Misra Anoop and Gulati Seema. Dietary approach to management of dyslipidemia in Asian Indian subjects, *J. Preventive Cardiology.*2014;3(4):567-574.
- 308.** Misra P., Pal N.L, Guru P.Y. Katiyar JC and TAndon J.S. Antimalarial activity of traditional plants against erythrocytic stages of *Plasmodium berghei* *Int J Pharmacog.* 1991;19(1):25-36.
- 309.** Misra R, Misra A, Kamalamma N, Vikram NK, Gupta S, Sharma S, et al. Difference in prevalence of diabetes, obesity, metabolic syndrome, and associated cardiovascular risk factors in a rural area of Tamil Nadu and an urban area of New Delhi. *Int J Diabetes Dev Ctries.*2011;31(2):82–90.
- 310.** Mitra A, Bhattacharya D. Role of retrograded starches particularly rice containing retrograded starches in non-insulin dependent diabetes mellitus. All India Seminar on Advances in Agro-Processing and Rural Empowerment. Agriculture Engineering Division, The Institution of Engineers (India), West Bengal State Center, Kolkata. 17-18 February, 2006.
- 311.** Miyazaki, S, Ranganathan, D, and Kadarkarliswami, M. Elucidation of toxicity of the *A. marmelos*.*Phytomedicine.*2007;4(2,3):204-205.
- 312.** Modi H. et al; Antioxidant capacity of *Aegle marmelos* leaves. *Am. J. PharmTech Res.*2012;2(6):2249-3387.
- 313.** Mohammad Ajaz-ul-Islam, Sulaiman Quli SM, Rai R, PA Sofi. Livelihood contributions of forest resources to the Tribal communities of Jharkhand. *Indian J. Fundamental Applied Life Sci.*2013;3(2):131-144.
- 314.** Mohan K. and Singh A.K. Ethano-botany of Tharus. *Adv Plant Sci.*1996;9:1-16.
- 315.** Mohan V, Deepa M, Deepa R, Shanthirani CS, Farooq S. "Secular trends in the prevalence of diabetes and impaired glucose tolerance in urban South India- The Chennai Urban Rural epidemiology study (CURES-17) *Diabetologia.*2006;49:1175-1178.
- 316.** Mohan V, Deepa M, Farooq S, Prabhakaran D, Reddy KS. Surveillance for risk factors of cardiovascular disease among an industrial population in southern India. *Natl Med J India.*2008;21:8-13.

- 317.** Mohan V, Gokulakrishnan K, Deepa R, Shanthirani CS, Datta M. Association of physical inactivity with components of metabolic syndrome and coronary artery disease--the Chennai Urban Population Study (CUPS no. 15). *Diabet Med.*2005: Sep;22(9):1206-1211.
- 318.** Mohan V, S. Sandeep, R. Deepa, B. Shah, Varghese C. "Epidemiology of type 2 diabetes: Indian scenario". *Indian J Med Res.*2007;125:217-230.
- 319.** Mohan V, Shanthirani CS, Deepa R. "Glucose intolerance (diabetes and IGT) in a selected South Indian population with special reference to family history, obesity and lifestyle factors--the Chennai Urban Population Study (CUPS 14). *J Assoc Physicians India.*2003;51:771-777.
- 320.** Mohan V, Shanthirani S, Deepa R, Premalatha G, Sastry NG, Saroja R. "Intra-urban differences in the prevalence of the metabolic syndrome in southern India - the Chennai Urban Population Study (CUPS No. 4)". *Diabet Med.*2001;18(4):280-287.
- 321.** Moller D.E., New drug targets for type 2 diabetes and the metabolic syndrome., *Nature.*2001;414:821-827.
- 322.** Mooradian A.D. Dyslipidemia in type 2 diabetes mellitus. *Nat. Rev. Endocrinol.* 2009; 5:150–159.
- 323.** Moore L., Visioni A., Wilson P., Agostino R., Finkle W., Ellison R. Can sustained weight loss in overweight individuals reduce the risk of diabetes mellitus? *Epidemiology.*2000;11:269-273.
- 324.** Morton J F. Fruits of warm climates Miami: Julia Morton Winterville North Carolina 1987.
- 325.** Mujais S, Brouillette J, Takano T, Soroka S, Franek C, Mendelsohn D and Finkelstein F. Health-related Quality of Life in CKD Patients: Correlates and Evolution over Time. *Clin J Am Soc Nephrol.*2009;4(8):1293-1301.
- 326.** Mujeeb F, Bajpai P and Pathak N : Phytochemical Evaluation, Antimicrobial Activity, and Determination of Bioactive Components from Leaves of *Aegle marmelos* Bio Med Research International.2014;11:52-63.
- 327.** Mullican DR, Lorenzo C, Haffner SM. Is prehypertension a risk factor for the development of type 2 diabetes? *Diabetes Care.*2000;32(10):1870-1872.

- 328.** Murakami N, Murakami T, Kadoya M, Matsuda H, Yamahara J, Yoshikawa M. New hypoglycemic constituents in ‘gymnemic acid’ from *Gymnema sylvestrae*. *Chem Pharma Bull Tokyo*.1996;44(2):469-4671.
- 329.** Murlidharan Leela: Beneficial effects of *Aegle marmelos* leaves on blood glucose levels and body weight changes in alloxan-induced diabetic rats. *JMPS*.2014;2(4):46-49.
- 330.** Murray RL., 1984. Creatinine In: Clinical Chemistry; Theory, Analysis and Correlation, Kaplan, L.A. and A.J. Pesce (Eds.). CV Mosby Co., St. Louis, pp: 1247-1253.
- 331.** Murray Robert K . Harper's illustrated biochemistry (29th ed.). New York: McGraw-Hill Medical. 2012; ISBN 007176576X.
- 332.** Murty KR, Rao KN, Rao DK, Murthy LBG. A preliminary study on hypoglycemic and antihyperglycemic effects of *azadirachta indica*. *Ind J Pharmacol*.1978;10:247-250.
- 333.** Nadeau J, Koski KG, Strychar I, Yale JF: Teaching subjects with type 2 diabetes how to incorporate sugar choices into their daily meal plan promotes dietary compliance and does not deteriorate metabolic profile. *Diabetes Care*.2001;24(20):222-227.
- 334.** Nadkarni,K.M. (Reprint of 1954 edition) Indian material medica .2nd-volume ,3rd edition Revised by A.K.Nadkarni. Popular prakashan pvt.ltd., Bombay. 1976
- 335.** Nagashima K. Inhibitory effect of eugenol on cu²⁺ catalyzed lipid peroxidation in human erythrocyte membrane. *Int J Biochem*.1989;21(7):745-749.
- 336.** Nakagami T, Quao Q., Carstensen B, Johnson Borch. The DECODE-DECODA Study Group. Age, body mass index and Type 2 diabetes—associations modified by ethnicity. *Diabetologia*.2003;46(8):1063-1070.
- 337.** Nambiar V. and Guin P. " Prevalence of hyperglycemia and hyperlipidemia among the middle aged and elderly population in a University setup." *Indian Journal of Gerontology*.2007;21(1):30-43.
- 338.** Nambiar, V.S. and Seshadri, S : Dietary patterns and its relation to disease profile in postmenopausal women (part II). *Indian J Gerontol*.2004;18(8):73-84.
- 339.** Narayan P.and Yadav NP: Phytochemical and pharmacological profile of leaves of *Aegle Marmelos* Linn. *Int.J.Pharm.Phytopharmacol.Res*.2012;1(5):332-341.

- 340.** Narayana A, Subhose V Standardization of Ayurvēdic formulations : a scientific review. Bull Indian Inst Hist Med Hyderabad.2005;35(1):21-32.
- 341.** Narender T, Shweta S, Tiwari P, Papi Reddy K, Khaliq T, Prathipati P, Puri A, Srivastava AK, Chander R, Agarwal SC, Raj K. Antihyperglycemic and antidiyslipidemic agent from *Aegle marmelos*. Bioorg Med Chem Lett.2007; 17(6):1808-1811.
- 342.** Narendhirakannan RT, Subramaniam S and Kandaswamy M . Biochemical evaluation of antidiabetogenic properties of some commonly used Indian Plants on Streptozotocin-induced diabetes in experimental rats. Clin Exp Pharmacol Physiol. 2006;33:1150-1157.
- 343.** Narendhirakannan RT, Subramanian S, Kandaswamy M. "Mineral content of some medicinal plants used in the treatment of diabetes mellitus" Biol. Trace Elem. Res. 2005;103(2):109-115.
- 344.** Ness AR, Chee D, Elliott P. Vitamin C and blood pressure: an overview. J Human Hyperten.1997;11:343–350.
- 345.** Nicolls MR, Haskins K, and Flores SC, "Oxidant stress, immune dysregulation, and vascular function in type I diabetes," Antioxidants and Redox Signaling.2007;9(7): 879–889.
- 346.** Nigam V. and Nambiar V. Evaluation of The Physico-Chemical Characteristics, Minerals And Heavy Metals In Wild And Cultivated Variety Of *Aegle Marmelos* (L) Correa Leaves. International Journal of Ayurvedic and Herbal Medicine.2014;4:6: 1634-1648.
- 347.** Niki E, Shimaski H, Mino M. Antioxidantism-free radical and biological defense. Tokyo: Gakkai Syuppn Centre; 1994. p. 3-16.
- 348.** Norris SL, Zhang X, Avenell A, et al. Long-term effectiveness of lifestyle and behavioral weight loss interventions in adults with type 2 diabetes: a meta-analysis. Am J Med.2004;117:762.
- 349.** Ogata M., Hoshi M, Urano S, Endo T . Antioxidant activity of eugenol and related monomeric and dimeric compounds Chem Pharm Bull (Tokyo).2000 ;48(10):1467-1469.

350. Opperman AM, Venter CS, Oosthuizen W, Thompson RL, Vorster HH. Meta-analysis of the health effects of using the glycaemic index in meal-planning. *Br J Nutr.* 2004;92:367-381.
351. Orwa C. An introduction to *Aegle Marmelos*, Agro Data: 4(2): 1-5. Pharmaceutical Sciences and Research.2011;2:132-136.
352. Panaskar SN, Joglekar MM, Taklikar SS, Haldavnekar VS, Arvindekar AU. *Aegle marmelos* Correa leaf extract prevents secondary complications in streptozotocin-induced diabetic rats and demonstration of limonene as a potent antiglycating agent. *J Pharm Pharmacol.*2013;65(6):884-894.
353. Panda S. and Kar A.. Evaluation of the antithyroid, antioxidative and antihyperglycemic activity of scopoletin from *Aegle marmelos* leaves in hyperthyroid rats. *Phytotherapy Res.*2006;20(12):103:105.
354. Pandey A, Usman K, Reddy H, Gutch M, Jain N, Qidwai S. Prevalence of hand disorders in type 2 diabetes mellitus and its correlation with microvascular complications. *Ann Med Health Sci Res.*2013;3(3):349-354.
355. Pandya H, Lakhani JD, J Dadhania J, Trivedi A. " The Prevalence and Pattern of Dyslipidemia among Type 2 Diabetic Patients at Rural Based Hospital in Gujarat, India." *Indian Journal of Clinical Practice.*2012;22(12):36-44.
356. Pandya H, Lakhani JD, Patel N. Obesity is becoming synonym for diabetes in rural areas of India also - an alarming situation. *Int J Biol Med Res.*2011;2(2):556-560.
357. Paolisso G, D'Amore A, Giugliano D, Ceriello A, Varriacchio M, D'Onofrio F. Pharmacologic doses of vitamin E improve insulin action in healthy subjects and non-insulin dependent diabetic patients. *Am J Clinic Nutri.*1993;57:650-656.
358. Parikh P, Mani U, Iyer U. Role of spirulina in the control of glycemia and lipidemia in type 2 diabetes mellitus. *Dig Dis Sci.*2001;4:193-199.
359. Parikh P, Mani UV and Iyer UM (2001) Control of diabetes mellitus through the food supplement Spirulina. *Annals of Nutrition and Metabolism.*2001;45:282-290.
360. Parkerson GRJ, Connis RT, Broadhead WE, Patrick DL, Taylor TR :Disease-specific versus generic measurement of health-related quality of life in insulin-dependent diabetes patients.*Med Care.*1993;31:629–639.

361. Parmar C, Kaushal MK. *Aegle marmelos* Correa, In: Wild fruits of the subHimalayan region, kalyani publishers, New Delhi, 1982: 1-5.
362. Parmar Neha, Patel B.R. and Patil Bhavesh. A Review On Classical Therapeutic Uses Of Bilva (*Aegle Marmelos* Corr.) ; Pharma Science Monitor.2014;5(2):523-530.
363. Patel DK, Kumar R, Laloo D, and Hemalatha S. Diabetes mellitus: An overview on its pharmacological aspects and reported medicinal plants having antidiabetic activity. Asian Pac J Trop Biomed.2012;2(5):411-420.
364. Patil R, Patil R, Ahirwar B, Ahirwar D. Current status of Indian medicinal plants with antidiabetic potential: a review. Asian Pacific Journal of Tropical Biomedicine.2011;1(2):291-298.
365. Pattnaik S Subramanyam VR and Kole C: Antibacterial and antifungal activity of ten essential oils in vitro. Microbios.1996;86(349):237-246.
366. Phuwapraisirisan P., Puksasook T., Jongaramruang J., Kokpol U, Bioorganic & Medicinal Chemistry Letters.2008;18(18):4956-4958.
367. Pillai NR, Santhakumari G. Hypoglycemic activity of melia azadirachta Linn. (neem). Ind J Med Res.1981;74:931-933.
368. Ponnachan PTC, Paulose CS, Panikkar KR. Hypoglycemic effect of alkaloid preparation from leaves of *Aegle marmelos*. Amala Res Bull.1993;13:37-41.
369. Prabhakaran D and Ajay V. Non-communicable disease in India. A prospective centre for Chronic Disease Control discussion reportfor the WHO 2009. New Delhi, India.
370. Pradeepa R, Anjana Rm, Joshi Sr, Bhansali A, Deepa M, Joshi Pp, Dhandania Vk, Madhu Sv, Rao Pv, Geetha L, Subashini R, Unnikrishnan R, Shukla Dk, Kaur T, Mohan V1, Das Ak; ICMR-Indiab Collaborative Study Group (2015). Prevalence of generalized & abdominal obesity in urban & rural India--the ICMR-INDIAB Study (Phase-I) [ICMR- NDIAB-3]. Indian J Med Res.2015;142(2):139-150. Prakash V., Diabetes management-some useful herbs, Jeevaniya Shishir., 4, 1992; 4: 10-18.
371. Qin B., Nagasaki M., Ren M., Bajotto G., Oshida Y., Sato Y. Cinnamon extract (traditional herb) potentiates *in vivo* insulin-regulated glucose utilization via enhancing insulin signaling in rats. Diabetes Res Clin Pract.2003;62:139-148.

- 372.** Radha R. and Amirthaveni M.. Hypoglycemic effect of vilvai leaf (*Aegle marmelos*) powder on type II diabetics. Indian J Nutr Dietet.2007;44(11):515-21.
- 373.** Raghuram TC, Pasricha S, Sharma RD. Diet and diabetes. National Institute of Nutrition, Hyderabad, India. 1993.
- 374.** Rai V, Iyer U, Mani UV. Effect of Tulsi (*Ocimum sanctum*) leaf powder supplementation on blood sugar levels, serum lipids and tissue lipids in diabetic rats. Plan Foods Hum Nutr.1997;50(1):9-16.
- 375.** Rajadurai M. and Prince P.S. Comparative effects of *Aegle marmelos* extract and alpha-tocopherol on serum lipids, lipid peroxides and cardiac enzyme levels in rats with isoproterenol-induced myocardial infarction. Singapore Med J.2005;46(2):7881-7885.
- 376.** Rajadurai, M., Padmanabhan, M & Prince, P.S.M. Effect of *Aegle marmelos* leaf extract and αtocopherol on lipid peroxidation and antioxidants in isoproterenol induced myocardial infarction in rats. Cardiol.2005;1:40-45.
- 377.** Rajandep Kaur et al. Rising Trends towards Herbal Contraceptives J. Nat. Prod. Plant Resour.2011;1(4):5-12.
- 378.** Rajarajan,S. The secrets of Bael tree. Science Express {Indian Express Daily, 8th July ,1997.
- 379.** Rajasekaran C and Meignanam E. In vitro evaluation of antibacterial activity of phytochemical extracts from leaves of *Aegle Marmelos* corr. (rutaceae). Ethano Leaflets.2008;2:1124-1128.
- 380.** Ralph A DeFronzo, MD, Riccardo C Bonadonna, MD and Eleuterio Ferrannini, MD. Pathogenesis of NIDDM: A Balanced Overview Diabetes Care.1992;15(3):318-368.
- 381.** Ram Vijay R, Ram Pravin N., Khatri Taslimahemad T, Dave Pragnesh N. XRF analysis of *Aegle marmelos* leaves of semi arid region of Kachchh, International Letters of Chemistry, Physics and Astronomy.2015;6:73-78.
- 382.** Ramachandran A and Snehlata C. Current scenario of diabetes in India. J Diabetes.2009;1(1):18-28.
- 383.** Ramachandran A, Ramachandran S, Snehalatha C, Augustine C, Murugesan N, Viswanathan V, Kapur A, Williams R. Increasing expenditure on health care incurred

- by diabetic subjects in a developing country: a study from India. *Diabetes Care.*2007;30:252–256.
- 384.** Ramachandran A, Snehalatha C, Dharmaraj D, Viswanathan M. Prevalence of glucose intolerance in Asian Indians. Urban-rural difference and significance of upper body adiposity. *Diabetes Care.*1992;15:1348–1355.
- 385.** Ramachandran A, Snehalatha C, Kapur A, Vijay V, Mohan V, Das AK, et al. Diabetes Epidemiology Study Group in India (DESI). High prevalence of diabetes and impaired glucose tolerance in India: National Urban Diabetes Survey. *Diabetologia.* 2001;44:1094-1101.
- 386.** Ramachandran A, Snehalatha C, Satyavani K, Sivasankari S, Vijay V. "Metabolic syndrome in urban Asian Indian adults - a population study using modified ATP III criteria." *Diabetes Res Clin Pract.*2003;60(3):199-204.
- 387.** Ramachandran A., Snehlata C and Vishwanathan Vijay. Burden of Type 2 Diabetes and its Complications- The India Scenario. *Current Science.*2002;83(12):25-30.
- 388.** Ramaiya KL, Kodali VR, Alberti KG. Epidemiology of diabetes in Asians of the 9 Indian subcontinent. *Diabetes Metab Rev.*1990;6:125-146.
- 389.** Rana TS, Singh KK, Rao RR. Some interesting reports on indigenous herbal remedies for diabetes mellitus from India. Fourth Int Cong Ethnobiol, NBRI, Lukhnow.1994; 47:17-21.
- 390.** Rangari VD. Traditional drugs of India-Pharmacognosy and phytochemistry Part- II, edition 1st, Nasik Carrier Publications, 2004, pp 182-184.
- 391.** Ranjbar A, Khorami S, Safarabadi M, Shahmoradi A, Malekiran AA, Vakilian K, Mandegary A, Abdollahi M . Antioxidant Activity of Iranian Echium amoenum Fisch & Mey Flower Decoction in Humans: A cross-sectional Before/After Clinical Trial Evid Based Complement Alternat Med.2006;3(4):469-473.
- 392.** Rao CV. Analgesics, antiinflammatory and antiulcerogenic activity of unripe fruits of *Aegle marmelos*. *Act Pharm Turcica.*2003;45:85-91.
- 393.** Rao V.V, Dwivedi S.K, Swarup D and Sharma S.R: Screening of hypoglycemic action in certain indigenous drugs *Current Science.*1995;69(1):932-933.

- 394.** Rao V.V., Studies on hypoglycemic activity of some indigenous drugs in normal and alloxan induced diabetic rabbits, M.V. Sc. diss., IVRI Deemed University Izatnagar, India, 1992.
- 395.** Rastogi R.P.and Mehrotra B.N. Compendium of Indian medicinal plants, volume -5, NISCAIR Press, C.S.I.R., New Delhi. 1990-1994: pp.18.
- 396.** Rathore M. Nutrient content of important fruit trees from arid zone of Rajasthan. Journal of Horticulture and Frestry.2009;1(7):103-108.
- 397.** Rawat RBS, Uniyal RC. National medicinal plant board committed for overall development of the sector. Agro. Bios. Med. Plant.2003;1:12-16.
- 398.** Reddy et al. Antioxidant properties and stability of Raphanus Sativus extracts. Journal of Pharmacy Research.2005;3(3):658-661.
- 399.** Reddy K.N., Bhanja M.R and Raju V.S. Plants used in ethano-veterinary practices in Warangal district Andhra Pradesh, India. Ethanobotany.1998;10:75-84.
- 400.** Reddy K.R. Jaundice- Folk medicine from Chittoor district, Andhra Pradesh, India Nagarjun.1986;42:5-8.
- 401.** Reddy K.S., Prabhakaran D., Chaturvedi V. et al., "Methods for establishing a surveillance system for cardiovascular diseases in Indian industrial populations," Bulletin of the World Health Organization.2006;84(6):461-469.
- 402.** Reddy M.B, Reddy K.R. and Reddy M.N. A survey of medicinal plants of Chenchu tribes of Andhra Pradesh, India. Int J Crude Drugs Res.1988;26:137-140.
- 403.** Reddy V, Sahana N. and Urooj A: Antioxidant activity of *Aegle marmelos* and *Psidium* leaves; Int. J.Med.Arom.Plants.2012;2(1):155-160.
- 404.** Rema M, Premkumar S, Anitha B, Deepa R, Pradeepa R, Mohan V. Prevalence of diabetic retinopathy in urban India: the Chennai Urban Rural Epidemiology Study (CURES) eye study, I. Invest Ophthalmol Vis Sci.2005;46:2328-2333.
- 405.** Report of the joint WHO/FAO Expert Consultation. Diet, nutrition and the prevention of chronic diseases. World Health Organ Tech Rep Ser 2003;916.
- 406.** Resnick H., Valsania P, Halter J., and Lin X. Relation of weight gain and weight loss on subsequent diabetes risk in overweight adults. J Epidemiol Community Health. 2000;54(8):596-602.

- 407.** Riyanto S; Sukari MA and Rahmani M. Alkaloids from *Aegle Marmelos* (Rutaceae) Mal J Anal Sci.2001;7(2):463-465.
- 408.** Riyanto SS, Mustafa AL. Isolation of some chemical compounds from *Aegle marmelos*. Majalah Farmasi Indones.2000;11(1):17-32.
- 409.** Rodriguez-Iturbe, C.-D. Zhan, Y. Quiroz, R. K. Sindhu, and N. D. Vaziri, "Antioxidant-rich diet relieves hypertension and reduces renal immune infiltration in spontaneously hypertensive rats," Hypertension.2003;41(2):341-346.
- 410.** Rosetti L Giaccari A., Klein-Robbenharr A.E., and Vogel L.R., Insulinomimetic proper-ties of trace elements and characterization of their in vivo mode of action, Diabetes.1999;39:1243-1246.
- 411.** Rubin RR1, Peyrot M. Quality of life and diabetes. Diabetes Metab Res Rev.1999; 15(3):205-218.
- 412.** Ruderman N.B., Williamson J.R, and Brownlee M., "Glucose and diabetic vascular disease," The FASEB Journal.1992;6(11):2905–2914.
- 413.** Sabu M.C. and Kuttan R. Antidiabetic activity of *Aegle marmelos* and its relationship with its antioxidant properties. Ind J Physiology and Pharmacology.2004;48:81-88.
- 414.** Sabu MC, Kuttan R. Anti-diabetic activity of some medicinal plants-relation with their antioxidant property. Amala Research Bulletin.2000;20:81-86.
- 415.** Sachdewa A, Raina D, Srivastava AK, Khemani LD. Effect of *Aegle marmelos* and Hibiscus rosa sinensis leaf extract on glucose tolerance in glucose induced hyperglycemic rats (Charles foster). J Environ Biol.2001;22(1):53-57.
- 416.** Sacks FM, Campos H. Clinical review: Cardiovascular endocrinology: Low-density lipoprotein size and cardiovascular disease: a reappraisal. J Clin Endocrinol Metab. 2003;88(10):4525-4532.
- 417.** Sadikot SM, Nigam A, Das S, Bajaj S, Zargar AH, Prasannakumar KM, Sosale A, et al., Diabetes India. The burden of diabetes and impaired glucose tolerance in India using the WHO 1999 criteria: prevalence of diabetes in India study (PODIS) Diabetes Res Clin Pract.2004;66(3):301-307.
- 418.** Saied S, Zahir H, Siddique A. Heavy metal levels in commonly used traditional medicinal plants. J chem Soc Pak.2010;32:737-743.

- 419.** Sajeeth C.I, Manna P.K, Manavalan P, Jolly C.I et al. Phytochemical Investigation and Antioxidant Activity of a Polyherbal Formulation (ESF/AY/500) on Streptozotocin Induced Oxidative Stress in Rats Der Pharma Chemica.2010;2(5):184-189.
- 420.** Sampathkumar K.P, Umadevi M, Bhowmik Debjit, Singh Durgamohan and Dutta A.S Recent Trends in Medicinal Uses and Health Benefits of Indian Traditional Herbs *Aegle Marmelos*; The Pharma Innovation.2012;1(4):70-77.
- 421.** Sanchez-Quesada JL, Benitez S, Ordonez-Llanos J. Electronegative low-density lipoprotein. Curr Opin Lipidol.2004;15:329-335.
- 422.** Sankari M. Anticonvulsant activity of ethanolic extract of *Aegle marmelos* in mice. Int J Pharm Tech Res.2010;2:640-643.
- 423.** Santhoshumari KS, Devi KS. Hypoglycemic effect of a few medical plants. Ancient Sc of Lie.1990;9(4):221-223.
- 424.** Saradha Jyothi K and Subba Rao B. Antibacterial Activity of Extracts from *Aegle marmelos* against Standard Pathogenic Bacterial Strains. International Journal of PharmTech Research.2010;2(3):1824-1826.
- 425.** Sathiyaraj K, Sivaraj A, Madhumitha G, Kumar P.V, Saral A M, Devi K, B.S. Kumar B S. Antifertility effect of aqueous leaf extract of *aegle marmelos* on male Albino Rats. Int. J. Curr. Pharm. Res.2010;2:26-29.
- 426.** Sathya K, Tamil Selvi S, Bharathidasan R, Rajkumar K, Ilakkiya R. and Prabakaran M Evaluation of phenolic content and antioxidant activity of *Aegle marmelos* (L.) Corr. Serr. J. Nat. Prod. Plant Resour.2013;3(4):24-28.
- 427.** Saxena A, Vikram VK. Role of selected Indian plants in management of type II diabetes: A review. J Altern Complement Med.2004;10(2):369-378.
- 428.** Saxena AM, Mukherjee SK. Shukla G. Process of diabetes research in India during 20th century. Published by NISCOM, CSIR, New Delhi. 2002.
- 429.** Schecter Y and Ron A., Effects of depletion of phosphate and bicarbonate ions on insulin action in rat adipocytes, J. Biol. Chem.1986;261:14-18.
- 430.** Schecter Y. and Karlish S. J. D. Insulin-like stimulation of glucose oxidation in rat adipocytes by vanadyl(IV) ions, Nature.1980;284:556-560.

- 431.** Schulze MB, Liu S, Rimm EB, Manson JE, Willett WC, Hu FB. Glycemic index, glycemic load, and dietary fiber intake and incidence of type 2 diabetes in younger and middle-aged women. *Am J Clin Nutr.*2004;80(2):348–356.
- 432.** Schulze MB, Schulz M, Heidemann C, Schienkiewitz A, Hoffmann K, Boeing H. Fiber and magnesium intake and incidence of type 2 diabetes: a prospective study and meta-analysis. *Archives Intern Med.*2007;167(9):956-965.
- 433.** Scott D. A and Fisher A.M., The insulin and zinc content of normal and diabetic pancreas, *J. Clin. Invest.*1938;17:725–728.
- 434.** Scott LJ, Mohlke KL, Bonycastle LL, Willer CJ. A genome-wide association study of type 2 diabetes in Finns detects multiple susceptibility variants. *Science.*2007;13:1341-1345.
- 435.** Seema P.V., Sudha B., Padayatti P.S., Abraham A., Raghu K.G., Paulose C.S., Kinetic studies of purified malate dehydrogenase in liver of streptozotocin-induced diabetic rats and the effect of leaf of *Aegle marmelos*,Corr. *Indian J. Exp. Biol.*1996;34(6):600-602.
- 436.** Sepha GS, Bose SN. Clinical observations on the antidiabetic properties of eugenia jambolina and Pterocarpus marsupium. *J Ind Med Assn.*1956;27:388-392.
- 437.** Seventh Report of the Joint National Committee on prevention, Detection, Evaluation, and Treatment of High Blood Pressure, U.S. Department Of Health And Human Services, National Institutes of Health National Heart, Lung, and Blood Institute National High Blood Pressure Education Program NIH Publication No. 04-5230 August 2004.
- 438.** Shah and Iyer U. Fruit consumption pattern in Vadodara. Impact of ascorbic acid rich fruit supplementation on the lipid profile of hyperlipidemic subjects. Dept of Foods and Nutrition. Faculty of FCSc. 2003 The Maharaja Sayajirao University of Baroda M.Sc Dissertation thesis
- 439.** Shah DS. A preliminary study of hypoglycemic action of heartwood of Pterocarpus marsupium Roxb *Ind J Med Res.*1967;55(2):166-168.
- 440.** Shankar G, Garg KL. Nutritional value of some important fruits. *Handbook of Horticulture*, Kitabistan, Allahabad. 1967.

- 441.** Shankhala A. and Sharma S. Efficacy of herbal extract of bael patra (*Aegle Marmelos*) in the management of hyperglycemia In: IX Asian Congress of Nutrition (Abstract) New Delhi, India, 2003, 308p
- 442.** Sharma AK, Mujumdar M. Some observations on the effect of *Clitoria ternata* Linn. On changes in serum sugar level and small intestinal mucosal carbohydrate activities in alloxan diabetes. *Calcutta Med J.* 1990;87(11):168-171.
- 443.** Sharma B, Satapathi SK, Roy P. Hypoglycemic and hypolipidemic effect of *Aegle marmelos* (L.) leaf extract on streptozotocin induced diabetic mice. *Int J Pharmacol.* 2007;3:444-452.
- 444.** Sharma BR, Rattan RK, Sharma P. Marmeline an alkaloid and other components of unripe fruits of *Aegle marmelose*. *Phytochemistry.* 1981;20(11):2606-2607.
- 445.** Sharma GN, Dubey SK, Sharma P, Sati N. Medicinal Values of Bael (*Aegle marmelos*) (L.) Corr.: A Review. *Int. J. Curr. Pharmaceut. Rev.* 2011;1(3): 20-31.
- 446.** Sharma PC, Bhatia V, Bansal N, Sharma A. A review on bael tree. *Nat Prod Rad.* 2007;6:171-178.
- 447.** Sharma R.S. and Asrani D. *Aegle Marmelos* (BEL) Leaves Extract (Extractum Belae Fructus Liquidum) in the Management of Essential Hypertension. *JAPI.* 2003;51: 1252-1256.
- 448.** Sharma RD, Raghuram TC, Rao NS. Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *Eur J Clin Nutr.* 1990;44:301-306.
- 449.** Sharma RD, Raghuram TC. Hypoglycemic effect of fenugreek seeds in Non-insulin-dependent diabetic subjects. *Nutr Res.* 1990;10:731-739.
- 450.** Shiva A. First aid remedies : Their sources and methods of uses. XVIth series (A1 Anaemia (B) Diabetes/Glycosuria) *MFP News.* 1998;8(1):8-9.
- 451.** Shoba FS, Thomas M. Study of antidiarrheal activity of four medicinal plants in Castor oil induced diarrhea. *J Ethano.* 2001;76:73-76.
- 452.** Shoback. G., David G. and Garden D., Green spans basic and clinical endocrinology, New York: Mc Grill-Hill Medical, 2011, 17.

- 453.** Shobhana R, Rao PR, Lavanya A, Williams R, Vijay V, Ramachandran A. Expenditure on health care incurred by diabetic subjects in a developing country—a study from Southern India. *Diabetes Res Clin Pract.*2000;48:37-42.
- 454.** Shrotri DS, Aiman R. The relationship of the post absorptive state to the hypoglycemic action. Studies on *ficus bengalensis* and *ficus glomerata*. *Ind J Med Res.*1960;48:162-165.
- 455.** Shrotri DS, Kelkar M, Deshmukh VK, Aiman R. Investigations of hypoglycemic properties of *eugenia jambolana*, *vinca rosea* and *cassia auriculata*. *Ind J Med Res.* 1963;51:464-470.
- 456.** Siddique N A, Mujeeb Mohd, Najmi Abul Kalam, Aftab A and Aslam Junaid. Free Radical Scavenging And Hepatoprotective Activity Of *Aegle Marmelos* (Linn.) Corr Leaves Against Carbon Tetrachloride. *Pharmacie Globale IJCP.*2011;8(08):52-59.
- 457.** Siddique NA, Mujeeb M, Ansari SH, Ahmad S, Ali B, Aslam J. Development of quality standards of *Aegle marmelos* L. leaves. *J Phyto.*2010;2:36-43.
- 458.** Siddiqui S. A note on the isolation of three new bitter principles from the neem oil. *Current Sc.*1942;11:278-284.
- 459.** Singanan V, Singanan M., Begum H. The Hepatoprotective effect of bael leaves (*Aegle marmelos*) in alcohol induced liver injury in albino rats. *Int J Sci Tech.*2007;2: 83-92.
- 460.** Singh D, Singh A, Kumar R, Khan I. "Dyslipidemia in Type 2 Diabetes Mellitus Patients of Udaipur Population". *Sch. J. App. Med. Sci.*2015;3(2):813-815.
- 461.** Singh D., Singh B and Goel R. Traditional uses, phytochemistry and pharmacology of *Ficusreligiosa*: A Review. *Journal of Ethanopharmacology.*2011;134(3):565-583.
- 462.** Singh H.B.K. Studies on medico-botany of Meitei community in Manipur state, India (II) *Adv Plant Sci.*1997;10:13-18.
- 463.** Singh KK, Prakash A. Traditional Phytotherapy in the healthcare of Gond tribals of Sonbhadra district, Uttar Pradesh. *J. Bombay Nat. Soc.*1994;91:386-390.
- 464.** Singh K.K. and Singh S.C. Some medicinal plants in the folk-lore of Varanasi district, U.P. *Bull Med Ethanobot Res.*1985;6:28-34.

- 465.** Singh MM & Kamboj VP. Fetal resorption in rats treated with an antiestrogen in relation to luteal phase nidatory estrogen secretion. *Acta Endocrinologica*.1992;126: 444-450.
- 466.** Singh N, Tyagi SD, Agarwal SC. Study of antidiabetic effects of alcoholic extract of *ficus bengalensis* (Linn) on diabetic albino rats. *J Res Ayurv Sidha*.1992;13(2) :56-62.
- 467.** Singh U and Kochhar A. Effect of supplementation of bael (*Aegle marmelos* L.) and Nutrition counseling on blood glucose, lipid profile and blood pressure of noninsulin dependent diabetics, *International Journal of Green and Herbal Chemistry IJGHC*.2012;1(3):284-295.
- 468.** Singh U., Anita Kochhar A. and Boora R. Proximate Composition, available Carbohydrates, Dietary Fibres and Anti-Nutritional factors in BAEL (*Aegle Maemelos* L.) Leaf, Pulp and Seed Powder, *International Journal of Scientific and Research Publications*.2012;2(4):1-4.
- 469.** Singh V.K and Pandey, R.P. Medicinal plant lore of the tribals of eastern Rajasthan (India). *J Econ TAx Bot*.1980;1:137-147.
- 470.** Singh, R P, Banerjee, S, Ramesha, Rao A. The effect of hydroalcoholic extract of leaves of *Aeglemarmelos* on carcinogen-metabolizing phase-I and phase-II enzymes. *J. Pharmacy Pharmacol*.2000;52(8):991-1000.
- 471.** Singleton VL, Rossi JA. Colorimetry of total phenolics with phosphomolybdic phosphotungestic acid reagents. *Am. J. Enol. Viticult*.1965;16:144-158.
- 472.** Sium M, Kareru P, Kenko J, Girmay B,, Medhanie G, Debretson S. Profile of Trace Elements in Selected Medicinal Plants Used for the Treatment of Diabetes in Eritrea. *ScientificWorldJournal*.2016;2:752-836.
- 473.** Sivaraj R., Balakrishnan A., Thenmozhi M.,Venkatesh R. *Journal of Pharmacy Research*.2011;4:1507-1508.
- 474.** Sladek R, Rocheleau G, Rung J, Dina C, Shen L, Serre D et al., A genome-wide association study identifies novel risk loci for type 2 diabetes. *Nature*.2007;445:881-885.
- 475.** Smita K, Pandey R. Studies on sacred groves of Ranchi district: traditional Way of conserving plants. *The Socioscan*.2010;2(4):19-22.
- 476.** Soni A and Sosa S. Phytochemical Analysis and Free Radical Scavenging Potential of Herbal and Medicinal Plant Extracts *JPP*.2013;2(4):22-29.

- 477.** Speck J.F.The effect of cations on the decarboxylation of oxaloacetic acid, *J. Biol. Chem.*1949;178:315-320.
- 478.** Srivastava Y. Antidiabetic and adaptogenic properties of *Momordicacharantia* extract. An experimental and clinical evaluation. *Phytother Res.*1993;7:265-289.
- 479.** Srivastva SD, Srivastva S, Srivastva S. A new insecticidal protolimonoid. *Fitoterapia*. 1996;67:83-84.
- 480.** Stevens J, Ahn K, Juhaeri, Houston D, Steffan L & Couper D: Dietary fiber intake and glycemic index and incidence of diabetes in African-American and white adults: the ARIC study. *Diabetes Care.*2002;25:1715-1721.
- 481.** Stratton I, Adler A, Andrew H., Neil W. Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study *BMJ.*2000;321(7258):405-412.
- 482.** Sudharaneshwari KR . Antibacterial screening of *Aegle marmelos*, *American Journal of Ethnomedicine.*2007;2348(9502):290-312.
- 483.** Sukhdev AR. A Selection of Prime Ayurvedic drugs- Ancient modern concordance. Anamaya Publicatons, 1975.
- 484.** Swami Sadashiv. The ayurvedic encyclopedia, Sri Satguru Publication, a Div. Of Indian Book Centre, Delhi, India, Chapter 4 : 72-3. 1960.
- 485.** Swanston-Flatt S.K., Day C., Flatt P.R. and Bailey C.J., Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice, *Diabetologia.*1990 ;33(8):462-464.
- 486.** Tank R, Sharma N, Sharma I, Dixit VP. Antidiabetic activity of *Curcuma longa* (50% ethanolic extract) in alloxan-induced diabetic rats. *Indian Drugs.*1989;27(11):587-589.
- 487.** Tawaha K, Alali FQM, Gharaibeh MM, El-Elimat T. Antioxidant activity and total phenolic content of selected Jordanian plant species. *Food Chem.*2007;104:1372-1378.
- 488.** Thakur B, Verma S, Srivastava R. Ethnomedicinal uses of some traditional medicinal plants found in Tripura. *India J. Med. Plants Res.*2013;6(35):4908-4914.
- 489.** The World Health Organization Western Pacific Region, The International Association for the Study of Obesity, and The International Obesity Task Force ; The

- Asia-Pacific perspective: redefining obesity and its treatment. Sydney: Health Communications Australia Pty Limited, 2000.
- 490.** Therasa SV, Sivaraj A, Elumalai EK, Kumar CS, Thirumalai T, David E. *Aegle marmelos* leaf extract inhibit uptake of glucose across rat everted gut sacs in vitro. *Pharmacologyonline*.2013;2:687-691.
- 491.** Thomas L. Alanine aminotransferase (ALT), Aspartate aminotransferase (AST). In: Thomas L, editor. *Clinical Laboratory Diagnostics*. 1st ed. Frankfurt: TH-Books Verlagsgesellschaft; p. 55-65. 1998.
- 492.** Thompson K. H., Orvig C. Vanadium in diabetes: 100 years from phase 0 to phase i. *J Inorg Biochem*.2006;100(12):1925-1935.
- 493.** Tomar JB, Bishnoi SK, Saini KK. Healing the tribal way: Ethno-medicinal formulations used by the tribes of Jharkhand, India. *Int. J. Med. Arom. Plants*.2012; 2(1):97-105.
- 494.** Touyz R.M, "Reactive oxygen species, vascular oxidative stress, and redox signaling in hypertension: what is the clinical significance?" *Hypertension*.2004;44(3):248–252.
- 495.** Touyz RM "Reactive oxygen species in vascular biology: role in arterial hypertension," *Expert Review of Cardiovascular Therapy*.2003;1(1):91-106.
- 496.** Trinder P. Determination of blood glucose using an oxidase-peroxidase system with a non-carcinogenic chromogen. *J Clin Pathol*.1969;22(2):158-161.
- 497.** Tripathi S. , Varma S. and Goldey P. Using plants for health: Indigenous knowledge in health care in a tribal region of Bihar, India *International Journal of Sustainable Development & World Ecology*.2011;7(4):321-332.
- 498.** Tripathi Y.C, Prabhu V.V, Pal R.S. and Mishra R.N. Medicinal plants of Rajasthan in Indian system of medicine. *Ancient Sci Life*.1996;15:190-212.
- 499.** Tripathi S ,Varma S & Goldey P. Using plants for health: Indigenous knowledge in health care in a tribal region of Bihar, India *International Journal of Sustainable Development & World Ecology*.2011;7(4):321-332.
- 500.** Trivedi VP, Nesamany S, Sharma VK. Ayurvedic herbs: a clinical guide to the healing plants of traditional medicine. *J.Res.Ind.Med. YOGA Homeopath*.1978; 28:13-16.

- 501.** Tuticorin RG and Manakkal SP. Some alkaloids from *Aegle marmelos*. *Phytochemistry*.1983;22(3):755-757.
- 502.** U.K Prospective Diabetes Study Group, Overview of six years therapy of type 2 diabetes: a progressive disease, *Diabetes*.1995;44:1249-1258.
- 503.** U.K. Prospective Diabetes Study (UKPDS) Group: Tight blood pressure control and risk of macrovascular and microvascular complications in type 2 diabetes (UKPDS3). *BMJ*.1998;317:703-720.
- 504.** U.K. Prospective Diabetes Study Group: Intensive blood- glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complications in patients with type 2 diabetes (UKPDS 33).*Lancet*.1998;352:837-853.
- 505.** UK Prospective Diabetes Study (UKPDS) Group. Effect of intensive blood-glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34). *Lancet*.1998;352:854-865.
- 506.** Upadhyay A., Shanbhay K.K., Suneetha G., Balachandra N.M. and Upadhyay S. A study of hypoglycemic and antioxidant activity of *Aegle marmelos* in alloxan induced diabetic rats. *Indian J Physiol Pharmacol*.2004;48(4):476-80.
- 507.** Upadhyay OP, Singh RH, Dutta SK. Studies on antidiabetic medicinal plants used in Indian folk-lore. *Sachitra Ayurveda*.1996;48(10):949-55.
- 508.** Vaidya Ashok and Devasagayam Thomas. Current Status of Herbal Drugs in India: An Overview *J Clin Biochem Nutr*.2007;41(1):1–11.
- 509.** Veerappan A, Miyazaki S, Kadarkaraisamy M, Ranganathan D. Acute and sub-acute toxicity studies of *Aegle marmelos* Correa, an Ind. Med. plant. *Phytomed*.2007; 14:209-215.
- 510.** Veeru P , Mishra Pankaj Kishor and Mishra Meenakshi. Screening of medicinal plant extracts for antioxidant activity *Journal of Medicinal Plants Research*.2009;3(8):608-612.
- 511.** Venkatesan et al. "Antimicrobial Activity of *Aegle marmelos* Against Pathogenic Organism Compared with Control Drug," *Ethnobotanical Leaflets*.2009;8(1):99-105.
- 512.** Venkatesh R, Kalaivani K; Lipid profile changes in type II diabetes mellitus. *International Journal of Pharmaceutical Research & Development*.2013;5(7):35-39.

- 513.** Venugopal S and Chug Z. Impact of Insulin Plant (*Costus igneus*) leaf powder on the glycemic response in type 2 diabetic subjects. 2015 MSc dissertation submitted to MSU Baroda, India.
- 514.** Venugopal S. and Iyer U. Management of diabetic dyslipidemia with subatmospheric dehydrated barley grass powder Int. J. Green Pharm.2010;4:251-256.
- 515.** Verma A, Patel P, Patel J and Chaudhary H. Relation of BMI & hypertension in natives of Guajrat. GCSMC J Med Sci.2013;2(1):17-20.
- 516.** Vermani, A., Prabhat, N. and Chauhan, A. Physico-Chemical Analysis of Ash of Some Medicinal Plants Growing in Uttarakhand, India. Nature. Science.2010;8(6): 88-91.
- 517.** Vigneshwaran E, PadmanabhaReddy Y, Devanna N, Alvarez-Uria G. Gender differences in health related quality of life of people living with HIV/AIDS in the era of highly active antiretroviral therapy. N Am J Med Sci.2013;5:102-107.
- 518.** Vigneswari A, Manikandan R, Satyavani K, Archana S, Rajeswari R, Viswanathan V. Prevalence of Risk Factors of Diabetes Among Urban Poor South Indian Population. .2015;63(10):32-34.
- 519.** Ram Vijay R, Ram Pravin R, Khatri Taslimahemad T, Dave Pragnesh N. XRF analysis of *Aegle marmelos* leaves of semi arid region of Kachchh; International Letters of Chemistry, Physics and Astronomy.2015;6:73-78.
- 520.** Vijaya C., Ramanathan M. and Suresh B. Lipid lowering activity of ethanolic extract of leaves of *Aegle marmelos* (Linn.) in hyperlipidaemic models of Wistar albino rats. Indian J Exp Biol.2009;47(3):182-185.
- 521.** Viktorínová A., Tošerová E., Križko M., Ďuračková Z. Altered metabolism of copper, zinc, and magnesium is associated with increased levels of glycated hemoglobin in patients with diabetes mellitus. Metabolism- Clinicaland Experimental.2009;58(10):1477-1482.
- 522.** Vinodhini R, Narayanan M. Cytoprotective effect of *Nelumbo nucifera* and *Aegle marmelos* in common carp (*Cyprinus carpio*) exposed to heavy metals. International Journal of Integrative Biology.2009;7(2):124-129.
- 523.** Vohra SB, Parasar GC. Phytochemical and pharmacological studies on *ficus bengalensis* Linn. Ind J Physiol and Pharmacol.1969;13(3):143-146.

- 524.** Voronin MV, Sidneva ES, Lisitsyna TA, Zhanataev AK, Durnev AD. Total antioxidant capacity of blood plasma from healthy donors receiving vitamin and mineral complex. *Bull Exp Biol Med.*2004;137(5):457-459.
- 525.** Vyas S, Khatri T, Ram V, Dave P, Joshi H. XRF analysis of Aegle marmelos leaves of semi arid region of Kachchh. *International Letters of Natural Sciences.* 2015;45:73-78.
- 526.** W.H.O. WHO Monographs on Selected Medicinal Plants. 1: 1-295. 1999.
- 527.** Wahle KW, Brown I, Rotondo D. and Heys SD. Plant phenolics in the prevention and treatment of cancer. *Adv Exp Med Biol.*2010;698:36-51.
- 528.** Wang Y, Lobstein T. Worldwide trends in childhood overweight and obesity. *Int J Pediatr Obes.*2006;1:11–25.
- 529.** Warrier R.R, Priyadarshini P. and Arun Kumar A.N. A comparative analysis of the phytochemical variability of arboreal rutaceae members. *IJPSR.*2012;3(10):3801-3805.
- 530.** WHO Expert Consultation. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet.*2004;363:157-163.
- 531.** WHO. Diabetes mellitus, report of study group. Geneva: WHO technical report series. pp: 727, 1992.
- 532.** Wild S, Roglic G, Green A, Sicree R, King H. Global prevalence of diabetes: Estimates for the year 2000 and projections for 2030. *Diabetes Care.*2004;27:1047-1053.
- 533.** Wing RR, Lang W, Wadden TA, et al. Benefits of modest weight loss in improving cardiovascular risk factors in overweight and obese individuals with type 2 diabetes. *Diabetes Care.*2011;34:1481–1486.
- 534.** Wolever TM, Jenkins DJ. The use of the glycemic index in predicting the blood glucose response to mixed meals. *Am J Clin Nutr.*1986;43:167-172.
- 535.** World Cancer Research Fund, Food, nutrition and the prevention of cancer : a global perspective. Washington, DC: American Institute for Cancer Research, 1997.
- 536.** World Health Organisation, author. The world health report . International Society of Hypertension (ISH) statement on management of hypertension. *J Hyper.*2003;21:1983-1992.

- 537.** World Health Organization (WHO) Guidelines for Assessing Quality of Herbal Medicines with Reference to Contaminants and Residues. Geneva, Switzerland: WHO; 2007.
- 538.** World Health Organization (WHO) Quality Control Methods for Herbal Materials, Revised. Geneva, Switzerland: WHO; 2011.
- 539.** World Health Organization Department of Non-communicable Disease Surveillance, author. Definition, Diagnosis and Classification of Diabetes Mellitus and its Complications (PDF) 1999.
- 540.** World Health Organization Resolution, Geneva, Switzerland, Drug Policies and Management, Medicinal Plants, 1978, 31–33.
- 541.** World Health Organization, author. Integrated management of cardiovascular risk. Geneva: 2002.
- 542.** Wouters-Wesseling W, Wagenaar LW, Groot LC, Bindels JG, Staveren WA Biochemical antioxidant levels respond to supplementation with an enriched drink in frail elderly people. *J Am Coll Nutr.* 2003;22(3):232-238.
- 543.** Wycherley TP, Noakes M, Clifton PM, Cleanhous X, Keogh JB, Brinkworth GD. A high-protein diet with resistance exercise training improves weight loss and body composition in overweight and obese patients with type 2 diabetes. *Diabetes Care.* 2010;33(5):969-976.
- 544.** Narayan P., Yadav NP., Chanotia C.S. Phytochemical and pharmacological profile of leaves of *Aegle Marmelos Linn.* *Pharm Review.* 2009;11:144-150.
- 545.** Yaheya M and Ismail M. Clinical evaluation of anti-diabetic activity of Bael leaves, *World Appl. Sci.* 2009;6(11):1518-1520.
- 546.** Yang CH, Chang HW, Lin HY, Chuang LY. Evaluation of antioxidant activities from 28 Chinese herbal medicines. *Journal of Pharmacognosy and Phytochemistry.* 2013; 2(1):294-305.
- 547.** Yuen V.G., Vera E, Battell M.L., Li W. M. and McNeil J.H., Acute and chronic oral administration of bis (metallato) oxovanadium (IV) on Zucker diabetic fatty (ZDF) rats, *Diabetes Res. Clin. Pract.* 1999;43:9-12.

- 548.** Yusuf S, Hawken S, Ôunpuu S, Dans T, Avezum A, Lanas F, et al. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case–control study. Lancet.2004;364:937-952.
- 549.** Zeggini E, Weedon MN, Lindgren CM, Frayling TM, Elliott KS, Lango H, Barrett et al., Replication of genome-wide association signals in UK samples reveals risk for type 2 diabetes. Science.2007;316(5829):1336-1341.
- 550.** Zhang HY, Zhu FF, Xiong J, Shi XB, Fu SX. Characteristics of different phenotypes of polycystic ovary syndrome based on the Rotterdam criteria in a large-scale Chinese population. BJOG.2009;116:1633-1639.
- 551.** Ziegenfuss T.N, Hofheins J.E, Mendel R.W, Landis J and Anderson RA. Effects of a Water-Soluble Cinnamon Extract on Body Composition and Features of the Metabolic Syndrome in Pre-Diabetic Men and Women. Journal of the International Society of Sports Nutrition.2006;3(2):45-53.
- 552.** Zimmet P., Alberti K. G., Shaw J. Global and societal implications of the diabetes epidemic. Nature.2001;414:782-787.

WEBLIOGRAPHY

1. <http://easyayurveda.com/2012/11/26/bael-benefits-full-ayurvedic-description-about-root-fruit-and-stem/> accessed on 11/4/2015 (accessed on 23.3.15).
2. <http://www.ambikamedico.com/ayurveda/dalmia/> (accessed on 21. 12.16).
3. <http://www.ambikamedico.com/ayurveda/dalmia/> (accessed on 12.4.15).
4. <http://www.ayurvedabay.com/product/himalayachyawanprash.html> (accessed on 15.7.15).
5. http://www.ayurvedicsanjivani.com/bilv_giri.html (accessed on 16.11.16).
6. http://www.blissayurveda.com/ulcobliss_tablet.html (accessed on 10.5.16).
7. <http://www.herbalsandcosmetics.com/gynecologic-al-formulations-remedies.html> (accessed on 22.10.15).
8. <http://www.indiaenvironmentportal.org.in/content/419189/national-health-profile-nhp-of-india-2015/> (accessed on 18.4.15).

9. [http://www.la-medicca.com/productssingleherbcapsules- bilv-giri.html](http://www.la-medicca.com/productssingleherbcapsules-bilv-giri.html) (accessed on 23.6.16).
10. [http://www.madanapalas.com/glucomap-100- tablets-p-16.html](http://www.madanapalas.com/glucomap-100-tablets-p-16.html) (accessed on 13.5.15).
11. [http://www.ojaminherbal.com/ojamin-herbalayurvedic- medicine.html](http://www.ojaminherbal.com/ojamin-herbalayurvedic-medicine.html) (accessed on 23.7.16).
12. <http://www.oushadhi.org/page.php?slug=productdetails&pid=4> (accessed on 20.8.16).
13. <http://www.planetaryurveda.com/baelpowder.html> (accessed on 11.4.15).
14. <http://www.shreynutra.com/leucare-capsule.html> (accessed on 12.7.16).
15. <http://www.vappl.com/productpatent1.htm> (accessed on 23.9.16).
16. http://www.who.int/cardiovascular_diseases/guidelines/hypertension/en/ (accessed on 15.8.16).
17. <https://www.med.umich.edu/mdrtc/profs/documents/svi/dcp.pdf>(accessed on 24.5.16).
18. <https://www.nhlbi.nih.gov/health-pro/guidelines/current/hypertension-jnc-7> (accessed on 22.8.16).
19. WHO,author.2002.[20June,2012]. <http://whqlibdoc.who.int/publications/924156242.pdf> (accessed on 5.8.16).
20. [http://www.fao.org/docrep/article/wfc/xii/0186-a1.](http://www.fao.org/docrep/article/wfc/xii/0186-a1) (accessed on 12.5.16).
21. [http://medicinalpltsinindiam.blogspot.in/.](http://medicinalpltsinindiam.blogspot.in/) (accessed on 30.8.15).
22. ADA(2014).Available athttp://care.diabetesjournals.org/content/36/Supplement_1/S11.full (accessed on 21.10.16).
23. API-ICP Guidelines on Diabetes 2007. Available at: <http://www.japi.org/july2007/IDGM.pdf> (accessed on 21.9.16).
24. Prioritizing areas for action in the field of population-based prevention of childhood obesity. Available at <http://www.who.int/dietphysicalactivity/childhood/tools/en/> (accessed on 15.12.2016).
25. Department of Ayurveda, Yoga & Naturopathy, Unani, Siddha and Homoeopathy (AYUSH) (<http://www.indianmedicine.nic.in/>) (accessed on 14.12.16).
26. Joint Statement from ACC, ADA and AHA Revises Recommendations for Glycemic Targets for Some Patients - Available at: [http://www.diabetes.org/newsroom/press-releases/2008/joint-statement-from-acc-ada-aha.html#sthash.T7SN9ijl.dpuf.](http://www.diabetes.org/newsroom/press-releases/2008/joint-statement-from-acc-ada-aha.html#sthash.T7SN9ijl.dpuf) (accessed on 16.12.16).

27. International Diabetes Federation (IDF) [Internet]. Country estimates table 2011. IDF diabetes atlas. 6th ed. 2012. Available from: http://www.idf.org/sites/default/files/EN_6E_Atlas_Full_0.pdf (accessed on 7.6.15).
28. National Institutes of Health Office of Dietary Supplements: Dietary supplement fact sheet: chromium [articleonline]. Available from <http://ods.od.nih.gov/factsheets/chromium.asp#en35> (accessed on 13.9.16).
29. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. National High Blood Pressure Education Program. Available at <http://www.nhlbi.nih.gov/guidelines/hypertension/jnc7full.pdf>. (accessed on 16.06.14).
30. Kadji MH, Runtuwene MRJ and Citraningtyas G 2013. PHARMACON.<http://ejournal.unsrat.ac.id/index.php/pharmacon/article/view/File/1415/1122> (accessed on 26.12.14).