

CHAPTER 9

BIBLIOGRAPHY

1. A.K. Ravishankar, "Is India Shouldering a Double Burden of Malnutrition?" *Journal of Health Management* 14 2012. 3: 313-28.
2. Adam TC, Toledo-Corral C, Lane CJ, Weigensberg MJ, Spruijt-Metz D, Davies JN *et al.* Insulin sensitivity as an independent predictor of fat mass gain in Hispanic adolescents. *Diabetes Care* 2009. 32: 2114–2115.
3. Adams C, Burke V, Beilin LJ. Accuracy of blood pressure measurement and anthropometry among volunteer observers in a large community survey. *Journal of Clin Epidemiol* 2002. 55: 338-344.
4. Adlakha A (1996) Population Trends: India. International Brief U.S. Department of Commerce Economics and Statistics Administration, Bureau of Census. Available: <http://www.census.gov/ipc/prod/ib-9701.pdf>. Accessed 2011 Jan 03.
5. Adrian TE, Ferri GL, Bacarese-Hamilton AJ, Fuessl HS, Polak JM, Bloom SR. Human distribution and release of a putative new gut hormone, peptide YY. *Gastroenterology* 1985. 89: 1070–1077.
6. Agne A. A., Daubert R., Munoz M. L., Scarinci I., & Cherrington A. L. The cultural context of obesity: exploring perceptions of obesity and weight loss among Latina immigrants. *Journal of Immigrant and Minority Health* 2012. 14(6): 1063-1070.
7. Air EL, Benoit SC, Blake Smith KA, Clegg DJ, Woods SC. Acute third ventricular administration of insulin decreases food intake in two paradigms. *Pharmacol Biochem Behav* 2002. 72: 423–429.
8. Albu J B, Murphy L, Frager D H, Johnson J A, Pi-Sunyer F X. Visceral fat and race-dependent health risks in obese nondiabetic premenopausal women. *Diabetes* 1997. 46: 456–462.
9. Al-Hamodi, Z., Molham, A. H., Al-Meer, A., & Saif-Ali, R. Association of adipokines, leptin/adiponectin ratio and C-reactive protein with obesity and type 2 diabetes mellitus. *Diabetology & Metabolic Syndrome* 2014. 6(1): 1.
10. Allison DB, Faith MS, Nathan JS. Risch's Lambda value for human obesity. *Int J Epidemiol* 1988. 17: 77-81.
11. Al-Mannai, Dickerson JW, Morgan JB, Khalfan H. Obesity in Bahraini adults. *J Res Socl Health* 1996. 116: 30-32, 37-40.
12. Amin TT, Al-Sultan AI, Ali A. Overweight and obesity and their relation to dietary habits and socio-demographic characteristics among male primary school children in Al-Hassa, Kingdom of Saudi Arabia. *Eur J Nutr* 2008. 47: 310-318.

13. Andreasen, C. H., Stender-Petersen, K. L., Mogensen, M. S., Torekov, S. S., Wegner, L., Andersen, G. & Clausen, J. O. Low physical activity accentuates the effect of the FTO rs9939609 polymorphism on body fat accumulation. *Diabetes* 2008. 57(1): 95-101.
14. Andrew L. Kau, Philip P. Ahern, Nicholas W. Griffin, Andrew L. Goodman & Jeffrey I. Gordon. Human nutrition, the gut microbiome and the immune system. *Nature* 2011. 474: 327–336.
15. Angelakis, E., Armougom, F., Million, M., & Raoult, D. The relationship between gut microbiota and weight gain in humans. *Future Microbiology*, 2012. 7(1): 91-109.
16. AR, Von Englehardt N, Leng G, Smith RG, Dickson SL. Growth hormone secretagogue activation of the arcuate nucleus and brainstem occurs via a non-noradrenergic pathway. *J Neuroendocrinol* 2000. 12: 191–197.
17. Archer BJ, Johnson SK, Devereux HM and Baxter AL. Effect of fat replacement by inulin or lupin-kernel fibre on sausage patty acceptability, post-meal perceptions of satiety and food intake in men. *British Journal of Nutrition* 2004. 91: 591-9.
18. Argyri, A. A., Zoumpopoulou, G., Karatzas, K. A. G., Tsakalidou, E., Nychas, G. J. E., Panagou, E. Z., & Tassou, C.C. . Selection of potential probiotic lactic acid bacteria from fermented olives by in vitro tests. *Food Microbiology* 2013. 33(2): 282-291.
19. Arihara, K. Probiotics. *Handbook of Fermented Meat and Poultry* 2014. 155-160.
20. Arrieta, M. C., Stiemsma, L. T., Amenyogbe, N., Brown, E. M., & Finlay, B. The intestinal microbiome in early life: health and disease. *Front Immunol* 2014. 5(427.10): 3389.
21. Arya S, Isharwal S, Misra A, Pandey RM, Rastogi K, Vikram NK, Dhingra V, Chatterjee A, Sharma R, Luthra K. C-reactive protein and dietary protein and dietary nutrients in urban Asian Indian adolescents and young adults. *Nutrition* 2006. 22: 865-871.
22. Assudani A., Sheth M., Jain N., Mahendra and Sheth & Parnami S. Feasibility and Acceptability of Adding Fructooligosaccharide at Varying Levels in Dudhi muthiya and Vegetable chilla 2013.
23. Assudani, A., Sheth, M., Jain N., & Parnami, S. (2014). Indirect Determinant's of Obesity in Bank Employees of Urban Vadodara—A Cross Sectional Study.
24. Astrup, A., Dyerberg, J., Selleck, M., & Stender, S.. Nutrition transition and its relationship to the development of obesity and related chronic diseases. *Obesity Reviews* 2008. 9(s1): 48-52.
25. Bäckhed F, Manchester JK, Semenkovich CF and Gordon JI. Mechanisms underlying the resistance to diet-induced obesity in germ-free mice. *Proceedings of National Academy of Science USA* 2007. 104: 979–984.

26. Baggio, L. L., & Drucker, D. J.. Glucagon-like peptide-1 receptors in the brain: controlling food intake and body weight. *The Journal of Clinical Investigation* 2014. 124(10): 4223-4226.
27. Bai, J. A. (Ed.). (2014). *Beneficial Microbes in Fermented and Functional Foods*. CRC Press.
28. Balaban, G., & Silva, G. A. Protective effect of breastfeeding against childhood obesity. *Jornal de pediatria* 2004. 80(1), 7-16.
29. Balcazar J. Probiotics in health maintenance: do they really work? *British Journal of Infection Control* 2007. 8(3): 87-93.
30. Balentine CJ, Enriquez J, Fisher W, Hodges S, Bansal V, Sansgiry S, Petersen NJ, Berger DH. Intra-abdominal fat predicts survival in pancreatic cancer. *J Gastrointest Surg* 2010. 14: 1832–1837.
31. Balkau B, Deanfield JE, Després JP, Bassand JP, Fox KA, Smith SC Jr., Barter P, Tan CE, Van Gaal L, Wittchen HU, Massien C, Haffner SM. International Day for the Evaluation of Abdominal Obesity (IDEA): a study of waist circumference, cardiovascular disease, and diabetes mellitus in 168,000 primary care patients in 63 countries. *Circulation* 2007. 116: 1942–1951.
32. Barker DJP. Fetal origins of cardiovascular disease. *Ann Med* 1999. 31: 3-6.
33. Basen-Engquist K, Chang M. Obesity and cancer risk: recent review and evidence. *Curr Oncol Rep* 2011. 13: 71–76.
34. Batle Jaan and Michael Lewis. The relative effects of race and socioeconomic status on academic achievement. *Journal of Poverty* 2002. 6(2): 21-35.
35. Batterham RL, Le Roux CW, Cohen MA, Park AJ, Ellis SM, Patterson M *et al*. Pancreatic polypeptide reduces appetite and food intake in humans. *J Clin Endocrinol Metab* 2003. 88: 3989–3992.
36. Belenchia, A. M., Tosh, A. K., Hillman, L. S., & Peterson, C. A. Correcting vitamin D insufficiency improves insulin sensitivity in obese adolescents: a randomized controlled trial. *The American Journal of Clinical Nutrition* 2013. 97(4): 774-781.
37. Benfield T, Jensen JS, Nordestgaard BG. Influence of diabetes and hyperglycaemia on infectious disease hospitalisation and outcome. *Diabetologia* 2007. 50: 549–554.
38. Bengmark S. Ecological control of the gastrointestinal tract: the role of probiotic flora. *Gut* 1998. 42: 2–7.
39. Benno Y, Sawada K and Mitsuoka T. The intestinal microflora of infants: composition of fecal flora in breast fed and bottle fed infants. *Microbiology and Immunology* 1984. 28: 975-986.
40. Berry, R. B., Budhiraja, R., Gottlieb, D. J., Gozal, D., Iber, C., Kapur, V. K., ... & Redline, S. (2012). Rules for scoring respiratory events in sleep: update of the 2007 AASM manual for the scoring of sleep and associated events. *J Clin Sleep Med*, 8(5), 597-619. Abate N, Garg A, Peshock RM, Stray-Gundersen J,

- Adams-Huet B, Grundy SM. Relationship of generalized and regional adiposity to insulin sensitivity in men. With *NIDDM. Diabetes* 1996. 45: 1684-1693.
41. Berthier MT, Houde A, Paradis AM, Couture P, Gaudet D, Després JP, Vohl MC. Molecular screening of the microsomal triglyceride transfer protein: association between polymorphisms and both abdominal obesity and plasma apolipoprotein B concentration. *J Hum Genet* 2004. 49: 684–690.
 42. Beutler B, Rietschel ET. Innate immune sensing and its roots: the story of endotoxin. *Nature Reviews Immunology* 2003. 3(2): 169-76.
 43. Bhatt, T., Mehan, M. (2014). Workplace health promotion (Unpublished doctoral thesis). The Maharaja Sayajirao University of Baroda, Vadodara, Gujarat.
 44. Bishwajit G. Nutrition transition in South Asia: the emergence of non-communicable chronic diseases. *F1000 Research* 2015, 4: 8.
 45. Bjorksten B. The gut microbiota: A complex ecosystem. *Clinical and Experimental Allergy* 2006. 36(10): 1215-1217
 46. Björntorp P. Visceral obesity: a “civilization syndrome.” *Obes Res* 1993. 1: 206–222.
 47. Black DD, Tso P, Weidman S, Sabesin SM. Intestinal lipoproteins in the rat with D-(+)-galactosamine hepatitis. *J Lipid Res* 1983. 24: 977-92.
 48. Blackburn GL. Dietary pattern for weight management and health. *Obes Res* 2002. 9 (Suppl): 2178-2185.
 49. Blanchard, C. M., McGannon, K. R., Spence, J. C., Rhodes, R. E., Nehl, E., Baker, F., & Bostwick, J.. Social ecological correlates of physical activity in normal weight, overweight, and obese individuals. *International Journal Of Obesity* 2005. 29(6): 720-726.
 50. Bo S, Musso G, Beccuti G, Fadda M, Fedele D, Gambino R, Gentile L, Durazzo M, Ghigo E, Cassader M. Consuming more of daily caloric intake at dinner predisposes to obesity. A 6-year population-based prospective cohort study. *PloS one* 2014 Sep 24;9(9):e108467.
 51. Boler BV, Sero MC, Faber TA, Bauer LL, Chow JM and Murphy MR et al. In Vitro Fermentation Characteristics of Select Nondigestible Oligosaccharides by Infant Fecal Inoculation. *Journal of Agriculture Food Chemistry* 2013. 61 (9): 2109–2119.
 52. Bomhof, M. R., Saha, D. C., Reid, D. T., Paul, H. A., & Reimer, R. A. Combined effects of oligofructose and *Bifidobacterium animalis* on gut microbiota and glycemia in obese rats. *Obesity* 2014. 22(3): 763-771.
 53. Bouchard C, Rice T, Lemieux S, Després JP, Périusse L, Rao DC. Major gene for abdominal visceral fat area in the Quebec Family Study. *Int J Obes Relat Metab Disord* 1996. 20: 420–427.
 54. Bouchard C. Genetic factors in obesity. *Med Clin North Am* 1989. 73: 67-81.

55. Bouchard, Weisnagel SJ, Engert JC, Hudson TJ, Bouchard C, Vohl MC, Pérusse L. Human resistin gene polymorphism is associated with visceral obesity and fasting and oral glucose stimulated C-peptide in the Quebec Family Study. *J Endocrinol Invest* 2004. 27: 1003–1009.
56. Bouhnik Y et al. Short chain fructooligosaccharide administration dose dependently increases fecal bifidobacteria in healthy humans. *Journal of Nutrition* 1999. 129: 113.
57. Brauchla, M., Juan, W., Story, J., & Kranz, S. (2012). Sources of dietary fiber and the association of fiber intake with childhood obesity risk (in 2–18 year olds) and diabetes risk of adolescents 12–18 year olds: NHANES 2003–2006. *Journal Of Nutrition And Metabolism* 2012.
58. Braunschweig CL, Gomez S, Liang H, Tomey K, Doerfler B, Wang Y, Beebe C, Lipton R. Obesity and risk factors for the metabolic syndrome among low-income, urban, African American school children: the rule rather than exception? *Am J Clin Nutr* 2005. 81: 970-975.
59. Bray, G. A., & Bouchard, C. (Eds.). (2014). *Handbook of Obesity–Volume 2: Clinical Applications* (Vol. 2). CRC Press.
60. Bruno F. A., Lankaputhra W. E. V., & Shah N. P. Growth, viability and activity of Bifidobacterium spp. in skim milk containing prebiotics. *Journal of Food Science* 2002. 67(7): 2740-2744.
61. Buddington RK et al. Dietary supplement of neosugar alters the fecal flora and decreases activities of some reductive enzymes in human subjects. *American Journal of Clinical nutrition* 1996. 63: 709.
62. Buffa R, Solcia E, Go VL. Immunohistochemical identification of the cholecystokinin cell in the intestinal mucosa. *Gastroenterology* 1976. 70: 528–532.
63. Caballero, B. The global epidemic of obesity: an overview. *Epidemiologic Reviews* 2007. 29(1): 1-5.
64. Cahill, F., Ji, Y., Wadden, D., Amini, P., Randell, E., Vasdev, S. & Sun, G. (2014). The Association of Serum Total Peptide YY (PYY) with Obesity and Body Fat Measures in the CODING Study. *PloS one*, 9(4), e95235.
65. Calle EE, Rodriguez C, Walker-Thurmond K, Thun MJ. Overweight, obesity, and mortality from cancer in a prospectively studied cohort of U.S. adults. *N Engl J Med* 2003. 348: 1625–1638.
66. Canella, D. S., Levy, R. B., Martins, A. P. B., Claro, R. M., Moubarac, J. C., Baraldi, L. G., ... & Monteiro, C. A. (2014). Ultra-processed food products and obesity in Brazilian households (2008–2009). *PLoS One*, 9(3), e92752.
67. Cani P.D. and Delzenne N.M. The gut microbiome as therapeutic target. *Pharmacology and Therapeutics* 2011. 130: 202-212.
68. Cani P.D., Amar J., Iglesias M.A., Poggi M., Knauf C., Bastelica D., Neyrinck A.M., Fava F., Tuohy K.M., Chabo C.,Waget A., Delmée E., Cousin B., Sulpice

- T., Chamontin B., Ferrières J., Tanti J.F., Gibson G.R., Casteilla L., Delzenne N.M., Alessi M.C., Burcelin R. Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes* 2007(a). 56: 1761-72.
69. Cani P.D., Bibiloni R., Knauf C., Waget A., Neyrinck A.M., Delzenne N.M., Burcelin R. Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes* 2008. 57: 1470-81.
 70. Cani P.D., Neyrinck A.M., Fava F., Knauf C., Burcelin R.G., Tuohy K.M., Gibson G.R., Delzenne N.M. Selective increases of bifidobacteria in gut microflora improve high-fat-diet-induced diabetes in mice through a mechanism associated with endotoxaemia. *Diabetologia* 2007. 50: 2374-83.
 71. Cani P.D., Possemiers S., Van De Wiele T., Guiot Y., Everard A., Rottier O., Geurts L., Naslain D., Neyrinck A., Lambert D.M., Muccioli G.G., Delzenne N.M. Changes in gut microbiota control inflammation in obese mice through a mechanism involving GLP-2-driven improvement of gut permeability. *Gut* 2009, 58: 1091-103.
 72. Cani PD, Amar J, Iglesias MA et al., "Metabolic endotoxaemia initiates obesity and insulin resistance," *Diabetes* 2007. 56(7): 1761–1772.
 73. Cani PD, Amar J, Iglesias MA, Poggi M, Knauf C, Bastelica D, Neyrinck AM, Fava F, Tuohy KM, Chabo C, Waget A. Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes* 2007. 56(7): 1761-72.
 74. Cani PD, Bibiloni R, Knauf C, Waget A, Neyrinck AM, Delzenne NM, Burcelin R. Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet–induced obesity and diabetes in mice. *Diabetes* 2008.57(6): 1470-81.
 75. Cani PD, Delzenne NM. The gut microbiome as therapeutic target. *Pharmacology & Therapeutics*. 2011. 130(2): 202-12.
 76. Cani PD, Joly E, Horsmans Y and Delzenne NM. Oligofructose promotes satiety in healthy human: a pilot study. *European Journal of Clinical Nutrition* 2006; 60: 567–572.
 77. Cani PD, Knauf C, Iglesias MA, Drucker DJ, Delzenne NM and Burcelin R. Improvement of glucose tolerance and hepatic insulin sensitivity by oligofructose requires a functional GLP-1 receptor. *Diabetes* 2006. 55: 1484–1490.
 78. Cani PD, Lecourt E, Dewulf EM, Sohet FM, Pachikian BD, Naslain D, De Backer F, Neyrinck AM, Delzenne NM. Gut microbiota fermentation of prebiotics increases satietogenic and incretin gut peptide production with consequences for appetite sensation and glucose response after a meal. *The American Journal Of Clinical Nutrition* 2009. 90(5): 1236-43.
 79. Cani PD, Neyrinck AM, Fava F, Knauf C, Burcelin RG, TuohyKM, et al. Selective increases of bifidobacteria in gut microflora improve high-fat-diet-induced

- diabetes in mice through a mechanism associated with endotoxaemia. *Diabetologia* 2007. 50: 2374-83.
80. Cani P. D. & Delzenne N. M. Involvement of the gut microbiota in the development of low grade inflammation associated with obesity: focus on this neglected partner. *Acta Gastroenterol Belg* 2010. 73(2): 267-9.
 81. Caricilli AM, Saad MJ. The role of gut microbiota on insulin resistance. *Nutrients* 2013. 5(3): 829-51.
 82. CDC National Center for Health Statistics (2012) <http://www.cdc.gov/media/>
 83. Centers for Disease Control and Prevention. *Adult BMI Retrieved* 2009a.
 84. Chang W. C., Hsiao C. F., Chang H. Y., Lan T. Y., Hsiung C. A., Shih Y. T. & Tai T. Y. Betel nut chewing and other risk factors associated with obesity among Taiwanese male adults. *International Journal of Obesity* 2006. 30(2): 359-363.
 85. Chang S. H., Stoll C. R., Song J., Varela J. E., Eagon C. J., & Colditz G. A.. The effectiveness and risks of bariatric surgery: an updated systematic review and meta-analysis, 2003-2012. *JAMA Surgery* 2014. 149(3): 275-287.
 86. Chaput JP. Sleep patterns, diet quality and energy balance. *Physiology & behavior* 2014. 134: 86-91.
 87. Chaudhri OB, Salem V, Murphy KG, Bloom SR. Gastrointestinal satiety signals. *Annu Rev Physiol* 2008. 70: 239-55.
 88. Chiang BN, Perlman LV, Epstein FH. Overweight and hypertension. A review. *Circulation* 1969. 39: 403-421.
 89. Cho, Y. M. (2011). Gut Hormones and Obesity. *SIDDS*, 11(단일호), 39-40.
 90. Clemente-Postigo M, Queipo-Ortuno MI, Murri M, Boto-Ordóñez M, Perez-Martínez P, Andrés-Lacueva C, Cardona F, Tinahones FJ. Endotoxin increase after fat overload is related to postprandial hypertriglyceridemia in morbidly obese patients. *Journal of Lipid Research*. 2012. 53(5): 973-8.
 91. Cnattingius, S., Villamor, E., Lagerros, Y. T., Wikström, A. K., & Granath, F.. High birth weight and obesity—a vicious circle across generations. *International Journal of Obesity* 2012. 36(10): 1320-1324.
 92. Collings, P. J., Brage, S., Ridgway, C. L., Harvey, N. C., Godfrey, K. M., Inskip, H. M. & Ekelund, U.. Physical activity intensity, sedentary time, and body composition in preschoolers. *The American Journal of Clinical Nutrition*, 2013. 97(5): 1020-1028.
 93. Colquitt, J. L., Pickett, K., Loveman, E., & Frampton, G. K. Surgery for weight loss in adults. *Cochrane Database Syst Rev* 2014. 8(8).
 94. Connolly HM, Crary JL, McGoon MD et al. Valvular heart disease associated with fenfluramine-phentermine. *N Engl J Med* 1997. 337: 581-588.
 95. Conterno L, Fava F, Viola R, Tuohy KM. Obesity and the gut microbiota: does upregulating colonic fermentation protect against obesity and metabolic disease? *Genes Nutr* 2011. 6(3): 241-260.

96. Couillard C, Vohl MC, Engert JC, Lemieux I, Houde A, Alm  ras N, Prud'homme D, Nadeau A, Despr  s JP and Bergeron J. Effect of apoC-III gene polymorphisms on the lipoprotein-lipid profile of viscerally obese men. *J Lipid Res* 2003. 44: 986–993.
97. Coussement P. Inulin and Oligofructose as dietary fiber: Analytical, nutritional and legal aspects. Complex carbohydrates in foods. Eastern Hemisphere Distribution Publishing group USA 1999. pp. 203-204.
98. Coussement, P. A. (1999). Inulin and oligofructose: safe intakes and legal status. *The Journal of nutrition*, 129(7), 1412S-1417s.
99. Cowin I, Emmett P. Cholesterol and triglyceride concentrations, birth weight and central obesity in pre-school children. ALSPAC Study Team. Avon Longitudinal Study of Pregnancy and Childhood. *Int J Obes Relat Metab Disord* 2000. 24: 330-339.
100. Cowley MA, Smith RG, Diano S, Tschop M, Pronchuk N, Grove KL, *et al.* The distribution and mechanism of action of ghrelin in the CNS demonstrates a novel hypothalamic circuit regulating energy homeostasis. *Neuron* 2003. 37: 649-61.
101. Crittenden R. G., Playne M. J. Production, properties and applications of food-grade oligosaccharides. *Trends Food Sci Technol* 1996. 7: 353–61.
102. Crittenden RG. Prebiotics. In: Tannock GW, editor. Probiotics: a critical review. Wymondham: *Horizon Scientific Press* 1999. pp. 141-156.
103. Croezen, S., Visscher, T. L. S., Ter Bogt, N. C. W., Veling, M. L., & Haveman-Nies, A. Skipping breakfast, alcohol consumption and physical inactivity as risk factors for overweight and obesity in adolescents: results of the E-MOVO project. *European Journal of Clinical Nutrition* 2009. 63(3): 405-412.
104. Cruwys, T., Bevelander, K. E., & Hermans, R. C. Social modeling of eating: A review of when and why social influence affects food intake and choice. *Appetite* 2015. 86: 3-18.
105. Dagenais GR, Yi Q, Mann JF, Bosch J, Pogue J, Yusuf S. Prognostic impact of body weight and abdominal obesity in women and men with cardiovascular disease. *Am Heart J* 2005. 149: 54–60.
106. Dakin CL, Small CJ, Batterham RL, Neary NM, Cohen MA, Patterson M *et al.* Peripheral oxyntomodulin reduces food intake and body weight gain in rats. *Endocrinology* 2004. 145: 2687–2695.
107. Dallman MF, la Fleur SE, Pecoraro NC, Gomez F, Houshyar H, Akana SF. Minireview: glucocorticoids–food intake, abdominal obesity, and wealthy nations. *Endocrinology* 2004. 145: 2633–2638.
108. David M. Cutler Edward L. Glaeser Jesse M. Shapiro. Why have Americans become more obese? *NBER Working Paper* 2003. 9446: 7-9.

109. David, L. A., Maurice, C. F., Carmody, R. N., Gootenberg, D. B., Button, J. E., Wolfe, B. E., ... & Biddinger, S. B.. Diet rapidly and reproducibly alters the human gut microbiome. *Nature* 2014. 505(7484): 559-563.
110. Davis JN, Alexander KE, Ventura EE, Toledo-Corral CM, Goran MI. Inverse relation between dietary fiber intake and visceral adiposity in overweight Latino youth. *Am J Clin Nutr* 2009. 90: 1160–6.
111. De Castro JM (2004). The time of food intake influences overall intake in humans. *J Nutr* 134: 104–111.
112. De Leenheer L. Production and use of inulin: industrial reality with a promising future. In: Van Bakkum H, Ro per H, Voragen F, editors. Carbohydrates as organic raw materials III. *New York: V.C.H. Publishers* 1996. pp. 67–92.
113. De Vriendt T, Moreno LA, De Henauw S. Chronic stress and obesity in adolescents: scientific evidence and methodological issues for epidemiological research. *Nutr Metab Cardiovasc Dis* 2009. 19: 511–519.
114. Delpeuch F and Marie B. Obesity and developing countries of the south. *Medicine Tropicale (mars)* 1997. 57: 380-388.
115. Delzenne N, Roberfroid MB. Physiological effects of nondigestible oligosaccharides. *Lebensm-Wiss Technol* 1994. 27: 1–6.
116. Delzenne NM and Kok N. Effects of fructans-type prebiotics on lipid metabolism. *American Journal of Clinical Nutrition* 2001. 73: S456.
117. Delzenne, N. M., & Cani, P. D. (2011). Interaction between obesity and the gut microbiota: relevance in nutrition. *Annual review of nutrition*, 31, 15-31.
118. Delzenne, N. M., Neyrinck, A. M., Bäckhed, F., & Cani, P. D. (2011). Targeting gut microbiota in obesity: effects of prebiotics and probiotics. *Nature Reviews Endocrinology*, 7(11), 639-646.
119. Denis Lairon, Nathalie Arnault, Sandrine Bertrais, Richard Planells, Enora Clero, Serge Hercberg, and Marie-Christine Boutron-Ruault, Dietary fiber intake and risk factors for cardiovascular disease in French adults. *Am J Clin Nutr* 2005. 82: 1185–94.
120. Deshmukh-Taskar PR, Nicklas TA, O'Neil CE, Keast DR, Radcliffe JD, Cho S. The relationship of breakfast skipping and type of breakfast consumption with nutrient intake and weight status in children and adolescents: the National Health and Nutrition Examination Survey 1999-2006. *J Am Diet Assoc* 2010. 110: 869–78.
121. Despres J P, Nadeau A, Tremblay A. et al. Role of deep abdominal fat in the association between regional adipose tissue distribution and glucose tolerance in obese women. *Diabetes* 1989. 38: 304–309.
122. Després JP. Excess visceral adipose tissue/ectopic fat: the missing link in the obesity paradox? *J Am Coll Cardiol* 2011. 57: 1887–1889.

123. Deurenberg P, Deurenberg-Yap M, Guricci S. Asians are different from Caucasians and from each other in their body mass index/body fat per cent relationship. *Obes Rev* 2002. 3: 141–146.
124. Devaux M., Sassi F., Church J., Cecchini M., & Borgonovi F. Exploring the relationship between education and obesity. *OECD Journal: Economic Studies* 2011.
125. Devine, Ben J. "Gentamicin therapy". *Drug Intell Clin Pharm* 1974. 8 (11): 650–5.
126. Dhruv, S., Patel, S., & Iyer, U.. Snacking pattern of residents of Vadodara: a pilot study. *International Journal of Applied Biology and Pharmaceutical Technology* 2011. 2(2): 81-87.
127. Dhurandhar EJ, Dawson J, Alcorn A, Larsen LH, Thomas EA, Cardel M, Bourland AC, Astrup A, St-Onge MP, Hill JO, Apovian CM. The effectiveness of breakfast recommendations on weight loss: a randomized controlled trial. *The American Journal Of Clinical Nutrition* 2014. 100(2): 507-13.
128. Dhurandhar NV, Kulkarni PR. Prevalence of obesity in Bomaby. *Int J Obes Relat Metab Disor* 1992. 16: 367–75.
129. Dhurandhar, E. J., Dawson, J., Alcorn, A., Larsen, L. H., Thomas, E. A., Cardel, M. & Apovian, C. M. The effectiveness of breakfast recommendations on weight loss: a randomized controlled trial. *The American Journal of Clinical Nutrition* 2014. 100(2): 507-513.
130. Dietz WH, Gortmaker SL. Do we fatten our children at the television set? Obesity and television viewing in children and adolescents. *Pediatrics* 1985. 75: 807-812.
131. Ding, S., Chi, M. M., Scull, B. P., Rigby, R., Schwerbrock, N. M., Magness, S. & Lund, P. K. (2010). High-fat diet: bacteria interactions promote intestinal inflammation which precedes and correlates with obesity and insulin resistance in mouse. *PloS one*, 5(8), e12191.
132. Diplock AT, Aggett PJ, Ashwell M, Bornet F, Fern EB, Roberfroid MB. Scientific concepts of functional foods in Europe: consensus document. *Br J Nutr* 81 Suppl 1999. (1): S1–S27.
133. Donahue R P, Abbott R D. Central obesity and coronary heart disease in men. *Lancet* 1987. 2: 1215.
134. Donoho CJ, Weigensberg MJ, Emken BA, Hsu JW, Spruijt-Metz D. Stress and abdominal fat: Preliminary evidence of moderation by the cortisol awakening response in Hispanic peripubertal girls. *Obesity* 2011. 19: 946–952.
135. Drewnowski A, Popkin BM. The Nutrition Transition: New trends in the global diet. *Nut Rews* 1997. 55: 31-43.
136. Drewnowski, A., & Specter, S. E. Poverty and obesity: the role of energy density and energy costs. *The American Journal of Clinical Nutrition* 2004. 79(1): 6-16.

137. Druce MR, Bloom SR. Oxyntomodulin: a novel potential treatment for obesity. *Treat Endocrinol* 2006. 5: 265–272.
138. Druce MR, Neary NM, Small CJ, Milton J, Monteiro M, Patterson M *et al.* Subcutaneous administration of ghrelin stimulates energy intake in healthy lean human volunteers. *Int J Obes (Lond)* 2006. 30: 293–296.
139. Druce MR, Small CJ, Bloom SR. Minireview: Gut peptides regulating satiety. *Endocrinology* 2004. 145: 2660-5.
140. Druce MR, Wren AM, Park AJ, Milton JE, Patterson M, Frost G *et al.* Ghrelin increases food intake in obese as well as lean subjects. *Int J Obes (Lond)* 2005. 29: 1130–1136.
141. Drummond S, Crombie N, Kirk T. A critique of the effects of snacking on body weight status. *Eur J Clin Nutr* 1996. 50: 779-783.
142. Du, H., Bennett, D., Li, L., Whitlock, G., Guo, Y., Collins, R. & Chen, X.. Physical activity and sedentary leisure time and their associations with BMI, waist circumference, and percentage body fat in 0.5 million adults: the China Kadoorie Biobank study. *The American Journal of Clinical Nutrition*, 2013. 97(3): 487-496.
143. Dubrasquet M, Bataille D, & Gespach C. Oxyntomodulin (glucagon-37 or bioactive enteroglucagon): a potent inhibitor of pentagastrin-stimulated acid secretion in rats. *Biosci Rep* 1982. 2: 391–395.
144. Ducimetiere P, Richard J L. The relationship between subsets of anthropometric upper versus lower body measurements and coronary heart disease risk in middle-aged men. The Paris Prospective Study I. *Int J Obes* 1989. 13: 111–121.
145. Duclos M, Gatta B, Corcuff JB, Rashedi M, Pehourcq F, Roger. Fat distribution in obese women is associated with subtle alterations of the hypothalamic-pituitary-adrenal axis activity and sensitivity to glucocorticoids. *Clin Endocrinol* 2001. 55: 447–454.
146. Dufresne M, Seva C, Fourmy D. Cholecystokinin and gastrin receptors. *Physiol Rev* 2006. 86: 805–847.
147. Duncan S., Belenguer A., Holtrop G., Johnstone A., Flint H., Lobley G. Reduced dietary intake of carbohydrates by obese subjects results in decreased concentrations of butyrate and butyrate-producing bacteria in feces. *Appl Environ Microbiol* 2007. 73: 1073–1078.
148. Duvivier, B. M., Schaper, N. C., Bremers, M. A., van Crombrugge, G., Menheere, P. P., Kars, M., & Savelberg, H. H. (2013). Minimal intensity physical activity (standing and walking) of longer duration improves insulin action and plasma lipids more than shorter periods of moderate to vigorous exercise (cycling) in sedentary subjects when energy expenditure is comparable. *PloS one*, 8(2), e55542.

149. Eckburg PB, Bik EM, Bernstein CN et al., "Diversity of the human intestinal microbial flora," *Science* 2005. 308(5728): 1635–1638.
150. Eckel, R. H., Krauss, R. M., & AHA Nutrition Committee. American Heart Association call to action: obesity as a major risk factor for coronary heart disease. *Circulation* 1998. 97(21): 2099-2100.
151. Ekelund, U., Ward, H. A., Norat, T., Luan, J. A., May, A. M., Weiderpass, E. & Johnsen, N. F.. Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). *The American Journal of Clinical Nutrition* 2015. 101(3): 613-621.
152. El Gammal, A. T., Dupree, A., Wolter, S., Güngör, C., Mann, O., & Aberle, J. Received: July 28, 2014 Revised: September 23, 2014 Accepted: October 14, 2014 Published online.
153. El-Kholy W. M. & Mahrous H. Biological Studies on Bio-Yoghurt Fortified with Prebiotic Obtained from Jerusalem artichoke. *Food and Nutrition Sciences* 2015. 6(16): 1552.
154. Elmer GW, Surawicz M, McFarl and LV. Biotherapeutic Agents: Review, a neglected modality of the treatment and prevention of selected intestinal and vaginal infections. *J Am Med Assoc* 1996. 275(11): 870-876.
155. Enriori PJ, Evans AE, Sinnayah P, Jobst EE, Tonelli-Lemos L, Billes SK *et al.* Diet-induced obesity causes severe but reversible leptin resistance in arcuate melanocortin neurons. *Cell Metab* 2007. 5: 181–194.
156. Eriksson J, Forsen T, Tuomilehto J, Osmond C, Barker D. Size at birth, childhood growth and obesity in adult life. *Int J Obes Relat Metab Disord* 2001. 25: 735-740.
157. Esparza, J., Fox, C., Harper, I. T., Bennett, P. H., Schulz, L. O., Valencia, M. E., & Ravussin, E. Daily energy expenditure in Mexican and USA Pima Indians: low physical activity as a possible cause of obesity. *International Journal of Obesity & Related Metabolic Disorders* 2000. 24(1).
158. Everard A, Belzer C, Geurts L, Ouwerkerk JP, Druart C, Bindels LB et al. Cross-talk between *Akkermansia muciniphila* and intestinal epithelium controls diet-induced obesity. *Proc Natl Acad Sci USA* 2013. 110: 9066–9071.
159. Everard A, Cani PD. Diabetes, obesity and gut microbiota. *Best Pract Res Clin Gastroenterol* 2013. 27: 73–83.
160. Fagherazzi, G., Vilier, A., Sartorelli, D. S., Lajous, M., Balkau, B. & Clavel-Chapelon, F. Consumption of artificially and sugar-sweetened beverages and incident type 2 diabetes in the Etude Epidémiologique auprès des femmes de la Mutuelle Générale de l'Education Nationale–European Prospective Investigation into Cancer and Nutrition cohort. *The American Journal of Clinical Nutrition* 2013. 97(3): 517-523.

161. Falbe, J., Willett, W. C., Rosner, B., Gortmaker, S. L., Sonnevile, K. R., & Field, A. E.. Longitudinal relations of television, electronic games, and digital versatile discs with changes in diet in adolescents. *The American Journal of Clinical Nutrition* 2014. 100(4): 1173-1181.
162. Fall C. Non-industrialized countries and affluence. *British Med Bull* 2001. 60: 33-50.
163. FAO/WHO 2001. Expert Consultation. Report of a joint FAO/WHO Expert Consultation. Health and nutritional properties of probiotics in food including powder milk and live lactic acid bacteria, Ref Type: Report, (ftp://ftp.fao.org/es/esn/food/probio_report_en.pdf).
164. FAO/WHO 2002. Guidelines for the evaluation of probiotics in food. Report of a joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food. London ON, Canada.
165. FAO/WHO. Expert Consultation report, on Evaluation of Health and Nutritional Properties of Probiotics in Food including Powder Milk with Live Lactic Acid Bacteria. Argentina 2001. 1-34.
166. Farnworth ER. Fructans in human and animal diets, In: Suzuki M, Chatterton NJ, editors. Science and technology of fructans. Boca Raton, FL: CRC Press. 1993. pp. 258–70.
167. Fedorak RN, Madsen KL. Probiotics and Prebiotics in gastrointestinal disorders. *Corr opin Gastroenterol* Mar 2004. 20(2): 146-55.
168. Femia AP, Salvadori M, Broekaert WF, Francois IEJA, Delcour JA et al. Arabinoxylan-oligosaccharides (AXOS) reduce preneoplastic lesions in the colon of rats treated with 1,2- dimethylhydrazine (DMH). *Eur J Nutr* 2010. 49: 127–132.
169. Ferrannini, E., Rosenbaum, M., & Leibel, R. L. The threshold shift paradigm of obesity: evidence from surgically induced weight loss. *The American Journal of Clinical Nutrition* 2014. 100(4): 996-1002.
170. Festi, D., Schiumerini, R., Eusebi, L. H., Marasco, G., Taddia, M., & Colecchia, A.. Gut microbiota and metabolic syndrome. *World J Gastroenterol* 2014. 20(43): 16079-16094.
171. Flamm G, Glinsmann W, Kritchevsky D, Prosky L and Roberfroid M. Inulin and Oligofructose as Dietary Fiber: A Review of Evidence. *Critical Reviews in Food Science and Nutrition* 2001. 41(5): 353-362.
172. Flamm G, Glinsmann W, Kritchevsky D, Prosky L, Roberfroid M. Inulin and oligofructose as dietary fiber: A review of the evidence. *Crit Rev Food Sci Nutr* 2001. 41: 353-62.
173. Flegal KM, Carroll MD, Ogden CL, Curtin LR Prevalence and Trends in Obesity among US Adults. *JAMA* 2010. 303(3): 235-41.
174. Food and Drug Administration. (1996). Draft guidance clinical evaluation of weight control drug. *Rockville, MD: FDA*.

175. Ford, E. S., & Dietz, W. H. Trends in energy intake among adults in the United States: findings from NHANES. *The American Journal of Clinical Nutrition* 2013. 97(4): 848-853.
176. Foster, G. D., Karpyn, A., Wojtanowski, A. C., Davis, E., Weiss, S., Brensinger, C. & Leuchten, D. Placement and promotion strategies to increase sales of healthier products in supermarkets in low-income, ethnically diverse neighborhoods: a randomized controlled trial. *The American Journal of Clinical Nutrition* 2014. 99(6): 1359-1368.
177. Fox CS, Heard-Costa N, Cupples LA, Dupuis J, Vasan RS, Atwood L. Genome-wide association to body mass index and waist circumference: the Framingham Heart Study 100K project. *BMC Med Genet* 8 2007. Suppl 1: S18.
178. Franck A. Technological functionality of inulin and oligofructose. *Br. J. Nutr.* 2002. 87: S287-S291.
179. Franck, A. Food applications of prebiotics. In handbook of prebiotics, (Eds, Gibson G, Rand R, Roberfroid MB), CRC press, Taylor & Francis Group, Boca Raton, FL 2008. 437-448.
180. Franck, A. Technological functionality of inulin and oligofructose. *British Journal of Nutrition* 2002. 87: 287-291.
181. Franck, A.. Technological functionality of inulin and oligofructose. *British Journal of Nutrition* 2008. 87(S2): S287-S291.
182. Frank D., St Amand A., Feldman R., Boedeker E., Harpaz N., Pace N. (2007) Molecular-phylogenetic characterization of microbial community imbalances in human inflammatory bowel diseases. *Proc Natl Acad Sci USA* 2007. 104: 13780–13785.
183. Franssen, R., Monajemi, H., Stroes, E. S., & Kastelein, J. J. Obesity and dyslipidemia. *Medical Clinics of North America* 2011. 95(5): 893-902.
184. Freedman DS, Khan LK, Dietz WH, Srinivasan SR, Berenson GS. Relationship of childhood obesity to coronary heart disease risk factors in adulthood: the Bogalusa Heart Study. *Pediatrics* 2001. 108: 712-718.
185. Freitas Folly GA, Neiva da Silva E, Verner FA, Silva FC and Pinheiro Volp CA. Acceptance of handmade products containing nuts and fructooligosaccharides. *Nutricion Hospitalaria* 2013. 28(1): 86-92.
186. Friedman JM, Halaas JL. Leptin and the regulation of body weight in mammals. *Nature* 1998. 395: 763–770.
187. Furrie E, Mcfarlane S, Kennedy A, Cummings JH, Walsh SV, O’Neil DA et al. Synbiotic therapy initiates resolution of inflammation in patients with active ulcerative colitis: a randomized controlled pilot trial. *Gut* 2005. 54: 242-249.
188. Gadde KM, Allison DB, Ryan DH, Peterson CA, Troupin B, Schwiers ML, Day WW. Effects of low-dose, controlled-release and phentermine plus topiramate combination on weight and associated comorbidities in

- overweight and obese adults (CONQUER): a randomised, placebo-controlled, phase 3 trial. *Lancet* 2011. 377: 1341–1352.
189. Galassi A, Reynolds K, He J. Metabolic syndrome and risk of cardiovascular disease: a meta-analysis. *Am J Med* 2016. 119: 812–819.
 190. Gallagher D, Kelley DE, Yim JE, Spence N, Albu J, Boxt L, Pi-Sunyer FX, Heshka S. Adipose tissue distribution is different in type 2 diabetes. *Am J Clin Nutr* 2009. 89: 807–814.
 191. Gami AS, Witt BJ, Howard DE, Erwin PJ, Gami LA, Somers VK, Montori V. Metabolic syndrome and risk of incident cardiovascular events and death: a systematic review and meta-analysis of longitudinal studies. *J Am Coll Cardiol* 2007. 49: 403–414.
 192. Garcia-Fuentes E, Garrido-Sanchez L, Garcia-Almeida JM, Garcia-Arnes J, Gallego-Perales JL, Rivas-Marin J *et al.* Different effect of laparoscopic Roux-en-Y gastric bypass and open biliopancreatic diversion of Scopinaro on serum PYY and ghrelin levels. *Obes Surg* 2008. 18: 1424–1429.
 193. Garcia-San Frutos M, Fernandez-Agullo T, De Solis AJ, Andres A, Arribas C, Carrascosa JM *et al.* Impaired central insulin response in aged Wistar rats: role of adiposity. *Endocrinology* 2007. 148: 5238–5247.
 194. Garvey WT, Ryan DH, Look M, Gadde KM, Allison DB, Peterson CA, Schwieters M, Day WW, Bowden CH. Two-year sustained weight loss and metabolic benefits with controlled-release phentermine/topiramate in obese and overweight adults (SEQUEL): a randomized, placebo-controlled, phase 3 extension study. *Am J Clin Nutr* 2012. 95: 297–308.
 195. Geerlings, S., Fonseca, V., Castro-Diaz, D., List, J., & Parikh, S.. Genital and urinary tract infections in diabetes: impact of pharmacologically-induced glucosuria. *Diabetes Research and Clinical Practice* 2014. 103(3): 373-381.
 196. Geliebter, A. Neuroimaging of gastric distension and gastric bypass surgery. *Appetite* 2013. 71: 459-465.
 197. Geni B., Giselia A. P. S. Protective effect of breastfeeding against childhood obesity. *J. Pediatr* 2004. 80(1): 135-141.
 198. *Geriatric Nutrition Handbook*. p. 15. ISBN 978-0412136412.
 199. Gibbs J, Young RC, Smith GP. Cholecystokinin elicits satiety in rats with open gastric fistulas. *Nature* 1973. 245: 323–325.
 200. Gibson G. R. (2008). *Handbook of Prebiotics*, ed. GR Gibson and M. Roberfroid.
 201. Gibson GR and Mac Farlane GT. Intestinal bacteria and disease. In Gibson, S.A.W., ed. *Human Health: The Contribution of Microorganisms*. London, UK. Springer-Verlag 1994. 53-62.
 202. Gibson GR and Roberfroid MB. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutrition Research Review* 1995. 125: 1401-1412

203. Gibson GR and Wang X. Enrichment of bifidobacteria from human gut contents by oligofructose using continuous culture, FEMS. *Microbiology letters* 1994. 118: 121.
204. Gibson GR, Probert HM, Van Loo J, Rastall RA, Roberfroid MB. Dietary modulation of the human comonic microbiota: updating the concept of prebiotics. *Nutr Res Rev* 2004. 17: 259-275.
205. Gibson GR, Roberfroid MB. Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J Nut.* 1995. 125: 1401–12.
206. Global Health Estimates: Deaths, disability-adjusted life year (DALYs), years of life lost (YLL) and years lost due to disability (YLD) by cause, age and sex, 2000–2012. Geneva: World Health Organization (http://www.who.int/healthinfo/global_burden_disease/estimates/en/, accessed 21 September 2015).
207. Golley RK, Magarey AM, Steinbeck KS, Baur LA, Daniels LA. Comparison of metabolic syndrome prevalence using six different definitions in overweight pre-pubertal children enrolled in a weight management study. *Int J Obes* 2006. 30: 853-860.
208. Gordon-Larsen P, McMurray RG, Popkin BM. Determinants of adolescent physical activity and inactivity patterns. *Pediatrics* 2000. 105: 83.
209. Gordon-Larsen, P., Nelson, M. C., Page, P., & Popkin, B. M.. Inequality in the built environment underlies key health disparities in physical activity and obesity. *Pediatrics* 2006. 117(2): 417-424.
210. Gortmaker SL, Dietz WH, Cheung JW. Inactivity, diet and the fattening of America. *J Am Diet Assoc* 1990. 90: 1247-1252.
211. Gortmaker SL, Must A, Perrin JM, Sobol AM, Dietz WH. Social and economic consequences of overweight in adolescence and young adulthood. *North Eng J Med* 1993. 329: 1008-1112.
212. Gothankar, Jayashree Sachin. Prevalence of obesity and its associated comorbidities amongst adults. *National Journal of Community Medicine* 2011. 2(2): 221-224.
213. GPAQ 2 – WHO 2008.
http://www.who.int/chp/steps/resources/GPAQ_Analysis_Guide.pdf
214. GR and Roberfroid MB), CRC press, Taylor & Francis Group, Boca Raton, FL 33487-2742, pp 437-448.
215. Grabitske, H.A. Slavin, J.L. Gastrointestinal effects of low-digestible carbohydrates. *Crit. Rev. Food Sci. Nutr.* 2009. 49: 327–360.
216. Griffiths PL, Bentley ME. The nutrition transition is underway in India. *Nutrition* 2001. 131: 2692-2700.
217. Grimes, C. A., Riddell, L. J., Campbell, K. J., & Nowson, C. A. (2013). Dietary salt intake, sugar-sweetened beverage consumption, and obesity risk. *Pediatrics*, 131(1), 14-21.

218. Grochow HW, Sopocinski KA, Barboriak JJ, Scheller JC. Alcohol consumption, nutrient intake and relative body weight among US adults. *Am J Clin Nutr* 1985. 54: 49-55.
219. GRUNDY, SCOTT M. Obesity, Metabolic Syndrome, and Cardiovascular Disease. *The Journal of Clinical Endocrinology & Metabolism* 89(6). 2004: 2595–2600.
220. Guandalini, S., Cernat, E., & Moscoso, D. Prebiotics and probiotics in irritable bowel syndrome and inflammatory bowel disease in children. *Beneficial Microbes* 2014. 6(2): 209-217.
221. Guarner F and Malagelada JR. Gut flora in health and disease. *Lancet* 2003. 36: 512-519.
222. Guarner F. The intestinal flora in inflammatory bowel disease: normal or abnormal? *Current Opinion in Gastroenterology* 2005. 21: 414-418.
223. Guiu B, Petit JM, Bonnetain F, Ladoire S, Guiu S, Cercueil JP, Krause D, Hillon P, Borg C, Chauffert B, Ghiringhelli F. Visceral fat area is an independent predictive biomarker of outcome after first-line bevacizumab-based treatment in metastatic colorectal cancer. *Gut* 2010. 59: 341–347.
224. Guo SS, Wu W, Chumlea WC, Roche AF. Predicting overweight and obesity in adulthood from body mass index values in children and adolescents. *Am J Clin Nutr* 2002. 76: 497-498.
225. Gupta NK, Meuller WH, Chan WW, Meininger JC. Is obesity associated with poor sleep quality in adolescents? *Am J Hum Biol* 2002. 14: 762-768.
226. Gurdeep K. (2008). Diet Cal <http://dietcal.in/>
227. Gutzwiller JP, Goke B, Drewe J, Hildebrand P, Ketterer S, Handschin D *et al.* Glucagon-like peptide-1: a potent regulator of food intake in humans. *Gut* 1999. 44: 81–86.
228. H Bertéus, Forslund J S Torgerson, L Sjöström and A K Lindroo. Snacking frequency in relation to energy intake and food choices in obese men and women compared to a reference population. *International Journal of Obesity* 2005. 29: 711–719.
229. Hall, K. D., Sacks, G., Chandramohan, D., Chow, C. C., Wang, Y. C., Gortmaker, S. L., & Swinburn, B. A. (2011). Quantification of the effect of energy imbalance on bodyweight. *The Lancet* 2011. 378(9793): 826-837.
230. Hall, M. E., do Carmo, J. M., da Silva, A. A., Juncos, L. A., Wang, Z., & Hall, J. E. Obesity, hypertension, and chronic kidney disease. *Int J Nephrol Renovasc Dis* 2014. 7: 75-88.
231. Hameed S, Dhillon WS, Bloom SR. Gut hormones and appetite control. *Oral Dis* 2009. 15: 18–26.
232. Han TS, Schoutel SAG, Lean MEJ, Seindell JC. The prevalence of low back pain and association with body fatness, fat distribution and height. *Int J Obes* 1997. 21: 600-607.

233. Handa C, Goomer S and Siddhu A. Effects of Whole-Multigrain and Fructooligosaccharide Incorporation on the Quality and Sensory Attributes of Cookies. *Food Sci Technol Res* 2011. 17 (1): 45 – 54.
234. Hankey, C. R. Weight-loss interventions in the treatment of obesity. *Proceedings of the Nutrition Society* 2010. 69(1): 34-38.
235. Harmsen HJ, Raangs GC, He T, Degener JE and Welling GW. Extensive set of 16S rRNA based probes for detection of bacteria in human feces. *Appl Environ Microbiol* 2002. 68: 2982-2990.
236. Harmsen HJ, Wildeboer-Veloo AC, Raangs GC, et al. Analysis of intestinal flora development in breast-fed and formula-fed infants by using molecular identification and detection methods. *J Pediatr Gastroenterol Nutr* 2000. 30: 61–67.
237. Harris K, Kassis A, Major G and Chou CJ. Is the gut microbiota a new factor contributing to obesity and its metabolic disorders? *Journal of Obesity* 2012. 10: pp. 1-14.
238. Hauptman JB, Jeunet FS, Hartmann D. *Initial studies in humans with the novel gastrointestinal lipase inhibitor Ro 18–0647 (tetrahydrolipstatin)*. *Am J Clin Nutr* 1992. 55: 309S–313S.
239. Hayashi T, Boyko EJ, Leonetti DL, McNeely MJ, Newell-Morris L, Kahn SE, Fujimoto WY. Visceral adiposity and the prevalence of hypertension in Japanese Americans. *Circulation* 2003. 108: 1718–1723.
240. Henkin L, Bergman RN, Bowden DW, Ellsworth DL, Haffner SM, Langefeld CD, Mitchell BD, Norris JM, Rewers M, Saad MF, Stamm E, Wagenknecht LE, Rich SS. Genetic epidemiology of insulin resistance and visceral adiposity. The IRAS Family Study design and methods. *Ann Epidemiol* 2003. 13: 211–217.
241. Herrmann C, Goke R, Richter G, Fehmann HC, Arnold R, Goke B. Glucagon-like peptide-1 and glucose-dependent insulin-releasing polypeptide plasma levels in response to nutrients. *Digestion* 1995. 56: 117–126.
242. Hildebrandt MA, Hoffmann C, Sherrill-Mix SA, Keilbaugh SA, Hamady M, Chen YY et al. High-fat diet determines the composition of the murine gut microbiome independently of obesity. *Gastroenterology* 2009. 137: 1716–1724.
243. Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B. & Calder, P. C.. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat Rev Gastroenterol Hepatol* 2014. 11: 506-514.
244. HiMedia Manual Microbiology and cell culture laboratory practices, HiMedia Labs Pvt. Ltd. 2003. 265-98.
245. Hiraoka J, Ojima T, Nakamura Y, Yanagawa H. A comparative epidemiological study of the effects of the regular exercise on health level. *Journal of Epid* 1998. 8: 15-23.

246. Hon, E. B. B., Mch, G. A. W. M., Michael Horowitz, M. B. B. S., & Max Bellon DipMedTech, A.. Acute effects of oral preloads with increasing energy density on gastric emptying gut hormone release, thermogenesis and energy intake, in overweight and obese men. *Asia Pacific Journal of Clinical Nutrition* 2013. 22(3): 380.
247. Hong Y, Rice T, Gagnon J, Després JP, Nadeau A, Pérusse L, Bouchard C, Leon AS, Skinner JS, Wilmore JH, Rao DC. Familial clustering of insulin and abdominal visceral fat: the HERITAGE Family Study. *J Clin Endocrinol Metab* 1998. 83: 4239–4245.
248. Hooper LV, Wong MH, Thelin A, Hansson L, Falk PG, Gordon JI. Molecular analysis of commensal host-microbial relationships in the intestine. *Science* 2001. 291: 881–84.
249. Horikawa C, Kodama S, Yachi Y, Heianza Y, Hirasawa R, Ibe Y, Saito K, Shimano H, Yamada N, Sone H. Skipping breakfast and prevalence of overweight and obesity in Asian and Pacific regions: a meta-analysis. *Prev Med* 2011. 53: 260–7.
250. http://www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/index.html
251. Hunt S, Groff J. Advanced nutrition and human metabolism. St. Paul, MN: West Publishing Company, 1990.
252. Indumathy, J., Pal, G. K., & Pal, P. Sympathovagal imbalance in obesity: Cardiovascular perspectives. *International Journal of Clinical and Experimental Physiology* 2014. 1(2), 93.
253. Inge TH, Krebs NF, Garcia VF, et al. Bariatric surgery for severely overweight adolescents: concerns and recommendations. *Pediatrics*. 2004. 114(1): 217–23.2.
254. International Life Sciences Institute - (ILSI). *India Guidelines and Criteria for Evaluation of Efficacy, Safety and Health Claim of Probiotic in Food Products in India* 2009.
255. International Life Sciences Institute. Preventing childhood obesity is a current research focus: initiatives cooperate to share information and stem epidemic. The PAN report: Physical activity and nutrition, USA. *International Life Sciences Institute* 2000. 2: 5.
256. Invitti C, Guzzaloni G, Gilardini L, Morabito F, Viberti G. Prevalence and concomitants of glucose intolerance in European obese children and adolescents. *Diabetes Care* 2003. 26: 118-124.
257. Ioannides-Demos LL, Proietto J, Tonkin AM, McNeil JJ. Safety of drug therapies used for weight loss and treatment of obesity. *Drug Saf* 2006. 29: 277–302.
258. Jakicic, J. M., Clark, K., Coleman, E., Donnelly, J. E., Foreyt, J., Melanson, E., et al. *Appropriate Intervention Strategies for Weight Loss and Prevention of*

- Weight Regain for Adults. Medicine & Science in Sports & Exercise* 2001. 33(12): 2145-2156.
259. James WPT, Chen C, Inoue S. Appropriate Asian body mass indices? *Obesity Rev* 2002. 3: 139.
260. Jane Jih, Arnab Mukherjea, Eric Vittinghoff, Tung T. Nguyen, Janice Y. Tsoh, Yoshimi Fukuoka, Melinda S. Bender, Winston Tseng, and Alka M. Kanaya. Using appropriate body mass index cut points for overweight and obesity among Asian Americans. *Prev Med* 2015. 65: 1-6.
261. Janer C et al. Hydrolysis of oligofructose by recombinant β -fructosidase from *Bifidobacterium lactis*. *System Applied Microbiology* 2004. 27: 279-285.
262. Jayashree B, Bibin YS, Prabhu D, Shanthirani CS, Gokulakrishnan K, Lakshmi BS, Mohan V, Balasubramanyam M. Increased circulatory levels of lipopolysaccharide (LPS) and zonulin signify novel biomarkers of proinflammation in patients with type 2 diabetes. *Molecular and Cellular Biochemistry* 2014 388(1-2): 203-10.
263. Jeffery, R. W., Baxter, J., McGuire, M., & Linde, J. Are fast food restaurants an environmental risk factor for obesity?. *International Journal of Behavioral Nutrition and Physical Activity* 2006. 3(1): 2.
264. Johansson, K., Neovius, M., & Hemmingsson, E.. Effects of anti-obesity drugs, diet, and exercise on weight-loss maintenance after a very-low-calorie diet or low-calorie diet: a systematic review and meta-analysis of randomized controlled trials. *The American journal of clinical nutrition* 2014. 99(1): 14-23.
265. Jumpertz R, Le DS, Turnbaugh PJ, Trinidad C, Bogardus C, Gordon JI, Krakoff J. Energy-balance studies reveal associations between gut microbes, caloric load, and nutrient absorption in humans. *The American Journal of Clinical Nutrition* 2011. 94(1): 58-65.
266. Kadyrova RKH and Salkhanov BA. The prevalence of obesity among the adult population of Kazakhstan. *Vopr Pitan* 1990. 1: 30-33.
267. Kailasapathy, K., & Chin, J. Survival and therapeutic potential of probiotic organisms with reference to *Lactobacillus acidophilus* and *Bifidobacterium* spp. *Immunology and Cell Biology* 2000. 78(1): 80-88.
268. Kang HW, Kim D, Kim HJ, Kim CH, Kim YS, Park MJ, Kim JS, Cho SH, Sung MW, Jung HC, Lee HS, Song IS. Visceral obesity and insulin resistance as risk factors for colorectal adenoma: a cross-sectional, case-control study. *Am J Gastroenterol* 2010. 105: 178-187.
269. Kapil U, Singh P, Pathak P, Dwivedi SN. Bhasin S. Prevalence of obesity amongst affluent school children in Delhi. *Indian Peadtr* 2002. 39: 449-452.
270. Karlsson, F., Tremaroli, V., Nielsen, J., & Bäckhed, F. Assessing the human gut microbiota in metabolic diseases. *Diabetes* 2013. 62(10): 3341-3349.

271. Karpinen S et al. *In vitro* fermentation of polysaccharide of rye, wheat and oat brans and inulin by human fecal bacteria. *Journal of Science Food and Agriculture* 2000. 80: 1469.
272. Karter AJ, D'Agostino RB Jr., Mayer-Davis EJ, Wagenknecht LE, Hanley AJ, Hamman RF, Bergman R, Saad MF, Haffner SM. Abdominal obesity predicts declining insulin sensitivity in non-obese normoglycaemics: the Insulin Resistance Atherosclerosis Study (IRAS). *Diabetes Obes Metab* 2005. 7: 230–238.
273. Katarina T B. Counterregulation of insulin by leptin as key component of autonomic regulation of body weight. *World J Diabetes* 2014. 5(5): 606-629.
274. Katsuda Y, Asano A, Murase Y, Chujo D, Yagi K, Kobayashi J, Mabuchi H, Yamagishi M. Association of genetic variation of the adiponectin gene with body fat distribution and carotid atherosclerosis in Japanese obese subjects. *J Atheroscler Thromb* 2007. 14: 19–26.
275. Katzmarzyk PT, Bray GA, Greenway FL, Johnson WD, Newton RL Jr., Ravussin E, Ryan DH, Bouchard C. Ethnic-specific BMI and waist circumference thresholds. *Obesity* 2011. 19: 1272–1278.
276. Katzmarzyk PT, Malina RM, Pérusse L, Rice T, Province MA, Rao DC, Bouchard C. Familial resemblance in fatness and fat distribution. *Am J Hum Biol* 2000. 12: 395–404.
277. Kau A., Ahern P., Griffin N., Goodman A., Gordon J. Human nutrition, the gut microbiome and the immune system. *Nature* 2011. 474: 327–336.
278. Keim NL, Van Loan MD, Horn WF, et al. Weight loss is greater with consumption of large morning meals and fat-free mass is preserved with large evening meals in women on a controlled weight reduction regimen. *J Nutr* 1997. 127: 75–82.
279. Keith SW, Redden DT, Katzmarzyk PT, et al. Putative contributors to the secular increase in obesity: exploring the roads less traveled. *Int J Obes (Lond)* 2006. 30(11): 1585–1594.
280. Kelly, T., Yang, W., Chen, C. S., Reynolds, K., & He, J. (2008). Global burden of obesity in 2005 and projections to 2030. *International journal of obesity*, 32(9), 1431-1437.
281. Kennedy GC. The role of depot fat in the hypothalamic control of food intake in the rat. *Proc R Soc Lond B Biol Sci* 1953. 140: 578–596.
282. Kim Y, Lee S. An association between colonic adenoma and abdominal obesity: a cross-sectional study. *BMC Gastroenterol* 2009. 9: 4.
283. Kim, K. A., Gu, W., Lee, I. A., Joh, E. H., & Kim, D. H. (2012). High fat diet-induced gut microbiota exacerbates inflammation and obesity in mice via the TLR4 signaling pathway. *PloS one*, 7(10), e47713.

284. Kimoto, H., Nomura, M., Kobayashi, M., Mizumachi, K., & Okamoto, T. Survival of lactococci during passage through mouse digestive tract. *Canadian Journal of Microbiology* 2003. 49(11): 707-711.
285. Kimura K, Mc Cartney AL, Mc Connell MA and Tannock GW. Analysis of fecal populations of bifidobacteria and lactobacilli investigation of the immunological responses of their human hostes to the predominant strains. *Applied and Environment Microbiology* 1997. 63: 3394-3398.
286. King GL. The role of inflammatory cytokines in diabetes and its complications. *J Periodontol* 2008. 79(Suppl.): 1527–1534.
287. Kissileff HR, Pi-Sunyer FX, Thornton J, Smith GP. C-terminal octapeptide of cholecystokinin decreases food intake in man. *Am J Clin Nutr* 1981. 34: 154–160.
288. Kleeman EG, Klaenhammer TR. Adherence of *Lactobacillus* species to human fetal intestinal cells. *J Dairy Sci* 1982. 65: 2063-2069.
289. Klein, S., Burke, L. E., Bray, G. A., Blair, S., Allison, D. B., Pi-Sunyer, X., ... & Eckel, R. H. (2004). Clinical implications of obesity with specific focus on cardiovascular disease a statement for professionals from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: Endorsed by the American College of Cardiology Foundation. *Circulation*, 110(18), 2952-2967.
290. Knauf C, Cani PD, Kim DH, Iglesias MA, Chabo C, Waget A, et al. Role of central nervous system glucagon-like Peptide-1 receptors in enteric glucose sensing. *Diabetes* 2008. 57: 2603-12.
291. Knauf C, Cani PD, Perrin C, Iglesias MA, Maury JF, Bernard E, *et al.* Brain glucagon-like peptide-1 increases insulin secretion an muscle insulin resistance to favor hepatic glycogen storage. *J Clin Invest* 2005. 115: 3554-63.
292. Knight, Z. A., Hannan, K. S., Greenberg, M. L., & Friedman, J. M. (2010). Hyperleptinemia is required for the development of leptin resistance. *PLoS one*, 5(6), e11376.
293. Knop FK, Vilsboll T, Hojberg PV et al. Reduced incretin effect in type 2 diabetes: cause or consequence of the diabetic state? *Diabetes* 2010. 56: 1951–1959.
294. Knudsen, N., Laurberg, P., Rasmussen, L. B., Bülow, I., Perrild, H., Ovesen, L., & Jørgensen, T. Small differences in thyroid function may be important for body mass index and the occurrence of obesity in the population. *The Journal of Clinical Endocrinology & Metabolism* 2005. 90(7): 4019-4024.
295. Kojima M, Hosoda H, Date Y, Nakazato M, Matsuo H, Kangawa K. Ghrelin is a growth-hormone-releasing acylated peptide from stomach. *Nature* 1999. 402: 656–660.

296. Kok NN, Morgan LM, Williams CM, Roberfroid MB, Thissen JP, Delzenne NM. Insulin, glucagon-like peptide 1, glucose-dependent insulintropic polypeptide and insulin-like growth factor I as putative mediators of the hypolipidemic effect of oligofructose in rats. *J Nutr* 1998. 128: 1099-103.
297. Kok NN, Morgan LM, Williams CM, Roberfroid MB, Thissen JP, Delzenne NM. Insulin, glucagon-like peptide 1, glucosedependent insulintropic polypeptide and insulin-like growth factor I as putative mediators of the hypolipidemic effect of oligofructose in rats. *J Nutr* 1998. 128: 1099–1103.
298. Kolbye AC, Blumenthal H, Bowman B, Byrne J, Carr CJ, Kirschman JC, Roberfroid MB and Weinberger MA. Evaluation of the Food Safety Aspects of Inulin and Oligofructose—GRAS Determination. *Orafti internal report*. Orafti, Tienen, Belgium, 1992.
299. Kotronen A, Juurinen L, Hakkarainen A, Westerbacka J, Corner A, Bergholm R, Yki-Jarvinen H. Liver fat is increased in type 2 diabetic patients and underestimated by serum alanine aminotransferase compared with equally obese nondiabetic subjects. *Diabetes Care* 2008. 31: 165–169.
300. Kral TV, Whiteford LM, Heo M, Faith MS. Effects of eating breakfast compared with skipping breakfast on ratings of appetite and intake at subsequent meals in 8-to 10-y-old children. *The American Journal Of Clinical Nutrition* 2011. 93(2): 284-91.
301. Krauss, Robert H. Eckel and Ronald M. American Heart Association Call to Action: Obesity as a Major Risk Factor for Coronary Heart Disease. *Journal of the American Heart Association* 1998. 97: 2099-2100.
302. Kruger CL. Agency Response Letter GRAS Notice No. GRN 000118. *CFSAN/Office of Food Additive Safety* 2003.
303. Kyröu I, Tsigos C. Chronic stress, visceral obesity and gonadal dysfunction. *Hormones* 2008. 7: 287–293.
304. Kyröu I, Tsigos C. Stress hormones: physiological stress and regulation of metabolism. *Curr Opin Pharmacol* 2009. 9: 787–793.
305. Laetitia, R., Paul, A., Marinescu, D., Shao, W., & Prakash, S. Effect of probiotics *Lactobacillus* and *Bifidobacterium* on gut-derived lipopolysaccharides and inflammatory cytokines: an in vitro study using a human colonic microbiota model. *Journal of Microbiology and Biotechnology* 2013. 23(4): 518-526.
306. Lassenius, M. I., Pietiläinen, K. H., Kaartinen, K., Pussinen, P. J., Syrjänen, J., Forsblom, C. & Groop, P. H.. Bacterial endotoxin activity in human serum is associated with dyslipidemia, insulin resistance, obesity, and chronic inflammation. *Diabetes care* 2011. 34(8): 1809-1815.
307. Laugerette F, Vors C, Peretti N, Michalski MC. Complex links between dietary lipids, endogenous endotoxins and metabolic inflammation. *Biochimie* 2011. 93: 39–45.

308. Lavie CJ, Milani RV, Ventura HO. Obesity and Cardiovascular Disease: Risk Factor, Paradox, and Impact of Weight Loss. *J Am Coll Cardiol*. 2009. 53(21): 1925-1932.
309. Le Merchand L, Wikens LR, Mi MP. Obesity in youth and middle age and risk of colorectal cancer in men. *Cancer Causes and Control* 1992. 3: 349-354.
310. Le Roux CW, Batterham RL, Aylwin SJ, Patterson M, Borg CM, Wynne KJ *et al*. Attenuated peptide YY release in obese subjects is associated with reduced satiety. *Endocrinology* 2006. 147: 3–8.
311. Lear SA, Humphries KH, Frohlich JJ, Birmingham C. Appropriateness of current thresholds for obesity-related measures among Aboriginal people. *CMAJ* 2007. 177: 1499–1505.
312. Lear SA, Humphries KH, Kohli S, Chockalingam A, Frohlich JJ, Birmingham CL. Visceral adipose tissue accumulation differs according to ethnic background: results of the Multicultural Community Health Assessment Trial (M-CHAT). *Am J Clin Nutr* 2007. 86: 353–359.
313. Lear SA, James PT, Ko GT, Kumanyika S. Appropriateness of waist circumference and waist-to-hip ratio cutoffs for different ethnic groups. *Eur J Clin Nutr* 2010. 64: 42–61.
314. Lear SA, Kohli S, Bondy GP, Tchernof A, Sniderman AD. Ethnic variation in fat and lean body mass and the association with insulin resistance. *J Clin Endocrinol Metab* 2009. 94: 4696–4702.
315. Lemieux S, Prud'homme D, Bouchard C, Tremblay A, Despres J. A single threshold value of waist girth identifies normal-weight and overweight subjects with excess visceral adipose tissue. *Am J Clin Nutr* 1996. 64: 685–693.
316. Levitsky DA, Pacanowski CR. Effect of skipping breakfast on subsequent energy intake. *Physiol Behav* (2013) 119:9–16.10.1016/j.physbeh.2013.05.006
317. Levitt NS, Lambert EV. The fetal origins of the metabolic syndrome- a South African perspective. *Cardiovasc J S Afr* 2002. 13: 179-180.
318. Levrat MA, Remesy C, Demigne C. Influence of inulin on urea and ammonia nitrogen fluxes in the rat cecum: consequences on nitrogen excretion. *J Nutr Biochem* 1993. 4: 1-6.
319. Lewis, J. D., Ruemmele, F. M., & Wu, G. D. (Eds.). (2014). *Nutrition, Gut Microbiota and Immunity: Therapeutic Targets for IBD: 79th Nestlé Nutrition Institute Workshop, New York, NY, September 2013*. Karger Medical and Scientific Publishers.
320. Ley R. Obesity and the human microbiome. *Curr Opin Gastroenterol* 2010. 26: 5–11.
321. Ley R., Backhed F., Turnbaugh P., Lozupone C., Knight R., Gordon J. Obesity alters gut microbial ecology. *Proc Natl Acad Sci U S A* 2005. 102: 11070–11075.

- 322. Ley R., Hamady M., Lozupone C., Turnbaugh P., Ramey R., Bircher J., et al. Evolution of mammals and their gut microbes. *Science* 2008. 320: 1647–1651.
- 323. Ley R., Peterson D., Gordon J. Ecological and evolutionary forces shaping microbial diversity in the human intestine. *Cell* 2006. 124: 837–848.
- 324. Ley RE, Turnbaugh PJ, Klein S and Gordon JI. Microbial ecology: Human gut microbes associated with obesity. *Nature* 2006. 444: 1022-1023.
- 325. Ley, R. E. Obesity and the human microbiome. *Current opinion in gastroenterology*, 2010. 26(1): 5-11.
- 326. Ley, S. H., Hamdy, O., Mohan, V., & Hu, F. B.. Prevention and management of type 2 diabetes: dietary components and nutritional strategies. *The Lancet* 2014. 383(9933): 1999-2007.
- 327. Li MF, Cheung BM. *Rise and fall of anti-obesity drugs*. *World J Diabetes* 2011. 2: 19–23.
- 328. Liddle RA, Goldfine ID, Rosen MS, Taplitz RA, Williams JA. Cholecystokinin bioactivity in human plasma. Molecular forms, responses to feeding, and relationship to gallbladder contraction. *J Clin Invest* 1985. 75: 1144–1152.
- 329. Lied G.A.; Lillestol K.; Lind R.; Valeur J.; Morken M.H.; Vaali K.; Gregersen K.; Florvaag E.; Tangen T.; Berstad A. Perceived food hypersensitivity: A review of 10 years of interdisciplinary research at a reference center. *Scand. J. Gastroenterol.* 2011. 40: 1169–1178.
- 330. Lieveise RJ, Jansen JB, Masclee AA, Lamers CB. Satiety effects of a physiological dose of cholecystokinin in humans. *Gut* 1995. 36: 176–179.
- 331. Lin D. B. B. H. (1999). Away-from-home foods increasingly important to quality of American. *Agriculture Information Bulletin No, 749*.
- 332. Lin T. N. (2012). *Sensory analysis, instrumental analysis and consumers' acceptance toward multifunctional ice creams* (Doctoral dissertation, University of Missouri–Columbia).
- 333. Lindsay JO, Whelan K, Stagg AJ, Gobin P, Hassi HO, Rayment N et al. Clinical microbiological and immunological effects of fructooligosaccharide in patients with crohn’s disease. *Gut* 2006. 55: 348-355.
- 334. Lisa Burgoon MS, RD, LD, Sports Nutritionist, Sportwell Center, McKinley Health Center, University of Illinois at Urbana – Champaign, 1998.
- 335. Lissner L, Sohlstrom A, Sundblom E, Sjoberg A Trends in overweight and obesity in Swedish school children 1999-2005. *Obes Rev* 2010. 11(8): 553-9.
- 336. Livesey, G. The energy values of dietary fibre and sugar alcohols for man. *Nutr. Res Rev.*1992. 5: 61–84.
- 337. Lle Roux, C. W., Welbourn, R., Werling, M., Osborne, A., Kokkinos, A., Laurenus, A. & Olbers, T.. Gut hormones as mediators of appetite and weight loss after Roux-en-Y gastric bypass. *Annals of surgery* 2007. 246(5): 780-785.

- 338. Lohman T. G., Roche, A. F., & Martorell, R. *Anthropometric standardization reference manual*. Human Kinetics Books. 1998.
- 339. Lovegrove JA. CVD risk in South Asians: the importance of defining adiposity and influence of dietary polyunsaturated fat. Symposium on 'Nutrition intervention in high risk groups'. *Proceedings of Nutrition Society* 2006. 66: 286-29.
- 340. Luckow T., Sheehan V., Fitzgerald G., & Delahunty C. Exposure health information and flavour-masking strategies for improving the sensory quality of probiotic juice. *Appetite* 2006. 47: 315-323.
- 341. Lumb KJ, DeCarr LB, Milardo LF, Mays MR, Buckholz TM, Fisk SE *et al*. Novel selective neuropeptide Y2 receptor PEGylated peptide agonists reduce food intake and body weight in mice. *J Med Chem* 2007. 50: 2264–2268.
- 342. Ma Y, Bertone ER, Stanek EJ, Reed GW, Hebert JR, Cohen NL, Merriam PA, Ockene IS. Association between eating patterns and obesity in a free-living US adult population. *American Journal of Epidemiology* 2003. 158(1): 85-92.
- 343. Macfarlane GT, Gibson GR, Cummings JH. Comparison of Fermentation reactions in different regions of the human colon. *J. Appl. Bacterio* 1992. 72: 57–64.
- 344. Macfarlane S, Macfarlane GT and Cummings JH. Review article: prebiotics in the gastrointestinal tract. *Aliment Pharmacol Ther* 2006. 24: 701–714.
- 345. Maffei M, Halaas J, Ravussin E, Pratley RE, Lee GH, Zhang Y *et al*. Leptin levels in human and rodent: measurement of plasma leptin and ob RNA in obese and weight-reduced subjects. *Nat Med* 1995. 1: 1155–1161.
- 346. Maffei C, Zaffanello M, Schutz Y. Relationship between physical inactivity and adiposity in prepubertal boys. *J Pediatr* 1997. 131: 288-292.
- 347. Mahendra A. & Sheth M. Feasibility and acceptability of fructooligosaccharide substituted popular Indian foods. *Nutrition & Food Science* 2013. 43(3): 204-212.
- 348. Mahendra, A. (2015). Acceptability trials of fructooligosaccharide FOS substituted food products and impact evaluation of FOS supplementation in type 2 diabetic adults in terms of their glycemia gut incretin GLP 1 and gut microbiota.
- 349. Malaisse-Lagae F, Carpentier JL, Patel YC, Malaisse WJ, Orci L. Pancreatic polypeptide: a possible role in the regulation of food intake in the mouse. Hypothesis. *Experientia* 1977. 33: 915–917.
- 350. Malhotra A, White DP. Obstructive sleep apnoea. *Lancet* 2002. 360: 237–245.
- 351. Mallappa, R. H., Rokana, N., Duary, R. K., Panwar, H., Batish, V. K., & Grover, S.. Management of metabolic syndrome through probiotic and prebiotic interventions. *Indian journal of endocrinology and metabolism* 2012. 16(1), 20.

- 352. Mandard S, Zandbergen F, Nguan ST et al., "The direct peroxisome proliferator-activated receptor target fasting induced adipose factor (FIAF/PGAR/ANGPTL4) is present in blood plasma as a truncated protein that is increased by fenofibrate treatment," *The Journal of Biological Chemistry* 2004. 279(33): 34411–34420.
- 353. Manichanch C, Rigottier GL, Bonnaud E, Gloux K, Pelletier E, Frangeul L, Nalin R et al. Reduced diversity of fecal microbiota in Crohn's disease revealed by a metagenomic approach. *Gut* 2006. 55: 205-211.
- 354. Mark-Herbert, C. Innovation of a new product category – functional foods. *Technovation* 2004. 24: 713-719.
- 355. Martin CK, Redman LM, Zhang J, Sanchez M, Anderson CM, Smith SR, Ravussin E. Lorcaserin, a 5-HT(2C) receptor agonist, reduces body weight by decreasing energy intake without influencing energy expenditure. *J Clin Endocrinol Metab* 2011. 96: 837–845.
- 356. Martin FP, Sprenger N, Yap IK et al. Panorganismal gut microbiome host metabolic crosstalk. *J Proteome Res* 2009. 8: 2090–2105.
- 357. Matson CA, Reid DF, Cannon TA, Ritter RC. Cholecystokinin and leptin act synergistically to reduce body weight. *Am J Physiol Regul Integr Comp Physiol* 2000. 278: R882–R890.
- 358. May A. Beydoun and Youfa Wang. Gender–ethnic Disparity in BMI and Waist Circumference Distribution Shifts in US Adults. *Obesity (silver spring)* 2009. 17(1): 169-179.
- 359. Mayén, A. L., Marques-Vidal, P., Paccaud, F., Bovet, P., & Stringhini, S. (2014). Socioeconomic determinants of dietary patterns in low-and middle-income countries: a systematic review. *The American Journal of Clinical Nutrition*, ajcn-089029.
- 360. McCrory M., Fuss P, Hays N. et al. *Overeating in America*: association between restaurant food consumption and body fatness in healthy adult men and women ages 19 to 80. *Obes Res.* 1999. 7: 564–71.
- 361. McDonald S. D., Han Z., Mulla S., & Beyene, J. Overweight and obesity in mothers and risk of preterm birth and low birth weight infants: systematic review and meta-analyses. *Bmj* 2010. 341: c3428.
- 362. Mcfarland. Meta –analysis of probiotics for the prevention of antibiotic associated diarrhea and the treatment of Clostridium difficile disease. *Am J Gastroenterol* 2006. 101: 812-822.
- 363. McTigue KM, Garrett JM, Popkin BM. The natural history of the development of obesity in a cohort of young U.S. adults between 1981 and 1998. *Ann Intern Med* 2002. 136: 857–864.
- 364. Mehta NN, McGillicuddy FC, Anderson PD, et al. Experimental endotoxemia induces adipose inflammation and insulin resistance in humans. *Diabetes* 2010. 59: 172–181.

365. Mellentin, J., & Heasman, M. (2014). *The Functional Foods Revolution: "Healthy People, Healthy Profits"*. Routledge.
366. Mendlik K, Albrecht JE, Schnepf M. Effects of Fructooligofructoses Chain Length on the *Bifidobacteria* of the Human Colon: A Pilot Study. *Food and Nutrition Sciences* 2012. 3: 1615-1618.
367. Mesas AE, Munoz-Pareja M, Lopez-Garcia E, Rodriguez-Artalejo F. Selected eating behaviours and excess body weight: a systematic review. *Obesity Rev* 2012. 13(2): 106-35.
368. Mietlicki-Baase, E. G., & Hayes, M. R. (2015). Gut Hormones and Obesity.
369. Miller, C. T., Fraser, S. F., Levinger, I., Straznicky, N. E., Dixon, J. B., Reynolds, J., & Selig, S. E. (2013). The effects of exercise training in addition to energy restriction on functional capacities and body composition in obese adults during weight loss: a systematic review. *PLoS One*, 8(11), e81692.
370. Million, M., Lagier, J. C., Yahav, D., & Paul, M.. Gut bacterial microbiota and obesity. *Clinical Microbiology and Infection* 2013. 19(4): 305-313.
371. Mini. S., Assudani. A. Newer strategy to combat obesity amongst the bank employees of urban vadodara- insights into its mechanism. *World Journal of Pharmceuu and Pharma Sc* 2015. 4(2): 658-672.
372. Miremadi, F. and Shah, N. P. Applications of inulin and probiotics in health and nutrition. *International Food Research Journal* 2012. 19(4): 1337-1350.
373. Misra A, Khurana L, Isharwal S and Bharadwaj S. South Asians diets and Insulin resistance. *British Journal of Nutrition* 2008. 1-9.
374. Misra A, Khurana L. The metabolic syndrome in South Asians: epidemiology, determinants, and prevention. *Metab Syndr Relat Disord* 2009. 7: 497–514.
375. Misra A, Vikram NK, Arya S, Pandey RM, Dhingra V, Chatterjee A, Dwivedi M, Sharma R, Luthra K, Guleria R, Talwar KK. High prevalence of insulin resistance in post pubertal Asian Indian children is associated with adverse truncal body fat patterning, abdominal adiposity and excess body fat. *Int J Obes* 2004. 28: 1217-1226.
376. Mitsuoka T. Recent trends in research on intestinal flora. *Befit Micro* 1982. 1(1): 3-24.
377. Moayeri H, Bidad K, Aghamohammadi A, Rabbani A, Anari S, Nazemi L, Gholami N, Zadhoush S, Hatmi ZN. Overweight and obesity and their associated factors in adolescents in Tehran, Iran 2004-2005. *Eur J Pediatr* 2006. 165: 489-493.
378. Molis C, Flourie B, Ouarne F, Failing MF, Lartigue S, Guibert A, Bornet F and Galmiche JP. Digestion, excretion, and energy value of fiuctooligosaccharides in healthy humans. *Am J Clin Nutr* 1996. 64: 324-328.
379. Mollard RC, Sénéchal M, MacIntosh AC, Hay J, Wicklow BA, Wittmeier KD, Sellers EA, Dean HJ, Ryner L, Berard L, McGavock JM. Dietary determinants of hepatic steatosis and visceral adiposity in overweight and obese youth at risk

- of type 2 diabetes. *The American Journal of Clinical Nutrition* 2014. 99(4): 804-12.
380. Mondal, D., Minak, J., Alam, M., Liu, Y., Dai, J., Korpe, P. & Petri, W. A.. Contribution of enteric infection, altered intestinal barrier function, and maternal malnutrition to infant malnutrition in Bangladesh. *Clinical Infectious Diseases*, 2012. 54(2): 185-192.
381. Montague CT, Farooqi IS, Whitehead JP, Soos MA, Rau H, Wareham NJ *et al*. Congenital leptin deficiency is associated with severe early-onset obesity in humans. *Nature* 1997. 387: 903–908.
382. Monteiro PO, Victora CG, Barros FC, Monteiro LM. Birth size, early childhood growth and adolescent obesity in Brazilian birth cohort. *Int J Obes Relat Metab Disord* 2003. 27: 1274-1282.
383. Moon, M. K., Hong, E. S., Lim, J. A., Cho, S. W., Soo, L., Choi, S. H. & Jang, H. C.. Associations between thyroid hormone levels and regional fat accumulation in euthyroid men. *European Journal of Endocrinology* 2013, 168(6): 805-810.
384. Moore FA, Moore EE, Poggetti R, McAnena OJ, Peterson VM, Abernathy CM, *et al*. Gut bacterial translocation *via* the portal vein: a clinical perspective with major torso trauma. *J Trauma* 1991. 31: 629-36.
385. Moran, C. P., & Shanahan, F. Gut microbiota and obesity: role in aetiology and potential therapeutic target. *Best practice & research. Clinical Gastroenterology* 2014. 28(4): 585-597.
386. Moreno-Indias I, Cardona F, Tinahones FJ, Queipo-Ortuño MI. Impact of the gut microbiota on the development of obesity and type 2 diabetes mellitus. *Recent Discoveries in Evolutionary and Genomic Microbiology* 2015. 4: 57.
387. Morland, K., Roux, A. V. D., & Wing, S. Supermarkets, other food stores, and obesity: the atherosclerosis risk in communities study. *American Journal of Preventive Medicine* 2006. 30(4): 333-339.
388. Morrison JA, Glueck CJ, Horn PS, Schreiber GB, Wang P. Pre-teen insulin resistance predicts weight gain, impaired fasting glucose, and type 2 diabetes at age 18-19 y: a 10-y prospective study of black and white girls. *Am J Clin Nutr* 2008. 88: 778–788.
389. Morton, G. J., Cummings, D. E., Baskin, D. G., Barsh, G. S., & Schwartz, M. W.. Central nervous system control of food intake and body weight. *Nature* 2006. 443(7109): 289-295.
390. Morton, N. M. Obesity and corticosteroids: 11 β -Hydroxysteroid type 1 as a cause and therapeutic target in metabolic disease. *Molecular and cellular endocrinology* 2010. 316(2): 154-164.
391. Moshfegh AJ, Friday JE, Goldman JP, Chug Ahuga JK. Presence of inulin and oligofructose in the diets of Americans. *J Nutr.* 1999. 129: Suppl 7S: 1407S–11S.

392. Mottillo S, Filion KB, Genest J, Joseph L, Pilote L, Poirier P, Rinfret S, Schiffrin EL, Eisenberg MJ. The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. *J Am Coll Cardiol* 2010. 56: 1113–1132.
393. Mottin CC, Canani S, Chatkin J.. Obesity and obstructive sleep apnea-hypopnea syndrome: the impact of bariatric surgery. *Obes Surg* 2007. 17: 95–99.
394. Mozaffarian D, Hao T, Rimm EB, Willett WC, Hu FB. Changes in diet and lifestyle and long-term weight gain in women and men. *New England Journal of Medicine* 2011. 364(25): 2392-404.
395. Mundell EJ. Overweight women, underweight men at higher suicide risk. *Am J Pub Health* 2000. 90: 251-257.
396. Muñoz-Pareja, M., Guallar-Castillón, P., Mesas, A. E., López-García, E., & Rodríguez-Artalejo, F. (2013). Obesity-related eating behaviors are associated with higher food energy density and higher consumption of sugary and alcoholic beverages: a cross-sectional study. *PloS one*, 8(10), e77137.
397. Murphy KG, Bloom SR. Gut hormones in the control of appetite. *Exp Physiol* 2004. 89: 507–516.
398. Murphy KG, Dhillon WS, Bloom SR. Gut peptides in the regulation of food intake and energy homeostasis. *Endocr Rev* 2006. 27: 719–727.
399. Mussatto S. I. & Mancilha I. M. Non-digestible oligosaccharides: a review. *Carbohydrate polymers* 2007. 68(3): 587-597.
400. Mussig K, Staiger H, Machicao F, Thamer C, Machann J, Schick F, Claussen CD, Stefan N, Fritsche A, Haring HU. RARRES2, encoding the novel adipokine chemerin, is a genetic determinant of disproportionate regional body fat distribution: a comparative magnetic resonance imaging study. *Metabolism* 2009. 58: 519–524.
401. Musso G, Gambino R, Cassader M. Obesity, diabetes, and gut microbiota the hygiene hypothesis expanded?. *Diabetes Care* 2010. 33(10): 2277-84.
402. Mutai M and Tanaka R. Ecology of *Bifidobacterium* in the human intestinal flora. *Bifid Micro* 1987. 6: 33–41.
403. National Family Health Survey III. Prevalence of obesity in India. 2005-06.
404. Neal MD, Leaphart C, Levy R, Prince J, BilliarTR, Watkins S, Li J, Cetin S, Ford H, Schreiber A and Hackam DJ. Enterocyte TLR4 mediates phagocytosis and translocation of bacteria across the intestinal barrier. *J Immunol* 2006. 176: 3070–3079.
405. Neary MT, Batterham RL. Gut hormones: implications for the treatment of obesity. *Pharmacol Ther* 2009. 124: 44–56.
406. Nehir S El and Simsek S. Food Technological Applications for Optimal Nutrition: An Overview of Opportunities for the Food Industry. *Comprehensive Reviews in Food Science and Food Safety* 2011. 11: 2-13.

407. Nelson CL, Gidycz CA. A comparison of body image perception in bulimics, restrainers and normal women: an extension of previous findings. *Addictive Behaviours* 1993. 18: 503-509.
408. Nestle M. Increasing portion sizes in American diets: More calories, more obesity. *J Am Diet Assoc* 2003; 103: 39-40.
409. Nettleton, J. A., Steffen, L. M., Mayer-Davis, E. J., Jenny, N. S., Jiang, R., Herrington, D. M., & Jacobs, D. R.. Dietary patterns are associated with biochemical markers of inflammation and endothelial activation in the Multi-Ethnic Study of Atherosclerosis (MESA). *The American Journal of Clinical Nutrition* 2006. 83(6): 1369-1379.
410. Neves, A. L., Coelho, J., Couto, L., Leite-Moreira, A., & Roncon-Albuquerque, R.. Metabolic endotoxemia: a molecular link between obesity and cardiovascular risk. *Journal of Molecular Endocrinology* 2013. 51(2): R51-R64.
411. Neyrinck AM, Possemiers S, Druart C, Van de Wiele T, De Backer F, Cani PD, Larondelle Y, Delzenne NM. Prebiotic effects of wheat arabinoxylan related to the increase in bifidobacteria, Roseburia and Bacteroides/Prevotella in diet-induced obese mice. *PLoS One*. 2011.
412. Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono, C., ... & Abraham, J. P. (2014). Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet*, 384(9945), 766-781. Langlands SJ, Hopkins MJ, Coleman N and Cummings JH. Prebiotics carbohydrates modify the mucosa associated microflora of the human large bowel. *Gut* 2004. 53: 1601-1616.
413. Nicholson JK, Holmes E, Wilson ID. Gut microorganisms, mammalian metabolism and personalized health care. *Nat. Rev. Microbio* 2005. 3: 431–438.
414. Nilsson U and Bjorck I. Availability of cereal fructans and inulin in the rat intestinal tract. *Carbohydrate and Fiber* 1988. 2(4): 1482-1486.
415. Nilsson U, Oste R, Jagerstan M and Birkhed D. Cereal Fructans: In vitro and in vivo studies on availability in rats and humans. *J Nutr* 1988. 118: 1325-1330.
416. Nitori N, Hasegawa H, Ishii Y, Endo T, Kitagawa Y. Impact of visceral obesity on short-term outcome after laparoscopic surgery for colorectal cancer: a single Japanese center study. *Surg Laparosc Endosc Percutan Tech* 2009. 19: 324–327.
417. Nobre C., Teixeira J. A., & Rodrigues L. R. New trends and technological challenges in the industrial production and purification of fructooligosaccharides. *Critical reviews in food science and nutrition* 2015. 55(10): 1444-1455.

418. Noomhorm, A., Ahmad, I., & Anal, A. K. (Eds.). *Functional Foods and Dietary Supplements: Processing Effects and Health Benefits*. John Wiley & Sons. 2014.
419. Norgan NG. Population differences in body composition in relation to the body mass index. *Eur J Clin Nutr* 1994. 48 (suppl): S10–25.
420. Norris JM, Langefeld CD, Talbert ME, Wing MR, Haritunians T, Fingerlin TE, Hanley AJ, Ziegler JT, Taylor KD, Haffner SM, Chen YD, Bowden DW, Wagenknecht LE. Genome-wide association study and follow-up analysis of adiposity traits in Hispanic Americans: the IRAS Family Study. *Obesity* 2009. 17: 1932–1941.
421. Nozue M, Miyoshi M, Okumura J, Sanchez H, Andreu J, Kuroiwa C.. Prevalence and determinants of obesity and dietary habits among adults in rural area, Chile. *Biosci Trends* 2007. 1(3): 140-8.
422. O Hara AM and Shanahan F. gut microbiota: mining for therapeutic potential. *Clinical Gastroenterology Hepatology* 2007. 5: 274-284.
423. Ogden CL, Carroll MD, Curtin LR, Lamb MM, Flegal KM. Prevalence of high body mass index in US children and adolescents, 2007-2008 *JAMA* 2010. 303(3): 242-9.
424. Oku T, Tokunaga T and Hosoya N. Non-digestibility of a new sweetener, "Neosugar," in the rat. *Journal of Nutrition* 1984. 114: 1574-1581.
425. Olefsky JM, Glass CK. Macrophages, inflammation, and insulin resistance. *Annu Rev Physiol* 2010. 72: 219–246.
426. O'Neil PM, Smith SR, Weissman NJ, Fidler MC, Sanchez M, Zhang J, Raether B, Anderson CM, Shanahan WR. Randomized placebo-controlled clinical trial of lorcaserin for weight loss in type 2 diabetes mellitus: The BLOOM-DM Study. *Obesity* 2012. 20: 1426–1436.
427. Oner N, Vatansecer U, Sari A, Ekukhi G, Giizel A, Karasaliholei S, Boris NW. Prevalence of underweight, overweight and obesity in Turkish adolescents. *Swiss Med Wkly* 2004. 134: 529-533.
428. Orafti 1996. Raftilose and Raftiline. Product book. *Orafti*, Belgium.
429. Orafti. Raftilose and Raftiline. Product book. *Orafti* 1996.
430. Osborn O, Olefsky JM. The cellular and signaling networks linking the immune system and metabolism in disease. *Nat Med* 2012. 18(3): 363–374.
431. O'Sullivan, M. (2001). Contests for corporate control: Corporate governance and economic performance in the United States and Germany. *OUP Catalogue*.
432. Ott SJ, Musfeldt M, Wenderoth DF, Hampe J, Brant O, Folsch UR et al. Reduction in diversity of the colonic mucosa associated bacterial microflora in patients with active inflammatory bowel disease. *Gut* 2004. 53: 685-693.
433. Ozanne SE, Hales CN. Early programming of glucose-insulin metabolism. *Trends Endocrinol Metab* 2002. 13: 368-373.

434. P. Deurenberg, M. Deurenberg-Yap and S. Guricci. Asians are different from Caucasians and from each other in their body mass index/body fat per cent relationship. *Obesity Reviews* 2002. 3(3): 141–146.
435. Pampel, F. C., Denney, J. T., & Krueger, P. M.. Obesity, SES, and economic development: a test of the reversal hypothesis. *Social Science & Medicine* 2012. 74(7): 1073-1081.
436. Parekh, P. J., Arusi, E., Vinik, A. I., & Johnson, D. A.. The role and influence of gut microbiota in pathogenesis and management of obesity and metabolic syndrome. *Front Endocrinol (Lausanne)* 2014. 5: 47.
437. Parikh S, Pollock NK, Bhagatwala J, Guo DH, Gutin B, Zhu H, Dong Y. Adolescent fiber consumption is associated with visceral fat and inflammatory markers. *J Clin Endocrinol Metab* 2012. 97: E1451–7.
438. Parnami S. (2015). HPLC analysis of selected foods for inulin content acceptability trials of inulin incorporated recipes and its health benefits in institutionalised elderlies.
439. Parnell J.A., Reimer R.A. Weight loss during oligofructose supplementation is associated with decreased ghrelin and increased peptide YY in overweight and obese adults. *Am. J. Clin. Nutr* 2009. 89: 1751–1759.
440. Parvaneh, K., Jamaluddin, R., Karimi, G., & Erfani, R. Effect of probiotics supplementation on bone mineral content and bone mass density. *The Scientific World Journal* 2014.
441. Pasma, W.; Wils, D.; Saniez, M.H.; Kardinaal, A.F. Long-term gastrointestinal tolerance of NUTRIOSE FB in healthy men. *Eur. J. Clin. Nutr.* 2006. 60: 1024–1034.
442. Pasquali R, Vicennati V. Activity of the hypothalamic-pituitary-adrenal axis in different obesity phenotypes. *Int J Obes Relat Metab Disord* 2000. 24 Suppl 2: S47–49.
443. Pasricha and Rebello. Some Common Indian Recipes and Their Nutritive Value, ICMR Offset Press, New Delhi (Edited by National Institute of Nutrition, Hyderabad) 1998.
444. Patrice D. Cani and Nathalie M. Delzenne. The Role of the Gut Microbiota in Energy Metabolism and Metabolic Disease. *Current Pharmaceutical Design* 2009. 15: 1546-1558.
445. Paulsen SK, Pedersen SB, Fisker S, Richelsen B. 11Beta-HSD type 1 expression in human adipose tissue: impact of gender, obesity, and fat localization. *Obesity* 2007. 15: 1954–1960.
446. Pausova Z, Abrahamowicz M, Mahboubi A, Syme C, Leonard GT, Perron M, Richer L, Veillette S, Gaudet D, Paus T. Functional variation in the androgen-receptor gene is associated with visceral adiposity and blood pressure in male adolescents. *Hypertension* 2010. 55: 706–714.

447. Paz-Filho GJ, Volaco A, Suplicy HL, Radominski RB, Boguszewski CL. Decrease in leptin production by the adipose tissue in obesity associated with severe metabolic syndrome. *Arq Bras Endocrinol Metabol* 2009. 53: 1088–1095.
448. Pedram P., Wadden D., Amini P., Gulliver W., Randell E., Cahill F. & Ji Y.(2013). Food addiction: its prevalence and significant association with obesity in the general population. *PLoS One*, 8(9), e74832.
449. Peeke PM, Chrousos GP. Hypercortisolism and obesity. *Ann NY Acad Sci* 1995. 771: 665–676.
450. Peeters A, Beckers S, Mertens I, Van Hul W, Van Gaal L. The G1422A variant of the cannabinoid receptor gene (CNR1) is associated with abdominal adiposity in obese men. *Endocrine* 2007. 31: 138–141.
451. Perdigon G, Alvarez S, Rachid M, Aguero G, Gobbato N. Symposium: Probiotic bacteria for humans: Clinical systems for evaluation of effectiveness. *J Dairy Sci* 1995. 78: 1597-606.
452. Pereira, M. A. The possible role of sugar-sweetened beverages in obesity etiology: a review of the evidence. *International Journal of Obesity* 2006. 30: S28-S36.
453. Perrin S, Warchol M, Grill JP and Schneider F. Fermentation of fructooligosaccharides and their components by *Bifidobacterium infantis* ATCC 15967 on batch culture in semi-synthetic medium. *J Appl Microbiol* 2001. 90: 859–65.
454. Pérusse L, Rankinen T, Zuberi A, Chagnon YC, Weisnagel SJ, Argyropoulos G, Walts B, Snyder EE, Bouchard C. The human obesity gene map: the 2004 update. *Obes Res* 2005. 13: 381–490.
455. Pérusse L, Rice T, Chagnon YC, Després JP, Lemieux S, Roy S, Lacaille M, Ho-Kim MA, Chagnon M, Province MA, Rao DC, Bouchard C. A genome-wide scan for abdominal fat assessed by computed tomography in the Quebec Family Study. *Diabetes* 2001. 50: 614–621.
456. Petroni ML, Villanova N, Avagnina S, Fusco MA, Fatati G, Compare A, Marchesini G. QUOVADIS study group. Psychological distress in morbid obesity in relation to weight history. *Obes Surg* 2007. 17: 391-399.
457. Piche T, des Varannes SB, Sacher-Huvelin S, Holst JJ, Cuber JC and Galmiche JP. Colonic fermentation influences lower esophageal sphincter function in gastroesophageal reflux disease. *Gastroenterology* 2003. 124: 894-902.
458. Pischon T, Nothlings U, Boeing. Obesity and cancer. *Proc Nutr Soc* 2008. 67: 128–145.
459. Pi-Sunyer, F. X., Becker, D. M., Bouchard, C., Carleton, R. A., Colditz, G. A., Dietz, W. H., Foreyt, J. P., Garrison, R. J., Grundy, S. M., Hansen, B. C., Higgins, M., Hill, J. O., Howard, B. V., Kuczmarski, R. J., Kumanyika, S., Legako, R. D., Prewitt, T. E., Rocchini, A. P., Smith, P. L., Snetselaar, L. G., Sowers, J. R., Weintraub, M., Williamson, D. F., & Wilson, G. T. (1998).

- Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults: Executive summary. *American Journal of Clinical Nutrition* 2009. 68(4): 899-917.
460. Poggi M, Bastelica D, Gual P, Iglesias MA, Gremeaux T, Knauf C, Peiretti F, Verdier M, Juhan-Vague I, Tanti JF, Burcelin R. C3H/HeJ mice carrying a toll-like receptor 4 mutation are protected against the development of insulin resistance in white adipose tissue in response to a high-fat diet. *Diabetologia* 2007. 50(6): 1267-76.
461. Poinot P., Arvisenet G., Grua-Priol J., Fillonneau C., Le-Bail A., and Prost C. Influence of inulin on bread: Kinetics and physicochemical indicators of the formation of volatile compounds during baking. *Food Chemistry* 2010. 119(4): 1474-1484.
462. Poirier P, Després JP. Waist circumference, visceral obesity, and cardiovascular risk. *J Cardiopulm Rehabil* 2003. 23: 161–169.
463. Poirier P, Lemieux I, Mauriège P, Dewailly E, Blanchet C, Bergeron J, Després JP. Impact of waist circumference on the relationship between blood pressure and insulin: the Quebec Health Survey. *Hypertension* 2005. 45: 363–367.
464. Popkin BM, Urdy JR. Adolescent obesity increases significantly in second and third generation US immigrants: the National Longitudinal Study of Adolescent Health. *J Nutr* 1998. 128: 701-706.
465. Popkin BM. The nutrition transition in low-income countries emerging crises. *Nutr Rev* 1994. 52: 285-298.
466. Popkin BM. Understanding the nutrition transition, Urbanization and Health Newsletter. 1996. 30: 3-19.
467. Popkin, Barry M. and Penny Gordon-Larsen. "The nutrition transition: worldwide obesity dynamics and their determinants." *International Journal of Obesity* 2004. 28: S2-S9.
468. Poti J. M., Duffey K. J., & Popkin B. M.. The association of fast food consumption with poor dietary outcomes and obesity among children: is it the fast food or the remainder of the diet?. *The American Journal of Clinical Nutrition* 2014. 99(1): 162-171.
469. Power, S. E., O'Toole, P. W., Stanton, C., Ross, R. P., & Fitzgerald, G. F. Intestinal microbiota, diet and health. *British Journal of Nutrition* 2014. 111(03): 387-402.
470. Prapulla, S., G. Renuka, B., Kulkarni, S.,G., Vijayanadan, P. fructooligosaccharide fortification of selected fruit juice beverages: effect on the quality characteristics. *Food Science and Technology* 2009. 42: 1031-1033.
471. Prosky, L. What is fibre? Current controversies. *Trends in food science & technology* 1999. 10(8): 271-275.

472. Purchiaroni FL, Tortora AN, Gabrielli MA, Bertucci FL, Gigante GI, Ianiro GI, Ojetto VE, Scarpellini EM, Gasbarrini AN. The role of intestinal microbiota and the immune system. *Eur Rev Med Pharmacol Sci*. 2013. 17(3): 323-33.
473. Pussinen PJ, Tuomisto K, Jousilahti P, Havulinna AS, Sundvall J, Salomaa V. Endotoxemia, immune response to periodontal pathogens, and systemic inflammation associate with incident cardiovascular disease events. *Arterioscler Thromb Vasc Biol* 2007. 27: 1433–1439.
474. Putignani, L. (Ed.). (2013). *Human gut microbiota: onset and shaping through life stages and perturbations*. Frontiers E-books.
475. Qin J., Li R., Raes J., Arumugam M., Burgdorf K., Manichanh C., et al. A human gut microbial gene catalogue established by metagenomic sequencing. *Nature* 2010. 464: 59–65.
476. Qin J., Li Y., Cai Z., Li S., Zhu J., Zhang F., et al. A metagenome-wide association study of gut microbiota in type 2 diabetes. *Nature* 2012. 490: 55–60.
477. Quemener B et al. Quemener B, Thibault JF, Coussement P. Determination of inulin and oligofructose in food products and integration in the AOAC method for the measurement of total dietary fibre. *Lebensm-Wiss Technol*. 1994. 27: 125–32.
478. Rabe K, Lehrke M, Parhofer KG, Broedl UC. Adipokines and insulin resistance. *Mol Med* 2008. 14: 741–751.
479. Ramachandran A, Snehlatha C, Vinitha R, Thayyil M, Kumar CK, Sheeba L, Joseph S, Vijay V. Prevalence of overweight in urban Indian adolescents school children. *Diabetes Res Clin Prac* 2002. 57:185-190
480. Ramona R, Robinson MS, Joellen F, Joanne L. Department of Food Science & Nutrition, University of Minnesota, St. Paul, Minnesota. *J of Am College of Nutr* 2001. 20(4): 279-285
481. Rangana, S. Handbook of Analysis and Quality Control for Fruits and Vegetable Products, Tata McGraw-Hill, New Delhi, 1995.
482. Ranhoski GS, Gelroth JA and Glaser BK. The role of dairy foods containing bifido - and acidophilus bacteria in nutrition and health? *N Cur Dairy J* 1993. 48:80.
483. Re R. N. Obesity-Related Hypertension. *The Ochsner Journal* 2009. 9(3): 133–136.
484. Renehan AG, Tyson M, Egger M, Heller RF, Zwahlen M. Body-mass index and incidence of cancer: a systematic review and meta-analysis of prospective observational studies. *Lancet* 2008. 371: 569–578.
485. Renuka B., Kulkarni S. G., Vijayanand P. and Prapulla S. G. Fructooligosaccharide fortification of selected fruit juice beverages: *Effect on the quality characteristics*. *LWT - Food Sci. Technol*. 2009. 42(5): 1031–1033.

486. Rice T, Chagnon YC, Pérusse L, Borecki IB, Ukkola O, Rankinen T, Gagnon J, Leon AS, Skinner JS, Wilmore JH, Bouchard C, Rao D. A genomewide linkage scan for abdominal subcutaneous and visceral fat in black and white families: The HERITAGE Family Study. *Diabetes* 2002. 51: 848–855.
487. Rice T, Pérusse L, Bouchard C, Rao DC. Familial clustering of abdominal visceral fat and total fat mass: the Quebec Family Study. *Obes Res* 1996. 4: 253–261.
488. Richer DL, Wilcox S, Greaney ML, Henderson KA, Ainsworth BE. Social, cultural and environmental influences on child activity and eating in Australian migrant communities. *Women's Health* 2002. 36: 91-109.
489. Rising R, Harper IT, Fontvielle AM, Ferraro RT, Spaul M, Ravussin E. Determinants of total daily energy expenditure: variability in physical activity. *Am J Clin Nutr* 1994. 59: 800-804.
490. Roberfroid M, Gibson GR and Delzenne N. The biochemistry of oligofructose, a nondigestible fiber: An approach to calculate its caloric value. *Nutr Rev* 1993. 51: 137-146.
491. Roberfroid M. Fructo-oligosaccharide Malabsorption: Benefit for Gastrointestinal Functions. *Current Opinion in Gastroenterology* 2000. 16(2): 173-177.
492. Roberfroid M. Functional foods: concepts and application to inulin and oligofructose. *Br J Nutr* 2002. 87: Suppl 2: S139–43.
493. Roberfroid M. Introducing Inulin Type Fructans. *British Journal of Nutrition* 2005. 93(1): 13S-25.
494. Roberfroid M. Inulin-type fructans as functional food ingredients. Boca Raton, FL: CRC Press, 2005.
495. Roberfroid MB and Slavin J. Nondigestible oligosaccharides. *Crit Rev Food Sci Nutr* 2000. 40: 461–80.
496. Roberfroid MB, Delzenne N. Dietary fructans. *Annu Rev Nutr* 1998. 18: 117–43.
497. Roberfroid MB. Caloric value of inulin and oligofructose. *J Nutr* 1999. 129: 1436S-1437S.
498. Roberfroid MB. Prebiotics and Probiotics: are they functional foods. *Am J of Clin Nutr* 2000. 71(6):S1682-S1687.
499. Rocha, P. M., Barata, J. T., Minderico, C. S., Silva, A. M., Teixeira, P. J., & Sardinha, L. B. (2011). Visceral abdominal and subfascial femoral adipose tissue have opposite associations with liver fat in overweight and obese premenopausal caucasian women. *Journal of lipids*, 2011.
500. Rolim, P. M. Development of prebiotic food products and health benefits. *Food Science and Technology (Campinas)*, 2015. 35(1): 3-10.

501. Rolls BJ, Morris EL, Roe LS. Portion size of food affects energy intake in normal-weight and overweight men and women. *The American Journal Of Clinical Nutrition* 2002. 76(6): 1207-13.
502. Rolls BJ. The supersizing of America: portion size and the obesity epidemic. *Nutrition Today* 2003. 38(2): 42-53.
503. Ronveaux, C. C., Tomé, D., & Raybould, H. E. Glucagon-like peptide 1 interacts with ghrelin and leptin to regulate glucose metabolism and food intake through vagal afferent neuron signaling. *The Journal of Nutrition* 2015. 145(4): 672-680.
504. Rosenbaum, M., & Leibel, R. L. 20 YEARS OF LEPTIN: Role of leptin in energy homeostasis in humans. *Journal of Endocrinology* 2014. 223(1): T83-T96.
505. Rosito, G. A., Massaro, J. M., Hoffmann, U., Ruberg, F. L., Mahabadi, A. A., Vasan, R. S. & Fox, C. S.. Pericardial fat, visceral abdominal fat, cardiovascular disease risk factors and vascular calcification in a community-based sample the Framingham heart study. *Circulation* 2008. 117(5): 605-613.
506. Ross R, Janssen. Physical activity, total and regional obesity: dose response consideration. *Med Sci Sports Exerc* 2001. 33: S521-S527.
507. Rutten EP, Breyer MK, Spruit MA, Hofstra T, Van Melick PP, Schols AM, Wouters EF. Abdominal fat mass contributes to the systemic inflammation in chronic obstructive pulmonary disease. *Clin Nutr* 2010. 29: 756–760.
508. Sabater-Molina M, Larque E, Torrella F, Zamora S. Dietary fructooligosaccharides and potential benefits on health. *J Physiol Biochem* 2009. 65: 315–328.
509. Sacks, F. M., Bray, G. A., Carey, V. J., Smith, S. R., Ryan, D. H., Anton, S. D., McManus, K. Champagne, C. M., Bishop, L. M., Laranjo, N., Leboff, M. S., Rood, J. C., de Jonge, L., Greenway, F. L., Loria, C. M., Obarzanek, E., & Williamson, D. A. Comparison of Weight-Loss Diets with Different Compositions of Fat, Protein, and Carbohydrates. *New England Journal of Medicine* 2009. 360(9): 859-873.
510. Sallis JF, Simons-Morton BG, Stone EJ, Corbin CB, Epstein LH, Faucette N, Iannotti RJ, Killen JD, Klesges RC, Petray CK. Determinants of physical activity and interventions in youth. *Med Sci Sports Exerc* 1992. 24: S248-S257.
511. Samuel BS, Shaito A, Motoike T, Rey FE, Backhed F, Manchester JK, Hammer RE, Williams SC, Crowley J, Yanagisawa M. Effects of the gut microbiota on host adiposity are modulated by the short-chain fatty-acid binding G protein-coupled receptor, Gpr41. *Proc Natl Acad Sci USA*. 2008. 105: 16767-16772.
512. Santacruz A, Collado MC, García-Valdés L, Segura MT, Martín-Lagos JA, Anjos T, Martí-Romero M, Lopez RM, Florido J, Campoy C. Gut microbiota composition is associated with body weight, weight gain and biochemical parameters in pregnant women. *Br J Nutr*. 2010. 104: 83-92.

513. Santos BAD, Paulo CBC, Pacheco MT and Pollonio MA. Fructooligosaccharides as a fat replacer in fermented cooked sausages. *International Journal of Food Science and Technology* 2012. 47(6): 1183–119.
514. Sarafino, E. P., & Smith, T. W. (2014). *Health psychology: Biopsychosocial interactions*. John Wiley & Sons.
515. Schapira DV, Clark RA, Wolff PA, Jarrett AR, Kumar NB, Aziz NM. Visceral obesity and breast cancer risk. *Cancer* 1994. 74: 632–639.
516. Schnabl, B., & Brenner, D. A.. Interactions between the intestinal microbiome and liver diseases. *Gastroenterology* 2014. 146(6): 1513–1524.
517. Schonfeld-Warden N, Warden CH. Pediatric obesity: an overview of etiology and treatment. *Pediatr Clin N Am* 1997; 44: 339–361.
518. Schubert, M. M., Sabapathy, S., Leveritt, M., & Desbrow, B.. Acute exercise and hormones related to appetite regulation: a meta-analysis. *Sports Medicine* 2014. 44(3): 387–403.
519. Schwiertz A., Taras D., Schafer K., Beijer S., Bos N., Donus C., et al. Microbiota and SCFA in lean and overweight healthy subjects. *Obesity (Silver Spring)* 2009. 18: 190–195.
520. Schwimmer JB, Burwinkle TM, Varni JW. Health related quality of life of severely obese children and adolescents. *JAMA* 2003. 289: 1851–1853.
521. Scott, K. P., Martin, J. C., Duncan, S. H., & Flint, H. J.. Prebiotic stimulation of human colonic butyrate-producing bacteria and bifidobacteria, in vitro. *FEMS Microbiology Ecology* 2014. 87(1): 30–40.
522. Seidell JC, Björntorp P, Sjöström L, Kvist H, Sannerstedt R. Visceral fat accumulation in men is positively associated with insulin, glucose and C-peptide levels, but negatively with testosterone levels. *Metabolism* 1990. 39: 897–901.
523. Seidell JC, Kahn HS, Williamson DF, Lissner L, Valdez R. Report from a Centers for Disease Control and Prevention Workshop on use of adult anthropometry for public health and primary health care. *Am J Clin Nutr* 2001. 73: 123–26.
524. Sharma M. School-based interventions from childhood and adolescent obesity. *Obes Rev* 2006. 7: 261–269.
525. Sheth M. K., & Gupta N. (2014). Metabolic effects of FOS (fructooligosaccharide) in terms of gut incretin (glp-1) gut microflora and weight reduction in obese adults. *International Journal of Applied Biology and P.*
526. Shetty P. S. (2002). Nutrition transition in India. *Public health nutrition*, 5(1a), 175–182.
527. Shin HS et al. Growth and viability of commercial *Bifidobacterium* ass in skim milk containing oligosaccharides and inulin. *Food Microbiology and Safety* 2000. 65(5): 884–887.

- 528. Shinohara K, Ohashi Y, Kawasumi K, Terada A, Fujisawa T. Effect of apple intake on fecal microbiota and metabolites in humans. *Anaerobe*. 2010. 16(5): 510-5.
- 529. Shively CA, Register TC, Clarkson T. Social stress, visceral obesity, and coronary artery atherosclerosis in female primates. *Obesity* 2009. 17: 1513–1520.
- 530. Shively CA, Register TC, Clarkson TB. Social stress, visceral obesity, and coronary artery atherosclerosis: product of a primate adaptation. *Am J Primatol* 2009. 71: 742–751.
- 531. Sjöström, L., Narbro, K., Sjöström, C. D., Karason, K., Larsson, B., Wedel, H., ... & Bengtsson, C.. Effects of bariatric surgery on mortality in Swedish obese subjects. *New England Journal of Medicine* 2007. 357(8): 741-752.
- 532. Skurk, T., Alberti-Huber, C., Herder, C., & Hauner, H.. Relationship between adipocyte size and adipokine expression and secretion. *The Journal of Clinical Endocrinology & Metabolism* 2007. 92(3): 1023-1033.
- 533. Slavin, J.. Fiber and prebiotics: mechanisms and health benefits. *Nutrients* 2013. 5(4): 1417-1435.
- 534. Smicklas-Wright H, Mitchell DC, Mickle SJ, Goldman JD, Cook A. Food commonly eaten in the United States, 1989-91 and 1994-96. *J Am Diet Assoc* 2003. 103: 41-47.
- 535. Sniderman AD, Bhopal R, Prabhakaran D, Sarrafzadegan N, Tchernof A. Why might South Asians be so susceptible to central obesity and its atherogenic consequences? The adipose tissue overflow hypothesis. *Int J Epidemiol* 2007. 36: 220–225.
- 536. Sobngwi E, Mbanya JC, Unwin NC, Kengne AP, Fezeu L, Minkoulou EM, Aspray TJ, Alberti KG. Physical activity and its relationship with obesity, hypertension and diabetes in urban and rural Cameroon. *Int J Obes Relat Metab Disord* 2002. 26: 1009-1016.
- 537. Speliotes EK, Willer CJ, Berndt SI. Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. *Nat Genet* 2010. 42: 937–948.
- 538. Spiegel K, Tasali E, Penev P, Van Cauter E. Brief communication: sleep curtailment in healthy young men is associated with decreased leptin levels, elevated ghrelin levels, increased hunger and appetite. *Ann Intern Med* 2004. 141: 846–850.
- 539. Srinivasan SR, Mycrs L, Berenson GS. Predictability of childhood adiposity and insulin for developing insulin resistance syndrome (syndrome X) in young adulthood: the Bogalusa Heart Study. *Diabetes* 2002. 51: 204-209.
- 540. Stamler R, Stamler J, Riedlinger WF, Algera G, Roberts RH. Weight and blood pressure. Findings in hypertension screening of 1 million Americans. *JAMA* 1978. 240: 1607–1610.

541. Stanton, C., Ross, R. P., Fitzgerald, G. F., & Van Sinderen, D. Fermented functional foods based on probiotics and their biogenic metabolites. *Current Options in Biotechnology* 2005. 16: 198-203.
542. Steinert, R. E., Schirra, J., Meyer-Gerspach, A. C., Kienle, P., Fischer, H., Schulte, F. & Beglinger, C.. Effect of glucagon-like peptide-1 receptor antagonism on appetite and food intake in healthy men. *The American Journal of Clinical Nutrition* 2014. 100(2): 514-523.
543. Stephen Bartlett and Mary Marian. Geriatric: Nutrition Handbook. Chapman & Hall Nutrition Handbooks 1998.
544. Stern and Kazaks 2009(Judith S. Stern and Alexandra Kazaks. Obesity: a reference handbook 2009; 1-4)
545. Stevens J, Juhaeri, Cai J, Jones DW. The effect of decision rules on the choice of a body mass index cutoff for obesity: example from African American and white women. *Am J Clin Nutr* 2002; 75: 986–92.
546. St-Pierre J, Miller-Felix I, Paradis ME, Bergeron J, Lamarche B, Després JP, Gaudet D, Vohl MC. Visceral obesity attenuates the effect of the hepatic lipase –514C>T polymorphism on plasma HDL-cholesterol levels in French-Canadian men. *Mol Genet Metab* 2003. 78: 31–36.
547. Strauss RS. Childhood obesity and self-esteem. *Pediatrics* 2000. 105: 15.
548. Suter, P. M., & Tremblay, A.. Is alcohol consumption a risk factor for weight gain and obesity?. *Critical Reviews in Clinical Laboratory Sciences* 2005. 42(3): 197-227.
549. Szajewska H, Ruszczynski M. Systematic review demonstrating that breakfast consumption influences body weight outcomes in children and adolescents in Europe. *Crit Rev Food Sci Nutr* 2010. 50: 113–119.
550. Tandon, K., Kapoor, S., & Kumar Kapoor, A. Covariates and prevalence of obesity among adult north Indian population. *Collegium Antropologicum* 2011. 35(2): 305-311.
551. Tatemoto K, Mutt V. Isolation of two novel candidate hormones using a chemical method for finding naturally occurring polypeptides. *Nature* 1980. 285: 417–418.
552. Taylor D. *Withdrawal of Rimonabant–walking the tightrope of 21st century pharmaceutical regulation?* *Curr Drug Saf* 2009. 4: 2–4.
553. Taylor R, Badcock, King H. Dietary intake, exercise, obesity and non-communicable disease in rural and urban populations of three Pasific Island countries. *J Am Coll Nutr* 1992. 11: 283-293.
554. Tene CE, Espinoza-Mejia MY, Silva-Rosales NA, Giron-Carrillo JL. High birth weight as a risk factor for the childhood obesity. *Gac Med Mex* 2003. 139: 15-20.
555. Thijssen, E., van Caam, A., & van der Kraan, P. M. (2014). Obesity and osteoarthritis more than just wear and tear: pivotal roles for inflamed

- adipose tissue and dyslipidaemia in obesity-induced osteoarthritis. *Rheumatology*, 44: 464.
556. Thomas G, Hall JE, Appel JL, Falkner BE, Graves J, Hill MN et al. Recommendations for Blood Pressure Measurement in Humans and Experimental Animals. *Circulation* 2005. 111: 697-716.
 557. Tiggemann M, Pickering AS. Role of television in adolescent women's body dissatisfaction and drive for thinness. *Int J Eat Disord* 1996. 20: 199-203.
 558. Tilg H, Kaser A. Gut microbiome, obesity, and metabolic dysfunction. *J Clin Invest* 2011. 121: 2126–2132.
 559. Tojo, R., Suárez, A., Clemente, M. G., de los Reyes-Gavilán, C. G., Margolles, A., Gueimonde, M., & Ruas-Madiedo, P.. Intestinal microbiota in health and disease: role of bifidobacteria in gut homeostasis. *World J Gastroenterol* 2014. 20(41): 15163-15176.
 560. Tolhurst G, Heffron H, Lam YS, Parker HE, Habib AM, Diakogiannaki E, Cameron J, Grosse J, Reimann F, Gribble FM. Short-chain fatty acids stimulate glucagon-like peptide-1 secretion via the G-protein-coupled receptor FFAR2. *Diabetes*. 2012. 61: 364-371.
 561. Tomita M, Ohkubo R, Hayashi M. Lipopolysaccharide transport system across colonic epithelial cells in normal and infective rat. *Drug Metab Pharmacokinet* 2004. 19: 33-40.
 562. Tomita M, Ohkubo R, Hayashi M. Lipopolysaccharide transport system across colonic epithelial cells in normal and infective rat. *Drug Metab Pharmacokinet* 2004. 19: 33-40.
 563. Tomomatsu, H. Health effects of oligosaccharides. *Food Technology* 1994. 48(10): 45-57.
 564. Topalidou A. & Dafopoulou G. M. Obesity Prevention for Junior High School Students: An Intervention Programme. *Journal of Physical Education and Sport* 2013. 13(2): 147.
 565. Track NS, McLeod RS, Mee AV. Human pancreatic polypeptide: studies of fasting and postprandial plasma concentrations. *Can J Physiol Pharmacol* 1980. 58: 1484–1489.
 566. Tran-Dinh, A., Diallo, D., Delbosc, S., Varela-Perez, L. M., Dang, Q. B., Lapergue, B. & Meilhac, O. HDL and endothelial protection. *British Journal of Pharmacology*, 2013. 169(3): 493-511.
 567. Tremaroli V, Backhed F. Functional interactions between the gut microbiota and host metabolism. *Nature* 2012. 489: 242–249.
 568. Treuth, M. S., Catellier, D. J., Schmitz, K. H., Pate, R. R., Elder, J. P., McMurray, R. G. & Webber, L. Weekend and Weekday Patterns of Physical Activity in Overweight and Normal-weight Adolescent Girls. *Obesity* 2007. 15(7): 1782-1788.

-
569. Tripathi, M. K., & Giri, S. K. (2015). *Probiotic Food Technology, Safety and Human Health*. Jaya publishing house
570. Tripathi, M. K., & Giri, S. K. Probiotic functional foods: Survival of probiotics during processing and storage. *Journal of Functional Foods* 2014. 9: 225-241.
571. Tsabouri, S., Priftis, K. N., Chaliasos, N., & Siamopoulou, A. Modulation of gut microbiota downregulates the development of food allergy in infancy. *Allergologia et immunopathologia* 2014. 42(1), 69-77.
572. Tsai, T. H., Chai, H. T., Sun, C. K., Yen, C. H., Leu, S., Chen, Y. L. & Yip, H. K. Obesity suppresses circulating level and function of endothelial progenitor cells and heart function. *Journal of translational medicine* 2012. 10(1): 1-12.
573. Tsang TW, Briody J, Kohn M, Chow CM, Singh MF. Abdominal fat assessment in adolescents using dual-energy X-ray absorptiometry. *J Pediatr Endocrinol Metab* 2009. 22: 781–794.
574. Tschop M, Smiley DL, Heiman ML. Ghrelin induces adiposity in rodents. *Nature* 2000. 407: 908–913.
575. Tuohy KM et al. the prebiotic effects of biscuits containing partially hydrolysed guar gum and fructooligosaccharides –A human volunteer study. *British journal of Nutrition* 2001. 86: 241.
576. Tuohy KM, Rouzaud GC, Bruck WM, Gibson GR. Modulation of the human gut microflora towards improved health using prebiotics--assessment of efficacy. *Curr Pharm Des* 2005. 11: 75-90.
577. Turer AT, Scherer PE: Adiponectin: mechanistic insights and clinical implications. *Diabetologia* 2012. 55: 2319-2326.
578. Turnbaugh P., Hamady M., Yatsunenko T., Cantarel B., Duncan A., Ley R., et al. A core gut microbiome in obese and lean twins. *Nature* 2009a. 457: 480–484.
579. Turnbaugh P., Ley R., Mahowald M., Magrini V., Mardis E., Gordon J. An obesity-associated gut microbiome with increased capacity for energy harvest. *Nature* 2006. 444: 1027–1031.
580. Turnbaugh PJ, Backhed F, Fulton L, Gordon JL. Diet-induced obesity is linked to marked but reversible alterations in the mouse distal gut microbiome. *Cell Host Microbe* 2008. 3: 213–223.
581. Turnbaugh PJ, Ley RE, Mahowald MA, Magrini V, Mardis ER, and Gordon JI, "An obesity-associated gut microbiome with increased capacity for energy harvest," *Nature* 2006. 444(7122): 1027–1031.
582. Turrone F, Ribbera A, Foroni E, Van Sinderen D and Ventura M. Human gut microbiota and bifidobacteria: From composition to functionality. *Antonie van Leeuw* 2008. 94: 35-50.
583. Upadhyay PR. An Overview of the Burden of Non- Communicable Diseases in India. *Iranian J Publ Health* 2012. 41(3): pp.1-8

- 584. Urias-Silvas JE, Cani PD, Delmee E, Neyrinck A, Lopez MG, Delzenne NM. Physiological effects of dietary fructans extracted from Agave tequilana Gto. and Dasyilirion spp. *Br J Nutr* 2008. 99: 254–61.
- 585. Van der Waaij LA, Limburg PC, Mesander G and Van der Waaij D. In vivo IgA coating of anaerobic bacteria in human faeces. *Gut* 1996. 38: 348–54.
- 586. Van der Waaij LA. The ecology of the human intestine and its consequences for overgrowth by pathogens such as *Clostridium difficile*. *Annu Rev Microbiol* 1999. 43: 69–87.
- 587. Van Greevenbroek, M. M., Schalkwijk, C. G., & Stehouwer, C. D.. Obesity-associated low-grade inflammation in type 2 diabetes mellitus: causes and consequences. *Neth J Med* 2013. 71(4): 174-87.
- 588. Van Loo J, Coussement P, De Leenheer L, Hoebregs H and Smits G. On the Presence of Inulin and Oligofructose as Natural Ingredients in the Western Diet. *Critical Reviews in Food Science and Nutrition* 1995. 35(6): 525-552.
- 589. Van Loo J, Coussement P, De Leenheer L, Hoebregs H, Smits G. *Crit Rev Food Sci Nutr* 1995. 35(6): 525.
- 590. Van Loo J, Cummings J and Delzenne N. Functional properties of no digestable oligosaccharides: a consensus report from the ENDO project (DG XII-CT94-1095). *Br J Nutr* 1999. S1: 121-32.
- 591. Vander Weg M. W., Klesges R. C., & DeBon M. Relationship between smokeless tobacco use and body weight in young adult military recruits. *Nicotine & Tobacco Research* 2005. 7(2): 301-305.
- 592. Ventura M, Turrone F, Canchaya C, Vaughan EE. Microbial diversity in the human intestine and novel insights from metagenomics. *Front Biosci* 2009. 14: 3214–3221.
- 593. Verdich C, Flint A, Gutzwiller JP, Naslund E, Beglinger C, Hellstrom PM *et al.* A meta-analysis of the effect of glucagon-like peptide-1 (7-36) amide on ad libitum energy intake in humans. *J Clin Endocrinol Metab* 2001. 86: 4382–4389.
- 594. Verhulst SL, Rooman R, Van Gaal L, De Backer W, Desager K, Is sleep-disordered breathing an additional risk factor for the metabolic syndrome in obese children and adolescents. *Int J Obes (Lond)* 2009. 33: 8-13.
- 595. Verstraeten, R., Van Royen, K., Ochoa-Avilés, A., Penafiel, D., Holdsworth, M., Donoso, S. & Kolsteren, P.. A conceptual framework for healthy eating behavior in Ecuadorian adolescents: A qualitative study. 2014. *PloS one*, 9(1), e87183.
- 596. Vettor R, Fabris R, Pagano C, Federspil G. Neuroendocrine regulation of eating behavior. *J Endocrinol Invest* 2002. 25: 836–854.
- 597. Videla S, Vilaseca J, Antolin M, Garcia LA, Guarner F, Crespo E *et al.* Dietary inulin improves distal colitis induced by dextran sodium sulphate in the rat. *American Journal of Gastroenterology* 2001. 96: 1486-1493.

598. Vikram NK, Misra A, Dwivedi M, Sharma R, Pandey RM, Luthra K, Chatterjee A, Dhingra V, Jaiikhani BL, Talwar KK, Guleria R. Correlations of C-reactive protein levels with anthropometric profile, percentage of body fat and lipids in healthy adolescents and young adults in urban North India. *Atherosclerosis* 2003. 168: 305-313.
599. Vikram NK, Tandon N, Misra A, Srivastava MC, Pandey RM, Mithal A, Sharma S, Ajmani A, Madhu SV, Batra CM, Gupta N. Correlates of type 2 diabetes mellitus in children, adolescents and young adults in north India: a multisite collaborative case-control study. *Diabet Med* 2006. 23: 293-298.
600. Vilsboll T, Zdravkovic M, Le-Thi T, Krarup T, Schmitz O, Courreges JP *et al.* Liraglutide, a long-acting human glucagon-like peptide-1 analog, given as monotherapy significantly improves glycemic control and lowers body weight without risk of hypoglycemia in patients with type 2 diabetes. *Diabetes Care* 2007. 30: 1608–1610.
601. Viner RM, Segal TV, Krynska EL, Hindmarsh P. Prevalence of the insulin resistance syndrome in obesity. *Arch Diseases Child* 2005. 90: 10-14.
602. Vines AI, Baird DD, Stevens J, Hertz-Picciotto I, Light KC, McNeilly M. Associations of abdominal fat with perceived racism and passive emotional responses to racism in African American women. *Am J Public Health* 2007. 97: 526–530.
603. Visscher and Seildell. Epidemiology: Definition and Classification of Obesity. *Endocrinology* 2010. DOI: 10.1002/9781444307627.ch1
604. Vreugdenhil AC, Rousseau CH, Hartung T, Greve JW, van, V, Buurman WA. Lipopolysaccharide (LPS)-binding protein mediates LPS detoxification by chylomicrons. *J Immunol* 2003. 170: 1399-405.
605. Vuolteenaho, K., Koskinen, A., & Moilanen, E.. Leptin—a link between obesity and osteoarthritis. Applications for prevention and treatment. *Basic & Clinical Pharmacology & Toxicology* 2014. 114(1): 103-108.
606. Vuyst de Luk and Leroy F. Cross-feeding between bifidobacteria and butyrate-producing colon bacteria explains bifidobacterial competitiveness, butyrate production, and gas production. *International Journal of Food Microbiology* 2011. 149(1): 73–80.
607. Wadden, T. A., Berkowitz, R. I., Womble, L. G., Sarwer, D. B., Phelan, S., Cato, R. K., Hesson, L. A., Osei, S. Y., Kaplan, R., & Stunkard, A. J. Randomized trial of lifestyle modification and pharmacotherapy for obesity. *New England Journal of Medicine* 2005. 353(20): 2111-2120.
608. Wadden, T. A., Butryn, M. L., & Wilson, C. Lifestyle Modification for the Management of Obesity. *Gastroenterology* 2007. 132(6): 2226-2238.
609. Walker S, Rimm E, Ascherio A, Kawachi I, Stampfer M, Willett W. Body size and fat distribution as predictors of stroke among US men. *Am J Epidemiol* 1996. 144: 1143-50.

610. Wang X and Gibson GR. Effects of the *in vitro* fermentation of oligofructose and inulin by bacteria growing in the human large intestine. *Journal of Applied Bacteriology* 1993. 75: 373.
611. Wang Y, Rimm EB, Stampfer MJ, Willett WC, Hu FB. Comparison of abdominal adiposity and overall obesity in predicting risk of type 2 diabetes among men. *Am J Clin Nutr* 2005. 81: 555–563.
612. Waterhouse AL, Chatterton NJ. Glossary of fructan terms. In: Suzuki M, Chatterton NJ, editors. Science and technology of fructans, Boca Raton, FL: CRC Press, 1992. pp. 2–7.
613. Weigensberg MJ, Toledo-Corral CM, Goran M. Association between the metabolic syndrome and serum cortisol in overweight Latino youth. *J Clin Endocrinol Metab* 2008. 93: 1372–1378.
614. Weintraub M, Bray GA. Drug treatment of obesity. *Med Clin North Am* 1989. 73: 237-249.
615. Weiss R, Dziura J, Burgert T, Tamborlane W, Taksali S, Yeckel CW, Allen K, Lopes M, Savoye M, Morrison J, Sherwin RS, Caprio S. Obesity and the metabolic syndrome in children and adolescent. *N Eng J Med* 2004. 350: 2362-2374.
616. Wells JCK, Fewtrell MS. Measuring body composition. *Archives of Disease in Childhood* 2006. 91(7): 612-617.
617. Welters CFM, Heineman E, Thunnissen BJM, Van den Bogaard AEJM, Soeters PB and Baeten CGMI. Effect of dietary inulin supplementation on inflammation of pouch mucosa in patients with an ileal pouch-anal anastomosis. *Distal Colon Rectum* 2002. 45: 621-627.
618. Wendel M, Paul R, Heller AR. Lipoproteins in inflammation and sepsis. II. Clinical aspects. *Intensive Care Med* 2007. 33: 25–35.
619. WHO. Obesity preventing and managing the global epidemic. Report of a WHO consultation on Obesity. 1997. 1-253.
620. WHO. Preventing chronic diseases: A vital investment. India fact sheet available from www.who.int/chp/chronic_disease_report/en - accessed on 6 2007
621. Williams CH et al. Influence of dietary neo sugar on selected bacterial groups of the human fecal microbiota. *Microbiology Ecology Health Disease* 1994. 7: 91.
622. Williams G. *Withdrawal of sibutramine in Europe*. 2010. BMJ 340: c824.
623. Williamson DF. Smoking cessation and severity of weight gain in national cohort. *New Eng J Med* 1995. 324: 739-745.
624. Wim Verbeke. Consumer acceptance of functional foods: socio-demographic, cognitive and attitudinal determinants. *Current Pharmaceutical Design* 2009. 15: 1546-1558.

- 625. Wing RR, Greeno CG. Behavioral and psychological aspects of obesity and its treatment. *Ballieres Clinical Endocrinology and Metabolism* 1994. 8: 689-703.
- 626. Winter, J. E., MacInnis, R. J., Wattanapenpaiboon, N., & Nowson, C. A. (2014). BMI and all-cause mortality in older adults: a meta-analysis. *The American journal of clinical nutrition*, ajcn-068122.
- 627. Wolk A, Lindblad P, Adami HO. Nutrition and renal cell cancer. *Cancer Causes and Control* 1996. 7: 5-18.
- 628. World Health Organization (WHO). (2015). Obesity and Overweight factsheet from the WHO. *World*.
- 629. World Health Organization, Chronic Disease Report, 2005
- 630. World Health Organization. (1998a). Obesity: preventing and managing the global epidemic: report of a WHO consultation on obesity, Geneva, 3-5 June 1997.
- 631. World Health Organization. (2000). *Obesity: preventing and managing the global epidemic* (No. 894). World Health Organization.
- 632. Worlde J, Waller J, Jarvis MJ. Sex differences in the association of socio-economic status with obesity. *Am J Public Health* 2002. 92: 1299-1304.
- 633. Wormser D, Kaptoge S, Di Angelantonio E, Wood AM, Pennells L, Thompson A, Sarwar N, Kizer JR, Lawlor DA, Nordestgaard BG, Ridker P, Salomaa V, Stevens J, Woodward M, Sattar N, Collins R, Thompson SG, Whitlock G, Danesh J. Separate and combined associations of body-mass index and abdominal adiposity with cardiovascular disease: collaborative analysis of 58 prospective studies. *Lancet* 2011. 377: 1085–1095.
- 634. Wren AM, Seal LJ, Cohen MA, Brynes AE, Frost GS, Murphy KG *et al*. Ghrelin enhances appetite and increases food intake in humans. *J Clin Endocrinol Metab* 2001. 86: 59-92.
- 635. Wright SD, Ramos RA, Tobias PS, Ulevitch RJ, Mathison JC. CD14, a receptor for complexes of LPS and LPS-binding protein. *Science* 1990. 249: 1431–1433.
- 636. Wu, C. Y., Chou, Y. C., Huang, N., Chou, Y. J., Hu, H. Y., & Li, C. P. (2014). Association of body mass index with all-cause and cardiovascular disease mortality in the elderly. *PloS one*, 9(7), e102589.
- 637. Wu Q., & Suzuki M. Parental obesity and overweight affect the body-fat accumulation in the offspring: the possible effect of a high-fat diet through epigenetic inheritance. *Obesity reviews* 2006. 7(2): 201-208.
- 638. Wynne K, Park AJ, Small CJ, Patterson M, Ellis SM, Murphy KG *et al*. Subcutaneous oxyntomodulin reduces body weight in overweight and obese subjects: a double-blind, randomized, controlled trial. *Diabetes* 2005. 54: 2390–2395.
- 639. Wynne K, Stanley S, McGowan B, Bloom S. Appetite control. *J Endocrinol* 2005. 184: 291-318.

640. Xu B, Wang Y, Li J, Lin Q. Effect of prebiotic xylooligosaccharides on growth performances and digestive enzyme activities of allogynogenetic crucian carp (*Carassius auratus gibelio*). *Fish Physiol Biochem* 2009. 35: 351–357.
641. Xu J and Gordon JL. “Honor thy symbionts,” *Proceedings of the National Academy of Sciences of the United States of America* 2003. 100(18): 10452–10459.
642. Yamamoto S, Nakagawa T, Matsushita Y, Kusano S, Hayashi T, Irokawa M, Aoki T, Korogi Y, Mizoue T. Visceral fat area and markers of insulin resistance in relation to colorectal neoplasia. *Diabetes Care* 2010. 33: 184–189.
643. Ybarra J, Bobbioni-Harsch E, Chassot G, Huber O, Morel P, Assimacopoulos-Jeannet F *et al.* Persistent correlation of ghrelin plasma levels with body mass index both in stable weight conditions and during gastric-bypass-induced weight loss. *Obes Surg* 2009. 19: 327–331.
644. Yoshihara, E., Fujimoto, S., Inagaki, N., Okawa, K., Masaki, S., Yodoi, J., & Masutani, H. Disruption of TBP-2 ameliorates insulin sensitivity and secretion without affecting obesity. *Nature communications* 2010. 1, 127.
645. Yun, J.W. Fructooligosaccharides occurrence, preparation and application. *Enzyme Microbiology Technology* 1996. 19: 107-117.
646. Yusuf S, Hawken S, Ounpuu S, Bautista L, Franzosi MG, Commerford P, Lang CC, Rumboldt Z, Onen CL, Lisheng L, Tanomsup S, Wangai P Jr., Razak F, Sharma AM, Anand SS. Obesity and the risk of myocardial infarction in 27,000 participants from 52 countries: a case-control study. *Lancet* 2005. 366: 1640–1649.
647. Zargar AM, Masoodi SR, Laway BA, Khan AK, Wani AI, Bashir MI and Akthar S. Prevalence of obesity in adults- an epidemiological study from Kashmir valley of Indian subcontinent. *J Assoc Physicians India* 2000. 48: 1170–4.
648. Zeratsky K. *Why does eating a healthy breakfast help control weight?* Available from: <http://www.mayoclinic.org/food-and-nutrition/expert-answers/FAQ-20058449> (cited 12 February 2014).
649. Zhang H., DiBaise J., Zuccolo A., Kudrna D., Braidotti M., Yu Y., et al. Human gut microbiota in obesity and after gastric bypass. *Proc Natl Acad Sci USA* 2009. 106: 2365–2370.
650. Zhang Y, Proenca R, Maffei M, Barone M, Leopold L, Friedman JM. Positional cloning of the mouse obese gene and its human homologue. *Nature* 1994. 372: 425–432.
651. Zhang YL, Zhong X, Gjoka Z, Li Y, Stochaj W, Stahl M, Kriz R, Tobin JF, Erbe D, Suri V. H6PDH interacts directly with 11 beta-HSD1: implications for determining the directionality of glucocorticoid catalysis. *Arch Biochem Biophys* 2009. 483: 45–54.
652. Zhao L. The gut microbiota and obesity: from correlation to causality. *Nature Reviews Microbiology* 2013. 11(9): 639-647.

- 653. Ziemer, C. J., & Gibson, G. R. An overview of probiotics, prebiotics and synbiotics in the functional food concept: preservatives and future strategies. *International Dairy Journal* 1998. 8: 5-6.
- 654. Zilberter T. & Zilberter E. Y. (2014). Breakfast: to skip or not to skip?. *Frontiers in public health*, 2.
- 655. Zimmet PZ, Alberti KG. Introduction: Globalization and the non-communicable disease epidemic. *O besity (Silver Spring)* 2006. 14(1): 1-3.