

LIST OF TABLE

Table No.	Title	Page No.
2.1	Peripheral effects of selected food intake-regulating gut hormones	31
2.2	Microorganisms Used as Probiotics in Humans and Animals	58
2.3	Criteria for Classification of a Food Ingredient as a Prebiotic	61
2.4	Classification of Prebiotics	61
4.1.1	Specification of the Fructooligosaccharide used for addition	76
4.1.2	List of Raw Ingredients along with their Sources used for Product Preparation	77
4.2.1	Cut Offs for Physical activity levels (PAL)	90
4.2.2	BMI Cut-offs	93
4.2.3	Cut offs for Waist circumference and Waist –Hip Ratio (WHR)	93
4.2.4	Classification of Blood Pressure for Adults	94
5.1.1(a)	Mean values for organoleptic attributes of FOS added buttermilk	114
5.1.1(b)	Percent subjects indicating the color and appearance,taste, after taste,consistency and overall acceptability of FOS added butter milk at varying levels in a difference test	116
5.1.2(a)	Mean values for organoleptic attributes of FOS added <i>lemon juice</i>	118
5.1.2(b)	Percent subjects indicating the color and appearance, taste, after taste,consistency and overall acceptability of FOS added <i>lemon juice</i> at varying levels in a difference test	120
5.1.3(a)	Mean values for organoleptic attributes of FOS added Milk	122
5.1.3(b)	Percent subjects indicating the color and appearance, taste, after taste, consistency and overall acceptability of FOS added milk at varying levels in a difference test	124
5.1.4(a)	Mean values for organoleptic attributes of FOS added tomato soup	126

5.1.4(b)	Percent subjects indicating the color and appearance, taste, after taste, consistency and overall acceptability of FOS added soup at varying levels in a difference test	128
5.1.5(a)	Mean values for organoleptic attributes of FOS added <i>potato curry</i>	130
5.1.5(b)	Percent subjects indicating the color and appearance, taste, after taste, consistency and overall acceptability of FOS added <i>potato curry</i> at varying levels in a difference test	132
5.1.6(a)	Mean values for organoleptic attributes of FOS added <i>dal</i>	134
5.1.6(b)	Percent subjects indicating the color and appearance, taste, after taste, consistency and overall acceptability of FOS added <i>dal</i> at varying levels in a difference test	136
5.1.7(a)	Mean values for organoleptic attributes of FOS added <i>kadi</i>	138
5.1.7(b)	Percent subjects indicating the color and appearance, taste, after taste, consistency and overall acceptability of FOS added <i>kadi</i> at varying levels in a difference test	140
5.1.8(a)	Mean values for organoleptic attributes of FOS added kheer	142
5.1.8(b)	Percent subjects indicating the color and appearance, taste, after taste, consistency and overall acceptability of FOS added kheer at varying levels in a difference test	144
5.1.9(a)	Mean values for organoleptic attributes of FOS added <i>khichdi</i>	146
5.1.9(b)	Percent subjects indicating the color and appearance, taste, after taste, consistency and overall acceptability of FOS added khichdi at varying levels in a difference test	148
5.2.1	Socio demographic Information of normal weight and Obese Subjects	155
5.2.2	Mean Values for Anthropometric Parameters of Normal weight and Obese Subjects	156
5.2.3	Mean Values for systolic and diastolic blood pressure values of Normal weight and Obese Subjects	156
5.2.4	Family History of Diseases in normal weight and Obese Subjects	157
5.2.5	Personal habit of normal weight and obese subjects with respect to alcohol, cigarette, tobacco, tea, coffee and aerated drinks	158
5.2.6	Mean hunger scores of Normal weight and obese subject at various meal timing	158

5.2.7	Mean satiety scores of Normal weight and obese subjects at various meal timings	159
5.2.8	Dietary intakes of macronutrients of Normal weight and obese subjects	160
5.2.9	Number of normal weight and obese subjects showing frequency of consumption of food groups	162
5.2.10	Number of normal weight and obese subjects with varying food habits	163
5.2.11	Number of normal weight and obese subjects showing association of BMI with physical activity level	164
5.2.12	Plasma LPS and plasma GLP-1 levels of normal weight and obese subjects	164
5.2.13	Mean log values (cfu/g) for microbial parameters in fecal sample of normal weight and obese subjects	166
5.2.14	Number of normal weight and obese subjects with medical problems	167
5.2.15	Number of obese subjects with duration of obesity	168
5.2.16	Anthropometric, biochemical, microbial profile of the obese subjects based on family history of obesity	169
5.2.17	Anthropometric, biochemical, microbial and dietary profile of the obese subjects based on BMI	169
5.2.18	Anthropometric, biochemical and microbial profile of the subjects based on personal habit with respect to alcohol	170
5.2.19	Anthropometric, biochemical and microbial profile of the subjects based on personal habit of tobacco	171
5.2.20	Anthropometric, biochemical and microbial profile of the subjects based on personal habit of cigarette	172
5.2.21	Anthropometric, biochemical and microbial profile of the subjects based on personal habit of aerated drinks	172
5.2.22	Anthropometric, biochemical and microbial profile of the obese subjects based on dietary fiber intake	173

5.2.23	Anthropometric, biochemical and microbial profile of the obese subjects based on insoluble fiber intake	174
5.2.24	Anthropometric, biochemical and microbial profile of the obese subjects based on soluble fiber intake	174
5.2.25	Anthropometric, biochemical and microbial profile of the obese subjects based on Crude fiber intake	175
5.2.26	Anthropometric, biochemical and microbial profile of the subjects based on energy intake of obese	176
5.2.27	Anthropometric, biochemical and microbial profile of the subjects based on fat intake of obese	177
5.2.28	Anthropometric, biochemical and microbial profile of the subjects based on carbohydrate intake of obese	177
5.2.29	Anthropometric, biochemical and microbial profile based on eating pattern of obese subjects	178
5.2.30	Anthropometric, biochemical and microbial profile of the subjects based on physical activity pattern of obese subjects	179
5.2.31	Anthropometric, biochemical, microbial and dietary profile of the subjects based on LPS levels of obese subjects	180
5.2.32	Anthropometric, biochemical, microbial and dietary profile of the subjects based on GLP-1 levels of obese subjects	180
5.2.33	Anthropometric, biochemical profile and dietary fiber of the obese subjects based on <i>Bifidobacteria</i> counts	181
5.2.34	Anthropometric, biochemical profile and dietary fiber of the obese subjects based on <i>LAB</i> counts	182
5.2.35	Anthropometric, biochemical profile and dietary fiber of the obese subjects based on enteric pathogen counts	183
5.2.36	Dental and GI profile of obese according to establishment of <i>Bifidobacteria</i>	183
5.2.37	Dental and GI profile of obese according to establishment of <i>LAB</i>	184
5.2.38	Dental and GI profile of obese according to establishment of <i>enteric pathogen</i>	185

5.2.39	Dental and GI profile of obese according to LPS levels	185
5.2.40	Dental and GI profile of obese according to GLP-1 levels	186
5.2.41	Dental and GI profile of obese according to total dietary fiber intake	186
5.2.42	Dental and GI profile of obese according to insoluble fiber intake	187
5.2.43	Dental and GI profile of obese according to soluble fiber intake	188
5.2.44	Dental and GI profile of obese according to crude fiber intake	188
5.2.45	Dental and GI profile of obese according to fat intake	189
5.2.46	Anthropometric, biochemical, microbial profile of the subjects based on duration of Obesity	189
5.2.47	Correlation values determining the degree of association amongst anthropometric, biochemical, dietary, and microbial parameters of obese subjects	191
5.3.1(a)	Mean anthropometric values of obese subjects before and after FOS supplementation	204
5.3.1(b)	Mean blood pressure values of obese subjects before and after FOS supplementation	206
5.3.2(a)	Mean hunger scores of obese subjects before and after FOS supplementation	207
5.3.2(b)	Mean satiety scores of obese subjects before and after FOS supplementation	211
5.3.3	Mean dietary intakes of obese subjects before and after FOS supplementation	211
5.3.4:	Mean endotoxins (pg/ml) and GLP-1 (pmol/l) levels of obese subjects before and after FOS supplementation	214
5.3.5	Microbial profile of obese subjects before and after FOS supplementation	216
5.3.6	Gastrointestinal profile of obese subjects before and after FOS supplementation	221

5.3.7	Mean anthropometric parameters of category 1(BMI 25-27kg/m ²) and category 2 (BMI >27kg/m ²) obese subjects before and after FOS supplementation	224
5.3.8	Mean anthropometric values of obese subjects with poor(≥40-50 days) and good compliance(≥51days) before and after FOS supplementation	225
5.3.9(a)	Mean hunger scores of category 1 (BMI 25-27kg/m ²) category 2 (BMI >27kg/m ²) obese subjects before and after FOS intervention	226
5.3.9(b)	Mean satiety scores of category 1(BMI 25-27kg/m ²) and category 2 (BMI >27kg/m ²) obese subjects before and after FOS supplementation	227
5.3.10(a)	Mean hunger scores of obese subjects with weight reduction and no weight reduction before and after FOS supplementation	228
5.3.10(b)	Mean satiety scores of obese subjects with weight reduction and no weight reduction before and after FOS supplementation	229
5.3.11(a)	Mean hunger scores of obese subjects with poor(≥40-50 days) and good compliance(≥51days)before and after FOS supplementation	230
5.3.11(b)	Mean satiety scores of obese subjects with poor (≥40-50 days) and good compliance (≥51days) before and after FOS supplementation	231
5.3.12	Mean nutrient intake of category 1(BMI 25-27kg/m ²) and category 2 (BMI >27kg/m ²) obese subjects before and after FOS supplementation	232
5.3.13	Mean nutrient intake of obese subjects with weight reduction and no weight reduction before and after FOS supplementation	234
5.3.14	Mean dietary intakes of obese subjects with poor (≥40-50 days) and good compliance (≥51days) before and after FOS supplementation	235

5.3.15	Plasma LPS and plasma GLP-1 values of category 1(BMI 25-27kg/m ²) and category 2 (BMI >27kg/m ²) obese subjects before and after FOS supplementation	236
5.3.16	Plasma LPS and plasma GLP-1 levels of obese subjects with weight reduction and no weight reduction before and after FOS supplementation	236
5.3.7.17	Mean endotoxins (pg/ml) and GLP-1 levels of obese subjects with poor (≥40-50 days) and good compliance (≥51days) before and after FOS supplementation	237
5.3.18	Fecal gut microflora counts of category 1(BMI 25-27kg/m ²) and category 2 (BMI >27kg/m ²) obese subjects before and after FOS supplementation	238
5.3.19	Fecal gut microbial count of obese subjects with weight reduction and no weight reduction of obese subjects before and after FOS supplementation	239
5.3.20	Fecal gut microbial profile of obese subjects with poor (≥40-50 days) and good compliance (≥51days) before and after FOS supplementation	239
5.3.21	Gastrointestinal profile of category 1(BMI 25-27kg/m ²) and category 2 (BMI >27kg/m ²) obese subjects before and after FOS supplementation	240
5.3.22	GI profile of obese subjects with weight reduction and no weight reduction before and after FOS supplementation	241
