

7| BIBLIOGRAPHY

1. Adlercreutz CH, Goldin BR, Gorbach SL, Hockerstedt KA, Watanabe S, Hamalainen EK, Markkanen MH, Makela TH, Wahala KT, Adlercreutz T. Soybean phytoestrogen intake and cancer risk. *J Nutr.* 1995; 125:757S-767S.
2. Agwu UM, Umeora OJ, &Ejikeme BN. Patterns of menopausal symptoms and adaptive ability in a rural population in south-east Nigeria. *Journal of Obstetrics & Gynecology* 2008; 28(2), 217-221.
3. Agwu UM, Umeora OJ, Ejikeme BN. Patterns of the emnopausal symptoms and the adaptive ability in a rural population in south-east Nigeria. *Journal of Obstetrics and Gynaecology.* 2008; 28 (2) :217-21.
4. Ahmad N, Rahman ZU, Akhtar N and Ali S. Effects of aqueous methanolic extract of Flax seeds (*Linumusitatissimum*) on serum estradiol, progesterone, kidney and liver functions and some serum biochemical metabolites in immature female rats. *Pak Vet J.* 2012 32(2): 211-215.
5. Ahsan M, Mallick AK, Singh R, Prasad RR. Assessment of menopausal symptoms during perimenopause and postmenopause in Tertiary Care hospital. *Journal of Basic and Clinical Reproductive Sciences.*2015; 4 (1), 14-19.
6. Albert A, Altabre C, Baro F, Buendia E, Cabero A, Cancelo MJ, Castelo-Branco C, Chantre P, Duran M, Haya J, Imbert P, Julia D, Lanchares JL, Llaneza P, Manubens M, Minano A, Quereda F, Ribes C, Vazquez F. Efficacy and safety of a phytoestrogen preparation derived from *Glycine max (L.) Merr* in climacteric symptomatology: a multicentric, open, prospective and non-randomized trial. *Phytomedicine.* 2002; 9:85-92.
7. Albertazzi P, Pansini F, Bonaccorsi G, Zanotti L, Forini E, De Aloysio D. The effect of dietary soy supplementation on hot flushes. *ObstetGynecol.* 1998; 91:6-11.
8. Albertazzi P, Pansini F, Bottazzi M, Bonaccorsi G, De Aloysis D, Morton MS. Dietary soy supplementation and phytoestrogen levels. *ObstetGynecol.* 1999; 94:229-231.

9. Allred CD, Ju YH, Allred KF, Chang J, Helferich WG. Dietary genistin stimulates growth of estrogen-dependent breast cancer tumors similar to that observed with genistein. *Carcinogenesis*. 2001; 22:1667-1673.
10. Allred CD, Ju YH, Allred KF, Chang J, Helferich WG. Dietary genistin stimulates growth of estrogen-dependent breast cancer tumors similar to that observed with genistein. *Carcinogenesis*. 2001 Oct 1;22(10):1667-73.
11. American College of Obstetricians and Gynecologists: Use of botanicals for management of menopausal symptoms. ACOG Practice Bulletin. 2001; 28: 1-11.
12. Ande AB, Omu OP, Ande1 OO, Olagbuji NB. Features &perceptions of menopausal women in Benin City, Nigeria. *Ann African Med*.2011; 10, 300-4.
13. Anderson D. (October 2003) Research done as part of The Women's Wellness Program Study. 6th Australasian Menopause Conference, 2426, Sydney, Australia. Web link: www.hlth.qut.edu.au/nrs/research/wwps
14. Anderson JW, Johnstone BM, and Cook-NeWell ME. Meta-analysis of the effects of soy protein intake on serum lipids. *New England J Med*; August 3, 1995; 333(5): 276-282.
15. Assiut University Center for Environmental studies. A study on premenstrual syndrome among Assiut University student. *Assiut University Bulletin for Environmental Researches*. 2002; 5:2.
16. Atkinson C, Compston JE, Day NE, Dowsett M and Bingham SA. The effects of phytoestrogen isoflavones on bone density in women: a double-blind, randomized, placebo-controlled trial. *J Nutr*. 2005; 135:310-316.
17. Bair YA, Gold EB, Azari RA, et al. Ethnic differences in use of complementary and alternative medicine at midlife: Longitudinal results from SWAN participants. *Am J Pub Health*. 2002; 92:1832– 40.
18. Barton DL, Loprinzi CL, Quella SK, et al. Prospective evaluation of vitamin E for hot flashes in breast cancer survivors. *J Clin Oncol*. 1998; 16:495–500.

19. Belcher SM and Zsarnovszky A. Estrogenic actions in the brain: Estrogen, Phytoestrogen, and Rapid intracellular signaling mechanisms. *The journal of pharmacology and experimental therapeutics*. 2001;Vol 99, No.2, 408-414.
20. Bentley GR, Mascie-Taylor CN. Infertility in the modern world: Present and future prospects. Cambridge University Press; 2000 Nov 30.
21. Bonaiuti DCA. Effects of exercise programme on quality of life in osteoporotic and osteopenic postmenopausal women: A systematic review and meta-analysis. 2002. Cochrane database system review.
22. Bowe J, Li XF, Sugden D, Katzenellenbogen JA, Katzenellenbogen BS, O'Byrne KT. The effects of the phytoestrogen, coumestrol, on gonadotropin-releasing hormone (GnRH) mRNA expression in GT1-7 GnRHneurones. *J Neuroendocrinol*. 2003; 15: 105–108. doi:10.1046/j.1365-2826.2003.00991.
23. Bromberger J, Kravitz H, Wej H, Brown C, Youk A, Cordal A, Powell L, Matthews K. History of depression and women's current health and functioning during midlife. *Gen Hosp Psychiatry*. 2005; 27:200–8.
24. Bromberger JT, Schott LL, Kravitz HM, Sowers M, Avis NE, Gold EB, Randolph JF, Matthews KA. Longitudinal change in reproductive hormones and depressive symptoms across the menopausal transition: results from the Study of Women's Health Across the Nation (SWAN). *Arch Gen Psychiatry*. 2010; 67(6):598–607.
25. Brzezinski A, Adlercreutz H, Shauol R, Rosler A, Shmueli A, Tanos V, Schenker JG. Short-term effects of phytoestrogen-rich diet on postmenopausal women. *Menopause*. 1997; 4:89-94.
26. Burger H. (1999) The endocrinology of Menopause. *Journal of Steroid Biochemistry and Molecular Biology*. 1999; 69:31-35.
27. Burger HG, Cahir N, Robertson DM, Groome NP, Dudley E, Green A, Dennerstein L. Serum inhibins A and B fall differentially as FSH rises in perimenopausal women. *ClinEndocrinol (Oxf)*. 1998; 48 (6):809–13.
28. Burger HG, Dudley EC, Cui J, Dennerstein L, Hopper JL. A prospective longitudinal study of serum testosterone, dehydroepiandrosterone sulfate, and sex hormone binding globulin levels through the menopause transition. *J ClinEndocrinolMetab*. 2000 85(8):2832–8.

29. Burger HG, Dudley EC, Hopper JL, Groome N, Guthrie JR, Green A, Dennerstein L. Prospectively measured levels of serum follicle stimulating hormone, estradiol, and the dimericinhibins during the menopausal transition in a population based cohort of women. *J ClinEndocrinolMetab.* 1999; 84 (11):4025–30.
30. Burger HG, Dudley EC, Hopper JL, Shelley JM, Green A, Smith A, Dennerstein L, Morse C. The endocrinology of the menopausal transition: a cross sectional study of a population based sample. *J ClinEndocrinolMetab.* 1995; 80 (12):3537–45.
31. Butler L & Santoro N. The reproductive endocrinology of the menopausal transition. *Steroids.* 2011; 76, 627–635
32. Cassidy A, Faughnan M. Phyto-oestrogens through the life cycle. *Proceedings of the Nutrition Society.* 2000 Aug 1; 59(03):489-96.
33. Chedraui P, Blumel JE, Baron G, Belzares E, Bencosme A, Calle A, et al. Impaired quality of life among middle aged women: A multicentre Latin American study. *Maturitas.* 2008; 61(4):323-9.
34. Chervenak J and Santoro N. Endocrinology of the perimenopausal woman. UMDNJNew Jersey Medical School, Newark, New Jersey Volume 1, Chapter 109. Retrieved on: September, 2015.
35. Choi DW, Kim JY, Choi SH, Jung HS, Kim HJ, Cho SY, Kang CS, Chang SY. Identification of steroid hormones in pomegranate (*Punicagranatum*) using HPLC and GC–mass spectrometry. *J food chem.* 2005. Web link: <http://www.sciencedirect.com/science/article/pii/S0308814605002566>
36. Christoffel J, Rimoldi G, Wuttke W. Effects of 8-prenylnaringenin on the hypothalamo-pituitary-uterine axis in rats after 3-month treatment. *J Endocrinol.* 2006; 188: 397–405. doi:10.1677/joe.1.06384
37. Chuni N, Reddy S CT. Frequency of symptoms, determinants of severe symptoms, validity of and cut off score for Menopause Rating Scale (MRS) as a screening tool: A cross-sectional survey among midlife Nepalese women. *BioMed Central - Women's health.* 2011; 11 (1):30.
38. Ciocca, D. R., & Vargas Roig, L. M. Estrogen Receptors in Human Nontarget Tissues: Biological and Clinical Implications. *Endocrine Reviews.* 1995; 16(1), 35-62.

39. Cohen IR. & Wise, PM. Effects of Estradiol on the Diurnal Rhythm of Serotonin Activity in Microdissected Brain Areas of Ovariectomized Rats*. *Endocrinology*. 1988; 122(6), 2619-2625.
40. Committee on Toxicity (COT) report – Phytoestrogen and Health. 2003. Published by Food Standards Agency, London. Web link: http://www.food.gov.uk/science/ouradvisors/toxicity/COTwg/wg_phyt o
41. Complementary and Alternative Medicine Approaches for Menopause Symptom Management. (2013) Menopause care collaborative, Pfizer Inc. Web link: <http://www.personalmenopauseanswers.com/sites/mccdevsite.pfizer.ed rupalgardens.com/files/201303/QuickReference-CAM.pdf>
42. Cover KK, Maeng LY, Lebron-Milad K, and Milad MR. Mechanism of estradiol in fear circuitry:implications for sex differences in psychopathology. *Translational Psychiatry*. 2014; 4, e422. Doi:10.1038/tp.2014.67 Web link: <http://nrs.harvard.edu/urn-3:HUL.InstRepos:12987397>
43. Dang SM, Kyba M, Perlingeiro R, Daley GQ, Zandstra PW. Efficiency of embryoid body formation and hematopoietic development from embryonic stem cells in different culture systems. *Biotechnology and bioengineering*. 2002 May 20;78(4):442-53.
44. Davis SR, Lambrinoudaki I, Lumsden M, Mishra GD, Pal L, Rees M et al. Menopause. *Nature Reviews, Disease Primers*. 2015; Volume 1, 1-19. Macmillan Publishers Limited. www.nature.com/nrdp. doi:10.1038/nrdp.2015.4. Published online- 23 April, 2015
45. Davis SR. Phytoestrogen therapy for menopausal symptoms? *BMJ*. 2001; 323:354–5.
46. Day AJ, Dupont MS, Ridley S, Rhodes M, Rhodes MJC, Morgan MRA, Williamson G. Deglycosylation of flavonoid and isoflavonoid glycosides by human small intestine and liver beta-glucosidase activity. *FEBS Lett*. 1998; 436:71-75.
47. Deecher D, Andree TH, Sloan D, Schechter LE. From menarche to menopause: exploring the underlying biology of depression in women

- experiencing hormonal changes. *Psychoneuroendocrinology*. 2008 Jan 31;33(1):3-17.
48. Dey S, Dey N, Ghosh AK. Phytochemical Investigation and Chromatographic Evaluation of the Different Extracts of Tuber of *AmorphophallusPaeoniifolius*(ARACEAE). *International Journal on Pharmaceutical and Biomedical Research (IJPBR)*. 2010; Vol. 1(5), 150-157.
49. Dey YN, Ota S, Srikanth N, Jamal M, and Wanjari M. A phytopharmacological review on an important medicinal plant *AmorphophallusPaeoniifolius*. *An International Quarterly Journal of Research in Ayurveda. Ayu.* JanMar. 2012; 33(1): 27–32. doi: 10.4103/09748520.100303
50. Dhillon HK, Singh HJ, Rashidah S, Abdul Manaf H, NikMohdZaki NM: Prevalence of menopausal symptoms in women in Kelantan, Malaysia. *Maturitas*. 2006; 54:213-221.
51. Doerge DR, Sheehan DM. Goitrogenic and estrogenic activity of soy isoflavones. *Environ Health Perspect*. 2002; 110 (Suppl 3):349-353.
52. Dr Lam Michael. Adrenal fatigue and OAT axis imbalance. Web page: DrLam.and Body.Mind.Nutrition. Weblink: https://www.drlam.com/articles/ovarian_adrenal_thyroid.asp
53. Dr Louise Newson. Menopause and Hormone Replacement Therapy (HRT). Web link: [www.patient.info web link: patient.info/health/menopause-and-hormone-replacement-therapy-hrt](http://www.patient.info/web_link:patient.info/health/menopause-and-hormone-replacement-therapy-hrt)
54. Dr. Miache Seibel. (2013) Other Hormones (besides Estrogen) that change with Menopause. Web link:<http://www.doctorseibel.com/menopause/other-hormones-besides-estrogen-that-change-with-menopause>
55. Duncan B, Gibbs M. Introduction. Springer New York; 2015.
56. Dusza L, Ciereszko R, Skarzyński DJ, Nogowski L, Opałka M, Kamińska B, Nynca A, Kraszewska O, Słomczyńska M, Woclawek-Potocka I, Korzekwa A, Pruszyńska-Oszmałek E, Szkułdelska K. Mechanism of phytoestrogens action in reproductive processes of mammals and birds. *ReprodBiol*. 2006; 6: 151–174. PMid:16967096

57. Dutta R, Dcruze L, Anuradha R, Rao S, Rashmi MR. A population based study on the menopausal symptoms in a rural area of Tamil nadu, India. Journal of clinical and diagnostic research. 2012; 6(4):597-601.
58. Dutta, R, Dcruze L, Anuradha R, Rao S, &Rashmi MR. A population based study on the menopausal symptoms in a rural area of Tamil Nadu, India. J ClinDiagn Res. 20126, 597-601.
59. EftekhariTavakoliSh, Valai N, Zonoobi. Knowledge and insight to menopause in 4045 years old females referring to hospitals of ShahidBeheshti University of Medical Sciences in 1998. FEYZ. KashanUnivo Med Sci Health Serv. 1999; 3:63–57.
60. Eldridge, A. C.; Kwolek, W. F. Soybean isoflavones: effect of environment and variety on composition. J. Agric. Food Chem. 1983; 31, 394–396.
61. El-Gilany A, Badawi K and El-Fedawy S. Epidemiology of dysmenorrhoea among adolescent students in Mansoura, Egypt. Eastern Mediterranean Health Journal. 2005; 11: 1-2.
62. Eliasson C, Kamal-Eldin A, Andersson R, Aman P. High-performance liquid chromatographic analysis of secoisolariciresinoldiglucoside and hydroxycinnamic acid glucosides in flaxseed by alkaline extraction. J Chromatography. 2003; 151-159.
63. EnsiehNoroozi, NayerehKasiriDolatabadi, Ahmad Ali Eslami, Akbar Hassanzadeh, and SoheilaDavari. Knowledge and attitude toward menopause phenomenon among women aged 40–45 years. J Educ Health Promot. 2013; 2: 25. Published online 2013 May 30. doi: 10.4103/22779531.112701
64. Fenugreek-Uses and side effects of fenugreek. Web link: www.health-care-tips.org/herbal-medicines/fenugreek.htm
65. Fenugreek-Wikipedia, the free encyclopedia. Weblink: <http://en.wikipedia.org/w/index.php?title=Fenugreek&oldid=561961636>. Last Updated on: June 28, 2013. Retrieved on: July 2013.
66. Finch CE. The menopause and aging, a comparative perspective. The Journal of steroid biochemistry and molecular biology. 2014 Jul 31;142:132-41.

67. Finkelstein JS, Brockwell SE, Mehta V, Greendale GA, Sowers MR, Ettinger B, Lo JC, Johnston JM, Cauley JA, Danielson ME, Neer RM. Bone mineral density changes during the menopause transition in a multiethnic cohort of women. *J Clin Endocrinol Metab.* 2008; 93(3):861–8.
68. Firenzuoli F and Gori L. Soy isoflavones: an effective treatment of menopause disturbances. *Menopause.* 27th August, 2001
69. Franke AA, Custer LJ, Cerna CM and Narala KK. Quantitation of Phytoestrogens in Legumes by HPLC. *J Agric Food Chem.* 1994; 42, 1905-1913.
70. Freeman EW et al. Association of anti-mullerian hormone levels with obesity in late reproductive-age women. *Fertil. Steril.* 2007; 87, 101–106.
71. Freeman EW, Sammel MD, Lin H, Gracia CR, Pien GW, Nelson DB, Sheng L. Symptoms associated with menopausal transition and reproductive hormones in midlife women. *Obstet Gynecol.* 2007; 110 (2 Pt 1):230–40.
72. Freeman EW, Sammel MD, Lin H, Gracia CR. Obesity and reproductive hormone levels in the transition to menopause. *Menopause.* 2010;17 (4):718–26.
73. Freeman EW, Sammel MD, Liu L, Gracia CR, Nelson DB, Hollander L. Hormones and menopausal status as predictors of depression in women in transition to menopause. *Arch Gen Psychiatry.* 2004 61 (1):62–70.
74. Gartoulla P, Islam MR, Bell RJ & Davis SR. Prevalence of menopausal symptoms in Australian women at midlife: a systematic review. *Climacteric.* 2014; 17, 529–539.
75. Gold EB, Colvin A, Avis N, Bromberger J, Greendale GA, Powell L, Sternfeld B, Matthews K. Longitudinal analysis of the association between vasomotor symptoms and race/ethnicity across the menopausal transition: study of women's health across the nation. *Am J Public Health.* 2006; 96 (7):1226–35.
76. Gracia CR, Sammel MD, Freeman EW, Lin H, Langan E, Kapoor S, Nelson DB. Defining menopause status: creation of a new definition to

- identify the early changes of the menopausal transition. Menopause. 2005 Mar 1;12(2):128-35.
77. Greendale GA, Huang MH, Wight RG, Seeman T, Luetters C, Avis NE, Johnston J, Karlamangla AS. Effects of the menopause transition and hormone use on cognitive performance in midlife women. Neurology. 2009; 72(21):1850–7.
78. Gupta P, Sturdee DW, Hunter MS. Mid-age health in women from the Indian subcontinent (MAHWIS): general health and the experience of menopause in women. Climacteric. 2006; 9:13–22.
79. Hakimi S, Mohammad A, Charandabi S, SiahShadbad MR, Bamdad MR, Mustafa AF, Ghrebaghi P, Hossein B, Bamdad MS, Delazar A. Effect of fenugreek seed on early menopausal symptoms. Scientific Information database. 2014. The 5th Annual International Power Electronics, Drive systems and Technologies Conference, Tehran, Iran. Web link: www.sid.ir/en/ViewPaper.asp?ID=31644&varStr=3.14159265358979
80. Hall JM, Couse JF, Korach KS. The multifaceted mechanisms of estradiol and estrogen receptor signaling. Journal of Biological Chemistry. 2001 Oct 5; 276(40):36869-72.
81. Han KK, Soares JM Jr, Haidar MA, De Lima GR, Baracat EC. Benefits of soy isoflavone therapeutic regimen on menopausal symptoms. ObstetGynecol. 2002; 99:389-394.
82. Harlow SD, Cain K, Crawford S, Dennerstein L, Little R, Mitchell ES, Nan B, Randolph JF, Jr., Taffe J, Yosef M. Evaluation of four proposed bleeding criteria for the onset of late menopausal transition. J ClinEndocrinolMetab. 2006; 91(9):3432–8.
83. Harvey C, Bee HT, Chia CA, Ee MC, Yap SC, Seang MS. The prevalence of menopausal symptoms in a community in Singapore. Maturitas. 2002; 41:275-282.
84. Hasan Pour Azghadi B, Abbasi Z. Effect of education on middle aged women's knowledge and attitude towards menopause in Mashhad. J BirjandUniv Med Sci. 2006; 13:48–54.

85. HassanzadehGh R, Yekkezare S, Vaziri S, Soroorirad B, Darki L. Knowledge of women about menopause in Qazvin. *The J Qazvin Univ Med Scis Health Serv.* 2003; 25–21.
86. Heinemann LAJ, Potthoff P, Schneider HPG. International versions of the Menopause Rating Scale (MRS). *Health Qual Life Outcomes.* 2003; 1: 28.
87. Hersh AL, Stefanick ML, Stafford RS. National use of postmenopausal hormone therapy: annual trends and response to recent evidence. *JAMA.* 2004; 291:47–53.
88. Hite, M., Turner, S., & Federici, C. Isoflavone composition for oral delivery. 2002. U.S. Patent Application 10/313,129.
89. Ho KY, Evans WS, Blizzard RM et al. Effects of sex and age on the 24hour profile of growth hormone secretion in man: Importance of endogenous estradiol concentrations. *J ClinEndocrinolMetabol.* 1987; 64: 51.
90. Hormone replacement therapy. (2014) Webpage: NHS choices. Web link: <http://www.nhs.uk/Conditions/Hormone-replacement-therapy/Pages/Introduction.aspx> Last Updated on: August, 2014
91. Hughes CL Jr, Chakinala MM, Reece SG, Miller RN, Schomberg DW Jr, Basham KB. Acute and sub acute effects of naturally occurring estrogens on luteinizing hormone secretion in the ovariectomized rat: Part 2. *ReprodToxicol.* 1991; 5: 133–137. doi:10.1016/0890-6238(91)90041-D
92. Hughes I, Woods HF, Bingham SA, Brown NA, Chipman JK, Dibb S, Hindmarsh P, Joffe M, Kimber I, Rowland IR, Salfield J. Phytoestrogens and health. Food Standards Agency. 2003.
93. Jacob DA, Temple JL, Patisaul HB, Young LJ, Rissman EF. Coumestrol antagonizes neuroendocrine actions of estrogen via the estrogen receptor alpha. *ExpBiol Med (Maywood).* 2001; 226: 301–306. PMid:11368421
94. Jacobs DR Jr, Jacobs DR Jr, Pereira MA, Stumpf K, Pins JJ, Adlercreutz H. Whole grain food intake elevates serum enterolactone. *Br J Nutr.* 2002, 88:111-116.
95. Jayagopal V, Albertazzi P, Kilpatrick ES, Howarth EM, Jennings PE, Hepburn DA, Atkin SL. Beneficial effects of soy phytoestrogen intake

- in postmenopausal women with type 2 diabetes. *Diabetes Care*. 2002; 25(10):1709-14.
96. Jean Hailes for Women's Health and Better health channel. (2015) Hormone replacement therapy (HRT) and menopause. Web link: <https://www.betterhealth.vic.gov.au/health/conditionsandtreatments/hormone-replacement-therapy-hrt-and-menopause> Last Updated and Retrieved on: March, 2015. Retrieved on: June/2015
97. Jeri AR. The use of an isoflavone supplement to relieve hot flushes. *Female Patient*. 2002; 27:35-37.
98. Johnsson P, Kamal-Eldin A, Lundgren LN, and Per Aman. HPLC Method for Analysis of SecoisolariciresinolDiglucoside in Flaxseeds. *J. Agric. Food Chem*. 2000; 48, 5216-5219.
99. Joshi SA, Bhalerao A, Somalwar S, Jain S, Vaidya M, Sherawat N. Screening of peri- and postmenopausal women for hypothyroidism. *Journal of South Asian Federation of Obstetrics and Gynaecology*. 2011; 3(1):14-16.
100. Kapur P, Sinha B, Pereira BM. Measuring climacteric symptoms and age at natural menopause in an Indian population using the GreeneClimacteric Scale. *Menopause*. 2009; 16 (2), 378-84.
101. Kaufert P, Boggs PP, Ettinger B, Woods NF, Utian WH. (1998) Women and menopause: beliefs, attitudes and behavior. The North American Menopause Society. *Menopause*. 1998; 5: 197-202.
102. Kaur S, Walia I, Singh A. How menopause affects the lives of women in suburban Chandigarh, India. *Climacteric*. 2004; 7 (2): 175-180.
103. Kaur S, Walia I, Singh A. How menopause affects the lives of women in suburban Chandigarh, India. *Climacteric*. 2004 Jun 1;7(2):175-80.
104. Keenan NL, Mark S, Fugh-Berman A, Browne D, Kaczmarczyk J, Hunter C. Severity of menopausal symptoms and use of both conventional and complementary/alternative therapies. *Menopause*. 2003 Nov 1;10(6):507-15.
105. Kelly GE, Nelson C, Waring MA, Joannou GE, Reeder AY. Metabolites of dietary (soya) isoflavones in human urine. *ClinChimActa*. 1993; 223:9-22.

106. Kirjavainen PV, Gibson GR. (1999) Healthy gut microflora and allergy: factors influencing development of microbiota. *Ann Med.* 1999; 31:288-292.
107. Klein KO. Isoflavones, soy-based infant formulas, and relevance to endocrine function. *Nutr Rev.* 1998; 56:193-204.
108. Knight DC, Eden JA. A review of the clinical effects of phytoestrogens. *ObstetGynecol.* 1996; 87:897-904.
109. Knuckles, BE, deFremery, D, and Kohler, GO: Coumestrol content of fractions obtained during wet processing of Alfalfa. *J Agric Food Chem.* 1976; 24, 1177-1180.
110. Kok HS et al. Heart disease risk determines menopausal age rather than the reverse. *J Am College Cardiol.* 2006; 47, 1976–1983.
111. Kuhnle GGC, Aquila CD, Runswick SA, Bingham SA. Variability of phytoestrogen content in foods from different sources. *Food Chemistry.* 2009; Volume 113, Issue 4, pp: 1184-1187.
112. Kuhnle GGC, Dell'Aquila C, Sue MA, Shirley AR, Mulligan AA, and Bingham SA. Phytoestrogen Content of Beverages, Nuts, Seeds, and Oils. *J Agric Food Chem.* 2008; 56 (16), 7311-7315. DOI: 10.1021/jf801534g.
113. Kuiper GG, Carlsson B, Grandien K, Enmark E, Hagblad J, Nilsson S, and Gustafsson JA. Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptors alpha and beta. *Endocrinology.* 1997; 138:863–870.
114. Kuiper GG, Enmark E, Pelto-Huikko M, Nilsson S, and Gustafsson JA. Cloning of a novel receptor expressed in rat prostate and ovary. *ProcNatlAcadSci.* 1996; 93:5925–5930.
115. Kuokkanen S. Santoro, N. (2011) Endocrinology of perimenopausal women. *Glob. libr. women's med.* (ISSN: 17562228 ; DOI 10.3843/GLOWM.10082.)
116. Kurzer MS, Xu X. (1997) Dietary phytoestrogens. *Ann Rev Nutr.* 1997; 17:353-381.
117. Kurzer MS. Hormonal effects of soy in premenopausal women and men. *J Nutr.* 2001; 132:S570-3.

118. Lam PM. Climacteric symptoms and knowledge about hormone replacement therapy among Hong Kong Chinese women aged 40–60 years. *Maturitas*. 2003; 45:99–107.
119. Landgren BM, Collins A, Csemicky G, Burger HG, Baksheev L, & Robertson DM. Menopause transition: Annual changes in serum hormonal patterns over the menstrual cycle in women during a nine-year period prior to menopause. *J Clin Endocrinol Metab*. 2004; 89 (6): 2763–2769.
120. Lansky E, Neeman I, Shubert S. Pharmacological and therapeutic properties of pomegranate. Last Updated on: 24/02/2016. Retrieved on: 01/03/2016
121. Laurentino SS, Pinto PI, Correia S, Cavaco JE, Canario AV, Socorro S. Structural variants of sex steroid hormone receptors in the testis: From molecular biology to physiological roles. *OA Biotechnol*. 2012; 1(2): 4.
122. Lehmann-Willenbrock E, Riedel H-H: Clinical and endocrinological studies on the therapy of ovarian defunctionalization symptoms after hysterectomy sparing the adnexa (in German). *Zentralblatt fur Gynakologie*. 1988; 110: 611-618.
123. Lenton EA, Sexton L, Lee S et al: Progressive changes in LH and FSH and LH:FSH ratios in women throughout reproductive life. *Maturitas*. 1988; 100: 35.
124. Li C, Samsioe G, Borgfeldt C, Lidfeldt J, Agardh CD, Nerbrand C. Menopause-related symptoms: what are the background factors? A prospective population – based cohort study of Swedish women (The Women's Health In Lund Area study). *Am J ObstetGynecol*. 2003; 189:1646 –53.
125. Liza valentin-blasini, Benjamin c. Blount, Samuel P. Caudill, and Larry I. Needham. Urinary and serum concentrations of seven phytoestrogens in a human reference population subset. *Journal of Exposure Analysis and Environmental Epidemiology*. 2003; 13, 276–282.
126. Longcope C, Baker S. Androgen and estrogen dynamics: Relationships with age, weight and menopausal status. *J ClinEndocrinolMetabol*. 1993; 76: 601.

127. Lu J, Liu J, Eden J. The experience of menopausal symptoms by Arabic women in Sydney. *Climacteric*. 2007; 10:72-7.
128. Luigi Mario Chiechi and Loredana Micheli. Utility of dietary phytoestrogens in preventing postmenopausal osteoporosis. *Current Topics in Nutraceutical Research*. 2005; Vol. 3, No. 1, pp. 15-28.
129. Maharaj NR, Gangaram R, Moodley J. The Menopause, hormone replacement therapy and informed consent: are women in an under resourced country adequately aware? *J ObstetGynecol*. 2007; 27: 300-4.
130. Malik HS. Knowledge and attitude towards menopause and Hormone Replacement Therapy (HRT) among postmenopausal women. *J Pak Med Assoc*. 2008; Vol. 58, No. 4, pp-164-168.
131. Matsuda T, Nakano Y, Kanda T, Iwata H, Baba A. Gonadal hormones affect the hypothermia induced by serotonin 1A (5-HT 1A) receptor activation. *Life sciences*. 1991 Dec 31; 48(17):1627-32.
132. Matthews KA, Crawford SL, Chae CU, EversonRose SA, Sowers MF, Sternfeld B, SuttonTyrrell K. Are changes in cardiovascular disease risk factors in midlife women due to chronological aging or to the menopausal transition? *J Am CollCardiol*. 2009; 54(25):2366–73.
133. Mazhar SB, Gul-e-Erum. Knowledge and attitude of older women towards menopause. *J Coll Physician Surg Pak*. 2003; 13: 621-24.
134. Mazhar SB, Rasheed S. Menopause Rating Scale (MRS): A simple tool for assessment of Climacteric symptoms in Pakistani women. *Ann. Pak. Inst. Med. Sci.* 2009; 5(3):158-161.
135. McGarvey C, Cates PA, Brooks A, Swanson IA, Milligan SR, Coen CW, O'Byrne KT. Phytoestrogens and gonadotropin-releasing hormone pulse generator activity and pituitary luteinizing hormone release in the rat. *Endocrinology*. 2001; 142: 1202–1208. doi:10.1210/en.142.3.1202
136. McKinlay SM, Brambilla DJ & Posner JG. The normal menopause transition. *Maturitas*. 2008; 61, 4–16.
137. McKinlay SM: The normal menopause transition: An overview. *Maturitas*. 1996; 23: 137.
138. Mehrafarin A, Rezazadeh SH, Naghdi BH, Noormohammadi GH, Qaderi A. A review on biology, cultivation and biotechnology of

- fenugreek (*Trigonellafoenum-graecum*L.) as a valuable medicinal plant and multipurpose. *J Med Plants.* 2011; 10:6–24.
139. Melgarejo P, Martín ez-Nicolás JJ, Martín ez-Tomé J. Production, processing and marketing of pomegranate in the Mediterranean region: Advances in research and technology. Zaragoza: CIHEAM. 2000 p. 2 31 -2 35
140. Merz CNB, Johnson BD, Braunstein GD, Pepine CJ, Reis SE, Labrador MP, Hale G, Sharaf BL, Bittner V, Sopko G, and Kelsey SF. Phytoestrogens and Lipoproteins in women for the Women's Ischemia Syndrome Evaluation Study Group. *J ClinEndocrinolMetab.* 2006; 91: 2209–2213.
141. Milder IEJ, Arts ICW, Van De Putte B, Venema DP, Hollman PCH. (2005) Lignancontents of Dutch plant foods: a database including lariciresinol, pinoresinol, secoisolariciresinol and matairesinol. *Br. J. Nutr;* 93, 3.
142. Mishra G &Kuh D. (2006) Perceived change in quality of life during the menopause. *Social Sci. Med;* 62, 93–102.
143. Mondul AM, Rodriguez C, Jacobs EJ &Calle EE. Age at natural menopause and cause-specific mortality. *Am. J. Epidemiol.* 2005; 162, 1089–1097.
144. Monterrosa A, Blumel JE, Chedraui P. Increased menopausal symptoms among Afro-Colombian women as assessed with the Menopause Rating Scale. *Maturitas.* 2008; 59 (2):182-90.
145. Moree SS and Rajesha J. SecoisolariciresinolDiglucoside: A potent multifarious bioactive phytoestrogen of flaxseed. *Research and Reviews in Biomedicine and Biotechnology [RRBB].* 2011; Volume 2, Issue 3, 1-24.
146. Nagata C, Takatsuka N, Kawakami N, Shimizu H. Soy product intake and hot flashes in Japanese women: results from a community-based prospective study. *Am J Epidemiol;* a,. 2001; 153:790-793.
147. Nasreen SZA. Menopause and HRT. *The ORION Medical Journal.* 2005; 22:307
148. Natarajan B, Dhananjayan R. Pharmacological effects of *Trigonellafoenumgraecum* Linn. Seeds on various isolated perfused

- smooth muscle preparations. *Pharmacognosy Magazine*. 2007; 3(10):77-82.
149. National biomonitoring Program. (2013) Centers for Disease Control and Prevention. Web link: www.cdc.gov/biomonitoring/Phytoestrogens_BiomonitoringSummary.html. Page last updated: Wednesday December 04 2013.USA.
150. National Institutes of Health, Black Cohosh - Fact sheet of Health Professionals Last Updated: November, Web link: <https://ods.od.nih.gov/factsheets/BlackCohosh-HealthProfessional/>
151. Okazaki RY, Inoue D, Shibata M, Saika M, Kido S, Ooka H, Tomiyama H, Sakamoto Y, Matsumoto T. Estrogen promotes early osteoblast differentiation and inhibits adipocyte differentiation in mouse bone marrow stromal cell lines that express estrogen receptor (ER) α or β . *Endocrinology*. 2002 Jun 1;143(6):2349-56.
152. Ossewaarde ME et al. Age at menopause, cause-specific mortality and total life expectancy. *Epidemiology*. 2005; 16, 556–562.
153. Paech K, Webb P, Kuiper GG, Nilsson S, Gustafsson J, Kushner PJ, and Scanlan TS. Differential ligand activation of estrogen receptors ER α and ER β at AP1 sites. *Science (Wash DC)*. 1997; 277:1508–1510.
154. Palacios S, Henderson VW, Siseles N, Tan D, Villaseca P. Age of menopause and impact of climacteric symptoms by geographical region. *Climacteric*. 2010; 13 (5): 419-428.
155. Peeyananjarassri K, Cheewadhanarak S, Hubbard M, Zoa Manga R, Manocha R, Eden J. Menopausal Symptoms in a hospital-based sample of women in southern Thailand. *Climacteric*. 2006; 9:23-29.
156. Perspective: Phytochemicals and herbal supplements in health and disease.
157. Piskula MK, Yamakoshi J, Iwai Y. Daidzein and genistein but not their glucosides are absorbed from the rat stomach. *FEBS Lett.* 1999; 447:287-291.
158. Polkowska J, Ridderstråle Y, Wańkowska M, Romanowicz K, Misztal T, Madej A. Effects of intracerebroventricular infusion of genistein on gonadotrophin subunit mRNA and immunoreactivity of gonadotrophins and oestrogen receptor-alpha in the pituitary cells of the anoestrous ewe.

- J ChemNeuroanat. 2004; 28: 217–224.
doi:10.1016/j.jchemneu.2004.07.004
159. Poppe K & Glinoer D. Thyroid autoimmunity and hypothyroidism before and during pregnancy. *Human Reproduction Update*. 2003; 9: 149–161.
160. Potter SM, Baum JA, Teng H, Stillman RJ, Shay NF, & Erdman JW. Soy protein and isoflavones: their effects on blood lipids and bone density in postmenopausal women. *The American journal of clinical nutrition*. 1998; 68(6), 1375S-1379S.
161. Prior JC. Perimenopause: the complex endocrinology of the menopausal transition. *Endocrine Reviews*. 1998 Aug;19(4):397-428.
162. Rachon D, Vortherms T, Seidlova-Wuttke D, Wuttke W. Effects of dietary equol on the pituitary of the ovariectomized rats. *HormMetab Res*. 2007; 39: 256–261. doi:10.1055/s-2007-973074
163. Rishi RK. Phytoestrogens in health and illness. *Indian journal of pharmacology*. 2002 Sep 1; 34(5):311-20.
164. Roos A, Bakker SJ, Links TP, Gans RO and Wolffenduttel BH. Thyroid Function is Associated with Components of the Metabolic Syndrome in Euthyroid Subjects. *The Journal of Clinical Endocrinology and Metabolism*. 2007; 2: 491-496.
165. Rowland I, Wiseman H, Sanders T, Adlercreutz H, Bowey E. Metabolism of oestrogens and phytoestrogens: role of the gut microflora. *Biochem Soc Transact*. 1999; 27:304-308.
166. Rowland I, Wiseman H, Sanders T, Adlercreutz H, Bowey E. Metabolism of oestrogens and phytoestrogens: role of the gut microflora. *Biochem Soc Transact*. 1999, 27:304-308.
167. Rozman KK, Bhatia J, Calafat AM, Chambers C, Culty M, Etzel RA, et al. NTP-CERHR expert panel report on the reproductive and developmental toxicity of soy formula. *Birth Defects Res (Part B)* a. 2006; 77:280-397.
168. Rozman KK, Bhatia J, Calafat AM, Chambers C, Culty M, Etzel RA, et al. NTP-CERHR expert panel report on the reproductive and developmental toxicity of genistein. *Birth Defects Res (Part B)* b. 2006;77:485-638.

169. Rubinow DR, Schmidt PJ, Roca CA. Estrogen–serotonin interactions: implications for affective regulation. *Biological psychiatry*. 1998 Nov 1; 44(9):839-50.
170. Rubinow, D. R., Roca, C. A., & Schmidt, P. J. Estrogens and depression in women. *Treatment of the Postmenopausal Woman. Basic and Clinical Aspects, 3rd ed. Burlington, MA: Academic Press*. 2007; 307, 322.
171. Rubinow, David R., Peter J. Schmidt, and Catherine A. Roca. "Estrogen–serotonin interactions: implications for affective regulation." *Biological psychiatry* 1998; : 839-850.
172. Safe menopause solutions. What is estrogen dominance and what estrogen dominance supplements exist? 2010. Webpage: Safe menopause solutions. Web link: <http://www.safemenopausesolutions.com/estrogendominance.html>. Accessed on 8/4/2010. Copyright 2004-2010 Personal Wellness Network, Inc
173. Sanjay Thumma. Vahrevah. (Online) Web link: www.vahrevah.com/indianfood/elephantyamkandagadda
174. Santoro N et al. Impaired folliculogenesis and ovulation in older reproductive aged women. *J. Clin. Endocrinol. Metab.* 2003; 88, 5502–5509.
175. Santoro N, Brown JR, Adel T, Skurnick JH. Characterization of reproductive hormonal dynamics in the perimenopause. *J ClinEndocrinolMetab.* 1996; 81(4):1495–501.
176. Santoro N. Hormonal changes in the perimenopause. *Clinical Consultations in Obstetrics and Gynecology*. 1996; 8: 2.
177. Schneider HPG, Heinemann LAJ, & Thiele K. The Menopause Rating Scale (MRS): cultural and linguistic translation into English. *Life and Medical Science*. 2002.DOI-101072.
178. Setchell KDR, Adlercreutz H. Mammalian lignans and phyto-estrogens recent studies on their formation, metabolism and biological role in health and disease. In: *Role of the Gut Flora in Toxicity and Cancer*; Academic Press Ltd. 1998; 315-345.

179. Setchell KDR, Lawson AM, Borriello SP, Harkness R, Gordon H, Morgan DML. Lignan formation in man –microbial involvement and possible roles in relation to cancer. *Lancet*. 1981; 2:4-7.
180. Shaheen S, Mahmood A, Kadri F. Menopause and HRT; clinical pattern and awareness. *Professional Med J*. 2015; 22(7):904-909.
181. Shailajan S, Menon S, Singh A, Mhatre M, and Sayed N. A validated RP-HPLC method for quantitation of trigonelline from herbal formulations containing *Trigonellafoenum-graecum*(L.) seeds. *Pharm Methods*. 2011; 2(3): 157–160. PMCID: PMC3658058. doi: 10.4103/2229-4708.90354
182. Shakila P, Sridharan P, and Thiagarajan S. Assessment of women's awareness and symptoms in menopause: a study with reference to academic women in Sri Lanka. *International Journal of Management & Organizational Studies*. 2015; Volume 4, Issue 1, pp-26-33.
183. Sheth B, Arora S, Singh R. Association of obesity with hormonal imbalance in Infertility: A cross-sectional study in North Indian women. *Ind J clinBiochem*. Oct-Dec 2013; 28(4):342-347.
184. Sirtori CR, Arnold A, Johnson SK. Phytoestrogens: End of a tale? *Ann Med*. 2005; 37:423-438.
185. Somekawa Y, Chiguchi M, Ishibashi T, Aso T. Soy intake related to menopausal symptoms, serum lipids and bone mineral density in postmenopausal Japanese women. *ObstetGynecol*. 2001; 97:109-115.
186. Sony. Benefits of Elephant's foot yam. Web page: Tourism and Food for tourists and foodies. 2015. Powered by Wordpress. Updated on: January 13, 2015. Retrived on: September 30, 2015. Web link: <http://www.tourismandfood.com/general-knowledge/benefits-of-elephants-foot-yam/#sthash.T9tT9anB.hwLxyBkc.dpbs>
187. Soules MR, Sherman S, Parrott E, et al. Stages of reproductive aging workshop (STRAW). *Fertility and Sterility*. 2001; 76(5): 874-878.
188. Soules MR, Sherman S, Parrott E, Rebar R, Santoro N, Utian W, Woods N. Executive summary: Stages of Reproductive Aging Workshop (STRAW) Climacteric. 2001; 4(4):267–72.

189. Sowers MR, Eyvazzadeh AD, McConnell D, et al. Antimullerian hormone and inhibin B in the definition of ovarian aging and the menopause transition. *J ClinEndocrinolMetab.* 2008; 93:347883.
190. Sowers MR, Jannausch M, McConnell D et al. Hormone predictors of bone mineral density changes during the menopausal transition. *J ClinEndocrinolMetab.* 2006; 91(4):12617.
191. Sreeja S, Anju VS. In vitro estrogenic activities of fenugreek Trigonellafoenumgraecumseeds. *Indian J Med Res.* 2010; 131, pp 814-819.
192. Srinivas T and Ramnathan S. A study on economic analysis of elephant foot yam production in India. *Agricultural Economics Research Review.* 2005; Vols. 18:241-252.
193. Stoll W. Phytotherapy influences atrophic vaginal epithelium: Double-blind study of Cimicifuga vs. estrogenic substances (in German). *Therapeutikon.* 1987; 1: 23-31.
- 194.** Strom BL, Schinnar R, Ziegler EE, Barnhart KT, Sammel MD, Macones GA, et al. Exposure to soybased formula in infancy and endocrinological and reproductive outcomes in young adulthood. *JAMA.* 2001; 286:807-814.
195. Syed A, Syed AR, Siti RZ, Verna LKM. Assessment of menopausal symptoms using modified Menopause Rating Scale (MRS) among middle age women in Kuching, Sarawak, Malaysia. *Asia Pacific Family Medicine.* 2010; 9:5.
196. Thompson EA, Reilly D. The homeopathic approach to the treatment of symptoms of oestrogen withdrawal in breast cancer patients. A prospective observational study. *Homeopathy.* 2003; 92:131–4.
197. Thompson LU, Boucher BA, Liu Z, Cotterchio M, Kreiger N. Phytoestrogen content of foods consumed in Canada, including isoflavones, lignans and coumestan. *Nutrition and Cancer.* 2006; 54 (2), 184–201.
198. Thompson LU, J Chen, E Hui, J Mann. Interactive effects of Flax seeds and tamoxifen on human breast cancer. Proc. 60th Congress of Flax Institute, Fargo, ND, USA 2004; pp: 86-90.

199. Thurston RC & Joffe H. Vasomotor symptoms and menopause: findings from the Study of Women's Health across the Nation. *ObstetrGynecolClin North Amer.* 2011; 38, 489–501.
200. Tilgner S. Herbal medicine: From the heart of the earth. Wise Acres; 2009.
201. Toppo FA, Akhand R, Pathak AK. Pharmacological actions and potential uses of Trigonellafoenumgraecum: A review. *Asian J Pharm Clin Res.* 2009; 2:29–38.
202. Turner JV, Agatonovic-Kustrin S, Glass BD. Molecular aspects of phytoestrogen selective binding at estrogen receptors. *Journal of pharmaceutical sciences.* 2007 Aug 1; 96(8):1879-85.
203. Ueda M. A 12-week structured education and exercise program improved climacteric symptoms in middle-aged women. *J PhysiolAnthropolAppl Human Sci.* 2004; 23: 143–8.
204. Upmalis DH, Lobo R, Bradley L, Warren M, Cone FL, Lamia CA. Vasomotor symptom relief by soy isoflavone extract tablets in postmenopausal women: a multicenter, double-blind, randomized, placebo-controlled study. *Menopause.* 2000; 7:236-242.
205. Utian WH. Psychosocial and socioeconomic burden of vasomotor symptoms in menopause: a comprehensive review. *Health Qual. Life Outcomes.* 2005; 3, 47.
206. Van der Weijer PHM, Barentsen R. Isoflavones from red clover (Promensil) significantly reduce menopausal hot flush symptoms compared with placebo. *Maturitas.* 2002; 42:187-193.
207. Van Voorhis BJ, Santoro N, Harlow S, Crawford SL, Randolph J. The relationship of bleeding patterns to daily reproductive hormones in women approaching menopause. *ObstetGynecol.* 2008; 112:101-108.
208. Waidyasekera H, Wijewardena K, Lindmark G, et al. Menopausal symptoms and quality of life during the menopausal transition in SriLankan women. *Menopause.* 2009; 16 (1):164-70.
209. Wang, G, Kuan, SS, Francis, OJ, Ware, GM, and Carman, AL: A Simplified HPLC Method for the determination of Phytoestrogens in Soyaben and Its Processed Products. *J Agric Food Chem;* 1990; 38, 185-190.

210. Wang, HJ, Murphy PA. Isoflavone composition of American and Japanese soybeans in Iowa: effects of variety, crop year and location. *J. Agric. Food Chem.* 1994; 42, 1674–1677.
211. Warnecke G. Influencing of menopausal complaints with a phytodrug: successful therapy with Cimicifugamonoextract (in German). *Medizinische Welt.* 1985; 36: 871-874.
212. Wartofsky L, Nostrand DV and Burman KD. Overt and subclinical hypothyroidism in women. *Surgery Obstetrics and Gynecology.* 2006; 61(8):535-542.
213. Washburn S, Burke G L, and Morgan T, et al. Effect of soy protein supplementation of serum lipoproteins, blood pressure, and menopausal symptoms in perimenopausal women. *Menopause.* 1999; Spring 6(1): 7-13.
214. Welt CK, McNicholl DJ, Taylor AE et al. Female reproductive aging is marked by decreased secretion of dimeric inhibin. *J ClinEndocrinolMetab.* 1999; 84(1):105-11.
215. Wilkinson AP, Wähälä K, Williamson G. Identification and quantification of polyphenol phytoestrogens in foods and human biological fluids. *Journal of Chromatography B.* 2002 Sep 25; 777(1):93-109.
216. Wilshire G, Loughlin J, Brown J et al. Diminished function of the somatotropic axis in older reproductive aged women. *J ClinEndocrinolMetabol.* 1995; 80: 608.
217. Wireman ME. Sex steroid effects at target tissues: mechanisms of action. *AdvPhysiolEduc.* 2007; 31: 26-33.
Doi:10.1152/advan.00086.2006
218. Wood S. Generalized additive models: an introduction with R. CRC press; 2006 Feb 27.
219. Woodard GA, Brooks MM, Barinas-Mitchell E, Mackey RH, Matthews KA, Sutton-Tyrrell K. Lipids, menopause, and early atherosclerosis in Study of Women's Health Across the Nation Heart women. *Menopause.* 2010

220. World Health Organisation. (1996) Research on the menopause in the 1990s. Report of a WHO Scientific Group, 1996, WHO Technical Support Series No. 866.
221. World Health Organization Scientific group on research on the menopause: (1996) Technical Report Series 670. Geneva: World Health Organization, 1–30
222. Wylie-Rosett J. Menopause, micronutrients, and hormone therapy. *Am J ClinNutr*; 81(suppl): 2005; 1223S–31S. Printed in USA. © American Society for Clinical Nutrition.
223. Wyon Y, Wijma K, Nedstrand E, Hammar M. A comparison of acupuncture and oral estradiol treatment of vasomotor symptoms in postmenopausal women. *Climacteric*. 2004; 7:153–64.
224. Xia Xu, Alison MD, Barbara EM, and Mindy SK, Effects of Soy Isoflavones on Estrogen and Phytoestrogen Metabolism in Premenopausal Women; Cancer Epidemiology. Biomarkers & Prevention. 1998; Vol. 7. /101-1/08.
225. Xu S, Duncan AM, Merz BE, et al. Effects of soy isoflavones on estrogen and phytoestrogen metabolism in premenopausal women, *Cancer Epidemiology Biomarkers Prev*. 1998; 7(12): 1101-8.
226. Yassin SAT. Herbal Remedy used by Rural Adolescent girls with Menstrual Disorders. *Journal of American Science*. 2012; 8(1):467-473]. (ISSN: 1545-1003). Web link: <http://www.americanscience.org>.
227. Zhao E and Mu Q. Phytoestrogen biological actions on mammalian reproductive system and cancer growth. *SciPharma*. 2011; 79:1-20.
228. Zhao E, Mu Q. Phytoestrogen biological actions on mammalian reproductive system and cancer growth. *Sci Pharm*. 2011 Mar 1; 79(1):1-20.