

LIST OF TABLES

Table No.	Title	Page No.
2.1	Top 14 countries with highest no. of Stunted Children	2.7
2.2	Top 14 countries with highest no. of wasted Children	2.7
2.3	Percentage of undernourished tribal children	2.9
2.4	Studies on nutritional status of children in tribal population	2.12
2.5	Odds ratio of dying from diarrhoea or pneumonia among undernourished children relative to well-nourished children, in selected countries (Bangladesh, Ghana, Guinea-Bissau, India, Nepal, Pakistan, the Philippines and Senegal)	2.15
2.6	Interventions to reduce diarrheal morbidity and mortality	2.29
5.1.1	Background information of the child	5.3
5.1.2	Background information of the family	5.4
5.1.3	Background information of the parents	5.4
5.1.4	Household information of the families	5.5
5.1.5	Nutritional status of the children	5.6
5.1.6	Differences in the prevalence of undernutrition amongst male and female subjects	5.8
5.1.7	Difference in the mean z scores of the children in different age groups	5.8
5.1.8	Differences in the prevalence of undernutrition amongst children below and above 18 months	5.9
5.1.9	Morbidity profile of the children	5.9
5.1.10	Knowledge of mothers on environmental hygiene	5.10
5.1.11	Environmental hygiene practices of the mothers	5.11
5.1.12	Knowledge of mothers on food hygiene	5.12
5.1.13	Food hygiene practices of the mothers	5.14
5.1.14	Knowledge of the mothers on personal hygiene	5.15
5.1.15	Hand washing and personal hygiene practices of the mothers	5.17
5.1.16	Environmental hygiene observations of the household	5.19
5.1.17	Personal hygiene observations of mother and child.	5.20
5.1.18	Breastfeeding knowledge of the mothers	5.21

Table No.	Title	Page No.
5.1.19	Breastfeeding practices of the mothers	5.23
5.1.20	Complementary feeding knowledge of the mothers	5.24
5.1.21	Complementary foods feeding practices of the mothers	5.25
5.1.22	Mothers perception and practices with respect to child's health	5.27
5.1.23	Diarrhoea cause and management knowledge of the mothers	5.29
5.1.24	Diarrhoea management practices of the mothers (n=398)	5.32
5.1.25	Correlation of various predictors with WFA	5.36
5.1.26	Predictors of WFA	5.37
5.1.27	Correlation of various predictors with HFA	5.39
5.1.28	Predictors of HFA	5.40
5.1.29	Correlation of various predictors with WFH	5.42
5.1.30	Predictors of WFH	5.43
5.1.31	Correlation of various predictors with diarrhoeal morbidities in children	5.44
5.1.32	Predictors of diarrhoeal morbidities amongst children	5.45
5.2.1	General information of the experimental and control group	5.48
5.2.2	Household information of the family of the experimental and control group.	5.50
5.2.3	Number of children categorized under different grades of undernutrition before and after the intervention	5.54
5.2.4	Mean z scores of the children in EG and CG before and after the intervention	5.53
5.2.5	Differences in the z scores of the children from EG and CG before and after the intervention.	5.54
5.2.6	Nutritional status of children before and after the intervention in different age groups in the experimental group.	5.54
5.2.7	Mean z scores of the children in EG and CG before and after the intervention	5.56
5.2.8	Change in the nutritional status of the children over five months of intervention in EG and CG	5.57

Table No.	Title	Page No.
5.2.9	Difference in month wise occurrence of diarrhoea among children in experimental and control group	5.58
5.2.10	Number of children with no diarrhoeal episodes over a period of five months.	5.59
5.2.11	No. of children with varying frequency of diarrhoeal episodes over a period of 5 months	5.59
5.2.12	Effect of diarrhoeal diseases on nutritional status of the children	5.60
5.2.13	Mean knowledge and practice scores of the mothers on environmental hygiene before and after the intervention.	5.61
5.2.14	Ranking of the mother for EH Knowledge scores before and after the intervention	5.63
5.2.15	Ranking of the mother for EH practice scores before and after the intervention	5.63
5.2.16	Mean knowledge and practice scores of the mothers on food hygiene before and after the intervention.	5.65
5.2.17	Ranking of the mother for FH Knowledge scores before and after the intervention	5.66
5.2.18	Ranking of the mother for FH practice scores before and after the intervention	5.67
5.2.19	Mean knowledge and practice scores of the mothers on personal hygiene before and after the intervention.	5.70
5.2.20	Ranking of the mother for PH Knowledge scores before and after the intervention	5.71
5.2.21	Ranking of the mother for PH practice scores before and after the intervention	5.71
5.2.22	Mean scores of the hygiene observations in the experimental and control group before and after the intervention	5.73
5.2.23	Ranking of the households for EH observations scores before and after the intervention	5.74
5.2.24	Personal hygiene observation scores of mother and child	5.75
5.2.25	Ranking of the mothers for PH observations scores before and after the intervention	5.77
5.2.26	Ranking of the children for PH observations scores before and after the intervention	5.75

Table No.	Title	Page No.
5.2.27	Mean scores of breastfeeding knowledge before and after the intervention	5.77
5.2.28	Ranking of the mothers for BF knowledge scores before and after the intervention	5.78
5.2.29	Mean scores on complementary feeding (CF) before and after the intervention	5.79
5.2.30	Ranking of the mothers for CF knowledge scores before and after the intervention	5.80
5.2.31	Ranking of the mothers for CF practices scores before and after the intervention	5.81
5.2.32	Mean scores of the mothers for diarrhoea cause and management before and after the intervention	5.82
5.2.33	Ranking of the mothers for knowledge on diarrhea cause and management scores before and after the intervention	5.84
5.2.34	Ranking of the mothers for diarrhea cause and management practice scores before and after the intervention	5.85