

CHAPTER III

Figure No.	Caption to Figures	Pg. No.
3.1	Proposed Structure of ZrD Gel	153
3.2	EDX of ZrD	153
3.3	FTIR spectru of ZrD and Cu ²⁺ chelated ZrD	153
3.4	pH titration curve for ZrD	153
3.5	Proposed Structure of Cu ²⁺ chelated ZrD	154
3.6	UV-DRS Spectrum of ZrD and Cu ²⁺ chelated ZrD	154
3.7	EDX of Cu ²⁺ chelated ZrD	154
3.8	NMR Spectra of ZrD	154
3.9	NMR Spectra of Cu ²⁺ chelated ZrD	154
3.10	TGA of ZrD	154
3.11	XRD of ZrD	155
3.12	SEM of ZrD	155
3.13	Plot of the fractional attainment of equilibrium for Cu ²⁺ -H ⁺ exchange vs. time using ZrD	155
3.14	(a-g) Elution behaviour of transition and heavy metal ions using 0.2 M HNO ₃ as eluent (a) Co ²⁺ ; (b) Ni ²⁺ ; (c) Cu ²⁺ ; (d) Zn ²⁺ ; (e) Cd ²⁺ ; (f) Hg ²⁺ ; (g) Pb ²⁺ using ZrD	156
3.15	(a-f) Binary separations of transition and heavy metal ions using ZrD (a) Zn ²⁺ -Co ²⁺ (b) Zn ²⁺ -Cu ²⁺ (c) Ni ²⁺ -Cu ²⁺ (d) Co ²⁺ -Cu ²⁺ (e) Cd ²⁺ -Hg ²⁺ (f) Cd ²⁺ -Pb ²⁺	157
3.16	EDX of ZrD treated with CuCl ₂	158
3.17	EDX of ZrD treated with HgCl ₂	158
3.18	EDX of tap water Sample	158
3.19	EDX of ZrD treated with tap water sample	158
3.20	Plot of % retention in K _d values versus number of cycles using ZrD	158
3.21	Proposed Structure of ZrT Gel	166
3.22	EDX of ZrT	166
3.23	FTIR spectra of ZrT and Cu ²⁺ chelated ZrT	166
3.24	pH titration curve for ZrT	166
3.25	Proposed Structure of Cu ²⁺ chelated ZrT	167
3.26	UV-DRS Spectra of ZrT and Cu ²⁺ chelated ZrT	167
3.27	EDX of Cu ²⁺ chelated ZrT	167
3.28	NMR Spectra of ZrT	167
3.29	NMR Spectra of Cu ²⁺ chelated ZrT	167
3.30	TGA of ZrT	167
3.31	XRD of ZrT	168

3.32	SEM of ZrT	168
3.33	Plot of the fractional attainment of equilibrium for Cu^{2+} - H^+ exchange vs. time ZrT	168
3.34	(a-g) Elution behaviour of transition and heavy metal ions using 0.2 M HNO_3 as eluent (a) Co^{2+} ; (b) Ni^{2+} ; (c) Cu^{2+} ; (d) Zn^{2+} ; (e) Cd^{2+} ; (f) Hg^{2+} ; (g) Pb^{2+} using ZrT	169
3.35	(a-f) Binary separations of transition and heavy metal ions using ZrT (a) Co^{2+} - Cu^{2+} (b) Co^{2+} - Zn^{2+} (c) Ni^{2+} - Cu^{2+} (d) Zn^{2+} - Cu^{2+} (e) Cd^{2+} - Hg^{2+} (f) Cd^{2+} - Pb^{2+}	170
3.36	EDX of ZrT treated with CuCl_2	171
3.37	EDX of ZrT treated with HgCl_2	171
3.38	EDX of tap water sample	171
3.39	EDX of ZrT treated with tap water sample	171
3.40	Plot of % retention in K_d values versus number of cycles using ZrT	171

Table No.	Caption to Tables	Pg. No.
3.1	Optimization of reaction conditions for synthesis of ZrD	143
3.2	Optimization of reaction conditions for synthesis of ZrT	143
3.3	Physical and ion exchange characteristics of ZrD	159
3.4	Effect of pH on adsorption of metal ions using ZrD	159
3.5	Distribution coefficient (K_d) values ($\text{mL}\cdot\text{g}^{-1}$) evaluated varying metal ion concentration in aqueous media using ZrD	160
3.6	Distribution coefficient (K_d) ($\text{mL}\cdot\text{g}^{-1}$) evaluated at optimum condition in aqueous and various electrolyte media/concentration using ZrD	160
3.7	Percentage elution (%E) of metal ions in different electrolyte media using ZrD	160
3.8	Binary separations of metal transition and heavy ions using ZrD	161
3.9	Simultaneous uptake of Cu^{2+} , Hg^{2+} and Cl^- using ZrD	161
3.10	Simultaneous removal of cations and anions in tap water samples using ZrD	161
3.11	Physical and ion exchange characteristics of ZrT	172
3.12	Effect of pH on adsorption of metal ions using ZrT	172
3.13	Distribution coefficient (K_d) values ($\text{mL}\cdot\text{g}^{-1}$) evaluated varying metal ion concentration in aqueous media using ZrT	173
3.14	Distribution coefficient (K_d) ($\text{mL}\cdot\text{g}^{-1}$) evaluated at optimum condition in aqueous and various electrolyte media/concentration using ZrT	173
3.15	Percentage elution (% E) of metal ions in different electrolyte	173

	media using ZrT	
3.16	Binary separations of transition and heavy metal ions using ZrT	174
3.17	Simultaneous uptake of Cu^{2+} , Hg^{2+} and Cl^- using ZrT	174
3.18	Simultaneous removal of cations and anions in tap water samples using ZrT	174