

---

### List of Tables

<b>Table No</b>	<b>Title</b>	<b>Page No</b>
1.1	Physical properties of [60]fullerene	7
1.2	Colour of different Fullerenes in toluene	8
1.3	Solubility of C <sub>60</sub> in most common solvents	10-11
2.1	Surfactants used for miscibility study of [60]fullerene in water	35
3.1.(a).1	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using Tween 80 without [60]fullerene	42
3.1.(a).2	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using Tween 80 with [60]fullerene	42
3.1.(a).3	Effect of variation of amount of co-surfactant 1-butanol on the nature of solution using Tween 80 without [60]fullerene	42
3.1.(a).4	Effect of variation of amount of co-surfactant 1-butanol on the nature of solution using Tween 80 with [60]fullerene	43
3.1.(a).5	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using Tween 80 without [60]fullerene	43
3.1.(a).6	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using Tween 80 with [60]fullerene	43
3.1.(a).7	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using Tween 80 without [60]fullerene	44
3.1.(a).8	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using Tween 80 with [60]fullerene	44
3.1.(a).9	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using Tween 80 without [60]fullerene	44
3.1.(a).10	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using Tween 80 with [60]fullerene	45
3.1.(b).1	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using Triton X -100 without [60]fullerene	47
3.1.(b).2	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using Triton X -100 with [60]fullerene	47
3.1.(b).3	Effect of variation of amount of co-surfactant 1-butanol on the nature of solution using Triton X -100 without [60]fullerene	47
3.1.(b).4	Effect of variation of amount of co-surfactant 1-butanol on the	48

---

	nature of solution using Triton X -100 with [60]fullerene	
3.1.(b).5	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using Triton X -100 without [60]fullerene	48
3.1.(b).6	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using Triton X -100 with [60]fullerene	48
3.1.(b).7	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using Triton X -100 without [60]fullerene	49
3.1.(b).8	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using Triton X -100 with [60]fullerene	49
3.1.(b).9	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using Triton X -100 without [60]fullerene	49
3.1.(b).10	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using Triton X -100 with [60]fullerene	50
3.1.(c).1	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using SDS without [60]fullerene	52
3.1.(c).2	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using SDS with [60]fullerene	52
3.1.(c).3	Effect of variation of amount of co-surfactant 1-butanol on the nature of solution using SDS without [60]fullerene	52
3.1.(c).4	Effect of variation of amount of co-surfactant 1-butanol on the nature of solution using SDS with [60]fullerene	53
3.1.(c).5	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using SDS without [60]fullerene	53
3.1.(c).6	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using SDS with [60]fullerene	53
3.1.(c).7	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using SDS without [60]fullerene	54
3.1.(c).8	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using SDS with [60]fullerene	54
3.1.(c).9	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using SDS without [60]fullerene	54
3.1.(c).10	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using SDS with [60]fullerene	55
3.1.(d).1	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using CTAB without [60]fullerene	57
3.1.(d).2	Effect of variation of amount of co-surfactant 1-propanol on the nature of solution using CTAB with [60]fullerene	57
3.1.(d).3	Effect of variation of amount of co-surfactant 1-butanol on the nature of solution using CTAB without [60]fullerene	57
3.1.(d).4	Effect of variation of amount of co-surfactant 1-butanol on the	58

	nature of solution using CTAB with [60]fullerene	
3.1.(d).5	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using CTAB without [60]fullerene	58
3.1.(d).6	Effect of variation of amount of co-surfactant 1-pentanol on the nature of solution using CTAB with [60]fullerene	58
3.1.(d).7	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using CTAB without [60]fullerene	59
3.1.(d).8	Effect of variation of amount of co-surfactant 1-hexanol on the nature of solution using CTAB with [60]fullerene	59
3.1.(d).9	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using CTAB without [60]fullerene	59
3.1.(d).10	Effect of variation of amount of co-surfactant 1-octanol on the nature of solution using CTAB with [60]fullerene	60
3.2.(a).1	Miscibility data of solution of toluene in water with surfactant Tween 80 and co-surfactant 1-propanol	65
3.2.(a).2	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Tween 80 and co-surfactant 1-propanol	66
3.2.(a).3	Area of microemulsion and emulsion for the system Tween-80/1-propanol/toluene /water in absence and in presence of [60] fullerene	67
3.2.(a).4	Miscibility data of solution of toluene in water with surfactant Tween 80 and co-surfactant 1-butanol	68
3.2.(a).5	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Tween 80 and co-surfactant 1-butanol	69
3.2.(a).6	Area of microemulsion and emulsion for the system Tween-80/1-butanol/toluene / water in absence and in presence of [60] fullerene	70
3.2.(a).7	Miscibility data of solution of toluene in water with surfactant Tween 80 and co-surfactant 1-pentanol	71
3.2.(a).8	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Tween 80 and co-surfactant 1-pentanol	72
3.2.(a).9	Area of microemulsion and emulsion for the system Tween-80/1-pentanol/toluene / water in absence and in presence of [60] fullerene	73
3.2.(a).10	Miscibility data of solution of toluene in water with surfactant Tween 80 and co-surfactant 1-hexanol	74
3.2.(a).11	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Tween 80 and co-surfactant 1-hexanol	74
3.2.(a).12	Area of microemulsion and emulsion for the system Tween-80/1-hexanol/toluene / water in absence and in presence of [60]	75

	fullerene	
3.2.(a).13	Miscibility data of solution of toluene in water with surfactant Tween 80 and co-surfactant 1-octanol	76
3.2.(a).14	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Tween 80 and co-surfactant 1-octanol	76
3.2.(a).15	Area of microemulsion and emulsion for the system Tween-80/ 1-octanol/toluene / water in absence and in presence of [60] fullerene	77
3.2.(a).16	Summary of area using Tween 80	78
3.2.(b).1	Miscibility data of solution of toluene in water with surfactant Triton X 100 and co-surfactant 1-propanol	79
3.2.(b).2	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Triton X 100 and co-surfactant 1-propanol	80
3.2.(b).3	Area of microemulsion and emulsion for the system Triton X 100 /1-propanol/toluene /water in absence and in presence of [60] fullerene	81
3.2.(b).4	Miscibility data of solution of toluene in water with surfactant Triton X 100 and co-surfactant 1-butanol	82
3.2.(b).5	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Triton X 100 and co-surfactant 1-butanol	83
3.2.(b).6	Area of microemulsion and emulsion for the system Triton X 100 /1-butanol/toluene / water in absence and in presence of [60] fullerene	84
3.2.(b).7	Miscibility data of solution of toluene in water with surfactant Triton X 100 and co-surfactant 1-pentanol	85
3.2.(b).8	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Triton X 100 and co-surfactant 1-pentanol	85
3.2.(b).9	Area of microemulsion and emulsion for the system Triton X 100 /1-pentanol/toluene / water in absence and in presence of [60] fullerene	86
3.2.(b).10	Miscibility data of solution of toluene in water with surfactant Triton X 100 and co-surfactant 1-hexanol	87
3.2.(b).11	Miscibility data of solution of [60] fullerene - toluene in water with surfactant Triton X 100 and co-surfactant 1-hexanol	87
3.2.(b).12	Area of microemulsion and emulsion for the system Triton X 100 /1-hexanol/toluene / water in absence and in presence of [60] fullerene	88
3.2.(b).13	Miscibility data of solution of toluene in water with surfactant Triton X 100 and co-surfactant 1-octanol	89
3.2.(b).14	Miscibility data of solution of [60] fullerene - toluene in water with	89

	surfactant Triton X 100 and co-surfactant 1-octanol	
3.2.(b).15	Area of microemulsion and emulsion for the system Triton X 100 /1-octanol/toluene / water in absence and in presence of [60] fullerene	90
3.2.(b).16	Summary of area using Triton X 100	91
3.2.(c).1	Miscibility data of solution of toluene in water with surfactant SDS and co-surfactant 1-propanol	92
3.2.(c).2	Miscibility data of solution of [60] fullerene - toluene in water with surfactant SDS and co-surfactant 1-propanol	93
3.2.(c).3	Area of microemulsion and emulsion for the system SDS /1-propanol/toluene /water in absence and in presence of [60] fullerene	94
3.2.(c).4	Miscibility data of solution of toluene in water with surfactant SDS and co-surfactant 1-butanol	95
3.2.(c).5	Miscibility data of solution of [60] fullerene - toluene in water with surfactant SDS and co-surfactant 1-butanol	96
3.2.(c).6	Area of microemulsion and emulsion for the system SDS /1-butanol/toluene / water in absence and in presence of [60] fullerene	97
3.2.(c).7	Miscibility data of solution of toluene in water with surfactant SDS and co-surfactant 1-pentanol	98
3.2.(c).8	Miscibility data of solution of [60] fullerene - toluene in water with surfactant SDS and co-surfactant 1-pentanol	98
3.2.(c).9	Area of microemulsion and emulsion for the system SDS /1-pentanol/toluene / water in absence and in presence of [60] fullerene	99
3.2.(c).10	Miscibility data of solution of toluene in water with surfactant SDS and co-surfactant 1-hexanol	100
3.2.(c).11	Miscibility data of solution of [60] fullerene - toluene in water with surfactant SDS and co-surfactant 1-hexanol	100
3.2.(c).12	Area of microemulsion and emulsion for the system SDS /1-hexanol/toluene / water in absence and in presence of [60] fullerene	101
3.2.(c).13	Miscibility data of solution of toluene in water with surfactant SDS and co-surfactant 1-octanol	102
3.2.(c).14	Miscibility data of solution of [60] fullerene - toluene in water with surfactant SDS and co-surfactant 1-octanol	102
3.2.(c).15	Area of microemulsion and emulsion for the system SDS /1-octanol/toluene / water in absence and in presence of [60] fullerene	103

3.2.(c).16	Summary of area using SDS	104
3.2.(d).1	Miscibility data of solution of toluene in water with surfactant CTAB and co-surfactant 1-propanol	105
3.2.(d).2	Miscibility data of solution of [60] fullerene - toluene in water with surfactant CTAB and co-surfactant 1-propanol	106
3.2.(d).3	Area of microemulsion and emulsion for the system CTAB /1-propanol/toluene /water in absence and in presence of [60] fullerene	107
3.2.(d).4	Miscibility data of solution of toluene in water with surfactant CTAB and co-surfactant 1-butanol	108
3.2.(d).5	Miscibility data of solution of [60] fullerene - toluene in water with surfactant CTAB and co-surfactant 1-butanol	109
3.2.(d).6	Area of microemulsion and emulsion for the system CTAB /1-butanol/toluene / water in absence and in presence of [60] fullerene	110
3.2.(d).7	Miscibility data of solution of toluene in water with surfactant CTAB and co-surfactant 1-pentanol	111
3.2.(d).8	Miscibility data of solution of [60] fullerene - toluene in water with surfactant CTAB and co-surfactant 1-pentanol	111
3.2.(d).9	Area of microemulsion and emulsion for the system CTAB /1-pentanol/toluene / water in absence and in presence of [60] fullerene	112
3.2.(d).10	Miscibility data of solution of toluene in water with surfactant CTAB and co-surfactant 1-hexanol	113
3.2.(d).11	Miscibility data of solution of [60] fullerene - toluene in water with surfactant CTAB and co-surfactant 1-hexanol	113
3.2.(d).12	Area of microemulsion and emulsion for the system CTAB/1-hexanol/toluene / water in absence and in presence of [60] fullerene	114
3.2.(d).13	Summary of area using CTAB	115
3.4.1	Thermodynamic properties of solution of [60] fullerene-Toluene in water with non ionic surfactants Tween 80 and Triton X 100	121
3.4.2	Thermodynamic properties of solution of [60] fullerene-toluene in water with surfactants SDS and CTAB	123
4.1	Phase region of Emulsion and Microemulsion for Tween 80/[60] fullerene-toluene /Water/1-alkanol system	130
4.2	Phase region of Emulsion and Microemulsion for Triton X 100/[60] fullerene-toluene /Water/1-alkanol system	130
4.3	Phase region of Emulsion and Microemulsion for SDS/ [60] fullerene-toluene /Water/1-alkanol system	131
4.4	Phase region of Emulsion and Microemulsion for CTAB/[60] fullerene-toluene /Water/1-alkanol system	131

---

---