

REFERENCES

REFERENCES

1. Agrawal, S. R. and Kantawala, P. S. (1986). On the Nörlund summability of orthogonal series, *Commentationes Mathematicae*, 26, 195-200.
2. Alexits, G. (1944). Sur la convergence des series polynomes orthogonaux, *Commentarii Math. Helvetici*, 16, 200-208.
3. Alexits, G. (1950). Sur la convergence et la sommabilite persque partout des series de polynomes orthogonaux, *Acta. Sci. Math.*, 128, 223-225.
4. Alexits, G. (1955). Eine Bemerkung zur starke summierbarkeit der orthogonalreihen, *Acta. Science Math.*, 16, 127-129.
5. Alexits, G. (1957). Sur la convergence absolute de certain developments orthogonaux, *Acta Math Sci. Hungar.*, 8 , 303-310.
6. Alexits, G. (1959). Eine summationsatz fur orthogonalreihen, *Acta. Math. Acad. Sci. Hung*, 7, 5-9.
7. Alexits, G. (1961). Convergence problems of orthogonal series, Pergamon Press, Oxford.
8. Alexits, G. and Kralik, D. (1960). Über Approximation mit den arithmetischen Mittein allgemeiner orthogonalreihen, *Acta Math. Acad. Sci. Hungar.*, 11, 387-399.
9. Alexits, G. and Kralik, D. (1965). Über die Approximation in starken Sinne, *Acta Sci. Math. (Szeged)*, 26(1-2), 93-101.
10. Banach, S. (1932). Théorie des opérations linéaires, Monografie Matematyczne, Warszawa.
11. Bellman, R. (1943). Lambert summability of orthogonal series, *Bull. Amer. Math. Soc.*, 49(12), 932-934.

12. Bhatt, S. N. (1966). On the absolute summability of factored Fourier series, *Annali di Matematica pura ed application*, 72(1), 253-256.
13. Bhatt, S. N. and Nand Kishore, (1967). Absolute Nörlund summability of Fourier series, *Indian journal of Mathematics*, 9(2), 259-267.
14. Bhatt, S. N. and Kakkar, U. (1969). A note on the absolute Nörlund summability of a Fourier series, 11(3), 125-130.
15. Bhatt, S. N. and Tripathi, S. S. (1971). On the absolute Nörlund summability of Fourier series, *Indian journal of Mathematics*, 13, 165-175.
16. Bhatnagar, S. C. (1973). On convergence and summability of orthogonal series, Ph. D. Thesis, University of Indore.
17. Billiard, P. (1961). Sur la sommabilité absolue des séries de fonctions orthogonales, *Bull. Sci. Math.*, 85, 29-33.
18. Bochkarev, S. G. (1971). Absolute convergence of Fourier series with respect to complete orthonormal systems, *Russian Math. Surveys*, 27(2), 55-81.
19. Bolgov, V. A. and Efimov, A. V. (1971). On the rate of summability of orthogonal series, *Izv. Akad. Nauk SSSR Ser. Mat.*, 35(6), 1389-1408.
20. Bor, H. (1991). On the relative strength of two absolute summability methods, *Proc. Amer. Math. Soc.*, 113(4), 1009-1012.
21. Bor, H. (1993). On local property of $|\bar{N}, p_n, \delta|_k$ summability of factored Fourier series, *J. Math. Anal. Appl.*, 179(2), 646-649.
22. Borgen, S. (1928). Über $(C, 1)$ summierbarkeit von Reihen orthogonalen funktionen, *Math. Annalen*, 98, 125-150.
23. Borwin, D. and Cass, F. P. (1968). Strong Nörlund summability, *Math. Zeitschr.*, 103, 94-111.

24. Borwin, D. and Kratz, W. (1989). On relations between weighted means and power series methods of summability, *J. Math. Anal. Appl.*, 139, 178-186.
25. Bosanquet, L. S and Hyslop, J. M. (1937). On the absolute summability of the allied series of a Fourier series, *Math. Zeitschr.*, 42, 489-512.
26. Cassens, P. and Regan, F. (1970). On Generalized Lambert summability, *Commentationes Mathematicae Universitatis Carolinae*, 11(4), 829-839.
27. Cesàro, E. (1890). Sur la multiplication des séries, *Bull. Sci. Math*, 14(2), 114-120.
28. Chapman, S. (1910). On non-integral orders of summability of series and integrals, *Proc. London Math. Soc.*, 9(1), 369-409.
29. Chapman, S. and Hardy, G. H. (1911). A general view of the theory at summable series, *Q. J. Math*, 42, 181-215.
30. Chen, K. K. (1959). On the convergence and summability of trigonometrical series of orthogonal polynomials, *Sci. Sinica*, 8, 1271-1294.
31. Cheng, M. T. (1948). Summability factors of Fourier series, *Duke Math. J.*, 15, 17-27.
32. Cooke, R. G. (1950). *Infinite matrices and sequence spaces*, Macmillan.
33. Das, G. (1969). Tauberian theorem for absolute Nörlund summability, *Proc. London Math. Soc.*, 19(2), 357-384.
34. Datta, H. and Rhoades, B. E. (2016). *Current topics in summability theory and application* Springer, Singapore.
35. Fedulov, V. S. (1955). On $(C, 1, 1)$ summability of double orthogonal series, *Ukrain Math. Zh.*, 7, 433-442.
36. Fischer, E. (1907). Sur la convergence en moyenne, *C. R. A. S. Paris*, 144, 1022-1024 and 1148-1150.

37. Flett, T. M. (1957). On an extension of absolute summability and some theorems of Littlewood and Paley, *Proc. Lond. Math. Soc.*, 7, 113-141.
38. Gapoškin, V. F. (1964). On the convergence of orthogonal series (Russian), *Dokl. Akad. Nauk SSSR*, 159, 243-246.
39. Gram, J. P. (1883). Über Entwicklung reeller Functionen in Reihen mittelst der Methode der Kleinsten Quadrate, *Journal f. reine u. angew. Math.*, 94, 41-73.
40. Grepachevskaya, L. V. (1964). Absolute summability of orthogonal series, *Mat. Sb. (N.S.)*, 65, 370-389.
41. Hardy, G. H. (1949). *Divergent series*, First edition, Oxford University Press, Oxford.
42. Hardy, G. H. and Littlewood, J. (1921). On a Tauberian theorem for Lambert series and some fundamental theorems and analytic theory of numbers, *Proc. Lond. Math. Soc.*, 19(1), 21-29.
43. Hille, E. and Tamarkin, J. D. (1928). On the summability of Fourier series, *Proceedings of the National Academy of Sciences*, 14, 915-918.
44. Hobson, E.W. (1913). On the convergence of series of orthogonal functions, *Proc. London Math. Soc.*, 12(2), 297-308.
45. Ishiguro, Kazuo. (1965). The relation between (N, p_n) and $(\bar{N}, p_n)$, *Proc. Acad. Japan*, 41(2), 120-122.
46. Jastrebova, M. A. (1966). On approximation of functions satisfying the Lipschitz condition by the arithmetic means of their Walsh–Fourier series, *Mat. Sb.*, 71(113), 214-226.
47. Jerosch, F. and Weyl, H. (1909). Über die Konvergenz von Reihen, die nach periodischen Funktionen fortschreiten, *Math. Annalen*, 66, 67-80.

48. Kaczmarz, S. (1925). Über die Konvergenz der Reihen von orthogonalfunktionen, Math. Zeitschrift, 23, 263-270.
49. Kaczmarz, S. (1925). Über die Reihen von allgemeinen orthogonalfunktionen, Math. Annalen, 96, 148-151.
50. Kaczmarz, S. (1927). Über die summierbarkeit der orthogonalreihen, Math. Zeitschrift, 26, 99–105.
51. Kaczmarz, S. (1929). Sur la convergence et la sommabilité des développements orthogonaux, Studia Math., 1, 87–121.
52. Kantawala, P. S. (1986). On convergence and summability of general orthogonal series, Ph.D. Thesis, The M. S. University of Baroda, 1986.
53. Kantawala, P. S., Agrawal, S. R. and Patel, C. M. (1991). On strong approximation Nörlund and Euler means of orthogonal series, Indian J. Math., 33(2), 99-117.
54. Kantawala, P. S. and Agrawal, S. R. (1995). On strong approximation of Euler means of orthogonal series, Indian J. Math., 37(1), 17-26.
55. Kantorowitch, L. (1937). Some theorems on the almost everywhere convergence, Dokl. Akad. Nauk. SSSR., 14, 537-540.
56. Kiesel, R. and Stadtmüller, U. (1991). Tauberian theorems for general power series methods, Math. Proc. Cambridge Philos. Soc., 110(3), 483-490.
57. Knopp, K. (1907). Multiplikation Divergenter Reihen, Berl. Math. Ges. Ber., 7, 1-12.
58. Kolmogoroff, A. and Seliverstoff, G. (1925). Sur la convergence des séries de Fourier, Comptes Rendus Acad. Sci. Paris, 178, 303-305.
59. Krasniqi, Xh. Z. (2010). A note on $|N, p, q|_k$, $(1 \leq k \leq 2)$ summability of orthogonal series, Note di Mat., 30, 135-139.

60. Krasniqi, Xh. Z. (2011)(1). On absolutely almost convergency of higher order orthogonal series, *Int. J. Open Problems Comput. Sci. Math.*, 4(1), 44-51.
61. Krasniqi, Xh. Z. (2011)(2). On absolute generalized summability of double orthogonal series, *Int. J. Nonlinear Anal. and Appl.*, 2(2), 63-74.
62. Krasniqi, Xh. Z. (2011)(3). On absolute weighted mean summability of orthogonal series, *Selcuk J. Appl. Math.*, 12(2), 63-70.
63. Krasniqi, Xh. Z. (2012)(1). On $|A, \delta|_k$ summability of orthogonal series, *Mathematica Bohemica*, 137(1), 17-25.
64. Krasniqi, Xh. Z. (2012)(2). On absolute almost generalized Nörlund summability of orthogonal series, *Kyungpook Math. J.*, 52(3), 279-290.
65. Krasniqi, Xh. Z. (2013)(1). On Absolute almost matrix summability of orthogonal series, *Mathematical Sciences and Application E- Note*, 1(2), 207-216.
66. Krasniqi, Xh. Z. (2013)(2). On product summability of an orthogonal series, *Advances in Mathematics Scientific Journal*, 2(1), 9-16.
67. Krasniqi, Xh. Z. (2014). Certain sufficient condition on $|N, p_n, q_n|_k$ summability of orthogonal series, *J. Nonlinear Sci. Appl.*, 7, 272-277.
68. Krasniqi, Xh. Z. Bor, H. Braha, N. L. and Dema, M (2012). On absolute matrix summability of orthogonal series, *Int. Journal of Math. Analysis*, 6(10), 493-501.
69. Kuyama, Y. (1978). On absolute Nörlund summability of orthogonal series, *Proc. Japan. Acad.*, 54, 113-118.
70. Leindler, L. (1961). Über die absolute Summierbarkeit der Orthogonalreihen, *Acta Sci. Math.*, 22, 243–268.

71. Leindler, L. (1962). On strong summability of orthogonal series, *Acta Sci. Math.*, 23, 83–91. Mitlein allgemeiner orthogonalreihen, *Acta Sci. Math.*, 24, 129-138.
72. Leindler, L. (1963). Über die punktweise Konvergenz von Summationsverfahren allgemeiner orthogonalreihen (Approximationstheorie. Abh. z Tagung Oberwolfach), Birkhauser-Verlag, Basel, 1964, 239-244.
73. Leindler, L. (1964). Über Approximation mit Orthogonalreihenmitteln unter strukturellen Bedingungen, *Acta Math. Acad. Sci. Hung.*, 15, 57-62.
74. Leindler, L. (1966). On the strong summability of orthogonal series, *Acta. Sci. Math.*, 27, 217-228.
75. Leindler, L. (1967). Corrigendum to the paper: On the strong summability of orthogonal series, *Acta. Sci. Math.*, 28(3-4), 337-338.
76. Leindler, L. (1971). On the strong approximation of orthogonal series, *Acta, Sci. Math.*, 32, 41-50.
77. Leindler, L. (1981)(1). Über die absolute summierbarkeit der orthogonalreihen, *Acta, Sci. Math.*, 43, 311-319.
78. Leindler, L. (1981)(2). On strong summability and approximation of orthogonal series, *Acta, Math. Acad. Sci. Hung.*, 37, 245-254.
79. Leindler, L. (1982). Some additional results on strong approximation of orthogonal series, *Acta Math. Acad. Sci. Hung.*, 40, 93-107.
80. Leindler, L. (1983). On the absolute Riesz summability of orthogonal series, *Acta Sci. Math.*, 46(1-4), 203-209.
81. Leindler, L. (1995). On the newly generalized absolute Riesz summability of orthogonal series, *Anal. Math.*, 21(4), 285-297.

82. Leindler, L. and Tandori, K. (1986). On absolute summability of orthogonal series, *Acta Sci Math.*, 50(1-2), 99-104.
83. Lorentz, G. G. (1948). A contribution to the theory of divergent series, *Acta. Math.*, 80, 167-190.
84. Lorentz, G. G. (1951). Riesz method of summation and orthogonal series, *Trans. Roy. Soc. Canada (Sec. III)*, 45(3), 19-32.
85. Maddox, I. J. (1967). A note on orthogonal series, *Rend. Circ. Mat. Palermo*, 16(2), 363-368
86. Mears, F. M. (1935). Some multiplication theorems for the Nörlund means, *Bull. Am. Math. Soc.*, 41, 875-880.
87. Mears, F. M. (1937). Absolute regularity and Nörlund mean, *Annals of Math.*, 38, 594-601.
88. McFadden, L. (1942). Absolute Nörlund summability, *Duke Math. Journal*, 9, 168-207.
89. Meder, J. (1958). On the summability almost everywhere of orthogonal series by the method of Euler-knopp, *Ann. Polon. Math.*, 5, 135-148.
90. Meder, J. (1959). On the summability almost everywhere of orthonormal series by the method of first logarithmic means, *Rozprawy Mat.*, 17, 3-34.
91. Meder, J. (1961). On very strong Riesz summability of orthogonal series, *Studia. Math.*, 20, 285-300.
92. Meder, J. (1963). On Nörlund summability orthogonal series, *Ann. Polon. Math.*, 12, 231-256.
93. Meder, J. (1966). Absolute Nörlund summability and orthogonal series, *Ann. Polon. Math.*, 18, 1-13.

94. Meder, J. (1967). Absolute Nörlund summability orthogonal series, Bulletin De L academic polonaise des Sciences, 12, 471-475.
95. Meder, J. (1967). On the Absolute Nörlund summability orthogonal series for a system of H-type, Colloq. Math., 18, 203-211.
96. Menchoff, D. (1923). Sur les séries de fonctions orthogonales I, Fund. Math., 4, 82-105.
97. Menchoff, D. (1925). Sur la summation des séries orthogonales, Comptes Rendus Acad. Sci. Paris, 180, 2011-2013.
98. Menchoff, D. (1926). Sur les séries de fonctions orthogonales. II., Fund. Math., 8, 56-108.
99. Misra, U. K. and Sahoo, N. C. (2002). Absolute Banach summability of the conjugate series of a Fourier series, Journal of Indian Academy of Mathematics, 24(2), 307-318.
100. Miesner, W. (1965). The convergence fields of Nörlund means, Proc. London Math. Soc., 15(1), 495-507.
101. Mitchell, J. (1949). Summability theorem for double orthogonal series whose coefficient satisfy certain conditions, American Journal of Mathematics, 71(2), 257-268.
102. Moore, C. N. (1938). Summable series and convergence factor, American Mathematical Society, Colloquium Publications, 22, Amer. Math. Soc., Providence, RI.
103. Móricz, F. (1962). Über die Riesz'sche summation der orthogonalreihen, Acta Sci. Math., 23, 92-95.
104. Móricz, F. (1969). A note on the strong T-summation of orthogonal series, Acta Sci. Math. (Szeged), 30, 69-76.

105. Móricz, F. (1983). Approximation by partial sums and Cesàro means of multiple orthogonal series, *Tohoku Math. J.*, 35, 519-539.
106. Móricz, F. (1984)(1). Approximation theorems for double orthogonal series, *J. Approx. Theory*, 42, 107-137.
107. Móricz, F. (1984)(2). On the a.e. convergence of the arithmetic means of double orthogonal series, *Trans. Amer. Math. Soc.*, 297(2), 763-776.
108. Móricz, F. (1987). Approximation theorems for double orthogonal series, II, *J. Approx. Theory*, 51, 372-382.
109. Móricz, F. (1994). Necessary and sufficient Tauberian conditions, under which convergence follows from summability $(C, 1)$, *Bull. London Math. Soc.* 26(3), 288-294.
110. Móricz, F. and Rhoades, B. E. (1995). Necessary and sufficient Tauberian conditions for certain weighted mean methods of summability, *Acta Mat. Hungar.* 66(1-2), 105-111.
111. Móricz, F. and Rhoades, B. E. (1996). Approximation by weighted means of Walsh-Fourier series, *International Journal of Mathematics and Mathematical Sciences*, 19(1), 1-8.
112. Móricz, F. and Schipp, F. (1990). On the integrability and L^1 -convergence of Walsh series with coefficients of bounded variation, *J. Math. Anal. Appl.*, 146, 99-109.
113. Móricz, F. and Siddiqi, A. H. (1992). Approximation by Nörlund means of Walsh-Fourier series, *Journal of Approximation Theory*, 70, 375-389.
114. Nörlund, N. E. (1920). Sur une application des fonctions permutables, *Lunds Universitets Arsskrift*, (N.F.), avd.2, 16(3), 10pp.

- 115.Okuyama, Y. (1978). On the absolute Nörlund summability of orthogonal series, Proc. Japan Acad., 54, 113-118.
- 116.Okuyama, Y. (1988). On the absolute Riesz summability of orthogonal series, Tamkang J. Math., 19 (3), 75-89.
- 117.Okuyama, Y. (2002). On the absolute generalized Nörlund summability of orthogonal series, Tamkang J. Math., 33(2), 161-165.
- 118.Okuyama, Y. and Tsuchikura T. (1981). On the absolute Riesz summability of orthogonal series, Anal. Math., 7, 199-208.
- 119.Özarslan, H. S. and Ari, T. (2011). Absolute matrix summability methods, Applied mathematics letters, 24, 2102-2106.
- 120.Paikray, S. K., Misra, U. K. and Sahoo, N. C. (2011). Absolute Banach summability of a factored Fourier series, IJRRAS, 3-7.
- 121.Paikray, S. K., Misra, U. K. and Sahoo, N. C. (2012). Absolute Banach summability of a factored conjugate series, Gen. Math. Notes, 9(2), 19-31.
- 122.Paley, R.E.A.C. (1931), A remarkable series of orthogonal functions, Proc. London. Math. Soc., 34(2), 241-279.
- 123.Patel, C. M. (1966). On absolute Cesàro summability of orthogonal series, Proc. Nat. Acad. Sci. India, 36(A), 921-923.
- 124.Patel, C. M. (1966). A note on Euler mean of orthogonal series, Indian journal of Math., 8(2), 41-66.
- 125.Patel, C. M. (1967). On double orthogonal series, Proc. Nat. Acad. Sci. India, 37, part II, 241-244.
- 126.Patel, D. P. (1989). On Cesàro summability of orthogonal series, Journal of The M. S. University of Baroda, 3, 35-36.

127. Patel, D. P. (1989). On convergence and summability of general orthogonal series, Ph. D. Thesis, The M. S. University of Baroda.
128. Patel, R. K. (1973). On strong Euler summability of orthogonal series, Math. Vesnik, 10(25), 319-323.
129. Patel, R. K. (1975). Convergence and summability of orthogonal series, Ph. D. Thesis, The M. S. University of Baroda.
130. Plancherel, M. (1910). Sätze über systeme beschränkter orthogonalfunktionen, Math. Annalen, 68, 270-278.
131. Plessner, A. (1926). Über die Konvergenz von trigonometrischen Reihen, Journal f. reine u. angew. Math., 155, 15-25.
132. Prasad, B.N. (1938). On the summability of Fourier series and the bounded variation of power series, Proc. London Math. Soc., 14, 162-168.
133. Rademacher, H. (1922). Einige Sätze über Reihen von allgemeinen Orthogonalfunktionen. Math. Annalen, 87, 112-138.
134. Riesz, F. (1907). Sur les opérations fonctionnelles linéaires, C. R. Acad. Sci. Paris, 144, 615–619.
135. Riesz, M. (1909). Sur la sommation des séries de Dirichlet, C. R. Acad. Sci. Paris, 149, 18-21.
136. Salem, R. (1940). Essais sur les séries trigonometriques, Hermann, Paris.
137. Sapre, A. R. (1970). On Euler means of orthogonal series, Vijnana Parishad Anusandhan Patrika, 13(4), 169-173.
138. Sapre, A. R. (1971). Another note on orthogonal series, The Mathematics student, 29, 37-40.
139. Schipp, F., Wade, W. and Simon, P. (1990). Walsh series: An introduction to dyadic harmonic analysis, Akadémiai Kiadó, Budapest.

140. Schmidt, E. (1907). Entwicklung willkürlicher funktionen nach systemen vorgeschriebener, Math. Annalen, 63, 433-476.
141. Shah, B. M. (1993). The summability and convergence of orthogonal series, Ph. D. Thesis, The M. S. University of Baroda.
142. Sharma, J. P. (1970). Convergence and approximation problems of general orthogonal expansions, Ph.D. Thesis, University of Allahabad.
143. Singh, B. D. (1958). Strong summability of Fourier series and allied topics, Ph. D. Thesis, University of Sagar.
144. Singh, U. N. (1947). On strong summability of Fourier series and conjugate series, Proc. Nat. Inst. Sci. India, 13, 319-325.
145. Skvorcov, V. A. (1981). Certain estimates of approximation of functions by Cesáro means of Walsh-Fourier series, Mat. Zametki, 29, 539-547.
146. Sönmez, A. (2008). On The absolute Riesz summability of orthogonal series, International Journal of Pure and Applied Mathematics, 48(1), 75-81.
147. Spevakov, V. N. and Kudrjavcev, B. A. (1977). Absolute summability of orthogonal series by the Euler method. (Russian), Math., 21(1), 51-56.
148. Srivastava, P. (1967). On absolute Riesz summability of orthogonal series, Indian Journal of Math., 9, 513-529.
149. Stetchkin, S. B. (1951). On the absolute convergence of orthogonal series, Matemati Sbornik, 29, 225-232.
150. Steinhaus, H. (1923). Les Probalilitiés dénombrables et leur rapport á la théorie de la mesure, Fundamenta Math., 4, 286-310.
151. Sulaiman, W. T. (2008). Note on product summability of an infinite series, Int. J. Math. and Math. Sci., 1-10.

152. Sunouchi, G. (1944). On the strong summability of orthogonal series, Proc. Imp. Acad. Tokyo, 20, 251-256.
153. Sunouchi, G. (1959). On the Riesz summability of Fourier series, Tohoku Math. J., 2(11), 321-326.
154. Sunouchi, G. (1966). On the strong summability of orthogonal series, Acta. Sci Math., 27, 71-76.
155. Sunouchi, G. (1967). Strong approximation of Fourier series and orthogonal series, Ind. J. Math., 9, 237-246.
156. Swamy, N. (1980). Absolute summability of the conjugate series of a Fourier series, Ph.D. Thesis, Utkal University.
157. Szalay, I. (1971). On generalized absolute Cesàro summability of orthogonal series, Acta Sci. Math. (Szeged), 32, 51-57.
158. Szász, O. (1946). Introduction to the theory of divergent series, University of Cincinnati.
159. Szegő, G. (1939). Orthogonal polynomials, Amer. Math. Soc. Colloquium publication, 23, New York.
160. Talalyan, A. (1956). On the convergence of orthogonal series. Doklady Akad. Nauk SSSR, 110, 515-516.
161. Tanaka, M. (1978). On generalized Nörlund methods of summability, Bull. Austral. Math. Soc., 19, 381-402.
162. Tandori, K. (1951/52). Über die Cesàrosche summierbarkeit der orthogonal Reihen, Acta. Sci. Math., 14, 85-95.
163. Tandori, K. (1952). Cesàro summability of orthogonal polynomial series, Acta. Math. Acad. Sci. Hung., 3, 73-81.

164. Tandori, K. (1954). Cesàro summability of orthogonal polynomial series II, Acta Math., Acad. Sci. Hung., 5, 236-253.
165. Tandori, K. (1957)(1). Über die orthogonalen Funktionen. I, Acta Sci. Math., 18, 57-130.
166. Tandori, K. (1957)(2). Über die orthogonalen Funktionen IX (Absolute summation), Acta Sci. Math., 21, 292–299.
167. Tandori, K. (1957)(3). Über die orthogonalen Funktionen II (summation), Acta. Sci. Math., 18, 149-168.
168. Tandori, K. (1959). Über die orthogonalen Funktionen VII (Approximation - Sätze), Acta Sci. Math., 20, 19-24.
169. Tandori, K. (1960). Über die orthogonalen Funktionen IX (Absolute Summation), Acta Sci. Math. (Szeged), 21, 292-299.
170. Tandori, K. (1975). A remark on a theorem of Alexits and Sharma, Anal. Math., 1(3), 223-230.
171. Tanovic-Miller, N. (1979). On strong summability, Glas. Mat. Ser. III, 14, 87-97.
172. Thangavelu, S. (1996). Fourier Series: The Mathematics of periodic phenomena, Resonance - Journal of Science Education, 10(1), 44-55.
173. Tiwari, S.K. and Kachhara, D. K. (2011). On strong Nörlund summability of orthogonal expansion, Research Journal of Pure Algebra, 1(4), 88-92.
174. Tricomi, F. G. (1955). Vorlesungen Über orthogonalreihen, Springer, Berlin - Göttingen - Heidelberg.
175. Tsuchikura, T. (1953). Absolute Cesàro summability of orthogonal series. Tohoku Math. J., 5(1), 52-66.

176. Tsuchikura, T. (1954). Absolute Cesàro summability of orthogonal series II. Tohoku Math. J., 5(3), 302-312.
177. Walfisz, A. (1940). Über einige orthogonalreihen, Bulletin of the Georgian Section Akad. Sci. USSR, 1, 411-420.
178. Watari, C. (1963), Best approximation by Walsh polynomials, Tôhoku. Math. J., 15, 1-5.
179. Weyl, H. (1909). Über die Konvergenz von Reihen die nach orthogonalfunktionen fortschreiten, Math. Annalen, 67, 225-245.
180. Winn, C. E. (1933). On strong summability for any positive order, Math. Zeit., 37, 481-492.
181. Włodzimierz, L. (2001). On the rate of pointwise summability of Fourier series, Applied Mathematics E-Notes, 1, 143-148.
182. Woronoi, G. F. (1901). Extension of the notion of the limit of the sum of terms of an infinite series (in Russian), Proceeding of the Eleventh Congress of Russian Naturalists and Physicians, St. Petersburg, 1902, 60-61. Annotated English translation by Tamarkin, J. D., Annals of Mathematics, 33(2), 1932, 422-428.
183. Yano, Sh. (1951)(1). On Walsh series, Tôhoku Math. J., 3, 223-242.
184. Yano, Sh. (1951)(2). On approximation by Walsh functions, Proc. Amer. Math. Soc., 2, 962-967.
185. Zhogin, I. I. (1969). A connection between the summability methods of Cesàro and Lambert, Mat. Zam., 5(5), 521-526.
186. Zinov'ev, A. S. (1972). The absolute convergence of orthogonal series, Mat. Zametki, 12(5), 511-516.

187. Ziza, O. A. (1965). Summability of orthogonal series by Euler method, Mat. Sb. (N. S.), 66 (108)(3), 354-377.
188. Zygmund, A. (1927). Sur la sommation des séries de fonctions orthogonales, Bull. Intern. Acad. Polonaise Sci. Lett. (Cracovie) Sér. A, 293-308.
189. Zygmund, A. (1959). Trigonometric series. I-II, second edition, University Press Cambridge.