

REFERENCES

- [1] A. Ben-Israel and T. N. Greville. *Generalized Inverses*. Springer-Verlag, 2003.
- [2] A. Bjork. *Numerical Methods for Least Squares Problem*. SIAM, 1996.
- [3] A. Blake and A. Zisserman. *Visual Reconstruction*. MIT Press, 1987.
- [4] A. Goldberg and R. Tarjan. A new approach to the maximum flow problem. *Journal of the Association for Computing Machinery*, 35(4):921–940, October 1988.
- [5] A. Laurentini. The visual hull concept for silhouette-based image understanding. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 16(2):150–162, February 1994.
- [6] A. Simon, J.C. Pret, and A.P. Johnson, A fast algorithm for bottom-up layout analysis, *IEEE Trans Pattern Anal Mach Intell* 19 (1997), 273–277.
- [7] A. V. Goldberg and R. E. Tarjan. A new approach to the maximum-flow problem. *J. ACM*, 35(4):921–940, 1988
- [8] A.K. Jain and S. Bhattacharjee, *Text segmentation using Gabor Filters for automatic document processing*, Mach Vis Appl 5 (1992), 169–184.
- [9] A.K. Jain and Y. Zhong, Page segmentation using texture analysis, *Pattern Recognition* 29 (1996), 743–770
- [10] Alexander Schrijver. A combinatorial algorithm minimizing submodular functions in strongly polynomial time. *Journal of Combinatorial Theory*, B80:346–355, 2000.
- [11] B Goldlucke and M.A. Magnor. Joing 3D-reconstruction and background separation in multiple views using graph cuts. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 683–688, 2003.
- [12] B. K. P. Horn and B. Schunk. Determining optical flow. *Artificial Intelligence*, 17:185–203, 1981.
- [13] B. Thirion, B. Bascle, V. Ramesh, and N. Navab. Fusion of color, shading and boundary information for factory pipe segmentation. In *CVPR*, pages 349–356. IEEE, 2000.
- [14] B. V. Cherkassky and A. V. Goldberg. On implementing push-relabel method for the maximum flow problem. *Algorithmica*, 19:390–410, 1997.
- [15] B. Wang, X.-F. Li, F. Liu, and F.-Q. Hu, 2005. Colour text image binarization based on binary texture analysis, *Pattern Recogn Lett* 26 (2005), 1650–1657.
- [16] Boris Zalesky. Fast algorithms of bayesian segmentation of images. *arXiv*, math.PR/0206184, June 2002.
- [17] C. A. Cocosco, V. Kollokian, R. K. s. Kwan, G. B. Pike, and A. C. Evans. Brainweb: Online interface to a 3d mri simulated brain database. *NeuroImage*, 5:425, 1997.
- [18] C. Buehler, S. J. Gortler, M. Cohen, and L. McMillan. Minimal surfaces for stereo vision. In

European Conference on Computer Vision, volume 3, pages 885–899, 2002.

- [19] C. Strouthopoulos and N. Papamarkos, Multithresholding of mixed type documents, *Eng Appl Artif Intell* 13 (2000), 323–343.
- [20] C. Strouthopoulos, N. Papamarkos, and A. Atsalakis, Text extraction in complex colour documents, *Pattern Recognition* 35 (2002), 1743–1758.
- [21] C. Thillou and B. Gosselin, Colour binarization for complex camera-based images, Color imaging X: Processing, hardcopy, and applications, *Proceedings of the Electronic Imaging Conference of the International Society for Optical Imaging* (5667), 2005, pp. 301–308.
- [22] C. Wolf, J. Jolion, and F. Chassaing. Text localization, enhancement and binarization in multimedia documents. *ICPR*, 4:1037–1040, 2002.
- [23] C. Wolf, J. Jolion, and F. Chassaing. Text localization, enhancement and binarization in multimedia documents. *ICPR*, 4:1037–1040, 2002.
- [24] D. Comaniciu and P. Meer, Mean shift: A robust approach toward feature space analysis, *IEEE Trans Pattern Anal Mach Intell* 24 (2002), 603–619.
- [25] D. Doermann, J. Liang, and H. Li. Progress in camera-based document image analysis. *ICDAR*, 1:606–615, 2003.
- [26] D. Doermann, J. Liang, and H. Li. Progress in camera-based document image analysis. *ICDAR*, 1:606–615, 2003
- [27] D. Greig, B. Porteous, and A. Seheult. Exact maximum a posterior estimation for binary images. *Journal of the Royal Statistical Society, Series B*, 51(2):271–279, 1989.
- [28] D. M. Greig, B. T. Porteous, and A. H. Seheult. Exact maximum a posteriori estimation for binary images. *Journal of the Royal Statistical Society. Series B (Methodological)*, 51(2):271–279, 1989.
- [29] D. Marr and T.A. Poggio. Cooperative computation of stereo disparity. *Science*, 194(4262):283–287, October 1976.
- [30] D. R. Karger, P. Klein, C. Stein, M. Thorup, and N. E. Young. Rounding algorithms for a geometric embedding of minimum multiway cut. In *STOC '99: Proceedings of the thirtyfirst annual ACM symposium on Theory of computing*, pages 668–678, New York, NY, USA, 1999. ACM.
- [31] D. Schlesinger and B. Flach. Transforming an arbitrary min-sum problem into a binary one. In *Technical Report TUD-FI06-01*, Dresden University of Technology, 2006
- [32] D. Z. Chen and X. Wu. Efficient algorithms for k-terminal cuts on planar graphs. In *ISAAC '01: Proceedings of the 12th International Symposium on Algorithms and Computation*, pages 332–344, London, UK, 2001. Springer-Verlag.
- [33] Dan Snow, Paul Viola, and Ramin Zabih. Exact voxel occupancy with graph cuts. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 345–352, 2000.

- [34] Daniel Scharstein and Richard Szeliski. A taxonomy and evaluation of dense two-frame stereo correspondence algorithms. *International Journal of Computer Vision*, 47:7–42, April 2002.
- [35] David R. Karger. Random sampling in cut, flow, and network design problems. *Mathematics of Operations Research*, 24(2):383–413, May 1999.
- [36] E. A. Dinic. Algorithm for solution of a problem of maximum flow in networks with power estimation. *Soviet Math. Dokl.*, 11:1277–1280, 1970.
- [37] E. Badekas and N. Papamarkos, A system for document binarization, *Third International Symposium on Image and Signal Processing and Analysis (ISPA)*, Rome, 2003.
- [38] E. Dahlhaus, D. S. Johnson, C. H. Papadimitriou, P. D. Seymour, and M. Yannakakis. The complexity of multiterminal cuts. *SIAM Journal on Computing*, 23(4):864–894, 1994.
- [39] E. Dahlhaus, D. S. Johnson, C.H. Papadimitriou, P. D. Seymour, and M. Yannakakis. The complexity of multiway cuts. In *ACM Symposium on Theory of Computing*, pages 241–251, 1992.
- [40] E. H. Moore. On the reciprocal of the general algebraic matrix. *Bulletin of the American Mathematical Society*, 26:394–395, 1920.
- [41] F. Schmidt, E. T. Apper, D. Cremers, and Y. Boykov. Efficient shape matching via graph cuts. *Energy Minimization Methods in Computer Vision and Pattern Recognition*, pages 39–54, 2007.
- [42] G. Calinescu, H. Karloff, and Y. Rabani. An improved approximation algorithm for multiway cut. In *STOC '98: Proceedings of the thirtieth annual ACM symposium on Theory of computing*, pages 48–52, New York, NY, USA, 1998. ACM.
- [43] G. Golub and C. F. V. Loan. *Matrix Computations*, 3rd edition. Johns Hopkins University Press, Baltimore, MD, 1996.
- [44] H. Derin and H. Elliot. Modeling and segmentation of noisy and textured images using Gibbs Random Fields. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 9(1):39–55, 1987.
- [45] H. Hase, T. Shinokawa, M. Yoneda, and C.Y. Suen, Character string extraction from color documents, *Pattern Recogn* 34 (2001), 1349–1365.
- [46] H. Ishikawa and D. Geiger. Occlusions, discontinuities, and epipolar lines in stereo. In *European Conference on Computer Vision*, pages 232–248, 1998.
- [47] H. Ishikawa and D. Geiger. Segmentation by grouping junctions. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 125–131, 1998.
- [48] H. Ishikawa. Exact optimization for markov random fields with convex priors. *IEEE Transactions Pattern Analysis and Machine Intelligence*, 25(10):1333–1336, Oct. 2003.
- [49] H. Lombaert, Y. Sun, and F. Chriet. Landmark-based non-rigid registration via graph cuts. In *International Conference on Image Analysis and Recognition*. SpringerVerlag, August 2007.

- [50] Hiroshi Ishikawa. Exact optimization for Markov random fields with convex priors. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2003.
- [51] I. Cox, S. Hingorani, S. Rao, and B. Maggs. A maximum likelihood stereo algorithm. *Computer Vision, Graphics and Image Processing*, 63(3):542–567, 1996.
- [52] J. Bernsen, Dynamic thresholding of grey-level images, *Proceedings of Eighth International Conference on Pattern Recognition*, Paris, 1986, pp. 1251–1255.
- [53] J. Besag. On the statistical analysis of dirty pictures. *Royal Stat*, B-48(3):259–302, 1986.
- [54] J. Canny. A computational approach to edge detection. *IEEE trans. PAMI*, 8(6):679–698, 1986.
- [55] J. N. Kapur, P. K. Sahoo, and A. Wong. A new method for gray-level picture thresholding using the entropy of the histogram. *Computer Vision Graphics Image Process.*, 29:273– 285, 1985.
- [56] J. Sauvola and H. Kauniskangas, *Media team document database II*, a CD-ROM collection of document images, University of Oulu, Finland.
- [57] J. Sauvola and M. Pietikainen. Adaptive document image binarization. *Pattern Recognition*, 33:225–236, 2000
- [58] J. Shi and J. Malik. Normalized cuts and image segmentation, *Proceedings of IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 1997, pages 731–737, Jun 1997.
- [59] J. Shi and J. Malik. Normalized cuts and image segmentation, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 22(8):888–905, Aug 2000.
- [60] J.-S. Kim and K.-S. Hong. A new graph cut-based multiple active contour algorithm without initial contours and seed points. *Mach. Vision Appl.*, 19(3):181–193, 2008.
- [61] Jose Dias and Jose Leitao. The $Z\pi M$ algorithm: A method for interferometric image reconstruction in SAR/SAS. *IEEE Transactions on Image Processing*, 11(4):408–422, April 2002.
- [62] Junmo Kim, John Fisher, Andy Tsai, Cindy Wible, Alan Willsky, and William Wells. Incorporating spatial priors into an information theoretic approach for fMRI data analysis. In *Medical Image Computing and Computer-Assisted Intervention*, pages 62–71, 2000.
- [63] K. Jung and J. Han, Hybrid approach to efficient text extraction in complex colour images, *Pattern Recognition Lett* 25 (2004), 679–699
- [64] K. Jung, K.I. Kim, and A.K. Jain, Text information extraction in images and video: A survey, *Pattern Recognition* 37 (2004), 977–997.
- [65] K. Sobottka, H. Kronenberg, T. Perroud, H. Bunke. Text extraction from coloured book and journal covers, *Int J Doc Anal. Recognition* 2 (2000), 163–176.
- [66] K.N. Kutulakos and S.M. Seitz. A theory of shape by space carving. *International Journal of*

Computer Vision, 38(3):197–216, July 2000.

- [67] L. Fletcher and R. Kasturi, A robust algorithm for text string separation from mixed text/graphics images, *IEEE Trans Pattern Anal Mach Intell* 10 (1988), 910–918.
- [68] L. Ford and D. Fulkerson. *Flows in Networks*. Princeton University Press, 1962.
- [69] L. Grady and M.-P. Jolly. Weights and topology: A study of the effects of graph construction on 3d image segmentation. In *MICCAI*, 2008.
- [70] L. O’Gorman, *The document spectrum for page layout analysis*, *IEEE Trans Pattern Anal Mach Intell* 15 (1993), 1162–1173.
- [71] L. R. Dice. Measures of the amount of ecologic association between species. *Ecology*, 26:279–302, 1945.
- [72] L. R. Ford and R. Fulkerson. *Flows in Networks*. Princeton University Press, 1962.
- [73] M.H. Lin and C. Tomasi. Surfaces with occlusions from layered stereo. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 710–717, 2003.
- [74] N. J. Higham. Accuracy and Stability of Numerical Algorithms. *SIAM*, Philadelphia, PA, 1996.
- [75] N. Komodakis, G. Tziritas, and N. Paragios. Performance vs computational efficiency for optimizing single and dynamic mrfs: Setting the state of the art with primal-dual strategies. *Comput. Vis. Image Underst.*, 112(1):14–29, 2008.
- 76] N. Nikolaou and N. Papamarkos, Color segmentation of complex document images, *International Conference on Computer Vision Theory and Applications*, Setu’bal, Portugal, 2006, pp. 220–227
- [77] N. Nikolaou, E. Badekas, N. Papamarkos, and C. Strouthopoulos, Text localization in color documents, *International Conference on Computer Vision Theory and Applications*, Setu’bal, Portugal, 2006, pp. 181–188.
- [78] N. Otsu. A threshold selection method from gray-level histograms., *IEEE Trans. Systems Man Cybernetics*, 9(1):62–66, 1979.
- [79] N. Papamarkos, A. Atsalakis, and C. Strouthopoulos, Adaptive colour reduction, *IEEE Trans Syst Man Cybern B Cybern* 32 , 44–56, 2002.
- [80] N. Papamarkos, Color reduction using local features and a SOFM neural network, *Int J Imag Syst Technol* 10 , 404–409, 1999.
- [81] O. D. Trier and A. Jain. Goal-directed evaluation of binarization methods. *IEEE Trans. PAMI*, 17(12):1191–1201, 1995
- [82] O. Goldschmidt and D. S. Hochbaum. Polynomial algorithm for the k-cut problem. In SFCS ’88: Proceedings of the [Proceedings 1988] 29th Annual Symposium on Foundations of Computer Science, pages 444–451, Washington, DC, USA, 1988. IEEE Computer Society.

- [83] O. Veksler. Graph cut based optimization for mrfs with truncated convex priors. *IEEE Conference on Computer Vision and Pattern Recognition, 2007. CVPR '07*, pages 1–8, June 2007.
- [84] O. Veksler. Image segmentation by nested cuts. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages I:339–344, 2000.
- [85] O.D. Trier and T. Taxt, *Improvement of 'Integrated Function Algorithm' for binarization of document images*, *Pattern Recognition Lett* 16 (1995), 277–283.
- [86] Olga Veksler. *Efficient Graph-based Energy Minimization Methods in Computer Vision*. PhD thesis, Cornell University, August 1999. Available as technical report *CUCS-TR-2000-1787*.
- [87] P. Clark and M. Mirmhedi. Rectifying perspective views of text in 3-d scenes using vanishing points. *Pattern Recognition*, 36:2673–2686, 2003.
- [88] P. F. Felzenszwalb and D. P. Huttenlocher. Efficient graph-based image segmentation. *Int. J. Computer Vision*, 59(2):167–181, 2004.
- [89] P. Ferrari, A. Frigessi, and P. de S'a. Fast approximate maximum a posteriori restoration of multicolour images. *Journal of the Royal Statistical Society, Series B*, 57(3):485–500, 1995.
- [90] P. Ferrari, M. Gubitoso, and E. Neves. Restoration of multicolor images. Available from <http://www.ime.usp.br/pablo>, December 1997.
- [91] P. Kohli, A. Shekhovtsov, C. Rother, V. Kolmogorov, and P. Torr. On partial optimality in multi-label mrfs. In *ICML '08: Proceedings of the 25th international conference on Machine learning*, pages 480–487, New York, NY, USA, 2008. ACM.
- [92] R. Cipolla and A. Blake. Surface shape from the deformation of apparent contours. *International Journal of Computer Vision*, 9(2):83–112, November 1992.
- [93] R. Penrose. A generalized inverse for matrices. *Proceedings of the Cambridge Philosophical Society*, 51:406–413, 1955.
- [94] R. Potts. Some generalized order-disorder transformation. *Proceedings of the Cambridge Philosophical Society*, 48(106), 1952.
- [95] R. Szeliski, R. Zabih, D. Scharstein, O. Veksler, V. Kolmogorov, A. Agarwala, M. Tappen, and C. Rother. A comparative study of energy minimization methods for markov random fields with smoothness-based priors. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 30(6):1068–1080, June 2008.
- [96] R. Szeliski. Rapid octree construction from image sequences. *Computer Vision, Graphics and Image Processing*, 58(1):23–32, July 1993.
- [97] Richard Szeliski and Ramin Zabih. An experimental comparison of stereo algorithms. In B. Triggs, A. Zisserman, and R. Szeliski, editors, *Vision Algorithms: Theory and Practice*, number 1883 in LNCS, pages 1–19, Corfu, Greece, September 1999. Springer-Verlag.
- [98] S. Birchfield and C. Tomasi. Multiway cut for stereo and motion with slanted surfaces. In

International Conference on Computer Vision, pages 489–495, 1999.

- [99] S. Fujishige. Submodular functions and Optimization, volume 47 of *Annals of Discrete Mathematics*. North Holland, 1990.
- [100] S. Geman and D. Geman. Stochastic relaxation, gibbs distributions, and the Bayesian restoration of images, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 6:721–741, 1984.
- [101] S. Li. *Markov Random Field Modeling in Computer Vision*. Springer-Verlag, 1995.
- [102] S. Roy and I. Cox. A maximum-flow formulation of the n -camera stereo correspondence problem. In *International Conference on Computer Vision*, 1998.
- [103] S. Yanowitz and A. Bruckstein. A new method for image segmentation. *Computer Vision, Graphics and Image Processing*, 46(1):82–95, 1989.
- [104] S.B. Kang, R. Szeliski, and J. Chai. Handling occlusions in dense multiview stereo. In *IEEE Conference on Computer Vision and Pattern Recognition*, 2001. Expanded version available as MSR-TR-2001-80.
- [105] S.M. Seitz and C.R. Dyer. Photorealistic scene reconstruction by voxel coloring. *International Journal of Computer Vision*, 35(2):1–23, November 1999.
- [106] Satoru Iwata, Lisa Fleischer, and Satoru Fujishige. A combinatorial, strongly polynomial-time algorithm for minimizing submodular functions. In *ACM Symposium on Theoretical Computer Science*, pages 97–106, 2000.
- [107] Stan Birchfield and Carlo Tomasi. A pixel dissimilarity measure that is insensitive to image sampling. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(4):401–406, April 1998.
- [108] Stephen Barnard. Stochastic stereo matching over scale. *International Journal of Computer Vision*, 3(1):17–32, 1989.
- [109] T. Hofmann, J. Puzicha, and J. M. Buhmann. Unsupervised texture segmentation in a deterministic annealing framework. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(8):803–818, 1998.
- [110] T. Poggio, E. Gamble, and J. Little. Parallel integration of vision modules. *Science*, 242:436–440, October 1988. E. Gamble and T. Poggio, MIT AI Memo 970.
- [111] T. Tang and A. Chung. Non-rigid image registration using graph-cuts. *Medical Image Computing and Computer-Assisted Intervention, MICCAI 2007*, pages 916–924, 2007.
- [112] Tomaso Poggio, Vincent Torre, and Christof Koch. Computational vision and regularization theory. *Nature*, 317:314–319, 1985.
- [113] V. Kolmogorov. Convergent tree-reweighted message passing for energy minimization, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 28(10):1568–1583, Oct. 2006.
- [114] V. Lempitsky, C. Rother, and A. Blake. Logcut - efficient graph cut optimization for markov

- random fields, *IEEE 11th International Conference on Computer Vision*, pages 1–8, Oct. 2007.
- [115] V. Torre and T. Poggio. On edge detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(2):147–163, 1986.
 - [116] Vivek Kwatra, Arno Schoedl, Irfan Essa, Greg Turk, and Aaron Bobick. Graphcut textures: Image and video synthesis using graph cuts. In *Proceedings of ACM SIGGRAPH*, 2003.
 - [117] Vladimir Kolmogorov and Ramin Zabih. Multi-camera scene reconstruction via graph cuts. In *European Conference on Computer Vision*, volume 3, pages 82–96, 2002.
 - [118] Vladimir Kolmogorov and Ramin Zabih. Visual correspondence with occlusions using graph cuts. In *International Conference on Computer Vision*, pages 508–515, 2001.
 - [119] Vladimir Kolmogorov and Ramin Zabih. What energy functions can be minimized via graph cuts? In *European Conference on Computer Vision*, volume 3, pages 65–81, 2002. Expanded version available as Cornell CS technical report CUCS-TR2001-1857.
 - [120] Vladimir Kolmogorov and Ramin Zabih. What energy functions can be minimized via graph cuts? *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2003.
 - [121] Vladimir Kolmogorov, Ramin Zabih, and Steven Gortler. Generalized multi-camera scene reconstruction using graph cuts. In *International Workshop on Energy Minimization Methods in Computer Vision and Pattern Recognition*, July 2003.
 - [122] W. H. Cunningham. Minimum cuts, modular functions, and matroid polyhedra. *Networks*, 15:205–215, 1985.
 - [123] W. Niblack, *An introduction to digital image processing*, Englewood Cliffs, NJ, Prentice Hall, 1986, pp. 115–116
 - [124] W.-C. Yeh. A simple algorithm for the planar multiway cut problem. *J. Algorithms*, 39(1):68–77, 2001.
 - [125] W.N. Martin and J.K. Aggarwal. Volumetric descriptions of objects from multiple views. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 5(2):150–158, March 1983.
 - [126] W.Y Chen and S.Y. Chen, *Adaptive page segmentation for color technical journals' cover images*, *Image Vis Computer* 16 (1998), 855–877.
 - [127] William J. Cook, William H. Cunningham, William R. Pulleyblank, and Alexander Schrijver. *Combinatorial Optimization*. John Wiley & Sons, 1998.
 - [128] Y. Boykov and G. Funka-Lea. Graph cuts and efficient n-d image segmentation. *International Journal of computer Vision*, 70(2):109–131, 2006.
 - [129] Y. Boykov and M.-P. Jolly. Interactive graph cuts for optimal boundary and region segmentation of objects in n-d images., *Proceedings. Eighth IEEE International Conference on Computer Vision*, 1:105–112 vol.1, 2001.
 - [130] Y. Boykov, O. Veksler, and R. Zabih. Fast approximate energy minimization via graph cuts.,

- IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(11):1222–1239, Nov 2001.
- [131] Y. Boykov, O. Veksler, and R. Zabih. Markov random fields with efficient approximations. n, 1998. *Proceedings of IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pages 648–655, Jun 1998.
 - [132] Y. Yang and H. Yan, An adaptive logical method for binarization of degraded document images, *Pattern Recognition* 33 (2000), 787–807.
 - [133] Y. Zhong, K. Karu, and A.K. Jain, Locating text in complex colour images, *Pattern Recognition* 28 (1995), 1523–1535.
 - [134] Yuri Boykov and Daniel Huttenlocher. A new bayesian framework for object recognition. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 517–523, 1999.
 - [135] Yuri Boykov and Marie-Pierre Jolly. Interactive graph cuts for optimal boundary and region segmentation of objects in N-D images. In *International Conference on Computer Vision*, pages I: 105–112, 2001.
 - [136] Yuri Boykov and Vladimir Kolmogorov. An experimental comparison of min-cut/max-flow algorithms for energy minimization in computer vision. In *International Workshop on Energy Minimization Methods in Computer Vision and Pattern Recognition*, volume 2134 of *LNCS*, pages 359–374. Springer-Verlag, September 2001.
 - [137] Yuri Boykov and Vladimir Kolmogorov. Computing geodesics and minimal surfaces via graph cuts. In *International Conference on Computer Vision*, 2003.
 - [138] Yuri Boykov, Olga Veksler, and Ramin Zabih. Fast approximate energy minimization via graph cuts. In *International Conference on Computer Vision*, pages 377–384, September 1999.
 - [139] Yuri Boykov, Olga Veksler, and Ramin Zabih. Fast approximate energy minimization via graph cuts. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(11):1222–1239, November 2001.
 - [140] Yuri Boykov, Olga Veksler, and Ramin Zabih. Markov Random Fields with efficient approximations. In *IEEE Conference on Computer Vision and Pattern Recognition*, pages 648–655, 1998
 - [141] Z. L., N. H., and I. T., Approximating the minimum k-way cut in a graph via minimum 3-way cuts, *Journal of Combinatorial Optimization*, 5:397–410(14), 1 December 2001.
 - [142] Z. Wu and R. Leahy. An optimal graph theoretic approach to data clustering: theory and its application to image segmentation, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 15(11):1101–1113, Nov 1993.