

List of Figures

Figure 1.1 One form of a Jabłoński diagram

Figure 2.1 XRD of pristine and doped La_2O_3

Figure 2.2 (a) EDAX Spectrum with mapping of La_2O_3

Figure 2.2 (b) EDAX Spectrum with mapping of 1% Pr^{3+} : La_2O_3

Figure 2.2 (c) EDAX Spectrum with mapping of 1% Eu^{3+} : La_2O_3

Figure 2.2 (d) EDAX Spectrum with mapping of 1% Tb^{3+} : La_2O_3

Figure 2.2 (e) EDAX Spectrum with mapping of 1% Dy^{3+} : La_2O_3

Figure 2.3 (a) SEM image of La_2O_3 with histogram showing particle size distribution

Figure 2.3 (b) SEM image of 1% Pr^{3+} : La_2O_3 with histogram showing particle size distribution

Figure 2.3 (c) SEM image of 1% Eu^{3+} : La_2O_3 with histogram showing particle size distribution

Figure 2.3 (d) SEM image of 1% Tb^{3+} : La_2O_3 with histogram showing particle size distribution

Figure 2.3 (e) SEM image of 1% Dy^{3+} : La_2O_3 with histogram showing particle size distribution

Figure 2.4 UV-Visible graph of 1% Ln^{3+} : La_2O_3

Figure 2.5 Tauc plot Ln^{3+} : La_2O_3

Figure 2.6 (a) Excitation & Emission characteristics of 1% Pr^{3+} : La_2O_3

Figure 2.6 (b) Excitation & Emission characteristics of 1% Eu^{3+} : La_2O_3

Figure 2.6 (c) Excitation & Emission characteristics of 1% Tb^{3+} : La_2O_3

Figure 2.6 (d) Excitation & Emission characteristics of 1% Dy³⁺: La₂O₃

Figure 2.7 Energy level diagrams for down conversion photoluminescence

Figure 2.8 XRD of upconversion samples

Figure 2.9 (a) Excitation & Emission characteristics of 12% Yb³⁺-2% Er: La₂O₃

Figure 2.9 (b) Excitation & Emission characteristics of 12% Yb³⁺-2% Ho: La₂O₃

Figure 2.9 (c) Excitation & Emission characteristics of 12% Yb³⁺-2% Tm: La₂O₃

Figure 2.10 (a) Energy level diagram for Upconversion photoluminescence of 12% Yb³⁺-2% Er³⁺: La₂O₃

Figure 2.10 (b) Energy level diagram for Upconversion photoluminescence of 12% Yb³⁺-2% Ho³⁺: La₂O₃

Figure 2.10 (c) Energy level diagram for Upconversion photoluminescence of 12% Yb³⁺-2% Tm³⁺: La₂O₃

Figure 3.1 XRD Spectra of Synthesized Samples

Figure 3.2 EDAX Spectra of Synthesized Samples (a) 1% Ce³⁺: La₂O₃ (b) 1% Gd³⁺: La₂O₃ (c) 1% Ce³⁺, 1% Gd³⁺: La₂O₃ (d) 2% Ce³⁺, 1% Gd³⁺: La₂O₃ (e) 1% Pr³⁺: La₂O₃ (f) 1% Pr³⁺, 1% Gd³⁺: La₂O₃ (g) 2% Pr³⁺, 1% Gd³⁺: La₂O₃

Figure 3.3 UV – Visible Spectra of Synthesized Samples (a) 1% Ce³⁺: La₂O₃ (b) 1% Gd³⁺: La₂O₃ (c) 1% Ce³⁺, 1% Gd³⁺: La₂O₃ (d) 2% Ce³⁺, 1% Gd³⁺: La₂O₃ (e) 1% Pr³⁺: La₂O₃ (f) 1% Pr³⁺, 1% Gd³⁺: La₂O₃ (g) 2% Pr³⁺, 1% Gd³⁺: La₂O₃

Figure 3.4 Tauc's Plot of Synthesized Samples from UV – Visible Spectra

Figure 3.5 PL Excitation & Emission Spectra of Synthesized Samples (a) 1% Ce³⁺: La₂O₃ (b) 1% Gd³⁺: La₂O₃ (c) 1% Ce³⁺, 1% Gd³⁺: La₂O₃ (d) 2% Ce³⁺, 1% Gd³⁺: La₂O₃ (e) 1% Pr³⁺: La₂O₃ (f) 1% Pr³⁺, 1% Gd³⁺: La₂O₃ (g) 2% Pr³⁺, 1% Gd³⁺: La₂O₃

Figure 3.6 (a) Energy transfer process diagrams for PL of rare earth ions in 1% Ce^{3+} : La_2O_3 ,

Figure 3.6 (b) Energy transfer process diagrams for PL of rare earth ions in Ce^{3+} - Gd^{3+} : La_2O_3

Figure 3.6 (c) Energy transfer process diagrams for PL of rare earth ions in Pr^{3+} - Gd^{3+} : La_2O_3

Figure 4.1 (a) XRD pattern of material synthesized by the solid-state method without flux (b) XRD pattern for a solid-state method with flux (c) XRD pattern of a hydrothermal method without flux (d) XRD pattern for a hydrothermal method with flux (e) XRD pattern for the combustion method without flux (f) XRD pattern for the combustion method with flux

Figure 4.2 XRD pattern of pristine $\text{La}_2\text{O}_2\text{S}$ and 1% Ln^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.3 (a) EDAX spectrum of 1% Pr^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.3 (b) EDAX spectrum of 1% Eu^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.3 (c) EDAX spectrum of 1% Tb^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.3 (d) EDAX spectrum of 1% Dy^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.4 UV-Visible and Tauc's Plot of pristine $\text{La}_2\text{O}_2\text{S}$

Figure 4.5 UV-Visible and Tauc's Plot of pristine $\text{La}_2\text{O}_2\text{S}$

Figure 4.6 Tauc's plot of Ln^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.7(a) emission and excitation graph of doped 1% Pr^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.7(b) emission and excitation graph of doped 1% Eu^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.7(c) emission and excitation graph of doped 1% Tb^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.7(d) emission and excitation graph of doped 1% Dy^{3+} : $\text{La}_2\text{O}_2\text{S}$

Figure 4.8 XRD of upconversion samples

Figure 4.9 (a) Excitation & Emission characteristics of 12% Yb³⁺-2% Er: La₂O₂S

Figure 4.9 (b) Excitation & Emission characteristics of 12% Yb³⁺-2% Ho: La₂O₂S

Figure 4.9 (c) Excitation & Emission characteristics of 12% Yb³⁺-2% Tm: La₂O₃

Figure 4.10 (a) Energy level diagram for Upconversion photoluminescence of 12% Yb³⁺- 2% Er³⁺: La₂O₂S

Figure 4.10 (b) Energy level diagram for Upconversion photoluminescence of 12% Yb³⁺- 2% Ho³⁺: La₂O₂S & 12% Yb³⁺- 2% Tm³⁺: La₂O₂S

Figure 5.1 XRD of pristine and doped LaOF

Figure 5.2 (a) EDAX Spectrum with mapping of LaOF

Figure 5.2 (b) EDAX Spectrum with mapping of 1% Pr³⁺: LaOF

Figure 5.2 (c) EDAX Spectrum with mapping of 1% Eu³⁺: LaOF

Figure 5.2 (d) EDAX Spectrum with mapping of 1% Tb³⁺: LaOF

Figure 5.2 (e) EDAX Spectrum with mapping of 1% Dy³⁺: LaOF

Figure 5.3 (a) SEM images with histogram of LaOF

Figure 5.3 (b) SEM images with histogram of 1% Pr³⁺: LaOF

Figure 5.3 (c) SEM images with histogram of 1% Eu³⁺: LaOF

Figure 5.3 (d) SEM images with histogram of 1% Tb³⁺: LaOF

Figure 5.3 (e) SEM images with histogram of 1% Dy³⁺: LaOF

Figure 5.4 UV-Visible characteristics of 1% Ln³⁺: LaOF

Figure 5.5 Tauc's plot for samples

Figure 5.6 (a) Excitation and Emission spectra of 1% Pr³⁺: LaOF

Figure 5.6 (b) Excitation and Emission spectra of 1% Eu³⁺: LaOF

Figure 5.6 (c) Excitation and Emission spectra of 1% Tb³⁺: LaOF

Figure 5.6 (d) Excitation and Emission spectra of 1% Dy^{3+} : LaOF

Figure 5.7 Energy level diagram for down conversion photoluminescence

Figure 5.8 XRD of upconversion samples

Figure 5.9 (a) Emission characteristics of 12% Yb^{3+} -2% Er^{3+} : LaOF

Figure 5.9 (b) Emission characteristics of 12% Yb^{3+} -2% Ho^{3+} : LaOF

Figure 5.9 (c) Emission characteristics of 12% Yb^{3+} -2% Tm^{3+} : LaOF

Figure 5.10 (a) Energy level diagram for Upconversion photoluminescence of 12% Yb^{3+} -2% Er^{3+} : LaOF

Figure 5.10 (b) Energy level diagram for Upconversion photoluminescence of 12% Yb^{3+} -2% Ho^{3+} : LaOF

Figure 5.10 (c) Energy level diagram for Upconversion photoluminescence of 12% Yb^{3+} -2% Tm^{3+} : LaOF